

Accredited Standards Committee X12, Insurance Subcommittee, ASC X12N

**Health Care Eligibility Benefit Inquiry (270), 005010X279
Washington Publishing Company, April 2008**

**Health Care Eligibility Benefit Inquiry (270), 005010X279A1
Washington Publishing Company, June 2010
<<http://www.wpc-edi.com>>**

The ASC X12 TR3s that detail the full requirements for these transactions are available at <http://store.x12.org/store/>

The objectives of this document are:

- *To clarify what information is needed where the Technical Specification indicates that the choice is dependent on the Payer.
- *To point out preferred selections for data elements where multiple alternatives exist.

This Technical Specification supplements Health Care Eligibility Benefit Response (270) ASC X12N/005010X279 and associated A1 addenda.

In order to create a HIPAA compliant transaction, you must first meet the requirements of the TR3 and then incorporate the payer specific requirements.

All alpha characters must be received in upper case. Do not use special characters.

Every effort has been made to prevent errors in this document. However, if there is a discrepancy between this document and the TR3, the TR3 is the final authority.

In the examples given in this Technical Specification, a lowercase "b" denotes a blank space and values contained in examples are for reference purposes only.

This Technical Specification has been reviewed and approved by ASC X12 and held by associated ASC X12 copyrights and related intellectual property rights. Explicit permission to cite this material was granted by ASC X12.

ISA - Interchange Control Header - Page C.3

Example: ISA*00*bbbbbbbbbb*00*bbbbbbbbbb*ZZ*MB123456bbbbbb*ZZ*ORDHSbbbbbbbbbb*120101*1253*!*00501*00000905*0*P*::~

ELEMENT	NAME	PREFERRED VALUE	COMMENTS
ISA01	Authorization Information Qualifier	00	
ISA03	Security Information Qualifier	00	
ISA05	Interchange ID Qualifier	ZZ	
ISA06	Interchange Sender ID		The sender's mailbox number MB##### (uppercase MB).
ISA07	Interchange ID Qualifier	ZZ	
ISA08	Interchange Receiver ID	ORDHS	Spaces are inserted <u>after</u> data to meet 15-byte requirement.

GS - Functional Group Header - Page C.7

Example: GS*HB*MB123456*ORDHS*20110101*1452*00000001*X*005010X279A1~

ELEMENT	NAME	PREFERRED VALUE	COMMENTS
GS02	Application Sender's Code		The sender's mailbox number MB##### (uppercase "MB").
GS03	Application Receiver's Code	ORDHS	
GS08	Version/Release/Industry Identification Code	005010X279A1	

BHT- Beginning of Hierarchical Transaction Page 63

Example: BHT*0022*13*199800114000001*20110101*1400~

ELEMENT	NAME	PREFERRED VALUE	COMMENTS
BHT02	Transaction Set Purpose Code	13	
BHT03	Submitter Transaction Identifier		OR-MMIS will only capture the first 30 characters.

NM1 - Information Source Name - Page 69

Example: NM1*PR*2*OR-MMIS*****FI*930592162~

ELEMENT	NAME	PREFERRED VALUE	COMMENTS
NM101	Entity Identifier Code	PR	
NM102	Entity Type Qualifier	2	
NM103	Information Source Last or Organization Name	OR-MMIS	
NM108	Identification Code Qualifier	FI	
NM109	Information Source Primary Identifier	930592162	

TRN - Subscriber Trace Number - Page 90

Example: TRN*1*98175-012547*9877281234*RADIOLOGY~

ELEMENT	NAME	PREFERRED VALUE	COMMENTS
TRN02	Trace Number		OR-MMIS will only capture the first 30 characters.