

LEPC-March 25, 2015 Meeting

Started at 10:00 am

ATTENDEES-Will Ewing, Toledo Fire; Dave Inman, Toledo Fire; Warren Penter, Hallmark fisheries; Ricardo Garcia, Bornstein SFDS; Terry Wolfe OSFM; Mark Mammenga GP; Craig Andersen PWA; David Quimby, Charter; Don Baker, North Lincoln F&R; Kerry Delisser, Lincoln Co Sherriff's Office EM; Chief Rampley, Newport Fire; Mark Sayder, KCBLB Water/Gleneden Sanitary

Last month's minutes were passed out and reviewed by the group. Minutes were approved by vote.

Discussion of 9 priorities per OSFM. LECP Plan Provisions

Goal:

1 Develop Response Plan

Added to list: Gleneden Beach Water District; City of NWPT WWTP; Bornstein

Mark from Pacific has moved and is no longer with the company. Ramply will fill in as a replacement.

Discussion of need for fixed site participants and addresses to be listed as a resource for emergency response.

Facility planning report for LEPC is now available by county.

Chief Ewing stressed need for more transparency in knowing what products are coming and which routes they are coming through. Sheets were passed around for different sites to complete to provide info on what chemicals are used and how they are transported and handled including which routes they travel through and how they are loaded/unloaded. A central database is in process as two databases are being merged and updated. Information data base also available on line through OSFM.

Discussion:

- GP's turpentine that is made on site and shipped out may not be reportable. Sulfuric acid is also used.
- Fed Ex does not placard due to quantities of hazmat being under reportable limit, though there is still a need for more transparency around hazardous materials being carried.
- Handling methods and frequencies of EHS's
- Rogue reportedly receives shipments of up to 12 - 55 gallon drums of alcohol though the frequency of these deliveries is unknown.
- Squid Plant in Depoe Bay, need to get more hazmat info.
- Slime eel processing in South Beach- Ramply to check in for more info.

2 Enhance Responder Safety

More Communication is needed between EHS and responders regarding action plans and expectations in emergencies. As homework, all parties should write down expectations to help get everyone on the same page.

LEPC meeting notes from 3-25-2015

We need to know what is expected and what is lacking from both parties. There is a gap in what is expected of emergency response providers and the reality of what they can safely provide. There is a difference in the training level of industry workers and emergency personnel on different chemicals.

Ramley to talk with Nwpt P.D regarding Bornstein having issues being questioned by the police for permitted activity.

3 Increase Public Awareness

Community Facility Coordinators-Designation. We need to know who they are and how to contact them.

Strategic planning or Operations? IC, EOC

The Plan is a pre-component, 911 fulfills requirements to contact LECP's? How plan is implemented may come from emergency response. NIMS process to be added with incident commander component. More collaboration is needed between businesses and responders to implement plan.

IC person is to be in charge of implementing of particular plan.

There needs to be a balloon plan for every fixed site that incorporates Incident command system.

Much discussion about the Plan and who and how it should be implemented.

Next meeting to be held April 29th at 10:00am.