CONTINUATION OF THERAPY

Including Emergency Refills of Insulin

STATEWIDE DRUG THERAPY MANAGEMENT PROTOCOL for the OREGON PHARMACIST

AUTHORITY and PURPOSE:

- Per <u>ORS 689.645</u>, a pharmacist may provide patient care services pursuant to a statewide drug therapy management protocol.
- Per <u>ORS 689.696</u>, a pharmacist may prescribe and dispense emergency refills of insulin and associated insulin-related devices and supplies to a person who has evidence of a previous prescription from a licensed health care provider.
- Following all elements outlined in <u>OAR 855-020-0110</u>, a pharmacist licensed and located in Oregon
 may prescribe any <u>non-controlled medication</u> to a person who has evidence of a previous
 prescription from a licensed health care provider in order to:
 - o Replace a damaged prescription therapy within the original duration of therapy; or
 - Extend a patient's current prescription therapy (same drug, dose and directions) to avoid interruption of treatment.

STANDARDIZED PATIENT ASSESSMENT PROCESS ELEMENTS:

- Utilize the standardized Continuation of Therapy Patient Intake Form (pg. 2)
- Utilize the standardized Continuation of Therapy Assessment and Treatment Care Pathway (pg. 3)
- Utilize the standardized Continuation of Therapy Prescription Template optional (pg. 4)
- Utilize the standardized Patient Informational Handout optional (pg. 5)
- Utilize the standardized Continuation of Therapy Provider Fax optional (pg. 6)

PRESCRIBING PARAMETERS

- For Non-Insulin Medication, Medication Related Devices and Supplies:
 - Quantity sufficient for the circumstances
 - Maximum quantity:
 - Damaged: May not exceed original duration of therapy
 - Extend: May not exceed a 60-day supply
 - Maximum frequency:
 - Damaged: No more than one replacement in a rolling 12-month period per medication
 - Extend: No more than two extensions in a rolling 12-month period per medication
- For Insulin, Insulin Related Devices and Supplies (excluding pump devices):
 - Quantity sufficient for the circumstances
 - o Maximum quantity: Lesser of a 30-day supply or the smallest available package size
 - Maximum frequency: No more than three extensions in a calendar year (Jan 1- Dec 31)

PHARMACIST TRAINING/EDUCATION: None required.

Oregon Board of Pharmacy

Continuation of Therapy: Self-Screening Patient Intake Form

(CONFIDENTIAL Drotocted Health Information)

	(CONTIDENTIAL-TIO	ected Health Informat	ionj		
	//	Date of Birth			Age
-	Name				
	ssigned at Birth (circle) M / F	Gender Identi			/ Other
	ouns (circle) She/Her/Hers, He/Him/His, They/Ther				
	t Address				
	e ()	Email Address			
	hcare Provider Name				
	ou have health insurance? Yes / No	Insurance Provider Name			
Anya	Illergies to medications? Yes / No	If yes, please list			
Back	ground Information:				
1.	Which medication or medication-related devices a today?		efill of		
2.	Why are you unable to obtain a refill from your pro-	evious prescriber?			
3.	 Have you previously had the medication or medication-related devices and sup needed in #1 prescribed to you by a licensed health care provider? If yes, what is the name and contact information for your licensed health care provider? 			🗆 Yes 🗆 N	0
	- If yes, when was the last time your provider prescribed the medication or medication- related device or supply to you?/				
4.	Do you have evidence of a previous prescription for related device or supply needed in #1 from a licent - If yes, what evidence do you have? Prescription	sed health care provider?		□ Yes □ N	NO
5.	Have you previously had medication or medication prescribed to you by a Pharmacist? - If yes, what is the name and contact information prescribed to you?	for your pharmacist/pharmac	-	□ Yes □ N	10

Patient Signature (Parent or Legal Guardian signature needed if patient is under 18 years of age)

Date

To Be Completed by a Pharmacist:

If medication or medication-related device or supply were prescribed/dispensed, please complete the following:

Drug or Device:	Drug or Device:
Directions:	Directions:
Quantity: + 0 refills	Quantity: + 0 refills
Evidence: Prescription Vial Medical Record Other	Evidence: Prescription Vial Medical Record Other
Drug or Device:	Drug or Device:
Directions:	Directions:
Quantity: + 0 refills	Quantity: + 0 refills
Evidence: Prescription Vial Medical Record Other	Evidence: Prescription Vial Medical Record Other
Primary Care Provider (if known) contacted/notified of thera	apy Date/

If medication or medication related device or supplies were not prescribed/dispensed/administered, please indicate reason(s) for referral: ______

Emergency Refills of Insulin or Insulin-Related Devices Assessment and Treatment Care Pathway

(CONFIDENTIAL-Protected Health Information)

1. Does the patient need a medication or medication-related device/supply today?				
□ Yes. Go to #2	🗆 No. Do not prescribe.			
2. If insulin-related supplies are needed, do these supplies in	nclude insulin pump devices?			
Yes. Refer patient to other HCP	□ No. Go to #3			
3. Does the patient have evidence of a previous prescription for the needed medication or medication-related device or supply from a licensed health care provider?				
□ Yes. Go to #4	No. Refer patient to local primary care provider			
	(PCP), emergency department (ED) or urgent care.			
 4. Has the patient received more than: a. one refill of non-insulin medication, medication-related device or supply from a pharmacist in the past rolling 12-months? b. two emergency refills of insulin or insulin-related supplies from a pharmacist in the past calendar year (1/1-12/31) 				
☐ Yes. Do not prescribe. Refer patient to local primary care provider (PCP), emergency department (ED) or urgent care. notify the provider.				
Please refer to ORS 689.696 for specific laws concerning emergency refills of insulin and associated insulin-related devices and supplies.				

RECOMMENDED REGIMEN:	
RECOMMENDED REGIMEN.	

Medication or	Notes:	
medication-related device or supply		rgency prescribing must be for the same drug or related supply, strength, and ge as shown by the patient evidence.
		rgency prescribing for non-insulin medications, devices or supplies is limited to day supply
	• Eme	rgency prescribing for insulin or insulin-related supplies is limited to the lesser

COUNSELING POINTS:

• To help plan, ask your health care provider for a prescription lasting more than 30 days to ensure you always have enough.

of a 30-day supply or the smallest available package size.

- In a case where you know you are going to need a refill while traveling, you may be able to order an additional supply in advance. Some health insurance plans allow for prescription overrides so that you can get a prescription filled early or obtain more than a 30-day supply.
- Keep an up-to-date list of all your prescription medications.

Continuation of Therapy Prescription

Optional-May be used by pharmacy if desired

Patient I	Name:	Date of birth:	
Address			
City/Stat	te/Zip Code:	Phone number:	
Verified	DOB with valid photo ID		
Rx			
Drug:			
•	Directions: Quantity: + 0 refills		
	· · · · · · · · · · · · · · · · ·		
•	Directions:		
•	Quantity: + 0 refills		
Drug:			
•	Directions: Quantity: + 0 refills		
·			
	Directions		
•	Directions: Quantity: + 0 refills		
Written D	Date:		
Prescribe	r Name:	Prescriber Signature:	
Pharmacy	y Address:	Pharmacy Phone:	

Patient Information Continuation of Therapy

Pharmacy A	Address	Pharmacist Name:
		, authorized a refill of the medication, devices and/or supplies listed an interruption in your therapy.
	•	Directions: Quantity: + 0 refills
	•	Directions: Quantity: + 0 refills
	•	Directions: Quantity: + 0 refills
	•	Directions: Quantity: + 0 refills

Follow-up and Next Steps

• Please contact your primary care provider to obtain further authorization to fill this medication.

Provider Notification Continuation of Therapy

narmacy	y Phone:_	Pharmacy Fax:		
ear Pro	vider	(nam	e), ()	(FAX)
		, your patient		
		ill of the medication, medication-related devices, a	and supplies listed below	at
		Pharmacy. Your patient was:		
Preso	ribed me	dication or medication related devices and supplies. T	he prescription(s) issued an	nd dispensed
	sted of:	<u> </u>		
	Drug:			
	•	Directions:		
	•	Quantity: + 0 refills		
	•	Evidence Provided: Prescription Vial Medical Rec	ord 🗆 Other	
	Drug:			
	•	Directions:		
	•	Quantity: + 0 refills		
	•	Evidence Provided: Prescription Vial Medical Rec	ord 🗆 Other	
	Drug:			
	•	Directions:		
	•	Quantity: + 0 refills		
	•	Evidence Provided: Prescription Vial Medical Rec	ord 🗆 Other	
	Drug:			
	•	Directions:		
		Quantity: + 0 refills		
	•	Evidence Provided: Prescription Vial Medical Rec	ord 🗌 Other	
- (•• -			
		Primary care provider (PCP) Emergency department Primary care provider (PCP)	it (ED) 📋 Urgent care	
for tr	ie tollowi	ng reasons:		
Medi	cation or	medication-related devices and supplies were not pres	cribed to your patient.	
author	izing this	efill, the pharmacist used their professional judgment	to meet the patient's medie	cal needs.
'H Signa	ature	RPH Name (Print)	Dat	e:

protocol authorized under OAR 855-020-0300.