

## Menu of incentivized fire hardening options

The following improvements will be incentivized by the program and the listed incentive amounts will be disbursed to eligible applicants once they complete qualifying fire hardening improvements.

ELEMENT	OPTIONS	GRANT AMOUNT
Roofing	Class B or Class A	\$2,200.00
Exterior wall covering	Must be constructed from one of the following: <ul> <li>Noncombustible</li> <li>Ignition-resistant</li> <li>Heavy timber assembly</li> <li>Log wall assembly</li> </ul>	\$1,750.00
Ventilation	Options:  1. Vents designed to resist ember and flame intrusion 2. Unvented attic assembly	\$350.00
Overhangs, cantilevers and projections	Underside of eaves, soffits, cantilevers, etc., protected by one of the following:  • Noncombustible material • Ignition-resistant material • Exterior portion of 1-hour wall assembly • 1 layer of 5/8-inch Type X exterior gypsum sheathing or equivalent	\$400.00
Walking surfaces of porches, balconies and decks	Must be constructed from one of the following: <ul> <li>Noncombustible</li> <li>Ignition resistant</li> <li>Exterior fire-retardant treated wood</li> <li>Materials meeting ASTM E2632</li> </ul>	\$550.00
Windows & Skylights	Protected by one of the following:  Tempered glass 20-minute fire-resistance-rated assembly	\$550.00
Skirting (Manufactured Homes only)	Made from one of the following skirting materials: <ul> <li>Noncombustible</li> <li>Ignition resistant</li> </ul>	\$500.00
Accessory structures within 50 feet of a residential or commercial building	Improve the structure with both the roofing and the exterior wall covering elements above.  Up to two structures are eligible for the grant.	\$500.00 per structure, max \$1000.00