

WAGE MATRIX - INSTRUCTIONS



Name of Project: City of Hood River WWTP upgrade
 Date the project was first advertised for bids: 5/3/13
 Date bid advertisement closed: 6/17/13
 Date contract awarded: 6/25/13

Oregon Bureau of Labor and Industries
 Prevailing wage rate publication, info: Jan. 1, 2013 Region 9 Hood River County
 Actual PWR publication and amendment URL: http://www.oregon.gov/boli/WHD/PWR/Pages/pwr_oregon_2013.aspx

Davis-Bacon Act
 Identified wage determination (WD) information: Hood River County Heavy Construction Type OR68
 WD modification #: #5 WD Publication date: 4/19/13
 Archived wage determination information URL: <http://www.wdol.gov/wdol/scfiles/archive/davisbacon/2013/or68>

Occupation Title (Trade/Classification)		BOLI prevailing wage rate		Davis-Bacon wage determination		Actual wage rate paid	
		BOLI base	BOLI Fringe Rate	D-B Rate	D-B Fringe rate	Actual rate	Actual Fringe rate
Carpenter	Standard wage	\$28.45	\$10.48	\$32.61	\$14.44	\$32.70	\$14.50
Electrician	Overtime wage						
	ST	\$37.05	\$18.41	\$38.05	\$18.44	\$39.50	\$18.00
Power Equip. Op. Group 1	OT			\$60.88			
	ST	\$43.63	\$13.55	\$37.63	\$13.55	\$41.50	\$16.10
Power Equip. Op. Group4	OT			\$34.00	\$13.55	\$41.10	\$15.55
	ST	\$40.00	\$13.55	\$28.90	\$11.52	\$28.40	\$4.00
Power Equip. Op Grp 4 (apprentice - 85%)	OT			\$28.90	\$11.52	\$28.40	\$4.00
	ST	\$28.90	\$13.55	\$28.90	\$11.52	\$28.40	\$4.00
Ironworker	OT			\$33.87	\$20.10	\$36.25	\$23.50
	ST	37.87/max	\$20.60	\$33.87	\$20.10	\$36.25	\$23.50
Labor Group 1 A. Jones M. Scott R. Whitten	ST	\$25.27	\$12.85	\$24.76	\$12.10	\$26.90	\$12.40
	OT					\$26.10	\$12.05
	OT					\$26.10	\$12.05
	OT					\$25.80	\$12.00
Plumber	Standard wage	\$38.20	\$22.10	\$39.71	\$22.10	\$38.50	\$23.50
Other	OT					\$32.10	
Other	ST					\$27.85	
Other	OT						
Other	ST						
Other	OT						

Link to BOLI prevailing wage rate webpage

Date of PWR publication, Region and County served

Link to specifically referenced PWR publication

Link to U.S. Dept of Labor wage determination webpage

If archived, link to archived wage determination webpage (example)

WD #, WD modification #, and date WD modified

Overtime fringe doesn't change

Yellow indicates actual wages paid

Green indicates prevailing wage

Multiple workers within same worker

Overtime wage is minimum of 1.5x standard wage

List of worksite worker occupations