

CC 13-01-65



## DIP LOG CALCULATIONS

**COMPANY** REICHHOLD ENERGY CORPORATION  
**WELL** COLUMBIA COUNTY NO. 13-1  
**FIELD** MIST NEHALEM  
**COUNTY** COLUMBIA STATE OREGON

**WELEX**

A **Halliburton** Company

RECEIVED-PTLD

SEP 3 1981

DEPT OF GEOLOGY  
& MINING

REICHOLD ENERGY CORP.  
COLUMBIA COUNTY 13-1  
MIST API 009-00084  
COLUMBIA CO., OREGON  
4' CORRELATION INTERVAL, 2" STEP 90 DEGREE SEARCH ANGLE  
QUALITY COEFFICIENT 800=A 600=B 400=C 100=D  
5" ALL QUALITY 2" A,B,C  
COMPUTED AT WELEX A HALLIBURTON COMPANY, HOUSTON, TEXAS



A HALLIBURTON COMPANY

Welex does not guarantee the accuracy of any interpretation of log data, correlation of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, correlations, or recommendations agrees that Welex is not responsible except where due to gross negligence or willful misconduct, for any loss, damage, or expense resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS					
									H12	H23	H13	H24	H14	K
435.5	436.5	B	5.8	335	.2	84	89	6.6	6.6	-.0	.4	.0	.0	4
439.5	440.5	B	13.4	81	.0	6	15	6.9	6.9	.0	-1.2	.0	.0	4
443.5	444.5	U	42.9	74	.2	64	348	7.1	7.1	1.6	-2.8	.0	.0	4
445.5	446.5	D	24.9	120	.1	84	356	7.7	7.7	2.1	.8	.0	.0	4
457.5	458.5	D	16.2	335	.0	173	90	6.7	6.7	.0	1.4	.0	.0	4
459.5	460.5	B	.1	255	.0	185	94	6.7	6.7	.0	.0	.0	.0	4
461.5	462.5	A	8.6	345	.0	194	99	6.6	6.6	.0	.7	.0	.0	4
463.5	464.5	A	12.8	349	.0	201	104	6.6	6.6	.0	1.1	.0	.0	4
467.5	468.5	A	19.8	255	.0	219	116	6.6	6.6	1.6	1.1	.0	.0	4
469.5	470.5	A	21.0	262	.0	229	124	6.7	6.7	1.7	1.2	.0	.0	4
471.5	472.5	A	26.2	302	.0	238	132	6.7	6.7	2.2	2.8	.0	.0	4
473.5	474.5	B	8.7	19	.0	242	136	6.6	6.6	.0	.7	.0	.0	4
475.5	476.5	B	38.9	209	.0	248	143	6.7	6.7	.0	-3.8	.0	.0	4
477.5	478.5	A	.1	346	.0	253	150	6.9	6.9	.0	.0	.0	.0	4
487.5	488.5	C	7.8	52	.0	270	167	6.5	6.5	.0	.6	.0	.0	4
491.5	492.5	B	4.0	239	.0	275	175	6.5	6.5	-.0	-.3	.0	.0	4
493.5	494.5	C	12.5	245	.0	279	179	6.4	6.4	-.0	-1.0	.0	.0	4
497.5	498.5	A	.1	0	.0	289	190	6.6	6.6	-.0	-.0	.0	.0	4
499.5	500.5	A	.4	356	.0	292	192	6.5	6.5	.0	.0	.0	.0	4
501.5	502.5	A	2.8	70	.0	293	193	6.5	6.5	.0	.2	.0	.0	4
503.5	504.5	A	3.6	268	.0	295	195	6.7	6.7	.0	-.3	.0	.0	4
505.5	506.5	A	5.2	267	.0	296	196	6.8	6.8	.0	-.4	.0	.0	4
507.5	508.5	D	21.8	308	.0	298	197	6.8	6.8	1.4	.0	.0	.0	4
509.5	510.5	B	15.4	264	.0	299	198	6.6	6.6	.0	-1.3	.0	.0	4
511.5	512.5	D	21.9	264	.0	300	198	6.5	6.5	-.0	-1.9	.0	.0	4
517.5	518.5	B	.1	30	.0	300	198	6.5	6.5	.0	.0	.0	.0	4
519.5	520.5	D	3.3	49	.0	300	198	6.5	6.5	.0	.0	.0	.0	4
521.5	522.5	B	12.0	81	.0	302	195	6.5	6.5	.0	1.0	.0	.0	4
523.5	524.5	C	0	53	.0	302	195	6.6	6.6	.0	.0	.0	.0	4
525.5	526.5	C	15.6	80	.0	303	194	6.7	6.7	.0	1.3	.0	.0	4
527.5	528.5	C	16.9	305	.0	304	194	6.6	6.6	1.7	.0	.0	.0	4
529.5	530.5	C	20.7	305	.0	304	194	6.6	6.6	1.2	.0	.0	.0	4
531.5	532.5	C	19.0	261	.0	304	194	6.5	6.5	.0	-1.6	.0	.0	4
533.5	534.5	B	39.4	134	.0	303	194	6.5	6.5	-3.0	-.8	.0	.0	4
537.5	538.5	C	.5	295	.0	305	194	6.4	6.4	.0	-.0	.0	.0	4
539.5	540.5	B	.4	282	.0	306	193	6.3	6.3	.0	-.0	.0	.0	4
545.5	546.5	B	4.7	259	.0	310	194	6.7	6.7	-.0	-.4	.0	.0	4
547.5	548.5	B	.3	234	.0	312	195	6.9	6.9	-.0	-.0	.0	.0	4
549.5	550.5	C	7.0	262	.0	313	196	6.9	6.9	.0	-1.6	.0	.0	4
551.5	552.5	C	9.2	260	.0	314	194	6.7	6.7	.0	-.8	.0	.0	4
553.5	554.5	D	11.7	234	.0	313	190	6.5	6.5	-.4	-1.2	.0	.0	4
555.5	556.5	D	12.9	242	.0	312	188	6.4	6.4	-.2	-1.2	.0	.0	4
565.5	566.5	B	16.9	254	.0	316	187	6.4	6.4	.0	-1.4	.0	.0	4
567.5	568.5	D	25.2	253	.0	317	187	6.4	6.4	.0	-2.1	.0	.0	4
569.5	570.5	D	14.8	253	.0	318	187	6.4	6.4	.0	-1.2	.0	.0	4
571.5	572.5	B	.1	287	.0	318	187	6.4	6.4	.0	-.0	.0	.0	4
573.5	574.5	B	8.6	253	.0	319	186	6.4	6.4	.0	-.7	.0	.0	4
575.5	576.5	C	.2	300	.0	320	186	6.4	6.4	.0	-.0	.0	.0	4
579.5	580.5	A	9.0	253	.0	324	186	6.5	6.5	.0	-.7	.0	.0	4
581.5	582.5	B	13.6	253	.0	324	186	6.4	6.4	.0	-1.1	.0	.0	4
583.5	584.5	C	18.3	253	.0	323	186	6.4	6.4	.0	-1.5	.0	.0	4
587.5	588.5	C	.1	49	.0	322	185	6.4	6.4	.0	.0	.0	.0	4
589.5	590.5	B	20.8	236	.0	322	184	6.4	6.4	-.4	-2.1	.0	.0	4
591.5	592.5	D	20.6	237	.0	322	183	6.4	6.4	-.3	-2.0	.0	.0	4
593.5	594.5	C	13.5	250	.0	324	183	6.4	6.4	.0	-1.1	.0	.0	4

Water does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical parameters, or reasons therefor, which may be done by other persons, or which may appear on the log or in any other form, use of log data, interpretations, conversions, or calculations, for any type of logs, or for purposes relating to the log data.

CORRELATION INTERVAL	CURR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS					
									H12	H23	H13	H24	H14	
595.5	596.5	D	20.5	234	.0	324	184	6.4	6.4	-.5	-2.1	.0	.0	4
599.5	600.5	C	13.0	248	.0	323	181	6.3	6.3	.0	-1.0	.0	.0	4
601.5	602.5	D	6.5	150	.0	324	181	6.2	6.2	-.5	-.5	.0	.0	4
603.5	604.5	C	8.9	112	.0	325	182	6.3	6.3	-.5	.0	.0	.0	4
607.5	608.5	A	27.6	207	.0	326	183	6.3	6.3	-1.6	-3.3	.0	.0	4
609.5	610.5	B	26.3	208	.0	325	183	6.4	6.4	-1.5	-3.1	.0	.0	4
611.5	612.5	B	.4	305	.0	326	183	6.4	6.4	.0	-.0	.0	.0	4
615.5	616.5	C	15.8	250	.0	330	184	6.4	6.4	.0	-1.3	.0	.0	4
617.5	618.5	B	19.4	250	.0	331	184	6.4	6.4	.0	-1.6	.0	.0	4
619.5	620.5	B	26.5	250	.0	332	183	6.4	6.4	.0	-2.3	.0	.0	4
621.5	622.5	B	24.5	250	.0	331	183	6.4	6.4	.0	-2.1	.0	.0	4
623.5	624.5	C	24.5	250	.0	331	183	6.5	6.5	.0	-2.1	.0	.0	4
625.5	626.5	D	38.0	249	.0	330	182	6.5	6.5	.0	-3.6	.0	.0	4
627.5	628.5	C	25.1	248	.0	331	181	6.6	6.6	.0	-2.2	.0	.0	4
629.5	630.5	B	23.2	247	.0	332	181	6.6	6.6	.0	-2.0	.0	.0	4
631.5	632.5	C	24.2	247	.0	335	181	6.5	6.5	.0	-2.1	.0	.0	4
633.5	634.5	B	13.6	247	.0	336	180	6.4	6.4	.0	-1.1	.0	.0	4
635.5	636.5	B	13.8	247	.0	339	179	6.4	6.4	.0	-1.1	.0	.0	4
637.5	638.5	C	19.5	246	.0	341	179	6.4	6.4	.0	-1.6	.0	.0	4
641.5	642.5	B	28.1	199	.0	340	173	6.4	6.4	-1.6	-3.4	.0	.0	4
643.5	644.5	C	5.8	239	.0	338	171	6.4	6.4	.0	-.5	.0	.0	4

WELLS - 2017 Company

Wells does not guarantee the accuracy or any interpretation of log data, core results or logs, logs to unusual rock parameters, or recommendations which may be given by Wells personnel or other employees on the log or in any other form. Acceptance of such logs, interpretations, or core logs or recommendations agrees that Wells is not responsible, except where this is shown or stated on the log, for any loss, damage, or expense resulting therefrom.

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS					
									H12	H23	H13	H24	H14	
444.5	445.5	A	17.2	77	.2	353	10	6.9	6.9	.0	-1.5	.0	.0	4
446.5	447.5	C	12.0	72	.4	347	4	6.9	6.9	.0	-1.0	.0	.0	4
462.5	463.5	B	16.8	334	.0	73	43	6.6	6.6	-1.0	.0	.0	.0	4
464.5	465.5	B	10.5	295	.0	90	49	6.7	6.7	.0	.9	.0	.0	4
466.5	467.5	B	13.6	265	.0	107	59	6.6	6.6	.7	1.6	.0	.0	4
468.5	469.5	B	14.4	317	.0	123	72	6.6	6.6	.0	1.2	.0	.0	4
470.5	471.5	C	12.9	337	.0	147	91	6.6	6.6	.0	1.1	.0	.0	4
472.5	473.5	A	20.8	248	.0	170	109	6.7	6.7	1.7	1.2	.0	.0	4
474.5	475.5	A	20.7	265	.0	190	126	6.7	6.7	1.7	1.2	.0	.0	4
476.5	477.5	A	23.9	31	.0	211	146	6.6	6.6	.0	2.1	.0	.0	4
478.5	479.5	B	36.5	226	.0	224	160	6.6	6.6	-.0	-3.5	.0	.0	4
480.5	481.5	A	29.6	215	.0	233	170	6.7	6.7	-1.0	-3.5	.0	.0	4
482.5	483.5	B	9.1	248	.0	243	182	6.9	6.9	.0	-.8	.0	.0	4
484.5	485.5	A	.5	274	.0	254	194	6.9	6.9	.0	-.0	.0	.0	4
486.5	487.5	B	.2	316	.0	263	204	6.7	6.7	.0	.0	.0	.0	4
488.5	489.5	B	9.5	95	.0	268	209	6.6	6.6	.0	.8	.0	.0	4
492.5	493.5	C	.1	273	.0	269	211	6.6	6.6	.0	-.0	.0	.0	4
494.5	495.5	C	.0	0	.0	272	215	6.6	6.6	.0	-.0	.0	.0	4
502.5	503.5	A	12.3	304	.2	286	239	6.6	6.6	-.0	-1.0	.0	.0	4
504.5	505.5	A	10.2	327	.2	286	241	6.6	6.6	.3	-.5	.0	.0	4
506.5	507.5	A	9.4	355	.2	288	245	6.7	6.7	.5	-.0	.0	.0	4
508.5	509.5	A	11.3	315	.2	290	250	6.8	6.8	-.0	-1.0	.0	.0	4
510.5	511.5	A	10.6	320	.2	291	254	7.0	7.0	-.0	-.9	.0	.0	4
512.5	513.5	C	11.4	233	.4	300	265	6.9	6.9	-1.0	-.9	.0	.0	4
514.5	515.5	B	8.7	240	.6	308	276	6.7	6.7	-.7	-.6	.0	.0	4
516.5	517.5	B	9.2	231	.6	312	283	6.6	6.6	-.7	-.4	.0	.0	4
520.5	521.5	C	30.8	188	.7	323	302	6.6	6.6	.0	2.7	.0	.0	4
524.5	525.5	B	5.0	397	.5	326	313	6.5	6.5	-.2	-.6	.0	.0	4
526.5	527.5	B	43.4	86	.9	328	319	6.5	6.5	.0	-4.4	.0	.0	4
528.5	529.5	C	64.6	34	.7	332	328	6.6	6.6	.0	-3.3	.0	.0	4
532.5	533.5	B	18.7	32	.4	343	348	6.6	6.6	.0	-1.6	.0	.0	4
534.5	535.5	B	14.7	341	.1	347	352	6.6	6.6	-1.2	-1.5	.0	.0	4
536.5	537.5	C	24.5	286	.0	347	355	6.5	6.5	-1.5	.0	.0	.0	4
538.5	539.5	B	17.1	25	.0	348	4	6.4	6.4	-1.0	-2.0	.0	.0	4
546.5	547.5	C	7.1	318	.0	12	25	6.3	6.3	-.4	.0	.0	.0	4
550.5	551.5	B	11.7	274	.0	12	27	6.7	6.7	-.0	1.0	.0	.0	4
552.5	553.5	B	13.1	274	.0	11	28	6.9	6.9	.0	1.2	.0	.0	4
554.5	555.5	C	4.9	279	.0	10	31	6.8	6.8	.0	.4	.0	.0	4
556.5	557.5	B	9.1	282	.0	10	35	6.7	6.7	.0	.8	.0	.0	4
558.5	559.5	C	15.5	284	.0	8	37	6.5	6.5	.0	1.3	.0	.0	4
560.5	561.5	B	20.2	330	.0	7	39	6.4	6.4	-1.2	.0	.0	.0	4
562.5	563.5	B	12.0	90	.0	7	44	6.4	6.4	-.3	-1.2	.0	.0	4
564.5	565.5	C	22.5	295	.0	7	48	6.4	6.4	.0	1.9	.0	.0	4
566.5	567.5	C	19.1	314	.0	355	54	6.4	6.4	-.4	1.2	.0	.0	4
568.5	569.5	B	4.9	351	.0	347	59	6.5	6.5	-.3	.0	.0	.0	4
570.5	571.5	B	19.7	266	.0	345	62	6.4	6.4	1.1	2.3	.0	.0	4
572.5	573.5	B	24.2	269	.0	337	65	6.5	6.5	1.4	2.9	.0	.0	4
574.5	575.5	C	18.4	316	.0	329	71	6.5	6.5	.0	1.5	.0	.0	4
576.5	577.5	C	.1	292	.0	321	75	6.4	6.4	.0	.0	.0	.0	4
578.5	579.5	C	21.5	326	.0	313	81	6.4	6.4	.0	1.8	.0	.0	4
580.5	581.5	C	24.9	333	.0	306	87	6.4	6.4	.0	2.1	.0	.0	4
582.5	583.5	A	6.0	272	.0	300	93	6.3	6.3	.4	.6	.0	.0	4
584.5	585.5	A	6.5	279	.0	293	99	6.3	6.3	.4	.6	.0	.0	4
586.5	587.5	B	13.3	349	.0	287	104	6.3	6.3	.0	1.1	.0	.0	4
588.5	589.5	C	15.0	354	.0	282	109	6.3	6.3	.0	1.2	.0	.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS					R	
									H12	H23	H13	H24	H14		
594.5	595.5	B	.3	262	.0	277	130	6.3	6.3	.0	.0	.0	.0	.0	4
598.5	599.5	C	17.6	257	.0	280	146	6.3	6.3	1.0	.0	.0	.0	.0	4
600.5	601.5	C	22.5	244	.0	284	155	6.3	6.3	.7	-1.0	.0	.0	.0	4
602.5	603.5	D	29.2	241	.0	286	163	6.3	6.3	.5	-1.9	.0	.0	.0	4
606.5	607.5	C	.2	315	.0	282	165	6.2	6.2	.0	.0	.0	.0	.0	4
612.5	613.5	B	22.6	205	.0	285	178	6.3	6.3	-1.2	-2.6	.0	.0	.0	4
614.5	615.5	B	23.1	220	.0	285	181	6.3	6.3	-.9	-2.6	.0	.0	.0	4
620.5	621.5	C	7.5	232	.0	292	194	6.4	6.4	-.3	-.3	.0	.0	.0	4
622.5	623.5	B	.1	219	.0	296	201	6.4	6.4	-.0	-.0	.0	.0	.0	4
624.5	625.5	B	26.6	273	.0	300	206	6.4	6.4	.0	-2.2	.0	.0	.0	4
626.5	627.5	B	27.0	279	.0	304	213	6.4	6.4	.0	-2.3	.0	.0	.0	4
628.5	629.5	C	31.6	278	.0	306	219	6.4	6.4	-.3	-3.1	.0	.0	.0	4
630.5	631.5	C	43.3	277	.0	308	223	6.4	6.4	-.9	-5.0	.0	.0	.0	4
632.5	633.5	C	30.3	267	.0	309	226	6.4	6.4	-1.1	-3.5	.0	.0	.0	4
634.5	635.5	B	31.0	271	.0	310	227	6.4	6.4	-1.0	-3.5	.0	.0	.0	4
636.5	637.5	D	20.0	249	.0	311	229	6.4	6.4	-1.2	-2.3	.0	.0	.0	4
638.5	639.5	B	22.1	281	.0	312	230	6.4	6.4	-.5	-2.3	.0	.0	.0	4
640.5	641.5	B	23.9	298	.0	313	232	6.4	6.4	-.0	-2.0	.0	.0	.0	4
646.5	647.5	D	23.3	228	.0	319	241	6.4	6.4	-1.9	-2.3	.0	.0	.0	4
648.5	649.5	D	12.0	283	.0	318	242	6.4	6.4	-.4	-1.3	.0	.0	.0	4
650.5	651.5	D	41.6	66	.0	318	243	6.4	6.4	3.6	5.4	.0	.0	.0	4
652.5	653.5	D	39.5	79	.0	316	243	6.4	6.4	2.8	5.2	.0	.0	.0	4
654.5	655.5	B	12.9	239	.0	316	245	6.3	6.3	-1.0	-1.3	.0	.0	.0	4
656.5	657.5	B	16.9	266	.0	317	246	6.3	6.3	-1.0	-1.9	.0	.0	.0	4
658.5	659.5	C	12.1	209	.0	318	248	6.3	6.3	-.7	-1.4	.0	.0	.0	4
660.5	661.5	C	11.7	267	.0	319	250	6.3	6.3	-.7	-1.3	.0	.0	.0	4
664.5	665.5	C	27.2	211	.0	320	254	6.3	6.3	-2.2	-1.4	.0	.0	.0	4
670.5	671.5	B	17.4	229	.0	315	257	6.3	6.3	-1.4	-1.3	.0	.0	.0	4
672.5	673.5	C	18.8	249	.0	313	259	6.3	6.3	-1.5	-1.9	.0	.0	.0	4
674.5	675.5	B	27.1	327	.0	312	261	6.3	6.3	-.0	-2.3	.0	.0	.0	4
676.5	677.5	D	44.9	152	.0	314	266	6.3	6.3	.0	4.4	.0	.0	.0	4
678.5	679.5	C	10.2	206	.0	316	273	6.3	6.3	-.6	-.0	.0	.0	.0	4
680.5	681.5	B	16.9	352	.0	322	286	6.3	6.3	.0	-1.3	.0	.0	.0	4
682.5	683.5	B	15.2	10	.0	332	304	6.3	6.3	.0	-1.2	.0	.0	.0	4
684.5	685.5	D	18.0	250	.0	340	319	6.3	6.3	-1.0	.0	.0	.0	.0	4
686.5	687.5	B	9.7	262	.0	343	330	6.3	6.3	-.3	.0	.0	.0	.0	4
688.5	689.5	C	5.9	273	.0	345	339	6.3	6.3	-.3	.0	.0	.0	.0	4
692.5	693.5	C	11.3	285	.0	339	353	6.4	6.4	-.6	.0	.0	.0	.0	4
694.5	695.5	B	.3	330	.0	331	354	6.4	6.4	.0	.0	.0	.0	.0	4
696.5	697.5	B	.3	319	.0	321	356	6.4	6.4	.0	.0	.0	.0	.0	4
702.5	703.5	B	.4	286	.0	276	11	6.3	6.3	.0	.0	.0	.0	.0	4
708.5	709.5	A	14.3	293	.0	251	48	6.3	6.3	.0	1.1	.0	.0	.0	4
710.5	711.5	A	10.3	307	.0	250	62	6.3	6.3	.0	.8	.0	.0	.0	4
712.5	713.5	B	13.1	322	.0	252	78	6.3	6.3	.0	1.0	.0	.0	.0	4
714.5	715.5	A	9.6	262	.0	253	90	6.3	6.3	.7	.9	.0	.0	.0	4
716.5	717.5	A	8.9	256	.0	252	98	6.3	6.3	.7	.7	.0	.0	.0	4
718.5	719.5	A	5.5	345	.0	252	105	6.3	6.3	.0	.4	.0	.0	.0	4
720.5	721.5	A	9.0	245	.0	253	112	6.3	6.3	.6	.3	.0	.0	.0	4
722.5	723.5	A	11.0	257	.0	255	121	6.3	6.3	.8	.5	.0	.0	.0	4
724.5	725.5	A	.5	314	.0	258	129	6.3	6.3	.0	.0	.0	.0	.0	4
726.5	727.5	B	.5	299	.0	258	135	6.3	6.3	.0	.0	.0	.0	.0	4
728.5	729.5	B	13.6	251	.0	258	140	6.3	6.3	.7	.0	.0	.0	.0	4
730.5	731.5	B	.5	257	.0	260	147	6.3	6.3	.0	-.0	.0	.0	.0	4
732.5	733.5	A	.6	255	.0	264	157	6.3	6.3	.0	-.0	.0	.0	.0	4
734.5	735.5	A	.9	265	.0	272	172	6.2	6.2	.0	-.0	.0	.0	.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS					R	
									H12	H23	H13	H24	H14		
736.5	737.5	A	6.2	253	.0	281	187	6.2	6.2	.0		-.5		.0	4
738.5	739.5	B	8.1	261	.0	285	195	6.2	6.2	.0		-.6		.0	4
742.5	743.5	A	10.9	272	.1	289	207	6.2	6.2	.0		-.9		.0	4
744.5	745.5	A	10.6	260	.2	293	215	6.2	6.2	.0		-.8		.0	4
746.5	747.5	B	11.1	289	.3	297	224	6.3	6.3	.0		-.9		.0	4
748.5	749.5	A	16.3	284	.3	301	232	6.3	6.3	-.3		-1.6		.0	4
750.5	751.5	B	14.7	269	.3	305	241	6.3	6.3	-.7		-1.6		.0	4
752.5	753.5	A	16.3	293	.3	309	249	6.3	6.3	-.5		-1.7		.0	4
754.5	755.5	B	20.7	321	.4	311	256	6.3	6.3	-.0		-1.7		.0	4
756.5	757.5	B	13.2	271	.4	311	258	6.3	6.3	-.8		-1.5		.0	4
758.5	759.5	A	13.3	275	.4	312	261	6.3	6.3	-.8		-1.5		.0	4
760.5	761.5	A	15.2	274	.4	315	267	6.3	6.3	-1.1		-1.8		.0	4
762.5	763.5	A	16.1	277	.4	317	273	6.3	6.3	-1.1		-1.8		.0	4
764.5	765.5	C	16.5	283	.5	321	282	6.3	6.3	-1.2		-1.8		.0	4
766.5	767.5	D	14.4	267	.6	325	291	6.3	6.3	-1.2		-1.2		.0	4
768.5	769.5	C	17.5	258	.5	327	299	6.3	6.3	-1.3		-1.0		.0	4
770.5	771.5	B	13.9	281	.5	330	309	6.3	6.3	-1.1		-1.1		.0	4
772.5	773.5	B	19.5	273	.5	333	319	6.3	6.3	-1.5		-.9		.0	4
774.5	775.5	B	24.0	270	.4	338	327	6.3	6.3	-1.7		-.6		.0	4
776.5	777.5	B	26.0	268	.1	345	337	6.3	6.3	-1.5		-.0		.0	4
780.5	781.5	C	57.9	257	.0	357	353	6.3	6.3	-1.1		2.2		.0	4
782.5	783.5	B	14.7	249	.0	4	2	6.3	6.3	-.0		1.2		.0	4
784.5	785.5	B	13.5	276	.0	8	13	6.3	6.3	-.3		.7		.0	4
786.5	787.5	A	8.6	272	.0	11	24	6.3	6.3	-.0		.7		.0	4
788.5	789.5	B	18.0	300	.0	13	33	6.3	6.3	-.5		.9		.0	4
790.5	791.5	D	10.0	108	.0	18	43	6.3	6.3	.0		-.8		.0	4
792.5	793.5	C	68.0	164	.0	26	53	6.3	6.3	1.7		.0		.0	4
794.5	795.5	B	28.5	248	.0	33	63	6.3	6.3	2.1		3.3		.0	4
796.5	797.5	C	15.9	315	.0	34	68	6.3	6.3	.0		1.3		.0	4
798.5	799.5	B	27.0	319	.0	42	75	6.3	6.3	.0		2.3		.0	4
800.5	801.5	C	25.9	280	.0	48	79	6.3	6.3	1.6		3.1		.0	4
802.5	803.5	B	26.4	302	.0	56	87	6.3	6.3	1.2		3.1		.0	4
804.5	805.5	C	8.1	158	.0	63	94	6.3	6.3	.0		-.6		.0	4
808.5	809.5	D	40.7	173	.0	83	107	6.3	6.3	.0		-3.4		.0	4
816.5	817.5	A	25.8	290	.0	122	123	6.5	6.5	2.2		2.7		.0	4
818.5	819.5	B	26.0	276	.0	130	125	6.5	6.5	2.3		2.2		.0	4
820.5	821.5	B	33.0	233	.0	139	123	6.5	6.5	2.1		.0		.0	4
822.5	823.5	B	43.6	233	.0	150	123	6.5	6.5	3.0		-.0		.0	4
824.5	825.5	B	41.8	233	.0	162	122	6.4	6.4	2.8		-.0		.0	4
826.5	827.5	C	16.7	234	.0	179	125	6.4	6.4	.9		-.0		.0	4
828.5	829.5	D	1.3	212	.0	195	132	6.4	6.4	.0		-.0		.0	4
840.5	841.5	B	16.8	176	.7	273	211	6.3	6.3	-1.3		-1.1		.0	4
842.5	843.5	B	20.9	170	.7	282	224	6.3	6.3	-1.5		-.7		.0	4
844.5	845.5	B	16.6	187	.7	288	237	6.3	6.3	-1.2		-.7		.0	4
846.5	847.5	B	14.1	172	.6	289	243	6.3	6.3	-.8		.0		.0	4
848.5	849.5	B	14.2	207	.6	289	250	6.3	6.3	-1.1		-.7		.0	4
850.5	851.5	A	13.7	239	.7	298	267	6.3	6.3	-1.1		-1.1		.0	4
852.5	853.5	B	.9	170	.8	318	294	6.3	6.3	-.0		.0		.0	4
854.5	855.5	A	29.8	207	.9	340	322	6.3	6.3	.0		2.5		.0	4
856.5	857.5	A	25.9	227	1.0	358	342	6.2	6.2	.0		2.0		.0	4
864.5	865.5	A	44.2	203	.4	5	349	6.2	6.2	2.3		5.6		.0	4
866.5	867.5	C	44.3	206	.4	7	352	6.3	6.3	2.3		5.9		.0	4
868.5	869.5	A	11.4	166	.4	8	355	6.3	6.3	.8		1.0		.0	4
870.5	871.5	A	9.2	176	.4	9	357	6.3	6.3	.6		.9		.0	4
872.5	873.5	D	43.6	35	.3	8	357	6.3	6.3	-2.1		-5.4		.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	NO.1	DIA 13	DIA 24	DISPLACEMENTS					M	
									H12	H25	H13	H24	H14		
874.5	875.5	B	18.6	243	.3	7	357	6.3	6.3	.0		1.5		.0	4
876.5	877.5	A	11.7	288	.3	7	358	6.3	6.3	-.7		-.0		.0	4
878.5	879.5	B	20.7	254	.3	6	358	6.3	6.3	-.3		1.3		.0	4
880.5	881.5	B	19.4	243	.3	6	357	6.3	6.3	-.0		1.5		.0	4
882.5	883.5	A	10.3	269	.2	7	356	6.3	6.3	-.4		.3		.0	4
884.5	885.5	A	8.5	337	.3	9	357	6.3	6.3	-.7		-.7		.0	4
886.5	887.5	A	9.3	4	.4	10	357	6.3	6.3	-.6		-1.0		.0	4
888.5	889.5	A	4.9	322	.4	10	356	6.3	6.3	-.4		-.3		.0	4
890.5	891.5	C	21.2	62	.3	10	357	6.3	6.3	-.0		-1.8		.0	4
892.5	893.5	B	17.6	63	.3	9	357	6.3	6.3	-.0		-1.4		.0	4
894.5	895.5	B	11.9	287	.3	8	358	6.3	6.3	-.7		-.0		.0	4
896.5	897.5	A	.2	167	.4	8	358	6.4	6.4	.0		-.0		.0	4
898.5	899.5	A	6.4	285	.3	7	357	6.4	6.4	-.3		.0		.0	4
900.5	901.5	A	6.7	283	.3	6	356	6.3	6.3	-.4		.0		.0	4
904.5	905.5	A	4.4	61	.3	352	356	6.3	6.3	-.0		-.4		.0	4
906.5	907.5	A	7.5	340	.2	330	355	6.3	6.3	-.6		-.7		.0	4
908.5	909.5	A	13.1	306	.2	327	356	6.3	6.3	-.9		-.5		.0	4
910.5	911.5	A	10.6	286	.2	341	356	6.3	6.3	-.6		-.0		.0	4
912.5	913.5	A	4.2	235	.2	349	356	6.3	6.3	.0		.3		.0	4
914.5	915.5	A	3.0	229	.2	350	339	6.3	6.3	-.0		.2		.0	4
916.5	917.5	A	11.4	256	.2	350	334	6.3	6.3	-.2		.6		.0	4
918.5	919.5	A	11.0	246	.1	358	357	6.2	6.2	-.0		.8		.0	4
920.5	921.5	A	8.5	257	.1	7	12	6.2	6.2	.0		.6		.0	4
922.5	923.5	A	4.6	263	.0	8	18	6.2	6.2	.0		.3		.0	4
924.5	925.5	A	14.1	285	.0	8	23	6.2	6.2	-.3		.7		.0	4
926.5	927.5	A	16.3	287	.0	7	29	6.2	6.2	-.2		1.0		.0	4
928.5	929.5	A	15.5	233	.0	10	41	6.3	6.3	1.0		1.7		.0	4
930.5	931.5	C	8.0	295	.0	16	53	6.3	6.3	.0		.6		.0	4
932.5	933.5	C	50.5	183	.0	18	59	6.3	6.3	2.2		.8		.0	4
934.5	935.5	B	29.1	818	.0	14	62	6.3	6.3	2.2		2.2		.0	4
936.5	937.5	B	14.9	245	.0	19	71	6.3	6.3	1.3		1.5		.0	4
938.5	939.5	B	18.3	224	.0	26	84	6.3	6.3	1.4		1.0		.0	4
940.5	941.5	B	21.9	228	.0	30	92	6.3	6.3	1.7		1.1		.0	4
942.5	943.5	D	4.9	335	.0	28	92	6.3	6.3	.0		.4		.0	4
944.5	945.5	B	32.6	216	.0	26	93	6.3	6.3	2.4		.8		.0	4
946.5	947.5	B	26.6	223	.0	22	93	6.3	6.3	2.0		1.0		.0	4
948.5	949.5	B	31.5	222	.0	19	94	6.4	6.4	2.4		1.2		.0	4
950.5	951.5	C	40.3	15	.0	17	99	6.3	6.3	-1.9		1.4		.0	4
952.5	953.5	C	.3	1	.0	16	105	6.3	6.3	.0		.0		.0	4
954.5	955.5	A	25.1	221	.0	14	111	6.3	6.3	1.5		-.0		.0	4
956.5	957.5	A	37.6	230	.0	14	119	6.3	6.3	2.4		.0		.0	4
958.5	959.5	C	9.1	195	.0	16	127	6.3	6.3	.0		-.7		.0	4
960.5	961.5	A	29.0	196	.0	14	131	6.3	6.3	-.0		-2.5		.0	4
962.5	963.5	C	30.5	199	.0	9	133	6.3	6.3	.0		-2.6		.0	4
964.5	965.5	D	40.1	14	.0	355	135	6.3	6.3	.5		4.2		.0	4
968.5	969.5	C	24.7	205	.0	350	138	6.2	6.2	.0		-2.0		.0	4
972.5	973.5	D	33.6	200	.0	340	140	6.2	6.2	-.3		-3.2		.0	4
974.5	975.5	B	36.1	208	.0	335	141	6.3	6.3	.0		-3.2		.0	4
976.5	977.5	A	34.6	209	.0	331	143	6.3	6.3	.0		-3.0		.0	4
978.5	979.5	A	26.9	199	.0	327	144	6.3	6.3	-.4		-2.6		.0	4
980.5	981.5	B	30.0	212	.0	324	146	6.3	6.3	.0		-2.6		.0	4
982.5	983.5	A	27.2	216	.0	323	149	6.3	6.3	.0		-2.2		.0	4
984.5	985.5	B	19.6	218	.0	320	151	6.3	6.3	.0		-1.0		.0	4
986.5	987.5	A	20.6	248	.0	316	152	6.3	6.3	.8		-.6		.0	4
988.5	989.5	A	20.8	250	.0	313	153	6.3	6.3	.8		-.6		.0	4



CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS					
									H12	H23	H13	H24	H14	M
990.5	991.5	A	24.5	240	.0	311	156	6.3	6.3	.6	-1.3	.0	.0	4
992.5	993.5	A	23.1	224	.0	310	158	6.3	6.3	.0	-1.9	.0	.0	4
994.5	995.5	A	28.3	225	.0	310	159	6.3	6.3	-.0	-2.4	.0	.0	4
996.5	997.5	B	24.6	216	.0	309	161	6.3	6.3	-.4	-2.4	.0	.0	4
998.5	999.5	D	18.6	209	.0	308	160	6.3	6.3	-.5	-1.9	.0	.0	4
1000.5	1001.5	A	28.0	227	.0	307	161	6.3	6.3	.0	-2.4	.0	.0	4
1002.5	1003.5	A	33.8	176	.0	307	162	6.3	6.3	-2.3	-4.2	.0	.0	4
1004.5	1005.5	A	33.0	192	.0	306	161	6.3	6.3	-1.6	-4.0	.0	.0	4
1006.5	1007.5	D	45.0	205	.0	306	161	6.3	6.3	-1.6	-5.7	.0	.0	4
1008.5	1009.5	D	40.4	175	.0	306	161	6.3	6.3	-3.0	-5.2	.0	.0	4
1010.5	1011.5	C	36.1	181	.0	307	160	6.3	6.3	-2.3	-4.6	.0	.0	4
1012.5	1013.5	D	24.4	194	.0	309	156	6.3	6.3	-1.0	-2.7	.0	.0	4
1014.5	1015.5	A	25.1	221	.0	308	155	6.3	6.3	-.0	-2.1	.0	.0	4
1016.5	1017.5	B	25.2	219	.0	306	154	6.3	6.3	-.0	-2.1	.0	.0	4
1018.5	1019.5	B	31.9	212	.0	305	153	6.3	6.3	-.3	-3.1	.0	.0	4
1020.5	1021.5	B	17.5	191	.0	302	152	6.3	6.3	-.6	-1.9	.0	.0	4
1022.5	1023.5	A	12.1	183	.0	298	152	6.2	6.2	-.5	-1.3	.0	.0	4
1024.5	1025.5	A	9.8	85	.0	293	153	6.2	6.2	-.5	-.0	.0	.0	4
1026.5	1027.5	C	15.6	218	.0	287	153	6.2	6.2	-.0	-1.2	.0	.0	4
1028.5	1029.5	A	15.8	222	.1	283	156	6.2	6.2	.0	-1.2	.0	.0	4
1030.5	1031.5	A	15.5	229	.1	283	163	6.3	6.3	.0	-1.2	.0	.0	4
1032.5	1033.5	A	32.7	215	.1	288	174	6.3	6.3	-1.2	-3.8	.0	.0	4
1034.5	1035.5	B	24.9	217	.1	292	184	6.3	6.3	-1.1	-2.6	.0	.0	4
1036.5	1037.5	B	18.9	202	.2	295	192	6.3	6.3	-1.3	-2.1	.0	.0	4
1038.5	1039.5	A	26.2	174	.2	296	197	6.3	6.3	-2.2	-2.2	.0	.0	4
1040.5	1041.5	A	23.6	188	.2	297	201	6.3	6.3	-1.9	-2.3	.0	.0	4
1042.5	1043.5	B	25.0	205	.2	298	206	6.3	6.3	-1.9	-2.7	.0	.0	4
1044.5	1045.5	B	23.6	185	.2	298	211	6.3	6.3	-1.9	-1.9	.0	.0	4
1046.5	1047.5	B	24.6	175	.2	298	216	6.3	6.3	-1.9	-1.3	.0	.0	4
1048.5	1049.5	C	27.2	167	.2	296	223	6.3	6.3	-1.9	-.7	.0	.0	4
1050.5	1051.5	B	27.7	173	.2	301	231	6.3	6.3	-1.9	-.6	.0	.0	4
1052.5	1053.5	D	29.6	188	.2	305	240	6.3	6.3	-2.2	-1.1	.0	.0	4
1058.5	1059.5	D	33.0	175	.2	308	244	6.3	6.3	-2.0	-.0	.0	.0	4
1060.5	1061.5	B	42.5	200	.3	307	244	6.3	6.3	-3.8	-2.4	.0	.0	4
1062.5	1063.5	D	44.1	208	.4	305	246	6.3	6.3	-4.2	-3.1	.0	.0	4
1064.5	1065.5	B	43.8	212	.4	306	250	6.3	6.3	-4.1	-3.1	.0	.0	4
1066.5	1067.5	A	44.6	211	.4	306	252	6.3	6.3	-4.2	-2.9	.0	.0	4
1068.5	1069.5	A	37.2	206	.4	305	253	6.3	6.3	-3.1	-1.9	.0	.0	4
1070.5	1071.5	B	42.7	209	.6	307	256	6.2	6.2	-3.7	-2.2	.0	.0	4
1072.5	1073.5	B	42.2	206	.8	307	258	6.2	6.2	-3.5	-1.7	.0	.0	4
1074.5	1075.5	C	36.2	195	.8	305	261	6.3	6.3	-2.4	-.3	.0	.0	4
1076.5	1077.5	A	17.9	215	.8	303	265	6.3	6.3	-1.3	-.7	.0	.0	4
1078.5	1079.5	C	22.0	270	.8	300	271	6.2	6.2	-1.6	-2.4	.0	.0	4
1080.5	1081.5	D	30.1	263	.8	298	280	6.2	6.2	-2.6	-2.9	.0	.0	4
1082.5	1083.5	C	31.0	181	.8	296	290	6.3	6.3	-.3	2.3	.0	.0	4
1084.5	1085.5	B	36.4	190	.7	298	299	6.3	6.3	-.3	2.9	.0	.0	4
1086.5	1087.5	A	11.9	65	.7	305	311	6.3	6.3	.6	-.0	.0	.0	4
1088.5	1089.5	D	13.3	54	.6	314	320	6.2	6.2	.4	-.5	.0	.0	4
1090.5	1091.5	A	10.2	295	.6	318	324	6.2	6.2	-.8	-.8	.0	.0	4
1092.5	1093.5	B	9.4	254	.6	321	329	6.2	6.2	-.5	.0	.0	.0	4
1094.5	1095.5	B	11.1	242	.6	322	331	6.2	6.2	-.4	.3	.0	.0	4
1096.5	1097.5	B	31.4	320	.6	322	332	6.2	6.2	-2.7	-3.3	.0	.0	4
1100.5	1101.5	A	27.2	275	.7	322	335	6.2	6.2	-1.9	-.7	.0	.0	4
1102.5	1103.5	B	32.7	263	.6	322	333	6.2	6.2	-2.0	-.0	.0	.0	4
1104.5	1105.5	A	32.7	263	.6	322	333	6.2	6.2	-2.0	.0	.0	.0	4

CORRELATION INTERVAL	CURR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.	DIA 13	DIA 24	DISPLACEMENTS						
									H12	H23	H13	H24	H14	m	
1106.5	1107.5	D	51.1	263	.6	322	333	6.2	6.2	-1.9		-.0		.0	4
1108.5	1109.5	A	26.2	262	.6	322	332	6.2	6.2	-1.5		.0		.0	4
1110.5	1111.5	A	27.2	262	.7	322	332	6.2	6.2	-1.6		.0		.0	4
1112.5	1113.5	A	35.4	270	.6	322	333	6.2	6.2	-2.5		-.5		.0	4
1114.5	1115.5	A	38.9	275	.6	322	333	6.2	6.2	-3.0		-1.0		.0	4
1116.5	1117.5	A	35.5	276	.6	322	334	6.2	6.2	-2.7		-1.0		.0	4
1118.5	1119.5	B	39.5	264	.7	322	334	6.2	6.2	-2.6		.0		.0	4
1120.5	1121.5	B	39.7	264	.7	322	334	6.2	6.2	-2.6		.0		.0	4
1122.5	1123.5	A	41.7	269	.7	321	333	6.2	6.2	-3.1		-.6		.0	4
1124.5	1125.5	A	40.9	262	.7	318	329	6.2	6.2	-2.8		-.3		.0	4
1128.5	1129.5	B	33.8	284	.8	316	326	6.2	6.2	-2.9		-2.0		.0	4
1130.5	1131.5	B	33.8	284	.9	315	326	6.2	6.2	-2.9		-2.0		.0	4
1132.5	1133.5	A	34.3	282	.9	315	326	6.2	6.2	-2.9		-1.9		.0	4
1134.5	1135.5	B	40.2	294	.9	316	327	6.2	6.2	-3.8		-3.3		.0	4
1136.5	1137.5	B	43.8	296	.9	319	330	6.2	6.2	-4.2		-3.5		.0	4
1140.5	1141.5	C	26.2	280	1.0	324	336	6.2	6.2	-1.9		-.8		.0	4
1142.5	1143.5	A	27.2	271	1.0	327	341	6.2	6.2	-1.6		-.0		.0	4
1144.5	1145.5	A	27.4	278	1.0	331	348	6.2	6.2	-1.6		-.0		.0	4
1146.5	1147.5	A	18.2	280	1.0	332	352	6.3	6.3	-1.0		.0		.0	4
1148.5	1149.5	A	28.2	270	1.1	334	356	6.3	6.3	-1.2		.9		.0	4
1150.5	1151.5	C	38.4	277	1.1	334	358	6.3	6.3	-2.0		.9		.0	4
1152.5	1153.5	C	40.4	277	1.1	334	0	6.2	6.2	-2.0				.0	4
1154.5	1155.5	A	39.4	273	1.1	337	0	6.2	6.2	-1.5		1.2		.0	4
1156.5	1157.5	B	32.8	261	1.1	340	0	6.2	6.2	-1.4		1.8		.0	4
1162.5	1163.5	D	33.2	200	.3	349	26	6.2	6.2	2.7		3.6		.0	4
1164.5	1165.5	A	33.3	279	.3	356	34	6.2	6.2	.0		2.9		.0	4
1166.5	1167.5	A	32.5	285	.3	340	40	6.2	6.2	.0		2.8		.0	4
1168.5	1169.5	B	35.9	288	.3	343	43	6.2	6.2	.0		3.2		.0	4
1170.5	1171.5	B	43.4	291	.3	345	46	6.3	6.3	.7		4.8		.0	4
1176.5	1179.5	B	39.8	258	.1	9	62	6.3	6.3	2.8		5.2		.0	4
1180.5	1181.5	B	30.8	282	.1	10	66	6.2	6.2	1.3		3.6		.0	4
1182.5	1183.5	C	.3	282	.0	11	69	6.2	6.2	.0		.0		.0	4
1188.5	1189.5	B	28.5	293	.1	13	81	6.3	6.3	1.3		3.3		.0	4
1190.5	1191.5	B	31.1	299	.2	15	86	6.3	6.3	1.4		3.7		.0	4
1192.5	1193.5	A	25.0	293	.1	18	90	6.3	6.3	1.4		2.9		.0	4
1194.5	1195.5	A	24.5	291	.0	19	92	6.3	6.3	1.4		2.8		.0	4
1196.5	1197.5	B	31.0	278	.0	19	92	6.2	6.2	2.3		3.6		.0	4
1198.5	1199.5	C	23.3	277	.0	18	91	6.2	6.2	1.6		2.6		.0	4
1200.5	1201.5	B	17.4	280	.0	18	91	6.2	6.2	1.2		1.9		.0	4
1202.5	1203.5	B	17.6	282	.1	18	91	6.2	6.2	1.1		1.9		.0	4
1204.5	1205.5	C	25.5	280	.1	19	93	6.3	6.3	1.8		2.9		.0	4
1206.5	1207.5	A	33.1	290	.2	20	95	6.3	6.3	2.2		4.1		.0	4
1208.5	1209.5	A	34.3	295	.2	21	98	6.3	6.3	2.2		4.3		.0	4
1210.5	1211.5	A	22.0	275	.2	24	102	6.3	6.3	1.7		2.2		.0	4
1212.5	1213.5	A	20.9	272	.1	26	105	6.2	6.2	1.6		2.0		.0	4
1214.5	1215.5	A	18.9	286	.1	28	108	6.3	6.3	1.4		2.0		.0	4
1216.5	1217.5	A	25.7	257	.1	30	112	6.3	6.3	2.1		1.7		.0	4
1218.5	1219.5	B	19.0	301	.1	31	114	6.3	6.3	1.3		2.1		.0	4
1220.5	1221.5	A	18.5	315	.1	31	116	6.3	6.3	1.1		2.1		.0	4
1222.5	1223.5	A	23.6	294	.1	31	119	6.3	6.3	1.8		2.5		.0	4
1224.5	1225.5	A	21.3	298	.1	27	119	6.2	6.2	1.6		2.2		.0	4
1226.5	1227.5	A	20.0	289	.0	23	119	6.2	6.2	1.5		1.9		.0	4
1228.5	1229.5	C	33.5	239	.0	19	119	6.2	6.2	2.3		.6		.0	4
1230.5	1231.5	D	44.7	242	.1	20	124	6.2	6.2	3.4		.3		.0	4
1232.5	1233.5	A	32.3	283	.1	24	130	6.3	6.3	2.8		2.6		.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS						
									H12	H23	H13	H24	H14	M	
1234.5	1235.5	B	24.2	304	.0	24	132	6.3	6.3	1.9		2.5		.0	4
1236.5	1237.5	B	39.0	293	.0	22	133	6.3	6.3	3.6		3.8		.0	4
1240.5	1241.5	C	19.9	292	.0	19	136	6.3	6.3	1.6		1.6		.0	4
1242.5	1243.5	A	26.7	293	.0	17	138	6.2	6.2	2.2		2.2		.0	4
1244.5	1245.5	A	27.7	289	.0	16	140	6.2	6.2	2.3		2.0		.0	4
1246.5	1247.5	B	16.5	298	.0	14	142	6.2	6.2	1.3		1.3		.0	4
1248.5	1249.5	B	18.6	294	.0	11	143	6.2	6.2	1.5		1.4		.0	4
1250.5	1251.5	B	20.8	286	.0	338	144	6.2	6.2	1.8		1.2		.0	4
1252.5	1253.5	A	22.6	274	.1	328	145	6.2	6.2	1.6		.8		.0	4
1254.5	1255.5	A	22.7	279	.1	350	147	6.2	6.2	1.7		.9		.0	4
1256.5	1257.5	A	26.2	281	.1	350	151	6.3	6.3	1.9		1.0		.0	4
1258.5	1259.5	B	23.9	277	.1	349	157	6.3	6.3	1.6		.4		.0	4
1260.5	1261.5	B	25.9	272	.1	350	161	6.2	6.2	1.3		.0		.0	4
1262.5	1263.5	A	25.7	275	.1	350	163	6.2	6.2	1.5		.0		.0	4
1264.5	1265.5	A	24.2	301	.1	350	165	6.2	6.2	1.9		1.2		.0	4
1266.5	1267.5	A	30.1	288	.2	349	166	6.2	6.2	2.1		.7		.0	4
1268.5	1269.5	A	33.3	277	.2	347	166	6.2	6.2	2.1		.0		.0	4
1270.5	1271.5	B	25.4	271	.2	345	166	6.2	6.2	1.3		-.3		.0	4
1272.5	1273.5	B	22.7	278	.2	344	168	6.3	6.3	1.3		-.0		.0	4
1274.5	1275.5	B	16.8	266	.2	343	169	6.3	6.3	.7		-.4		.0	4
1276.5	1277.5	B	9.7	235	.1	341	169	6.3	6.3	.0		-.7		.0	4
1278.5	1279.5	B	10.1	235	.1	339	169	6.3	6.3	.0		-.8		.0	4
1280.5	1281.5	B	31.1	279	.1	336	169	6.3	6.3	1.9		-.0		.0	4
1282.5	1283.5	A	27.5	280	.1	334	169	6.2	6.2	1.6		-.0		.0	4
1284.5	1285.5	A	18.0	281	.2	333	171	6.3	6.3	1.0		.0		.0	4
1286.5	1287.5	A	24.8	282	.2	331	172	6.3	6.3	1.4		.0		.0	4
1288.5	1289.5	A	26.8	284	.2	329	174	6.3	6.3	1.6		.0		.0	4
1290.5	1291.5	A	24.9	284	.3	329	174	6.3	6.3	1.4		.0		.0	4
1292.5	1293.5	A	24.9	274	.3	329	175	6.2	6.2	1.2		-.3		.0	4
1294.5	1295.5	A	16.5	284	.3	329	175	6.2	6.2	1.0		-.0		.0	4
1296.5	1297.5	A	25.4	272	.3	329	176	6.2	6.2	1.1		-.7		.0	4
1298.5	1299.5	A	29.1	269	.3	330	176	6.2	6.2	1.1		-1.0		.0	4
1300.5	1301.5	A	28.5	268	.3	332	176	6.2	6.2	1.1		-1.1		.0	4
1302.5	1303.5	B	14.6	241	.3	335	175	6.2	6.2	.0		-1.1		.0	4
1304.5	1305.5	B	21.4	240	.3	340	174	6.2	6.2	.0		-1.7		.0	4
1308.5	1309.5	C	9.4	242	.1	350	174	6.2	6.2	.0		-.7		.0	4
1312.5	1313.5	B	44.4	270	.0	5	170	6.2	6.2	2.3		-1.2		.0	4
1314.5	1315.5	A	36.5	263	.0	6	170	6.2	6.2	1.5		-1.4		.0	4
1316.5	1317.5	C	24.0	233	.0	7	167	6.2	6.2	.0		-2.0		.0	4
1324.5	1325.5	A	38.1	270	.0	8	164	6.3	6.3	2.2		-.5		.0	4
1326.5	1327.5	A	35.9	260	.0	8	163	6.3	6.3	1.6		-1.1		.0	4
1328.5	1329.5	A	36.4	256	.0	7	164	6.3	6.3	1.4		-1.5		.0	4
1330.5	1331.5	A	39.3	248	.0	7	164	6.3	6.3	1.1		-2.4		.0	4
1332.5	1333.5	B	40.2	246	.0	5	164	6.3	6.3	1.0		-2.6		.0	4
1334.5	1335.5	C	32.8	232	.0	5	166	6.3	6.3	.0		-2.8		.0	4
1336.5	1337.5	B	24.8	232	.0	5	166	6.2	6.2	-.0		-2.0		.0	4
1340.5	1341.5	A	25.9	271	.0	6	172	6.3	6.3	1.2		-.6		.0	4
1342.5	1343.5	B	39.1	239	.0	6	173	6.3	6.3	.0		-3.6		.0	4
1344.5	1345.5	C	33.7	239	.1	320	173	6.2	6.2	.0		-2.9		.0	4
1346.5	1347.5	A	20.7	240	.2	258	174	6.3	6.3	.0		-1.7		.0	4
1348.5	1349.5	A	16.1	241	.2	246	175	6.3	6.3	.0		-1.3		.0	4
1350.5	1351.5	A	15.6	241	.2	256	174	6.3	6.3	.0		-1.2		.0	4
1352.5	1353.5	B	21.0	241	.2	267	175	6.3	6.3	.0		-1.7		.0	4
1354.5	1355.5	B	13.1	240	.1	277	174	6.3	6.3	.0		-1.0		.0	4
1356.5	1357.5	A	33.7	246	.1	288	174	6.3	6.3	.0		-2.9		.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	NO.1	DIA 13	DIA 24	DISPLACEMENTS					M	
									H12	H23	H13	H24	H14		
1358.5	1359.5	A	37.6	241	.3	301	175	6.2	6.2	.0		-3.4		.0	4
1360.5	1361.5	B	31.9	269	.3	313	175	6.2	6.2	1.3		-1.1		.0	4
1364.5	1365.5	B	.4	192	.3	338	173	6.2	6.2	.0		-.0		.0	4
1366.5	1367.5	B	26.8	239	.3	349	174	6.2	6.2	.0		-2.2		.0	4
1368.5	1369.5	B	22.4	241	.4	352	175	6.2	6.2	.0		-1.8		.0	4
1370.5	1371.5	A	19.3	241	.3	351	175	6.2	6.2	.0		-1.5		.0	4
1372.5	1373.5	B	21.5	240	.3	350	174	6.2	6.2	.0		-1.7		.0	4
1374.5	1375.5	B	16.8	240	.3	350	175	6.2	6.2	.0		-1.3		.0	4
1376.5	1377.5	A	28.6	241	.3	351	175	6.2	6.2	.0		-2.4		.0	4
1378.5	1379.5	A	22.0	241	.3	352	175	6.2	6.2	.0		-1.7		.0	4
1380.5	1381.5	A	13.2	241	.3	356	176	6.2	6.2	.0		-1.0		.0	4
1382.5	1383.5	A	13.1	241	.3	3	176	6.2	6.2	.0		-1.0		.0	4
1384.5	1385.5	A	12.4	241	.3	7	176	6.2	6.2	.0		-.9		.0	4
1386.5	1387.5	C	28.3	136	.3	8	177	6.2	6.2	-2.5		-1.6		.0	4
1388.5	1389.5	A	22.1	242	.3	7	177	6.2	6.2	.0		-1.8		.0	4
1390.5	1391.5	B	20.0	228	.3	7	176	6.2	6.2	-.4		-1.9		.0	4
1392.5	1393.5	B	27.3	241	.3	7	176	6.2	6.2	-.0		-2.3		.0	4
1394.5	1395.5	C	27.8	225	.3	6	176	6.2	6.2	7.6		-2.9		.0	4
1396.5	1397.5	B	26.4	236	.3	6	176	6.2	6.2	4.2		-2.6		.0	4
1398.5	1399.5	C	22.5	242	.3	10	177	6.2	6.2	.0		-1.8		.0	4
1404.5	1405.5	B	16.4	240	.3	14	175	6.2	6.2	.0		-1.3		.0	4
1408.5	1409.5	A	18.0	239	.3	14	175	6.2	6.2	.0		-1.4		.0	4
1410.5	1411.5	A	35.6	240	.3	13	173	6.2	6.2	.1		-3.0		.0	4
1412.5	1413.5	A	36.4	242	.2	13	173	6.2	6.2	.1		-3.0		.0	4
1414.5	1415.5	A	16.2	273	.2	14	174	6.2	6.2	.7		-.3		.0	4
1416.5	1417.5	B	19.2	263	.2	13	174	6.2	6.2	.6		-.8		.0	4
1418.5	1419.5	B	31.7	242	.2	12	175	6.2	6.2	.0		-2.7		.0	4
1420.5	1421.5	C	14.8	277	.1	11	176	6.2	6.2	.7		-.3		.0	4
1424.5	1425.5	D	44.8	352	.2	6	176	6.2	6.2	4.1		5.6		.0	4
1426.5	1427.5	D	36.6	287	.2	7	176	6.2	6.2	2.5		-.0		.0	4
1428.5	1429.5	D	33.7	192	.2	351	176	6.2	6.2	-2.2		-4.0		.0	4
1430.5	1431.5	C	24.2	314	.2	335	177	6.2	6.2	1.9		1.2		.0	4
1432.5	1433.5	A	23.4	306	.1	341	179	6.1	6.1	1.6		.7		.0	4
1434.5	1435.5	A	11.0	21	.1	350	180	6.1	6.1	.6		1.2		.0	4
1436.5	1437.5	B	15.2	28	.1	352	181	6.1	6.1	.7		1.6		.0	4
1438.5	1439.5	A	11.1	359	.2	350	183	6.1	6.1	.8		1.1		.0	4
1440.5	1441.5	A	8.7	297	.2	346	185	6.1	6.1	.5		.0		.0	4
1442.5	1443.5	A	30.0	277	.2	342	188	6.1	6.1	1.0		-1.3		.0	4
1448.5	1449.5	D	26.1	350	.5	334	198	6.2	6.2	2.2		2.0		.0	4
1452.5	1453.5	D	17.2	106	.6	332	201	6.2	6.2	-.4		.9		.0	4
1456.5	1457.5	C	13.5	280	.5	332	201	6.2	6.2	.3		-.7		.0	4
1458.5	1459.5	A	9.8	273	.4	334	201	6.2	6.2	.1		-.6		.0	4
1460.5	1461.5	B	28.5	128	.3	334	200	6.1	6.1	-1.5		.2		.0	4
1462.5	1463.5	C	11.3	86	.3	333	200	6.1	6.1	.0		.9		.0	4
1464.5	1465.5	A	3.1	36	.2	331	200	6.1	6.1	.2		.3		.0	4
1466.5	1467.5	A	3.2	319	.1	330	201	6.1	6.1	.2		.0		.0	4
1468.5	1469.5	D	.4	317	.1	330	202	6.2	6.2	.0		.0		.0	4
1470.5	1471.5	D	35.7	248	.2	330	202	6.2	6.2	-1.0		-4.0		.0	4
1474.5	1475.5	B	25.3	311	.2	330	201	6.2	6.2	1.4		-.0		.0	4
1476.5	1477.5	A	36.6	303	.2	331	202	6.2	6.2	1.9		-.7		.0	4
1478.5	1479.5	B	34.9	193	.2	332	201	6.2	6.2	-2.9		-3.7		.0	4
1480.5	1481.5	C	33.5	210	.1	334	201	6.2	6.2	-2.4		-4.0		.0	4
1482.5	1483.5	D	42.2	219	.2	336	201	6.2	6.2	-2.9		-5.6		.0	4
1484.5	1485.5	B	21.5	218	.3	336	200	6.2	6.2	-1.2		-2.4		.0	4
1486.5	1487.5	B	20.3	44	.3	337	200	6.2	6.2	1.1		2.3		.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	NO.1	DIA 13	DIA 24	DISPLACEMENTS					
									H12	H23	H13	H24	H14	M
1488.5	1489.5	C	11.6	8	.2	338	199	6.1	6.1	.9		1.1	.0	4
1490.5	1491.5	D	41.6	315	.2	339	198	6.1	6.1	3.0		.6	.0	4
1492.5	1493.5	D	37.1	352	.2	340	197	6.1	6.1	3.3		3.2	.0	4
1494.5	1495.5	D	41.5	92	.3	341	197	6.1	6.1	-.5		3.2	.0	4
1504.5	1505.5	C	38.5	52	.0	333	193	6.1	6.1	1.5		4.6	.0	4
1506.5	1507.5	D	37.4	79	.0	331	194	6.1	6.1	.0		3.3	.0	4
1512.5	1513.5	A	6.3	202	.1	330	198	6.2	6.2	-.4		-.6	.0	4
1514.5	1515.5	A	7.9	203	.2	332	202	6.2	6.2	-.5		-.8	.0	4
1516.5	1517.5	A	7.6	234	.2	336	207	6.2	6.2	-.3		-.8	.0	4
1518.5	1519.5	B	12.0	234	.2	340	213	6.2	6.2	-.6		-1.3	.0	4
1520.5	1521.5	A	19.6	281	.3	343	217	6.2	6.2	-.0		-1.6	.0	4
1522.5	1523.5	B	19.8	266	.3	345	220	6.2	6.2	-.5		-2.0	.0	4
1524.5	1525.5	C	31.2	280	.4	346	222	6.2	6.2	-.3		-2.9	.0	4
1544.5	1545.5	D	43.5	3	.2	345	227	7.4	7.4	4.7		2.9	.0	4
1552.5	1553.5	D	40.2	9	.3	347	227	9.8	9.8	5.7		4.2	.0	4
1554.5	1555.5	D	21.4	51	.3	348	228	11.4	11.4	2.8		4.3	.0	4
1566.5	1567.5	D	26.0	263	.1	16	224	7.8	7.8	-1.2		-3.6	.0	4
1572.5	1573.5	C	44.4	148	.2	26	222	7.8	7.8	-3.5		.6	.0	4
1576.5	1577.5	C	33.2	155	.1	33	224	7.2	7.2	-2.3		.0	.0	4
1594.5	1595.5	D	34.4	255	.4	68	223	7.0	7.0	-1.9		-4.7	.0	4
1608.5	1609.5	D	17.3	193	.0	113	229	6.4	6.4	-1.4		-1.1	.0	4
1616.5	1617.5	A	25.5	77	.0	124	221	6.3	6.3	1.0		2.9	.0	4
1618.5	1619.5	C	28.0	80	.0	128	222	6.3	6.3	1.1		3.2	.0	4
1620.5	1621.5	D	17.4	110	.0	131	223	6.4	6.4	-.0		1.4	.0	4
1626.5	1627.5	C	36.7	334	.1	139	223	6.3	6.3	2.3		-.0	.0	4
1628.5	1629.5	D	.2	311	.1	143	222	6.3	6.3	.0		-.0	.0	4
1630.5	1631.5	C	4.2	338	.1	146	221	6.3	6.3	.2		.0	.0	4
1636.5	1637.5	D	43.6	334	.2	151	218	6.3	6.3	3.2		.6	.0	4
1640.5	1641.5	C	16.1	15	.2	150	218	6.3	6.3	1.3		1.3	.0	4
1642.5	1643.5	C	12.5	31	.2	148	218	6.3	6.3	.9		1.2	.0	4
1644.5	1645.5	C	15.7	330	.2	146	219	6.3	6.3	.9		.0	.0	4
1650.5	1651.5	B	19.4	105	.4	144	220	6.3	6.3	.0		1.6	.0	4
1652.5	1653.5	B	27.0	105	.5	145	220	6.3	6.3	.0		2.3	.0	4
1654.5	1655.5	D	35.1	119	.6	145	219	6.3	6.3	-.8		2.3	.0	4
1656.5	1657.5	B	32.8	24	.7	145	219	6.3	6.3	2.8		3.2	.0	4
1658.5	1659.5	B	33.4	32	.7	146	220	6.3	6.3	2.7		3.6	.0	4
1662.5	1663.5	A	36.0	136	.5	147	218	6.2	6.2	-1.7		1.0	.0	4
1664.5	1665.5	C	38.7	103	.3	147	217	6.2	6.2	-.0		3.5	.0	4
1666.5	1667.5	C	26.7	102	.3	148	216	6.2	6.2	-.0		2.2	.0	4
1668.5	1669.5	A	19.1	102	.4	150	216	6.3	6.3	-.0		1.5	.0	4
1670.5	1671.5	C	41.0	82	.5	151	217	6.3	6.3	1.4		5.0	.0	4
1672.5	1673.5	D	43.6	87	.5	152	218	6.3	6.3	1.2		5.3	.0	4
1674.5	1675.5	B	.4	17	.4	153	218	6.3	6.3	.0		.0	.0	4
1676.5	1677.5	C	13.9	285	.4	153	217	6.3	6.3	.0		-1.1	.0	4
1682.5	1683.5	C	40.1	234	.3	156	216	6.3	6.3	-2.8		-5.3	.0	4
1686.5	1687.5	A	32.4	311	.3	155	216	6.2	6.2	1.3		-1.0	.0	4
1688.5	1689.5	A	32.9	312	.4	156	216	6.2	6.2	1.4		-1.0	.0	4
1690.5	1691.5	D	34.7	284	.4	158	217	6.3	6.3	.0		-3.1	.0	4
1694.5	1695.5	D	19.3	240	.3	159	215	6.2	6.2	-1.0		-2.2	.0	4
1696.5	1697.5	B	5.4	279	.3	161	215	6.3	6.3	-.0		-.4	.0	4
1698.5	1699.5	B	11.2	283	.3	164	214	6.3	6.3	.0		-.8	.0	4
1700.5	1701.5	B	15.0	280	.3	167	213	6.2	6.2	.0		-1.2	.0	4
1702.5	1703.5	D	34.1	159	.4	170	213	6.2	6.2	-2.6		-1.2	.0	4
1704.5	1705.5	B	20.7	174	.6	172	214	6.2	6.2	-1.6		-1.2	.0	4
1706.5	1707.5	B	12.3	246	.8	172	214	6.2	6.2	-.6		-1.4	.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS					
									H12	H23	H13	H24	H14	H
1700.5	1709.5	B	17.5	284	.7	171	214	6.2	6.2	.0	-1.3	.0	.0	4
1710.5	1711.5	D	39.3	284	.5	168	214	6.1	6.1	.2	-3.3	.0	.0	4
1712.5	1713.5	D	34.0	288	.4	164	215	6.1	6.1	.3	-2.6	.0	.0	4
1714.5	1715.5	C	27.8	320	.5	163	216	6.1	6.1	1.3	-.4	.0	.0	4
1716.5	1717.5	B	24.5	344	.4	163	215	6.1	6.1	1.7	.8	.0	.0	4
1718.5	1719.5	C	25.8	11	.3	164	214	6.1	6.1	2.0	2.1	.0	.0	4
1720.5	1721.5	C	38.9	330	.2	167	212	6.1	6.1	2.7	.6	.0	.0	4
1722.5	1723.5	D	43.0	318	.4	166	207	6.1	6.1	2.8	-.0	.0	.0	4
1724.5	1725.5	C	38.9	176	.7	163	200	6.1	6.1	-3.6	-3.6	.0	.0	4
1730.5	1731.5	B	.8	351	.7	162	186	6.1	6.1	.0	.0	.0	.0	4
1732.5	1733.5	B	.8	356	.7	159	177	6.1	6.1	.0	.0	.0	.0	4
1734.5	1735.5	C	44.2	83	.7	155	170	6.1	6.1	-1.9	1.6	.0	.0	4
1736.5	1737.5	D	30.6	183	.8	154	167	6.2	6.2	-2.1	-3.7	.0	.0	4
1740.5	1741.5	A	10.1	309	.8	155	166	6.1	6.1	.7	.5	.0	.0	4
1742.5	1743.5	A	13.4	300	.9	154	164	6.1	6.1	.9	.5	.0	.0	4
1744.5	1745.5	A	21.0	288	1.1	155	163	6.1	6.1	1.3	.4	.0	.0	4
1746.5	1747.5	D	1.2	7	1.0	156	162	6.1	6.1	.0	.0	.0	.0	4
1748.5	1749.5	C	.9	352	.8	156	163	6.1	6.1	.0	.0	.0	.0	4
1750.5	1751.5	A	20.5	303	.6	153	164	6.1	6.1	1.5	1.0	.0	.0	4
1752.5	1753.5	A	13.1	326	.6	150	165	6.1	6.1	.9	1.0	.0	.0	4
1754.5	1755.5	A	10.9	307	.7	150	167	6.1	6.1	.7	.5	.0	.0	4
1756.5	1757.5	A	11.9	291	.7	149	163	6.1	6.1	.7	.3	.0	.0	4
1758.5	1759.5	C	.8	327	.8	147	158	6.1	6.1	.0	-.6	.0	.0	4
1760.5	1761.5	A	11.3	315	.9	148	156	6.1	6.1	.8	.8	.0	.0	4
1762.5	1763.5	A	12.6	258	.6	148	155	6.1	6.1	.2	-.7	.0	.0	4
1764.5	1765.5	A	17.5	206	.8	148	154	6.2	6.2	-.4	-1.8	.0	.0	4
1766.5	1767.5	C	17.2	37	1.1	148	155	6.2	6.2	.0	1.3	.0	.0	4
1768.5	1769.5	C	14.6	292	.9	146	153	6.2	6.2	1.0	.7	.0	.0	4
1770.5	1771.5	B	6.0	32	.7	145	150	6.2	6.2	.0	.6	.0	.0	4
1774.5	1775.5	B	14.0	299	.7	144	148	6.2	6.2	1.0	.9	.0	.0	4
1776.5	1777.5	B	14.6	297	.6	144	146	6.2	6.2	1.1	.9	.0	.0	4
1778.5	1779.5	A	10.3	312	.6	145	146	6.2	6.2	.7	.6	.0	.0	4
1784.5	1785.5	B	10.2	328	.7	145	147	6.3	6.3	.7	1.0	.0	.0	4
1790.5	1791.5	B	39.4	246	.6	146	146	6.2	6.2	2.0	-1.0	.0	.0	4
1792.5	1793.5	D	29.6	249	.7	146	146	6.3	6.3	1.5	-.5	.0	.0	4
1794.5	1795.5	D	16.6	323	.7	146	145	6.2	6.2	1.2	1.6	.0	.0	4
1796.5	1797.5	C	.6	339	.7	147	145	6.2	6.2	.0	-.0	.0	.0	4
1798.5	1799.5	B	19.5	30	.7	148	146	6.2	6.2	.0	1.5	.0	.0	4
1800.5	1801.5	B	21.5	30	.7	147	145	6.2	6.2	.0	1.7	.0	.0	4
1802.5	1803.5	B	25.9	30	.7	147	145	6.2	6.2	.0	2.1	.0	.0	4
1804.5	1805.5	A	19.0	352	.7	147	146	6.2	6.2	.9	2.1	.0	.0	4
1806.5	1807.5	A	18.8	352	.6	147	145	6.2	6.2	.9	2.0	.0	.0	4
1808.5	1809.5	B	18.9	328	.6	147	144	6.2	6.2	1.3	2.0	.0	.0	4
1810.5	1811.5	C	25.6	296	.7	146	144	6.2	6.2	2.1	1.9	.0	.0	4
1812.5	1813.5	C	32.9	256	.7	149	144	6.2	6.2	2.0	.0	.0	.0	4
1816.5	1817.5	B	21.6	288	.7	149	143	6.2	6.2	1.7	1.3	.0	.0	4
1818.5	1819.5	B	16.6	294	.7	149	142	6.2	6.2	1.3	1.1	.0	.0	4
1820.5	1821.5	B	20.9	210	.7	149	143	6.2	6.2	.0	-1.7	.0	.0	4
1822.5	1823.5	B	16.5	289	.7	150	144	6.2	6.2	1.2	.9	.0	.0	4
1824.5	1825.5	C	20.5	297	.7	149	144	6.2	6.2	1.6	1.5	.0	.0	4
1826.5	1827.5	D	41.9	270	.7	148	142	6.2	6.2	3.4	1.5	.0	.0	4
1832.5	1833.5	C	35.6	2	.7	149	140	6.2	6.2	1.2	4.0	.0	.0	4
1834.5	1835.5	A	36.3	4	.8	148	138	6.2	6.2	1.1	4.0	.0	.0	4
1836.5	1837.5	C	20.8	294	.9	147	136	6.2	6.2	1.6	1.6	.0	.0	4
1844.5	1845.5	D	40.9	356	1.1	147	131	6.2	6.2	1.3	4.7	.0	.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRIFT ANG.	DRIFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS					W	
									H12	H23	H13	H24	H14		
1846.5	1847.5	C	43.5	359	1.1	146	129	6.2	6.2	1.1		4.9		.0	4
1848.5	1849.5	B	19.2	12	1.1	146	128	6.2	6.2	.0		1.5		.0	4
1850.5	1851.5	A	9.5	289	1.1	146	126	6.2	6.2	.7		.7		.0	4
1852.5	1853.5	A	24.5	317	1.1	146	121	6.2	6.2	1.5		2.7		.0	4
1854.5	1855.5	A	24.2	305	1.0	147	118	6.2	6.2	1.6		2.6		.0	4
1856.5	1857.5	B	39.6	30	1.0	145	115	6.2	6.2	-1.7		1.3		.0	4
1860.5	1861.5	U	39.4	332	.8	141	108	6.2	6.2	1.3		4.5		.0	4
1862.5	1863.5	C	13.0	339	.8	141	105	6.2	6.2	.2		1.1		.0	4
1864.5	1865.5	B	22.5	6	.7	141	103	6.1	6.1	-.5		1.1		.0	4
1866.5	1867.5	A	22.0	348	.8	141	103	6.2	6.2	.0		1.7		.0	4
1868.5	1869.5	A	13.7	298	.9	142	103	6.2	6.2	.8		1.4		.0	4
1870.5	1871.5	D	15.9	316	.9	142	102	6.2	6.2	.8		1.6		.0	4
1872.5	1873.5	A	16.2	308	.8	142	101	6.2	6.2	.3		1.7		.0	4
1874.5	1875.5	A	16.1	306	.9	141	101	6.2	6.2	.8		1.7		.0	4
1876.5	1877.5	A	30.9	327	1.0	141	100	6.2	6.2	.8		3.2		.0	4
1878.5	1879.5	C	27.9	328	1.0	141	99	6.2	6.2	.7		2.8		.0	4
1880.5	1881.5	B	21.3	343	.9	142	97	6.2	6.2	.0		1.6		.0	4
1884.5	1885.5	B	13.8	308	.9	145	97	6.2	6.2	.6		1.4		.0	4
1886.5	1887.5	B	17.4	342	.9	145	96	6.2	6.2	.0		1.3		.0	4
1888.5	1889.5	A	9.6	272	1.0	145	96	6.2	6.2	.7		.9		.0	4
1890.5	1891.5	A	9.5	271	1.1	146	96	6.2	6.2	.7		.8		.0	4
1892.5	1893.5	B	17.8	343	1.1	146	97	6.2	6.2	.0		1.3		.0	4
1896.5	1897.5	A	14.8	300	1.1	145	96	6.2	6.2	.8		1.5		.0	4
1898.5	1899.5	D	15.2	266	1.1	146	97	6.2	6.2	1.2		1.3		.0	4
1904.5	1905.5	C	22.7	345	1.2	142	99	6.2	6.2	.0		1.7		.0	4
1906.5	1907.5	D	26.7	324	1.2	140	102	6.2	6.2	.9		2.8		.0	4
1910.5	1911.5	D	42.2	172	1.3	141	106	6.2	6.2	-.0		-4.1		.0	4
1912.5	1913.5	D	29.5	170	1.3	139	104	6.2	6.2	-.0		-2.6		.0	4
1914.5	1915.5	C	33.4	174	1.3	154	97	6.2	6.2	.6		-2.4		.0	4
1918.5	1919.5	A	19.4	226	1.3	127	88	6.2	6.2	1.4		.8		.0	4
1920.5	1921.5	D	18.8	227	1.5	128	87	6.2	6.2	1.4		.9		.0	4
1922.5	1923.5	C	44.0	73	1.5	128	87	6.1	6.1	-4.2		-5.0		.0	4
1924.5	1925.5	D	33.0	334	1.4	129	88	6.2	6.2	-.0		2.6		.0	4
1926.5	1927.5	D	40.0	332	1.3	129	86	6.2	6.2	.0		3.5		.0	4
1928.5	1929.5	D	37.7	300	1.3	129	83	6.2	6.2	1.6		4.4		.0	4
1966.5	1967.5	D	12.6	278	.8	109	31	6.3	6.3	.0		1.0		.0	4
2140.5	2141.5	C	11.5	256	1.5	42	346	6.1	6.1	-.3		.3		.0	4
2142.5	2143.5	C	8.4	238	1.4	44	347	6.1	6.1	-.0		.5		.0	4
2144.5	2145.5	C	13.3	235	1.7	45	348	6.1	6.1	.0		.9		.0	4
2146.5	2147.5	C	25.8	251	1.6	47	345	6.1	6.1	-.7		1.2		.0	4
2148.5	2149.5	C	36.5	99	1.3	51	342	6.1	6.1	2.6		.4		.0	4
2170.5	2171.5	B	26.1	63	1.7	38	356	6.2	6.2	.0		-2.3		.0	4
2172.5	2173.5	C	28.2	61	1.7	38	355	6.2	6.2	.0		-2.5		.0	4
2174.5	2175.5	B	27.4	57	1.7	37	351	6.1	6.1	.0		-2.4		.0	4
2176.5	2177.5	C	16.4	27	1.5	36	343	6.1	6.1	-.5		-1.8		.0	4
2178.5	2179.5	D	11.9	39	1.5	36	335	6.2	6.2	.0		-1.0		.0	4
2180.5	2181.5	D	1.5	247	1.5	39	331	6.2	6.2	-.0		-.0		.0	4
2184.5	2185.5	B	7.5	221	1.7	46	327	6.2	6.2	-.0		.4		.0	4
2186.5	2187.5	B	1.5	253	1.7	46	326	6.2	6.2	.0		-.0		.0	4
2188.5	2189.5	D	17.7	246	1.6	45	330	6.3	6.3	-.6		.4		.0	4
2190.5	2191.5	C	38.7	287	1.6	47	341	6.2	6.2	-2.9		-1.3		.0	4
2192.5	2193.5	A	25.7	257	1.8	48	353	6.2	6.2	-.6		1.2		.0	4
2194.5	2195.5	A	28.0	261	2.0	44	358	6.2	6.2	-.6		1.4		.0	4
2196.5	2197.5	B	44.3	242	2.0	39	2	6.2	6.2	.4		4.4		.0	4
2198.5	2199.5	C	44.4	240	2.0	38	5	6.1	6.1	.8		4.6		.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	NO.1	DIA 13	DIA 24	DISPLACEMENTS					W	
									H12	H23	H13	H24	H14		
2200.5	2201.5	C	20.5	215	1.9	37	359	6.2	6.2	.8		2.0		.0	4
2202.5	2203.5	D	25.2	94	1.8	38	347	6.2	6.2	1.3		-.4		.0	4
2204.5	2205.5	C	18.8	89	2.0	40	344	6.2	6.2	1.0		-.3		.0	4
2208.5	2209.5	B	40.1	346	2.0	32	351	6.2	6.2	-3.5		-4.8		.0	4
2210.5	2211.5	C	20.9	102	1.9	34	347	6.1	6.1	1.3		.0		.0	4
2212.5	2213.5	B	16.5	225	1.7	39	339	6.1	6.1	.0		1.2		.0	4
2214.5	2215.5	B	15.6	222	1.5	42	336	6.1	6.1	.0		1.0		.0	4
2218.5	2219.5	B	10.0	39	1.7	40	336	6.2	6.2	.0		-.9		.0	4
2220.5	2221.5	B	4.3	45	1.6	39	342	6.2	6.2	.0		-.4		.0	4
2222.5	2223.5	B	14.8	106	1.6	40	351	6.3	6.3	.9		.0		.0	4
2224.5	2225.5	C	25.3	223	1.6	41	10	6.3	6.3	1.1		2.7		.0	4
2232.5	2233.5	C	27.0	240	1.8	42	5	6.2	6.2	.4		2.4		.0	4
2236.5	2237.5	B	25.7	250	2.0	46	24	6.2	6.2	.6		2.4		.0	4
2238.5	2239.5	D	43.2	324	2.2	49	36	6.2	6.2	-2.8		.0		.0	4
2242.5	2243.5	C	58.6	278	2.2	44	38	6.2	6.2	.3		3.5		.0	4
2248.5	2249.5	D	18.2	225	2.0	41	41	6.1	6.1	1.2		1.7		.0	4
2250.5	2251.5	B	19.0	220	2.0	39	44	6.2	6.2	1.3		1.7		.0	4
2252.5	2253.5	D	57.2	315	2.0	40	44	6.3	6.3	-1.5		1.4		.0	4
2264.5	2265.5	D	26.9	106	2.0	32	21	6.2	6.2	.6		-1.6		.0	4
2266.5	2267.5	D	19.1	111	1.8	31	23	7.4	7.4	.6		-1.2		.0	4
2268.5	2269.5	D	31.9	357	1.8	36	17	7.9	7.9	-3.5		-4.0		.0	4
2270.5	2271.5	D	33.1	4	1.8	41	9	6.7	6.7	-3.0		-4.1		.0	4
2272.5	2273.5	D	39.7	340	1.8	41	6	6.2	6.2	-3.7		-3.7		.0	4
2306.5	2307.5	C	32.3	248	2.2	57	58	6.4	6.4	2.1		3.6		.0	4
2314.5	2315.5	C	44.2	227	2.1	38	54	6.1	6.1	3.7		4.8		.0	4
2334.5	2335.5	B	41.4	222	1.9	51	46	6.7	6.7	3.7		5.0		.0	4
2336.5	2337.5	A	44.0	213	2.1	29	45	6.4	6.4	4.1		5.0		.0	4
2338.5	2339.5	A	44.2	227	2.5	27	40	6.2	6.2	3.4		5.3		.0	4
2340.5	2341.5	A	45.2	233	2.6	27	41	6.2	6.2	5.0		5.2		.0	4
2342.5	2343.5	B	41.5	242	2.5	25	38	6.4	6.4	4.4		5.1		.0	4
2344.5	2345.5	D	2.7	240	2.6	23	34	6.3	6.3	-.0		.0		.0	4
2346.5	2347.5	D	37.6	244	2.5	23	33	6.1	6.1	1.7		4.2		.0	4
2348.5	2349.5	A	33.9	216	2.4	22	31	6.2	6.2	2.3		3.6		.0	4
2352.5	2353.5	D	44.7	91	2.6	20	15	6.2	6.2	.7		-3.8		.0	4
2354.5	2355.5	C	21.4	196	2.5	19	7	6.2	6.2	1.3		2.1		.0	4
2356.5	2357.5	A	20.4	210	2.5	19	4	6.2	6.2	.9		2.0		.0	4
2358.5	2359.5	A	22.6	204	2.5	21	5	6.1	6.1	1.2		2.2		.0	4
2360.5	2361.5	A	43.0	198	2.4	22	4	6.1	6.1	3.0		5.2		.0	4
2362.5	2363.5	B	27.7	198	2.7	24	4	6.2	6.2	1.7		2.9		.0	4
2364.5	2365.5	A	22.2	209	3.0	27	5	6.3	6.3	1.1		2.2		.0	4
2366.5	2367.5	A	25.4	223	3.1	27	5	6.2	6.2	.8		2.4		.0	4
2368.5	2369.5	A	25.4	223	3.0	28	5	6.2	6.2	.0		2.4		.0	4
2370.5	2371.5	D	40.8	96	3.0	28	5	6.3	6.3	1.6		-2.2		.0	4
2388.5	2389.5	D	25.5	69	2.9	14	360	6.2	6.2	.0		-2.3		.0	4
2390.5	2391.5	C	41.3	67	3.0	13	360	6.2	6.2	.0		-4.2		.0	4
2394.5	2395.5	B	22.3	184	3.4	10	358	6.2	6.2	1.4		2.0		.0	4
2396.5	2397.5	D	22.3	200	3.0	7	357	6.1	6.1	1.0		2.1		.0	4
2414.5	2415.5	D	33.0	226	3.2	18	341	6.2	6.2	.0		2.5		.0	4
2430.5	2431.5	A	20.8	50	2.9	20	344	6.1	6.1	-.0		-1.9		.0	4
2432.5	2433.5	A	18.9	29	3.0	17	346	6.1	6.1	-.6		-2.2		.0	4
2434.5	2435.5	A	21.1	29	3.0	10	350	6.1	6.1	-.8		-2.6		.0	4
2436.5	2437.5	A	24.1	37	3.0	7	353	6.1	6.1	-.8		-2.9		.0	4
2438.5	2439.5	A	25.9	33	3.0	6	352	6.1	6.1	-1.0		-3.1		.0	4
2440.5	2441.5	B	21.1	20	2.8	8	351	6.1	6.1	-1.1		-2.6		.0	4
2442.5	2443.5	A	20.6	22	2.7	10	350	6.1	6.1	-1.0		-2.6		.0	4



CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS						
									H12	H23	H13	H24	H14	JR	
2444.5	2445.5	A	25.1	37	2.8	10	349	6.1	6.1	-0.7		-2.9		.0	4
2446.5	2447.5	A	15.2	360	3.0	11	348	6.1	6.1	-1.0		-1.9		.0	4
2448.5	2449.5	B	17.0	6	3.0	13	347	6.1	6.1	-1.0		-2.2		.0	4
2450.5	2451.5	C	35.1	54	3.0	15	347	6.1	6.1	.0		-3.4		.0	4
2452.5	2453.5	C	41.5	56	3.0	13	348	6.1	6.1	.0		-4.2		.0	4
2454.5	2455.5	B	38.0	23	2.9	10	350	6.1	6.1	-2.0		-5.1		.0	4
2456.5	2457.5	C	42.4	39	2.8	7	352	6.1	6.1	-1.4		-5.5		.0	4
2458.5	2459.5	B	26.6	22	2.8	5	351	6.1	6.1	-1.3		-3.3		.0	4
2460.5	2461.5	B	26.4	13	2.8	5	345	6.1	6.1	-1.4		-3.3		.0	4
2464.5	2465.5	A	37.7	46	2.8	11	339	6.1	6.1	.0		-3.6		.0	4
2466.5	2467.5	A	23.7	45	2.8	12	338	6.1	6.1	.0		-2.1		.0	4
2468.5	2469.5	A	19.6	37	2.7	11	337	6.1	6.1	-.2		-1.9		.0	4
2470.5	2471.5	A	18.8	35	2.7	14	336	6.1	6.1	-.2		-1.9		.0	4
2472.5	2473.5	D	18.2	28	2.7	16	336	6.1	6.1	-.3		-1.9		.0	4
2476.5	2477.5	D	5.6	344	2.5	12	338	6.1	6.1	-.4		-.8		.0	4
2478.5	2479.5	D	10.3	12	2.4	12	338	6.1	6.1	-.4		-1.3		.0	4
2480.5	2481.5	D	23.7	79	2.3	12	337	6.1	6.1	1.1		-.6		.0	4
2484.5	2485.5	B	15.4	6	2.2	12	337	6.1	6.1	-.7		-1.9		.0	4
2486.5	2487.5	A	15.6	9	2.2	10	340	6.1	6.1	-.8		-1.9		.0	4
2494.5	2495.5	D	24.6	66	2.1	6	346	6.1	6.1	.4		-1.6		.0	4
2496.5	2497.5	C	18.5	55	2.2	8	345	6.1	6.1	.0		-1.6		.0	4
2498.5	2499.5	C	15.0	48	2.2	8	341	6.1	6.1	-.0		-1.3		.0	4
2500.5	2501.5	B	13.5	5	2.1	7	336	6.1	6.1	-.7		-1.6		.0	4
2502.5	2503.5	B	16.1	356	2.1	7	331	6.1	6.1	-.8		-1.9		.0	4
2504.5	2505.5	A	24.0	9	2.2	9	328	6.1	6.1	-.8		-2.8		.0	4
2506.5	2507.5	A	25.6	9	2.2	11	325	6.1	6.1	-.8		-2.9		.0	4
2508.5	2509.5	C	38.3	18	2.2	11	319	6.1	6.1	-.4		-4.0		.0	4
2510.5	2511.5	D	17.0	199	2.2	9	310	6.1	6.1	-.0		-1.1		.0	4
2512.5	2513.5	D	24.3	28	2.2	7	304	6.1	6.1	-.7		-1.3		.0	4
2516.5	2517.5	C	21.5	266	2.0	6	289	6.1	6.1	-1.6		-1.7		.0	4
2520.5	2521.5	B	44.0	31	1.9	6	286	6.1	6.1	2.4		-.6		.0	4
2522.5	2523.5	B	41.2	26	1.9	5	280	6.1	6.1	2.5		-.5		.0	4
2524.5	2525.5	D	21.9	29	1.9	5	276	6.1	6.1	1.3		-.0		.0	4
2526.5	2527.5	B	35.9	27	1.9	5	277	6.1	6.1	2.3		-.0		.0	4
2528.5	2529.5	A	18.2	40	1.9	6	273	6.1	6.1	1.3		.5		.0	4
2530.5	2531.5	A	15.4	28	1.9	7	268	6.2	6.2	1.1		.3		.0	4
2532.5	2533.5	B	23.5	23	1.9	11	262	6.3	6.3	1.7		.5		.0	4
2534.5	2535.5	A	19.7	30	1.9	15	258	6.2	6.2	1.6		.9		.0	4
2536.5	2537.5	A	18.7	48	1.9	17	256	6.1	6.1	1.6		1.4		.0	4
2538.5	2539.5	B	24.1	38	1.9	17	257	6.1	6.1	2.0		1.5		.0	4
2540.5	2541.5	A	15.1	29	1.9	16	258	6.1	6.1	1.0		.6		.0	4
2542.5	2543.5	A	19.2	30	1.9	13	258	6.1	6.1	1.5		.8		.0	4
2544.5	2545.5	A	16.1	34	1.9	10	266	6.1	6.1	1.3		.8		.0	4
2546.5	2547.5	A	16.6	24	2.0	9	261	6.1	6.1	1.2		.4		.0	4
2548.5	2549.5	B	16.5	18	1.9	9	260	6.1	6.1	1.2		.3		.0	4
2550.5	2551.5	A	14.8	42	1.9	9	258	6.1	6.1	1.2		.9		.0	4
2556.5	2557.5	B	43.4	151	1.3	10	264	6.1	6.1	.0		4.0		.0	4
2558.5	2559.5	C	34.0	152	1.3	10	264	6.1	6.1	.0		2.6		.0	4
2560.5	2561.5	A	14.6	24	1.3	10	263	6.1	6.1	1.0		.3		.0	4
2562.5	2563.5	A	15.3	21	1.3	11	261	6.1	6.1	1.0		.3		.0	4
2564.5	2565.5	A	21.4	87	1.3	12	258	6.1	6.1	1.5		2.4		.0	4
2566.5	2567.5	B	18.1	40	1.3	13	253	6.1	6.1	1.5		1.3		.0	4
2566.5	2569.5	A	8.7	44	1.2	11	247	6.1	6.1	.7		.7		.0	4
2570.5	2571.5	B	8.4	117	1.2	12	245	6.1	6.1	.2		.8		.0	4
2572.5	2573.5	B	16.5	58	1.2	13	246	6.1	6.1	1.3		1.6		.0	4

CORRELATION INTERVAL	CURR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	DIA NO.1	DIA 13	DIA 24	DISPLACEMENTS					M	
									H12	H23	H13	H24	H14		
2574.5	2575.5	C	20.3	38	1.3	15	247	6.1	6.1	1.7		1.5		.0	4
2576.5	2577.5	B	18.6	22	1.2	15	243	6.1	6.1	1.5		1.0		.0	4
2578.5	2579.5	A	12.5	24	1.2	15	240	6.1	6.1	1.0		.8		.0	4
2580.5	2581.5	D	26.0	46	1.1	15	238	6.1	6.1	2.1		2.6		.0	4
2582.5	2583.5	C	22.1	39	1.0	14	234	6.1	6.1	1.8		2.1		.0	4
2584.5	2585.5	B	24.5	14	1.0	14	232	6.1	6.1	2.0		1.5		.0	4
2586.5	2587.5	A	21.1	38	.9	13	228	6.1	6.1	1.7		2.1		.0	4
2588.5	2589.5	D	20.8	40	.9	13	226	6.1	6.1	1.6		2.1		.0	4
2590.5	2591.5	A	18.1	35	1.0	13	226	6.1	6.1	1.4		1.8		.0	4
2592.5	2593.5	A	17.2	39	1.1	13	225	6.1	6.1	1.3		1.8		.0	4
2594.5	2595.5	C	15.7	41	1.1	13	225	6.1	6.1	1.2		1.6		.0	4
2596.5	2597.5	B	21.6	23	1.1	13	224	6.1	6.1	1.8		2.0		.0	4
2598.5	2599.5	A	23.7	18	1.1	12	221	6.1	6.1	2.0		2.0		.0	4
2600.5	2601.5	D	19.4	34	1.1	14	220	6.1	6.1	1.5		2.0		.0	4
2602.5	2603.5	B	21.2	41	1.1	17	219	6.1	6.1	1.6		2.3		.0	4
2604.5	2605.5	A	29.1	16	1.1	21	217	6.1	6.1	2.5		2.6		.0	4
2606.5	2607.5	B	17.2	47	.9	29	216	6.1	6.1	1.2		1.9		.0	4
2608.5	2609.5	D	8.6	34	.6	35	209	6.1	6.1	.6		.9		.0	4
2610.5	2611.5	A	33.8	50	.6	37	196	6.1	6.1	1.5		4.0		.0	4
2612.5	2613.5	A	32.8	38	.7	38	184	6.1	6.1	1.5		3.9		.0	4
2614.5	2615.5	A	16.1	22	.7	41	175	6.1	6.1	.8		1.8		.0	4
2616.5	2617.5	A	17.5	15	.7	43	167	6.1	6.1	.8		1.9		.0	4
2618.5	2619.5	A	35.4	47	.7	43	162	6.1	6.1	.0		3.1		.0	4
2620.5	2621.5	A	39.2	29	.6	45	158	6.1	6.1	.9		4.3		.0	4
2622.5	2623.5	B	25.5	37	.6	47	152	6.1	6.1	.0		2.1		.0	4
2624.5	2625.5	A	26.1	33	.6	47	143	6.1	6.1	-.1		2.0		.0	4
2626.5	2627.5	A	13.2	33	.5	47	136	6.1	6.1	-.2		.8		.0	4
2628.5	2629.5	A	14.4	32	.4	46	126	6.1	6.1	-.4		.6		.0	4
2630.5	2631.5	A	14.0	22	.5	46	120	6.1	6.1	-.3		.7		.0	4
2632.5	2633.5	A	13.1	16	.7	47	117	6.1	6.1	-.3		.7		.0	4
2634.5	2635.5	C	36.9	41	.8	46	112	6.1	6.1	-.9		4.0		.0	4
2636.5	2637.5	C	36.8	330	.8	45	108	6.1	6.1	1.2		4.2		.0	4
2638.5	2639.5	C	13.5	34	.8	45	106	6.1	6.1	-.7		.0		.0	4
2640.5	2641.5	B	15.5	14	.8	46	104	6.1	6.1	-.5		.5		.0	4
2642.5	2643.5	A	23.5	10	.9	46	102	6.1	6.1	-.7		1.0		.0	4
2644.5	2645.5	A	29.3	3	1.0	47	100	6.1	6.1	-.8		1.6		.0	4
2646.5	2647.5	C	30.1	346	.9	48	98	6.1	6.1	-.2		2.3		.0	4
2648.5	2649.5	B	32.0	24	.7	48	93	6.1	6.1	-1.9		.0		.0	4
2650.5	2651.5	A	24.0	20	.6	49	90	6.1	6.1	-1.4		.0		.0	4
2652.5	2653.5	A	14.9	32	.6	50	89	6.1	6.1	-1.0		-.4		.0	4
2654.5	2655.5	A	13.5	31	.6	51	89	6.1	6.1	-.9		-.3		.0	4
2656.5	2657.5	D	21.9	352	.6	51	90	6.1	6.1	-.5		1.1		.0	4
2662.5	2663.5	D	44.2	186	.6	51	87	6.1	6.1	2.2		-1.3		.0	4
2666.5	2667.5	A	8.9	42	.7	49	74	6.1	6.1	-.7		-.6		.0	4
2668.5	2669.5	B	12.4	15	.7	50	68	6.1	6.1	-.9		-.4		.0	4
2670.5	2671.5	D	13.1	1	.6	51	62	6.1	6.1	-.8		-.3		.0	4
2672.5	2673.5	A	16.8	13	.7	52	58	6.1	6.1	-1.2		-.8		.0	4
2674.5	2675.5	B	36.0	1	.6	55	56	6.1	6.1	-2.7		-1.1		.0	4
2676.5	2677.5	C	44.6	71	.6	57	53	6.1	6.1	-3.2		-6.1		.0	4
2678.5	2679.5	D	7.0	116	.6	63	49	6.1	6.1	-.0		-.6		.0	4
2680.5	2681.5	B	13.2	104	.8	65	38	6.1	6.1	-.0		-1.1		.0	4
2682.5	2683.5	C	12.6	57	1.1	62	22	6.1	6.1	-.5		-1.4		.0	4
2684.5	2685.5	D	23.1	17	1.2	55	32	6.1	6.1	-1.8		-2.2		.0	4
2686.5	2689.5	D	44.9	135	1.1	43	355	6.1	6.1	4.1		2.9		.0	4
2690.5	2691.5	D	22.9	37	1.1	41	352	6.1	6.1	-.6		-2.4		.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS					%
									H12	H23	H13	H24	H14	
2692.5	2693.5	B	22.6	36	1.1	42	352	6.1	6.1	-.6	-2.4	.0	.0	4
2696.5	2697.5	C	40.9	247	1.0	42	349	6.1	6.1	-.7	2.8	.0	.0	4
2698.5	2699.5	C	4.8	321	.9	40	344	6.1	6.1	-.3	-.4	.0	.0	4
2700.5	2701.5	D	5.3	7	.9	40	339	6.1	6.1	-.2	-.6	.0	.0	4
2702.5	2703.5	B	18.3	62	.9	41	333	6.1	6.1	.6	-.8	.0	.0	4
2704.5	2705.5	B	17.3	33	.9	39	327	6.1	6.1	.0	-1.4	.0	.0	4
2706.5	2707.5	D	24.7	29	.8	39	324	6.1	6.1	-.0	-2.0	.0	.0	4
2712.5	2713.5	D	9.9	0	1.1	39	323	6.1	6.1	-.3	-1.0	.0	.0	4
2716.5	2717.5	D	34.8	37	.6	45	324	6.1	6.1	.4	-2.6	.0	.0	4
2718.5	2719.5	D	31.9	29	.6	48	323	6.1	6.1	.0	-2.7	.0	.0	4
2720.5	2721.5	B	21.5	11	.7	51	323	6.1	6.1	-.5	-2.1	.0	.0	4
2722.5	2723.5	C	8.3	347	.8	54	322	6.1	6.1	-.4	-.9	.0	.0	4
2724.5	2725.5	D	9.5	0	.8	57	320	6.1	6.1	-.3	-.9	.0	.0	4
2726.5	2727.5	D	37.8	295	.8	61	316	6.1	6.1	-3.2	-3.4	.0	.0	4
2728.5	2729.5	D	15.4	360	.8	64	313	6.1	6.1	-.3	-1.5	.0	.0	4
2730.5	2731.5	B	14.4	24	.7	67	307	6.1	6.1	.2	-.8	.0	.0	4
2732.5	2733.5	B	10.7	4	.7	70	299	6.1	6.1	.0	-.8	.0	.0	4
2734.5	2735.5	C	4.2	61	.6	72	290	6.1	6.1	.3	.2	.0	.0	4
2736.5	2737.5	C	6.1	31	.4	72	281	6.1	6.1	.3	.0	.0	.0	4
2738.5	2739.5	C	12.4	29	.3	71	273	6.1	6.1	.7	.1	.0	.0	4
2740.5	2741.5	C	31.8	353	.5	72	268	6.1	6.1	.9	-1.6	.0	.0	4
2744.5	2745.5	B	3.1	152	.8	78	265	6.1	6.1	.0	.3	.0	.0	4
2746.5	2747.5	B	14.9	327	.8	81	260	6.1	6.1	.0	-1.0	.0	.0	4
2748.5	2749.5	D	10.8	43	.8	82	252	6.1	6.1	.8	.8	.0	.0	4
2760.5	2761.5	D	28.7	162	.4	96	231	6.1	6.1	-1.7	.0	.0	.0	4
2764.5	2765.5	C	45.4	296	.6	103	221	6.1	6.1	.6	-3.3	.0	.0	4
2766.5	2767.5	C	44.5	291	.6	103	215	6.1	6.1	.7	-3.3	.0	.0	4
2768.5	2769.5	C	21.0	278	.6	104	213	6.1	6.1	-.0	-1.6	.0	.0	4
2770.5	2771.5	C	41.4	250	.6	105	213	6.1	6.1	-1.8	-5.1	.0	.0	4
2774.5	2775.5	D	44.7	294	.8	109	215	6.1	6.1	.9	-3.1	.0	.0	4
2776.5	2777.5	D	14.2	324	1.1	115	212	6.1	6.1	.7	.0	.0	.0	4
2778.5	2779.5	D	25.9	66	1.2	114	206	6.1	6.1	.8	2.8	.0	.0	4
2780.5	2781.5	C	30.5	51	1.3	114	200	6.1	6.1	1.4	3.5	.0	.0	4
2786.5	2787.5	B	9.9	355	1.0	119	184	6.1	6.1	.6	.9	.0	.0	4
2788.5	2789.5	C	16.2	352	1.0	117	175	6.1	6.1	1.1	1.5	.0	.0	4
2790.5	2791.5	A	27.0	36	1.1	116	167	6.1	6.1	.5	2.6	.0	.0	4
2792.5	2793.5	A	20.5	41	1.0	116	160	6.1	6.1	.0	1.6	.0	.0	4
2794.5	2795.5	A	13.1	25	1.0	119	155	6.1	6.1	.2	1.2	.0	.0	4
2796.5	2797.5	A	13.7	21	1.2	120	146	6.1	6.1	.1	1.1	.0	.0	4
2798.5	2799.5	A	14.6	2	1.4	115	129	6.2	6.2	.1	1.2	.0	.0	4
2802.5	2803.5	D	39.6	55	1.3	107	111	6.3	6.3	-3.2	-1.3	.0	.0	4
2804.5	2805.5	C	19.6	57	1.3	107	105	6.2	6.2	-1.5	-.9	.0	.0	4
2806.5	2807.5	B	22.3	15	1.3	105	96	6.1	6.1	-1.0	.3	.0	.0	4
2808.5	2809.5	A	24.3	4	1.2	104	87	6.1	6.1	-1.0	.5	.0	.0	4
2810.5	2811.5	B	23.5	1	1.2	102	79	6.1	6.1	-1.1	.3	.0	.0	4
2812.5	2813.5	A	21.9	6	1.2	96	70	6.1	6.1	-1.3	-.3	.0	.0	4
2814.5	2815.5	A	15.2	17	1.2	94	64	6.1	6.1	-1.1	-.7	.0	.0	4
2816.5	2817.5	A	10.3	101	1.2	97	60	6.1	6.1	-.3	-1.2	.0	.0	4
2818.5	2819.5	C	7.7	11	1.3	93	54	6.1	6.1	-.5	-.5	.0	.0	4
2820.5	2821.5	B	11.5	12	1.4	98	46	6.1	6.1	-.8	-.8	.0	.0	4
2822.5	2823.5	B	14.2	6	1.3	97	39	6.1	6.1	-1.0	-1.0	.0	.0	4
2824.5	2825.5	B	15.4	10	1.3	96	32	6.1	6.1	-1.2	-1.3	.0	.0	4
2826.5	2827.5	A	18.1	7	1.4	100	27	6.1	6.1	-1.3	-1.5	.0	.0	4
2828.5	2829.5	A	17.5	11	1.5	104	22	6.1	6.1	-1.2	-1.6	.0	.0	4
2830.5	2831.5	A	14.6	14	1.5	107	15	6.1	6.1	-.9	-1.4	.0	.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRIFT ANG.	DRIFT AZ.	AZ. NO.1	DIA 13	DIA 24	DISPLACEMENTS						
									H12	H23	H13	H24	H14		
2832.5	2833.5	A	18.0	13	1.4	110	7	6.1	6.1	-1.1		-1.9		.0	4
2834.5	2835.5	A	18.1	11	1.5	111	1	6.1	6.1	-1.1		-1.9		.0	4
2836.5	2837.5	A	20.5	17	1.5	112	357	6.1	6.1	-1.0		-2.2		.0	4
2838.5	2839.5	A	21.0	15	1.5	113	351	6.1	6.1	-1.0		-2.2		.0	4
2842.5	2843.5	D	24.1	312	1.5	115	336	6.1	6.1	-1.8		-1.8		.0	4
2844.5	2845.5	B	2.6	128	1.5	115	326	6.1	6.1	.3		.3		.0	4
2846.5	2847.5	C	38.7	18	1.3	117	318	6.1	6.1	-.2		-3.6		.0	4
2848.5	2849.5	C	41.1	13	1.3	121	309	6.1	6.1	-.0		-3.7		.0	4
2850.5	2851.5	A	14.8	39	1.3	121	300	6.1	6.1	.7		-.2		.0	4
2852.5	2853.5	B	21.6	35	1.3	121	293	6.1	6.1	1.1		-.2		.0	4
2854.5	2855.5	A	22.6	35	1.2	122	288	6.5	6.5	1.3		-.0		.0	4
2860.5	2861.5	A	9.1	34	1.2	122	290	6.5	6.5	.5		.0		.0	4
2862.5	2863.5	A	14.6	32	1.2	124	288	6.1	6.1	.7		-.0		.0	4
2874.5	2875.5	B	15.6	39	1.3	132	254	6.1	6.1	1.2		1.0		.0	4
2876.5	2877.5	B	16.1	132	1.4	134	248	6.1	6.1	.0		1.3		.0	4
2880.5	2881.5	C	38.6	46	1.6	136	231	6.1	6.1	3.1		4.5		.0	4
2882.5	2883.5	D	34.8	258	1.7	137	226	6.1	6.1	-1.8		-4.1		.0	4
2884.5	2885.5	B	39.3	250	1.7	139	222	6.1	6.1	-2.3		-5.0		.0	4
2890.5	2891.5	B	36.9	183	1.9	138	189	6.1	6.1	-3.3		-4.3		.0	4
2898.5	2899.5	A	29.2	101	1.9	134	157	6.1	6.1	-2.2		-.9		.0	4
2900.5	2901.5	D	14.2	76	1.9	131	152	6.1	6.1	-.8		.0		.0	4
2902.5	2903.5	B	25.1	44	1.9	130	147	6.1	6.1	-.5		1.4		.0	4
2904.5	2905.5	A	14.2	23	1.9	131	144	6.1	6.1	.0		1.0		.0	4
2906.5	2907.5	A	15.5	26	2.0	131	144	6.1	6.1	-.0		.9		.0	4
2908.5	2909.5	C	17.8	35	2.0	132	144	6.1	6.1	-.2		1.0		.0	4
2912.5	2913.5	C	12.1	305	2.0	130	143	6.1	6.1	.8		.8		.0	4
2914.5	2915.5	B	13.4	158	2.0	129	143	6.1	6.1	.7		1.2		.0	4
2916.5	2917.5	B	10.9	46	2.0	129	142	6.1	6.1	4.1		4.1		.0	4
2918.5	2919.5	B	10.3	133	2.0	131	139	6.1	6.1	4.0		4.0		.0	4
2920.5	2921.5	B	4.2	356	2.0	132	133	6.1	6.1	-.0		.2		.0	4
2922.5	2923.5	B	7.0	356	1.9	129	125	6.1	6.1	.0		.4		.0	4
2924.5	2925.5	B	31.0	341	1.9	128	114	6.1	6.1	.7		3.0		.0	4
2926.5	2927.5	C	39.8	220	2.0	129	107	6.1	6.1	2.6		.0		.0	4
2928.5	2929.5	C	10.2	337	2.1	127	97	6.1	6.1	.9		.6		.0	4
2930.5	2931.5	D	10.0	318	2.2	126	89	6.1	6.1	.2		.7		.0	4
2932.5	2933.5	B	9.9	323	2.2	126	87	6.1	6.1	.1		.7		.0	4
2934.5	2935.5	A	10.0	318	2.2	125	85	6.1	6.1	.1		.7		.0	4
2936.5	2937.5	C	11.0	324	2.1	124	80	6.1	6.1	.0		.7		.0	4
2938.5	2939.5	B	17.5	346	2.0	126	77	6.1	6.1	-.5		.6		.0	4
2940.5	2941.5	A	18.0	358	2.0	127	77	6.1	6.1	-.8		.2		.0	4
2942.5	2943.5	A	19.0	6	2.1	127	78	6.1	6.1	-1.0		-.0		.0	4
2944.5	2945.5	A	22.4	333	2.1	127	75	6.1	6.1	-.5		1.2		.0	4
2946.5	2947.5	A	23.1	327	2.0	125	67	6.1	6.1	-.4		1.2		.0	4
2950.5	2951.5	B	38.4	254	2.0	123	62	6.1	6.1	2.8		4.6		.0	4
2956.5	2957.5	B	19.9	247	1.9	124	51	6.1	6.1	1.2		2.1		.0	4
2960.5	2961.5	B	35.0	236	2.1	120	45	6.1	6.1	2.5		4.1		.0	4
2962.5	2963.5	B	25.8	262	2.0	118	46	6.1	6.1	1.1		2.7		.0	4
2964.5	2965.5	C	42.5	57	2.0	121	46	6.1	6.1	-3.1		-5.6		.0	4
2966.5	2967.5	B	24.5	107	2.1	123	44	6.1	6.1	.0		-2.1		.0	4
2970.5	2971.5	D	37.2	359	2.2	123	26	6.1	6.1	-3.0		-2.9		.0	4
2972.5	2973.5	A	36.5	314	2.0	124	16	6.1	6.1	-2.3		-.4		.0	4
2976.5	2977.5	D	27.8	302	2.0	128	5	6.1	6.1	-1.6		-.3		.0	4
2978.5	2979.5	B	15.6	197	2.0	130	358	6.1	6.1	1.0		1.8		.0	4
2980.5	2981.5	B	42.8	48	1.8	132	354	6.1	6.1	-.8		-4.5		.0	4
2982.5	2983.5	C	39.8	29	1.7	135	348	6.1	6.1	-1.4		-4.5		.0	4

CORRELATION INTERVAL	CORR. GRADE	DIP ANG.	DIP AZ.	DRFT ANG.	DRFT AZ.	AZ. NO. 1	DIA 13	DIA 24	DISPLACEMENTS					
									H12	H23	H15	H24	H14	N
2986.5	2987.5	A	22.5	22	2.0	140	333	6.1	6.1	-0.4	-2.0	.0	.0	4
2988.5	2989.5	D	17.8	557	1.9	138	320	6.1	6.1	-0.5	-1.6	.0	.0	4
2990.5	2991.5	C	22.5	17	1.8	136	314	6.1	6.1	.0	-1.5	.0	.0	4
2992.5	2993.5	A	40.2	20	1.5	135	310	6.1	6.1	.3	-3.1	.0	.0	4
2996.5	2997.5	D	26.7	17	1.9	135	304	6.1	6.1	.3	-1.0	.0	.0	4
2998.5	2999.5	E	20.5	26	2.0	137	296	6.1	6.1	.7	-0.6	.0	.0	4
3000.5	3001.5	E	17.5	18	2.0	140	285	6.1	6.1	.6	-0.4	.0	.0	4
3002.5	3003.5	E	10.8	15	2.0	144	269	6.1	6.1	.5	.0	.0	.0	4
3004.5	3005.5	A	16.6	22	2.0	143	247	6.1	6.1	1.1	.7	.0	.0	4
3006.5	3007.5	A	27.1	25	2.1	142	235	6.1	6.1	2.0	1.9	.0	.0	4
3008.5	3009.5	E	32.0	27	2.3	144	229	6.1	6.1	2.5	2.7	.0	.0	4
3010.5	3011.5	D	26.7	29	2.4	144	218	6.1	6.1	1.9	2.5	.0	.0	4
3012.5	3013.5	E	13.5	115	2.4	145	210	6.1	6.1	-0.5	.5	.0	.0	4
3014.5	3015.5	D	12.5	120	2.4	144	205	6.1	6.1	-0.6	.2	.0	.0	4
3016.5	3017.5	C	13.4	346	2.4	144	196	6.1	6.1	.6	.7	.0	.0	4
3018.5	3019.5	C	26.1	309	2.3	143	181	6.1	6.1	1.0	.6	.0	.0	4
3020.5	3021.5	E	34.5	246	2.1	140	167	6.1	6.1	.6	-2.2	.0	.0	4
3022.5	3023.5	C	14.9	9	2.1	137	159	6.1	6.1	.5	1.4	.0	.0	4
3024.5	3025.5	A	19.9	13	2.4	138	156	6.1	6.1	.6	1.0	.0	.0	4
3026.5	3027.5	A	23.2	12	2.6	138	151	6.1	6.1	.6	2.1	.0	.0	4
3028.5	3029.5	C	22.7	7	2.5	136	145	6.1	6.1	.5	2.1	.0	.0	4
3030.5	3031.5	E	29.4	14	2.6	135	141	6.1	6.1	.4	2.4	.0	.0	4
3032.5	3033.5	C	21.3	25	2.6	134	138	6.1	6.1	-0.2	1.3	.0	.0	4
3034.5	3035.5	E	39.5	64	2.6	135	136	6.1	6.1	-1.8	-0.0	.0	.0	4
3036.5	3037.5	D	16.1	51	2.7	142	134	6.1	6.1	-0.8	.1	.0	.0	4
3038.5	3039.5	D	16.1	22	3.0	132	120	6.2	6.2	-0.3	.9	.0	.0	4
3040.5	3041.5	D	26.8	154	2.4	134	124	6.2	6.2	.4	2.4	.0	.0	4
3042.5	3043.5	D	21.0	100	2.0	130	120	6.2	6.2	-0.2	1.2	.0	.0	4
3044.5	3045.5	D	20.1	141	1.9	131	114	6.1	6.1	-0.4	1.3	.0	.0	4
3046.5	3047.5	D	20.1	114	2.0	130	117	6.1	6.1	-0.4	1.3	.0	.0	4
3048.5	3049.5	D	20.1	114	2.0	130	117	6.1	6.1	-0.4	1.3	.0	.0	4
3054.5	3055.5	D	4.6	129	2.6	137	116	6.1	6.1	-0.4	-0.7	.0	.0	4
3056.5	3057.5	A	7.5	63	2.6	138	118	6.1	6.1	-0.6	-0.4	.0	.0	4
3058.5	3059.5	A	12.5	58	2.5	139	117	6.1	6.1	-0.6	-0.0	.0	.0	4
3060.5	3061.5	C	6.6	65	2.5	140	117	6.1	6.1	-0.5	-0.4	.0	.0	4

