

WELL SUMMARY REPORT
 (Submit in duplicate)

RECEIVED PTLD
 JAN 12 1983

Operator Reichhold Energy Corporation Field Mist
 Well No. C.C. 13-34 Sec. 34, T. 7N, R. 5W, W. B. & M.
 Location Mist Elevation above sea level 1254.48 feet

All depth measurements taken from top of Kelly Bushing, which is 11.40 feet above ground
1265-88

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date 12-29-82 Signed Tim Williamson
 Title Drilling Superintendent
 (President, Secretary or Agent)
 Engineer or Geologist Superintendent

Commenced drilling 12-9-82 Completed drilling 12-23-82 Drilling tools Cable Rotary
 Total depth 2822' Plugged depth _____ GEOLOGICAL MARKERS DEPTH
 Junk _____

Commenced producing awaiting pipeline Date _____ Flowing/gas lift/pumping
 (cross out unnecessary words)

	Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
Initial production				473	740	760
Production after 30 days						

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or sec- ond hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cement- ing if through perforations
8 5/8"	491.96	0	20	new	seamless	K-55	12 1/4"	265	
5 1/2"	2800.51	0	15.50	new	seamless	K-5	7 7/8"	385	1300-2800

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
5 1/2"	2642 ft.	2650 ft.	1/4" 4 shots/foot	1	-	SSB - jet gun
5 1/2"	2642 ft.	2650 ft.	1/4" 4 shots/foot	1		
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				

Electrical Log Depths _____ (Attach Copy of Log)