


I N C L I N E
COMPUTED DIRECTLY FROM FIELD

COMPANY: **IRCO OIL AND GAS CO.**
 FIELD: **GREENHART FOREST INDUSTRIES H41 9**
 COUNTY: **CLUBBIA** STATE: **OKLAHOMA**
 LOCATION: **S. 34, 43, 5 & 56, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100**

DEPTH	INTERVAL	DEPTH FROM	DEPTH TO	CORLN. LENGTH	CORLN. STEP	SEARCH ANGLE	SEARCH REFERENCE	SEARCH MAXIMUM	MAGNETIC DECLIN.	MAGNETIC MEAS.	DEP. TRUE	DEP. AVERAGE	DEP. SHORT	TR. AVERAGE
4985.53	456.53	FEET	FEET	B, C, D, F	2, C, O, F	50.00	8085-04.625, 00	15, 00, E			51.00			

REMARKS:
 SEARCH ANGLE SPECIFIED IN DEGREES.
 DEPTH OF INVESTIGATION 0.8 INCHES MEASURED RADIALLY.
 SOLID ARROWS = CORRELATION COEFFICIENT > 0.80.
 OPEN ARROWS = CORRELATION COEFFICIENT BETWEEN 0.60 AND 0.80.
 CORRELATIONS IGNORED IF COEFFICIENT IS BELOW 1.0, 30.

1 set



AZIMUTH: CONTINUOUS
 SCALING: 1/40 TO 360
 DELTATION: LONG DASH
 SCALING: 1/100 TO 360

DEVIATION AND DIRECTION
 SCALING: 1/10 TO 8.0
 DELTATION: LONG DASH
 SCALING: 1/100 TO 360

DEPTH: 11240
 DIP