



DIP LOG CALCULATIONS

COMPANY OREGON NATURAL GAS DEVELOPMENT CORPORATION

WELL CROWN ZELLERBACH NO. 1

FIELD TILLAMOOK AREA

COUNTY TILLAMOOK STATE OREGON

WELEX

A **Halliburton** Company

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
670.0	672.0	C	6.0	7.	2.7	141.	341.	9.4	0.0	.10	.60
672.0	674.0	C	10.7	335.	2.6	181.	317.	9.1	0.0	.90	1.10
674.0	676.0	C	8.5	305.	2.5	273.	250.	9.0	0.0	.30	1.40
676.0	678.0	C	4.2	40.	2.8	172.	156.	8.9	0.0	.30	-.10
678.0	680.0	B	13.1	311.	2.8	100.	99.	8.6	0.0	-.50	-1.40
682.0	684.0	C	3.5	30.	2.7	62.	74.	8.9	0.0	.80	.40
684.0	686.0	B	8.8	283.	2.8	56.	66.	9.0	0.0	-.10	-.90
686.0	688.0	C	10.2	312.	2.9	51.	62.	9.0	0.0	.60	-.80
688.0	690.0	B	12.1	276.	3.0	57.	59.	9.0	0.0	-.30	-1.30
690.0	692.0	B	10.3	291.	3.0	64.	56.	9.0	0.0	.20	-.90
692.0	694.0	C	14.2	281.	2.9	71.	55.	9.0	0.0	-.20	-1.50
694.0	696.0	B	13.7	287.	2.9	72.	44.	9.1	0.0	.30	-1.20
696.0	698.0	C	11.4	289.	3.1	62.	41.	9.0	0.0	.50	-.80
698.0	700.0	C	13.2	318.	3.2	66.	38.	9.0	0.0	1.40	-.20
700.0	702.0	C	19.0	288.	3.2	78.	46.	9.0	0.0	.30	-1.80
702.0	704.0	C	19.2	307.	3.2	82.	47.	9.0	0.0	1.10	-1.30
706.0	708.0	C	10.5	198.	3.2	101.	292.	9.1	0.0	1.10	-.30
708.0	710.0	B	8.8	254.	3.0	66.	339.	9.1	0.0	.50	-.30
710.0	712.0	C	3.0	264.	2.9	53.	305.	8.6	0.0	.10	.20
712.0	714.0	B	10.5	256.	2.7	77.	272.	8.7	0.0	1.00	.70
714.0	716.0	B	12.2	258.	2.5	71.	251.	8.7	0.0	1.00	1.20
716.0	718.0	C	10.5	324.	2.5	85.	231.	8.6	0.0	-.90	.30
718.0	720.0	C	2.9	330.	2.3	99.	180.	8.7	0.0	-.20	-.30
720.0	722.0	B	3.1	215.	2.6	88.	102.	8.8	0.0	.60	.30
722.0	724.0	A	10.5	242.	2.6	77.	57.	8.6	0.0	-.90	-.90
724.0	726.0	B	11.9	250.	2.5	62.	32.	8.5	0.0	-.40	-1.20
726.0	728.0	B	11.8	264.	2.7	48.	24.	8.7	0.0	.20	-1.00
730.0	732.0	B	5.4	260.	2.7	54.	21.	8.8	0.0	.40	-.10
732.0	734.0	C	8.5	317.	2.6	55.	21.	8.8	0.0	1.10	.50
734.0	736.0	B	10.2	317.	2.6	58.	21.	8.8	0.0	1.30	.30
736.0	738.0	C	2.7	268.	2.9	58.	21.	8.8	0.0	.20	.10
738.0	740.0	B	5.6	268.	2.7	67.	21.	8.8	0.0	.80	.90
740.0	742.0	B	3.9	266.	2.6	72.	21.	8.9	0.0	.10	-.10
744.0	746.0	B	9.1	310.	2.4	55.	21.	9.1	0.0	1.10	.10
746.0	748.0	C	9.7	84.	2.4	69.	144.	9.1	0.0	1.40	-.10
748.0	750.0	B	10.5	304.	2.3	63.	21.	9.1	0.0	1.10	-.10
750.0	752.0	B	9.0	308.	2.5	69.	18.	9.1	0.0	1.00	.10
752.0	754.0	B	11.0	298.	2.7	64.	16.	9.1	0.0	1.10	-.10
756.0	758.0	C	11.9	308.	2.8	63.	13.	9.0	0.0	1.40	.20
758.0	760.0	B	4.8	307.	2.9	61.	13.	9.0	0.0	.60	.30
760.0	762.0	B	5.7	314.	2.9	54.	13.	9.0	0.0	.80	.40
762.0	764.0	C	5.4	44.	2.9	65.	13.	9.0	0.0	.40	1.10
764.0	766.0	C	9.2	321.	2.9	67.	14.	9.0	0.0	1.20	.50
766.0	768.0	C	7.3	314.	2.9	67.	18.	9.0	0.0	.90	.30
768.0	770.0	B	2.3	264.	2.8	68.	21.	9.0	0.0	.10	.10
770.0	772.0	C	3.0	295.	2.7	69.	16.	9.1	0.0	.30	.20
774.0	776.0	C	18.4	305.	3.0	69.	11.	9.0	0.0	2.10	.10
778.0	780.0	C	19.4	331.	3.0	78.	4.	8.9	0.0	2.60	1.50
780.0	782.0	C	27.4	28.	3.0	62.	7.	8.9	0.0	2.60	4.40
782.0	784.0	C	7.0	336.	3.0	59.	9.	8.8	0.0	1.00	.80
784.0	786.0	C	4.3	320.	3.0	63.	7.	9.1	0.0	.60	.50
786.0	788.0	C	17.6	313.	3.0	66.	6.	9.5	0.0	2.40	.70
788.0	790.0	C	6.6	294.	3.0	67.	4.	9.5	0.0	.70	.20
790.0	792.0	B	17.8	354.	3.1	67.	1.	9.5	0.0	2.40	2.50
792.0	794.0	B	13.8	35.	2.9	67.	4.	9.5	0.0	1.00	2.40

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel, or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or wilful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS NO.1 NO.2 NO.3			
794.0	796.0	C	13.5	56.	2.8	67.	5.	9.5	0.0	.30	2.20
802.0	804.0	B	15.6	359.	2.8	66.	5.	9.5	0.0	2.10	2.20
804.0	806.0	D	6.5	323.	2.8	64.	360.	9.5	0.0	.90	.70
806.0	808.0	C	3.1	268.	2.8	63.	1.	9.9	0.0	.20	.10
808.0	810.0	C	3.2	255.	2.8	63.	4.	10.2	0.0	.10	.00
812.0	814.0	C	7.5	261.	2.7	70.	2.	9.6	0.0	.30	-.40
814.0	816.0	D	7.3	330.	2.9	75.	4.	9.8	0.0	1.00	.80
817.0	819.0	C	4.4	300.	3.0	78.	356.	9.4	0.0	.40	.30
820.0	822.0	B	7.5	288.	2.9	78.	357.	9.5	0.0	.70	.10
822.0	824.0	D	7.1	253.	2.9	74.	353.	9.5	0.0	.20	-.40
824.0	826.0	B	11.2	295.	2.9	69.	355.	9.6	0.0	1.30	.30
826.0	828.0	B	10.8	327.	2.9	66.	357.	9.5	0.0	1.50	1.10
828.0	830.0	A	6.6	301.	2.9	66.	357.	9.5	0.0	.80	.40
830.0	832.0	B	2.5	325.	2.8	66.	356.	9.7	0.0	.30	.50
832.0	834.0	C	8.7	286.	2.7	67.	355.	9.5	0.0	.90	.10
834.0	836.0	B	8.7	309.	2.7	71.	353.	9.6	0.0	1.10	.60
836.0	838.0	C	9.0	294.	2.8	75.	352.	9.6	0.0	1.00	.30
838.0	840.0	B	11.3	288.	2.9	77.	353.	9.7	0.0	1.20	.10
840.0	842.0	C	6.0	309.	2.8	75.	353.	9.7	0.0	.70	.50
842.0	844.0	B	7.4	304.	2.8	73.	351.	9.9	0.0	.90	.50
844.0	846.0	B	9.0	296.	2.7	68.	351.	9.8	0.0	1.10	.40
846.0	848.0	C	11.2	285.	2.8	68.	351.	9.6	0.0	1.20	.10
848.0	850.0	B	7.0	288.	2.9	73.	352.	9.6	0.0	.70	.20
850.0	852.0	A	8.9	317.	3.0	79.	351.	9.7	0.0	1.10	.80
852.0	854.0	A	10.9	304.	2.9	86.	350.	10.5	0.0	1.40	.60
854.0	856.0	A	11.4	340.	2.9	75.	351.	9.5	0.0	1.40	1.50
856.0	858.0	B	10.0	322.	2.9	63.	354.	9.6	0.0	1.40	1.00
858.0	860.0	B	6.0	274.	2.9	49.	353.	9.5	0.0	.60	.10
860.0	862.0	B	8.9	298.	2.8	48.	349.	9.7	0.0	1.20	.50
862.0	864.0	C	8.4	286.	2.8	64.	347.	9.7	0.0	.70	.50
864.0	866.0	B	7.3	287.	2.8	70.	344.	9.9	0.0	.80	.20
866.0	868.0	C	11.7	316.	2.9	59.	346.	9.7	0.0	2.10	1.50
868.0	870.0	C	7.6	287.	3.0	56.	350.	9.7	0.0	.90	.30
870.0	872.0	B	8.8	293.	3.1	57.	352.	9.7	0.0	1.10	.40
872.0	874.0	B	6.6	308.	3.1	59.	354.	9.7	0.0	.90	.60
874.0	876.0	C	11.4	311.	3.1	61.	353.	9.8	0.0	1.60	.90
876.0	878.0	B	8.1	313.	3.1	62.	350.	9.8	0.0	1.10	.80
878.0	880.0	B	10.2	295.	3.1	63.	349.	9.9	0.0	1.30	.50
882.0	884.0	C	9.7	296.	3.2	63.	344.	9.7	0.0	1.20	.60
884.0	886.0	C	6.6	266.	3.2	63.	344.	9.8	0.0	.50	.00
886.0	888.0	D	5.2	281.	3.0	64.	350.	9.7	0.0	.50	.20
888.0	890.0	C	8.5	75.	2.9	65.	349.	9.8	0.0	-.70	1.00
890.0	892.0	C	13.7	164.	2.9	68.	346.	9.9	0.0	-2.00	-1.50
892.0	894.0	C	15.0	272.	2.9	70.	352.	9.8	0.0	1.30	-.50
916.0	918.0	C	10.2	47.	2.8	62.	342.	9.7	0.0	-.30	1.50
930.0	932.0	D	29.0	120.	2.9	62.	341.	9.7	0.0	-4.80	-1.30
984.0	986.0	D	25.1	215.	3.0	67.	325.	9.7	0.0	.40	-2.80
999.0	1000.0	D	29.4	209.	3.1	67.	332.	9.6	0.0	-.50	-3.90
1007.8	1008.1	C	26.5	110.	3.2	72.	329.	9.5	0.0	-4.50	-1.40
1014.0	1015.3	C	19.2	55.	3.1	79.	337.	9.6	0.0	-1.20	2.10
1018.5	1020.0	B	16.1	64.	3.1	75.	332.	9.7	0.0	-1.60	1.30
1024.7	1025.3	C	12.4	287.	2.6	74.	323.	9.6	0.0	1.50	.80
1027.8	1028.3	B	3.4	109.	2.6	75.	320.	9.5	0.0	-.80	-.20
1028.3	1029.0	B	2.6	35.	2.6	75.	320.	9.5	0.0	-.40	.30
1033.9	1034.3	C	9.8	249.	2.7	72.	325.	9.5	0.0	.70	-.30



 Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1037.3	1038.5	C	38.5	53.	2.7	70.	327.	9.6	0.0	-3.20	4.00
1038.5	1040.0	D	18.5	346.	2.7	67.	326.	10.0	0.0	1.60	3.00
1058.5	1060.5	C	14.1	265.	2.6	67.	319.	9.6	0.0	1.60	.30
1070.6	1072.5	C	24.4	92.	2.6	60.	322.	9.5	0.0	-3.80	-.50
1075.5	1078.0	C	38.6	40.	2.7	65.	329.	9.6	0.0	-1.60	5.30
1078.7	1079.3	B	35.8	23.	2.8	69.	333.	9.5	0.0	.80	5.90
1079.5	1082.5	C	26.1	23.	2.8	70.	336.	9.5	0.0	.70	4.10
1082.5	1083.3	C	16.2	351.	2.7	70.	329.	9.5	0.0	1.20	2.50
1085.0	1086.0	C	31.2	352.	2.7	71.	331.	9.5	0.0	2.90	5.10
1096.3	1097.3	C	37.7	333.	2.5	64.	344.	9.3	0.0	5.80	4.90
1102.0	1103.3	C	9.8	296.	2.7	65.	345.	9.4	0.0	1.20	.50
1103.3	1104.5	B	14.1	304.	2.7	65.	346.	9.6	0.0	1.90	.90
1104.5	1105.3	C	17.6	351.	2.7	66.	346.	9.4	0.0	2.00	2.60
1108.0	1109.3	B	29.9	10.	2.9	67.	351.	9.4	0.0	3.00	5.00
1109.3	1110.3	C	32.3	2.	2.8	67.	352.	9.4	0.0	3.90	5.20
1111.8	1112.6	C	33.5	357.	2.7	68.	355.	9.4	0.0	4.50	5.10
1116.5	1118.0	B	21.4	223.	2.7	73.	360.	9.5	0.0	-1.00	-2.80
1118.0	1120.0	B	15.9	196.	2.7	69.	357.	9.5	0.0	-1.60	-2.00
1120.0	1122.0	B	18.5	221.	2.7	63.	358.	9.4	0.0	-.80	-2.30
1122.0	1124.0	B	8.0	220.	2.7	65.	359.	9.3	0.0	-.40	-.80
1124.0	1126.0	B	16.7	225.	2.7	69.	358.	9.3	0.0	-.60	-2.00
1126.0	1127.5	C	3.7	184.	2.7	72.	358.	9.2	0.0	-.50	-.20
1127.5	1128.5	C	7.0	238.	2.5	71.	1.	9.2	0.0	-.10	-.60
1128.5	1130.0	B	23.2	228.	2.5	71.	2.	9.3	0.0	-.90	-3.00
1133.0	1133.5	B	29.3	125.	2.7	52.	358.	9.4	0.0	-4.20	-.20
1136.0	1137.5	B	29.6	88.	2.7	52.	357.	9.3	0.0	-2.40	2.60
1138.0	1140.0	B	18.5	71.	2.7	56.	358.	9.2	0.0	-.60	2.30
1140.0	1142.1	B	13.8	39.	2.7	39.	359.	9.1	0.0	.80	2.30
1142.1	1144.0	B	15.5	27.	2.8	66.	357.	9.0	0.0	1.30	2.70
1146.0	1148.5	C	13.7	289.	2.9	68.	358.	9.0	0.0	1.80	1.00
1154.0	1156.0	C	17.2	232.	2.4	58.	355.	9.1	0.0	-.50	-.80
1156.0	1158.0	B	18.8	247.	2.4	44.	355.	9.1	0.0	-.20	-2.10
1158.5	1160.0	C	16.8	277.	2.3	44.	7.	9.2	0.0	1.30	-.90
1160.5	1162.0	B	11.8	356.	2.2	44.	16.	9.2	0.0	1.80	1.40
1162.0	1164.0	B	17.0	59.	2.2	45.	14.	9.2	0.0	.80	2.70
1166.5	1168.5	A	11.2	350.	2.4	58.	21.	9.2	0.0	1.70	1.10
1168.5	1170.3	A	15.0	328.	2.4	60.	21.	9.2	0.0	2.10	.60
1170.3	1171.5	B	7.3	341.	2.5	65.	21.	9.2	0.0	1.10	.70
1172.0	1174.0	C	16.8	307.	2.6	61.	21.	9.4	0.0	1.90	-.20
1174.0	1176.0	C	26.4	292.	2.5	57.	21.	9.2	0.0	2.20	-1.50
1180.0	1182.0	A	24.8	222.	2.5	51.	298.	9.2	0.0	2.20	-1.00
1182.5	1184.3	C	12.8	166.	2.5	48.	290.	9.2	0.0	-.40	-1.60
1191.8	1193.0	B	16.5	172.	2.3	45.	266.	9.1	0.0	.70	-1.40
1193.0	1194.5	C	21.2	202.	2.3	46.	280.	9.1	0.0	1.70	-1.00
1201.9	1203.3	B	22.1	203.	2.2	51.	284.	9.1	0.0	1.70	-1.20
1204.0	1206.0	C	45.6	197.	2.0	52.	285.	9.1	0.0	3.90	-3.70
1212.0	1214.0	C	17.5	254.	1.9	56.	278.	8.7	0.0	2.10	1.30
1214.0	1216.3	C	13.8	276.	1.8	52.	278.	8.7	0.0	1.40	1.50
1216.5	1218.1	C	15.9	236.	1.8	46.	279.	8.9	0.0	1.90	.60
1224.0	1225.3	B	19.4	291.	1.8	53.	285.	9.2	0.0	2.00	2.50
1227.0	1227.9	C	20.2	275.	1.8	53.	284.	10.0	0.0	2.70	2.40
1230.0	1232.5	B	22.2	286.	1.9	48.	285.	9.5	0.0	2.60	2.90
1234.0	1236.0	A	21.3	295.	1.9	41.	294.	9.3	0.0	2.50	2.80
1236.0	1238.0	A	25.9	283.	1.9	43.	285.	9.3	0.0	3.20	3.30
1238.3	1240.0	B	22.0	268.	1.9	46.	291.	9.3	0.0	3.00	2.00



 Velez does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Velez personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Velez is not responsible, except where due to gross negligence or willful misconduct, for any loss, damage, or expenses resulting from the use thereof.

CORRELATION INTERVAL CORR. GRADE DIP ANGLE DIP AZ. DRFT ANGLE DRFT AZ. AZ. NO.1 DIA 13 DISPLACEMENTS NO.1 NO.2 NO.3

1240.0	1242.3	B	17.8	286.	1.9	49.	296.	9.7	0.0	2.30	2.10
1242.3	1244.2	B	21.4	259.	1.9	49.	285.	9.7	0.0	3.00	1.80
1244.2	1246.0	A	17.9	284.	1.9	50.	289.	9.2	0.0	2.10	2.10
1246.0	1248.0	A	15.0	284.	1.9	50.	299.	9.5	0.0	1.90	1.60
1248.0	1250.0	C	17.2	268.	1.9	50.	282.	9.6	0.0	2.20	1.80
1250.0	1252.3	B	22.5	272.	1.9	50.	283.	8.7	0.0	2.70	2.30
1252.3	1254.5	C	18.4	285.	1.9	52.	283.	9.2	0.0	2.00	2.30
1254.5	1256.5	C	18.3	272.	1.9	53.	288.	9.2	0.0	2.30	1.80
1256.5	1258.3	A	23.2	275.	1.9	52.	300.	8.8	0.0	3.00	1.90
1258.3	1260.3	A	24.3	271.	1.9	50.	283.	8.8	0.0	3.00	2.50
1260.3	1262.0	A	15.4	288.	2.0	53.	291.	9.1	0.0	1.70	1.80
1262.0	1264.0	A	18.2	244.	1.9	56.	265.	9.2	0.0	2.30	1.50
1264.0	1266.0	B	20.9	231.	1.9	57.	241.	9.3	0.0	2.60	2.10
1266.0	1268.0	B	21.4	235.	1.9	56.	239.	8.7	0.0	2.40	2.20
1270.5	1272.3	B	16.0	252.	1.9	55.	236.	8.9	0.0	1.30	1.90
1272.5	1274.3	B	15.1	228.	1.9	55.	236.	9.5	0.0	1.80	1.50
1276.5	1278.3	C	14.1	250.	1.9	51.	233.	9.1	0.0	1.10	1.70
1278.3	1280.5	B	15.2	224.	1.9	50.	210.	8.7	0.0	1.30	1.70
1283.0	1285.0	B	6.9	239.	1.9	54.	215.	9.2	0.0	.40	.70
1285.0	1287.3	C	6.7	266.	1.9	56.	217.	9.0	0.0	.00	.60
1290.0	1292.0	C	4.0	330.	1.9	61.	217.	9.3	0.0	-.60	-.20
1295.5	1297.3	B	32.0	292.	2.0	50.	221.	9.1	0.0	-1.20	3.40
1300.0	1302.0	C	23.0	212.	2.0	44.	228.	9.3	0.0	2.90	2.40
1302.0	1303.9	B	22.3	210.	2.0	43.	220.	9.5	0.0	2.90	2.30
1305.0	1305.3	C	27.5	231.	2.2	47.	219.	9.5	0.0	2.90	3.70
1310.0	1312.0	C	24.1	261.	2.0	51.	219.	9.6	0.0	.90	3.30
1312.0	1314.0	C	9.5	235.	2.2	53.	219.	9.3	0.0	.70	1.00
1314.0	1316.0	B	8.0	263.	2.3	54.	220.	9.5	0.0	.10	.80
1316.0	1317.3	C	11.2	171.	2.5	55.	220.	9.4	0.0	1.30	1.00
1320.0	1322.0	B	28.5	262.	2.0	50.	224.	9.3	0.0	1.20	4.00
1322.0	1324.0	B	25.8	265.	1.9	44.	227.	9.3	0.0	1.20	4.00
1324.0	1326.0	B	30.0	268.	1.9	45.	227.	9.3	0.0	1.20	4.00
1326.0	1328.3	B	33.1	266.	1.9	52.	227.	9.4	0.0	1.70	4.90
1328.3	1330.3	B	31.0	272.	1.9	57.	227.	9.4	0.0	1.10	4.40
1332.0	1333.5	B	29.2	265.	1.9	55.	227.	9.4	0.0	1.50	4.20
1334.0	1336.0	B	32.6	261.	1.9	52.	227.	9.4	0.0	2.00	4.90
1336.0	1338.3	B	29.5	260.	1.9	52.	226.	9.4	0.0	1.80	4.30
1338.3	1340.0	B	21.9	257.	1.9	53.	225.	9.5	0.0	1.30	3.00
1342.0	1344.0	B	25.8	280.	2.1	54.	229.	9.5	0.0	.40	3.40
1344.0	1346.0	B	27.3	268.	2.2	56.	233.	9.5	0.0	1.50	3.90
1347.0	1348.0	D	4.0	177.	2.2	57.	241.	9.5	0.0	.20	-.30
1349.5	1351.3	B	22.7	254.	2.2	59.	231.	9.6	0.0	1.80	3.10
1354.0	1356.0	B	30.0	251.	2.3	60.	230.	9.5	0.0	2.70	4.30
1356.0	1358.0	B	25.7	238.	2.4	59.	230.	9.5	0.0	2.80	3.30
1358.5	1360.0	B	39.7	257.	2.4	58.	230.	9.5	0.0	3.30	6.30
1364.0	1366.0	C	36.2	260.	2.3	53.	217.	9.5	0.0	1.50	5.40
1366.0	1368.0	C	32.0	239.	2.3	51.	200.	9.5	0.0	1.60	4.60
1368.0	1369.0	C	30.0	221.	2.4	50.	202.	9.5	0.0	2.80	4.20
1372.0	1374.0	C	35.9	246.	2.5	52.	205.	9.5	0.0	1.70	5.30
1380.6	1382.5	B	23.4	251.	2.5	58.	213.	9.5	0.0	1.10	3.10
1382.5	1384.0	B	35.8	246.	2.5	58.	213.	9.5	0.0	2.40	5.40
1388.5	1389.5	C	36.8	258.	2.5	58.	231.	9.6	0.0	3.00	5.70
1390.3	1390.5	C	28.7	252.	2.5	58.	230.	9.7	0.0	2.50	4.10
1396.5	1398.0	B	27.2	213.	2.5	55.	199.	9.4	0.0	2.80	3.60
1398.0	1399.5	C	25.0	225.	2.5	54.	194.	9.4	0.0	1.70	3.40

Wellex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Wellex personnel or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations agrees that Wellex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1402.0	1404.0	C	31.3	219.	2.5	45.	195.	9.5	0.0	2.70	4.50
1404.0	1405.5	C	30.0	213.	2.5	44.	195.	9.5	0.0	2.90	4.20
1405.5	1408.0	B	27.8	224.	2.5	47.	195.	9.5	0.0	2.00	3.90
1408.0	1410.0	C	26.6	228.	2.5	50.	197.	9.6	0.0	1.80	3.70
1412.0	1414.0	C	31.0	253.	2.5	55.	202.	9.6	0.0	.60	4.20
1418.5	1419.5	C	28.3	212.	2.5	52.	204.	9.7	0.0	3.30	3.70
1421.5	1422.5	C	27.0	212.	2.5	53.	201.	9.7	0.0	3.00	3.60
1425.0	1426.0	B	31.0	228.	2.7	53.	186.	9.8	0.0	1.50	4.50
1428.5	1430.0	B	32.7	219.	2.8	51.	188.	9.8	0.0	2.50	4.90
1430.0	1432.0	A	31.6	213.	2.7	49.	193.	9.8	0.0	3.10	4.60
1434.5	1435.3	C	33.3	229.	2.7	47.	197.	9.8	0.0	2.30	5.00
1448.0	1450.0	B	17.2	210.	2.7	55.	196.	9.8	0.0	1.70	2.10
1450.0	1452.0	B	17.6	202.	2.7	55.	201.	9.8	0.0	2.10	1.90
1452.0	1454.0	A	22.7	217.	2.7	55.	205.	9.8	0.0	2.40	2.90
1454.0	1456.0	C	25.4	227.	2.7	55.	204.	9.8	0.0	2.20	3.50
1464.0	1465.0	C	25.5	218.	2.7	51.	197.	9.8	0.0	2.30	3.50
1480.0	1482.5	C	20.0	199.	2.7	57.	196.	9.7	0.0	2.40	2.30
1484.0	1486.0	C	25.4	212.	2.7	57.	199.	9.6	0.0	2.70	3.30
1488.5	1490.0	B	17.7	182.	2.7	55.	202.	9.6	0.0	2.40	1.30
1490.5	1492.5	A	19.2	216.	2.8	53.	204.	9.5	0.0	1.90	2.30
1492.5	1496.0	B	20.4	221.	2.8	50.	206.	9.5	0.0	1.90	2.50
1496.0	1496.5	C	13.8	263.	2.8	47.	207.	9.4	0.0	-.10	1.40
1496.5	1498.3	C	10.4	216.	2.8	45.	208.	9.5	0.0	.90	1.00
1498.3	1499.9	B	14.7	164.	2.8	40.	209.	9.6	0.0	1.80	.20
1500.0	1502.0	C	11.0	198.	2.9	48.	211.	9.1	0.0	1.20	.70
1502.0	1504.0	C	17.8	231.	2.9	51.	203.	9.1	0.0	1.10	2.10
1504.5	1506.3	B	9.0	204.	2.9	43.	202.	9.2	0.0	.80	.70
1506.3	1508.0	B	10.3	196.	2.7	45.	202.	9.2	0.0	1.10	.80
1508.0	1510.0	B	19.2	185.	2.7	51.	202.	9.2	0.0	1.10	.50
1510.9	1512.0	B	14.0	226.	2.8	48.	201.	9.3	0.0	.80	.60
1512.0	1514.0	C	17.4	174.	2.8	59.	211.	9.3	0.0	2.30	.50
1516.0	1518.0	B	15.6	229.	2.9	58.	207.	9.3	0.0	1.00	1.50
1518.0	1520.0	B	14.2	233.	3.0	57.	210.	9.4	0.0	1.00	1.60
1520.6	1522.0	C	15.7	224.	3.1	59.	217.	9.7	0.0	1.60	1.70
1524.0	1526.0	A	15.3	219.	3.0	44.	198.	9.1	0.0	1.10	1.70
1526.0	1528.0	B	19.2	204.	3.0	52.	199.	9.0	0.0	2.00	2.00
1528.0	1528.5	C	15.0	215.	3.0	57.	200.	9.0	0.0	1.30	1.60
1530.6	1532.2	B	21.8	245.	3.0	63.	201.	8.8	0.0	.70	2.50
1532.2	1534.3	B	13.7	202.	3.0	52.	202.	8.8	0.0	1.40	1.20
1536.0	1538.5	B	15.5	211.	3.0	48.	214.	9.0	0.0	1.60	1.40
1542.0	1544.0	C	13.6	240.	2.9	48.	229.	9.4	0.0	1.10	1.50
1544.0	1546.0	C	11.0	252.	3.0	47.	231.	9.4	0.0	.60	1.20
1546.0	1548.0	B	17.9	254.	3.0	47.	220.	9.4	0.0	.80	2.20
1548.0	1550.0	B	12.2	230.	3.1	47.	231.	9.1	0.0	1.10	1.10
1550.0	1552.0	B	17.8	191.	3.1	50.	236.	9.0	0.0	2.00	.30
1554.3	1556.0	B	14.7	224.	3.1	53.	215.	9.1	0.0	1.30	1.50
1556.0	1558.3	C	15.6	224.	3.1	51.	216.	9.1	0.0	1.40	1.60
1558.3	1560.5	B	15.7	212.	3.1	50.	198.	9.2	0.0	1.40	1.70
1560.5	1562.5	C	14.6	206.	3.1	53.	193.	8.9	0.0	1.30	1.50
1564.5	1566.3	C	13.0	162.	3.1	55.	218.	8.9	0.0	1.30	-.30
1567.0	1568.5	C	9.6	154.	3.3	56.	212.	9.0	0.0	.90	-.40
1570.0	1572.5	C	15.1	204.	3.2	52.	214.	9.2	0.0	1.70	1.20
1572.5	1574.3	C	10.6	230.	3.2	49.	213.	9.1	0.0	.70	1.00
1574.3	1576.5	B	15.0	259.	3.2	52.	226.	9.1	0.0	.60	1.70
1576.5	1577.5	B	8.3	245.	3.1	56.	225.	9.0	0.0	.40	.70

Wolex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Wolex personnel or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations agrees that Wolex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1581.3	1581.9	C	36.7	232.	3.1	47.	219.	9.3	0.0	3.90	5.10
1585.3	1586.5	C	17.9	198.	3.1	33.	212.	8.9	0.0	2.00	1.40
1586.5	1589.0	B	16.1	199.	3.0	39.	214.	8.9	0.0	1.80	1.20
1591.0	1592.3	C	31.3	158.	3.0	54.	212.	8.9	0.0	4.00	.10
1592.6	1594.3	C	14.2	187.	3.0	61.	211.	8.8	0.0	1.70	.70
1596.0	1596.5	C	12.9	171.	3.0	44.	211.	8.7	0.0	1.40	.20
1597.0	1598.5	B	17.5	145.	3.0	46.	212.	8.8	0.0	1.60	-.70
1600.0	1602.0	B	5.3	230.	3.0	50.	211.	8.8	0.0	.20	.30
1602.0	1604.0	B	23.4	158.	3.1	50.	213.	8.8	0.0	2.70	-.10
1606.0	1608.0	C	15.6	198.	3.1	55.	244.	9.1	0.0	1.70	.20
1608.0	1610.0	C	3.0	203.	3.2	54.	245.	9.2	0.0	.00	-.20
1612.0	1614.0	B	15.2	222.	3.2	59.	212.	9.3	0.0	1.40	1.60
1614.0	1616.0	B	10.9	214.	3.2	60.	204.	9.3	0.0	1.00	1.00
1627.0	1629.4	B	15.5	113.	3.1	48.	89.	8.6	0.0	1.60	2.20
1632.0	1634.5	B	12.7	114.	3.2	58.	85.	9.4	0.0	1.40	2.10
1634.5	1636.3	B	10.7	86.	3.2	59.	71.	8.6	0.0	1.40	1.70
1636.3	1638.5	B	6.8	36.	3.3	59.	68.	9.3	0.0	1.40	.80
1638.5	1640.3	B	6.4	98.	3.3	59.	71.	8.9	0.0	.90	1.20
1642.0	1644.0	A	13.3	101.	3.3	59.	51.	9.1	0.0	.70	2.20
1644.0	1646.0	B	6.8	77.	3.4	55.	27.	8.7	0.0	.40	1.30
1646.0	1648.0	B	14.9	116.	3.5	50.	58.	8.5	0.0	.50	2.10
1648.0	1650.1	B	11.6	292.	3.5	44.	318.	8.5	0.0	1.30	1.10
1650.1	1652.0	B	5.7	351.	3.5	39.	304.	8.5	0.0	-.10	.90
1652.0	1654.0	B	19.6	267.	3.4	47.	289.	8.5	0.0	2.20	1.60
1654.0	1656.0	B	16.3	272.	3.3	50.	275.	8.6	0.0	1.50	1.70
1656.0	1657.9	B	15.3	274.	3.3	48.	268.	8.6	0.0	1.20	1.70
1660.6	1662.5	A	15.7	220.	3.1	57.	230.	8.5	0.0	1.60	1.20
1662.5	1664.0	A	16.7	265.	3.0	58.	210.	9.1	0.0	.00	1.70
1664.0	1666.0	B	15.1	279.	3.0	53.	228.	8.5	0.0	1.50	1.50
1666.0	1668.0	B	16.9	309.	3.0	49.	225.	8.5	0.0	1.20	1.00
1674.0	1676.0	B	14.5	327.	3.0	50.	159.	8.5	0.0	-1.20	1.70
1676.0	1678.0	B	16.0	283.	3.1	58.	151.	8.5	0.0	-1.70	1.70
1679.5	1680.5	C	23.4	295.	3.3	56.	100.	9.0	0.0	-1.90	-3.10
1687.0	1688.5	B	27.6	224.	3.5	49.	355.	8.7	0.0	-.70	-3.20
1698.0	1699.5	C	14.1	218.	3.1	49.	258.	8.5	0.0	1.40	.40
1700.0	1702.0	B	16.1	246.	3.0	53.	259.	8.9	0.0	1.70	1.40
1702.0	1704.0	B	16.7	232.	3.2	51.	259.	8.7	0.0	1.80	1.00
1704.0	1706.0	C	21.1	288.	3.2	48.	274.	8.8	0.0	1.70	2.70
1712.5	1713.5	C	12.3	345.	3.3	46.	284.	8.7	0.0	-.40	1.40
1715.3	1716.3	C	1.4	273.	3.1	50.	286.	8.9	0.0	-.20	.10
1718.0	1720.0	C	28.4	130.	3.1	55.	273.	9.5	0.0	-2.20	-4.60
1730.0	1732.0	C	12.0	146.	2.9	47.	196.	9.2	0.0	1.40	-.10
1732.0	1734.0	C	13.0	139.	3.0	55.	199.	9.0	0.0	1.40	-.40
1734.0	1736.0	B	13.8	135.	3.0	55.	201.	9.1	0.0	1.40	-.60
1736.0	1738.0	B	14.4	170.	3.0	49.	210.	9.0	0.0	1.70	.30
1738.0	1740.0	C	12.2	238.	3.0	48.	209.	9.2	0.0	.60	1.30
1748.3	1750.0	C	9.6	172.	3.0	52.	210.	9.4	0.0	1.10	.10
1754.0	1756.3	C	13.8	224.	3.1	47.	227.	9.6	0.0	1.40	1.30
1756.3	1758.0	B	15.9	228.	3.2	48.	234.	9.5	0.0	1.70	1.50
1758.5	1759.5	B	16.2	218.	3.0	50.	224.	9.5	0.0	1.80	1.50
1765.5	1767.5	C	14.2	247.	3.1	50.	221.	9.3	0.0	.80	1.60
1770.4	1771.0	D	2.4	207.	3.3	48.	237.	9.8	0.0	-.10	-.20
1772.5	1774.0	B	9.7	296.	3.2	47.	238.	9.6	0.0	-.40	.90
1774.0	1776.3	B	8.8	302.	3.2	47.	249.	9.6	0.0	-.30	.90
1778.0	1780.0	B	16.0	274.	3.1	46.	242.	9.8	0.0	.70	2.10

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations other than Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.


CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	DIA NO.1	DISPLACEMENTS NO.1	DISPLACEMENTS NO.2	DISPLACEMENTS NO.3		
1780.0	1782.0	B	15.2	266.	3.1	46.	224.	9.6	0.0	.30	1.80
1782.0	1784.0	B	12.4	261.	3.2	46.	223.	9.8	0.0	.30	1.40
1786.0	1787.0	C	13.0	254.	3.2	37.	216.	9.8	0.0	.30	1.50
1787.0	1788.5	B	15.6	235.	3.2	33.	212.	9.8	0.0	1.00	1.90
1788.5	1789.5	B	14.2	242.	3.3	35.	218.	9.8	0.0	.80	1.70
1792.3	1793.3	B	13.7	218.	3.3	43.	213.	9.8	0.0	1.30	1.40
1796.5	1798.0	B	11.9	236.	3.2	43.	213.	9.7	0.0	.70	1.30
1798.0	1800.0	B	22.5	272.	3.2	41.	211.	9.6	0.0	-.40	2.50
1800.0	1801.0	B	14.7	261.	3.2	40.	211.	9.6	0.0	.00	1.60
1801.0	1802.5	B	17.2	286.	3.2	40.	211.	9.6	0.0	-1.00	1.40
1802.5	1804.5	B	17.2	260.	3.2	42.	213.	9.6	0.0	.20	2.00
1804.5	1806.0	B	14.0	249.	3.2	42.	214.	9.6	0.0	.50	1.60
1806.0	1808.0	B	16.7	241.	3.2	44.	218.	9.6	0.0	1.10	2.00
1808.0	1810.0	B	16.4	247.	3.3	45.	222.	9.7	0.0	1.00	2.00
1810.0	1812.0	B	15.7	260.	3.3	46.	225.	9.7	0.0	.60	1.90
1812.0	1814.0	B	13.1	232.	3.3	47.	222.	9.8	0.0	1.10	1.40
1814.0	1816.3	B	20.1	269.	3.3	48.	222.	9.8	0.0	.30	2.50
1816.3	1818.5	B	12.4	252.	3.3	48.	220.	9.8	0.0	.50	1.40
1818.5	1820.0	C	14.6	261.	3.3	48.	219.	9.8	0.0	.30	1.70
1820.0	1822.0	C	14.4	265.	3.2	49.	217.	9.8	0.0	.10	1.60
1822.5	1824.0	B	14.7	261.	3.2	50.	218.	9.8	0.0	.30	1.70
1824.0	1826.0	B	11.9	258.	3.2	52.	219.	9.8	0.0	.30	1.30
1826.0	1828.0	B	14.5	267.	3.2	53.	219.	9.8	0.0	.10	1.60
1828.5	1830.0	B	13.1	266.	3.2	54.	218.	9.7	0.0	.10	1.40
1832.5	1834.0	C	14.0	247.	3.3	53.	213.	9.7	0.0	.60	1.60
1834.5	1836.0	B	11.1	220.	3.3	52.	205.	9.7	0.0	.90	1.10
1836.0	1838.0	B	11.0	271.	3.3	52.	229.	10.1	0.0	.10	1.20
1838.0	1840.0	B	5.1	247.	3.3	51.	231.	9.8	0.0	.10	.30
1840.0	1842.0	A	13.8	253.	3.4	51.	221.	9.8	0.0	.80	1.80
1842.0	1844.0	B	13.3	249.	3.4	50.	219.	9.8	0.0	.80	1.50
1844.0	1846.0	B	17.4	257.	3.4	50.	217.	9.8	0.0	1.30	2.10
1851.3	1852.0	C	22.0	264.	3.4	52.	228.	9.7	0.0	1.00	2.90
1852.0	1854.0	B	12.3	268.	3.5	54.	235.	9.7	0.0	.40	1.40
1854.0	1856.0	B	14.0	261.	3.3	56.	226.	9.7	0.0	.50	1.60
1856.0	1858.0	B	19.2	286.	3.3	57.	225.	9.6	0.0	-.40	2.00
1858.0	1859.3	B	24.1	256.	3.3	57.	230.	9.6	0.0	1.70	3.20
1861.9	1862.8	B	47.5	259.	3.3	56.	225.	9.8	0.0	3.50	8.30
1870.0	1871.0	C	24.8	248.	3.3	54.	227.	9.7	0.0	2.00	3.30
1874.0	1876.0	C	17.0	179.	3.5	54.	229.	9.8	0.0	2.00	.00
1876.0	1878.5	C	38.6	257.	3.6	54.	231.	9.8	0.0	3.20	6.00
1878.5	1880.0	B	42.0	258.	3.6	54.	229.	9.8	0.0	3.40	6.80
1885.0	1886.5	C	30.6	227.	3.3	50.	230.	10.0	0.0	4.00	3.70
1888.0	1890.5	C	41.3	237.	3.5	48.	229.	10.2	0.0	5.40	6.40
1890.5	1892.5	C	46.3	229.	3.6	47.	230.	9.8	0.0	6.80	6.70
1895.0	1896.3	C	28.2	274.	3.4	47.	231.	9.8	0.0	.80	3.90
1898.0	1900.0	B	32.1	263.	3.3	46.	233.	9.8	0.0	2.10	4.80
1900.0	1902.0	B	28.3	267.	3.4	45.	234.	9.8	0.0	1.60	4.10
1902.0	1904.0	B	23.5	267.	3.4	44.	236.	9.9	0.0	1.30	3.30
1904.0	1906.0	B	22.0	280.	3.3	46.	237.	9.7	0.0	.50	2.90
1906.0	1908.0	B	28.8	276.	3.5	47.	238.	9.7	0.0	1.20	4.10
1908.0	1910.3	B	20.6	266.	3.5	47.	239.	9.6	0.0	1.20	2.70
1910.3	1912.3	C	23.2	293.	3.5	47.	239.	9.7	0.0	-.10	2.90
1912.3	1914.3	B	36.9	280.	3.4	47.	238.	9.8	0.0	1.50	5.70
1914.3	1916.5	B	24.9	266.	3.3	46.	239.	9.8	0.0	1.60	3.50
1920.0	1922.5	B	30.8	270.	3.4	42.	234.	9.9	0.0	1.60	4.60

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1922.5	1924.0	B	37.6	277.	3.4	41.	230.	9.9	0.0	1.00	5.80
1924.0	1926.0	A	35.9	290.	3.3	41.	247.	9.8	0.0	1.20	5.60
1926.0	1928.0	B	22.4	289.	2.9	42.	254.	9.6	0.0	1.00	3.20
1928.0	1930.0	B	24.8	298.	3.0	43.	250.	9.9	0.0	.40	3.50
1930.0	1932.0	C	34.1	292.	3.1	44.	250.	9.8	0.0	1.30	5.30
1932.0	1934.0	B	40.2	299.	3.3	46.	254.	9.8	0.0	1.40	6.60
1934.5	1936.5	B	37.0	287.	3.1	48.	250.	9.9	0.0	2.00	6.00
1938.0	1940.0	C	27.7	255.	3.1	50.	248.	9.8	0.0	3.00	3.70
1940.5	1942.0	B	27.8	264.	3.4	49.	254.	10.0	0.0	2.90	3.90
1942.0	1944.0	B	30.8	279.	3.2	48.	263.	10.0	0.0	3.00	4.70
1944.0	1946.0	B	16.7	282.	3.2	47.	260.	9.8	0.0	1.10	2.30
1950.6	1952.0	B	29.6	290.	3.4	42.	253.	9.8	0.0	1.40	4.50
1952.0	1954.0	B	30.7	312.	3.4	45.	270.	9.8	0.0	1.10	4.80
1954.0	1956.0	A	30.2	294.	3.4	46.	265.	9.8	0.0	2.00	4.70
1956.0	1958.0	C	34.2	295.	3.4	46.	263.	9.8	0.0	2.20	5.50
1958.0	1960.0	B	38.7	287.	3.4	47.	262.	9.8	0.0	3.30	6.40
1960.0	1962.0	B	29.9	297.	3.5	48.	266.	9.7	0.0	1.80	4.60
1962.0	1964.0	B	31.5	301.	3.5	48.	266.	9.9	0.0	1.70	5.00
1964.0	1966.0	B	25.8	284.	3.6	47.	261.	9.8	0.0	1.90	3.80
1966.0	1968.0	A	26.7	302.	3.6	45.	272.	9.8	0.0	1.60	4.10
1968.0	1970.0	B	21.2	292.	3.7	44.	275.	9.8	0.0	1.70	3.10
1972.0	1973.3	B	21.5	267.	3.5	45.	266.	9.8	0.0	2.30	2.70
1974.0	1976.0	C	10.8	234.	3.5	47.	264.	9.8	0.0	1.10	.60
1976.0	1978.0	B	16.2	230.	3.6	47.	263.	9.8	0.0	1.90	.90
1978.5	1980.0	C	11.4	244.	3.8	47.	261.	9.8	0.0	1.10	.90
1980.0	1982.0	C	6.2	319.	3.9	47.	260.	10.6	0.0	-.60	.60
1984.0	1985.0	C	12.2	300.	3.7	46.	278.	9.6	0.0	.60	1.70
1986.0	1988.5	C	18.4	303.	3.8	47.	279.	9.7	0.0	1.10	2.70
1988.5	1990.0	B	17.7	290.	4.0	47.	278.	9.7	0.0	1.10	2.50
1990.0	1992.0	B	16.4	281.	4.0	47.	277.	9.8	0.0	1.50	2.00
1992.0	1994.0	C	17.1	214.	4.1	48.	279.	9.5	0.0	1.50	1.90
1996.0	1998.0	C	21.7	186.	4.1	49.	282.	9.7	0.0	.80	-2.00
1998.0	2000.0	B	23.7	184.	4.1	48.	284.	9.8	0.0	.70	-2.40
2000.0	2002.0	B	20.3	296.	4.0	48.	287.	9.8	0.0	1.90	2.90
2002.0	2003.5	B	16.9	320.	3.8	48.	290.	9.8	0.0	.80	2.60
2004.0	2005.0	C	24.5	6.	3.9	48.	298.	9.7	0.0	-1.00	3.20
2005.0	2006.0	C	21.1	1.	4.0	48.	301.	9.7	0.0	-.40	3.00
2009.0	2010.3	B	21.8	320.	4.0	48.	300.	9.6	0.0	1.70	3.40
2010.3	2012.0	B	19.0	335.	4.0	48.	301.	9.6	0.0	.80	3.00
2012.5	2013.3	B	26.9	305.	4.0	48.	301.	9.6	0.0	3.10	3.90
2014.0	2015.5	B	24.0	306.	4.0	48.	303.	9.7	0.0	2.70	3.50
2016.3	2018.0	A	22.7	329.	4.0	48.	309.	9.7	0.0	1.90	3.70
2018.0	2020.0	B	24.6	310.	4.1	48.	304.	9.8	0.0	2.70	3.70
2023.8	2025.3	C	22.9	290.	4.1	48.	303.	9.6	0.0	2.90	2.70
2026.0	2028.0	C	9.1	319.	4.1	49.	295.	9.6	0.0	.30	1.40
2028.0	2030.0	C	4.1	248.	4.1	49.	298.	9.6	0.0	.10	.20
2030.0	2032.0	C	5.9	259.	4.1	49.	300.	9.6	0.0	.40	.40
2033.8	2034.6	B	7.4	254.	4.1	49.	298.	9.8	0.0	.60	.40
2036.0	2038.3	B	7.4	252.	3.9	49.	304.	9.7	0.0	.60	.30
2038.3	2040.5	C	4.8	232.	4.0	49.	307.	9.6	0.0	.10	.00
2040.5	2042.0	B	5.5	298.	4.0	49.	311.	9.6	0.0	.40	.80
2042.5	2044.3	C	2.3	271.	4.1	49.	302.	9.7	0.0	-.10	.30
2044.3	2045.5	B	.6	201.	4.1	49.	304.	9.8	0.0	-.40	.10
2046.0	2048.0	B	2.3	191.	4.2	49.	306.	9.7	0.0	-.40	-.10
2048.0	2050.0	A	2.7	157.	4.2	49.	317.	10.0	0.0	-.60	-.10

Welox does not guarantee the accuracy of any interpretation or log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welox personnel or which may appear on the logs or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welox is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. DIP GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2050.0	2052.0	C	2.8	236.	4.1	50.	305.	9.8	0.0	-.10	.10
2052.0	2054.0	C	10.5	236.	4.2	50.	313.	9.8	0.0	.70	-.20
2054.0	2056.0	B	7.0	197.	4.2	50.	313.	9.5	0.0	-.30	-.60
2056.0	2058.0	B	7.7	232.	4.2	50.	317.	9.5	0.0	.30	-.20
2058.0	2060.0	B	6.4	321.	4.2	50.	315.	9.5	0.0	.40	1.10
2060.0	2062.5	B	5.4	264.	4.2	50.	314.	10.1	0.0	.40	.40
2062.5	2064.3	B	6.0	270.	4.2	50.	314.	9.8	0.0	.50	.50
2064.3	2066.0	C	4.2	231.	4.2	51.	316.	10.0	0.0	.00	.00
2066.0	2068.0	C	3.5	225.	4.2	51.	317.	9.5	0.0	-.10	.00
2068.0	2070.0	C	13.0	271.	4.2	51.	318.	9.7	0.0	1.50	.70
2070.0	2070.6	C	9.3	308.	4.2	51.	318.	10.1	0.0	1.00	1.40
2072.0	2073.0	C	4.3	300.	4.2	51.	328.	9.7	0.0	.40	.70
2076.3	2077.0	B	6.3	316.	4.2	51.	324.	10.0	0.0	.60	1.10
2086.5	2087.3	C	17.5	256.	4.3	52.	332.	9.6	0.0	1.60	-.30
2090.0	2091.3	C	11.5	139.	4.3	52.	338.	10.1	0.0	-1.90	-.70
2096.0	2098.0	C	5.4	244.	4.2	53.	337.	10.2	0.0	.20	.00
2104.0	2106.0	C	14.1	128.	4.2	54.	334.	10.0	0.0	-2.40	-.80
2110.3	2112.0	C	15.7	289.	4.1	54.	352.	9.4	0.0	1.90	.40
2112.0	2114.0	C	22.2	272.	4.1	55.	341.	9.8	0.0	2.50	-.10
2114.0	2116.0	C	3.9	142.	4.1	55.	351.	9.5	0.0	-.60	.20
2116.3	2118.0	C	4.1	162.	4.1	55.	348.	9.4	0.0	-.60	.00
2118.0	2120.0	C	8.9	146.	4.1	55.	353.	9.5	0.0	-1.30	-.20
2121.0	2122.0	C	10.7	108.	4.2	55.	356.	9.2	0.0	-1.20	.70
2122.5	2124.3	C	11.1	127.	4.2	56.	350.	9.2	0.0	-1.60	.00
2126.5	2128.5	B	24.2	99.	4.2	56.	0.	9.4	0.0	-2.30	1.90
2128.5	2130.0	C	22.5	101.	4.2	56.	355.	9.5	0.0	-2.50	1.40
2132.5	2134.5	B	23.2	109.	4.3	57.	360.	9.4	0.0	-2.70	1.20
2134.5	2136.0	B	19.9	104.	4.2	57.	2.	9.6	0.0	-2.00	1.50
2136.0	2138.0	C	21.7	150.	4.2	57.	3.	9.5	0.0	-2.50	-.50
2138.5	2140.0	C	24.7	164.	4.2	57.	11.	9.4	0.0	-3.00	-.70
2142.5	2144.0	D	23.5	172.	4.2	57.	11.	9.4	0.0	-3.30	-.70
2152.3	2154.0	D	22.4	141.	4.2	58.	14.	9.6	0.0	-3.00	.20
2160.0	2161.0	D	9.7	248.	4.3	53.	17.	9.4	0.0	.00	-.70
2163.9	2165.5	C	8.1	292.	4.3	55.	18.	9.5	0.0	.90	.10
2167.5	2168.5	C	2.3	250.	4.3	55.	18.	9.5	0.0	.20	.30
2170.0	2172.0	C	7.1	284.	4.3	54.	13.	9.3	0.0	.70	.10
2172.9	2175.0	B	8.8	281.	4.3	54.	21.	9.3	0.0	.70	-.20
2175.0	2177.5	B	13.0	302.	4.3	54.	21.	9.4	0.0	1.50	.00
2177.5	2179.0	B	2.2	34.	4.2	53.	21.	9.3	0.0	.50	.90
2179.0	2180.6	A	2.7	321.	4.2	53.	21.	9.3	0.0	.60	.60
2180.6	2182.0	B	1.4	42.	4.3	53.	21.	9.4	0.0	.40	.80
2182.0	2184.0	B	8.0	335.	4.3	53.	21.	9.4	0.0	1.40	.90
2184.0	2186.0	B	9.1	261.	4.3	53.	21.	9.4	0.0	.30	-.50
2186.0	2188.0	A	8.7	296.	4.3	52.	21.	9.3	0.0	1.00	.10
2188.0	2190.0	A	7.2	284.	4.3	52.	21.	9.4	0.0	.70	.00
2190.0	2192.0	B	8.6	316.	4.3	52.	21.	9.4	0.0	1.30	.50
2192.0	2194.0	B	5.8	262.	4.2	52.	21.	9.3	0.0	.30	-.10
2194.0	2196.0	A	12.1	281.	4.3	52.	21.	9.4	0.0	.90	-.50
2196.0	2198.0	B	8.6	292.	4.3	52.	33.	9.3	0.0	.80	-.20
2198.0	2200.0	B	1.5	247.	4.3	52.	299.	9.4	0.0	-.30	.10
2200.0	2202.0	B	7.5	261.	4.3	53.	19.	9.4	0.0	.30	-.30
2202.0	2204.0	B	7.6	277.	4.3	54.	17.	9.3	0.0	.60	-.10
2204.0	2206.0	B	3.1	251.	4.2	53.	17.	9.4	0.0	.20	.20
2206.0	2208.0	B	3.9	203.	4.2	53.	18.	9.4	0.0	-.20	.10
2208.0	2210.0	C	5.4	169.	4.2	53.	18.	9.2	0.0	-.50	.20



 Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or wilful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. DIP GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2210.0	2212.0	C	3.4	263.	4.2	52.	18.	9.4	0.0	.30	.20
2212.0	2214.0	C	4.0	272.	4.2	52.	17.	9.5	0.0	.40	.20
2214.0	2216.7	C	9.1	249.	4.2	52.	16.	9.5	0.0	.10	-.60
2216.7	2218.0	C	10.4	300.	4.2	51.	16.	9.4	0.0	1.30	.20
2218.0	2220.0	C	7.6	250.	4.3	51.	21.	9.0	0.0	.10	-.40
2220.0	2222.0	C	3.0	276.	4.3	51.	21.	9.1	0.0	.40	.30
2222.0	2224.0	C	8.5	291.	4.2	50.	21.	9.2	0.0	.90	.00
2224.0	2226.0	C	7.3	217.	4.2	50.	21.	9.3	0.0	-.40	-.40
2226.0	2228.0	B	6.7	212.	4.2	49.	21.	9.3	0.0	-.40	-.30
2228.0	2230.0	C	8.8	214.	4.2	49.	21.	9.4	0.0	-.60	-.60
2230.0	2232.0	D	4.9	234.	4.2	49.	21.	9.4	0.0	.00	-.10
2232.0	2234.0	C	8.5	306.	4.3	48.	21.	9.5	0.0	1.20	.30
2238.0	2240.0	D	3.7	221.	4.3	47.	21.	9.4	0.0	.00	.10
2246.0	2247.3	C	2.3	318.	4.3	47.	18.	9.4	0.0	.60	.60
2248.0	2250.0	C	5.9	243.	4.3	46.	17.	9.2	0.0	.10	-.20
2250.0	2252.0	C	5.1	212.	4.3	46.	16.	9.2	0.0	-.20	-.10
2252.0	2254.0	C	6.6	214.	4.3	46.	14.	8.8	0.0	-.30	-.30
2254.0	2256.0	B	4.3	257.	4.3	46.	12.	8.9	0.0	.30	.10
2256.0	2258.0	B	6.5	248.	4.3	46.	10.	8.7	0.0	.20	-.20
2260.5	2262.3	C	5.7	286.	4.3	45.	7.	9.0	0.0	.70	.30
2262.3	2264.3	C	5.1	199.	4.2	45.	5.	8.9	0.0	.30	-.10
2264.3	2266.3	B	7.2	207.	4.2	45.	4.	9.0	0.0	-.40	-.40
2272.5	2274.3	C	4.9	263.	4.2	46.	9.	9.3	0.0	.40	.10
2274.3	2275.2	C	6.6	183.	4.2	46.	5.	8.9	0.0	-.60	-.20
2278.5	2279.3	C	12.3	161.	4.2	47.	3.	9.5	0.0	-1.60	-.50
2281.0	2282.5	B	8.5	226.	4.2	47.	3.	9.4	0.0	-.20	-.60
2282.5	2284.3	C	3.5	224.	4.2	48.	2.	9.5	0.0	.00	.10
2284.3	2286.3	C	4.9	175.	4.2	48.	360.	9.2	0.0	-.50	.00
2286.3	2288.0	C	1.3	155.	4.2	48.	357.	9.4	0.0	-.10	.50
2288.0	2290.0	C	3.4	324.	4.2	49.	353.	9.4	0.0	.00	.10
2290.0	2292.0	C	7.3	274.	4.2	49.	1.	9.5	0.0	.70	.10
2292.0	2294.0	C	8.3	271.	4.2	50.	353.	9.5	0.0	.60	.20
2294.0	2296.0	B	4.9	275.	4.2	50.	356.	9.4	0.0	.50	.30
2296.0	2298.0	C	2.9	239.	4.2	50.	1.	9.6	0.0	.10	.20
2298.0	2300.0	B	2.7	275.	4.2	50.	356.	9.4	0.0	.30	.40
2300.0	2302.0	B	3.5	267.	4.2	50.	354.	9.3	0.0	.30	.30
2302.0	2304.0	C	2.8	301.	4.3	51.	353.	9.5	0.0	.40	.60
2304.0	2306.0	B	4.5	249.	4.3	51.	354.	9.5	0.0	.20	.10
2306.0	2307.0	C	1.9	225.	4.4	51.	355.	9.4	0.0	.00	.30
2310.0	2310.5	D	9.5	94.	4.3	51.	360.	9.7	0.0	-.70	1.20
2313.0	2314.3	C	10.6	86.	4.3	51.	0.	9.7	0.0	-.60	1.50
2314.3	2316.0	B	7.9	79.	4.3	51.	359.	9.3	0.0	-.30	1.30
2316.0	2318.0	B	5.6	75.	4.3	52.	357.	9.5	0.0	-.20	1.10
2318.0	2320.0	B	4.7	46.	4.4	53.	2.	9.8	0.0	.30	1.30
2320.0	2322.0	B	4.0	323.	4.4	54.	5.	9.8	0.0	.70	.80
2322.0	2324.0	B	4.6	353.	4.5	55.	3.	9.5	0.0	.70	1.10
2325.0	2326.3	C	4.9	105.	4.4	56.	3.	9.4	0.0	-.40	.80
2328.0	2330.0	C	3.2	80.	4.3	58.	356.	9.4	0.0	-.20	.80
2330.0	2332.0	B	2.6	70.	4.3	59.	357.	9.4	0.0	-.10	.80
2332.0	2334.0	B	3.6	3.	4.4	60.	358.	9.5	0.0	.40	1.00
2334.0	2336.0	B	2.5	345.	4.5	60.	357.	9.5	0.0	.30	.80
2336.0	2338.0	B	1.9	29.	4.3	61.	358.	9.5	0.0	.10	.80
2338.0	2340.0	B	1.4	62.	4.2	62.	2.	9.5	0.0	.00	.70
2340.0	2342.0	B	2.9	138.	4.3	62.	18.	9.5	0.0	-.20	.60
2342.0	2344.0	B	3.6	153.	4.4	63.	21.	9.5	0.0	-.30	.50


Wellex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Wellex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Wellex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	DRFT NO.1	DIA 13	DISPLACEMENTS		
								NO.1	NO.2	NO.3
2344.0	2346.0	B	.8	212.	4.4	64.	21.	9.3	0.0	.50
2350.5	2352.0	C	3.6	353.	4.5	64.	21.	9.4	0.0	.90
2357.8	2358.5	C	6.0	37.	4.7	63.	21.	9.4	0.0	1.50
2358.5	2359.3	C	8.0	292.	4.7	63.	21.	9.4	0.0	.10
2364.6	2365.6	B	1.1	360.	4.4	67.	21.	9.5	0.0	.70
2365.6	2366.5	B	4.6	294.	4.4	68.	21.	9.5	0.0	.30
2366.5	2368.3	C	5.1	164.	4.4	69.	21.	9.5	0.0	.30
2368.3	2370.0	C	2.9	235.	4.4	64.	21.	9.4	0.0	.20
2370.0	2372.0	B	.5	301.	4.4	57.	21.	9.4	0.0	.60
2372.0	2374.0	C	2.4	220.	4.5	50.	21.	9.4	0.0	.30
2374.0	2376.0	C	4.1	190.	4.5	47.	21.	9.4	0.0	.20
2376.0	2376.3	C	4.8	135.	4.5	47.	21.	9.4	0.0	.70
2376.3	2376.5	C	1.2	65.	4.5	47.	21.	9.4	0.0	.80
2377.3	2377.9	C	6.7	324.	4.4	49.	21.	9.4	0.0	.70
2378.0	2378.7	B	2.8	131.	4.4	51.	21.	9.4	0.0	.70
2378.7	2379.5	B	2.7	285.	4.4	58.	21.	9.5	0.0	.40
2380.0	2382.0	B	2.2	299.	4.3	61.	21.	9.5	0.0	.50
2382.0	2384.0	B	5.0	205.	4.5	54.	21.	9.5	0.0	.00
2384.0	2386.0	B	2.3	332.	4.4	54.	21.	9.5	0.0	.70
2386.0	2388.0	B	.6	58.	4.3	55.	21.	9.5	0.0	.70
2388.0	2390.0	C	2.7	154.	4.3	54.	21.	9.1	0.0	.50
2390.0	2391.5	B	4.6	294.	4.3	54.	21.	9.4	0.0	.30
2395.5	2397.3	C	6.0	12.	4.3	52.	21.	9.5	0.0	1.30
2398.5	2400.0	C	5.6	34.	4.3	50.	21.	9.5	0.0	1.40
2402.0	2403.5	C	5.4	6.	4.2	21.	21.	9.6	0.0	1.10
2404.0	2406.0	B	2.9	20.	4.2	21.	21.	9.7	0.0	.90
2406.0	2408.0	C	2.8	68.	4.1	21.	21.	9.6	0.0	.90
2408.0	2410.0	B	4.2	114.	4.2	21.	21.	9.5	0.0	.80
2417.0	2418.7	C	1.4	97.	4.3	21.	21.	9.7	0.0	.70
2419.0	2419.5	C	2.1	111.	4.4	21.	21.	9.4	0.0	.70
2420.3	2420.7	C	14.2	350.	4.4	21.	21.	9.5	0.0	.60
2448.3	2450.0	B	8.4	11.	4.4	21.	21.	9.5	0.0	1.50
2450.0	2451.5	C	7.7	2.	4.3	53.	21.	9.3	0.0	1.40
2457.0	2459.0	B	.8	96.	4.4	59.	21.	9.3	0.0	.70
2461.5	2463.0	B	6.3	339.	4.4	59.	21.	9.3	0.0	.90
2463.0	2465.5	B	4.1	338.	4.4	60.	21.	9.5	0.0	.80
2465.5	2466.3	B	4.1	319.	4.3	62.	21.	9.6	0.0	.60
2466.3	2467.5	B	3.2	139.	4.4	64.	21.	9.1	0.0	.60
2470.6	2472.1	B	3.9	315.	4.6	59.	21.	9.6	0.0	.60
2472.1	2474.3	B	3.8	178.	4.5	58.	21.	9.5	0.0	.30
2474.3	2476.3	C	.8	297.	4.6	60.	21.	9.5	0.0	.60
2476.3	2478.3	C	1.6	282.	4.6	61.	21.	9.4	0.0	.50
2478.3	2480.0	C	2.0	152.	4.6	56.	21.	9.5	0.0	.60
2480.0	2482.0	B	5.9	164.	4.5	50.	21.	9.3	0.0	.30
2482.0	2484.0	B	2.6	115.	4.5	52.	21.	9.4	0.0	.80
2484.0	2486.0	B	2.2	145.	4.6	54.	21.	9.1	0.0	.60
2486.0	2487.5	C	2.9	265.	4.6	55.	21.	9.0	0.0	.30
2489.0	2489.3	C	17.7	164.	4.6	57.	21.	9.4	0.0	-2.30
2492.0	2493.5	C	7.7	10.	4.5	58.	21.	9.4	0.0	1.50
2494.5	2495.5	C	9.2	13.	4.4	58.	21.	8.9	0.0	1.60
2496.0	2498.0	B	5.1	30.	4.4	58.	21.	9.3	0.0	1.30
2498.0	2500.0	B	3.6	330.	4.4	59.	21.	9.3	0.0	.70
2500.0	2502.0	B	5.2	5.	4.4	60.	21.	9.0	0.0	1.10
2502.0	2504.0	B	17.1	45.	4.4	62.	21.	8.9	0.0	3.00
2504.0	2505.0	B	23.7	7.	4.4	63.	21.	8.9	0.0	3.10

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical log parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL CORR. DIP GRADE DIP ANGLE DIP AZ. DRFT ANGLE DRFT AZ. AZ. NO.1 DIA 13 DISPLACEMENTS NO.1 NO.2 NO.3

2505.0	2506.0	C	12.6	357.	4.4	63.	21.	8.9	0.0	1.90	1.60
2507.0	2508.5	B	9.5	331.	4.2	63.	21.	9.0	0.0	1.40	.80
2508.5	2509.3	B	9.1	342.	4.2	63.	21.	8.9	0.0	1.40	1.00
2513.3	2513.9	C	7.2	53.	4.4	57.	21.	9.1	0.0	.70	1.60
2514.0	2515.0	C	12.4	351.	4.5	56.	21.	9.1	0.0	2.00	1.50
2515.0	2516.3	B	4.0	5.	4.5	55.	21.	9.1	0.0	.80	1.00
2516.3	2518.2	A	2.8	46.	4.5	53.	21.	9.0	0.0	.50	1.00
2518.2	2520.0	A	5.2	4.	4.5	51.	21.	9.0	0.0	1.00	1.10
2520.0	2522.0	B	8.6	343.	4.5	53.	21.	9.2	0.0	1.50	1.10
2522.0	2524.0	B	5.2	16.	4.5	56.	21.	9.1	0.0	.90	1.20
2524.0	2526.0	B	4.8	346.	4.5	59.	21.	9.2	0.0	.90	.90
2528.3	2530.0	B	4.5	31.	4.5	59.	21.	9.1	0.0	.70	1.20
2530.0	2531.5	C	5.2	311.	4.5	57.	21.	9.1	0.0	.80	.50
2532.0	2533.5	C	6.3	51.	4.5	56.	21.	9.1	0.0	.70	1.50
2534.6	2535.9	C	3.0	41.	4.3	57.	21.	9.1	0.0	.50	1.00
2538.3	2540.0	C	14.7	78.	4.1	49.	343.	8.7	0.0	-1.20	1.30
2540.0	2542.0	B	10.0	69.	4.2	61.	338.	8.7	0.0	-.90	1.00
2542.0	2544.0	C	6.5	102.	4.1	65.	332.	8.7	0.0	-1.10	.10
2544.0	2546.0	C	10.2	79.	4.1	65.	327.	8.6	0.0	-1.40	.40
2547.8	2549.3	B	3.9	15.	3.8	65.	328.	9.0	0.0	-.20	.70
2549.8	2551.3	B	7.3	66.	3.8	66.	325.	9.0	0.0	-1.00	.50
2552.5	2553.3	C	4.9	25.	3.8	64.	321.	8.9	0.0	-.40	.70
2554.0	2555.5	B	6.5	335.	3.9	59.	331.	9.1	0.0	.50	1.10
2555.5	2556.2	C	5.1	323.	3.9	61.	317.	9.2	0.0	.20	.80
2556.2	2558.3	C	4.8	23.	4.0	65.	321.	8.9	0.0	-.40	.70
2564.0	2565.5	C	14.6	307.	4.1	67.	325.	8.9	0.0	1.60	1.50
2567.5	2569.3	B	8.5	310.	4.2	66.	340.	8.9	0.0	.90	.90
2569.3	2570.6	C	2.6	325.	4.2	65.	313.	8.9	0.0	-.20	.40
2570.6	2572.5	B	3.4	50.	4.3	68.	336.	8.7	0.0	-.40	.60
2572.5	2574.3	B	4.5	337.	4.3	67.	335.	8.8	0.0	-.20	.80
2574.3	2576.3	B	2.0	50.	4.3	67.	334.	8.9	0.0	-.50	.50
2576.3	2577.9	B	4.3	78.	4.2	67.	328.	8.8	0.0	-.80	.50
2577.9	2579.8	B	2.7	44.	4.2	62.	329.	8.7	0.0	-.40	.50
2579.8	2580.0	B	1.0	131.	4.2	59.	329.	8.8	0.0	-.40	.20
2580.0	2582.0	A	2.5	72.	4.2	54.	327.	8.9	0.0	-.50	.40
2582.0	2584.0	A	2.0	79.	4.1	57.	335.	8.9	0.0	-.40	.40
2584.0	2586.0	A	1.6	109.	4.0	62.	341.	8.8	0.0	-.40	.30
2586.0	2588.0	A	3.2	183.	4.1	68.	344.	8.7	0.0	-.50	-.10
2588.0	2590.0	A	6.1	67.	4.0	62.	343.	8.6	0.0	-.50	.80
2590.0	2592.0	A	3.0	119.	4.1	56.	344.	8.7	0.0	-.50	.30
2592.0	2594.0	A	4.1	73.	4.1	60.	356.	8.5	0.0	-.20	.80
2594.0	2596.0	B	4.9	24.	4.3	64.	342.	8.7	0.0	.00	1.00
2596.0	2598.0	B	7.9	307.	4.2	62.	339.	8.5	0.0	.80	.80
2598.0	2600.3	B	6.9	280.	4.1	61.	345.	8.7	0.0	.60	.30
2600.3	2602.3	C	1.5	179.	4.3	61.	346.	8.8	0.0	-.30	.20
2603.0	2604.5	C	1.4	221.	4.3	63.	343.	8.8	0.0	-.20	.20
2604.5	2606.5	C	6.2	217.	4.2	64.	346.	8.7	0.0	-.30	-.40
2606.5	2607.5	C	12.9	204.	4.1	51.	346.	9.0	0.0	-.70	-1.30
2611.0	2611.9	B	4.3	132.	4.0	68.	347.	9.3	0.0	-.80	.10
2611.9	2613.3	B	4.0	151.	4.0	58.	353.	9.1	0.0	-.60	.10
2613.3	2614.5	B	1.3	132.	4.0	53.	350.	9.2	0.0	-.20	.40
2620.6	2622.0	C	8.3	26.	4.1	63.	356.	9.0	0.0	.50	1.60
2624.3	2625.5	C	6.3	9.	4.3	64.	13.	9.3	0.0	.90	1.30
2626.0	2628.0	B	6.8	343.	4.4	65.	8.	9.3	0.0	1.00	1.10
2628.0	2629.3	B	4.2	358.	4.4	64.	8.	9.3	0.0	.60	1.00



Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS		
								NO.1	NO.2	NO.3
2630.5	2632.1	C	3.2	77.	4.3	63.	9.	9.2	0.0	.90
2632.1	2633.5	B	2.0	144.	4.3	64.	2.	9.2	0.0	-.30
2633.5	2635.0	B	1.2	133.	4.2	64.	9.	8.8	0.0	-.10
2635.0	2636.5	B	3.0	13.	4.3	65.	10.	9.0	0.0	.40
2644.0	2644.7	B	2.8	12.	4.3	56.	358.	9.1	0.0	.30
2648.0	2650.3	C	7.9	81.	4.0	58.	356.	9.1	0.0	-.50
2650.3	2651.3	B	4.0	0.	4.1	66.	346.	9.2	0.0	.20
2651.3	2653.9	C	10.0	64.	4.1	75.	356.	9.2	0.0	-.40
2653.9	2656.5	B	6.8	29.	4.1	77.	354.	9.2	0.0	.20
2662.0	2663.1	C	5.7	23.	4.1	73.	352.	9.4	0.0	.20
2663.1	2664.5	B	4.5	29.	4.1	72.	349.	9.4	0.0	.00
2664.5	2665.9	B	6.2	30.	4.2	71.	347.	9.3	0.0	.00
2665.9	2666.6	B	8.0	11.	4.2	71.	349.	9.3	0.0	.50
2669.0	2670.0	C	31.6	8.	4.3	67.	352.	9.3	0.0	3.40
2670.0	2672.0	B	22.2	13.	4.3	65.	347.	9.6	0.0	1.80
2672.0	2674.0	B	27.7	22.	4.2	64.	348.	9.6	0.0	1.80
2674.0	2676.0	B	31.1	15.	4.2	64.	345.	9.6	0.0	2.40
2676.0	2678.0	C	31.0	31.	4.3	63.	350.	9.5	0.0	1.50
2681.0	2682.3	D	15.9	172.	4.2	71.	0.	9.5	0.0	-2.30
2682.3	2684.3	C	14.5	182.	4.1	72.	343.	9.6	0.0	-1.70
2684.3	2686.1	B	18.7	197.	4.0	67.	345.	9.6	0.0	-1.50
2688.3	2690.0	B	18.1	194.	4.0	56.	346.	9.4	0.0	-1.50
2690.0	2692.0	C	16.2	155.	4.0	56.	348.	9.6	0.0	-2.40
2692.0	2694.0	C	11.9	182.	4.1	62.	1.	9.5	0.0	-1.50
2694.0	2696.0	C	7.9	163.	4.1	66.	355.	9.5	0.0	-1.20
2696.5	2698.3	B	8.0	200.	4.1	69.	356.	9.4	0.0	-.80
2707.0	2708.5	C	5.5	85.	3.7	67.	355.	9.5	0.0	-.50
2708.5	2710.5	B	4.3	54.	3.8	67.	350.	9.6	0.0	-.20
2710.5	2712.3	B	2.1	352.	3.8	68.	358.	9.6	0.0	.50
2712.3	2714.1	B	1.5	295.	4.0	69.	351.	9.6	0.0	.00
2714.1	2716.0	B	1.2	248.	4.1	68.	354.	9.6	0.0	-.10
2716.0	2718.0	B	0.0	117.	4.2	64.	373.	9.6	0.0	-.90
2718.0	2720.5	B	4.2	97.	4.2	73.	355.	9.5	0.0	-.60
2720.5	2722.1	C	3.6	169.	4.2	58.	356.	9.6	0.0	-.50
2722.1	2726.0	C	6.4	26.	4.1	64.	357.	9.5	0.0	.40
2726.0	2728.0	B	9.2	353.	4.0	49.	359.	9.3	0.0	1.30
2728.0	2730.0	B	1.2	146.	4.0	63.	360.	9.3	0.0	-.20
2730.0	2732.0	B	4.2	126.	4.0	61.	358.	9.6	0.0	-.60
2732.0	2734.0	A	2.1	183.	4.0	64.	359.	9.6	0.0	-.30
2734.0	2736.0	C	3.2	227.	4.0	69.	359.	9.6	0.0	-.20
2736.0	2738.0	B	10.2	192.	4.0	78.	2.	9.6	0.0	-1.30
2738.0	2740.0	B	8.9	198.	3.8	40.	3.	9.6	0.0	-.70
2740.0	2742.3	B	9.9	217.	3.9	47.	4.	9.7	0.0	-.50
2745.3	2746.3	C	7.3	298.	4.0	70.	10.	9.7	0.0	.80
2746.3	2748.0	C	6.8	123.	4.1	73.	1.	9.6	0.0	-1.00
2750.0	2750.2	C	8.9	85.	4.0	69.	4.	9.5	0.0	-.50
2753.8	2755.5	C	8.6	26.	4.0	60.	1.	9.2	0.0	.70
2760.6	2762.5	B	7.8	5.	3.7	52.	352.	9.3	0.0	.80
2762.5	2764.3	A	11.6	298.	3.6	54.	316.	9.4	0.0	1.30
2764.3	2766.0	B	12.7	272.	3.6	60.	299.	9.6	0.0	1.40
2766.0	2768.3	B	5.1	323.	3.6	67.	303.	9.7	0.0	.00
2768.3	2769.5	C	5.6	334.	3.8	66.	303.	9.7	0.0	-.10
2770.0	2772.6	B	13.3	300.	3.7	65.	305.	9.6	0.0	1.30
2772.6	2774.5	C	7.1	253.	3.9	73.	314.	9.6	0.0	.40
2774.5	2776.0	C	1.5	317.	3.9	74.	315.	9.6	0.0	-.30

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. DIP GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS NO.1 NO.2 NO.3			
2776.0	2778.0	C	5.2	281.	3.8	64.	268.	9.6	0.0	.00	.40
2778.0	2780.0	C	6.3	336.	3.8	72.	266.	9.6	0.0	-.70	.30
2780.0	2782.0	B	8.6	320.	3.9	76.	272.	9.6	0.0	-.30	.80
2782.0	2784.0	B	5.8	330.	3.8	61.	274.	9.6	0.0	-.50	.50
2784.0	2785.0	C	2.7	263.	3.8	62.	265.	9.6	0.0	-.20	.00
2785.0	2786.0	B	.6	109.	3.8	63.	268.	9.6	0.0	-.60	-.40
2786.0	2788.0	B	5.6	163.	3.8	64.	273.	9.6	0.0	-.40	-.90
2790.0	2792.0	C	3.8	336.	3.8	63.	298.	9.6	0.0	-.30	.50
2792.0	2794.0	C	6.8	308.	3.8	62.	301.	9.6	0.0	.30	.90
2794.5	2797.5	C	7.2	343.	3.7	64.	294.	9.6	0.0	-.30	.90
2798.0	2800.0	C	7.6	78.	3.5	66.	293.	9.6	0.0	-1.60	-.60
2800.0	2802.0	B	6.4	12.	3.7	69.	300.	9.6	0.0	-.70	.60
2802.0	2804.5	B	6.4	12.	3.7	69.	305.	9.6	0.0	-.60	.70
2808.0	2809.8	B	8.4	15.	3.8	71.	306.	9.6	0.0	-.70	.90
2809.8	2811.5	B	3.9	40.	3.7	58.	321.	9.6	0.0	-.50	.60
2811.5	2812.5	B	8.0	355.	3.8	51.	297.	9.6	0.0	-.40	1.10
2812.5	2814.5	B	7.6	332.	3.8	45.	294.	9.6	0.0	.00	1.20
2815.0	2816.5	C	10.2	183.	3.9	44.	263.	9.6	0.0	.40	-.70
2816.5	2818.3	C	11.9	187.	3.9	53.	261.	9.6	0.0	.70	-.70
2818.5	2820.3	C	11.9	175.	3.9	71.	301.	9.6	0.0	-.70	-1.70
2820.3	2822.0	C	9.1	154.	3.4	66.	298.	9.6	0.0	-1.00	-1.40
2822.0	2824.0	B	15.4	144.	3.5	59.	281.	9.6	0.0	-1.20	-2.40
2826.5	2828.5	C	21.8	130.	3.8	67.	297.	9.6	0.0	-3.00	-3.30
2828.5	2830.0	C	5.6	323.	3.8	67.	294.	9.6	0.0	-.10	.70
2830.0	2832.5	B	5.1	325.	3.6	67.	273.	9.6	0.0	-.40	.40
2832.5	2834.0	B	8.6	292.	3.6	68.	242.	9.6	0.0	-.20	.70
2834.0	2836.0	B	4.1	290.	3.7	69.	261.	9.6	0.0	-.20	.20
2836.0	2838.0	B	2.6	200.	3.8	68.	277.	9.6	0.0	-.30	-.40
2838.0	2840.0	B	1.6	195.	3.9	63.	287.	9.6	0.0	-.70	-.70
2842.0	2844.0	B	4.7	159.	4.0	60.	253.	9.5	0.0	.00	.50
2844.0	2846.0	B	14.3	202.	3.9	62.	240.	9.5	0.0	.20	1.40
2846.0	2848.0	C	10.3	344.	3.9	63.	240.	9.5	0.0	-1.40	-.10
2850.5	2852.1	C	15.8	312.	3.6	75.	252.	9.2	0.0	-.40	1.50
2856.0	2858.0	B	13.0	337.	3.4	72.	264.	9.4	0.0	-.90	1.00
2859.0	2860.6	C	7.1	143.	3.5	76.	265.	9.4	0.0	-.50	-1.30
2860.6	2863.5	B	.4	207.	3.5	77.	262.	9.2	0.0	-.40	-.40
2863.5	2864.5	B	4.9	301.	3.5	75.	264.	9.4	0.0	-.20	.30
2864.5	2866.3	B	6.2	300.	3.5	74.	266.	9.4	0.0	-.10	.50
2866.3	2868.1	C	11.5	315.	3.3	72.	264.	9.5	0.0	-.20	1.20
2868.1	2870.5	B	11.5	307.	3.5	70.	268.	9.5	0.0	.10	1.30
2870.5	2872.5	B	11.8	318.	3.5	71.	271.	9.3	0.0	-.10	1.30
2872.5	2874.3	C	15.2	322.	3.5	71.	280.	9.4	0.0	.20	1.90
2874.3	2876.5	B	12.0	315.	3.5	73.	267.	9.4	0.0	-.10	1.30
2876.5	2878.3	B	11.1	317.	3.6	74.	279.	9.5	0.0	.10	1.30
2878.3	2880.5	C	6.5	337.	3.6	74.	272.	9.5	0.0	-.60	.40
2881.5	2882.5	C	5.7	359.	3.7	72.	272.	9.5	0.0	-.90	.10
2891.3	2893.5	C	2.2	14.	3.6	72.	275.	9.4	0.0	-.70	-.20
2894.5	2896.3	B	10.0	297.	3.6	71.	276.	9.2	0.0	.40	1.10
2896.3	2897.5	B	20.1	331.	3.5	71.	293.	9.4	0.0	.60	2.80
2897.5	2899.3	B	19.3	305.	3.6	70.	273.	9.3	0.0	.80	2.50
2900.0	2902.0	C	9.2	329.	3.6	70.	269.	9.3	0.0	-.50	.80
2902.0	2904.0	B	12.7	6.	3.6	70.	270.	8.9	0.0	-1.50	.40
2904.0	2906.0	B	4.2	317.	3.6	70.	276.	9.2	0.0	-.30	.30
2906.0	2908.0	B	8.9	326.	3.6	71.	270.	9.3	0.0	-.40	.80
2908.0	2910.0	B	.9	24.	3.5	71.	272.	9.4	0.0	-.60	-.30


Weslex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Weslex personnel or which may appear on the log in any other form. Any use of such data, interpretations, conversions, or recommendations done by the user is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. DIP GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	DIA NO.1	DISPLACEMENTS NO.1	DISPLACEMENTS NO.2	DISPLACEMENTS NO.3		
2910.0	2911.5	B	7.1	303.	3.5	71.	273.	9.5	0.0	-.00	.70
2914.5	2916.1	B	3.1	337.	3.5	72.	278.	9.4	0.0	-.50	.10
2916.1	2918.3	B	2.9	6.	3.5	71.	290.	9.3	0.0	-.60	.10
2918.3	2920.3	C	3.3	303.	3.4	71.	295.	9.3	0.0	-.10	.30
2920.3	2922.5	C	4.8	11.	3.4	70.	292.	9.3	0.0	-.70	.30
2922.5	2923.5	B	2.6	155.	3.4	69.	294.	9.4	0.0	-.60	-.50
2924.0	2925.5	B	9.8	66.	3.4	69.	298.	9.5	0.0	-1.80	-.30
2926.0	2927.0	B	5.1	85.	3.4	71.	300.	9.5	0.0	-1.20	-.40
2928.7	2930.0	C	6.6	349.	3.4	72.	300.	9.5	0.0	-.30	.80
2930.0	2932.0	B	3.4	58.	3.5	73.	300.	9.5	0.0	-.90	-.10
2932.0	2934.0	B	3.3	22.	3.5	74.	255.	9.7	0.0	-.90	-.50
2934.0	2936.0	C	4.4	353.	3.5	74.	254.	9.2	0.0	-.80	-.20
2936.0	2938.0	B	2.8	0.	3.5	74.	266.	9.5	0.0	-.70	-.20
2938.0	2940.0	B	5.0	197.	3.6	74.	231.	9.5	0.0	.40	-.20
2940.0	2942.0	B	5.4	175.	3.6	73.	244.	9.4	0.0	.20	-.60
2942.0	2944.0	C	6.8	161.	3.6	73.	238.	9.6	0.0	.30	-.80
2946.0	2948.0	B	2.9	322.	3.5	72.	255.	9.5	0.0	-.50	-.10
2948.0	2950.0	B	11.9	315.	3.5	72.	257.	9.5	0.0	.40	1.10
2950.0	2952.0	B	11.2	311.	3.5	72.	265.	9.5	0.0	-.10	1.20
2952.0	2954.0	B	9.4	301.	3.5	72.	266.	9.5	0.0	.10	1.00
2954.0	2955.5	C	2.5	3.	3.5	72.	268.	9.5	0.0	-.70	-.20
2963.3	2964.3	C	11.9	1.	3.4	75.	273.	9.5	0.0	-1.30	.60
2966.5	2968.0	C	4.1	26.	3.5	75.	265.	9.5	0.0	-1.00	-.40
2970.0	2972.0	C	7.0	52.	3.5	75.	272.	9.5	0.0	-1.50	-.70
2972.0	2974.0	B	4.7	314.	3.4	75.	269.	9.5	0.0	-.30	.30
2974.0	2976.0	A	4.6	315.	3.4	76.	271.	9.6	0.0	-.30	.30
2976.0	2978.0	C	14.6	356.	3.5	76.	272.	9.6	0.0	-1.40	.90
2978.0	2980.0	B	11.8	24.	3.5	76.	284.	9.3	0.0	-1.50	.30
2980.0	2982.0	A	8.6	16.	3.5	78.	290.	9.5	0.0	-.50	.50
2982.0	2984.0	B	5.6	171.	3.4	78.	289.	9.6	0.0	-.60	.90
2984.0	2986.0	B	8.9	150.	3.3	78.	297.	9.6	0.0	-.60	.30
2988.0	2990.0	B	8.9	39.	3.5	78.	307.	9.6	0.0	-1.00	.40
2990.0	2992.0	B	5.7	27.	3.4	76.	310.	9.5	0.0	-.70	.50
2994.0	2996.5	B	7.4	182.	3.4	74.	292.	9.5	0.0	-.30	-1.00
2996.5	2997.0	B	2.8	128.	3.5	74.	299.	9.5	0.0	-.80	-.50
2997.0	2998.0	B	2.2	64.	3.6	73.	296.	9.5	0.0	-.80	-.20
2998.0	3000.0	B	2.3	114.	3.6	73.	299.	9.5	0.0	-.80	-.40
3000.0	3002.0	B	3.5	159.	3.6	68.	309.	9.5	0.0	-.70	-.50
3002.0	3004.0	B	6.1	122.	3.5	62.	300.	9.5	0.0	-1.20	-.80
3004.0	3006.0	A	6.8	147.	3.5	56.	305.	9.5	0.0	-1.00	-.90
3006.0	3008.0	B	11.9	166.	3.5	54.	308.	9.6	0.0	-1.00	-1.60
3008.0	3010.0	A	6.1	173.	3.5	52.	310.	9.6	0.0	-.60	-.70
3010.0	3012.0	C	3.9	97.	3.5	50.	309.	9.6	0.0	-.90	-.10
3012.0	3014.0	B	2.2	56.	3.6	53.	308.	9.6	0.0	-.60	.20
3014.0	3016.5	A	2.8	74.	3.6	65.	309.	9.6	0.0	-.80	.00
3016.5	3018.3	A	3.6	71.	3.5	76.	314.	9.6	0.0	-.90	.00
3019.0	3020.5	C	4.6	136.	3.5	71.	312.	9.6	0.0	-1.00	-.60
3020.5	3021.5	B	6.9	119.	3.5	68.	313.	9.6	0.0	-1.40	-.70
3021.5	3024.0	C	4.2	118.	3.5	66.	311.	9.6	0.0	-1.00	-.40
3029.0	3031.0	B	21.1	143.	3.6	58.	309.	9.6	0.0	-2.70	-3.00
3037.0	3037.2	C	8.2	100.	3.6	61.	307.	9.4	0.0	-1.60	-.60
3040.3	3042.5	C	4.7	254.	3.6	64.	312.	9.4	0.0	.20	.10
3044.0	3046.0	B	15.8	161.	3.5	65.	309.	9.6	0.0	-1.50	-2.30
3046.0	3048.0	B	11.1	153.	3.4	67.	310.	9.6	0.0	-1.40	-1.60
3048.0	3050.0	B	1.1	197.	3.5	69.	313.	9.7	0.0	-.40	-.10

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION CURR. DIP DIP DRFT DRFT AZ. DIA DISPLACEMENTS
 INTERVAL GRADE ANGLE AZ. ANGLE AZ. NO.1 13 NO.1 NO.2 NO.3

3050.0	3052.0	B	1.0	141.	3.5	70.	323.	9.7	0.0	-.50	-.00
3052.0	3054.0	B	7.5	298.	3.5	67.	319.	9.6	0.0	.70	.80
3054.0	3056.0	B	6.7	344.	3.5	65.	319.	9.6	0.0	.20	1.10
3056.0	3058.0	C	2.6	140.	3.5	68.	322.	9.5	0.0	-.70	-.20
3058.3	3060.0	C	6.0	38.	3.4	73.	318.	9.5	0.0	-.70	.60
3060.0	3062.0	B	1.3	305.	3.4	75.	325.	9.5	0.0	-.20	.20
3062.0	3063.0	C	5.0	57.	3.5	74.	309.	9.6	0.0	-1.00	.10
3064.0	3066.3	C	8.2	68.	3.6	72.	316.	9.7	0.0	-1.40	.20
3066.3	3068.0	B	.7	197.	3.6	70.	321.	9.5	0.0	-.40	.00
3068.0	3069.3	B	3.8	122.	3.5	69.	325.	9.5	0.0	-.90	-.20
3072.5	3074.3	C	10.7	326.	3.4	58.	322.	9.5	0.0	1.00	1.60
3074.5	3076.5	B	8.1	4.	3.4	51.	321.	9.5	0.0	.10	1.40
3082.5	3083.1	C	9.8	270.	3.4	74.	315.	9.9	0.0	1.00	.40
3096.5	3098.1	C	43.8	159.	3.3	56.	306.	9.5	0.0	-4.00	-7.70
3098.5	3100.3	C	22.2	165.	3.3	59.	316.	9.5	0.0	-2.00	-3.20
3100.3	3101.5	B	10.8	157.	3.3	61.	309.	9.5	0.0	-1.20	-1.50
3101.5	3103.3	B	16.1	162.	3.3	63.	310.	9.5	0.0	-1.50	-2.30
3104.0	3106.1	B	25.3	129.	3.3	68.	309.	9.4	0.0	-3.80	-3.40
3106.1	3108.0	C	28.3	144.	3.2	71.	310.	9.5	0.0	-3.60	-4.30
3113.0	3113.7	B	14.3	162.	3.3	77.	302.	9.5	0.0	-1.20	-2.20
3118.0	3119.1	B	6.6	190.	3.4	80.	300.	9.5	0.0	-.30	-.90
3120.0	3122.7	C	8.4	194.	3.4	79.	296.	9.5	0.0	-.10	-1.00
3122.7	3124.5	B	12.6	184.	3.3	78.	295.	9.4	0.0	-.20	-1.60
3128.0	3130.0	B	11.3	180.	3.1	78.	299.	9.2	0.0	-.40	-1.50
3130.0	3132.3	C	11.6	193.	3.3	78.	293.	8.9	0.0	.10	-1.20
3146.5	3148.0	C	11.3	2.	3.1	75.	299.	9.1	0.0	-.50	1.20
3149.0	3150.5	B	12.2	35.	3.1	74.	314.	9.2	0.0	-1.00	1.10
3150.5	3152.5	B	13.6	22.	3.3	74.	321.	9.1	0.0	-.40	1.70
3152.5	3154.0	C	7.0	3.	3.2	75.	314.	9.0	0.0	-.20	.90
3154.5	3156.3	C	14.6	344.	3.1	78.	314.	8.5	0.0	.60	1.90
3156.3	3158.3	B	21.4	18.	3.0	81.	310.	8.9	0.0	-.50	2.50
3159.0	3160.0	C	8.5	2.	3.0	76.	314.	9.0	0.0	-.20	.70
3160.6	3161.4	C	29.7	18.	2.9	72.	307.	9.0	0.0	-1.20	3.40
3164.0	3166.3	C	20.9	6.	3.0	74.	309.	8.9	0.0	-.20	2.60
3166.5	3167.5	C	29.5	9.	2.9	76.	322.	9.2	0.0	.70	4.40
3168.5	3170.0	B	19.3	357.	3.0	78.	315.	9.1	0.0	.50	2.70
3170.0	3172.0	C	5.6	39.	3.0	79.	308.	9.2	0.0	-.80	.30
3172.0	3173.3	C	11.3	36.	3.1	78.	296.	9.0	0.0	-1.40	.40
3174.3	3176.0	C	10.8	340.	3.2	78.	308.	8.9	0.0	.30	1.40
3176.5	3178.0	B	15.1	290.	3.2	78.	307.	8.9	0.0	1.60	1.30
3178.0	3180.0	C	28.9	267.	3.2	77.	308.	9.0	0.0	3.70	1.30
3180.5	3182.3	C	3.5	42.	3.3	78.	306.	9.0	0.0	-.70	.10
3182.3	3184.3	B	3.0	82.	3.3	78.	314.	9.1	0.0	-.80	-.10
3184.3	3186.0	C	2.1	302.	3.2	78.	296.	9.2	0.0	-.20	.10
3197.0	3200.0	C	14.0	44.	3.1	72.	324.	9.2	0.0	-1.00	1.40
3260.6	3262.0	C	18.3	151.	3.2	98.	21.	9.0	0.0	-2.60	-.20
3263.8	3264.3	B	20.8	156.	3.1	95.	21.	9.0	0.0	-3.00	-.50
3265.3	3266.6	C	13.6	280.	3.3	97.	21.	8.9	0.0	.50	-.90
3270.6	3271.5	C	25.5	100.	3.2	104.	21.	8.6	0.0	-1.40	2.60
3272.5	3273.3	B	5.8	202.	3.3	105.	21.	8.3	0.0	-.80	-.40
3282.3	3284.0	B	6.5	233.	3.4	82.	318.	8.9	0.0	.10	-.40
3284.5	3286.0	C	2.7	286.	3.4	76.	323.	8.8	0.0	.00	.20
3286.5	3288.0	B	18.6	247.	3.4	83.	321.	8.6	0.0	1.40	-.60
3288.5	3290.0	B	7.9	198.	3.4	92.	310.	8.7	0.0	-.30	-1.00
3291.0	3291.8	B	12.2	220.	3.4	92.	317.	8.8	0.0	.20	-1.10



Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL CORR. DIP GRADE DIP ANGLE DRFT ANGLE DRFT AZ. DIA NO.1 DISPLACEMENTS NO.1 NO.2 NO.3

3292.0	3293.3	C	7.9	240.	3.4	91.	324.	8.9	0.0	.20	-.50
3294.0	3294.5	C	6.2	231.	3.4	88.	311.	8.7	0.0	.10	-.40
3296.0	3296.5	C	19.3	272.	3.4	84.	295.	9.0	0.0	2.20	1.40
3298.5	3300.0	C	6.0	176.	3.4	80.	292.	9.0	0.0	-.40	-.90
3307.8	3308.3	C	9.3	220.	3.4	74.	283.	8.8	0.0	.60	-.30
3313.7	3314.3	C	9.1	239.	3.3	82.	272.	8.9	0.0	.80	.20
3314.3	3314.9	C	19.1	222.	3.3	83.	275.	8.9	0.0	2.00	.00
3317.0	3317.5	C	19.5	54.	3.3	85.	286.	9.1	0.0	-3.10	-.70
3324.3	3325.5	B	13.6	112.	3.2	90.	275.	8.9	0.0	-1.70	-2.20
3325.5	3326.1	C	16.4	156.	3.3	93.	278.	8.9	0.0	-.50	-2.40
3326.1	3327.1	B	5.8	211.	3.3	96.	281.	8.9	0.0	.20	-.50
3327.1	3328.1	B	11.5	210.	3.3	94.	274.	8.9	0.0	.90	-.50
3328.1	3329.3	C	13.0	222.	3.2	91.	270.	8.8	0.0	1.30	.00
3332.5	3333.5	C	17.4	317.	3.2	85.	277.	8.8	0.0	.40	2.00
3341.7	3343.5	B	29.1	262.	3.3	80.	259.	8.8	0.0	3.10	3.30
3347.0	3347.5	C	42.1	243.	3.2	80.	253.	8.9	0.0	5.90	4.70
3350.3	3351.8	C	13.6	277.	3.1	83.	258.	9.3	0.0	.90	1.50
3352.5	3354.3	B	13.9	259.	3.1	84.	251.	9.1	0.0	1.20	1.40
3354.3	3355.5	B	8.3	253.	3.1	84.	253.	9.5	0.0	.70	.60
3360.0	3360.7	C	19.9	236.	3.1	84.	238.	9.3	0.0	2.30	2.00
3364.5	3365.5	B	13.3	177.	3.2	82.	239.	9.0	0.0	1.30	-.50
3380.0	3381.0	B	25.5	264.	3.2	84.	235.	9.3	0.0	1.70	3.30
3383.6	3385.0	C	49.2	224.	3.1	83.	229.	9.4	0.0	8.00	6.90
3390.6	3392.5	C	3.4	67.	2.9	83.	228.	9.6	0.0	-.50	-.90
3392.6	3393.9	C	18.5	151.	3.0	83.	227.	9.7	0.0	1.80	-1.20
3395.5	3396.5	B	5.2	162.	3.2	82.	234.	9.1	0.0	.30	-.60
3396.5	3397.3	C	5.9	133.	3.2	82.	235.	9.1	0.0	.00	-1.00
3397.3	3398.7	C	2.7	289.	3.2	82.	234.	9.1	0.0	-.20	-.10
3398.7	3400.3	C	3.4	293.	3.2	84.	241.	9.1	0.0	-.20	.00
3408.5	3409.3	C	8.1	307.	3.2	78.	235.	9.5	0.0	-.60	.30
3409.3	3410.3	C	3.5	286.	3.2	78.	233.	9.6	0.0	-.70	.00
3419.0	3420.0	B	10.3	310.	3.0	79.	237.	9.6	0.0	-.60	.70
3420.0	3421.0	B	9.7	310.	2.9	79.	235.	9.6	0.0	-.60	.60
3421.0	3422.3	B	7.3	321.	2.9	79.	236.	9.6	0.0	-.70	.20
3422.8	3423.1	C	10.5	191.	2.9	78.	239.	9.7	0.0	1.20	-.10
3427.0	3428.3	C	20.0	276.	2.9	75.	235.	9.5	0.0	.70	2.50
3428.3	3429.3	B	17.9	285.	2.9	75.	238.	9.5	0.0	.30	2.10
3430.3	3432.3	C	8.4	246.	2.9	76.	240.	9.6	0.0	.70	.70
3432.3	3433.3	C	4.8	34.	2.9	77.	241.	9.6	0.0	-1.00	-.80
3435.7	3436.5	C	29.1	155.	3.1	74.	230.	9.5	0.0	3.00	-1.60
3437.1	3437.9	C	6.0	272.	3.0	74.	229.	9.2	0.0	.00	.40
3437.9	3438.8	C	25.7	252.	3.0	74.	229.	9.2	0.0	2.00	3.30
3442.5	3444.0	C	29.5	235.	3.1	74.	234.	9.2	0.0	3.50	3.40
3445.5	3446.5	C	19.2	352.	3.1	76.	229.	9.1	0.0	-2.70	-.60
3455.0	3456.5	C	8.1	192.	2.6	81.	239.	8.5	0.0	.80	-.10
3456.5	3457.0	C	10.4	198.	2.6	81.	236.	8.9	0.0	1.20	.20
3460.0	3461.5	C	11.7	318.	2.6	79.	245.	8.6	0.0	-.60	.80
3463.5	3465.5	C	23.5	199.	3.0	82.	247.	8.7	0.0	2.80	.30
3466.5	3467.3	C	7.1	200.	3.2	84.	247.	8.7	0.0	.60	-.20
3470.5	3471.5	B	20.7	105.	3.3	87.	209.	8.7	0.0	.80	-2.40
3471.5	3473.0	B	17.4	81.	3.2	88.	200.	8.7	0.0	.10	-2.40
3474.0	3475.5	C	36.0	315.	3.2	93.	171.	8.7	0.0	-5.00	-2.30
3477.0	3477.9	B	7.0	245.	3.2	98.	145.	8.7	0.0	-.20	.40
3478.5	3480.2	C	7.8	274.	3.2	99.	121.	8.5	0.0	-.60	-.30
3480.2	3481.3	B	3.1	37.	3.1	99.	103.	8.7	0.0	.70	.30

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3481.3	3482.5	B	6.6	276.	3.1	100.	93.	8.6	0.0	-.40	-.40
3486.0	3488.0	B	3.7	240.	2.8	99.	30.	8.8	0.0	-.30	-.20
3488.0	3489.5	B	8.0	255.	2.8	98.	21.	8.6	0.0	-.20	-.70
3489.5	3490.5	B	9.6	265.	2.7	96.	21.	8.8	0.0	.00	-.80
3508.0	3509.0	B	6.9	178.	2.6	87.	272.	8.8	0.0	.10	-.80
3513.0	3514.0	D	5.1	261.	2.6	88.	253.	9.0	0.0	.30	.30
3514.0	3516.0	B	5.6	199.	2.5	88.	248.	9.1	0.0	.50	-.20
3519.2	3519.3	C	18.2	313.	2.5	88.	230.	9.0	0.0	-1.10	1.20
3521.0	3522.0	C	11.6	237.	2.6	89.	201.	9.0	0.0	.70	1.30
3523.0	3523.1	C	1.6	29.	2.6	89.	211.	9.1	0.0	-.20	-.50
3528.0	3529.0	B	7.1	54.	2.8	94.	203.	9.3	0.0	-.40	-1.30
3531.0	3532.0	B	10.8	279.	2.8	98.	175.	9.3	0.0	-.80	.30
3533.0	3534.0	D	10.5	246.	2.8	100.	175.	9.1	0.0	.00	1.00
3534.0	3535.0	B	13.4	250.	2.8	99.	179.	9.2	0.0	-.10	1.30
3539.0	3540.0	C	5.0	258.	2.8	94.	179.	9.4	0.0	.00	.30
3551.3	3551.6	C	14.3	220.	2.8	91.	177.	9.3	0.0	.80	1.80
3555.0	3556.0	B	12.3	255.	2.8	90.	178.	9.3	0.0	-.30	1.00
3561.8	3561.9	D	13.6	153.	3.0	89.	172.	9.4	0.0	2.20	1.10
3573.0	3574.0	D	1.1	172.	3.0	86.	166.	9.2	0.0	.40	.00
3575.0	3576.0	C	16.9	194.	2.9	86.	168.	9.4	0.0	1.60	2.30
3579.0	3580.0	C	5.5	213.	3.0	86.	172.	9.5	0.0	.50	.60
3581.0	3582.0	C	5.3	324.	3.0	86.	169.	9.5	0.0	-.50	-.60
3586.0	3586.3	B	4.1	250.	2.9	86.	160.	9.6	0.0	.00	.20
3589.6	3590.0	C	22.3	105.	2.9	86.	161.	9.8	0.0	3.50	.10
3592.0	3593.0	B	5.2	224.	3.1	86.	164.	9.4	0.0	.30	.50
3594.0	3595.0	C	8.7	257.	3.2	86.	171.	9.5	0.0	-.30	.50
3597.0	3598.0	B	8.4	224.	3.1	87.	164.	9.3	0.0	.30	.90
3599.0	3600.0	B	9.5	251.	3.1	87.	165.	9.2	0.0	-.30	.60
3603.6	3603.9	C	10.2	304.	3.3	88.	164.	9.2	0.0	-1.10	-.60
3605.7	3606.3	C	1.9	180.	3.2	89.	169.	9.5	0.0	.50	.10
3608.0	3608.3	C	13.9	241.	3.2	89.	159.	9.7	0.0	-.40	1.20
3611.0	3612.0	B	18.0	235.	3.2	90.	165.	9.3	0.0	.00	1.30
3614.0	3616.0	C	15.2	270.	3.1	87.	171.	9.2	0.0	-1.10	.60
3617.0	3618.0	B	14.1	296.	2.9	85.	165.	9.1	0.0	-1.60	-.50
3618.0	3620.0	B	12.5	278.	2.9	85.	166.	9.0	0.0	-1.10	.10
3623.0	3624.0	C	6.9	309.	3.3	85.	171.	9.4	0.0	-.70	-.50
3629.8	3630.0	C	6.8	10.	3.2	86.	162.	9.3	0.0	-.20	-1.10
3632.0	3632.7	C	12.4	40.	3.2	86.	153.	9.4	0.0	.60	-1.50
3650.0	3650.8	C	21.0	220.	3.1	88.	155.	9.1	0.0	.10	2.40
3660.0	3660.8	C	13.7	210.	3.1	86.	135.	9.0	0.0	-.10	1.40
3666.0	3667.0	D	1.1	306.	3.2	88.	132.	9.5	0.0	.30	.00
3672.3	3672.7	D	13.6	246.	3.2	87.	148.	9.2	0.0	-.80	.70
3678.7	3679.1	C	2.2	96.	3.2	83.	141.	9.3	0.0	.70	.10
3680.0	3681.0	C	7.8	207.	3.1	81.	143.	9.3	0.0	.30	.90
3683.0	3684.0	C	4.4	188.	3.2	81.	139.	9.2	0.0	.50	.60
3686.0	3686.4	C	7.8	233.	3.2	81.	140.	9.1	0.0	-.20	.50
3689.0	3690.0	B	13.1	219.	3.0	81.	130.	9.1	0.0	-.50	1.00
3692.0	3693.0	C	13.7	249.	2.9	81.	133.	9.1	0.0	-1.20	.20
3695.0	3696.0	C	11.2	233.	3.1	82.	134.	9.1	0.0	-.60	.60
3697.0	3698.0	B	10.6	235.	3.1	82.	131.	9.1	0.0	-.60	.50
3700.0	3701.0	B	8.0	239.	3.2	83.	121.	9.1	0.0	-.50	.20
3703.0	3704.0	B	9.0	208.	3.2	83.	117.	9.1	0.0	-.20	.80
3708.0	3709.0	B	9.0	211.	3.2	82.	114.	9.0	0.0	-.30	.70
3712.0	3713.0	B	11.7	197.	3.2	80.	117.	8.9	0.0	-.10	1.20
3717.0	3717.4	C	8.7	213.	3.2	78.	115.	8.9	0.0	-.30	.60

Weslex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Weslex personnel or which may appear on the log in any other form. Any use of such data, interpretations, conversions, or recommendations except those Weslex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS NO.1 NO.2 NO.3			
3718.0	3719.0	C	10.8	179.	3.2	77.	114.	9.1	0.0	.30	1.40
3721.6	3722.0	B	4.1	287.	3.2	74.	117.	9.0	0.0	-.10	-.30
3723.0	3723.3	B	11.6	226.	3.2	72.	121.	8.9	0.0	-.70	.50
3726.0	3727.0	C	2.7	198.	3.1	70.	125.	8.9	0.0	.30	.30
3728.0	3728.4	C	9.2	162.	3.1	69.	121.	8.9	0.0	.80	1.30
3733.0	3733.3	C	6.8	171.	3.1	68.	119.	8.8	0.0	.50	.90
3736.0	3737.0	B	2.9	265.	3.1	69.	122.	8.7	0.0	.00	-.10
3740.0	3741.0	B	4.6	194.	3.2	70.	128.	8.7	0.0	.30	.50
3743.0	3744.0	B	1.6	316.	3.3	70.	132.	8.7	0.0	.20	-.20
3746.0	3746.3	C	4.1	352.	3.3	71.	139.	8.7	0.0	.10	-.60
3748.0	3750.0	C	4.2	90.	3.3	71.	136.	8.8	0.0	.90	.10
3754.0	3755.0	C	8.7	303.	3.6	72.	147.	8.7	0.0	-.80	-.80
3759.6	3760.0	B	7.2	321.	3.7	71.	152.	8.9	0.0	-.60	-.90
3761.6	3762.0	B	8.4	80.	3.6	71.	155.	8.9	0.0	1.10	-.50
3764.0	3764.6	B	5.9	359.	3.6	71.	155.	8.9	0.0	-.20	-1.00
3767.0	3767.3	B	13.9	18.	3.4	69.	154.	9.0	0.0	-.30	-2.10
3770.0	3770.3	B	17.0	329.	3.6	68.	118.	9.0	0.0	-.70	-2.30
3775.7	3776.0	B	4.8	316.	3.5	73.	79.	9.0	0.0	.40	-.20
3778.0	3778.4	B	5.7	272.	3.7	73.	61.	9.1	0.0	.00	-.30
3780.0	3780.7	C	5.3	285.	3.6	74.	54.	9.1	0.0	.20	-.20
3782.0	3782.3	C	2.5	291.	3.7	74.	52.	9.0	0.0	.30	.20
3785.6	3786.0	B	6.6	169.	3.8	75.	48.	9.0	0.0	-.50	.50
3788.0	3788.3	C	8.6	123.	3.7	75.	45.	8.9	0.0	-.10	1.30
3790.0	3791.0	C	5.2	291.	3.5	76.	45.	8.9	0.0	.30	-.10
3792.0	3792.6	C	9.2	272.	3.5	76.	42.	8.9	0.0	.00	-.70
3794.0	3795.0	B	8.5	267.	3.5	76.	35.	9.0	0.0	.00	-.60
3797.0	3798.0	B	11.3	258.	3.6	76.	30.	9.0	0.0	-.20	-1.00
3800.0	3800.3	C	11.3	283.	3.7	76.	34.	9.0	0.0	.40	-.70
3808.0	3808.4	C	20.6	191.	3.6	71.	28.	9.0	0.0	-.70	-1.50
3813.0	3814.0	B	17.0	232.	3.7	70.	30.	9.3	0.0	-1.30	-.60
3817.0	3818.0	C	15.0	178.	3.7	70.	28.	9.4	0.0	-2.00	-.50
3822.9	3823.0	B	21.8	227.	3.4	70.	31.	9.1	0.0	-2.10	-2.70
3833.0	3834.0	C	14.9	253.	4.0	73.	39.	9.6	0.0	-.70	-1.60
3837.6	3838.0	C	10.7	194.	3.8	71.	42.	9.7	0.0	-1.30	-.30
3841.6	3842.0	C	16.7	267.	3.7	72.	50.	9.6	0.0	-.60	-1.90
3843.5	3844.0	C	18.4	224.	3.8	71.	36.	9.6	0.0	-1.90	-2.00
3847.0	3848.0	C	22.4	267.	3.4	69.	46.	9.2	0.0	-.80	-2.70
3848.0	3850.0	B	20.9	266.	3.7	69.	41.	8.9	0.0	-.50	-2.30
3851.0	3852.0	B	23.7	261.	3.6	69.	35.	8.9	0.0	-.60	-2.70
3853.0	3854.0	B	15.8	263.	3.9	70.	34.	8.8	0.0	-.20	-1.50
3854.0	3855.0	B	14.5	271.	3.9	71.	31.	9.0	0.0	.20	-1.20
3857.0	3858.0	A	16.8	255.	4.0	72.	38.	9.2	0.0	-.70	-1.80
3861.0	3861.3	B	21.2	255.	3.9	74.	48.	8.9	0.0	-1.30	-2.40
3863.0	3864.0	C	23.7	243.	4.2	73.	45.	9.0	0.0	-1.90	-2.70
3865.0	3866.0	B	17.3	262.	4.3	73.	38.	8.9	0.0	-.40	-1.70
3867.0	3868.0	A	28.0	289.	4.3	72.	36.	8.7	0.0	1.10	-2.30
3871.0	3872.0	B	22.6	290.	4.4	71.	35.	8.6	0.0	1.00	-1.60
3873.0	3874.0	B	25.2	309.	4.4	71.	50.	8.6	0.0	1.50	-1.70
3875.0	3876.0	B	12.8	329.	4.3	70.	52.	8.6	0.0	1.40	-.10
3878.0	3879.0	B	16.1	308.	4.3	70.	44.	8.7	0.0	1.20	-.70
3880.0	3881.0	B	18.6	319.	4.3	69.	46.	8.7	0.0	1.70	-.60
3883.0	3884.0	B	18.4	336.	4.2	70.	37.	8.7	0.0	2.40	.50
3885.0	3886.0	B	16.3	319.	3.9	70.	33.	8.7	0.0	1.80	.00
3890.0	3891.0	C	15.2	207.	3.6	71.	36.	8.7	0.0	-1.70	-1.10
3896.0	3897.0	D	20.2	140.	3.8	72.	39.	8.6	0.0	-1.60	1.40

Wetex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Wetex personnel or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations other than those for which Wetex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.


CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	NO.1	DIA 13	DISPLACEMENTS NO.1 NO.2 NO.3			
900.0	3901.0	B	7.8	43.	3.9	72.	45.	8.7	0.0	1.20	1.40
906.0	3907.0	C	19.5	284.	3.9	71.	10.	8.8	0.0	1.50	-.70
912.0	3914.0	D	30.7	281.	3.7	64.	333.	8.8	0.0	3.80	.80
918.0	3920.0	D	3.9	79.	3.9	61.	310.	8.6	0.0	-.90	.00
923.0	3924.0	C	8.8	53.	3.7	58.	295.	9.0	0.0	-1.50	.00
926.0	3928.0	B	16.1	264.	3.6	54.	285.	8.9	0.0	1.70	1.30
930.0	3932.0	C	14.9	292.	4.0	52.	269.	8.9	0.0	.70	1.80
932.0	3933.0	C	20.4	274.	3.8	53.	265.	9.0	0.0	1.70	2.40
939.0	3940.0	D	16.2	100.	3.9	59.	241.	9.2	0.0	-1.30	-2.80
950.0	3952.0	B	15.3	205.	4.0	62.	226.	9.0	0.0	1.70	.80
955.0	3956.0	C	3.3	31.	4.0	65.	217.	8.9	0.0	-.70	-.90
958.0	3959.0	C	11.8	110.	3.6	65.	203.	9.1	0.0	.60	-1.40
963.0	3963.2	C	4.4	119.	4.0	60.	217.	8.9	0.0	-.10	-.90
970.0	3971.0	B	22.1	187.	4.0	64.	222.	9.1	0.0	2.80	.80
973.0	3974.0	C	18.7	233.	4.0	64.	233.	8.8	0.0	1.80	1.70
977.6	3978.0	C	22.6	241.	4.0	63.	239.	9.3	0.0	2.30	2.40
981.0	3982.0	C	39.4	236.	3.8	59.	235.	8.9	0.0	4.70	4.80
983.0	3984.0	C	31.7	257.	3.8	58.	234.	8.9	0.0	2.30	4.10
989.0	3990.0	B	24.8	91.	3.9	64.	265.	9.1	0.0	-3.60	-3.80
994.0	3996.0	C	19.0	58.	4.0	66.	268.	9.0	0.0	-3.30	-1.70
001.0	4002.0	C	17.3	165.	4.0	64.	265.	9.0	0.0	.30	-1.90
003.8	4004.0	B	25.5	155.	4.0	64.	256.	9.0	0.0	-.60	-3.70
007.0	4008.0	C	21.4	134.	4.1	62.	240.	9.3	0.0	.30	-2.80
010.0	4011.0	B	7.9	183.	3.9	63.	233.	8.8	0.0	.60	-.30
016.0	4017.0	B	16.7	239.	3.9	67.	249.	8.9	0.0	1.70	1.30
018.0	4019.0	B	16.3	58.	3.9	67.	252.	8.9	0.0	-2.70	-2.10
020.0	4021.0	B	10.0	81.	3.8	67.	254.	9.0	0.0	-1.60	-1.70
023.0	4024.0	D	7.9	318.	3.8	63.	253.	9.2	0.0	-.60	-.50
030.0	4031.0	D	8.7	280.	3.9	56.	238.	8.8	0.0	-.10	-.70
038.0	4039.0	C	9.0	170.	3.9	60.	241.	8.8	0.0	-.50	-.70
046.0	4046.5	D	12.2	354.	3.8	80.	257.	8.7	0.0	-1.40	-.20
055.6	4056.0	C	14.8	75.	3.8	75.	258.	8.8	0.0	-2.20	-2.10
063.0	4064.0	C	15.6	279.	3.6	71.	240.	8.6	0.0	.40	1.60
066.0	4066.5	C	20.6	226.	3.7	70.	236.	8.8	0.0	2.30	1.70
070.0	4070.4	C	29.9	290.	3.8	74.	251.	8.7	0.0	1.10	3.70
073.0	4073.3	C	13.8	190.	3.8	76.	255.	8.8	0.0	1.10	-.60
077.0	4078.0	C	15.6	176.	4.0	73.	257.	9.4	0.0	.90	-1.30
081.6	4082.0	C	20.3	235.	4.2	70.	256.	9.1	0.0	2.30	1.30
085.0	4086.0	B	19.6	217.	3.8	74.	257.	8.9	0.0	2.20	.50
087.0	4088.0	C	22.7	208.	3.8	74.	254.	8.9	0.0	2.60	.30
091.0	4092.0	B	13.4	263.	3.8	74.	254.	9.3	0.0	1.00	1.30
097.0	4098.0	B	10.8	127.	3.8	65.	248.	9.3	0.0	-.50	-1.80
099.0	4100.0	B	36.6	57.	3.8	69.	244.	9.4	0.0	-6.30	-5.60
103.0	4104.0	C	10.2	169.	3.7	74.	232.	9.4	0.0	.90	-.60
104.0	4105.0	B	10.1	164.	3.8	72.	236.	9.2	0.0	.70	-.80
106.0	4107.0	B	12.6	151.	3.7	75.	236.	9.4	0.0	.70	-1.30
109.0	4110.0	B	18.4	235.	3.6	78.	254.	9.4	0.0	2.20	1.30
115.0	4116.0	C	26.9	165.	3.8	80.	257.	9.4	0.0	1.50	-2.70
130.0	4130.4	D	9.5	245.	3.5	77.	232.	9.4	0.0	.70	.80
132.0	4132.3	C	10.5	257.	3.2	75.	235.	9.0	0.0	.60	1.00
138.0	4138.4	C	24.8	270.	3.6	73.	255.	9.3	0.0	2.10	3.10
143.0	4144.0	C	20.1	231.	3.7	76.	247.	9.2	0.0	2.40	1.50
146.0	4147.0	C	27.4	238.	3.5	79.	259.	9.1	0.0	3.50	2.10
156.0	4158.0	C	8.6	90.	3.7	79.	259.	8.7	0.0	-1.30	-1.50
163.0	4164.0	C	25.5	261.	3.6	81.	272.	8.8	0.0	2.90	2.30



 Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL CORR. DIP GRADE DIP ANGLE DIP AZ. DRFT ANGLE DRFT AZ. AZ. NO.1 DIA 13 DISPLACEMENTS NO.1 NO.2 NO.3

4165.0	4166.0	B	30.0	317.	3.5	84.	262.	8.8	0.0	.00	3.50
4167.0	4168.0	C	34.1	309.	3.6	79.	253.	8.8	0.0	.00	4.10
4171.0	4172.0	C	29.5	284.	3.7	77.	272.	9.0	0.0	2.70	3.70
4175.0	4176.0	C	34.6	256.	3.7	80.	287.	9.1	0.0	4.70	2.30
4180.0	4182.0	B	21.8	222.	3.5	76.	230.	8.7	0.0	2.50	1.90
4183.0	4184.0	C	19.1	239.	3.4	76.	219.	8.8	0.0	1.50	2.10
4185.0	4186.0	C	17.6	279.	3.3	76.	206.	8.6	0.0	-.60	1.30
4189.0	4190.0	C	19.7	279.	3.3	84.	175.	8.6	0.0	-1.60	.50
4193.0	4194.0	B	16.2	275.	3.3	79.	139.	8.6	0.0	-1.70	-.60
4199.8	4200.0	C	18.6	282.	3.6	79.	92.	8.7	0.0	-1.50	-2.00
4206.0	4207.0	D	21.5	236.	3.8	90.	48.	8.6	0.0	-2.10	-2.20
4209.0	4209.3	C	24.1	290.	3.9	83.	29.	8.6	0.0	1.20	-1.60
4211.7	4212.0	C	25.6	265.	4.0	81.	21.	8.9	0.0	.30	-2.50
4212.5	4213.0	D	26.7	236.	4.0	79.	27.	9.0	0.0	-1.90	-3.30
4214.0	4215.0	C	25.3	233.	3.9	77.	21.	9.0	0.0	-1.60	-3.10
4217.0	4218.0	C	28.5	294.	3.9	79.	21.	9.1	0.0	2.30	-1.40
4222.0	4223.0	C	10.1	331.	3.9	62.	21.	9.1	0.0	1.30	.70
4228.0	4229.0	C	13.5	153.	3.7	88.	21.	9.2	0.0	-1.90	.00
4242.0	4244.0	C	2.9	202.	3.6	78.	24.	8.9	0.0	-.30	.10
4249.0	4250.0	D	10.2	347.	3.4	79.	35.	8.7	0.0	1.40	.70
4256.0	4256.5	C	19.8	310.	3.5	79.	21.	9.0	0.0	2.10	-.10
4263.0	4264.0	C	44.5	288.	3.4	85.	21.	9.1	0.0	3.30	-3.60
4266.0	4268.0	C	33.2	247.	3.5	87.	30.	9.3	0.0	-1.90	-4.60
4269.0	4270.0	B	43.7	237.	3.3	86.	21.	9.0	0.0	-2.90	-6.70
4274.0	4276.0	B	25.5	204.	3.4	83.	21.	9.6	0.0	-3.30	-3.10
4277.0	4278.0	B	20.1	187.	3.4	81.	21.	9.2	0.0	-2.80	-1.70
4280.0	4282.0	B	34.0	202.	3.4	78.	21.	9.0	0.0	-4.40	-4.10
4282.0	4284.0	B	27.6	218.	3.4	82.	31.	8.9	0.0	-3.10	-3.20
4287.0	4288.0	C	23.8	216.	3.4	93.	36.	8.9	0.0	-1.70	-2.50
4292.0	4294.0	B	50.7	226.	3.5	89.	36.	8.9	0.0	-5.90	-5.10
4296.0	4298.0	C	55.7	217.	3.4	88.	39.	9.0	0.0	-3.50	-8.80
4315.0	4316.0	B	19.4	211.	3.4	73.	47.	8.8	0.0	-2.40	-1.50
4319.0	4320.0	D	13.7	86.	3.2	73.	52.	8.8	0.0	1.10	2.30
4330.0	4332.0	B	16.6	55.	3.3	78.	33.	8.7	0.0	1.50	2.70
4335.0	4336.0	B	4.2	67.	3.4	81.	35.	9.3	0.0	.20	1.00
4336.0	4338.0	B	8.9	216.	3.3	82.	40.	9.4	0.0	-1.00	-.60
4341.0	4342.0	B	29.0	270.	3.0	88.	48.	9.2	0.0	-1.20	-3.80
4344.0	4346.0	C	26.5	246.	3.0	95.	56.	9.1	0.0	-2.80	-3.20
4360.0	4362.0	D	50.6	206.	2.7	79.	56.	9.0	0.0	-8.90	-4.20
4373.0	4374.0	C	18.7	93.	3.2	64.	25.	8.8	0.0	-.20	2.50
4380.0	4382.0	B	30.5	12.	3.5	64.	21.	8.9	0.0	4.50	4.10
4382.0	4384.0	B	14.3	93.	3.4	66.	86.	9.2	0.0	2.10	2.20
4386.0	4388.0	C	53.7	282.	3.4	66.	307.	9.0	0.0	9.50	5.70
4393.0	4394.0	C	11.1	116.	3.1	61.	272.	8.8	0.0	-1.30	-1.70
4399.0	4400.0	B	4.0	101.	3.1	59.	256.	8.7	0.0	-.70	-.80
4402.0	4404.0	B	19.8	174.	3.1	59.	244.	8.7	0.0	1.70	-.80
4408.0	4410.0	B	20.2	110.	3.1	63.	225.	8.7	0.0	.00	-2.70
4411.0	4412.0	B	9.3	89.	3.0	61.	220.	8.8	0.0	-.50	-1.60
4415.0	4416.0	C	10.1	34.	3.1	59.	207.	8.9	0.0	-1.30	-1.70
4420.0	4422.0	C	21.9	341.	2.8	56.	187.	9.0	0.0	-3.20	-2.10
4429.0	4430.0	C	20.7	341.	3.1	65.	153.	8.9	0.0	-2.10	-2.90
4433.0	4434.0	C	32.3	340.	3.0	70.	155.	8.9	0.0	-3.80	-4.60
4448.0	4450.0	B	41.3	331.	2.9	61.	156.	9.1	0.0	-6.10	-5.90
4452.0	4454.0	D	19.6	9.	2.9	64.	172.	8.9	0.0	-1.80	-3.00
4456.0	4458.0	C	38.0	323.	3.1	61.	176.	9.3	0.0	-6.20	-3.20



Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
4464.0	4466.0	C	38.3	346.	3.1	66.	198.	9.0	0.0	-6.30	-3.30
4474.0	4476.0	B	32.7	186.	3.1	64.	204.	9.0	0.0	4.70	2.90
4476.0	4478.0	B	28.7	191.	3.1	61.	204.	9.3	0.0	4.00	2.70
4483.0	4484.0	C	23.9	212.	2.9	58.	190.	9.3	0.0	2.10	3.10
4489.0	4490.0	B	22.2	234.	2.9	58.	193.	9.0	0.0	.90	2.70
4490.0	4492.0	B	17.8	250.	2.9	59.	192.	9.0	0.0	.00	1.80
4493.0	4494.0	C	6.8	251.	3.1	59.	225.	8.8	0.0	.20	.50
4499.0	4500.0	D	7.1	235.	3.1	53.	247.	8.7	0.0	.50	.40
4504.0	4506.0	D	16.6	54.	2.9	57.	237.	8.9	0.0	-2.40	-2.30
4506.0	4508.0	C	25.3	65.	2.8	59.	228.	8.9	0.0	-2.80	-4.00
4510.0	4512.0	C	22.1	244.	2.8	57.	212.	8.9	0.0	1.20	2.70
4519.0	4520.0	C	26.0	162.	2.9	59.	192.	8.8	0.0	3.60	1.50
4525.0	4526.0	B	3.0	117.	2.9	63.	195.	9.0	0.0	.20	-.50
4530.0	4532.0	B	11.0	186.	2.8	64.	189.	8.9	0.0	1.30	.90
4532.0	4534.0	B	3.7	134.	2.8	68.	182.	8.8	0.0	.50	-.20
4534.0	4536.0	B	23.6	282.	2.8	67.	180.	8.9	0.0	-2.20	.70
4538.0	4540.0	B	26.5	125.	2.8	60.	180.	9.1	0.0	3.60	.00
4545.0	4546.0	B	5.3	12.	2.9	62.	198.	9.3	0.0	-.80	-1.00
4550.0	4552.0	B	26.0	305.	2.8	67.	195.	8.9	0.0	-2.90	.30
4552.0	4554.0	B	25.4	315.	2.8	64.	196.	8.9	0.0	-3.20	-.30
4554.0	4556.0	B	5.4	302.	2.8	65.	193.	9.0	0.0	-.60	-.20
4560.0	4562.0	B	7.8	313.	2.8	65.	184.	9.0	0.0	-1.00	-.50
4562.0	4564.0	B	7.6	3.	2.8	57.	189.	9.0	0.0	-.70	-1.30
4571.0	4572.0	C	21.3	318.	2.8	56.	193.	8.8	0.0	-2.80	-.60
4578.0	4580.0	B	26.2	344.	3.0	62.	197.	9.1	0.0	-4.00	-2.20
4592.0	4593.0	C	36.3	52.	3.1	60.	219.	9.2	0.0	-4.70	-6.30
4596.0	4598.0	C	19.8	20.	3.0	59.	217.	9.5	0.0	-3.20	-2.50
4604.0	4606.0	C	45.0	35.	2.9	56.	207.	9.6	0.0	-7.10	-8.60
4606.0	4608.0	C	50.0	16.	2.9	56.	208.	9.5	0.0	-7.10	-8.10
4610.0	4612.0	C	45.0	31.	3.0	61.	208.	9.5	0.0	-7.40	-8.10
4633.0	4634.0	C	6.6	225.	2.8	59.	215.	9.6	0.0	.50	.50
4638.0	4640.0	B	17.3	274.	2.9	60.	218.	9.6	0.0	.00	1.90
4659.0	4660.0	C	24.3	158.	3.1	60.	221.	9.4	0.0	2.80	-.60
4660.0	4662.0	C	32.4	88.	3.1	60.	222.	9.4	0.0	-1.60	-5.60
4672.0	4674.0	B	17.7	83.	2.9	63.	221.	9.4	0.0	-1.10	-3.00
4678.0	4680.0	C	23.6	306.	2.9	56.	203.	9.1	0.0	-2.50	.60
4685.0	4686.0	C	7.1	104.	2.8	53.	201.	9.2	0.0	.20	-1.00
4692.0	4694.0	D	7.0	173.	2.8	56.	216.	9.3	0.0	.70	-.10
4704.0	4706.0	B	16.6	126.	2.8	51.	182.	9.3	0.0	2.10	-.20
4706.0	4708.0	B	5.8	231.	2.9	51.	217.	9.2	0.0	.30	.40
4708.0	4710.0	C	8.1	242.	2.9	54.	202.	9.1	0.0	.20	.70
4711.0	4712.0	C	7.0	334.	2.9	54.	207.	9.0	0.0	-1.10	-.50
4713.0	4714.0	C	15.6	328.	2.9	52.	216.	9.0	0.0	-2.00	-.10
4715.0	4716.0	C	15.1	283.	2.9	51.	217.	8.9	0.0	-.50	1.30
4718.0	4720.0	C	18.7	2.	2.9	52.	234.	8.9	0.0	-2.80	-.70
4726.0	4728.0	B	3.5	308.	2.6	54.	193.	8.9	0.0	-.50	-.30
4730.0	4732.0	B	6.0	179.	2.7	58.	188.	9.0	0.0	.70	.30
4735.0	4736.0	C	9.0	156.	2.8	55.	198.	9.4	0.0	1.10	.00
4756.0	4758.0	C	13.3	146.	2.8	53.	251.	8.7	0.0	.10	-1.50
4760.0	4761.0	B	15.2	56.	2.5	52.	242.	8.6	0.0	-2.20	-1.90
4767.6	4768.0	C	15.7	312.	2.4	43.	236.	9.0	0.0	-.90	1.30
4770.0	4772.0	D	15.5	284.	2.3	44.	231.	8.8	0.0	.00	1.70
4778.0	4780.0	C	9.6	324.	2.2	48.	221.	8.6	0.0	-1.10	.10
4788.0	4790.0	C	11.1	246.	1.9	53.	203.	8.8	0.0	.30	1.20
4793.0	4794.0	C	12.3	141.	1.9	53.	192.	9.0	0.0	1.50	.00

WELIX does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welix personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welix is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. DIP GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	NO.1	DIA 13	DISPLACEMENTS NO.1 NO.2 NO.3			
4801.0	4802.0	C	19.6	101.	2.1	62.	122.	8.6	0.0	2.90	1.70
4802.0	4803.0	C	10.3	213.	2.1	55.	115.	8.6	0.0	-.60	.50
4807.0	4808.0	C	8.4	40.	2.0	65.	92.	8.7	0.0	1.30	.30
4809.0	4810.0	C	13.6	327.	2.0	70.	82.	8.7	0.0	.40	-1.30
4815.0	4816.0	C	8.9	311.	2.1	69.	51.	8.9	0.0	.60	-.50
4817.0	4818.0	C	13.8	296.	2.1	70.	52.	8.9	0.0	.30	-1.30
4824.0	4826.0	B	15.4	108.	2.1	67.	83.	8.8	0.0	1.50	2.30
4828.0	4830.0	C	14.2	353.	2.1	68.	77.	8.9	0.0	1.40	-.60
4834.0	4836.0	C	20.4	10.	2.1	71.	67.	8.9	0.0	2.80	.40
4840.0	4842.0	C	14.2	321.	2.2	74.	45.	8.9	0.0	1.30	-.50
4844.0	4846.0	B	18.9	136.	2.3	68.	21.	8.8	0.0	-2.10	.50
4848.0	4850.0	C	7.7	99.	2.5	65.	318.	9.0	0.0	-1.30	-.30
4852.0	4854.0	C	22.7	127.	2.5	61.	335.	8.6	0.0	-3.30	-1.50
4856.0	4858.0	C	45.5	100.	2.3	58.	305.	8.7	0.0	-8.10	-4.50
4868.0	4870.0	D	11.5	171.	2.1	61.	269.	8.8	0.0	.30	-1.10
4875.0	4876.0	C	6.3	132.	2.3	61.	265.	8.9	0.0	-.50	-1.00
4881.0	4882.0	B	23.1	351.	2.4	64.	288.	8.9	0.0	-1.60	1.80
4886.0	4887.0	C	25.7	247.	2.4	66.	267.	8.7	0.0	3.20	2.10
4890.0	4891.0	B	15.9	210.	2.3	61.	253.	8.8	0.0	1.80	.40
4892.0	4894.0	B	12.0	155.	2.2	59.	247.	8.9	0.0	.50	-1.10
4898.0	4900.0	B	13.2	343.	2.1	58.	231.	8.6	0.0	-1.60	.00
4902.0	4902.3	C	8.5	187.	2.1	55.	222.	8.6	0.0	.90	.20
4906.0	4907.0	C	18.0	222.	2.2	54.	228.	8.8	0.0	2.00	1.70
4909.0	4910.0	B	8.9	142.	2.2	61.	235.	8.6	0.0	.30	-.90
4910.0	4912.0	B	15.1	109.	2.1	65.	232.	8.8	0.0	-.30	-2.10
4912.0	4914.0	C	20.1	99.	2.1	66.	227.	8.8	0.0	-.60	-2.90
4914.0	4916.0	C	18.0	80.	2.0	65.	223.	8.6	0.0	-1.10	-2.70
4921.0	4922.0	C	21.1	43.	1.8	63.	208.	8.8	0.0	-2.20	-3.10
4925.0	4926.0	B	10.1	39.	1.9	58.	205.	9.0	0.0	-5.00	-6.70
4928.0	4930.0	B	38.6	47.	2.1	68.	213.	8.8	0.0	-4.70	-6.30
4930.0	4932.0	B	25.1	29.	2.0	67.	205.	8.8	0.0	-3.10	-3.50
4932.0	4934.0	B	18.5	35.	1.8	64.	198.	8.6	0.0	-2.70	-1.70
4937.0	4938.0	C	18.7	50.	2.2	58.	206.	8.9	0.0	-1.70	-2.90
4942.0	4944.0	C	17.6	301.	1.9	70.	220.	9.0	0.0	-1.00	1.30
4948.0	4949.0	C	14.3	246.	2.0	68.	232.	9.4	0.0	1.30	1.70
4952.0	4953.0	C	4.3	231.	2.0	66.	218.	9.4	0.0	.30	.30
4959.0	4960.0	C	4.2	314.	2.1	72.	234.	9.5	0.0	-.40	.10
4962.0	4963.0	D	14.2	165.	2.3	68.	234.	8.9	0.0	1.30	-.60
4969.0	4969.5	C	9.7	339.	2.2	66.	249.	8.6	0.0	-.90	.40
4973.0	4974.0	B	19.4	287.	2.2	68.	232.	8.7	0.0	.00	2.10
4975.0	4976.0	B	3.8	145.	2.1	67.	231.	9.0	0.0	.10	-.50
4980.0	4982.0	B	2.6	204.	2.0	67.	215.	8.8	0.0	.20	.00
4984.0	4986.0	C	5.4	330.	1.7	70.	184.	8.8	0.0	-.70	-.50
4999.0	5000.0	D	33.3	236.	1.8	86.	118.	8.5	0.0	-3.80	.30
5009.0	5010.0	D	2.0	185.	1.9	92.	21.	8.6	0.0	-.30	.00
5014.0	5016.0	C	21.0	177.	2.1	85.	21.	8.7	0.0	-2.90	-1.50
5016.0	5018.0	C	30.8	209.	2.1	84.	21.	8.7	0.0	-3.50	-3.90
5024.0	5026.0	D	32.8	190.	2.3	79.	21.	9.0	0.0	-4.70	-3.50
5037.0	5038.0	C	14.0	326.	2.5	80.	21.	9.2	0.0	1.80	.50
5053.0	5053.0	C	9.0	246.	2.3	81.	21.	9.0	0.0	-.30	-.90
5059.0	5060.0	C	29.4	121.	2.3	91.	21.	8.8	0.0	-2.90	1.70
5062.0	5064.0	C	33.1	101.	2.6	85.	21.	9.2	0.0	-1.90	3.70
5066.0	5068.0	C	18.4	102.	2.6	85.	21.	9.2	0.0	-1.00	2.00
5070.0	5072.0	C	20.8	52.	2.6	83.	21.	9.0	0.0	1.40	3.30
5076.0	5078.0	C	35.4	176.	2.6	84.	21.	8.9	0.0	-5.50	-2.90

WELIX does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welix personnel or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations agrees that Welix is not responsible, except where due to gross negligence or wilful misconduct, for any loss, damages, or expenses resulting from the use thereof.


CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
5089.0	5090.0	C	18.2	279.	2.8	82.	359.	8.5	0.0	1.40	-.60
5095.0	5096.0	D	8.3	282.	2.6	86.	342.	8.6	0.0	.70	.10
5104.0	5105.0	C	17.7	244.	2.6	79.	313.	8.5	0.0	1.50	-.40
5106.0	5108.0	C	28.6	223.	2.8	79.	310.	8.6	0.0	1.80	-1.90
5111.7	5112.0	C	33.4	217.	2.6	82.	301.	8.6	0.0	2.50	-2.10
5116.0	5118.0	C	27.5	181.	2.5	80.	292.	8.5	0.0	.30	-3.10
5120.0	5121.0	C	12.2	53.	2.6	81.	289.	8.6	0.0	-1.80	-.30
5131.0	5132.0	C	12.7	79.	2.6	81.	268.	8.6	0.0	-1.90	-1.60
5136.0	5137.0	C	16.8	164.	2.5	80.	264.	8.6	0.0	.50	-1.70
5140.0	5142.0	C	35.7	11.	2.7	83.	272.	8.9	0.0	-3.80	1.80
5146.0	5148.0	C	12.8	63.	2.7	87.	293.	8.8	0.0	-2.00	-.50
5150.0	5152.0	B	32.3	25.	2.4	81.	282.	8.7	0.0	-3.60	1.20
5154.0	5156.0	C	43.0	39.	2.3	87.	275.	8.6	0.0	-6.70	-.70
5159.0	5160.0	D	27.8	86.	2.1	84.	263.	8.6	0.0	-3.60	-3.80
5165.0	5166.0	C	18.5	5.	2.5	82.	259.	8.7	0.0	-2.10	.30
5177.0	5178.0	B	45.2	99.	2.6	89.	271.	8.9	0.0	-6.70	-7.80
5178.0	5180.0	B	45.0	71.	2.6	85.	272.	8.9	0.0	-8.30	-5.40
5184.0	5186.0	B	42.1	55.	2.3	82.	250.	8.8	0.0	-7.10	-5.30
5200.0	5200.3	C	41.3	121.	2.3	84.	288.	8.7	0.0	-5.30	-6.70
5209.0	5210.0	C	39.3	26.	2.3	84.	257.	8.7	0.0	-6.10	-1.30
5212.0	5214.0	C	6.3	45.	2.4	76.	248.	8.9	0.0	-1.10	-.80
5228.0	5230.0	C	1.6	174.	2.1	69.	251.	8.8	0.0	-.10	-.30
5233.0	5234.0	D	29.3	308.	2.3	84.	253.	8.7	0.0	.10	3.50
5246.0	5248.0	C	23.4	39.	2.4	79.	263.	8.7	0.0	-3.50	-1.20
5252.0	5254.0	D	70.1	259.	2.2	93.	231.	8.9	0.0	10.20	19.10
5262.0	5264.0	C	55.5	181.	2.2	78.	261.	8.8	0.0	6.70	-4.10
5268.0	5270.0	C	50.6	182.	1.9	81.	251.	8.7	0.0	6.90	-1.70
5274.0	5276.0	C	49.3	190.	2.1	78.	252.	8.8	0.0	7.20	-.50
5278.0	5280.0	C	56.1	285.	2.2	83.	274.	9.3	0.0	7.30	9.10
5284.0	5286.0	C	59.5	174.	2.1	90.	288.	9.1	0.0	5.70	4.30
5288.0	5290.0	D	56.1	314.	2.3	80.	289.	8.9	0.0	2.50	10.50
5292.0	5294.0	C	52.0	275.	2.3	85.	284.	9.1	0.0	7.20	8.70
5295.0	5296.0	C	40.4	268.	2.3	85.	270.	9.2	0.0	5.50	5.30
5301.0	5302.0	C	22.4	202.	1.9	86.	231.	8.5	0.0	2.90	1.30
5306.0	5308.0	C	43.5	247.	1.6	99.	215.	8.6	0.0	3.30	6.70
5310.0	5312.0	C	35.7	240.	1.5	95.	178.	8.6	0.0	.00	4.40
5322.0	5324.0	C	59.9	105.	1.7	102.	134.	8.5	0.0	13.70	7.10
5326.0	5328.0	C	65.3	132.	1.4	103.	116.	8.4	0.0	11.70	16.30
5350.0	5352.0	C	53.5	93.	2.0	92.	88.	8.9	0.0	9.10	10.20
5358.0	5359.0	C	52.2	113.	2.5	94.	97.	9.2	0.0	7.80	10.80
5366.0	5368.0	C	31.7	26.	2.2	79.	8.	9.9	0.0	3.50	5.50
5370.0	5372.0	C	18.3	297.	2.1	72.	324.	9.2	0.0	2.40	1.50
5376.0	5378.0	D	22.3	248.	2.1	70.	306.	8.5	0.0	2.40	.10
5390.0	5392.0	D	16.6	322.	1.4	68.	275.	8.5	0.0	.30	2.00
5400.0	5402.0	D	20.6	261.	1.5	57.	267.	8.5	0.0	2.30	2.10
5403.0	5404.0	C	21.8	263.	1.5	53.	265.	8.6	0.0	2.40	2.40
5407.0	5408.0	C	35.5	254.	1.7	68.	279.	8.7	0.0	5.00	2.90
5412.0	5412.3	C	24.8	270.	2.0	61.	287.	8.7	0.0	3.10	2.30
5420.0	5421.0	D	23.6	302.	1.9	60.	290.	9.1	0.0	2.30	3.20
5427.0	5428.0	D	13.4	264.	1.6	57.	264.	8.5	0.0	1.30	1.40
5434.0	5436.0	C	2.5	66.	1.9	57.	272.	9.0	0.0	-.60	-.30
5441.0	5442.0	C	4.9	344.	1.9	57.	280.	9.3	0.0	-.30	.50
5446.0	5448.0	C	4.7	121.	2.0	55.	230.	8.6	0.0	-.10	-.70
5448.0	5450.0	D	40.8	113.	2.0	57.	242.	8.4	0.0	-1.20	-6.20
5503.7	5504.0	D	14.1	312.	2.3	57.	231.	8.5	0.0	-.90	.90

Wetex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Wetex personnel or which may appear on the log or in any other form. Any use of such data, interpretations, conversions, or recommendations agrees that Wetex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS NO.1 NO.2 NO.3			
5517.0	5517.3	C	23.3	233.	2.0	56.	217.	8.8	0.0	2.10	2.90
5521.0	5522.0	C	17.1	146.	1.7	47.	190.	8.5	0.0	2.10	.40
5526.0	5526.3	C	16.3	190.	1.5	47.	181.	8.9	0.0	1.70	1.90
5530.0	5532.0	D	28.8	165.	1.4	44.	159.	8.5	0.0	3.30	3.50
5536.0	5538.0	C	28.6	192.	1.6	51.	147.	8.5	0.0	1.10	3.70
5541.0	5542.0	C	18.1	354.	1.5	54.	125.	8.5	0.0	-.30	-2.30
5544.0	5546.0	B	16.2	333.	1.5	62.	117.	8.5	0.0	-.70	-2.10
5546.0	5547.0	C	22.4	55.	1.3	62.	119.	8.5	0.0	2.70	-.20
5550.0	5551.0	B	16.3	150.	1.2	55.	122.	8.8	0.0	1.30	2.20
5554.0	5554.3	D	21.1	151.	1.3	62.	109.	8.7	0.0	1.10	2.90
5559.0	5559.2	D	21.1	196.	1.5	63.	88.	8.5	0.0	-1.90	.70
5563.0	5564.0	C	16.2	12.	1.9	66.	65.	8.5	0.0	2.20	.50
5583.0	5583.3	C	18.3	265.	2.2	57.	21.	8.4	0.0	.30	-1.70
5587.0	5588.0	C	23.4	238.	2.3	59.	8.	8.6	0.0	-.50	-2.70
5595.0	5596.0	D	5.6	67.	2.4	65.	349.	8.5	0.0	-.30	.70
5882.0	5884.0	C	37.1	181.	9.0	21.	161.	8.5	0.0	2.90	3.90
5887.0	5888.0	C	33.3	194.	9.0	21.	173.	8.6	0.0	2.20	3.30
5890.0	5892.0	C	35.6	202.	9.0	21.	182.	8.9	0.0	2.50	3.80
5895.0	5896.0	C	35.4	232.	9.0	21.	192.	8.4	0.0	.80	3.70
5899.0	5899.3	D	31.9	192.	9.0	21.	185.	8.5	0.0	2.60	2.80
5903.0	5904.0	C	36.7	167.	9.0	21.	182.	8.4	0.0	4.10	2.50
5906.0	5908.0	C	34.6	177.	9.0	22.	185.	8.6	0.0	3.60	2.60
5910.0	5912.0	C	63.0	191.	9.0	21.	171.	8.4	0.0	6.60	9.90
5914.0	5916.0	D	33.5	224.	9.0	21.	183.	8.4	0.0	.70	3.30
5924.0	5926.0	D	40.0	177.	9.0	21.	170.	8.4	0.0	3.90	4.00
5930.0	5932.0	D	6.2	231.	9.0	23.	164.	8.4	0.0	-.50	-.50
5932.0	5934.0	D	7.8	292.	9.0	25.	163.	8.4	0.0	-1.30	-1.30
5938.0	5940.0	C	26.0	266.	9.0	24.	140.	8.5	0.0	-3.10	-1.30
5942.0	5944.0	C	30.7	258.	9.0	27.	159.	8.4	0.0	-3.50	-1.40
5954.0	5956.0	C	22.1	292.	9.0	30.	175.	8.5	0.0	-3.00	-1.00
5958.0	5960.0	C	17.7	340.	9.0	31.	168.	8.5	0.0	-2.80	-3.10
5962.0	5964.0	L	22.0	272.	9.0	32.	168.	8.4	0.0	-2.50	-.50
5964.0	5966.0	C	24.2	263.	9.0	32.	176.	8.4	0.0	-1.90	.60
5970.0	5972.0	C	22.0	248.	9.0	29.	200.	8.7	0.0	-.30	1.70
5976.0	5976.5	D	15.9	231.	9.0	34.	185.	8.5	0.0	-.10	.80
5985.0	5986.0	D	8.1	299.	9.0	29.	195.	9.1	0.0	-1.70	-.90
5989.0	5990.0	D	19.3	222.	9.0	21.	181.	8.4	0.0	.10	1.30
6001.0	6002.0	D	30.5	217.	9.0	21.	204.	8.4	0.0	1.90	2.90
6003.0	6004.0	C	30.6	221.	9.0	28.	206.	8.5	0.0	1.90	2.90
6025.0	6026.0	D	16.0	236.	9.0	39.	159.	8.4	0.0	-.60	.40
6032.0	6034.0	D	32.0	174.	9.0	38.	139.	8.3	0.0	2.10	3.50
6034.0	6036.0	D	24.2	157.	9.0	39.	138.	8.3	0.0	2.50	2.40
6038.0	6040.0	D	13.0	154.	9.0	43.	132.	8.4	0.0	1.60	1.10
6043.0	6044.0	D	21.1	79.	9.0	40.	172.	8.3	0.0	1.10	-2.70
6048.0	6050.0	D	18.1	85.	9.0	39.	207.	8.6	0.0	-1.00	-3.40
6054.0	6056.0	D	8.6	337.	9.0	37.	232.	8.3	0.0	-1.90	-.50
6065.0	6066.0	D	26.3	219.	9.0	41.	236.	8.3	0.0	2.20	1.50
6076.0	6077.0	D	20.9	297.	9.0	39.	217.	8.4	0.0	-1.90	.80
6080.0	6082.0	D	40.2	201.	9.0	38.	229.	8.4	0.0	4.50	2.10
6092.0	6094.0	D	44.4	242.	9.0	38.	239.	8.3	0.0	4.20	4.90
6102.0	6104.0	D	24.8	129.	9.0	37.	235.	8.4	0.0	-.30	-3.20
6104.0	6106.0	C	23.7	110.	9.0	38.	224.	8.4	0.0	-.70	-3.60
6106.0	6108.0	C	32.0	116.	9.0	38.	228.	8.4	0.0	-.40	-4.60
6110.0	6112.0	C	24.1	91.	9.0	39.	218.	8.4	0.0	-1.40	-4.20
6114.0	6116.0	C	23.1	52.	9.0	39.	214.	8.3	0.0	-3.20	-4.30

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or willful misconduct, for any loss, damages, or expenses resulting from the use thereof.

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS		
								NO.1	NO.2	NO.3
6120.0	6122.0	D	37.0	56.	9.0	39. 212.	8.3	0.0	-4.60	-7.30
6134.0	6136.0	D	26.3	136.	9.0	37. 220.	9.1	0.0	1.20	-2.60
6139.0	6140.0	D	6.9	261.	9.0	35. 252.	9.2	0.0	-.50	.40



A ~~Stallion~~ Company

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or wilful misconduct, for any loss, damages, or expenses resulting from the use thereof.

THE FOLLOWING PARAMETERS APPLY TO THE LOG FROM 670.0 FEET TO 6140.0

MAGNETIC DECLINATION IS 20.5 DEGREES.

DIP AZIMUTH AND AZIMUTH OF NO. 1 ARM HAVE BEEN CORRECTED TO TRUE NORTH IN THIS PRESENTATION.



A Halliburton Company

Welex does not guarantee the accuracy of any interpretation of log data, conversion of log data to physical rock parameters, or recommendations which may be given by Welex personnel or which may appear on the log or in any other form. Any user of such data, interpretations, conversions, or recommendations agrees that Welex is not responsible, except where due to gross negligence or wilful misconduct, for any loss, damages, or expenses resulting from the use thereof.