

STATE OF OREGON  
DEPARTMENT OF GEOLOGY AND MINERAL INDUSTRIES  
1069 State Office Building, Portland 1, Oregon

WELL SUMMARY REPORT  
(Submit in duplicate)

Operator Reichhold Energy Corporation Field \_\_\_\_\_  
Well No. NNG - CZ No. 2 Sec. 8 T. 4N R. 3W Columbia Co. W. B. & M.  
Location 159' S 427' E from W/4 Cor. Sec. 8 Elevation above sea level 675 feet  
All depth measurements taken from top of KB, which is 14 feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date November 7, 1975 Signed W. S. [Signature]  
W. G. Bruer H. C. Patterson Title Engineer  
Engineer/Geologist Superintendent (President, Secretary or Agent)

Commenced drilling 10/17/75 Completed drilling 11/1/75 Drilling tools ~~Cable~~ Rotary  
Total depth 5805' Plugged depth 627'-382' GEOLOGICAL MARKERS DEPTH  
Lunk None. 60'-18'

Commenced producing \_\_\_\_\_ Abn. \_\_\_\_\_ Flowing/gas l'ft/pumping \_\_\_\_\_  
Date \_\_\_\_\_ (cross out unnecessary words)

Initial production \_\_\_\_\_  
Production after 30 days \_\_\_\_\_

Clean oil bbl per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf per day	Tubing Pressure	Casing Pressure
Never	produced.				

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing through perforations
9-5/8	565	0	36#	N	S	K	13-3/4	448 ft <sup>3</sup>	

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
None.	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				

Electrical Log Depths 5801' (Attach Copy of Log)