

Crown Zellerbach of



RECEIVED-PTLD  
JAN 23 1980

DEPT OF GEOLOGY  
& MINERAL INDUS

## DIP LOG CALCULATIONS

COMPANY REICHHOLD ENERGY CORPORATION  
WELL CROWN ZELLERBACK NO.4  
FIELD PITTSBURG AREA  
COUNTY COLUMBIA STATE OREGON

WELEX

A **Halliburton** Company

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRAFT ANGLE	DRAFT AZ.	AZ. NO.1	DIA 15	DIA 24	H12	H13	H24
681.0	C	11.0	61.	.5	199.	236.	6.8	6.9	-.29	.01	1.24
691.0	C	7.7	174.	.5	144.	11.	6.9	7.0	-.61	.74	.79
693.0	C	4.8	158.	.4	171.	50.	6.9	7.0	-.64	.71	.01
695.0	C	15.9	246.	.5	186.	226.	6.9	7.0	-.01	1.97	-2.01
699.0	C	.5	354.	.6	164.	323.	6.9	7.0	.01	-.01	.01
701.0	C	5.3	121.	.6	157.	288.	6.9	7.0	-.02	.68	.67
702.9	C	6.4	109.	.6	151.	253.	6.8	7.0	.29	.70	.75
704.8	A	27.3	152.	.5	137.	213.	6.8	7.0	3.63	3.73	-.68
706.8	A	30.6	116.	.5	151.	175.	6.9	7.0	4.12	3.92	-.91
719.0	C	6.8	294.	.5	137.	275.	6.9	7.0	.05	-.25	-.77
721.0	B	7.3	355.	.5	134.	346.	6.9	7.0	.13	-.58	-.81
729.0	B	2.8	23.	.5	109.	205.	6.9	7.0	-.06	-.04	.32
731.0	A	4.3	335.	.5	106.	175.	6.9	7.0	-.27	.01	.38
739.0	A	15.8	255.	.6	137.	38.	6.8	7.0	.55	-1.30	1.85
741.0	A	5.2	83.	.6	135.	89.	6.8	7.0	.21	-.25	-.61
743.0	A	4.2	357.	.6	134.	1.	6.9	7.0	.15	-.16	-.41
746.9	C	12.6	147.	.5	118.	308.	6.8	7.0	-.01	.76	1.60
749.0	C	6.3	20.	.5	113.	276.	6.9	7.0	-.75	.03	-.01
751.0	B	3.9	348.	.5	110.	242.	6.9	7.0	-.43	.03	.01
752.9	C	28.1	118.	.5	108.	207.	6.9	7.0	3.63	.01	1.17
757.0	B	15.1	4.	.5	105.	146.	6.9	7.0	.58	-1.18	1.45
759.0	B	4.3	347.	.5	106.	115.	6.9	7.0	.30	-.02	.36
761.0	C	4.3	320.	.5	105.	81.	6.9	7.0	.32	.00	.34
765.0	C	3.7	150.	.5	111.	49.	6.9	7.0	-.51	.41	-.09
767.0	C	4.8	320.	.5	112.	219.	6.9	7.0	-.52	.41	-.07
777.0	C	5.8	301.	.5	105.	235.	6.8	7.0	-.48	-.00	-.43
779.0	A	3.1	315.	.2	95.	203.	6.8	7.0	-.35	.04	.03
781.0	A	3.1	351.	.1	86.	172.	6.8	7.0	-.12	.15	.35
783.0	B	4.7	351.	.1	86.	150.	6.9	7.0	.03	.05	.56
785.0	C	4.8	336.	.2	82.	127.	6.9	7.0	.12	.37	.55
786.9	A	6.7	337.	.4	80.	101.	6.9	7.0	.52	1.59	.59
789.0	C	.3	303.	.4	84.	82.	6.9	7.0	.01	-.01	-.01
791.0	C	.3	357.	.4	85.	59.	6.9	7.0	.01	.01	-.04
798.9	C	31.6	306.	0.0	84.	360.	6.9	6.9	4.03	-.01	-1.26
815.2	B	14.4	292.	.4	109.	186.	6.9	7.0	-1.74	-3.01	-.11
827.0	A	4.1	156.	.4	94.	39.	6.9	7.0	-.54	.14	.04
829.0	A	1.3	217.	.3	81.	69.	6.9	6.9	-.12	-.14	.06
831.0	C	1.1	244.	.1	68.	247.	6.9	6.8	.05	-.33	-.11
843.0	C	12.6	199.	0.0	75.	360.	6.8	7.6	-.00	-.19	1.56
899.1	B	19.0	341.	0.0	82.	290.	7.3	6.9	-1.28	.41	-2.13
900.9	C	19.5	257.	0.0	85.	290.	7.5	6.9	1.92	1.50	-1.63
917.0	C	11.6	215.	0.0	84.	298.	7.5	6.9	1.38	-.00	.52
947.0	B	15.9	101.	.5	109.	289.	6.9	7.0	-.92	.14	1.81
949.0	B	16.6	96.	.5	109.	290.	6.9	7.0	-1.14	.26	1.78
953.0	B	25.7	42.	.5	107.	288.	6.8	7.0	-3.35	1.22	.37
955.0	B	20.6	37.	.5	107.	289.	6.9	7.0	-2.63	1.10	.03
980.9	C	30.3	149.	.2	110.	310.	7.7	7.0	-.01	1.02	4.50
984.9	C	12.6	320.	.5	106.	311.	7.7	7.0	.25	2.53	-1.63
987.0	C	3.9	156.	.5	103.	314.	7.6	7.0	-.01	.47	.57
989.0	C	6.0	193.	.5	106.	310.	7.6	7.0	.66	-.02	.82
990.9	C	18.4	158.	.5	111.	299.	7.5	7.0	.80	.66	2.41
993.0	A	3.1	311.	.5	110.	292.	7.2	7.0	.00	-.33	-.33
995.0	A	.5	229.	.5	109.	299.	7.2	7.0	.05	-.09	.06
997.0	B	2.3	325.	.5	110.	308.	7.5	7.0	-.00	-.27	-.25
999.0	B	3.2	252.	.5	110.	311.	7.0	7.0	.36	-.03	-.03

CORRELATED INTERVAL	CORR. GRADE	DIP ANGLE	DTF AZ.	DRFI ANGLE	DRFI AZ.	AZ. NO. 1	DIA 13	DIA 24	H12	H13	H24
1001.0	B	3.4	244.	.5	109.	312.	7.6	7.0	.39	-.03	.03
1004.8	C	12.9	146.	.5	111.	312.	7.6	7.0	-.17	2.85	1.80
1018.9	C	26.6	145.	.5	104.	305.	7.9	7.0	.03	.11	4.03
1049.0	B	3.9	243.	.4	91.	312.	8.3	7.0	.45	-.01	.03
1051.0	B	2.3	236.	.4	90.	312.	8.4	7.0	.25	.02	.11
1053.0	B	4.0	335.	.4	106.	313.	8.4	7.0	-.05	-.38	-.54
1127.1	C	31.7	331.	.5	184.	315.	7.6	6.9	.28	-.84	-4.64
1166.9	C	13.9	232.	.5	217.	315.	7.1	7.0	2.02	1.78	.42
1173.0	B	17.3	50.	.4	227.	312.	7.3	6.9	-2.07	1.67	-.43
1175.0	B	17.5	51.	.5	226.	312.	7.3	6.9	-2.07	1.59	-.44
1182.9	C	16.9	195.	.5	236.	314.	7.8	6.9	1.37	1.71	1.66
1205.0	A	1.7	63.	.5	225.	330.	7.7	6.9	-.14	.53	-.04
1207.0	A	1.6	51.	.5	211.	315.	8.1	7.0	-.13	.54	-.04
1213.0	A	1.1	177.	.4	258.	335.	7.0	7.0	.06	.22	.12
1215.0	A	.3	160.	.4	245.	323.	7.2	7.0	.04	.20	.03
1225.0	C	2.9	358.	.4	247.	317.	7.8	7.0	-.08	-.03	-.39
1227.0	C	3.2	342.	.4	237.	306.	8.2	7.0	-.06	-.03	-.46
1228.9	C	31.6	228.	.5	235.	305.	8.4	7.0	4.34	1.07	.46
1230.8	B	31.7	243.	.3	236.	303.	8.1	7.0	4.28	2.15	-.95
1232.9	C	34.2	250.	.2	240.	302.	8.0	7.0	4.52	.83	-1.82
1245.1	B	29.3	121.	.4	234.	315.	8.0	6.9	-2.05	-2.17	3.74
1247.0	B	33.1	236.	.5	238.	322.	7.6	7.0	4.60	-1.45	-.41
1249.1	B	6.9	336.	.5	219.	317.	7.2	7.0	.08	-2.09	-1.12
1251.0	B	2.3	314.	.5	209.	309.	7.2	7.0	.12	-.07	-.28
1253.0	A	2.1	332.	.4	228.	313.	7.5	7.0	.05	-.05	-.28
1259.0	C	5.6	284.	.4	234.	315.	7.8	6.9	.56	-1.08	-.50
1263.1	C	17.7	318.	.5	229.	312.	7.5	7.0	.53	-1.93	-2.35
1265.1	C	23.4	314.	.4	223.	312.	7.5	6.9	.94	-.47	-3.12
1267.0	B	9.1	305.	.5	222.	314.	7.7	6.9	.58	-.24	-1.09
1269.0	B	3.9	356.	.5	226.	315.	7.7	7.0	-.11	-.30	-.48
1271.0	A	.8	54.	.5	233.	315.	7.7	7.0	-.01	-.04	-.02
1273.1	C	16.5	34.	.6	233.	316.	8.0	7.0	-1.70	-1.96	-1.23
1275.0	B	8.7	8.	.5	235.	317.	8.0	6.9	-.49	-.24	-1.06
1277.0	B	4.2	12.	.4	237.	315.	7.7	6.9	-.27	-.01	-.46
1279.0	B	15.3	287.	.3	234.	313.	7.6	6.9	1.38	.02	-1.46
1293.0	A	2.7	339.	.5	234.	314.	7.8	6.9	.02	-.23	-.38
1295.0	A	2.7	339.	.5	237.	313.	7.9	6.9	.02	-.25	-.39
1329.0	C	10.9	334.	.5	219.	314.	8.2	6.9	.03	1.49	-1.58
1331.1	C	7.0	296.	.5	218.	313.	8.3	6.9	.53	-1.20	-.84
1333.1	C	5.7	312.	.5	215.	311.	8.3	6.9	.28	-1.20	-.78
1345.0	A	3.0	344.	.5	211.	312.	8.1	6.8	-.02	-.12	-.41
1347.0	A	3.1	343.	.4	210.	314.	8.1	6.8	-.02	-.16	-.43
1351.0	A	6.6	309.	.3	211.	311.	8.3	6.8	.43	-.45	-.82
1353.0	A	6.5	302.	.4	215.	312.	8.3	6.7	.42	-.49	-.81
1365.0	B	5.6	209.	.5	209.	314.	8.2	6.6	.58	-.03	.48
1367.0	B	5.7	207.	.4	210.	313.	8.2	6.3	.57	-.01	.49
1396.9	C	24.4	173.	.5	187.	313.	8.3	6.4	1.09	-.00	3.57
1402.7	B	33.9	216.	.3	193.	313.	8.3	6.3	3.79	3.91	2.51
1407.1	C	.7	115.	.5	191.	314.	8.3	6.4	-.01	-1.84	.12
1408.9	C	26.4	244.	.5	189.	314.	8.2	6.6	3.33	-.01	-.02
1411.1	C	17.7	244.	.5	190.	314.	8.3	6.7	2.20	-3.85	-.01
1425.0	B	6.7	273.	.5	170.	311.	8.3	6.6	.69	-.66	-.47
1427.0	B	6.3	264.	.5	169.	312.	8.3	6.7	.72	-.67	-.30

CORRELATED INTERVAL	CORR. SCALE	DIP ANGLE	DIP AZ.	DRFI ANGLE	DRFI AZ.	AZ. NO. 1	LTA 13	DIA 24	H12	H13	H24
1416.6	C	24.5	195.	.5	280.	308.	11.1	6.9	1.00	6.74	4.72
1419.0	C	9.5	279.	.3	280.	309.	11.2	6.9	.86	-.02	-1.25
1421.0	C	11.5	290.	.3	280.	309.	11.1	6.9	.88	.56	-1.83
1425.0	C	5.4	243.	.3	284.	311.	10.5	6.9	.67	-.41	-.09
1427.0	C	6.0	244.	.2	285.	311.	10.5	7.0	.75	-.42	-.11
1436.8	C	25.4	169.	.3	265.	312.	10.7	6.9	1.03	2.92	4.80
1451.0	C	6.4	267.	.1	266.	311.	10.8	7.0	.55	-.92	-.89
1453.0	C	6.1	249.	.1	274.	312.	10.6	7.0	.52	-.86	-.86
1458.6	C	39.9	222.	.3	277.	315.	10.1	7.4	5.73	4.58	3.18
1461.0	C	26.2	259.	.2	273.	314.	10.1	7.4	3.53	-2.14	-1.34
1463.1	C	26.6	258.	.2	265.	314.	10.3	7.2	3.54	-2.31	-1.35
1465.3	C	28.7	318.	.2	262.	314.	10.4	7.0	1.00	-4.91	-5.54
1469.0	C	6.2	295.	.2	262.	315.	10.3	6.8	.47	-.03	-.89
1471.0	C	10.5	323.	.2	262.	317.	10.3	6.7	.28	-.02	-1.89
1473.1	C	21.7	11.	.2	261.	318.	10.4	6.8	-1.51	-1.00	-3.41
1475.1	C	9.7	343.	.1	260.	316.	10.1	6.9	-.15	-.86	-1.72
1477.1	C	9.5	345.	.0	263.	313.	10.0	7.0	-.26	-.82	-1.64
1489.0	C	33.8	333.	.0	258.	314.	10.3	7.5	.01	-4.98	-6.92
1491.2	C	.7	36.	.0	258.	317.	10.0	7.6	-.08	-4.94	-.02
1501.0	C	30.6	248.	.1	254.	312.	9.7	7.5	4.41	-1.48	-.69
1507.0	C	17.2	7.	.0	233.	309.	9.7	7.5	-1.47	1.87	-2.34
1513.0	C	19.3	34.	.3	235.	310.	9.7	7.5	-2.35	1.82	-1.45
1515.0	C	21.0	39.	.4	234.	313.	9.7	7.6	-2.62	2.08	-1.45
1526.9	C	22.6	238.	0.0	234.	311.	9.6	7.5	3.13	1.13	.13
1528.8	C	17.1	229.	0.0	236.	310.	9.4	7.6	2.29	3.76	.52
1531.0	C	5.1	263.	0.0	236.	309.	9.2	7.6	.59	-1.06	-.40
1533.0	C	4.9	252.	0.0	224.	310.	9.1	7.6	.64	.02	-.18
1539.0	C	19.3	260.	.0	208.	315.	9.0	7.5	2.13	-.91	-1.85
1547.1	C	.9	322.	0.0	212.	313.	9.1	7.4	.02	-1.86	-.15
1549.0	C	.8	294.	0.0	212.	312.	9.0	7.4	.04	.15	-.07
1571.2	C	29.6	96.	.1	185.	315.	8.9	7.5	-3.58	-4.10	2.73
1572.9	C	24.5	193.	.1	187.	313.	8.6	7.6	2.28	.01	2.98
1585.0	C	24.3	58.	.0	186.	315.	8.4	7.6	-3.50	1.41	-.38
1607.1	C	30.5	127.	0.0	153.	342.	8.2	7.7	-3.65	-1.04	2.83
1619.0	C	1.4	172.	.2	152.	339.	7.7	7.7	-.02	.00	.21
1621.1	C	9.7	69.	.4	160.	341.	7.8	7.7	-1.32	-.96	.03
1623.1	C	6.3	62.	.6	161.	342.	8.0	7.7	-.75	-.95	-.35
1625.1	C	15.3	141.	.6	166.	341.	7.8	7.7	-1.32	-1.45	1.75
1629.1	C	24.1	33.	.1	168.	325.	7.5	7.7	-3.39	-.02	.56
1631.1	C	20.1	225.	0.0	159.	300.	7.5	7.8	2.84	-2.85	.17
1633.1	C	22.3	213.	0.0	148.	281.	7.5	8.0	3.26	-3.14	-.44
1635.0	C	5.0	235.	0.0	134.	267.	7.5	8.2	.22	-.02	-.33
1637.0	C	2.4	324.	0.0	140.	262.	7.4	8.2	-.23	.01	-.23
1643.0	C	5.5	165.	.0	137.	198.	7.5	7.8	.59	-.22	-.45
1647.0	C	12.3	233.	.0	133.	152.	7.5	7.7	-1.67	.84	-.22
1649.0	C	11.6	229.	.0	136.	130.	7.5	7.9	-1.61	.81	-.26
1675.0	C	2.5	323.	0.0	105.	60.	7.5	8.4	.33	-.36	.14
1677.1	C	12.1	170.	.0	108.	60.	7.5	8.4	-1.30	-.37	.02
1683.0	C	10.7	277.	.2	112.	61.	7.5	8.4	.43	-.24	1.36
1684.9	C	7.0	279.	.3	113.	58.	7.5	8.4	.33	1.85	.83
1687.0	C	20.3	99.	.2	113.	56.	7.5	8.4	-1.31	1.48	-2.56
1688.9	C	16.6	220.	.1	113.	56.	7.5	8.4	-1.43	1.72	1.84
1712.9	C	19.1	289.	.0	113.	359.	7.7	7.7	2.67	1.11	-.03
1714.9	C	13.9	273.	.0	116.	360.	7.7	7.7	1.83	1.39	.54
1723.0	C	4.5	257.	0.0	109.	359.	7.8	7.7	.52	-.04	.33

CORRELATION INTERVAL	CORR. COEFF	DIP ANGLE	D1 AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO. 1	D1A 13	D1A 24	H12	H13	H24
1725.0	C	4.8	257.	0.0	109.	360.	7.8	7.7	.55	-.17	.35
1731.1	C	6.6	227.	0.0	109.	357.	8.1	7.7	.46	-2.42	.81
1733.0	B	10.2	248.	0.0	109.	360.	8.2	7.6	1.04	-.45	.96
1735.0	B	4.2	272.	0.0	109.	359.	8.2	7.6	.54	-.36	.17
1737.0	B	5.9	16.	.0	109.	360.	8.3	7.7	.02	-.40	-.56
1738.9	B	7.1	219.	.1	109.	360.	8.3	7.7	.32	.63	.97
1740.9	C	21.0	213.	.1	108.	360.	8.2	7.7	.94	.61	2.96
1745.1	C	21.5	92.	.2	126.	360.	7.6	7.7	-2.93	-1.04	-.87
1757.1	B	25.2	321.	.2	137.	241.	7.6	7.9	-3.23	-.01	-1.73
1759.0	C	5.4	328.	.2	135.	215.	7.5	7.9	-.44	-.02	.03
1751.0	C	6.4	236.	.2	132.	192.	7.5	7.7	-.33	-.02	-.78
1763.0	C	4.5	9.	.2	122.	171.	7.5	7.7	-.04	.05	.58
1765.0	C	5.4	347.	.2	111.	149.	7.5	7.7	.01	.16	.68
1771.0	C	1.5	262.	.2	105.	83.	7.5	8.0	-.01	.40	.14
1773.0	B	1.9	263.	.3	106.	62.	7.5	7.8	-.02	.17	.22
1775.0	C	5.0	209.	.3	109.	39.	7.4	7.7	-.23	.45	.33
1787.1	C	30.9	299.	.1	132.	310.	7.5	7.7	2.26	-1.92	-3.87
1789.1	C	16.4	240.	.2	132.	290.	7.5	7.7	2.42	-2.47	-.84
1791.0	B	7.6	290.	.2	132.	274.	7.5	7.7	.06	-.43	-.98
1793.0	C	15.9	182.	.3	129.	251.	7.5	7.7	2.24	.00	-.02
1797.0	C	12.8	267.	.3	111.	216.	7.5	7.7	-.90	-.03	-1.42
1799.0	C	10.0	297.	.3	109.	197.	7.5	7.7	-1.30	.01	-.20
1801.0	B	.3	269.	.3	110.	174.	7.5	7.7	-.00	-.00	-.03
1802.9	B	26.6	30.	.3	109.	151.	7.5	7.7	4.27	-.02	-.04
1811.0	B	30.7	226.	.2	110.	74.	7.5	7.7	-3.34	.93	3.01
1816.9	B	17.0	255.	.2	105.	15.	7.5	7.8	1.83	-.00	1.46
1819.9	A	.2	210.	.2	107.	163.	7.6	7.9	.01	-.20	-.04
1821.0	A	.1	291.	.2	109.	360.	7.5	7.8	-.01	-.20	.01
1825.0	C	25.7	51.	.2	111.	343.	7.5	7.7	-3.21	1.85	-1.82
1827.0	C	15.7	269.	.2	113.	324.	7.5	7.7	2.07	-.84	-.54
1829.0	B	1.2	233.	.2	116.	305.	7.6	7.7	.16	-.35	-.15
1831.0	B	6.5	18.	.2	115.	283.	7.6	7.7	-1.12	-.03	-.26
1833.0	B	11.3	359.	.3	110.	264.	7.5	7.7	-1.48	.21	-.32
1843.1	C	25.1	213.	.3	109.	195.	7.6	7.7	-.18	-.01	-3.22
1849.0	C	11.1	303.	.3	106.	152.	7.5	7.9	-1.04	-.01	1.03
1851.0	B	5.3	205.	.5	101.	140.	7.5	8.2	-.49	.02	-.53
1853.0	B	5.2	209.	.6	101.	135.	7.5	8.3	-.50	.02	-.54
1866.8	C	15.6	340.	.8	111.	145.	7.8	8.3	-.11	3.17	1.99
1868.8	C	13.3	351.	.8	110.	135.	7.5	8.3	-.05	2.98	1.65
1870.9	C	9.6	16.	.8	109.	135.	7.5	8.3	1.01	2.28	.86
1875.0	B	5.0	240.	.3	108.	137.	7.5	8.4	-.85	-.02	-.12
1877.0	B	5.0	246.	.2	106.	135.	7.6	8.7	-.74	.03	-.01
1916.8	C	15.9	353.	.6	109.	136.	7.7	9.0	-.02	2.62	2.10
1918.8	C	25.9	353.	.7	109.	135.	7.7	9.0	-.03	3.79	3.81
1937.0	B	10.1	223.	.5	107.	80.	7.5	7.7	-1.09	.57	.78
1939.0	C	8.7	221.	.8	106.	78.	7.7	7.7	-1.02	.58	.56
1941.2	C	21.9	60.	.9	106.	78.	7.8	7.7	1.81	-3.34	-2.63
1955.0	B	15.4	291.	.9	109.	80.	7.6	7.7	.38	-.03	2.00
1957.0	B	4.5	237.	.9	109.	78.	8.0	7.7	.03	-.02	.48
1958.8	B	6.3	231.	.8	109.	78.	8.2	7.7	-.67	3.85	.52
1974.9	B	19.0	279.	.9	133.	13.	7.6	8.0	2.52	.04	1.15
1976.9	A	15.0	267.	.9	133.	7.	7.6	8.2	1.89	.07	1.09
1982.9	B	9.1	243.	.8	133.	11.	7.4	8.3	.72	.77	1.00
1984.9	C	6.4	255.	.8	136.	9.	7.5	8.3	.32	.79	.81
1987.0	C	6.5	22.	.9	139.	169.	7.6	8.1	.27	.47	.74

CORRELATION INTERVAL	COMP. GRADE	DIP ANGLE	DIP AZ.	DREFT ANGLE	DREFT AZ.	AZ. NO.1	DJA 13	D1A 24	H12	H13	H24
1995.0	A	13.0	132.	.8	139.	330.	7.5	7.7	-1.14	.02	1.57
1997.0	A	6.0	135.	.8	139.	319.	7.6	7.6	-.45	.34	1.15
1999.0	A	0.0	161.	.8	140.	314.	7.6	7.6	.16	.39	1.16
2012.0	C	10.2	204.	.8	138.	238.	7.5	7.8	1.24	3.52	-.80
2015.0	C	6.2	220.	.8	137.	237.	7.4	8.1	.63	-.57	-.64
2017.0	B	4.7	240.	.6	138.	234.	7.4	8.2	.27	-.38	-.58
2019.1	C	9.5	245.	.8	139.	233.	7.4	8.2	.27	-.96	-1.23
2049.1	B	14.6	197.	.9	133.	237.	7.5	8.2	.69	-2.65	-.30
2051.1	B	8.4	228.	.9	133.	236.	7.5	8.3	.69	-1.90	-.96
2051.0	B	10.7	211.	.9	133.	241.	7.5	8.3	1.30	-.02	-.90
2063.1	C	29.6	250.	.9	132.	241.	7.6	8.4	.88	-.82	-4.19
2064.0	C	7.8	244.	.9	132.	241.	7.5	8.6	.44	1.71	-.96
2067.0	C	5.4	266.	.9	132.	241.	7.5	8.8	.02	-.61	-.80
2069.0	B	7.0	234.	.9	133.	238.	7.6	8.8	.56	-.81	-.84
2071.0	B	2.5	258.	.9	134.	235.	7.6	8.5	.04	.01	-1.10
2073.0	A	9.5	258.	.9	135.	238.	7.5	8.4	.10	.02	-1.23
2082.0	C	24.0	105.	.9	136.	249.	7.5	8.4	1.23	-1.02	3.36
2090.1	C	35.4	223.	.9	133.	239.	7.5	8.2	3.22	-2.46	-4.03
2101.0	C	29.9	214.	.9	133.	238.	7.5	8.5	3.48	-.04	-3.12
2110.0	C	4.1	246.	.9	138.	263.	7.6	9.0	.50	1.43	-.37
2131.0	C	12.2	12.	.8	139.	266.	7.6	9.1	-1.86	.02	-.02
2133.0	B	13.2	12.	.8	139.	266.	7.7	9.0	-2.00	.05	-.03
2135.1	C	14.5	315.	.9	139.	239.	7.6	8.9	-1.80	-1.10	-1.04
2137.0	C	14.3	177.	.9	137.	236.	7.6	9.0	2.38	-2.04	-.41
2139.1	B	18.2	393.	.8	134.	233.	7.6	9.0	-2.15	-1.36	-1.55
2141.3	C	29.7	241.	.8	119.	225.	7.6	8.8	.34	-4.27	-4.31
2167.0	B	3.4	284.	.8	138.	254.	7.6	8.7	-.02	-.71	-.52
2169.0	B	7.0	217.	.8	137.	248.	7.7	8.8	.95	-.68	-.57
2189.0	B	11.6	227.	.7	151.	264.	7.5	8.9	1.62	-1.47	-.84
2191.1	B	11.6	234.	.7	155.	266.	7.5	8.9	1.44	-1.61	-1.02
2201.1	C	16.3	31.	.8	155.	258.	7.4	8.9	-2.33	-1.38	.95
2239.0	C	7.2	76.	.8	137.	242.	7.6	9.2	.00	.00	.99
2245.0	C	16.3	7.	.8	138.	260.	7.7	9.0	-2.53	2.36	-.02
2247.0	C	10.8	233.	.8	138.	260.	7.6	8.9	1.33	-1.03	-.96
2249.0	B	15.3	212.	.9	138.	260.	7.6	9.0	2.07	-.52	-.66
2258.0	C	14.8	84.	.8	139.	258.	7.5	8.5	-.40	1.74	1.99
2261.0	C	10.3	293.	.8	138.	258.	7.6	8.4	-.33	.43	-1.26
2267.0	C	12.6	39.	.8	136.	257.	7.6	8.4	-1.52	.67	.98
2269.0	C	18.2	22.	.8	136.	251.	7.6	8.5	-2.46	.68	.99
2274.0	C	11.2	145.	.9	135.	238.	7.6	8.4	1.67	1.29	.59
2283.0	C	14.1	222.	.6	134.	231.	7.5	6.9	1.19	.00	-1.65
2285.0	C	14.6	217.	.9	133.	231.	7.6	8.9	1.41	.02	-1.64
2297.0	B	4.1	165.	.8	133.	235.	7.6	8.9	.77	-.30	.01
2299.0	B	16.4	235.	.8	133.	234.	7.6	8.7	.94	-.50	-2.11
2306.0	C	9.2	237.	.3	129.	237.	7.5	8.4	.00	2.37	-1.21
2309.0	B	20.5	312.	.3	134.	234.	7.6	8.3	-2.61	1.13	-1.47
2311.0	C	27.0	39.	.3	139.	231.	7.6	8.4	-2.76	-.01	3.07
2313.1	C	12.0	243.	.3	139.	222.	7.6	8.4	.00	-.84	-1.62
2317.0	B	.3	286.	.3	137.	211.	7.6	8.5	.00	-.01	-.03
2319.1	B	6.2	229.	.2	137.	210.	7.6	8.7	.03	-1.19	-.84
2321.1	C	6.7	209.	.2	137.	210.	7.6	8.9	.39	-1.12	-.84
2341.0	C	14.2	170.	.2	127.	212.	7.5	9.0	2.03	-.01	-.93
2345.1	B	16.5	266.	.3	132.	212.	7.6	9.1	-1.52	-.01	-1.83
2347.0	B	9.2	249.	.2	134.	211.	7.6	9.0	-.44	-.35	-1.17
2349.0	B	7.9	233.	.2	135.	210.	7.6	9.0	-.05	-.56	-1.06

CORRELATION INTERVAL	DEPT. GRADE	DIP ANGLE	DIP AZ.	DEPT ANGLE	DEPT AZ.	AZ. NO. 1	DIP L <sup>3</sup>	DJA 24	H12	H13	H24
2353.3	C	26.9	261.	.2	133.	208.	7.6	9.0	-2.77	-3.48	-3.47
2359.0	B	1.2	247.	.2	124.	205.	7.5	9.1	-.03	-.52	-.15
2361.0	B	1.6	163.	.2	114.	196.	7.5	9.0	.22	-.52	-.15
2365.0	B	2.9	95.	.1	112.	190.	7.5	8.8	.42	-.30	.16
2367.0	A	.9	192.	.1	112.	189.	7.5	8.5	.04	-.17	-.11
2369.0	B	2.6	124.	.1	111.	187.	7.5	8.3	.38	-.18	-.05
2371.0	C	4.5	92.	.1	110.	187.	7.5	8.3	.60	.01	.24
2373.0	C	5.8	210.	.1	111.	187.	7.5	8.3	-.95	-.29	-.77
2375.0	A	6.2	205.	.1	110.	186.	7.5	8.3	-.03	-.34	-.81
2377.0	C	9.0	209.	.1	110.	186.	7.5	8.3	-.03	.26	-.53
2379.0	C	9.8	204.	.1	111.	185.	7.6	8.4	-.00	-.44	-1.32
2381.4	B	11.2	190.	.1	110.	183.	7.6	8.4	.37	-.76	-1.47
2383.0	A	5.4	204.	.1	109.	186.	7.6	8.4	.03	-.18	-1.12
2385.0	B	4.5	187.	.1	109.	190.	7.6	8.4	.26	-.42	-.56
2387.0	B	2.9	159.	.1	109.	190.	7.6	8.5	.34	-.16	-.25
2389.0	B	2.0	163.	.1	109.	190.	7.6	8.7	.23	.03	-.19
2395.0	B	6.2	175.	.1	108.	188.	7.5	8.4	.49	-.52	-.69
2397.0	B	9.1	140.	.1	106.	183.	7.5	8.5	1.20	-.03	-.58
2399.1	B	15.0	176.	.0	108.	173.	7.5	8.6	.66	-.75	-1.93
2401.1	A	18.4	169.	.0	113.	165.	7.5	8.7	.78	-.78	-2.41
2403.1	C	26.2	167.	.1	114.	165.	7.5	8.9	-.26	-.62	-3.70
2405.1	B	9.5	165.	.1	114.	164.	7.5	9.0	-.05	-.88	-1.26
2407.1	B	8.7	177.	.1	113.	163.	7.5	9.1	.14	-1.18	-1.15
2409.1	B	6.1	135.	.0	113.	164.	7.5	9.0	.72	-1.66	-.54
2411.0	B	.3	355.	.1	113.	165.	7.5	9.0	-.00	-.03	.04
2413.0	B	.3	343.	.1	114.	166.	7.5	9.0	-.01	-.13	.03
2417.0	B	5.7	203.	.1	114.	179.	7.5	9.2	-.15	-.13	-.76
2419.0	B	4.9	179.	.1	113.	184.	7.6	9.5	.34	-.14	-.60
2421.0	C	3.5	77.	.1	107.	185.	7.6	9.7	.46	-.02	.26
2461.0	C	14.6	226.	.1	134.	209.	7.7	9.0	.11	-.00	-2.01
2482.7	C	33.1	32.	.2	138.	183.	7.6	8.2	.94	3.23	4.88
2506.9	B	16.2	347.	.2	110.	182.	7.7	8.3	-1.35	2.90	1.84
2509.0	B	16.6	303.	.2	119.	184.	7.6	8.3	-2.43	1.80	.39
2523.6	C	15.2	259.	.1	135.	185.	7.5	8.2	-2.21	.29	.15
2525.0	C	1.2	122.	.1	135.	182.	7.5	8.1	.26	-.03	-.05
2527.0	B	4.5	95.	.0	132.	169.	7.6	8.1	.60	-.01	.05
2529.0	B	5.2	58.	0.0	133.	160.	7.6	8.3	.65	.03	.35
2531.0	B	5.0	78.	.0	135.	161.	7.6	8.4	.71	.27	.14
2533.0	A	4.4	112.	.1	129.	159.	7.5	8.4	.60	-.94	-.24
2535.0	A	4.6	176.	.2	128.	159.	7.5	8.3	.03	0.00	-.62
2537.0	B	1.4	142.	.2	127.	164.	7.5	8.3	.16	-.04	-.17
2539.0	A	2.5	63.	.2	123.	174.	7.5	8.3	.30	-.01	.15
2540.9	B	26.0	106.	.1	124.	183.	7.5	8.3	3.36	.02	.31
2543.0	B	2.5	22.	.2	128.	188.	7.6	8.4	-.01	.03	.29
2545.0	B	2.1	19.	.3	133.	187.	7.7	8.4	-.00	.38	.26
2547.0	B	2.9	42.	.2	135.	185.	7.7	8.6	.16	.90	.35
2549.0	B	5.2	64.	.2	132.	189.	7.7	8.7	.50	.44	.55
2551.0	C	7.5	113.	.3	133.	194.	7.7	8.5	1.13	.46	.17
2553.0	C	1.6	39.	.3	140.	202.	7.7	8.3	.03	.68	.20
2557.0	B	3.6	92.	.2	156.	189.	7.4	8.3	1.14	-.01	.47
2559.0	B	3.6	27.	.2	158.	186.	7.5	8.2	.03	-.05	.46
2561.0	C	5.1	251.	.1	161.	184.	7.5	8.2	-.54	-.53	-.47
2573.1	C	27.4	225.	.2	136.	108.	7.7	8.0	-4.13	.01	.53
2574.9	B	19.7	27.	.2	134.	105.	8.1	7.8	2.77	.02	.33
2593.0	A	30.5	321.	.1	135.	84.	8.3	7.7	2.78	-4.25	3.83

CORRELATION INTERVAL	DEPTH GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO. 1	PTA 13	DIA 24	H12	H13	H24
2610.9	0	21.5	12.	.1	157.	137.	7.5	8.2	1.90	-.00	2.53
2615.0	0	7.5	170.	.1	160.	360.	7.5	8.0	-.52	-.00	.87
2617.0	0	9.4	194.	.1	160.	353.	7.6	7.8	.03	-.03	1.27
2619.0	0	9.2	185.	.1	159.	344.	7.6	7.7	.03	-.58	1.24
2623.1	3	23.8	90.	.2	160.	335.	7.6	7.7	-3.39	-.02	.41
2624.9	5	6.9	146.	.3	163.	333.	7.7	7.7	-.42	1.24	.87
2626.9	3	9.7	156.	.2	163.	336.	7.7	7.7	-.44	1.26	1.26
2631.0	0	3.4	197.	.1	159.	344.	7.7	7.8	.10	.13	.45
2655.0	3	11.3	162.	.2	164.	338.	7.9	7.7	-.40	-.67	1.56
2656.9	0	5.7	187.	.0	163.	339.	7.9	7.7	.13	1.35	.78
2663.0	0	25.7	137.	.1	162.	341.	8.3	7.6	-2.80	.75	3.36
2688.9	0	16.0	211.	.2	164.	345.	8.2	7.6	1.13	.01	2.40
2697.0	0	.4	17.	.0	183.	349.	7.5	7.7	-.02	.52	-.12
2707.0	0	7.7	125.	.2	188.	286.	7.5	7.6	.03	.01	1.02
2713.0	0	34.5	45.	.2	179.	246.	7.5	7.7	-3.38	.00	3.92
2719.1	0	19.3	245.	.2	160.	216.	7.4	8.1	-.48	.00	-2.58
2721.1	0	21.8	261.	.2	162.	213.	7.4	8.2	-1.55	.01	-2.63
2727.1	0	13.0	202.	.2	159.	198.	7.5	7.9	.49	-1.05	-1.68
2729.1	0	12.4	183.	.2	162.	180.	7.5	7.7	.45	-1.12	-1.61
2731.1	0	19.3	196.	.2	160.	167.	7.5	7.7	-.45	-.80	-2.59
2733.1	3	17.0	163.	.2	160.	150.	7.5	7.8	.04	-.80	-2.30
2735.0	0	16.1	156.	.1	161.	137.	7.5	7.8	-.01	-.02	-2.18
2739.0	0	24.6	220.	.1	157.	111.	7.5	7.7	-3.56	1.41	-.03
2741.0	0	5.9	101.	.1	157.	106.	7.5	7.7	.51	1.28	-.72
2743.0	0	9.6	146.	.1	156.	91.	7.6	7.7	-.77	1.25	-1.04
2745.0	0	18.0	167.	.0	157.	83.	7.6	7.7	-2.26	.68	-1.08
2747.0	0	21.3	201.	.0	160.	83.	7.6	7.7	-2.98	1.23	.47
2749.0	0	21.7	195.	.0	162.	73.	7.6	7.7	-3.00	1.18	.68
2750.8	0	30.8	293.	.1	163.	56.	7.5	7.7	3.12	1.77	3.29
2774.9	0	30.3	235.	.0	138.	359.	7.5	8.4	2.93	-.64	3.48
2776.9	0	31.2	237.	.0	137.	359.	7.5	8.4	3.19	-.84	3.52
2779.1	0	8.2	19.	.0	136.	359.	7.5	8.3	-.01	-2.46	-1.08
2782.0	0	20.1	160.	.0	131.	360.	7.6	8.4	-1.95	3.95	2.14
2790.9	3	18.7	205.	0.0	131.	360.	7.5	8.4	.27	.31	2.51
2792.9	3	18.6	206.	0.0	133.	360.	7.5	8.3	.34	.35	2.52
2795.0	0	9.0	147.	0.0	134.	360.	7.6	8.2	-1.10	.61	.78
2797.0	0	14.8	159.	0.0	136.	360.	7.5	8.3	-1.42	1.00	1.52
2799.0	0	17.7	165.	0.0	143.	360.	7.5	8.3	-1.48	.95	1.97
2804.9	0	29.3	197.	0.0	163.	358.	7.6	8.3	-.01	.85	4.25
2806.9	3	21.3	169.	.2	160.	350.	7.5	8.3	.02	.94	2.95
2808.9	3	16.0	169.	.5	152.	339.	7.5	8.3	.46	.39	2.25
2811.0	3	10.0	176.	.6	140.	337.	7.5	8.3	.02	.03	1.40
2820.9	3	19.9	220.	.1	140.	343.	7.6	8.3	1.87	-.49	2.18
2822.9	3	17.0	212.	0.0	136.	349.	7.7	8.3	1.07	.88	2.23
2824.9	0	13.2	239.	.1	137.	357.	7.8	8.3	1.32	1.14	1.33
2827.1	0	14.2	264.	.3	149.	360.	7.6	8.4	1.92	-3.51	.83
2830.9	3	17.9	212.	.4	160.	360.	7.5	8.4	.61	1.53	2.41
2832.9	0	11.9	170.	.5	162.	352.	7.5	8.4	-.65	1.88	1.54
2834.9	3	19.8	157.	.5	175.	344.	7.6	8.3	-1.29	1.93	2.54
2836.7	3	28.4	180.	.5	187.	341.	7.5	8.2	-.01	4.60	4.17
2838.8	0	34.0	323.	.5	197.	340.	7.5	8.2	3.31	4.92	-4.04
2843.2	0	13.0	163.	.5	212.	336.	7.6	8.2	-1.73	-3.95	.59
2854.8	0	20.2	235.	.3	164.	246.	7.5	7.7	1.45	4.40	-2.41
2857.0	0	17.3	193.	.1	162.	229.	7.5	7.7	2.00	-.05	-1.34
2859.1	0	16.2	163.	0.0	160.	214.	7.5	7.7	1.57	-1.79	-1.55



CORRELATED INTERVAL	Class GRADE	DIP ANGLE	DIP AZ.	DRFI ANGLE	DRFI AZ.	AZ. NO.1	DTA 13	D1A 24	H12	H13	H24
2861.1		15.5	217.	0.0	156.	196.	7.5	7.8	-.07	-.74	-1.77
2863.1		15.2	203.	0.0	143.	181.	7.5	8.0	-.09	-.52	-1.75
2864.9		17.9	297.	.1	140.	170.	7.5	8.2	-.83	2.97	-2.31
2866.0		20.7	351.	.5	140.	164.	7.6	8.2	-.63	.67	2.76
2869.0		4.5	225.	.3	146.	163.	7.6	8.2	-.43	-.12	-.48
2871.0		5.5	224.	.0	162.	161.	7.5	8.2	-.55	-.30	-.53
2873.0		11.7	127.	0.0	179.	158.	7.5	8.2	1.29	-.57	-1.00
2879.2		29.6	195.	.4	183.	123.	7.5	7.8	-3.61	-.74	-2.58
2885.1		6.0	168.	.5	188.	84.	7.5	8.1	-.85	-1.21	-.33
2887.1		9.7	165.	.5	187.	72.	7.5	8.0	-1.58	-2.08	-.33
2891.0		11.2	164.	.5	189.	53.	7.6	7.9	-1.61	1.56	.09
2901.0	A	2.7	203.	.3	177.	346.	10.0	9.9	.15	.54	.50
2903.0	A	1.6	300.	.5	167.	360.	14.0	13.9	.34	-.15	.04
2905.0	A	1.2	306.	.7	172.	356.	15.6	15.7	.30	-.25	.07
2907.0	A	1.7	369.	.5	168.	330.	11.5	11.5	-.03	.01	-.24
2909.0	A	1.0	353.	.1	167.	312.	7.6	7.6	-.04	-.02	-.11
2911.1	A	17.5	53.	.1	180.	309.	7.6	7.8	-2.42	-.03	-.03
2919.0	A	15.5	182.	.2	182.	252.	7.5	7.7	2.15	.00	-.04
2921.0	A	15.6	161.	.1	186.	231.	7.5	7.7	2.17	-.01	-.03
2923.3	C	20.5	289.	.1	187.	217.	7.5	7.7	-2.01	-4.15	-2.02
2935.1	C	32.9	205.	.1	187.	126.	7.5	7.8	-4.56	.01	-2.44
2937.1		29.7	147.	.1	181.	114.	7.5	7.7	-1.06	.02	-4.15
2947.0	C	4.3	147.	.1	158.	40.	7.5	8.2	-.62	.58	-.02
2949.0	B	17.5	124.	.1	164.	33.	7.5	8.1	-2.43	.48	-.74
2951.0	A	17.7	123.	.1	176.	27.	7.5	7.9	-2.46	.58	-.53
2953.0	A	11.5	131.	.1	187.	13.	7.5	7.7	-1.56	.63	.25
2970.9	C	14.4	205.	.0	182.	275.	7.5	7.7	1.98	1.28	-.01
2973.0	C	22.5	161.	.0	183.	258.	7.5	7.7	2.85	-1.67	1.37
2975.0	A	20.7	151.	.0	183.	246.	7.5	7.6	2.64	-1.65	1.17
2977.0		27.8	152.	.0	180.	228.	7.5	7.7	4.06	-1.47	.37
2979.1	C	32.4	179.	.0	180.	215.	7.5	7.8	4.06	-3.71	-2.72
2989.1	C	23.4	192.	.1	181.	148.	7.6	7.7	-1.42	-1.10	-2.99
2996.9	C	29.2	280.	.0	181.	91.	7.5	8.0	-.83	1.50	4.10
2999.0	C	12.4	133.	.0	182.	77.	7.5	7.9	-1.06	1.42	-1.31
3001.1	B	23.7	114.	.0	185.	65.	7.5	7.8	-1.69	1.04	-2.86
3003.1	C	29.2	100.	.0	188.	48.	7.6	7.7	-2.34	1.39	-3.54
3004.9	B	19.3	189.	.0	195.	36.	7.6	7.7	-1.95	1.74	1.85
3007.0	B	15.2	202.	.0	204.	20.	7.5	7.9	-.62	-.02	1.96
3008.9	B	24.5	249.	.0	207.	59.	7.5	7.9	-.61	.65	3.39
3014.9	C	20.7	187.	.1	203.	355.	7.5	7.8	-.35	1.25	2.83
3016.9	A	16.5	183.	.1	205.	345.	7.5	7.8	-.03	.75	2.52
3018.9	C	16.0	204.	.1	197.	330.	7.5	7.9	1.31	.02	1.77
3020.9	C	22.4	299.	.2	189.	317.	7.5	8.1	2.69	-.03	1.85
3022.9	B	22.4	191.	.2	187.	301.	7.5	8.2	2.66	-.50	1.95
3029.0	B	17.2	196.	.5	184.	276.	7.5	8.3	2.60	-.75	.33
3031.0	C	3.0	49.	.6	184.	259.	7.5	8.0	-.24	-.83	.24
3033.0	C	22.7	22.	.6	183.	244.	7.5	7.7	-2.74	1.48	1.47
3039.0	B	4.5	51.	.2	183.	213.	7.6	7.7	.01	-1.37	.55
3041.1	B	9.7	234.	.2	185.	212.	7.7	7.7	-.05	-1.30	-1.19
3043.1	B	8.0	229.	.2	187.	205.	7.7	7.7	-.08	-1.32	-1.10
3045.1	B	10.6	194.	.2	195.	191.	7.7	7.8	.40	-1.85	-1.41
3047.0	C	17.3	33.	.2	205.	180.	7.6	7.9	.59	-1.96	2.28
3060.9	C	19.1	268.	.1	191.	79.	7.5	8.0	-.49	.70	2.58
3071.0	C	12.5	210.	.2	208.	13.	7.6	7.8	-.03	-.01	1.70
3073.1	C	25.6	166.	.2	210.	57.	7.5	7.8	-3.76	-.51	.03

3075.1	C	21.1	278.	.2	213.	236.	7.5	7.7	-1.17	-1.03	-2.69
3077.0	B	27.0	134.	.3	215.	360.	7.5	7.9	-3.65	1.88	1.62
3078.9	B	21.5	191.	.4	216.	357.	7.5	8.2	-.25	1.73	3.03
3080.9	C	19.1	139.	.5	216.	347.	7.5	8.2	.21	.85	2.64
3082.9	B	12.9	202.	.7	215.	337.	7.5	8.2	.90	.50	1.59
3084.9	B	14.1	171.	.7	214.	326.	7.5	8.2	.60	-.00	1.87
3087.0	B	12.5	186.	.7	212.	315.	7.5	8.2	1.06	-.03	1.40
3088.9	C	16.0	185.	.7	210.	305.	7.5	8.2	1.64	.38	1.63
3091.1	B	7.9	107.	.7	209.	292.	7.5	8.1	-.36	-2.54	.94
3093.1	A	8.2	339.	.5	207.	277.	7.5	7.9	-.71	-2.80	-.82
3095.0	B	16.5	204.	.5	203.	261.	7.5	7.8	2.28	-.76	-.55
3103.0	C	16.2	177.	.4	195.	212.	7.5	7.7	1.84	-.30	-1.35
3105.0	B	19.1	179.	.4	203.	206.	7.5	7.9	1.97	-.93	-1.88
3107.0	B	16.5	162.	.5	203.	194.	7.7	8.1	2.07	-1.16	-1.64
3109.0	C	31.5	122.	.3	202.	183.	7.7	8.1	4.93	-.94	-.86
3137.0	C	15.0	173.	.2	207.	15.	7.6	7.9	-1.19	-.90	1.35
3139.0	C	12.2	162.	.2	202.	23.	7.6	8.1	-1.15	-.78	1.27
3146.9	C	29.4	255.	.3	206.	352.	7.5	7.7	3.96	-.02	1.85
3148.8	C	27.8	229.	.2	206.	344.	7.5	7.7	2.99	1.46	2.75
3150.8	C	32.5	188.	.2	206.	331.	7.5	7.8	1.50	1.71	4.56
3153.1	B	16.1	209.	.2	207.	318.	7.5	8.0	1.83	-.55	1.36
3155.0	C	16.1	223.	.3	203.	308.	7.5	8.0	2.32	-1.31	.33
3157.0	C	15.7	217.	.3	199.	297.	7.5	7.8	2.20	-1.56	.34
3159.0	B	11.6	172.	.3	201.	287.	7.5	7.8	1.19	-.91	1.07
3161.0	B	14.9	205.	.3	200.	287.	7.5	8.1	2.15	-1.26	.38
3163.0	B	21.1	229.	.3	193.	281.	7.5	8.0	2.98	-1.30	-.94
3165.0	B	15.5	195.	.3	189.	267.	7.5	7.9	2.25	-.83	.02
3166.9	B	19.0	153.	.3	188.	261.	7.5	8.0	2.23	.24	1.58
3171.0	B	21.9	209.	.3	189.	251.	7.5	7.9	2.84	-1.88	-1.46
3173.1	C	20.2	196.	.3	190.	238.	7.5	7.7	2.53	-2.46	-1.35
3175.0	C	13.2	213.	.2	189.	224.	7.5	7.9	.94	-.85	-1.55
3177.1	B	14.9	206.	.2	188.	213.	7.5	8.1	.95	-1.37	-1.83
3179.1	B	14.0	204.	.2	187.	200.	7.5	8.1	.54	-1.55	-1.85
3181.1	B	24.7	198.	.2	185.	190.	7.5	7.9	.63	-1.53	-3.43
3185.1	B	10.0	153.	.2	184.	167.	7.5	7.8	.72	-1.70	-1.14
3187.1	C	9.5	151.	.2	182.	159.	7.5	7.8	.59	-1.74	-1.13
3189.1	B	11.4	179.	.1	183.	158.	7.5	7.8	-.07	-.65	-1.53
3191.1	B	10.6	170.	.1	188.	149.	7.5	7.7	-.06	-.76	-1.43
3198.9	C	5.0	54.	.2	188.	137.	7.7	7.8	.76	.83	.14
3201.0	B	5.5	255.	.2	189.	134.	7.7	7.8	-.75	.58	.10
3203.1	C	29.7	167.	.2	189.	134.	7.9	7.8	-1.11	-.03	-4.28
3213.1	B	21.5	198.	.3	188.	132.	7.7	8.0	-2.39	-1.00	-2.04
3215.1	A	17.7	168.	.3	188.	129.	7.6	7.9	-.88	-.83	-2.32
3217.1	B	11.4	145.	.2	184.	129.	7.6	7.8	.03	-.80	-1.55
3219.0	C	9.7	70.	.2	182.	128.	7.6	7.7	1.27	-.76	-.31
3223.0	B	5.9	93.	.2	181.	110.	7.7	7.9	.71	.83	-.99
3224.9	C	7.5	311.	.2	182.	108.	7.7	7.8	.04	.77	1.01
3226.9	C	7.6	310.	.2	184.	98.	7.6	7.9	.21	.78	1.00
3229.0	B	16.5	197.	.2	182.	81.	7.5	8.0	-2.71	1.17	.31
3231.0	C	11.5	165.	.2	180.	68.	7.5	7.9	-1.62	.84	-.29
3233.0	C	12.2	191.	.2	180.	58.	7.5	7.8	-1.60	1.01	.71
3235.0	A	19.3	159.	.2	181.	51.	7.5	7.9	-2.04	1.24	-.01
3237.0	C	21.2	115.	.2	182.	37.	7.5	8.0	-2.67	1.30	-1.49
3239.0	C	21.4	64.	.2	186.	31.	7.5	8.1	-1.76	2.91	-2.43
3246.0	C	22.9	256.	.2	185.	3.	7.5	8.3	2.84	1.92	1.89
3252.9	B	6.0	161.	.2	182.	5.	7.5	8.2	-.78	1.87	.80
3271.0	C	25.5	130.	.3	182.	357.	7.5	7.8	-3.42	.71	1.47
3277.1	B	24.2	161.	.2	184.	338.	7.6	7.7	-.95	-2.45	3.33
3278.9	B	19.5	161.	.2	190.	329.	7.7	7.8	-.31	1.84	2.77
3280.8	C	17.7	163.	.2	192.	316.	7.6	7.9	.35	2.80	2.42
3287.0	C	29.4	213.	.1	182.	311.	7.6	7.9	3.97	-1.93	1.95

CORRELATION INTERVAL	DIR. GRADE	DIP ANGLE	DIP AZ.	DRFI ANGLE	DRFI AZ.	A7. NO.1	DIA 13	DIA 24	H12	H13	H24
3321.0	C	16.9	176.	.2	190.	302.	8.0	8.1	1.44	-1.95	2.00
3323.0	C	5.9	256.	.3	188.	301.	8.0	8.1	1.17	-.49	-.55
3325.0	C	7.8	232.	.3	188.	301.	8.0	8.1	1.15	-.01	-.03
3327.1	C	4.9	323.	.3	189.	302.	8.1	8.0	.01	-1.66	-.67
3329.1	C	6.3	48.	.3	189.	302.	8.2	8.0	-.85	-2.09	-.03
3336.9	C	10.4	195.	.3	187.	305.	8.3	8.0	1.17	.46	.98
3348.9	C	12.9	182.	.3	187.	305.	8.3	8.0	1.15	-.02	1.52
3351.0	C	14.2	203.	.3	188.	305.	8.2	8.0	1.15	-.02	.70
3352.9	C	14.6	165.	.3	189.	304.	8.3	8.0	.81	-.02	2.02
3354.9	C	21.7	165.	.3	190.	304.	8.2	8.0	1.23	.02	3.05
3359.0	C	7.3	283.	.3	197.	305.	8.1	8.0	.76	-.03	-.84
3361.1	C	8.0	235.	.3	199.	304.	8.2	8.0	1.17	-2.62	-.03
3367.1	C	13.7	246.	.3	201.	305.	8.2	8.0	2.70	-3.56	-.56
3368.9	C	26.7	206.	.3	201.	306.	8.1	8.0	3.55	-.04	2.02
3371.0	C	17.6	222.	.3	201.	307.	8.1	8.0	2.51	-.40	.66
3373.0	C	4.9	189.	.3	201.	308.	8.1	8.1	.50	.05	.52
3376.8	C	17.1	185.	.3	198.	306.	8.2	8.0	1.64	1.87	1.96
3393.9	C	10.9	258.	.3	201.	304.	8.1	8.1	1.47	-.01	-.64
3405.0	C	15.2	209.	.3	204.	311.	8.3	8.1	1.94	-.75	1.18
3411.0	C	19.3	73.	.3	204.	313.	8.1	8.1	-2.74	.52	.56
3413.1	C	15.3	75.	.4	204.	315.	8.1	8.1	-2.13	-2.58	.47
3426.9	C	27.5	245.	.4	210.	325.	8.2	8.1	4.24	-.00	.67
3428.9	C	26.3	269.	.4	213.	315.	8.1	8.1	3.68	2.23	-1.72
3455.0	C	11.0	176.	.4	224.	120.	7.9	8.1	-1.00	.01	-1.21
3462.9	C	24.6	265.	.5	221.	61.	7.9	8.1	.32	-.03	3.67
3466.9	C	5.2	229.	.5	220.	33.	7.9	8.1	-.03	2.09	.79
3468.9	C	9.1	168.	.5	220.	19.	7.9	8.1	-.61	1.16	1.17
3472.9	C	13.1	153.	.6	222.	318.	7.9	8.1	-.04	.65	1.83
3477.0	C	26.5	17.	.6	225.	357.	7.8	8.1	-.01	2.05	-3.82
3479.1	C	25.1	48.	.7	227.	348.	7.8	8.1	-2.43	.03	-2.70
3481.0	C	17.5	341.	.7	226.	333.	7.9	8.1	.57	.00	-2.40
3483.0	C	16.6	323.	.7	224.	316.	7.9	8.1	.60	.02	-2.29
3490.9	C	23.7	172.	.7	228.	258.	7.9	8.1	3.49	.79	.81
3497.0	C	21.1	169.	.6	227.	222.	7.8	8.1	2.97	.01	-1.02
3509.1	C	16.2	178.	.5	210.	147.	7.9	8.1	-.54	-1.08	-2.29
3515.1	C	12.1	180.	.6	210.	118.	7.9	8.1	-1.26	-.24	-1.23
3517.1	C	19.1	168.	.6	214.	106.	7.9	8.1	-1.98	.32	-1.98
3519.0	C	16.7	188.	.6	216.	93.	7.9	8.1	-2.44	.84	-.52
3521.0	C	7.9	188.	.6	219.	83.	7.9	8.1	-1.18	-.01	-.01
3523.1	C	12.6	181.	.6	222.	73.	7.9	8.1	-1.66	-1.51	.02
3525.0	C	24.6	178.	.6	226.	61.	7.9	8.1	-3.72	1.53	.55
3555.0	C	6.7	193.	1.1	225.	274.	7.9	8.1	1.06	.02	-.01
3556.9	C	16.5	120.	1.1	224.	265.	7.9	8.1	.76	.02	2.14
3575.1	C	16.7	166.	1.0	221.	197.	7.8	8.1	1.80	-1.66	-1.64
3577.1	C	14.2	170.	.9	221.	190.	7.8	8.1	1.23	-1.76	-1.65
3581.0	C	32.1	240.	.8	222.	176.	7.8	8.1	-3.69	2.63	-3.58
3583.1	C	20.2	186.	.8	223.	171.	7.8	8.1	-.36	-1.15	-2.95
3585.1	C	21.0	194.	.7	225.	168.	7.8	8.1	-.45	-1.17	-3.05
3587.1	C	23.2	185.	.7	227.	167.	7.8	8.1	-.03	-.58	-3.41
3593.0	C	24.1	123.	.9	228.	167.	8.0	8.1	3.10	-.01	-1.71
3594.9	C	20.5	82.	1.0	227.	167.	8.0	8.1	2.81	.02	.68
3597.0	C	10.4	182.	1.0	226.	167.	8.1	8.1	-.01	-.00	-1.55
3599.0	C	19.6	11.	1.0	225.	167.	8.1	8.1	.01	.02	1.43
3601.0	C	12.7	61.	1.0	224.	167.	8.1	8.1	1.57	.02	.97
3603.0	C	6.1	16.	1.0	223.	168.	8.1	8.1	.01	-.01	.77

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DIA 24	H12	H13	H24
3605.1	C	16.2	166.	1.0	222.	169.	8.2	8.1	-.01	-.01	-2.46
3607.0	C	14.9	159.	1.0	221.	170.	8.2	8.1	.92	.00	-1.84
3609.1	C	17.9	239.	1.0	221.	171.	8.2	8.1	-2.09	-.01	-1.84
3611.1	C	11.0	222.	1.0	222.	175.	8.2	8.1	-.65	-.72	-1.51
3613.1	B	9.6	195.	1.0	222.	179.	8.2	8.1	-.01	-1.11	-1.53
3615.1	B	15.7	179.	1.0	223.	182.	8.3	8.1	.76	-2.08	-2.26
3617.1	B	13.8	176.	1.0	223.	183.	8.3	8.1	.77	-1.76	-1.95
3623.1	L	14.3	197.	1.0	227.	181.	8.2	8.1	.01	-1.65	-2.20
3625.0	C	2.3	164.	1.0	229.	181.	8.2	8.1	.01	-.02	-.48
3627.1	C	7.1	166.	.9	230.	180.	8.2	8.1	.45	-1.26	-.92
3631.0	B	9.9	195.	.8	228.	179.	8.0	8.1	-.01	-.01	-1.46
3633.0	B	6.0	194.	.7	227.	179.	7.9	8.1	-.02	1.23	-.90
3635.0	B	20.8	245.	.6	226.	178.	7.9	8.1	-2.40	1.18	-2.08
3638.9	B	14.9	309.	.8	227.	169.	8.0	8.1	-1.95	3.51	1.04
3641.1	B	16.7	231.	.6	229.	160.	7.9	8.1	-2.28	-.01	-1.69
3643.1	B	20.2	237.	.8	229.	146.	7.9	8.1	-2.97	-.01	-.90
3647.1	C	15.3	161.	.8	229.	126.	7.8	8.1	-.74	-.02	-2.04
3649.1	C	15.5	176.	.8	229.	119.	7.9	8.1	-1.51	-.01	-1.66
3651.0	B	9.1	127.	.8	229.	112.	7.9	8.1	-.01	-.00	-1.20
3653.0	B	8.2	121.	.9	229.	106.	7.9	8.2	-.01	-.01	-1.05
3655.0	B	5.9	206.	1.0	230.	103.	7.9	8.2	-.95	-.01	-.01
3671.1	C	30.6	155.	1.0	232.	100.	7.9	8.4	-2.99	1.41	-3.68
3673.1	B	17.9	155.	1.0	232.	101.	7.9	8.2	-1.54	-.02	-1.89
3675.1	B	17.7	155.	1.0	233.	101.	7.8	8.1	-1.60	-.04	-1.95
3677.0	B	24.9	64.	.9	233.	98.	7.9	8.1	2.89	-.00	-2.10
3681.1	B	13.5	176.	.9	234.	91.	7.9	8.1	-1.87	.01	-.66
3683.1	B	16.9	175.	.9	234.	86.	7.9	8.2	-2.69	.55	-.86
3685.1	C	25.3	178.	.8	234.	83.	7.9	8.2	-3.90	1.16	-.83
3689.1	C	13.8	131.	.9	234.	81.	7.9	8.3	-1.10	.01	-1.55
3691.0	B	16.6	171.	.9	234.	81.	7.9	8.3	-1.55	.71	-.38
3693.0	B	11.1	164.	.9	234.	81.	7.8	8.3	-1.52	.03	-.55
3695.0	A	7.2	130.	.9	233.	81.	7.8	8.2	-.58	-.02	-.74
3697.0	B	6.6	153.	.9	233.	80.	7.8	8.2	-.87	.26	-.36
3699.0	B	10.3	184.	1.0	233.	79.	7.9	8.2	-1.55	1.12	-.00
3701.0	C	3.6	171.	1.0	233.	79.	7.9	8.2	-.56	.77	-.03
3709.0	A	12.5	164.	1.0	232.	81.	7.9	8.3	-1.72	.01	-.65
3711.0	B	1.0	72.	1.0	232.	82.	7.9	8.4	-.00	-.00	-.01
3713.0	B	6.0	93.	.9	232.	83.	7.9	8.4	-.01	-.00	-.71
3715.1	C	16.1	100.	.9	232.	82.	7.9	8.4	-.00	.00	-2.44
3717.0	B	13.1	99.	.9	233.	81.	7.9	8.4	-.01	1.02	-1.72
3719.0	B	14.7	93.	.9	234.	80.	7.8	8.5	-.01	1.03	-1.95
3721.0	B	15.7	151.	.9	233.	80.	7.8	8.5	-1.93	.73	-1.25
3723.1	B	21.6	154.	.9	233.	80.	7.8	8.4	-2.78	.72	-1.68
3724.9	C	16.5	54.	.9	233.	81.	7.8	8.5	1.71	3.02	-1.50
3726.9	C	11.0	136.	1.0	232.	82.	7.8	8.5	-1.72	4.44	-.00
3728.7	B	24.6	13.	1.0	232.	82.	7.8	8.5	3.79	4.51	-.00
3731.0	C	3.6	93.	1.0	233.	81.	7.8	8.5	-.00	-.00	-.37
3733.0	C	.9	76.	.9	233.	81.	7.8	8.5	-.01	-.00	-.01
3735.0	C	14.1	173.	.9	234.	81.	7.8	8.5	-2.11	.68	-.45
3737.0	C	15.1	171.	.9	233.	81.	7.8	8.6	-2.26	.57	-.56
3738.9	C	22.5	281.	1.0	233.	81.	7.8	8.5	-.02	.01	3.36
3740.8	C	22.1	280.	1.0	233.	80.	7.8	8.4	-.02	3.89	3.32
3748.9	C	21.1	219.	.9	234.	79.	7.9	8.4	-2.89	3.54	1.64
3751.0	B	19.7	163.	.8	234.	79.	7.9	8.5	-2.91	1.64	-.83
3753.0	B	21.0	164.	.8	234.	77.	7.9	8.5	-3.31	1.01	-.02

CORRELATION INTERVAL	CORR. COEFF	DIP ANGLE	DIP AZ.	DREFT ANGLE	DREFT AZ.	AZ. NO. 1	DIA 13	DIA 24	H12	H13	H24
3757.0	B	6	75.	.7	234.	72.	7.8	8.5	.00	.00	-.01
3759.0	B	7.5	63.	.6	234.	71.	7.6	8.5	.01	.01	-.95
3761.0	C	7.4	66.	.7	235.	69.	7.8	8.5	.01	.01	-.93
3765.2	C	35.3	126.	.7	235.	65.	7.9	8.5	-4.06	-.00	-4.01
3769.0	B	.7	61.	.6	234.	65.	7.9	8.4	-.01	.00	-.01
3770.9	C	28.9	252.	.6	233.	65.	7.6	8.5	-.96	.65	4.34
3777.0	B	11.2	153.	.7	233.	63.	7.8	8.5	-1.61	.86	-.42
3779.0	B	6.9	104.	.7	234.	63.	7.8	8.5	-1.03	.02	-.04
3781.0	B	.8	84.	.7	235.	63.	7.8	8.4	-.02	-.01	-.01
3782.9	B	12.6	169.	.7	235.	63.	7.9	8.4	-1.90	2.54	.00
3785.0	C	19.5	170.	.6	236.	63.	7.9	8.4	-2.99	.59	-.00
3787.0	C	14.4	169.	.6	237.	62.	7.9	8.4	-2.16	.84	-.00
3788.8	C	5.5	259.	.6	238.	60.	7.9	8.3	.00	3.63	.85
3791.0	B	26.6	178.	.6	239.	59.	7.8	8.3	-4.10	2.59	.77
3793.0	B	.7	85.	.7	240.	57.	7.8	8.3	-.01	.00	-.00
3794.9	C	5.7	251.	.6	241.	53.	7.8	8.4	-.01	.90	.86
3801.1	B	20.1	160.	.4	240.	52.	7.7	8.4	-4.50	.97	.00
3805.0	B	12.3	145.	.6	239.	58.	7.7	8.4	-1.74	.94	.59
3807.0	B	15.3	183.	.6	238.	62.	7.7	8.5	-2.27	1.01	.55
3809.0	B	15.9	171.	.6	239.	64.	7.7	8.5	-2.43	.97	.00
3811.0	C	8.9	214.	.5	239.	64.	7.7	8.6	-1.02	.97	.86
3819.0	C	19.1	173.	.7	239.	66.	7.8	8.6	-2.99	.63	-.01
3821.1	C	13.3	175.	.7	241.	68.	7.8	8.5	-2.90	.00	-.00
3825.0	C	.6	83.	.6	244.	70.	7.9	8.3	0.00	-.00	.00
3831.0	B	3.2	176.	.6	248.	72.	7.9	8.3	-1.20	.01	-.01
3833.0	B	7.3	175.	.6	249.	71.	7.9	8.3	-1.06	.01	-.01
3835.0	C	5.4	267.	.6	249.	69.	7.9	8.3	-.01	.86	.60
3837.0	C	12.9	171.	.6	250.	65.	7.9	8.3	-1.88	1.70	.01
3841.0	B	11.5	166.	.6	250.	59.	7.9	8.3	-1.59	1.01	.58
3843.0	A	11.6	164.	.5	250.	57.	7.9	8.3	-1.68	.95	.61
3845.0	A	11.6	163.	.5	249.	57.	7.9	8.3	-1.72	.00	.01
3846.9	B	5.4	254.	.5	248.	56.	7.9	8.4	-.00	2.81	.82
3849.0	B	9.3	198.	.6	247.	56.	7.9	8.4	-1.14	.77	.78
3855.0	C	19.8	168.	.6	243.	60.	7.8	8.6	-3.09	1.20	.01
3857.0	C	20.4	186.	.6	244.	61.	7.8	8.6	-3.06	2.02	.89
3859.0	B	15.2	179.	.6	246.	61.	7.8	8.5	-2.27	.91	.43
3861.9	B	19.0	168.	.6	248.	60.	7.8	8.4	-2.87	.86	.03
3863.0	B	6.1	162.	.6	251.	60.	7.8	8.3	-.86	.01	-.01
3865.0	B	9.4	135.	.6	251.	59.	7.8	8.4	-1.13	.01	-.64
3867.0	B	5.5	161.	.5	252.	60.	7.9	8.4	-.73	.64	-.03
3869.0	B	5.3	161.	.5	254.	60.	7.9	8.4	-.75	.02	-.03
3875.0	C	4.2	358.	.6	255.	61.	7.9	8.4	.63	-.01	-.01
3876.9	C	16.0	169.	.6	255.	62.	7.9	8.3	-2.35	2.93	-.01
3883.1	C	20.8	79.	.6	252.	60.	7.9	8.3	-.00	-.00	-2.90
3897.0	C	13.7	166.	.6	254.	60.	7.9	8.6	-2.07	.85	-.01
3999.1	C	19.8	127.	.6	254.	60.	7.9	8.5	-2.27	.63	-1.79
3921.2	C	24.4	78.	.6	262.	59.	7.8	8.1	-.01	-3.99	-3.44
3935.1	C	24.7	130.	.6	264.	61.	7.8	8.4	-2.92	.02	-2.20
3944.9	B	11.5	206.	.6	260.	60.	7.6	8.4	-1.33	3.25	1.05
3947.0	B	12.6	169.	.6	258.	62.	7.8	8.3	-1.83	2.00	.02
3966.8	C	12.0	56.	.6	269.	68.	7.9	8.3	.94	4.12	-1.36
4001.0	C	32.9	347.	.9	273.	360.	8.0	8.2	2.94	-.00	-4.42
4012.9	C	24.9	197.	.9	279.	360.	8.2	8.2	-.01	.01	3.76
4027.0	B	30.0	268.	.3	260.	360.	8.4	7.7	4.19	-2.75	1.75
4029.0	B	28.9	291.	.3	260.	360.	8.4	7.6	4.26	-2.36	-.16

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DIP ANGLE	DIP AZ.	DIP AZ.	DIP AZ.	DIP AZ.	DIP AZ.	DIP AZ.	DIP AZ.	DIP AZ.
4052.9	C	19.5	159.	.7	277.	360.	7.7	7.7	-1.95	3.13	1.78	
4066.8	C	29.4	204.	.7	287.	338.	8.0	7.7	2.07	.87	3.91	
4068.8	C	28.1	195.	.7	289.	337.	7.8	7.7	1.40	1.32	3.87	
4070.9	C	17.7	236.	.7	290.	337.	7.7	7.7	2.19	1.29	1.18	
4074.8	C	32.1	181.	.8	291.	335.	7.7	7.7	.63	3.27	4.71	
4080.9	C	31.2	174.	.6	291.	335.	7.6	7.7	.02	.00	4.53	
4082.9	C	27.1	173.	.8	290.	335.	7.7	7.7	-.03	-.00	3.84	
4096.9	C	19.8	131.	.9	281.	332.	7.6	7.7	-1.69	1.37	2.00	
4112.9	C	13.9	175.	1.3	292.	312.	7.7	7.7	.83	.60	1.55	
4132.8	C	24.8	113.	1.5	276.	286.	7.5	8.1	-.76	3.91	3.20	
4134.8	C	22.6	103.	1.4	267.	284.	7.5	8.2	-1.13	4.10	2.72	
4139.2	C	26.7	42.	1.4	271.	285.	7.5	8.3	-4.08	-3.51	.36	
4157.0	C	31.0	210.	1.5	290.	313.	7.5	8.4	4.31	-3.29	2.23	
4196.9	C	18.6	177.	1.5	289.	319.	7.6	7.8	.91	.03	2.15	
4199.0	C	13.9	201.	1.5	286.	317.	7.6	8.0	1.51	-1.08	1.14	
4201.0	C	10.2	230.	1.5	281.	313.	7.8	8.1	1.53	-1.17	.10	
4209.0	C	22.9	164.	1.4	265.	305.	7.6	7.7	1.17	-1.63	2.73	
4230.1	C	13.9	263.	1.5	283.	295.	7.8	7.7	2.11	-1.31	-1.91	
4241.1	C	20.2	263.	1.5	287.	293.	7.9	7.7	2.19	-1.32	-2.13	
4242.9	C	17.7	214.	1.5	288.	290.	7.7	7.7	2.45	.83	-.00	
4347.0	C	31.4	201.	1.8	310.	234.	7.6	8.2	3.71	.37	-2.83	
4367.0	C	.8	123.	1.5	317.	222.	7.4	8.2	-.10	.03	.07	
4369.0	C	1.0	123.	1.5	318.	229.	7.5	8.3	-.11	.03	.07	
4371.1	C	23.3	309.	1.5	318.	224.	7.5	8.3	-3.53	-.03	-1.31	
4395.2	C	24.0	187.	1.6	318.	210.	7.5	8.4	2.28	-4.28	-2.37	
4399.0	C	29.7	184.	1.6	318.	211.	7.5	8.4	3.15	-1.07	-2.90	
4401.1	C	28.9	172.	1.6	314.	212.	7.5	8.4	3.71	-4.21	-2.03	
4471.0	C	25.9	356.	1.5	314.	136.	7.6	8.3	1.45	-2.27	3.69	
4481.1	C	20.5	175.	1.5	311.	135.	7.7	8.4	-1.15	-1.08	-2.46	
4483.2	C	26.6	173.	1.6	310.	137.	7.7	8.3	-1.23	-2.52	-3.42	
4493.1	C	32.5	122.	1.5	310.	109.	7.6	8.2	.64	-1.51	-4.55	
4519.0	C	13.2	64.	2.0	315.	82.	7.6	8.3	1.58	.43	-1.49	
4521.1	C	23.3	159.	2.1	317.	82.	7.6	8.3	-2.49	.83	-2.00	
4525.1	C	16.1	162.	2.0	314.	66.	7.7	8.3	-2.03	-.28	-.40	
4527.9	C	16.2	146.	2.0	319.	46.	7.7	8.2	-2.04	1.09	-.37	
4550.9	C	30.3	164.	2.0	314.	10.	7.6	8.2	-3.12	3.04	2.91	
4552.9	C	27.0	165.	2.0	315.	11.	7.6	8.2	-2.67	3.01	2.54	
4559.1	C	7.5	6.	2.1	317.	5.	7.6	8.3	.57	-1.27	-1.14	
4583.0	C	14.3	164.	2.1	312.	11.	8.3	8.2	-1.24	.57	1.30	
4589.0	C	19.5	151.	2.1	307.	28.	8.3	7.9	-2.23	1.28	.62	
4591.0	C	24.5	145.	2.1	312.	29.	8.3	8.1	-3.33	1.49	.38	
4629.0	C	12.4	329.	2.0	290.	339.	7.5	7.7	1.04	.77	-1.63	
4631.0	C	19.7	354.	2.1	289.	337.	7.6	7.7	.29	.01	-2.35	
4632.8	C	36.2	224.	2.2	284.	336.	7.7	7.7	4.53	.64	3.46	
4634.8	C	33.9	214.	2.2	288.	327.	7.7	7.7	4.05	.73	3.18	
4637.0	C	17.1	180.	2.2	288.	316.	7.7	7.7	1.26	-2.42	1.80	
4653.0	C	24.0	175.	2.2	286.	264.	7.7	7.6	3.08	-.74	-.76	
4655.0	C	23.5	171.	2.2	284.	253.	7.7	7.6	3.06	-1.28	.37	
4657.0	C	18.6	168.	2.2	285.	243.	7.7	7.6	2.32	-1.75	-.05	

4565.0	C	28.6	193.	2.1	315.	318.	7.6	8.2	2.59	.05	3.05
4567.9	C	29.0	195.	2.1	315.	317.	7.6	8.2	2.86	.66	2.95
4569.9	C	28.2	194.	2.1	315.	317.	7.5	8.3	2.73	.74	2.85
4574.0	C	22.5	289.	2.0	309.	323.	7.5	8.4	2.89	-.34	-2.15
4586.0	C	13.6	217.	2.1	311.	317.	7.6	8.2	1.76	-.32	.65
4582.0	C	15.1	230.	2.0	316.	320.	7.7	8.2	2.09	-.48	.43
4591.9	C	24.8	211.	2.0	315.	338.	7.5	8.5	2.27	.03	2.63
4593.0	C	33.0	194.	2.0	315.	337.	7.6	8.4	1.78	-.02	4.35
4602.1	C	18.8	74.	2.0	316.	316.	7.6	8.2	-2.76	-.31	.12
4610.2	C	24.9	100.	2.1	309.	323.	7.6	7.9	-3.11	-4.08	1.38
4617.9	C	24.6	200.	2.1	299.	313.	7.6	7.6	2.61	-.02	2.07
4619.9	C	22.7	192.	2.1	308.	311.	7.6	7.6	2.12	-.00	2.05
4623.9	C	16.9	170.	2.1	307.	280.	7.7	7.6	1.66	.33	1.20
4625.9	C	35.3	132.	2.1	304.	262.	7.6	7.6	2.53	-.02	4.27
4628.0	A	22.4	169.	2.2	299.	248.	7.5	7.5	2.83	-2.08	.25
4630.2	A	15.9	319.	2.2	301.	238.	7.5	7.5	-2.16	-2.67	-1.15
4632.0	B	29.7	179.	2.2	307.	235.	7.5	7.5	3.81	-1.77	-1.17
4634.1	B	30.7	185.	2.2	310.	229.	7.5	7.7	3.69	-2.34	-2.05
4642.1	C	28.5	316.	2.2	302.	210.	7.4	7.6	-4.47	-.70	-.27
4646.1	B	27.1	167.	2.2	295.	204.	7.4	7.6	2.93	-1.74	-2.04
4648.1	B	30.3	168.	2.2	295.	194.	7.2	7.5	2.78	-2.11	-2.84
4650.2	C	33.8	193.	2.2	293.	185.	7.0	7.4	.61	-2.71	-4.46
4654.1	B	28.1	170.	2.2	292.	161.	7.0	7.5	.46	-2.00	-3.45
4656.1	B	28.2	165.	2.2	292.	154.	7.0	7.5	.37	-1.98	-3.45
4678.0	C	19.8	84.	2.2	303.	32.	7.2	7.7	-1.22	1.36	-2.15
4689.9	B	6.4	258.	2.2	284.	341.	7.4	7.8	1.10	.72	.01
4693.9	C	20.8	222.	2.2	289.	340.	7.6	7.7	2.22	-.00	1.94
4695.9	B	26.8	201.	2.2	290.	339.	7.6	7.7	1.70	.73	3.33
4701.9	C	29.4	211.	2.2	294.	325.	7.6	7.5	3.22	-.00	2.65
4703.9	B	24.2	185.	2.2	295.	299.	7.5	7.5	2.48	-.02	1.98
4705.9	B	25.2	162.	2.2	295.	271.	7.5	7.5	2.63	-.22	1.86
4708.0	C	30.7	178.	2.2	297.	249.	7.5	7.5	4.17	-1.50	-.18
4710.1	C	32.2	164.	2.2	295.	239.	7.5	7.6	4.29	-2.72	-1.44
4712.1	B	26.8	185.	2.2	293.	236.	7.6	7.6	3.34	-2.80	-1.45
4714.1	C	26.7	164.	2.2	292.	229.	7.6	7.6	2.57	-1.99	-1.53
4720.0	C	19.5	156.	2.2	292.	211.	7.6	7.5	1.56	-.41	-1.96
4722.0	B	6.1	137.	2.2	290.	212.	7.6	7.6	.52	-1.28	-.01
4724.1	B	25.9	196.	2.2	288.	201.	7.6	7.7	1.22	-1.82	-3.38
4726.1	B	25.9	186.	2.2	288.	189.	7.6	7.7	1.10	-1.64	-3.36
4728.1	B	29.9	210.	2.2	288.	184.	7.6	7.6	-.82	-.55	-4.24
4732.2	C	24.5	166.	2.2	289.	176.	7.5	7.6	1.44	-3.43	-2.86
4750.1	C	20.5	161.	2.2	292.	114.	7.6	7.5	-2.08	.00	-1.59
4752.1	B	17.3	170.	2.2	292.	109.	7.6	7.5	-1.52	.03	-1.46
4754.0	C	15.5	160.	2.2	291.	108.	7.6	7.5	-1.08	.15	-1.48
4755.6	C	31.7	333.	2.2	290.	97.	7.6	7.6	3.02	.62	4.08

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO. 1	DIA 13	DIA 24	H12	H13	H24
4762.0	B	25.1	155.	2.2	289.	83.	7.6	7.5	-2.61	1.10	-1.89
4764.1	B	35.6	166.	2.2	289.	79.	7.6	7.5	-4.73	1.22	-1.76
4769.9	C	27.4	178.	2.4	289.	40.	7.6	7.5	-3.06	2.25	2.02
4771.9	C	26.7	172.	2.6	289.	32.	7.6	7.5	-2.65	1.82	2.04
4774.0	B	35.4	153.	2.5	289.	23.	7.6	7.5	-4.52	2.37	1.96
4776.0	B	35.5	142.	2.5	289.	10.	7.5	7.6	-4.53	2.24	1.95
4777.8	B	35.8	167.	2.4	289.	5.	7.5	7.6	-2.93	3.18	4.18
4779.8	B	27.7	208.	2.2	289.	115.	7.6	7.7	-1.82	2.75	3.94
4781.8	B	29.8	111.	2.2	288.	288.	7.4	7.6	-1.14	2.60	3.72
4783.8	C	36.1	182.	2.2	288.	360.	7.3	7.5	-1.34	4.17	4.90
4793.8	B	33.6	229.	2.2	287.	351.	7.6	7.6	3.43	.84	3.86
4798.0	C	14.5	92.	2.2	285.	339.	7.6	7.6	-1.71	-.02	-.02
4805.9	C	26.7	191.	2.7	292.	321.	7.6	7.6	2.12	.94	2.94
4807.9	B	23.6	191.	2.7	290.	315.	7.7	7.6	2.13	.02	2.35
4810.0	C	18.4	209.	2.7	288.	318.	8.0	7.5	2.13	-1.08	1.34
4835.9	C	22.3	133.	2.7	286.	301.	6.3	7.6	-.25	.02	2.94
4837.9	C	24.1	161.	2.7	286.	310.	8.1	7.6	1.93	.95	2.70
4839.8	C	26.2	182.	2.7	287.	314.	7.7	7.5	1.93	1.76	2.96
4843.0	C	16.0	196.	2.7	284.	309.	7.6	7.5	1.74	.39	1.12
4847.0	C	22.1	196.	2.7	288.	314.	7.6	7.5	2.21	-.01	1.93
4850.0	C	27.1	216.	2.6	289.	310.	7.6	7.5	3.68	-1.84	1.19
4852.0	C	28.8	219.	2.5	286.	310.	7.6	7.5	4.01	-2.25	1.11
4857.9	B	34.8	186.	2.4	285.	287.	7.6	7.7	4.57	-1.82	2.27
4860.1	C	17.3	98.	2.3	288.	279.	7.6	7.6	-.87	-1.80	1.97
4862.1	C	22.4	205.	2.2	288.	268.	7.4	7.5	-.01	-1.76	-3.36
4864.0	C	27.5	168.	2.2	283.	254.	7.1	7.5	3.57	-1.77	.72
4866.2	C	24.4	169.	2.7	284.	187.	7.6	8.2	1.84	-3.60	-2.65
4908.1	B	18.4	127.	2.2	288.	163.	7.6	7.6	1.82	-1.69	-1.24
4922.1	C	20.1	176.	2.6	283.	139.	7.7	7.6	-1.07	-.58	-2.35
4928.1	B	32.6	170.	2.7	284.	124.	7.8	7.5	-2.28	-.26	-4.02
4930.1	B	33.0	169.	2.7	284.	112.	7.7	7.6	-2.37	-.42	-3.94
4932.0	C	30.6	77.	2.7	285.	111.	7.6	7.5	3.45	.40	-2.36
4938.0	C	21.4	156.	2.7	282.	109.	7.5	7.5	-1.38	.97	-2.21
4946.1	B	29.4	167.	2.6	284.	83.	7.6	7.5	-3.65	1.25	-1.41
4948.1	C	36.9	141.	2.8	285.	82.	7.6	7.5	-3.34	1.41	-3.92
4968.1	B	15.2	106.	2.8	286.	4.	6.9	7.6	-2.08	-.03	-.34
4970.0	C	34.2	175.	2.7	288.	6.	6.9	7.5	-2.15	-.00	3.92
4973.8	B	19.7	213.	2.7	288.	11.	7.2	7.5	.50	3.35	2.55
4975.9	C	25.3	163.	2.7	287.	9.	7.4	7.6	-2.15	2.15	2.39
4978.2	C	21.3	157.	2.7	287.	8.	7.4	7.7	-1.93	-3.74	1.76
4984.2	C	32.9	174.	2.7	288.	120.	7.3	7.6	-2.82	-2.07	-3.44
5100.2	B	28.9	198.	2.8	289.	182.	7.4	7.8	-.19	-2.18	-3.96
5102.1	C	40.3	155.	2.8	290.	182.	7.5	7.8	4.22	-1.86	-4.16
5114.0	C	11.4	290.	2.6	291.	164.	7.5	7.5	-1.74	1.19	.68
5122.0	C	25.7	204.	2.8	293.	135.	7.5	7.6	-2.93	2.55	-1.97
5142.1	C	31.0	178.	3.1	307.	106.	7.5	7.6	-3.44	.32	-2.22
5152.1	C	30.5	143.	2.7	313.	125.	7.5	7.6	.15	-.06	-3.96
5154.0	C	12.2	323.	2.6	314.	132.	7.5	7.6	-.21	-1.39	1.99
5156.1	B	21.5	251.	2.6	315.	132.	7.5	7.7	-2.97	-.42	.88
5166.2	C	30.7	193.	2.8	315.	133.	7.7	7.5	-2.85	-1.13	-3.00
5168.1	C	26.4	208.	2.8	315.	135.	7.6	7.5	-2.99	-.53	-1.80
5170.1	B	26.4	196.	2.7	314.	139.	7.5	7.5	-2.31	-.50	-2.54
5172.1	B	31.5	193.	2.6	313.	138.	7.5	7.5	-2.71	-.45	-3.29
5174.1	C	27.4	205.	2.7	307.	136.	7.5	7.5	-2.99	-.02	-2.17
5176.1	B	29.8	207.	2.8	305.	136.	7.5	7.5	-3.44	-.00	-2.22



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIE AZ.	DRIFT ANGLE	DRIFT AZ.	A7. NO.1	D7A 13	D1A 24	H12	H13	H24
5178.1	B	25.7	201.	2.9	310.	135.	7.6	7.5	-2.61	-.23	-2.08
5180.1	C	17.3	200.	3.1	314.	134.	7.6	7.5	-1.73	.01	-1.23
5182.0	C	17.7	195.	3.2	314.	134.	7.5	7.5	-1.59	.32	-1.35
5184.1	B	30.1	185.	2.9	311.	135.	7.5	7.6	-2.26	-.22	-3.25
5186.2	B	32.3	183.	2.7	303.	137.	7.6	7.6	-2.28	-.55	-3.89
5192.1	B	30.0	194.	2.6	308.	136.	7.6	7.5	-2.72	-.23	-3.03
5194.1	B	33.0	190.	2.0	309.	138.	7.6	7.5	-2.70	-.07	-3.88
5196.1	B	26.7	194.	2.7	313.	136.	7.6	7.5	-2.37	-.06	-2.57
5198.1	B	29.5	202.	2.8	313.	131.	7.6	7.6	-3.31	-.05	-2.23
5200.1	C	21.1	210.	2.8	314.	118.	7.6	7.6	-2.67	.33	-.47
5202.1	C	21.1	205.	2.7	314.	109.	7.6	7.6	-2.67	.28	-.36
5208.0	B	33.0	178.	3.2	314.	84.	7.5	7.6	-4.63	1.64	-1.04
5210.1	B	31.7	167.	3.3	313.	80.	7.6	7.7	-3.90	1.17	-1.44
5212.0	B	26.5	164.	3.3	313.	83.	7.6	7.7	-2.96	1.16	-1.45
5214.1	C	24.1	165.	3.3	313.	82.	7.7	7.6	-3.39	.71	-1.52
5216.0	B	30.9	171.	3.3	313.	71.	7.7	7.6	-3.99	1.49	-.50
5218.0	B	31.0	165.	3.3	313.	61.	7.7	7.7	-4.03	1.83	-.25
5223.9	C	20.0	172.	3.1	305.	35.	7.6	7.5	-1.99	2.59	1.25
5225.9	B	22.3	166.	2.9	308.	32.	7.6	7.6	-2.46	2.15	1.29
5227.9	B	22.7	169.	2.8	313.	33.	7.6	7.6	-2.44	2.05	1.34
5233.9	C	14.5	175.	3.3	311.	22.	7.6	8.0	-1.58	2.09	1.68
5269.9	B	20.7	189.	3.2	287.	328.	7.6	7.5	1.34	.58	2.32
5271.0	B	18.5	178.	3.4	289.	316.	7.5	7.5	1.14	-.12	1.91
5273.9	B	29.9	205.	3.4	291.	317.	7.7	7.5	3.42	-.44	2.48
5275.9	B	22.4	171.	3.4	290.	316.	7.7	7.5	1.01	-.43	2.61
5278.0	B	21.7	154.	3.4	289.	301.	7.6	7.5	.81	-1.56	2.46
5280.0	B	25.3	165.	3.4	289.	289.	7.6	7.6	2.94	-1.53	1.51
5283.9	B	33.0	194.	3.4	287.	287.	7.6	7.5	4.76	-1.46	1.53
5285.9	B	34.7	190.	3.3	286.	287.	7.7	7.5	4.59	-1.46	1.90
5287.9	B	34.1	166.	3.3	288.	287.	7.7	7.6	4.39	-1.45	2.05
5289.9	B	30.4	167.	3.3	267.	285.	7.7	7.5	3.87	-1.14	1.58
5291.9	B	27.1	187.	3.3	285.	287.	7.6	7.6	3.37	-1.12	1.44
5294.1	C	19.4	179.	3.3	281.	290.	7.6	7.6	2.12	-3.97	1.26
5296.0	C	15.7	130.	3.3	278.	289.	7.6	7.6	.16	-2.10	1.67
5298.0	B	32.9	197.	3.4	284.	289.	7.7	7.6	4.56	-2.20	1.32
5318.0	C	24.5	93.	3.4	288.	315.	7.7	7.7	-2.80	.08	1.23
5319.9	B	28.8	194.	3.4	290.	314.	7.5	7.7	2.93	-.01	2.67
5321.9	B	33.1	195.	3.4	289.	306.	7.5	7.7	3.93	-.63	2.67
5324.0	B	30.7	221.	3.4	289.	298.	7.5	7.6	4.60	-3.28	.01
5332.0	C	13.0	226.	3.3	286.	263.	7.7	7.6	1.37	-.84	-1.45
5334.0	C	28.1	204.	3.3	285.	261.	7.7	7.6	3.73	-.25	-1.41
5338.1	C	25.0	202.	3.4	288.	261.	7.6	8.2	3.48	-3.48	-1.13
5366.1	C	29.3	168.	3.3	288.	227.	7.5	8.7	4.26	-3.25	-1.03
5376.0	C	2.4	131.	3.4	289.	215.	7.5	8.9	-.15	-.01	-.05
5402.1	C	31.4	207.	3.5	288.	234.	7.7	8.3	3.26	-3.49	-3.47
5404.1	C	32.3	201.	3.5	288.	233.	7.7	8.3	3.60	-3.37	-3.33
5406.1	C	27.1	203.	3.5	288.	232.	7.7	8.3	2.76	-3.31	-2.86
5418.1	C	21.7	196.	3.4	287.	221.	7.7	8.3	1.87	-1.59	-2.35
5420.1	B	21.1	186.	3.4	290.	216.	7.7	8.4	1.91	-1.41	-2.09
5434.1	C	31.0	166.	3.5	290.	209.	7.6	8.4	3.98	-3.45	-2.22
5438.2	C	33.1	179.	3.5	291.	209.	7.6	8.5	3.56	-4.49	-3.22
5440.1	C	31.6	175.	3.5	290.	210.	7.6	8.5	3.60	-3.28	-2.78
5442.1	C	13.3	279.	3.5	290.	219.	7.7	8.3	-2.00	-.93	-1.77
5448.1	B	33.7	160.	3.5	290.	242.	7.7	8.0	4.68	-4.05	.67
5450.1	B	34.7	192.	3.5	290.	239.	7.7	8.2	4.71	-3.24	-2.45

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFI ANGLE	DRFI AZ.	AZ. NO.1	DIA 13	DIA 24	H12	H13	H24
5461.4	C	32.5	150.	3.5	290.	210.	7.5	8.3	4.53	.48	.66
5472.0	C	7.0	154.	3.3	291.	210.	7.7	8.2	.65	-.36	.02
5474.0	C	4.2	152.	3.3	291.	211.	7.6	8.2	.13	-.23	.00
5490.2	B	29.5	187.	3.4	292.	212.	7.5	7.7	2.53	-3.65	-3.06
5492.1	B	34.0	175.	3.4	292.	213.	7.5	7.7	3.74	-3.70	-2.85
5494.0	B	21.6	177.	3.3	290.	214.	7.5	7.7	2.06	-1.27	-1.74
5496.1	B	17.9	187.	3.3	289.	214.	7.5	7.7	1.34	-1.28	-1.79
5498.0	A	21.3	285.	3.3	290.	212.	7.5	7.7	-2.92	2.98	-1.84
5500.1	B	2.8	108.	3.3	291.	211.	7.5	7.9	-.13	-3.16	.11
5506.1	C	22.5	182.	3.4	288.	206.	7.5	8.3	1.85	-3.02	-2.31
5522.1	C	23.2	28.	3.6	291.	212.	7.7	8.3	-1.91	-3.37	2.96
5524.0	C	35.5	108.	3.9	291.	211.	7.7	8.3	4.31	-3.44	2.69
5536.1	C	15.1	171.	3.0	290.	206.	7.6	8.3	1.28	-1.27	-1.24
5538.0	B	15.9	178.	3.4	291.	210.	7.7	8.3	1.34	-.98	-1.43
5554.1	B	17.1	189.	3.4	291.	195.	7.4	8.3	.58	-1.83	-2.01
5556.1	A	17.3	182.	3.4	291.	185.	7.5	8.3	.45	-1.91	-2.03
5566.1	C	27.1	169.	3.6	292.	184.	7.6	8.6	1.88	-1.54	-3.03
5569.9	B	34.5	68.	3.7	291.	205.	7.6	8.2	1.76	-1.40	4.67
5604.1	C	16.0	278.	3.3	290.	207.	7.5	8.4	-2.41	-.01	-1.39
5614.1	C	16.0	235.	3.3	290.	225.	7.7	8.4	-.07	-1.18	-2.36
5618.0	C	26.2	148.	3.2	286.	237.	7.5	8.3	3.45	-2.08	.84
5620.0	C	26.1	151.	3.2	288.	238.	7.4	8.4	3.84	-1.95	.85
5640.1	C	28.4	209.	3.4	280.	220.	7.5	8.3	1.85	-2.29	-3.72
5652.0	C	26.0	171.	3.4	287.	229.	7.7	8.3	3.78	-.93	-1.12
5669.9	C	22.2	88.	3.2	289.	213.	7.5	8.2	1.48	1.54	2.35
5672.1	C	26.9	162.	3.3	295.	214.	7.6	7.9	2.89	-1.62	-2.66
5708.0	A	17.1	134.	2.8	313.	237.	7.2	7.7	1.69	-1.40	-1.12
5724.1	C	19.9	230.	3.0	312.	259.	7.5	7.8	1.77	-2.97	-2.06
5726.1	C	23.0	216.	2.8	313.	252.	7.5	7.6	2.29	-2.89	-2.02
5728.1	C	17.0	195.	2.9	314.	242.	7.5	7.6	1.74	-1.62	-1.05
5735.8	B	6.0	65.	3.0	314.	214.	7.2	7.8	-.16	3.13	1.12
5737.9	B	22.7	162.	3.1	315.	210.	7.1	8.0	2.62	1.29	-1.05
5742.2	B	23.5	209.	3.2	314.	209.	7.0	8.4	.74	-2.69	-2.73
5746.1	B	22.2	238.	3.3	314.	203.	7.1	8.3	-1.35	-.86	-2.66
5748.2	B	29.0	257.	3.4	315.	198.	7.4	8.0	-3.31	-.94	-2.95
5772.1	B	16.2	191.	3.4	310.	264.	7.2	8.4	2.35	-2.63	-.21
5774.2	B	3.0	24.	3.4	309.	266.	7.0	8.3	-.78	-3.41	-.25
5776.0	B	3.4	15.	3.4	313.	266.	7.0	8.3	-.85	.04	-.28
5796.2	C	30.0	234.	3.0	316.	227.	6.9	7.7	.52	-3.15	-3.92
5802.0	C	18.6	158.	3.2	319.	232.	6.9	7.9	2.17	-1.58	.12
5804.0	C	18.7	157.	3.3	315.	230.	6.9	7.7	2.12	-.91	.05
5812.1	C	32.6	179.	3.0	311.	220.	6.9	7.7	3.72	-2.61	-2.19
5814.1	B	31.1	166.	3.2	312.	217.	6.9	7.7	3.78	-2.70	-1.37
5826.0	B	19.0	152.	3.3	312.	238.	6.9	8.3	2.26	-.76	.48
5828.0	B	19.0	150.	3.3	311.	236.	6.9	8.3	2.25	-.75	.50
5872.0	C	23.6	167.	2.7	314.	236.	6.9	7.7	2.97	-1.70	-.16
5874.0	B	20.1	166.	2.7	313.	235.	6.9	7.9	2.46	-1.32	-.14
5880.1	A	13.4	187.	2.7	310.	229.	6.9	8.0	1.30	-1.60	-.84
5882.1	A	17.5	186.	2.7	312.	217.	7.0	8.1	1.55	-1.49	-1.37
5884.1	B	16.0	184.	2.7	310.	210.	7.0	8.3	1.30	-1.43	-1.33
5900.0	C	19.9	259.	2.7	309.	236.	7.5	7.8	-.55	2.33	-2.83
5902.2	B	8.7	237.	2.7	315.	240.	7.5	7.7	.09	-3.35	-1.16
5906.1	A	22.7	179.	2.4	312.	238.	6.9	7.7	2.78	-2.46	-.67
5908.1	A	19.7	178.	2.5	314.	237.	6.8	7.7	2.33	-2.10	-.57
5910.0	A	15.4	183.	2.7	313.	237.	6.8	7.8	1.68	-1.55	-.63

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIF A7.	DRFI ANGLE	DRFI AZ.	A7. NO.1	D1A 13	D1A 24	H12	H13	H24
5912.0	A	11.2	200.	2.8	313.	237.	6.8	8.1	.94	-1.13	-.82
5936.1	A	10.4	217.	2.7	313.	208.	7.7	7.7	-.10	-.83	-1.30
5938.0	A	24.6	163.	2.7	308.	207.	7.7	7.7	2.55	-1.23	-1.78
5940.1	A	21.3	169.	2.7	309.	207.	7.6	7.6	2.10	-1.75	-1.51
5942.1	B	21.1	171.	2.8	310.	207.	7.5	7.8	2.06	-2.12	-1.55
5946.0	B	13.1	273.	2.8	311.	207.	7.6	8.4	-1.82	.93	-1.12
5970.0	C	16.5	139.	2.6	317.	184.	7.5	7.6	1.74	-.03	-.73
5972.1	C	16.4	124.	2.6	316.	185.	7.5	7.6	1.93	-2.37	-.14
5982.1	B	26.6	148.	2.6	310.	195.	7.5	7.6	3.12	-2.54	-1.33
5984.1	B	26.9	153.	2.5	313.	200.	7.2	7.6	3.14	-2.63	-1.33
5992.1	C	20.9	175.	2.2	325.	180.	7.5	7.6	.99	-1.34	-2.35
6002.1	C	16.8	174.	2.3	316.	184.	7.6	7.7	1.03	-1.96	-2.02
6010.0	C	27.5	162.	2.5	319.	203.	7.4	7.6	3.06	-1.30	-1.78
6018.2	B	34.3	177.	2.2	316.	185.	7.6	7.8	1.96	-3.42	-4.44
6020.1	B	32.6	170.	2.2	317.	182.	7.6	7.9	2.39	-2.80	-3.91
6022.1	B	17.0	178.	2.2	318.	182.	7.5	7.9	.74	-1.51	-1.90
6027.9	C	14.6	160.	2.2	318.	187.	7.5	8.2	1.27	3.03	-1.17
6029.9	C	12.5	180.	2.2	317.	185.	7.7	8.1	.49	2.87	-1.35
6032.1	C	15.0	201.	2.3	314.	184.	7.7	7.9	-.18	-1.96	-1.86
6054.6	C	21.0	136.	2.1	316.	158.	7.4	8.0	1.91	-.54	-1.84
6056.1	B	20.9	164.	2.1	312.	157.	7.6	8.1	.47	-1.68	-2.54
6058.1	B	21.4	165.	2.2	310.	157.	7.7	8.0	.49	-1.66	-2.67