

Stamper

DUAL INDUCTION SFL 2"

CSU

COMPANY: REICHOLD ENERGY CORPORATION
 WELL: CROWN ZELLERBACH #23-26
 FIELD: PITTSBURG
 COUNTY: COLUMBIA
 STATE: OREGON
 LOCATION: 2092.6' EAST & 357.05' SOUTH FROM THE N 1/4 CORNER OF SEC: 26 T4N 6N RGE: 4M
 PERMANENT DATUM: GL
 ELEV. OF PERM. DATUM: 1130.8'
 LOG MEASURED FROM: PERM. DATUM
 DRLG. MEASURED FROM: KS
 ELEVATIONS: KS: 1142.2', DT: 1130.8', SFL: 1130.8'
 PROGRAM: TAPE NO: 24.2
 SERVICE: 385934

DATE: 16 JAN 1984
 RUN NO: 1

DEPTH-DRILLER: 4329.0'
 DEPTH-LOGGER: 4386.0'
 3PM. LOG INTERVAL: 4386.0'
 TOP LOG INTERVAL: 1183.0'
 CASSING-DRILLER: 1183'
 CASSING-LOGGER: 8.183
 BIT SIZE: 7.875
 DEPTH: 4379'

REICHOLD FIELD
 FEB 15 1984
 REICHOLD ENERGY CORPORATION

OTHER SERVICES:-
 BHC
 HDT

TYPE FLUID IN HOLE: LIGNSULFONATE
 DENSITY: 10.0 LB/G
 VISCOSITY: 47.0 S
 PHI: 2.5
 FLUID LOSS: 7.4 C3
 SOURCE OF SAMPLE: CIRC.
 RM: 2.990 DHMM AT 58.0 DEGF
 RMF: 2.910 DHMM AT 57.0 DEGF
 RMC: 2.940 DHMM AT 57.0 DEGF
 SOURCE RMF/RMC: MEAS. / MEAS.
 RM AT BHT: 1.850 DHMM AT 98.0 DEGF
 RMF AT BHT: 1.773 DHMM AT 98.0 DEGF
 RMC AT BHT: 1.792 DHMM AT 98.0 DEGF

TIME CIRC. STOPPED: 1245
 TIME LOGGER ON BTM.: 1615

MAX. REC. TEMP: 98.0 DEGF


LOGGING UNIT NO: 8178
 LOGGING UNIT LOC: SACRAMENTO
 RECORDED BY: ANDERSEN
 WITNESSED BY: ALGER/THOMAS

REMARKS:

EQUIPMENT NUMBERS:-
 IEM 685 SLM 383 IS 1342 IC 1359
 SLS 1082 SLC 1321

ALL INTERPRETATIONS ARE OPINIONS BASED ON INFERENCES FROM ELECTRICAL OR OTHER MEASUREMENTS AND WE CANNOT, AND DO NOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATIONS, AND WE SHALL NOT, EXCEPT IN THE CASE OF GROSS OR WILLFUL NEGLIGENCE ON OUR PART, BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COSTS, DAMAGES OR EXPENSES INCURRED OR SUSTAINED BY ANYONE RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR OFFICERS, AGENTS OR EMPLOYEES. THESE INTERPRETATIONS ARE ALSO SUBJECT TO OUR GENERAL TERMS AND CONDITIONS AS SET OUT IN OUR CURRENT PRICE SCHEDULE.

FILE 4



FILE 7

SP (MV) 0.0
 ILD (DHMM) 0.0 30.000
 SFLA (DHMM) 0.0 6.0000
 SFLA (DHMM) 0.0 30.000 1000.0
 CILD (MHMM) 0.0

SENSOR MEASURE POINT TO TENSION REFERENCE POINT

TB9	43.9 FEET	AMPL	43.9 FEET
TT3	40.2 FEET	TT4	39.2 FEET
TT1	42.9 FEET	TT2	43.9 FEET
CAL1	31.8 FEET	SRAT	41.4 FEET
SFL	6.4 FEET	ILD	9.4 FEET
SP	2.3 FEET	ILM	5.9 FEET
TS	.0 FEET	SPAR	2.5 FEET
NOIS	35.7 FEET		

PARAMETERS

NAME	VALUE	UNIT	NAME	VALUE	UNIT
DDEL	200	US	BS	7.87500	IN
DUCO	512		DSIN	5	US
DTH	56.0000	US/F	CDTS	100.000	
DSEC	6.30000	MMHD	DTF	189.000	US/F
MSEC	7.70000	MMHD	SBR	1.00000	DHMM
BHS	OPEN		FPHI	SPHI	
PP	NORM		DD	0.0	F

TAPE NOT MADE

COMPANY: REICHOLD ENERGY CORP. SCHL. FR. 4380.0
 WELL: CROWN ZELLERBACH #23-26 SCHL. TO 4386.0
 FIELD: PITTSBURG DRLR. TD 4379.0
 COUNTY: COLUMBIA STATE OREGON Elev. KB 1142.2
 DF N/A
 GL 1130.8