

ANALYST: P. COLDMY

8-MAY-85 16:56:10

```
*****  
*                                     *  
*                                     *  
*                                     *  
*****  
*                                     *  
*   SCHLUMBERGER   *  
*                                     *  
*****
```

HIGH RESOLUTION DEPTH - CLUSTER LISTING

COMPANY : PULCHFIELD ENERGY
WELL : "CROWN ZELLEBEACH" #34-20
FIELD : PITTSBURG
COUNTRY : U.S.A.
REF REF: 0000011096
LOGGED : 6 - MAY - 85

ANALYST: H. COLDFEY

8-MAY-85 18:56:10

```
*****  
*                                     *  
*                                     *  
*                                     *  
*                                     *  
*                                     *  
*          SCHLUMBERGER          *  
*                                     *  
*                                     *  
*****
```

HIGH RESOLUTION DIAPHRAGM - CLUSTER LISTING

COMPANY : FRICHOLD ENERGY
SEID : "CROWN ZELLEFBACH" #34-26
TITLE : PIPESHIP
COUNTRY : U.S.A.
REFERENCE: 0000011096
LOGGED : 8 - MAY - 85

COMPANY : REICHOLD ENERGY
WELL : "CHRONI ZELMERACH" 131-26

PAGE 1

CORRELATION PARAMETERS :

COR. INT. FT	COR. STEP %	SEARCH ANG DGC	NB OF DIP
4.0	50.0	30.0	2

FILE : J

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST#A)	
5642.00*	37.7*	352*	2.4*	316*	8.5*	8.4*		
5644.00*	10.9*	348*	2.5*	316*	8.7*	8.4#B		
5646.00*	10.5*	355*	2.7*	315*	8.6*	8.2#B		
5648.00*	65.6*	76*	2.8*	313*	8.5*	8.2*		
5650.00*	16.9*	279*	2.9*	310*	8.4*	8.3*		
5652.00*	12.4*	349*	2.8*	309*	8.4*	8.1#D		
5654.00*	27.9*	320*	2.8*	307*	8.5*	8.4*		
5656.00*	6.0*	3*	2.7*	306*	8.5*	8.4#D		
5658.00*	10.3*	327*	2.7*	309*	8.6*	8.5#D		
5660.00*	12.9*	346*	2.7*	310*	8.7*	8.5#B		
5662.00*	12.2*	348*	2.7*	308*	8.7*	8.6#B		
5664.00*	13.9*	341*	2.7*	305*	8.8*	8.5#A		
5666.00*	23.7*	48*	2.8*	303*	8.9*	8.5*		
5668.00*	62.6*	335*	2.8*	305*	9.0*	8.6*		
5670.00*		*	2.8*	306*	9.0*	8.6*		
5672.00*	17.1*	250*	2.8*	305*	9.0*	8.5*		
5674.00*	2.1*	328*	2.8*	305*	9.0*	8.8#A		
5676.00*	3.7*	339*	2.8*	307*	9.0*	8.9#A		
5678.00*	2.5*	351*	2.9*	308*	9.0*	8.9#A		
5680.00*	3.3*	2*	2.8*	308*	8.9*	8.9#A		
5682.00*	8.6*	346*	2.7*	307*	8.8*	8.9#A		
5684.00*	4.5*	357*	2.7*	307*	8.8*	8.8#A		
5686.00*	2.8*	19*	2.6*	305*	8.9*	8.8#A		
5688.00*	2.8*	8*	2.6*	305*	9.0*	8.9#A		
5690.00*	3.7*	354*	2.6*	305*	9.0*	8.8#A		
5692.00*	6.1*	338*	2.6*	305*	9.0*	8.8#C		
5694.00*	3.4*	58*	2.6*	305*	8.9*	8.9#C		
5696.00*	7.1*	329*	2.6*	305*	8.8*	9.0#C		
5698.00*	5.2*	337*	2.5*	304*	8.8*	9.0#A		
5700.00*	25.5*	302*	2.4*	306*	8.7*	8.8*		
5702.00*	23.7*	284*	2.5*	308*	8.8*	8.8#C		
5704.00*	12.2*	319*	2.5*	309*	9.0*	8.9#A		
5706.00*	11.2*	304*	2.5*	309*	8.9*	8.9#A		
5708.00*	11.4*	282*	2.6*	309*	8.8*	8.9#B		
5710.00*	12.0*	299*	2.6*	309*	8.8*	8.7#A		
5712.00*	12.8*	285*	2.6*	311*	8.8*	8.7#B		
5714.00*	19.7*	306*	2.6*	312*	8.8*	8.7#D		
5716.00*	14.5*	289*	2.6*	312*	8.7*	8.5#D		
5718.00*	9.8*	272*	2.6*	310*	8.7*	8.5#D		
5720.00*	5.7*	298*	2.6*	310*	8.7*	8.5#D		
5722.00*	60.5*	46*	2.5*	309*	8.6*	8.4*		
5724.00*	14.9*	358*	2.5*	309*	8.5*	8.5*		

FILE : 1

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DSC	DFG	LFG	DEG	1-3	2-4	(BEST=A)	
					IN	IN		
5726.00*	14.9*	357*	2.4*	307*	8.6*	8.6*	*	
5728.00*	14.4*	15*	2.5*	306*	8.6*	8.5#D	*	
5730.00*	14.9*	45*	2.5*	304*	8.6*	8.3#B	*	
5732.00*	14.7*	46*	2.5*	303*	8.7*	8.3*	*	
5734.00*	25.9*	213*	2.5*	303*	8.6*	8.4*	*	
5736.00*	28.0*	261*	2.5*	303*	8.6*	8.3*	*	
5738.00*	24.0*	274*	2.5*	301*	8.5*	8.3*	*	
5740.00*	13.4*	262*	2.6*	300*	8.5*	8.5#D	*	
5742.00*	22.8*	291*	2.7*	298*	8.6*	8.5#D	*	
5744.00*	21.6*	293*	2.8*	298*	8.6*	8.4#C	*	
5746.00*	8.8*	304*	2.8*	298*	8.6*	8.5#B	*	
5748.00*	9.5*	270*	2.8*	298*	8.6*	8.6#B	*	
5750.00*	15.4*	291*	2.8*	298*	8.7*	8.6#B	*	
5752.00*	17.9*	301*	2.9*	298*	8.9*	8.6*	*	
5754.00*	34.4*	133*	2.8*	296*	9.2*	8.7*	*	
5756.00*	21.5*	310*	2.8*	296*	9.2*	8.6*	*	
5758.00*	22.8*	304*	2.8*	298*	9.0*	8.5*	*	
5760.00*	17.8*	314*	2.8*	300*	9.0*	8.6*	*	
5762.00*	26.1*	349*	2.7*	301*	9.0*	8.8*	*	
5764.00*	22.6*	73*	2.7*	302*	9.0*	8.4*	*	
5766.00*	47.4*	154*	2.7*	303*	8.9*	8.7*	*	
5768.00*	55.4*	163*	2.7*	303*	8.7*	8.7*	*	
5770.00*	39.6*	168*	2.7*	303*	8.7*	8.7*	*	
5772.00*	33.8*	125*	2.8*	303*	8.8*	8.8#C	*	
5774.00*	30.4*	143*	2.8*	303*	8.7*	8.9*	*	
5776.00*	27.2*	121*	2.8*	302*	8.8*	8.9#C	*	
5778.00*	26.8*	117*	2.9*	301*	8.9*	8.8#C	*	
5780.00*	17.9*	116*	2.9*	301*	9.0*	8.6#C	*	
5782.00*	35.0*	111*	2.9*	300*	9.0*	8.7*	*	
5784.00*	25.4*	135*	2.9*	298*	9.0*	8.9*	*	
5786.00*	26.0*	119*	2.9*	296*	8.9*	8.8#A	*	
5788.00*	27.0*	107*	2.8*	295*	8.9*	8.8#A	*	
5790.00*	28.2*	129*	2.9*	296*	8.9*	8.7#A	*	
5792.00*	27.7*	125*	2.9*	296*	9.0*	8.7#B	*	
5794.00*	24.8*	135*	2.9*	297*	9.1*	8.7#B	*	
5796.00*	24.6*	133*	2.9*	297*	9.1*	8.8#B	*	
5798.00*	49.7*	170*	2.9*	297*	9.1*	8.9*	*	
5800.00*	49.7*	168*	2.9*	298*	9.1*	8.8*	*	
5802.00*	24.3*	359*	2.9*	298*	9.0*	8.9*	*	
5804.00*	31.1*	14*	2.9*	297*	9.0*	8.7*	*	
5806.00*	19.9*	97*	2.8*	297*	9.0*	8.6*	*	
5808.00*	26.3*	116*	2.8*	296*	8.9*	8.7#D	*	

FILE : 1

4	FORMATION				BOREHOLE				QUALITY
	DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
		AZIMUTH	AZIMUTH			1-3	2-4	(BEST=A)	
2	FT	DEG	DEG	DEG	DEG	IN	IN		

*	*	*	*	*	*	*	*	*	*
*	5810.00*	21.8*	146*	2.8*	294*	8.9*	8.8*	D	*
*	5812.00*	20.4*	112*	2.8*	292*	9.0*	8.9*	A	*
*	5814.00*	19.5*	98*	2.8*	291*	9.0*	8.9*	A	*
*	5816.00*	19.3*	110*	2.8*	290*	9.1*	9.0*	A	*
*	5818.00*	23.4*	108*	2.9*	291*	9.1*	8.9*	A	*
*	5820.00*	23.1*	105*	2.9*	291*	9.1*	8.9*	A	*
*	5822.00*	24.1*	92*	3.0*	291*	8.7*	8.6*	A	*
*	5824.00*	23.0*	83*	3.1*	290*	8.6*	8.4*	C	*
*	5826.00*	24.7*	110*	3.0*	290*	8.9*	8.8*	A	*
*	5828.00*	45.9*	84*	3.0*	291*	8.8*	8.9*		*
*	5830.00*	32.5*	218*	2.9*	290*	8.8*	9.0*		*

FILE : 2

FORMATION				BURHOLE				QUALITY
DEPTH	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX		
FT	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST=A)		
652.00*	52.2*	143*	0*	9.2*	10.2*			
654.00*	17.3*	229*	0*	9.1*	9.9*			
656.00*	20.7*	292*	0*	9.2*	9.6*			
658.00*	1.3*	248*	0*	9.4*	9.9#B			
660.00*	2.1*	267*	0*	10.4*	10.4#B			
662.00*	0.4*	168*	0*	10.5*	10.4#B			
664.00*	3.3*	266*	0*	10.3*	10.3#A			
666.00*	3.6*	291*	0*	9.9*	10.1#A			
668.00*	4.7*	277*	0*	9.4*	9.9#A			
670.00*	4.5*	266*	0*	9.6*	10.1#A			
672.00*	7.5*	269*	0*	10.0*	10.4#A			
674.00*	1.2*	259*	0*	9.9*	10.4#A			
676.00*	1.5*	261*	0*	9.9*	10.3#A			
678.00*	3.5*	262*	0*	9.6*	10.1#A			
680.00*	2.7*	263*	0*	9.1*	10.0#A			
682.00*	3.1*	262*	0*	9.1*	10.1#A			
684.00*	6.8*	252*	0*	9.1*	10.0#A			
685.00*	3.0*	295*	0*	9.2*	10.0#A			
688.00*	6.6*	287*	0*	9.6*	10.2#A			
690.00*	3.0*	277*	0*	10.0*	10.3#A			
692.00*	2.9*	261*	0*	10.0*	10.2#A			
694.00*	5.1*	246*	0*	9.4*	9.7#A			
696.00*	5.8*	285*	0*	9.0*	9.2#A			
698.00*	16.7*	134*	0*	9.0*	9.2*			
700.00*	19.0*	121*	0*	9.5*	9.9*			
702.00*	24.3*	10*	0*	10.6*	10.6*			
704.00*	3.4*	226*	0*	10.9*	10.1#B			
706.00*	4.5*	234*	0*	10.7*	9.1#B			
708.00*	16.8*	321*	0*	10.5*	9.0#D			
710.00*	9.4*	48*	0*	10.6*	9.3*			
712.00*	4.4*	203*	0*	10.8*	9.9#D			
714.00*	26.3*	349*	0*	10.5*	10.0*			
716.00*	10.8*	321*	0*	9.9*	9.5#B			
718.00*	8.3*	271*	0*	9.8*	8.9#D			
720.00*	8.9*	345*	0*	9.9*	8.9#D			
722.00*	3.9*	181*	0*	9.9*	9.1#D			
724.00*	1.5*	279*	0*	9.2*	9.2#A			
726.00*	4.0*	25*	0*	10.6*	9.2#A			
728.00*	5.2*	101*	0*	10.0*	9.3#C			
730.00*	6.6*	329*	0*	10.0*	9.2#C			
732.00*	4.3*	347*	0*	10.0*	9.2#A			
734.00*	3.6*	27*	0*	9.9*	9.0#C			

FILE : 2

FOUNDATION				BUREHOLE				QUALITY
DEPTH	DIP	DIR	DEVIAT	DEVIAT	CALIBER	CALIBER	JUDGX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST=4)	
736.00*	4.6*	350*	0*	0*	9.9*	8.9*	A	
738.00*	3.5*	259*	0*	0*	9.9*	8.9*	A	
740.00*	2.2*	319*	0*	0*	10.0*	8.9*	A	
742.00*	2.1*	319*	0*	0*	10.1*	8.2*	A	
744.00*	13.1*	150*	0*	0*	10.1*	6.2*	D	
746.00*	10.7*	168*	0*	0*	10.0*	6.9*	D	
748.00*	5.2*	130*	0*	0*	9.8*	9.2*	D	
750.00*	10.6*	141*	0*	0*	9.8*	9.1*	D	
752.00*	11.5*	154*	0*	0*	9.9*	9.4*	D	
751.00*	9.0*	173*	0*	0*	9.3*	9.2*	D	
756.00*	13.9*	21*	0*	0*	9.9*	9.0*		
758.00*	16.9*	132*	0*	0*	10.0*	8.9*	D	
760.00*	21.9*	231*	0*	0*	10.5*	9.1*		
762.00*	16.5*	127*	0*	0*	10.4*	9.2*		
764.00*	5.3*	217*	0*	0*	9.9*	9.1*	D	
766.00*	1.4*	202*	0*	0*	10.0*	9.0*	D	
768.00*	4.9*	248*	0*	0*	10.0*	9.0*	D	
770.00*	10.8*	290*	0*	0*	9.7*	9.0*	D	
772.00*	7.9*	193*	0*	0*	9.6*	9.0*	B	
774.00*	36.1*	185*	0*	0*	9.8*	9.1*		
776.00*	23.4*	357*	0*	0*	9.9*	9.1*		
778.00*	4.8*	195*	0*	0*	10.2*	9.0*	B	
780.00*	44.0*	168*	0*	0*	10.7*	8.9*		
782.00*	11.1*	294*	0*	0*	11.0*	8.9*	B	
784.00*	.4*	219*	0*	0*	10.5*	9.0*	D	
786.00*	3.5*	32*	0*	0*	10.0*	9.1*	D	
788.00*	5.1*	35*	0*	0*	9.7*	9.1*	D	
790.00*	3.9*	211*	0*	0*	7.5*	9.1*	D	
792.00*	28.2*	176*	0*	0*	9.4*	9.2*		
794.00*	10.8*	33*	0*	0*	9.2*	9.7*	D	
796.00*	36.4*	343*	0*	0*	9.2*	10.0*		
798.00*	2.9*	71*	0*	0*	3.1*	9.9*	D	
800.00*	3.7*	78*	0*	0*	9.0*	9.8*	B	
802.00*	4.6*	74*	0*	0*	9.0*	9.9*	B	
804.00*	3.3*	80*	0*	0*	9.0*	10.1*	D	
806.00*	4.2*	46*	0*	0*	8.9*	10.0*	D	
808.00*	4.8*	34*	0*	0*	3.9*	10.0*	D	
810.00*	2.7*	27*	0*	0*	8.9*	9.9*	D	
812.00*	2.9*	18*	0*	0*	9.0*	9.8*	B	
814.00*	8.6*	51*	0*	0*	9.0*	9.7*	B	
816.00*	12.6*	72*	0*	0*	9.0*	9.2*	D	
818.00*	53.1*	79*	0*	0*	8.9*	10.0*		

FILE : 2

FORMATION		BORTHOLE				QUALITY	
DEPTH	DIF	DIF	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BFSI=A)
820.00	6.3	306	0	0	8.9	10.1	B
822.00	6.6	39	0	0	8.9	9.9	D
824.00	5.1	55	0	0	8.9	9.8	D
826.00	3.2	55	0	0	9.0	9.7	D
828.00	14.2	51	0	0	9.0	9.6	D
830.00	1.3	18	0	0	9.0	9.8	D
832.00	1.7	47	0	0	8.9	10.2	B
834.00	6.3	49	0	0	8.8	10.4	B
836.00	5.4	59	0	0	8.8	10.4	B
838.00	4.1	72	0	0	8.8	10.2	A
840.00	5.6	62	0	0	8.8	10.2	C
842.00	1.2	41	0	0	8.9	10.4	A
844.00	10.3	309	0	0	8.9	10.7	C
846.00	1.7	26	0	0	8.6	10.5	A
848.00	9.1	56	0	0	8.9	10.2	A
850.00	13.8	311	0	0	8.9	10.0	D
852.00	10.3	22	0	0	8.9	9.9	C
854.00	4.6	285	0	0	9.0	10.3	C
856.00	6.7	291	0	0	9.0	10.9	A
858.00	4.9	20	0	0	9.0	11.3	D
860.00	11.1	299	0	0	8.8	11.1	B
862.00	10.9	309	0	0	8.7	11.0	D
864.00	4.6	29	0	0	8.7	10.7	D
866.00	6.5	152	0	0	8.7	10.3	D
868.00	3.3	49	0	0	8.8	10.4	D
870.00	4.0	50	0	0	8.8	10.4	D
872.00	10.3	97	0	0	8.8	10.4	D
874.00	9.4	67	0	0	8.8	10.4	D
876.00	3.4	359	0	0	8.8	10.6	B
878.00	4.3	315	0	0	8.8	10.6	D
880.00	3.6	10	0	0	9.0	10.9	C
882.00	8.7	49	0	0	9.0	11.1	A
884.00	4.1	47	0	0	9.0	10.5	A
886.00	11.3	80	0	0	8.8	10.3	C
888.00	7.1	7	0	0	8.7	10.4	C
890.00	5.5	27	0	0	8.8	10.4	A
892.00	3.0	31	0	0	8.8	10.2	A
894.00	5.9	80	0	0	8.7	10.1	C
896.00	14.3	90	0	0	9.7	10.1	F
898.00	9.9	94	0	0	8.8	10.4	B
900.00	32.2	250	0	0	8.9	10.9	F
902.00	6.7	96	0	0	9.0	11.1	D

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST=A)	
304.00	1.7	80	0	0	3.1	11.2	B	
306.00	3.5	110	0	0	9.1	11.2	B	
408.00	7.3	68	0	0	9.0	11.0	B	
410.00	54.6	15	0	0	8.8	10.6		
412.00	52.6	15	0	0	8.9	10.9		
311.00	4.6	34	0	0	9.0	11.0	D	
416.00	31.0	59	0	0	9.0	10.7		
418.00	3.3	48	0	0	9.0	10.6	B	
420.00	1.4	93	0	0	9.0	10.8	B	
422.00	3.0	26	0	0	8.9	10.8	D	
424.00	7.7	81	0	0	8.9	10.8	D	
426.00	6.2	93	0	0	8.9	10.7	D	
428.00	4.1	120	0	0	8.7	10.6	D	
430.00	7.0	2	0	0	8.7	10.5	D	
432.00	54.6	109	0	0	8.8	10.5		
434.00	24.7	112	0	0	8.9	10.5		
436.00	3.6	15	0	0	9.0	10.8	D	
438.00	1.3	276	0	0	8.9	10.7	B	
440.00	4.0	281	0	0	8.9	10.3	B	
442.00	4.8	282	0	0	9.0	10.2	D	
444.00	47.3	36	0	0	8.9	10.4		
446.00	50.9	100	0	0	9.0	10.5		
448.00	28.4	195	0	0	9.1	10.4		
450.00	9.2	99	0	0	8.9	10.3	B	
452.00	7.1	19	0	0	8.8	10.0	D	
454.00	16.8	180	0	0	8.8	10.4		
456.00	65.3	223	0	0	8.8	11.0		
458.00	4.1	78	0	0	8.8	10.8	C	
460.00	3.7	73	0	0	8.7	10.1	A	
462.00	30.9	85	0	0	8.7	10.0		
464.00	9.8	69	0	0	8.7	10.1	C	
466.00	3.9	31	0	0	8.7	10.1	C	
468.00	4.7	350	0	0	8.7	10.1	A	
470.00	3.5	9	0	0	8.7	9.8	A	
472.00	3.4	24	0	0	8.6	9.8	A	
474.00	11.2	42	0	0	8.6	10.3	A	
476.00	11.2	46	0	0	8.7	10.7	A	
478.00	3.2	55	0	0	8.8	10.5	C	
480.00	2.9	26	0	0	8.8	10.3	C	
482.00	7.4	324	0	0	8.9	10.4	A	
484.00	9.2	335	0	0	9.0	10.6	A	
486.00	11.3	317	0	0	9.0	11.1	C	

PAGE : 2

DEPTH	FORMATION		DIP		AZIMUTH		CALIBER		QUALITY
	LOG	DEC	DEVIAT	DEG	DEVIAT	DEG	1-3 IN	2-4 IN	CODE A (BEST=A)
988.00*	6.4*	338*	0*	0*	9.0*	11.6*	A		
996.00*	6.9*	327*	0*	0*	9.1*	11.8*	A		
992.00*	8.3*	315*	0*	0*	9.1*	11.7*	A		
994.00*	2.7*	336*	0*	0*	9.1*	11.7*	A		
996.00*	3.2*	42*	0*	0*	9.1*	11.7*	A		
998.00*	4.6*	47*	0*	0*	9.1*	11.8*	B		
1000.00*	26.1*	323*	0*	0*	9.1*	11.9*			
1002.00*	60.9*	50*	0*	0*	9.1*	11.8*			
1004.00*	5.4*	71*	0*	0*	9.0*	11.7*	D		
1006.00*	51.4*	205*	0*	0*	8.9*	10.9*			
1008.00*	11.3*	88*	0*	0*	8.9*	10.6*	D		
1010.00*	10.6*	45*	0*	0*	9.0*	11.0*	D		
1012.00*	4.5*	51*	0*	0*	9.0*	11.1*	D		
1014.00*	2.8*	49*	0*	0*	5.0*	11.3*	D		
1016.00*	16.3*	345*	0*	0*	9.0*	11.3*			
1018.00*	6.9*	310*	0*	0*	9.0*	11.3*	C		
1020.00*	2.4*	335*	0*	0*	8.9*	11.3*	A		
1022.00*	3.0*	286*	0*	0*	8.9*	11.5*	A		
1024.00*	2.2*	306*	0*	0*	9.0*	11.7*	A		
1026.00*	3.2*	33*	0*	0*	9.0*	11.7*	A		
1028.00*	9.0*	295*	0*	0*	8.9*	11.3*	A		
1030.00*	5.5*	355*	0*	0*	8.8*	10.4*	C		
1032.00*	2.4*	359*	0*	0*	8.9*	10.1*	C		
1034.00*	3.9*	92*	0*	0*	8.7*	10.3*	A		
1036.00*	6.6*	66*	0*	0*	8.7*	10.4*	A		
1038.00*	7.7*	37*	0*	0*	8.8*	10.4*	D		
1040.00*	4.9*	21*	0*	0*	8.7*	10.5*	D		
1042.00*	27.5*	254*	0*	0*	8.6*	10.6*			
1044.00*	5.8*	37*	0*	0*	8.8*	10.3*	D		
1046.00*	4.9*	35*	0*	0*	8.8*	10.6*	B		
1048.00*	5.7*	19*	0*	0*	8.6*	11.1*	D		
1050.00*	6.7*	4*	0*	0*	8.7*	11.1*	D		
1052.00*	12.3*	106*	0*	0*	8.7*	11.0*			
1054.00*	66.4*	330*	0*	0*	8.9*	11.1*			
1056.00*	40.8*	348*	0*	0*	9.0*	11.0*			
1058.00*	24.7*	114*	0*	0*	9.0*	10.8*			
1060.00*	5.1*	22*	0*	0*	9.0*	10.9*	D		
1062.00*	5.3*	353*	0*	0*	9.0*	10.8*	D		
1064.00*	3.7*	318*	0*	0*	9.0*	11.0*	D		
1066.00*	19.6*	276*	0*	0*	9.0*	11.3*	B		
1068.00*	18.1*	272*	0*	0*	9.0*	11.4*	B		
1070.00*	5.5*	27*	0*	0*	9.0*	11.1*	D		

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST=A)	
1072.00	3.8	29	0	0	9.0	10.5	B	
1074.00	14.3	266	0	0	9.0	10.8	D	
1076.00	5.2	345	0	0	9.0	10.8	D	
1078.00	1.9	12	0	0	9.0	10.8	B	
1080.00	1.5	11	0	0	9.0	10.9	B	
1082.00	23.4	253	0	0	9.0	10.5		
1084.00	4.0	231	0	0	9.0	9.8	B	
1086.00	2.2	198	0	0	9.0	10.1	B	
1088.00	6.2	63	0	0	9.0	10.5	D	
1090.00	19.1	223	0	0	9.0	10.3		
1092.00	19.1	228	0	0	9.1	10.3		
1094.00	1.5	161	0	0	9.1	10.1	D	
1096.00	16.2	110	0	0	9.0	10.0		
1098.00	0.1	101	0	0	9.0	10.2	C	
1100.00	6.0	317	0	0	9.0	10.4	A	
1102.00	0.1	319	0	0	9.0	10.2	A	
1104.00	1.7	338	0	0	9.0	10.0	A	
1106.00	3.3	65	0	0	9.0	10.0	A	
1108.00	2.5	37	0	0	9.0	10.3	A	
1110.00	1.7	18	0	0	9.0	10.4	A	
1112.00	7.7	41	0	0	8.9	10.9	C	
1114.00	3.5	54	0	0	8.9	11.6	C	
1116.00	10.9	66	0	0	8.9	11.5	C	
1118.00	9.7	294	0	0	8.8	11.3	D	
1120.00	10.1	271	0	0	8.8	11.4	D	
1122.00	19.1	80	0	0	8.7	11.3		
1124.00	72.4	181	0	0	8.6	11.0		
1126.00	4.3	350	0	0	8.7	11.2	D	
1128.00	16.8	38	0	0	8.8	11.3		
1130.00	15.9	302	0	0	9.0	10.9	D	
1132.00	8.9	261	0	0	9.0	10.9	D	
1134.00	10.4	241	0	0	8.9	11.5	D	
1136.00	2.9	40	0	0	8.9	11.5	D	
1138.00	29.5	215	0	0	9.0	10.6		
1140.00	46.8	279	0	0	9.9	10.4		
1142.00	37.1	243	0	0	8.9	11.1		
1144.00	69.4	82	0	0	8.9	11.5		
1146.00			0	0	8.9	10.9		
1148.00	8.6	141	0	0	9.0	10.8		
1150.00	4.0	1	0	0	9.0	10.9	D	
1152.00	5.2	12	0	0	9.0	10.9	D	
1154.00	19.2	260	0	0	9.0	11.0		

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	CLIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
					IN	IN		
1156.00*	27.4*	356*	0*	0*	9.0*	11.1*		
1158.00*	7.2*	29*	0*	0*	9.0*	10.9#D		
1160.00*	4.4*	42*	0*	0*	9.0*	10.6#D		
1162.00*	4.2*	27*	0*	0*	9.0*	10.6#D		
1164.00*	29.9*	342*	0*	0*	8.9*	10.9*		
1166.00*	7.4*	108*	0*	0*	8.9*	11.1#D		
1168.00*	7.0*	91*	0*	0*	8.8*	10.8#D		
1170.00*	3.8*	73*	0*	0*	8.8*	10.3#D		
1172.00*	36.8*	17*	0*	0*	8.9*	9.9*		
1174.00*	9.8*	1*	0*	0*	8.9*	9.4#D		
1176.00*	6.9*	34*	0*	0*	9.0*	9.2#B		
1178.00*	14.1*	294*	0*	0*	9.1*	9.0#D		
1180.00*	12.8*	287*	0*	0*	9.1*	9.0#D		
1182.00*	34.7*	296*	0*	0*	9.2*	9.0*		
1184.00*	14.8*	282*	0*	0*	9.3*	8.9#D		
1186.00*	10.9*	34*	0*	0*	9.2*	9.0#D		
1188.00*	10.7*	22*	0*	0*	9.1*	9.0#D		
1190.00*	17.2*	62*	0*	0*	9.4*	9.0*		
1192.00*	8.4*	322*	0*	0*	9.9*	8.9#D		
1194.00*	7.6*	311*	0*	0*	10.3*	8.8#B		
1196.00*	15.7*	167*	0*	0*	10.2*	9.0*		
1198.00*	48.5*	274*	0*	0*	10.1*	9.0*		
1200.00*	50.5*	53*	0*	0*	10.3*	8.9#D		
1202.00*	6.6*	326*	0*	0*	10.3*	8.9#D		
1204.00*	7.7*	332*	0*	0*	10.8*	8.9#D		
1206.00*	50.6*	173*	0*	0*	11.3*	9.0*		
1208.00*	9.2*	28*	0*	0*	11.0*	9.0#D		
1210.00*	4.9*	35*	0*	0*	10.7*	8.9#D		
1212.00*	12.5*	326*	0*	0*	10.7*	9.0#D		
1214.00*	11.8*	334*	0*	0*	10.9*	9.0#D		
1216.00*	16.3*	327*	0*	0*	11.1*	9.0#D		
1218.00*	6.6*	351*	0*	0*	11.3*	8.9#A		
1220.00*	8.8*	334*	0*	0*	11.5*	8.9#A		
1222.00*	38.7*	348*	0*	0*	11.7*	8.9*		
1224.00*	9.2*	330*	0*	0*	11.4*	8.9#A		
1226.00*	5.0*	338*	0*	0*	11.2*	8.9#A		
1228.00*	8.3*	322*	0*	0*	11.2*	8.9#C		
1230.00*	21.3*	338*	0*	0*	10.9*	8.9*		
1232.00*	7.9*	5*	0*	0*	10.8*	8.9#A		
1234.00*	1.3*	316*	0*	0*	11.1*	8.8#C		
1236.00*	1.9*	115*	0*	0*	10.8*	8.7#C		
1238.00*	3.0*	227*	0*	0*	10.6*	8.9#D		

FILE : 2

FORMATION					BURNHOLE			QUALITY	
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX		
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)		
					IN	IN			
1240.00*	2.8*	354*	0*	0*	10.8*	9.0*	B		
1242.00*	2.6*	76*	0*	0*	10.9*	9.0*	D		
1244.00*	11.0*	11*	0*	0*	10.8*	9.0*	D		
1246.00*	6.2*	293*	0*	0*	10.6*	9.0*	D		
1248.00*	6.1*	304*	0*	0*	10.5*	9.0*	B		
1250.00*	72.5*	212*	0*	0*	10.5*	8.9*			
1252.00*	3.2*	8*	0*	0*	10.4*	8.8*	B		
1254.00*	4.3*	239*	0*	0*	10.3*	8.8*	D		
1256.00*	3.7*	329*	0*	0*	10.1*	8.8*	D		
1258.00*	18.1*	152*	0*	0*	10.1*	8.8*	D		
1260.00*	26.9*	347*	0*	0*	10.1*	8.8*			
1262.00*	36.9*	5*	0*	0*	10.0*	8.7*			
1264.00*	20.3*	170*	0*	0*	10.0*	8.6*	B		
1266.00*	20.3*	162*	0*	0*	10.2*	8.7*	B		
1268.00*	23.6*	155*	0*	0*	10.3*	8.9*	B		
1270.00*	12.5*	276*	0*	0*	10.3*	8.8*			
1272.00*	36.9*	112*	0*	0*	10.0*	8.7*			
1274.00*	60.6*	214*	0*	0*	9.8*	8.7*			
1276.00*	23.4*	126*	0*	0*	9.8*	8.9*			
1278.00*	5.5*	315*	0*	0*	10.1*	9.0*	D		
1280.00*	8.3*	357*	0*	0*	10.6*	9.0*	D		
1282.00*	4.6*	332*	0*	0*	10.7*	9.0*	D		
1284.00*	4.4*	293*	0*	0*	10.5*	9.0*	B		
1286.00*	9.1*	353*	0*	0*	10.1*	9.0*	B		
1288.00*	14.8*	355*	0*	0*	10.0*	9.0*	D		
1290.00*	3.4*	125*	0*	0*	10.0*	8.9*	D		
1292.00*	4.6*	192*	0*	0*	10.3*	8.9*	D		
1294.00*	6.5*	279*	0*	0*	10.5*	9.0*	D		
1296.00*	3.1*	355*	0*	0*	10.4*	9.0*	D		
1298.00*	13.8*	50*	0*	0*	10.6*	9.0*	D		
1300.00*	21.6*	162*	0*	0*	10.7*	8.9*			
1302.00*	20.3*	354*	0*	0*	10.6*	8.8*			
1304.00*	23.5*	207*	0*	0*	9.5*	8.7*			
1306.00*	11.4*	39*	0*	0*	9.4*	8.8*	D		
1308.00*	16.4*	51*	0*	0*	9.4*	8.9*	B		
1310.00*	10.6*	46*	0*	0*	9.4*	8.9*	B		
1312.00*	15.6*	42*	0*	0*	9.7*	8.9*	B		
1314.00*	21.6*	326*	0*	0*	10.3*	8.8*			
1316.00*	36.9*	313*	0*	0*	10.6*	8.7*			
1318.00*	6.9*	344*	0*	0*	10.7*	8.7*	A		
1320.00*	6.5*	344*	0*	0*	10.8*	8.5*	A		
1322.00*	5.6*	331*	0*	0*	11.1*	8.6*	A		

FILE : 2

* * * * * FOU DATION * * * * *				* * * * * LOG HOLE * * * * *				QUALITY
DEPTH	DIP	DIF	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	AZIMUTH	LEG	AZIMUTH	1-3	2-4	(BEST=A)	
		DEG		DEG	IN	IN		
1324.00*	7.1*	12*	0*	0*	10.8*	8.7*	A	
1326.00*	7.7*	5*	0*	0*	10.5*	8.8*	A	
1328.00*	28.1*	282*	0*	0*	10.4*	8.8*		
1330.00*	34.1*	301*	0*	0*	10.5*	8.8*		
1332.00*	11.6*	341*	0*	0*	10.8*	8.5*	A	
1334.00*	7.2*	12*	0*	0*	10.4*	8.7*	C	
1336.00*	4.6*	335*	0*	0*	10.2*	8.9*	C	
1338.00*	14.3*	270*	0*	0*	10.4*	8.8*		
1340.00*	20.4*	341*	0*	0*	10.6*	8.8*		
1342.00*	15.1*	94*	0*	0*	10.1*	8.8*		
1344.00*	9.1*	338*	0*	0*	10.1*	8.8*	D	
1346.00*	.2*	327*	0*	0*	9.7*	8.9*	B	
1348.00*	3.3*	117*	0*	0*	9.6*	8.8*	B	
1350.00*	2.2*	197*	0*	0*	9.5*	8.7*	B	
1352.00*	2.7*	224*	0*	0*	9.6*	8.7*	B	
1354.00*	6.1*	321*	0*	0*	9.7*	8.8*	D	
1356.00*	10.3*	9*	0*	0*	9.6*	8.8*	D	
1358.00*	3.7*	301*	0*	0*	9.6*	8.8*	A	
1360.00*	3.9*	291*	0*	0*	9.5*	8.8*	A	
1362.00*	3.6*	295*	0*	0*	9.6*	8.8*	A	
1364.00*	2.4*	295*	0*	0*	9.5*	8.9*	A	
1366.00*	4.8*	319*	0*	0*	9.5*	8.9*	B	
1368.00*	4.8*	313*	0*	0*	9.7*	8.9*	B	
1370.00*	7.6*	302*	0*	0*	9.9*	8.8*	D	
1372.00*	8.6*	337*	0*	0*	9.9*	8.7*	D	
1374.00*	2.7*	247*	0*	0*	9.8*	8.7*	B	
1376.00*	3.8*	270*	0*	0*	9.8*	8.8*	D	
1378.00*	12.4*	296*	0*	0*	9.5*	8.9*	D	
1380.00*	12.3*	20*	0*	0*	9.3*	8.9*		
1382.00*	15.7*	351*	0*	0*	9.4*	8.9*		
1384.00*	9.9*	306*	0*	0*	9.5*	8.9*	D	
1386.00*	9.2*	312*	0*	0*	10.1*	8.7*	D	
1388.00*	8.2*	334*	0*	0*	10.3*	8.7*	D	
1390.00*	21.1*	347*	0*	0*	10.0*	8.7*		
1392.00*	1.3*	106*	0*	0*	9.7*	8.8*	D	
1394.00*	3.8*	263*	0*	0*	9.5*	8.9*	B	
1396.00*	4.4*	262*	0*	0*	10.0*	8.9*	B	
1398.00*	3.5*	293*	0*	0*	10.5*	8.8*	D	
1400.00*	3.5*	295*	0*	0*	10.3*	8.7*	D	
1402.00*	58.9*	96*	0*	0*	10.1*	8.8*		
1404.00*	12.9*	337*	0*	0*	9.9*	8.9*	D	
1406.00*	19.5*	289*	0*	0*	9.7*	8.9*		

FILE : 2

FOUNDATION				BOREHOLE				QUALITY
DEPTH	DIP	DIF	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	CLG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
					IN	IN		
1408.00*	13.0*	37*	0*	0*	9.7*	8.9#D		
1410.00*	8.5*	32*	0*	0*	9.7*	8.9#B		
1412.00*	28.7*	172*	0*	0*	9.5*	8.9*		
1414.00*	31.0*	180*	0*	0*	9.4*	9.0*		
1416.00*	18.0*	102*	0*	0*	9.5*	8.9*		
1418.00*	29.7*	82*	0*	0*	9.7*	8.9*		
1420.00*	16.7*	34*	0*	0*	9.7*	8.9#B		
1422.00*	12.3*	40*	0*	0*	9.5*	8.9#D		
1424.00*	30.5*	222*	0*	0*	9.8*	8.9*		
1426.00*	5.3*	280*	0*	0*	9.9*	8.9#B		
1428.00*	10.9*	320*	0*	0*	10.1*	9.0#D		
1430.00*	2.1*	270*	0*	0*	10.0*	8.9#B		
1432.00*	1.8*	275*	0*	0*	9.9*	8.9#B		
1434.00*	48.5*	169*	0*	0*	9.7*	8.9*		
1436.00*	9.2*	324*	0*	0*	9.5*	8.9#D		
1438.00*	9.7*	304*	0*	0*	9.5*	8.9#D		
1440.00*	17.3*	315*	0*	0*	9.7*	8.9*		
1442.00*	44.3*	4*	0*	0*	9.6*	8.9*		
1444.00*	40.3*	349*	0*	0*	9.6*	8.9#D		
1446.00*	42.7*	340*	0*	0*	9.8*	8.9#B		
1448.00*	43.4*	339*	0*	0*	10.0*	8.9#D		
1450.00*	27.5*	251*	0*	0*	10.2*	8.9*		
1452.00*	5.7*	272*	0*	0*	10.2*	8.8#B		
1454.00*	5.8*	266*	0*	0*	10.2*	8.8#B		
1456.00*	26.2*	63*	0*	0*	10.0*	8.9*		
1458.00*	28.8*	71*	0*	0*	9.7*	9.0*		
1460.00*	32.5*	170*	0*	0*	9.7*	8.9*		
1462.00*	10.5*	276*	0*	0*	9.5*	8.9#D		
1464.00*	2.6*	340*	0*	0*	9.6*	8.9#B		
1466.00*	4.1*	33*	0*	0*	9.7*	9.0#D		
1468.00*	7.4*	284*	0*	0*	9.5*	9.9#D		
1470.00*	7.7*	287*	0*	0*	9.5*	8.9#D		
1472.00*	4.9*	335*	0*	0*	9.6*	8.9#D		
1474.00*	42.9*	7*	0*	0*	9.4*	8.9*		
1476.00*	23.1*	294*	0*	0*	9.3*	8.9*		
1478.00*	4.0*	318*	0*	0*	9.3*	8.9#D		
1480.00*	18.8*	111*	0*	0*	9.4*	8.9#D		
1482.00*	4.4*	37*	0*	0*	9.5*	8.9#D		
1484.00*	3.8*	67*	0*	0*	9.7*	8.9#A		
1486.00*	23.3*	348*	0*	0*	9.9*	8.9*		
1488.00*	1.7*	46*	0*	0*	9.8*	8.9#C		
1490.00*	1.9*	52*	0*	0*	9.8*	8.9#C		

FILE : 2

* FOUNDATION *					* BOREHOLE *				* QUALITY *
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX		
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)		
					IN	IN			

1492.00*	34.0*	178*	0*	0*	9.9*	8.9*			
1494.00*	2.8*	335*	0*	0*	10.0*	8.9*C			
1496.00*	5.3*	181*	0*	0*	9.9*	8.9*C			
1498.00*	2.4*	293*	0*	0*	10.0*	8.9*A			
1500.00*	4.2*	350*	0*	0*	9.8*	8.9*A			
1502.00*	57.1*	295*	0*	0*	9.5*	8.9*			
1504.00*	34.2*	43*	0*	0*	9.4*	8.9*			
1506.00*	16.0*	292*	0*	0*	9.5*	8.9*			
1508.00*	9.6*	112*	0*	0*	9.7*	8.9*			
1510.00*	3.8*	359*	0*	0*	9.7*	8.9*B			
1512.00*	2.7*	20*	0*	0*	9.6*	8.9*B			
1514.00*	2.0*	75*	0*	0*	9.9*	8.9*B			
1516.00*	1.5*	48*	0*	0*	10.2*	8.9*D			
1518.00*	65.5*	252*	0*	0*	10.1*	8.8*			
1520.00*	16.3*	118*	0*	0*	10.1*	8.9*			
1522.00*	5.8*	359*	0*	0*	10.2*	8.9*D			
1524.00*	10.8*	303*	0*	0*	10.2*	8.9*B			
1526.00*	4.5*	10*	0*	0*	10.1*	8.9*D			
1528.00*	2.5*	283*	0*	0*	9.7*	8.9*B			
1530.00*	2.5*	283*	0*	0*	9.6*	8.9*B			
1532.00*	.7*	331*	0*	0*	9.7*	8.9*D			
1534.00*	23.3*	307*	0*	0*	9.7*	8.9*			
1536.00*	61.8*	73*	0*	0*	9.6*	8.9*			
1538.00*	11.0*	137*	0*	0*	9.6*	8.9*D			
1540.00*	11.8*	134*	0*	0*	9.7*	8.8*B			
1542.00*	5.3*	330*	0*	0*	9.6*	8.8*D			
1544.00*	4.7*	196*	0*	0*	9.6*	8.9*D			
1546.00*	12.3*	107*	0*	0*	9.6*	8.9*D			
1548.00*	13.4*	109*	0*	0*	9.6*	8.9*D			
1550.00*	11.7*	329*	0*	0*	9.7*	8.9*D			
1552.00*	7.1*	107*	0*	0*	9.9*	9.0*D			
1554.00*	7.8*	114*	0*	0*	9.8*	9.0*B			
1556.00*	7.3*	112*	0*	0*	9.7*	8.9*B			
1558.00*	0.8*	36*	0*	0*	9.9*	8.9*D			
1560.00*	39.1*	347*	0*	0*	9.9*	8.9*			
1562.00*	7.5*	140*	0*	0*	9.9*	8.9*D			
1564.00*	7.0*	257*	0*	0*	9.7*	8.9*C			
1566.00*	3.3*	283*	0*	0*	9.6*	8.9*A			
1568.00*	3.3*	280*	0*	0*	9.7*	8.9*A			
1570.00*	12.1*	258*	0*	0*	9.8*	8.9*C			
1572.00*	8.5*	255*	0*	0*	9.8*	8.9*C			
1574.00*	5.7*	276*	0*	0*	10.0*	8.9*A			

FILE : 2

FORMATION		BORESOLE		QUALITY		
DEPTH	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX
FT	DEG	DEG	DEG	1-3	2-4	(BEST=A)
1576.00*	2.6*	293*	0*	10.0*	8.9*	A
1578.00*	4.3*	201*	0*	9.8*	8.9*	
1580.00*	15.5*	153*	0*	9.8*	8.9*	
1582.00*	3.3*	282*	0*	9.9*	8.9*	C
1584.00*	16.3*	235*	0*	9.8*	8.9*	
1585.00*	44.5*	272*	0*	9.8*	8.9*	
1588.00*	44.6*	274*	0*	9.6*	8.9*	
1590.00*	16.9*	350*	0*	9.6*	9.0*	D
1592.00*	8.7*	143*	0*	9.5*	9.0*	D
1594.00*	3.1*	159*	0*	9.6*	8.9*	D
1595.00*	.9*	260*	0*	9.6*	8.9*	D
1598.00*	.4*	321*	0*	9.4*	8.9*	D
1600.00*	.6*	159*	0*	9.4*	8.9*	D
1612.00*	2.7*	209*	0*	9.5*	8.9*	D
1604.00*	8.7*	310*	0*	9.6*	8.9*	
1605.00*	52.9*	281*	0*	9.6*	8.9*	
1608.00*	6.2*	250*	0*	9.5*	8.9*	
1610.00*	15.4*	292*	0*	9.4*	9.0*	
1612.00*	22.0*	284*	0*	9.6*	9.0*	
1614.00*	28.1*	270*	0*	9.8*	8.9*	
1616.00*	26.1*	248*	0*	9.7*	8.9*	
1619.00*	23.2*	344*	0*	9.6*	8.9*	
1620.00*	7.4*	263*	0*	9.7*	8.9*	
1622.00*	10.2*	194*	0*	9.7*	8.9*	
1624.00*	5.9*	199*	0*	9.7*	8.9*	D
1626.00*	3.3*	356*	0*	9.9*	8.9*	D
1628.00*	37.8*	99*	0*	9.8*	8.9*	
1630.00*	20.9*	118*	0*	9.7*	8.9*	
1632.00*	37.0*	119*	0*	9.5*	8.9*	
1634.00*	1.1*	59*	0*	9.4*	8.9*	B
1636.00*	2.4*	314*	0*	9.5*	8.9*	B
1638.00*	2.6*	335*	0*	9.5*	8.9*	B
1640.00*	3.4*	320*	0*	9.6*	8.9*	B
1642.00*	19.7*	76*	0*	9.3*	9.0*	
1644.00*	6.7*	123*	0*	9.5*	9.0*	D
1646.00*	1.0*	65*	0*	9.6*	8.9*	D
1648.00*	32.6*	344*	0*	9.7*	8.9*	
1650.00*	25.6*	82*	0*	9.7*	8.9*	
1652.00*	43.9*	155*	0*	9.6*	8.9*	
1654.00*	1.8*	57*	0*	9.4*	8.9*	B
1656.00*	12.6*	64*	0*	9.3*	9.0*	
1658.00*	21.9*	314*	0*	9.3*	9.0*	

FILE : 2

DEPTH		DIP		AZIMUTH		DEVIAT		CALIPER		QUALITY
FT	DEG	DEG	DEG	DEG	DEG	IN	IN	1-3	2-4	INDEX (BEST=A)
1660.00	53.1	102	0	0	9.3	9.0				
1662.00	27.1	109	0	0	9.4	9.0				
1664.00	27.6	248	0	0	9.5	8.9				
1666.00	31.0	129	0	0	9.4	8.9				
1668.00	28.0	317	0	0	9.3	8.9				
1670.00	27.7	325	0	0	9.3	8.9				
1672.00	10.8	276	0	0	9.3	9.0				
1674.00	29.9	110	0	0	9.4	9.0				
1676.00	16.5	266	0	0	9.4	9.0				
1678.00	19.5	40	0	0	9.3	9.0				
1680.00	38.2	307	0	0	9.4	9.0				
1682.00	28.4	281	0	0	9.4	9.0				
1684.00	44.2	180	0	0	9.3	9.0				
1686.00	31.0	271	0	0	9.3	9.0				
1688.00	23.1	148	0	0	9.2	9.0				
1690.00	28.6	319	0	0	9.1	9.0				
1692.00	28.5	312	0	0	9.1	9.0				
1694.00	20.8	111	0	0	9.0	9.0				
1696.00	22.4	69	0	0	9.0	9.0				
1698.00	23.8	64	0	0	9.1	8.9				
1700.00	44.0	8	0	0	9.1	8.9				
1702.00	28.3	27	0	0	9.1	9.0				
1704.00	39.1	281	0	0	9.1	8.9				
1706.00	1.0	230	0	0	9.0	8.9				
1708.00	28.8	87	0	0	9.0	8.9				
1710.00	22.4	177	0	0	9.0	8.9				
1712.00	9.0	14	0	0	9.0	9.0				
1714.00	32.9	106	0	0	9.0	9.0				
1716.00	4.2	181	0	0	9.0	9.0				
1718.00	4.7	189	0	0	9.0	9.0				
1720.00	42.1	201	0	0	9.1	9.0				
1722.00	6.4	276	0	0	9.1	9.0				
1724.00	4.7	245	0	0	9.1	9.0				
1726.00	12.3	275	0	0	9.1	9.0				
1728.00	4.8	288	0	0	9.1	9.0				
1730.00	15.2	103	0	0	9.1	9.0				
1732.00	10.0	348	0	0	9.1	9.0				
1734.00	.6	314	0	0	9.1	9.0				
1736.00	2.6	217	0	0	9.2	9.0				
1738.00	3.0	321	0	0	9.2	9.0				
1740.00	4.3	312	0	0	9.2	9.0				
1742.00	3.7	338	0	0	9.2	9.0				

FILE : 2

FORMATION					BOFHOLF					QUALITY
DEPTH	DIF	DIF	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX			
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BLST=A)			
FT	DEG	DEG	DEG	DEG	IN	IN	IN			

1744.00*	3.7*	314*	0*	0*	9.2*	9.0*	A			
1746.00*	1.7*	295*	0*	0*	9.1*	9.0*	A			
1748.00*	1.1*	277*	0*	0*	9.1*	9.0*	A			
1750.00*	1.5*	285*	0*	0*	9.1*	9.0*	C			
1752.00*	3.6*	291*	0*	0*	9.1*	9.0*	A			
1754.00*	1.9*	256*	0*	0*	9.1*	9.0*	C			
1756.00*	2.2*	252*	0*	0*	9.1*	9.0*	C			
1758.00*	12.8*	276*	0*	0*	9.1*	9.0*	C			
1760.00*	11.4*	275*	0*	0*	9.1*	9.0*	C			
1762.00*	.8*	253*	0*	0*	9.1*	9.0*	A			
1764.00*	14.3*	184*	0*	0*	9.1*	9.0*	A			
1766.00*	4.9*	36*	0*	0*	9.1*	9.0*	D			
1768.00*	6.7*	146*	0*	0*	9.1*	9.0*	D			
1770.00*	32.2*	4*	0*	0*	9.0*	9.0*	A			
1772.00*	43.5*	40*	0*	0*	9.1*	9.0*	A			
1774.00*	22.5*	202*	0*	0*	9.2*	9.0*	A			
1776.00*	35.9*	107*	0*	0*	9.2*	9.0*	A			
1778.00*	2.1*	130*	0*	0*	9.2*	9.0*	B			
1780.00*	2.2*	44*	0*	0*	9.3*	9.0*	D			
1782.00*	15.4*	154*	0*	0*	9.3*	9.0*	B			
1784.00*	2.6*	277*	0*	0*	9.2*	9.0*	C			
1786.00*	4.0*	246*	0*	0*	9.2*	9.0*	C			
1788.00*	4.0*	245*	0*	0*	9.2*	9.0*	C			
1790.00*	3.8*	219*	0*	0*	9.3*	9.0*	C			
1792.00*	4.2*	198*	0*	0*	9.3*	9.0*	C			
1794.00*	8.0*	269*	0*	0*	9.3*	9.0*	C			
1796.00*	5.6*	322*	0*	0*	9.4*	9.0*	C			
1798.00*	4.3*	338*	0*	0*	9.4*	9.0*	A			
1800.00*	6.1*	307*	0*	0*	9.4*	9.0*	A			
1802.00*	3.6*	39*	0*	0*	9.4*	8.9*	C			
1804.00*	10.1*	207*	0*	0*	9.4*	8.9*	D			
1806.00*	3.3*	167*	0*	0*	9.4*	8.9*	D			
1808.00*	2.6*	109*	0*	0*	9.5*	8.9*	D			
1810.00*	11.3*	341*	0*	0*	9.5*	8.9*	A			
1812.00*	10.4*	263*	0*	0*	9.4*	8.9*	D			
1814.00*	20.9*	310*	0*	0*	9.1*	9.0*	A			
1816.00*	4.0*	228*	0*	0*	9.3*	9.0*	B			
1818.00*	4.3*	225*	0*	0*	9.3*	9.0*	B			
1820.00*	10.4*	217*	0*	0*	9.3*	9.0*	D			
1822.00*	76.5*	100*	0*	0*	9.3*	9.0*	A			
1824.00*	22.0*	30*	0*	0*	9.3*	9.0*	A			
1826.00*	44.2*	317*	0*	0*	9.3*	9.0*	A			

FILE : 2

FUNCTION				BOREHOLE				QUALITY
DEPTH	CLIP	EIP	DEVIAT	DEVIAT	CALIPER	CALIPER	JINDEX	
FT	LOG	DEG	FEET	DEG	1-3 IN	2-4 IN	(BEST=A)	
1828.00	4.6	322	0	0	9.3	9.0	D	
1830.00	16.4	334	0	0	9.3	9.0	*	
1832.00	20.7	191	0	0	9.3	9.0	B	
1834.00	20.5	192	0	0	9.3	9.0	B	
1836.00	4.2	130	0	0	9.3	9.0	B	
1838.00	7.1	173	0	0	9.3	9.0	D	
1840.00	17.2	7	0	0	9.3	9.0	*	
1842.00	3.3	217	0	0	9.3	9.0	C	
1844.00	4.7	217	0	0	9.3	8.9	A	
1846.00	5.1	214	0	0	9.3	8.9	A	
1848.00	7.8	241	0	0	9.3	8.9	A	
1850.00	7.2	236	0	0	9.3	8.9	A	
1852.00	4.9	227	0	0	9.3	8.9	A	
1854.00	5.1	186	0	0	9.3	8.9	A	
1856.00	*	*	0	0	9.3	9.0	*	
1858.00	19.7	195	0	0	9.3	9.0	*	
1860.00	9.8	273	0	0	9.3	9.0	C	
1862.00	26.1	17	0	0	9.3	9.0	*	
1864.00	10.9	162	0	0	9.3	9.0	C	
1866.00	3.8	223	0	0	9.3	9.0	A	
1868.00	1.7	222	0	0	9.3	9.0	A	
1870.00	17.4	130	0	0	9.3	9.0	*	
1872.00	28.0	116	0	0	9.3	9.0	*	
1874.00	5.5	214	0	0	9.3	9.0	A	
1876.00	5.0	210	0	0	9.3	9.0	A	
1878.00	4.2	201	0	0	9.3	9.0	A	
1880.00	51.8	311	0	0	9.3	9.0	*	
1882.00	23.4	189	0	0	9.3	9.0	A	
1884.00	4.9	115	0	0	9.3	9.0	C	
1886.00	2.7	120	0	0	9.3	9.0	C	
1888.00	8.1	32	0	0	9.3	9.0	C	
1890.00	18.3	201	0	0	9.2	9.0	D	
1892.00	3.9	220	0	0	9.2	9.0	C	
1894.00	4.9	184	0	0	9.3	9.0	A	
1896.00	4.4	187	0	0	9.3	9.0	A	
1898.00	5.2	217	0	0	9.2	9.0	A	
1900.00	4.9	218	0	0	9.2	9.0	A	
1902.00	4.8	221	0	0	9.1	9.0	A	
1904.00	5.5	221	0	0	9.0	9.0	A	
1906.00	5.0	217	0	0	9.0	9.0	A	
1908.00	44.1	142	0	0	9.0	9.0	*	
1910.00	56.3	213	0	0	9.0	9.0	*	

FILE : 7

FORMATION				BURE HOLE				QUALITY
DEPTH	GR	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(RESIST)	
1912.00*	19.3*	148*	0*	0*	9.0*	9.0*		
1914.00*	22.4*	331*	0*	0*	9.0*	9.0*		
1916.00*	3.8*	69*	0*	0*	9.0*	9.0*	B	
1918.00*	10.3*	239*	0*	0*	9.0*	9.0*	C	
1920.00*	27.8*	109*	0*	0*	9.0*	9.0*		
1922.00*	3.9*	236*	0*	0*	9.0*	8.9*	A	
1924.00*	4.1*	241*	0*	0*	9.0*	8.8*	A	
1925.00*	13.5*	231*	0*	0*	9.0*	8.8*		
1928.00*	21.9*	165*	0*	0*	9.0*	8.8*		
1930.00*	7.6*	256*	0*	0*	9.0*	8.7*	A	
1932.00*	4.3*	220*	0*	0*	9.0*	8.7*	C	
1934.00*	6.3*	230*	0*	0*	4.0*	8.7*	A	
1936.00*	6.8*	233*	0*	0*	9.0*	8.7*	A	
1938.00*	20.3*	239*	0*	0*	9.0*	8.7*	D	
1940.00*	14.0*	219*	0*	0*	9.0*	8.7*	B	
1942.00*	14.7*	216*	0*	0*	9.0*	8.7*	B	
1944.00*	14.9*	188*	0*	0*	9.0*	8.7*		
1946.00*	23.8*	126*	0*	0*	9.0*	8.7*		
1948.00*	34.3*	157*	0*	0*	9.0*	8.8*		
1951.00*	63.9*	48*	0*	0*	9.0*	8.8*		
1952.00*	9.0*	206*	0*	0*	9.0*	8.8*	D	
1954.00*	7.8*	216*	0*	0*	9.0*	8.8*	D	
1956.00*	7.4*	232*	0*	0*	9.0*	9.0*	D	
1958.00*	29.3*	353*	0*	0*	9.0*	9.2*		
1960.00*	9.2*	230*	0*	0*	9.0*	9.2*	D	
1962.00*	18.4*	154*	0*	0*	9.0*	9.2*	D	
1964.00*	6.5*	242*	0*	0*	9.0*	9.2*	B	
1966.00*	11.8*	170*	0*	0*	9.0*	9.2*	G	
1968.00*	6.9*	233*	0*	0*	9.0*	9.2*	B	
1970.00*	15.0*	157*	0*	0*	9.0*	9.3*	B	
1972.00*	14.9*	161*	0*	0*	9.0*	9.3*	B	
1974.00*	17.3*	244*	0*	0*	9.0*	9.3*		
1976.00*	8.4*	173*	0*	0*	9.0*	9.4*	D	
1978.00*	5.3*	200*	0*	0*	9.0*	9.4*	B	
1980.00*	3.8*	198*	0*	0*	9.0*	9.3*	B	
1982.00*	4.1*	218*	0*	0*	9.0*	9.4*	B	
1984.00*	6.5*	196*	0*	0*	9.0*	9.4*	D	
1986.00*	6.9*	235*	0*	0*	9.0*	9.4*	D	
1988.00*	32.3*	46*	0*	0*	9.0*	9.4*		
1990.00*	13.6*	180*	0*	0*	9.0*	9.4*	D	
1992.00*	27.5*	208*	0*	0*	9.0*	9.4*		
1994.00*	27.7*	330*	0*	0*	9.0*	9.5*		

FILE : 2

FORMATION				BUREHOLE				QUALITY
DEPTH	DIP	DIP	LEVIAI	DEVIAT	CALIBER	CALIBER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
					IN	IN		
1996.00*	6.3*	132*	0*	0*	9.0*	9.5#D		
1998.00*	8.3*	250*	0*	0*	9.0*	9.4#D		
2000.00*	8.9*	232*	0*	0*	9.0*	9.4#B		
2002.50*	9.1*	226*	0*	0*	9.0*	9.4#B		
2004.00*	71.1*	101*	0*	0*	8.9*	9.5*		
2006.00*	37.9*	181*	0*	0*	8.9*	9.5*		
2008.00*	8.7*	229*	0*	0*	8.9*	9.5#D		
2010.00*	8.4*	228*	0*	0*	9.0*	9.6#D		
2012.00*	8.5*	230*	0*	0*	9.0*	9.6#D		
2014.00*	11.5*	216*	0*	0*	8.9*	9.6#D		
2016.00*	2.2*	351*	0*	0*	8.9*	9.6#D		
2018.00*	15.6*	292*	0*	0*	8.9*	9.6#B		
2020.00*	16.4*	297*	0*	0*	8.9*	9.6#B		
2022.00*	26.1*	357*	0*	0*	8.9*	9.7*		
2024.00*	26.1*	157*	0*	0*	8.9*	9.8*		
2026.00*	73.4*	31*	0*	0*	8.9*	9.8*		
2028.00*	41.8*	218*	0*	0*	8.9*	9.8*		
2030.00*	37.6*	253*	0*	0*	8.9*	9.8*		
2032.00*	32.3*	322*	0*	0*	8.9*	9.6*		
2034.00*	39.2*	165*	0*	0*	8.9*	9.4*		
2036.00*	36.5*	350*	0*	0*	9.0*	9.4*		
2038.00*	14.2*	194*	0*	0*	8.9*	9.5*		
2040.00*	20.9*	145*	0*	0*	8.9*	9.6*		
2042.00*	26.4*	121*	0*	0*	8.9*	9.6*		
2044.00*	35.2*	217*	0*	0*	8.9*	9.6*		
2046.00*	71.5*	336*	0*	0*	8.9*	9.4*		
2048.00*	73.1*	256*	0*	0*	9.0*	9.3*		
2050.00*	65.1*	93*	0*	0*	8.9*	9.5*		
2052.00*	10.7*	195*	0*	0*	8.9*	9.7*		
2054.00*	31.9*	88*	0*	0*	8.9*	9.4*		
2056.00*	28.0*	165*	0*	0*	8.9*	9.7*		
2058.00*	18.1*	169*	0*	0*	8.9*	9.6*		
2060.00*	20.4*	161*	0*	0*	8.9*	9.5*		
2062.00*	25.2*	188*	0*	0*	9.0*	9.4*		
2064.00*	32.2*	288*	0*	0*	9.0*	9.4*		
2066.00*	30.3*	249*	0*	0*	9.0*	9.3*		
2068.00*	23.8*	127*	0*	0*	9.0*	9.2*		
2070.00*	43.5*	176*	.1*	276*	9.0*	9.2*		
2072.00*	27.7*	42*	.2*	277*	9.0*	9.2*		
2074.00*	38.4*	194*	.3*	277*	9.0*	9.2*		
2076.00*	36.0*	187*	.3*	278*	9.0*	9.2*		
2078.00*	7.0*	193*	.4*	279*	9.0*	9.3*		

FILE : 2

* * * * * POSITION * * * * *				* * * * * BOREHOLE * * * * *				QUALITY
DEPTH	DIP	DEVIAT	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST=A)	
2080.00*	69.4*	133*	.3*	278*	9.0*	9.3*		
2082.00*	75.2*	265*	.4*	278*	9.0*	9.3*		
2084.00*	22.5*	188*	.4*	277*	9.0*	9.4*		
2086.00*	19.6*	211*	.1*	277*	9.0*	9.4#D		
2088.00*	20.7*	217*	.4*	279*	9.0*	9.2#D		
2090.00*	21.6*	221*	.4*	282*	9.0*	9.2#B		
2092.00*	75.1*	208*	.4*	283*	9.0*	9.2*		
2094.00*	32.3*	170*	.4*	283*	9.0*	9.2*		
2096.00*	30.7*	177*	.4*	283*	9.0*	9.2*		
2098.00*	66.5*	201*	.3*	283*	9.0*	9.3*		
2100.00*	51.8*	187*	.4*	282*	9.0*	9.4#D		
2102.00*	49.0*	199*	.3*	281*	8.9*	9.4#D		
2104.00*	48.9*	190*	.3*	280*	8.9*	9.3#D		
2106.00*	52.4*	190*	.3*	279*	9.0*	9.4#D		
2108.00*	23.3*	191*	.3*	277*	9.0*	9.3#B		
2110.00*	26.8*	149*	.4*	277*	9.0*	9.3*		
2112.00*	21.4*	191*	.4*	279*	9.0*	9.2#B		
2114.00*	23.0*	194*	.5*	281*	9.0*	9.1#D		
2116.00*	20.8*	23*	.5*	283*	9.0*	9.1*		
2118.00*	19.4*	22*	.5*	283*	9.0*	9.2*		
2120.00*	6.1*	210*	.5*	284*	9.0*	9.3#B		
2122.00*	9.3*	202*	.5*	284*	9.0*	9.3#D		
2124.00*	12.6*	224*	.5*	284*	9.0*	9.3#D		
2126.00*	27.5*	66*	.5*	283*	9.0*	9.2*		
2128.00*	22.7*	224*	.6*	284*	9.0*	9.1*		
2130.00*	28.4*	261*	.6*	285*	9.0*	9.1*		
2132.00*	2.3*	268*	.6*	284*	9.0*	9.1#J		
2134.00*	11.1*	192*	.6*	283*	9.0*	9.2#D		
2136.00*	46.3*	227*	.6*	282*	9.0*	9.3*		
2138.00*	13.9*	110*	.5*	281*	9.0*	9.2*		
2140.00*	62.2*	180*	.5*	281*	9.0*	9.2#D		
2142.00*	65.8*	185*	.5*	280*	9.0*	9.2#B		
2144.00*	66.1*	185*	.5*	282*	9.0*	9.2#D		
2146.00*	13.2*	183*	.6*	283*	9.0*	9.1#D		
2148.00*	9.0*	232*	.6*	283*	9.0*	9.1#B		
2150.00*	11.5*	245*	.7*	284*	9.0*	9.1#B		
2152.00*	10.8*	243*	.7*	285*	9.0*	9.2#D		
2154.00*	2.7*	213*	.8*	286*	9.0*	9.2#D		
2156.00*	1.9*	260*	.9*	287*	8.9*	9.4#D		
2158.00*	60.1*	243*	1.0*	287*	9.0*	9.4*		
2160.00*	49.6*	283*	.9*	287*	9.0*	9.3*		
2162.00*	4.9*	247*	.9*	248*	9.0*	9.3#A		

FILE : 2

FORMATION				LOGHOLE				QUALITY
DEPTH	DIP	DIF	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST=A)	
2164.00	5.4	263	.9	288	9.0	9.3	A	
2166.00	6.8	281	.9	287	9.0	9.2	A	
2168.00	2.5	243	.8	288	9.0	9.2	A	
2170.00	3.3	276	.9	289	9.0	9.2	A	
2172.00	6.3	284	.9	290	9.0	9.2	A	
2174.00	5.8	287	.8	292	9.0	9.2	A	
2176.00	7.6	289	.8	293	9.0	9.2	A	
2178.00	12.5	252	.8	293	9.0	9.2	D	
2180.00	4.7	308	.8	292	9.0	9.1	D	
2182.00	14.9	289	.8	293	9.0	9.1	D	
2184.00	10.5	201	.8	293	9.0	9.1		
2186.00	28.1	22	.7	293	9.0	9.1		
2188.00	7.9	33	.9	293	9.0	9.1	D	
2190.00	27.8	329	.9	293	9.0	9.1		
2192.00	8.2	40	.9	292	9.0	9.1	D	
2194.00	6.9	17	.9	289	9.0	9.2	B	
2196.00	8.1	22	.9	289	9.0	9.2	B	
2198.00	4.0	299	.9	289	9.0	9.2	A	
2200.00	3.5	301	.9	289	9.0	9.3	A	
2202.00	6.0	303	.9	289	9.0	9.3	A	
2204.00	3.4	257	.9	290	9.0	9.5	A	
2206.00	3.8	248	1.0	292	9.9	9.6	A	
2208.00	12.3	233	1.0	293	8.9	9.7	C	
2210.00	36.8	159	.9	295	8.9	9.6		
2212.00	10.2	309	.9	296	8.9	9.6	C	
2214.00	89.2	188	.9	297	8.9	9.7		
2216.00	18.3	328	.9	298	8.9	9.6		
2218.00	21.6	325	.9	299	9.0	9.6		
2220.00	7.2	162	.9	300	9.0	9.4	D	
2222.00	5.3	264	.9	301	9.0	9.5	D	
2224.00	.8	230	.9	302	9.0	9.6	B	
2226.00	.5	233	.9	303	9.0	9.6	B	
2228.00	4.0	104	.9	303	8.9	9.6	D	
2230.00	5.0	303	.9	303	8.9	9.6	D	
2232.00	18.0	81	.9	302	8.9	9.6		
2234.00	52.7	20	.9	303	8.9	9.4		
2236.00	25.6	212	.9	303	8.9	9.3		
2238.00	18.7	356	.8	303	9.0	9.3		
2240.00	74.8	307	.8	304	8.9	9.4		
2242.00			.8	304	8.9	9.5		
2244.00	26.4	199	.8	304	8.8	9.5		
2246.00	62.8	307	.9	305	8.8	9.2		

FILE : 2

FORMATION				BOREHOLE				QUALITY
DIP	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FL	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
					IN	IN		
2246.00*	48.5*	131*	.8*	305*	8.9*	9.1*		
2250.00*	47.1*	330*	.8*	305*	9.0*	9.2*		
2252.00*	1.9*	205*	.7*	305*	9.0*	9.1#D		
2254.00*	9.2*	104*	.7*	305*	9.0*	9.1#D		
2256.00*	5.7*	109*	.7*	303*	9.0*	9.1#E		
2258.00*	1.7*	252*	.7*	300*	9.0*	9.1#B		
2260.00*	16.0*	262*	.6*	300*	9.0*	9.1*		
2262.00*	76.0*	272*	.6*	303*	8.9*	8.8*		
2264.00*	49.1*	200*	.6*	307*	8.9*	8.7*		
2266.00*	4.1*	319*	.6*	310*	8.9*	8.9#D		
2268.00*	13.1*	338*	.5*	309*	8.9*	9.0*		
2270.00*	12.8*	335*	.5*	308*	9.0*	9.0*		
2272.00*	3.1*	313*	.5*	307*	9.0*	9.1#B		
2274.00*	1.2*	306*	.6*	307*	9.0*	9.2#A		
2276.00*	6.7*	265*	.6*	306*	9.0*	9.2#B		
2278.00*	9.1*	292*	.7*	303*	9.0*	9.0#B		
2280.00*	5.5*	301*	.8*	302*	9.0*	9.0#D		
2282.00*	5.1*	271*	.9*	301*	9.0*	9.0#D		
2284.00*	36.8*	59*	1.0*	299*	8.9*	9.0*		
2286.00*	3.3*	180*	1.0*	297*	8.9*	9.0#D		
2288.00*	58.1*	293*	1.0*	296*	8.9*	9.0*		
2290.00*	12.8*	3*	1.0*	296*	9.0*	9.0#D		
2292.00*	12.8*	33*	.9*	295*	9.0*	9.0#D		
2294.00*	14.7*	305*	.8*	295*	9.0*	8.9#D		
2296.00*	13.1*	298*	.7*	297*	9.1*	8.9#D		
2298.00*	7.3*	324*	.6*	300*	9.1*	9.0#C		
2300.00*	6.0*	273*	.5*	301*	9.1*	9.0#C		
2302.00*	5.8*	303*	.5*	302*	9.1*	9.0#A		
2304.00*	3.8*	298*	.5*	303*	9.1*	8.9#C		
2306.00*	34.4*	245*	.5*	301*	9.1*	9.0*		
2308.00*	44.0*	314*	.5*	305*	9.1*	9.0*		
2310.00*	0.6*	279*	.6*	304*	9.1*	8.9#A		
2312.00*	7.7*	281*	.6*	304*	9.2*	8.8#A		
2314.00*	4.7*	282*	.6*	305*	9.2*	8.9#A		
2316.00*	4.1*	317*	.6*	306*	9.1*	8.8#A		
2318.00*	11.7*	284*	.6*	304*	9.1*	8.8#A		
2320.00*	9.2*	296*	.6*	301*	9.1*	8.9#A		
2322.00*	8.8*	295*	.6*	298*	9.2*	9.0#C		
2324.00*	66.6*	117*	.6*	296*	9.2*	9.0*		
2326.00*	27.2*	61*	.6*	295*	9.2*	9.0*		
2328.00*	3.8*	83*	.6*	295*	9.4*	8.8#C		
2330.00*	4.5*	357*	.6*	296*	9.4*	8.7#A		

FILE : 2

FORMATION		BOREHOLE		QUALITY			
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)*
					IN	IN	
2332.00*	4.5*	0*	.6*	298*	9.2*	8.8*	A
2334.00*	.6*	326*	.6*	301*	9.1*	9.0*	C
2336.00*	5.9*	15*	.6*	302*	9.1*	9.0*	C
2338.00*	6.6*	15*	.6*	302*	9.1*	9.0*	C
2340.00*	6.5*	8*	.6*	302*	9.2*	9.0*	C
2342.00*	27.9*	184*	.6*	300*	9.1*	9.0*	
2344.00*	4.4*	301*	.6*	299*	9.1*	9.0*	C
2346.00*	6.9*	327*	.6*	298*	9.1*	9.0*	A
2348.00*	7.6*	296*	.5*	299*	9.1*	9.0*	A
2350.00*	6.2*	308*	.5*	298*	9.1*	9.0*	A
2352.00*	6.3*	298*	.5*	297*	9.1*	9.0*	A
2354.00*	3.5*	272*	.5*	296*	9.1*	9.0*	C
2356.00*	2.5*	267*	.5*	295*	9.1*	9.0*	C
2358.00*	3.9*	300*	.5*	295*	9.1*	9.0*	A
2360.00*	7.3*	316*	.5*	296*	9.1*	9.0*	A
2362.00*	7.5*	302*	.5*	296*	9.1*	9.0*	A
2364.00*	6.2*	279*	.5*	296*	9.0*	9.0*	A
2366.00*	33.8*	21*	.5*	296*	8.9*	9.0*	
2368.00*	43.3*	175*	.5*	297*	9.0*	9.1*	
2370.00*	12.9*	88*	.5*	297*	9.0*	9.2*	
2372.00*	.4*	266*	.5*	298*	9.0*	9.3*	A
2374.00*	1.7*	276*	.6*	299*	9.0*	9.3*	A
2376.00*	3.7*	306*	.6*	299*	9.0*	9.4*	A
2378.00*	4.5*	312*	.7*	298*	9.0*	9.5*	A
2380.00*	3.8*	326*	.7*	296*	9.0*	9.5*	A
2382.00*	.5*	85*	.7*	295*	9.0*	9.6*	A
2384.00*	2.4*	277*	.7*	296*	8.9*	9.7*	A
2386.00*	2.7*	240*	.6*	297*	8.8*	9.6*	A
2388.00*	3.5*	187*	.6*	298*	8.9*	9.4*	A
2390.00*	1.1*	262*	.7*	300*	8.9*	9.4*	A
2392.00*	2.4*	282*	.6*	299*	8.9*	9.3*	A
2394.00*	1.1*	8*	.6*	298*	9.0*	9.2*	C
2396.00*	.9*	288*	.6*	299*	9.0*	9.2*	A
2398.00*	2.8*	307*	.6*	301*	9.0*	9.3*	A
2400.00*	5.9*	289*	.6*	304*	9.0*	9.2*	H
2402.00*	12.2*	28*	.5*	307*	9.0*	9.2*	
2404.00*	5.8*	323*	.5*	305*	9.0*	9.3*	C
2406.00*	30.1*	24*	.5*	302*	9.0*	9.4*	
2408.00*	4.3*	42*	.5*	299*	9.0*	9.5*	A
2410.00*	1.4*	80*	.5*	297*	9.0*	9.5*	C
2412.00*	2.9*	107*	.5*	297*	9.0*	9.5*	A
2414.00*	4.2*	104*	.5*	296*	9.0*	9.6*	A

FILE : 2

* DEVIATION *		* BOREHOLE *		* QUALITY *			
DEPTH	DIP	DIE	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX
FE	DEG	AZIMUTH	DEG	AZIMUTH	1-3	2-4	(BEST=A)
					IP	IP	
2416.00*	6.0*	58*	.6*	295*	9.0*	9.6*	C
2418.00*	.9*	198*	.5*	294*	8.9*	9.6*	A
2420.00*	2.1*	269*	.5*	294*	8.9*	9.5*	A
2422.00*	4.3*	341*	.5*	295*	8.9*	9.6*	A
2424.00*	1.1*	21*	.5*	294*	8.9*	9.5*	A
2426.00*	1.3*	118*	.6*	297*	8.9*	9.5*	A
2428.00*	21.4*	305*	.6*	300*	9.9*	9.5*	
2430.00*	25.6*	354*	.6*	303*	9.0*	9.4*	
2432.00*	34.7*	36*	.6*	307*	9.0*	9.4*	
2434.00*	4.4*	291*	.6*	307*	8.9*	9.4*	A
2436.00*	17.7*	239*	.6*	308*	8.9*	9.4*	
2438.00*	5.4*	96*	.5*	310*	9.0*	9.5*	C
2440.00*	26.0*	319*	.5*	310*	8.9*	9.5*	
2442.00*	8.5*	167*	.5*	306*	8.9*	9.4*	C
2444.00*	8.8*	175*	.4*	304*	9.0*	9.4*	C
2446.00*	4.2*	55*	.4*	303*	9.0*	9.3*	C
2448.00*	32.7*	41*	.4*	302*	9.0*	9.3*	
2450.00*	5.3*	208*	.3*	302*	9.0*	9.4*	A
2452.00*	6.4*	207*	.3*	301*	9.0*	9.4*	A
2454.00*	5.9*	176*	.4*	300*	9.0*	9.4*	A
2456.00*	5.7*	182*	.4*	300*	8.9*	9.3*	A
2458.00*	3.3*	188*	.4*	301*	8.9*	9.4*	A
2460.00*	4.6*	176*	.3*	303*	8.9*	9.4*	A
2462.00*	6.1*	163*	.3*	307*	8.9*	9.4*	A
2464.00*	5.2*	143*	.2*	310*	8.8*	9.3*	A
2466.00*	52.8*	368*	.2*	310*	8.9*	9.1*	
2468.00*	25.7*	288*	.2*	309*	9.0*	9.2*	
2470.00*	19.3*	280*	.2*	308*	9.0*	9.3*	D
2472.00*	7.4*	258*	.2*	309*	9.0*	9.3*	B
2474.00*	8.1*	264*	.2*	310*	9.0*	9.3*	B
2476.00*	10.8*	288*	.2*	312*	9.0*	9.3*	D
2478.00*	16.9*	257*	.1*	313*	9.0*	9.2*	
2480.00*	22.7*	217*	.1*	313*	9.0*	9.2*	
2482.00*	2.0*	196*	0*	0*	9.0*	9.2*	A
2484.00*	2.6*	190*	0*	0*	9.0*	9.1*	A
2486.00*	3.4*	160*	0*	0*	9.0*	9.1*	A
2488.00*	3.6*	155*	0*	0*	9.0*	9.1*	A
2490.00*	32.6*	169*	0*	0*	9.0*	9.1*	
2492.00*	50.2*	166*	0*	0*	9.0*	9.0*	
2494.00*	26.1*	7*	0*	0*	9.0*	9.0*	
2496.00*	43.4*	40*	0*	0*	9.0*	8.9*	
2498.00*	3.7*	177*	0*	0*	9.0*	8.9*	

FILE : 2

FORMATION				COREHOLE				QUALITY
DEPTH	DI-	DI+	DI VIAL	DI VIAL	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=4)	
					IN	IN		
2500.00*	37.6*	249*	0*	0*	9.0*	8.9*		
2502.00*	35.6*	212*	0*	0*	9.0*	8.9*		
2504.00*	6.9*	133*	0*	0*	9.0*	8.9#D		
2506.00*	8.3*	103*	0*	0*	9.0*	9.0#D		
2508.00*	4.5*	65*	.2*	339*	9.0*	9.0#D		
2510.50*	11.8*	216*	.3*	310*	9.0*	9.0*		
2512.00*	10.9*	160*	.5*	337*	9.0*	8.9*		
2514.00*	6.3*	363*	.6*	332*	9.0*	8.9#D		
2516.00*	6.2*	357*	.7*	329*	9.0*	8.8#B		
2518.00*	7.7*	73*	.7*	328*	9.6*	8.5#D		
2520.00*	6.3*	92*	.7*	327*	8.3*	8.5#D		
2522.00*	5.5*	37*	.7*	325*	8.5*	8.5#B		
2524.00*	32.0*	249*	.7*	325*	8.8*	8.8*		
2526.00*	20.4*	209*	.7*	324*	9.0*	8.9*		
2528.00*	50.3*	95*	.6*	322*	9.0*	8.9*		
2530.00*	33.6*	16*	.6*	322*	9.0*	8.9*		
2532.00*	27.9*	18*	.5*	326*	9.0*	8.9*		
2534.00*	28.0*	140*	.4*	330*	9.0*	8.3*		
2536.00*	28.0*	141*	.4*	332*	9.0*	9.0*		
2538.00*	23.4*	229*	.4*	332*	9.0*	9.0*		
2540.00*	31.0*	130*	.4*	331*	9.0*	9.0*		
2542.00*	64.1*	47*	.4*	330*	9.0*	9.0*		
2544.00*	64.9*	31*	.5*	328*	9.0*	9.0*		
2546.00*	68.4*	326*	.5*	325*	9.1*	9.0*		
2548.00*	6.5*	172*	.6*	322*	9.1*	9.0*		
2550.00*	27.5*	5*	.6*	418*	9.0*	8.9*		
2552.00*	48.2*	162*	.7*	316*	9.1*	8.9*		
2554.00*	21.9*	203*	.7*	316*	9.1*	9.0*		
2556.00*	28.5*	284*	.7*	317*	9.0*	9.0#B		
2558.00*	33.8*	344*	.7*	319*	8.9*	8.9*		
2560.00*	34.2*	339*	.7*	321*	8.9*	8.9*		
2562.00*	43.4*	355*	.7*	322*	9.0*	9.0*		
2564.00*	61.2*	213*	.7*	320*	9.0*	9.0*		
2566.00*	42.9*	205*	.7*	326*	9.0*	9.0*		
2568.00*	35.1*	185*	.6*	428*	9.0*	9.0*		
2570.00*	55.1*	112*	.6*	331*	9.1*	9.0*		
2572.00*	16.2*	193*	.6*	332*	9.1*	9.0*		
2574.00*	56.2*	315*	.6*	332*	9.1*	9.1*		
2576.00*	25.0*	266*	.6*	331*	9.0*	9.2*		
2578.00*	19.3*	11*	.6*	330*	9.0*	9.1*		
2580.00*	13.9*	72*	.6*	332*	9.0*	9.1*		
2582.00*	61.5*	154*	.6*	335*	9.0*	9.1*		

FILE : 2

FOUNDATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
		AZIMUTH	AZIMUTH		IN	IN		
2581.00*	6.3*	240*	.6*	334*	8.7*	9.1*	C	
2586.00*	56.7*	107*	.5*	332*	8.7*	9.0*		
2588.00*	60.1*	107*	.5*	330*	9.0*	8.9*		
2590.00*	1.9*	276*	.5*	329*	9.1*	9.1*	A	
2592.00*	10.8*	252*	.5*	328*	9.0*	9.2*	A	
2594.00*	9.6*	255*	.5*	327*	9.0*	9.2*	A	
2596.00*	11.0*	230*	.5*	327*	9.0*	9.2*	A	
2598.00*	7.0*	222*	.5*	326*	9.0*	9.2*	A	
2600.00*	7.0*	211*	.5*	327*	9.0*	9.3*	A	
2602.00*	9.7*	240*	.5*	327*	8.9*	9.3*	C	
2604.00*	26.6*	275*	.5*	329*	9.0*	9.2*		
2606.00*	2.9*	197*	.5*	331*	9.0*	9.2*	C	
2608.00*	7.3*	173*	.6*	334*	9.0*	9.2*	C	
2610.00*	15.1*	263*	.5*	334*	8.9*	9.2*		
2612.00*	7.8*	156*	.5*	334*	8.9*	9.1*	C	
2614.00*	7.0*	135*	.5*	334*	8.8*	9.1*	C	
2616.00*	10.1*	209*	.5*	335*	8.8*	9.0*	A	
2618.00*	9.1*	220*	.5*	335*	8.8*	9.1*	A	
2620.00*	5.7*	212*	.5*	331*	8.7*	9.1*	C	
2622.00*	6.1*	215*	.5*	331*	8.7*	9.1*	A	
2624.00*	11.3*	317*	.6*	329*	8.7*	9.1*	D	
2626.00*	30.7*	120*	.6*	326*	8.7*	9.1*		
2628.00*	21.9*	340*	.6*	324*	8.9*	9.1*		
2630.00*	11.6*	42*	.7*	323*	9.0*	9.0*		
2632.00*	41.9*	133*	.6*	323*	8.9*	9.0*		
2634.00*	18.6*	322*	.6*	321*	9.0*	9.0*	D	
2636.00*	38.7*	23*	.5*	320*	9.0*	9.0*		
2638.00*	26.2*	122*	.5*	319*	9.1*	9.1*		
2640.00*	7.7*	285*	.5*	318*	9.1*	9.1*	D	
2642.00*	39.3*	328*	.5*	317*	9.1*	9.1*		
2644.00*	38.3*	308*	.6*	319*	9.0*	9.1*		
2646.00*	12.6*	267*	.6*	319*	9.0*	9.1*		
2648.00*	18.8*	50*	.6*	319*	9.0*	9.2*		
2650.00*	20.2*	28*	.5*	320*	9.0*	9.2*		
2652.00*	39.9*	86*	.5*	322*	9.0*	9.2*		
2654.00*	31.0*	285*	.5*	323*	9.0*	9.2*		
2656.00*	31.3*	67*	.5*	322*	9.0*	9.2*		
2658.00*	26.2*	339*	.6*	321*	9.0*	9.2*		
2660.00*	2.2*	170*	.5*	322*	9.0*	9.2*	D	
2662.00*	3.3*	163*	.5*	323*	9.0*	9.2*	B	
2664.00*	30.5*	4*	.5*	324*	9.0*	9.3*		
2666.00*	31.7*	226*	.6*	325*	9.0*	9.3*		

FILE : 2

FORMATION				BORSHOLF				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST=A)	
2668.00*	9.6*	227*	.6*	326*	9.0*	9.2*	C	
2670.00*	5.0*	206*	.6*	326*	9.0*	9.2*	A	
2672.00*	4.1*	197*	.5*	326*	9.0*	9.2*	A	
2674.00*	4.1*	230*	.5*	326*	9.0*	9.1*	A	
2676.00*	4.4*	233*	.5*	327*	9.0*	9.0*	A	
2678.00*	5.5*	201*	.5*	327*	9.0*	9.0*	A	
2680.00*	4.4*	198*	.5*	327*	9.0*	9.0*	A	
2682.00*	3.2*	189*	.6*	326*	9.1*	8.9*	A	
2684.00*	11.9*	236*	.6*	326*	9.1*	9.0*	C	
2686.00*	20.6*	39*	.6*	325*	9.1*	9.0*	B	
2688.00*	21.2*	27*	.6*	325*	9.0*	9.0*	D	
2690.00*	3.2*	177*	.6*	325*	9.0*	9.0*	A	
2692.00*	1.4*	222*	.6*	326*	9.0*	9.1*	A	
2694.00*	2.9*	247*	.5*	327*	9.0*	9.1*	A	
2696.00*	2.6*	243*	.5*	329*	9.0*	9.1*	A	
2698.00*	2.5*	226*	.5*	330*	9.0*	9.2*	C	
2700.00*	55.4*	158*	.5*	331*	9.0*	9.3*		
2702.00*	61.0*	1*	.5*	330*	9.0*	9.4*		
2704.00*	18.4*	165*	.5*	328*	9.0*	9.4*		
2706.00*	32.5*	288*	.5*	326*	9.0*	9.3*	D	
2708.00*	29.6*	304*	.5*	326*	9.0*	9.4*	B	
2710.00*	28.7*	303*	.5*	326*	9.0*	9.5*	B	
2712.00*	7.6*	234*	.5*	327*	9.0*	9.6*	D	
2714.00*	4.0*	286*	.5*	326*	9.0*	9.6*	D	
2716.00*	24.6*	311*	.5*	324*	8.9*	9.6*	D	
2718.00*	1.9*	337*	.5*	323*	8.9*	9.5*	D	
2720.00*	3.0*	302*	.5*	324*	8.9*	9.5*	D	
2722.00*	4.3*	249*	.6*	323*	9.0*	9.4*	D	
2724.00*	2.4*	184*	.6*	323*	9.0*	9.3*	A	
2726.00*	2.8*	147*	.6*	323*	9.0*	9.3*	A	
2728.00*	1.6*	164*	.5*	324*	9.0*	9.3*	C	
2730.00*	4.2*	331*	.5*	325*	9.0*	9.3*	A	
2732.00*	3.6*	342*	.5*	325*	9.0*	9.3*	A	
2734.00*	5.3*	349*	.5*	325*	9.0*	9.2*	A	
2736.00*	1.0*	11*	.5*	326*	9.0*	9.2*	C	
2738.00*	3.8*	183*	.5*	326*	9.0*	9.3*	C	
2740.00*	16.2*	335*	.5*	326*	9.0*	9.4*		
2742.00*	53.8*	114*	.5*	325*	9.0*	9.4*		
2744.00*	42.0*	55*	.5*	325*	9.0*	9.4*		
2746.00*	28.9*	240*	.5*	326*	9.0*	9.3*		
2748.00*	11.8*	96*	.5*	326*	9.0*	9.2*	B	
2750.00*	12.5*	96*	.5*	325*	9.0*	9.2*	B	

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIC	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST=A)	
2752.00*	29.1*	38*	.4*	322*	9.0*	9.1*		
2754.00*	26.9*	239*	.1*	320*	9.0*	9.2*		
2756.00*	34.1*	312*	.4*	319*	9.0*	9.2*		
2758.00*		*	.4*	319*	9.0*	9.3*		
2760.00*	12.9*	110*	.5*	321*	9.0*	9.4#D		
2762.00*	18.8*	93*	.4*	322*	9.0*	9.4#D		
2764.00*	15.0*	54*	.4*	323*	9.0*	9.4*		
2766.00*	1.0*	271*	.3*	325*	9.0*	9.2#B		
2768.00*	.3*	209*	.2*	326*	9.1*	9.1#B		
2770.00*	6.1*	180*	.2*	326*	9.0*	9.0#D		
2772.00*	1.0*	115*	.1*	326*	9.1*	9.0#D		
2774.00*	7.9*	25*	0*	0*	9.1*	9.0#D		
2776.00*	22.3*	291*	0*	0*	9.1*	9.0*		
2778.00*	65.1*	39*	0*	0*	9.1*	9.0*		
2780.00*	28.4*	142*	0*	0*	9.0*	9.0*		
2782.00*	16.7*	202*	0*	0*	9.1*	9.0*		
2784.00*	21.8*	236*	0*	0*	9.1*	9.0*		
2786.00*	36.2*	299*	0*	0*	9.1*	9.0*		
2788.00*	32.1*	297*	0*	0*	9.1*	9.0*		
2790.00*	15.9*	335*	0*	0*	9.1*	9.0#D		
2792.00*	15.9*	332*	0*	0*	9.1*	9.0#B		
2794.00*	33.3*	307*	0*	0*	9.1*	9.0*		
2796.00*	55.3*	50*	0*	0*	9.0*	9.0*		
2798.00*	5.1*	199*	0*	0*	9.0*	9.0*		
2800.00*	16.7*	100*	0*	0*	9.1*	9.0*		
2802.00*	29.4*	167*	0*	0*	9.0*	9.0*		
2804.00*	32.0*	180*	0*	0*	9.0*	9.0*		
2806.00*	22.6*	187*	0*	0*	9.1*	9.0*		
2808.00*	10.4*	264*	0*	0*	9.1*	9.0#D		
2810.00*	2.8*	264*	0*	0*	9.1*	9.0#B		
2812.00*	3.5*	177*	0*	0*	9.1*	9.0#D		
2814.00*	6.0*	180*	0*	0*	9.0*	9.0#D		
2816.00*	10.7*	179*	0*	0*	9.1*	9.0#D		
2818.00*	35.7*	159*	0*	0*	9.1*	9.0*		
2820.00*	5.7*	226*	0*	0*	9.1*	9.0#B		
2822.00*	7.0*	214*	0*	0*	9.1*	9.0#D		
2824.00*	4.6*	162*	0*	0*	9.1*	9.0#D		
2826.00*	7.4*	356*	0*	0*	9.0*	9.0*		
2828.00*	2.0*	333*	0*	0*	9.0*	9.0#D		
2830.00*	.9*	225*	0*	0*	9.0*	9.0#D		
2832.00*	1.9*	264*	.1*	321*	9.0*	9.0#D		
2834.00*	27.5*	339*	0*	0*	9.0*	9.0*		

FILE : 2

FORMATION		BOREHOLE		QUALITY INDEX		
DEPTH	DIP	DEVIAT	DEVIAT	CABLE	CABLE	(BEST=A)
FT	DEG	DEG	DEG	1-3	2-4	
2836.00*	2.6*	88*	0*	9.0*	9.0*	D
2838.00*	22.1*	241*	0*	9.0*	9.0*	
2840.00*	22.0*	284*	0*	9.1*	9.0*	
2842.00*	32.5*	196*	0*	9.1*	9.0*	
2844.00*	29.0*	169*	0*	9.1*	9.0*	
2846.00*	8.0*	298*	0*	9.1*	9.0*	D
2848.00*	14.4*	101*	0*	9.1*	9.1*	
2850.00*	7.0*	159*	0*	9.1*	9.1*	B
2852.00*	7.0*	167*	0*	9.1*	9.0*	D
2854.00*	26.8*	71*	0*	9.1*	9.0*	
2856.00*	8.8*	154*	0*	9.1*	9.0*	D
2858.00*	41.2*	157*	0*	9.0*	9.0*	
2860.00*	6.7*	177*	0*	9.0*	9.0*	D
2862.00*	12.6*	203*	0*	9.0*	9.0*	D
2864.00*	12.4*	204*	0*	9.0*	9.0*	D
2866.00*	6.2*	231*	0*	9.0*	9.0*	B
2868.00*	11.0*	192*	0*	9.0*	9.0*	D
2870.00*	16.4*	195*	0*	9.1*	9.0*	
2872.00*	30.7*	311*	0*	9.1*	9.0*	
2874.00*	33.4*	281*	0*	9.1*	9.0*	
2876.00*	24.9*	3*	0*	9.1*	9.0*	
2878.00*	4.7*	262*	0*	9.1*	9.0*	D
2880.00*	3.7*	280*	0*	9.1*	9.0*	B
2882.00*	3.4*	235*	.1*	328*	9.1*	B
2884.00*	6.2*	190*	.1*	329*	9.1*	B
2886.00*	41.3*	155*	.2*	329*	9.1*	
2888.00*	38.3*	151*	.1*	330*	9.1*	
2890.00*	2.6*	11*	.1*	331*	9.1*	D
2892.00*	1.2*	20*	.1*	332*	9.1*	D
2894.00*	27.2*	54*	.1*	332*	9.1*	
2896.00*	35.2*	114*	.1*	332*	9.1*	
2898.00*	5.5*	297*	0*	0*	9.1*	D
2900.00*	.8*	192*	0*	0*	9.1*	B
2902.00*	8.3*	31*	0*	0*	9.1*	D
2904.00*	14.0*	90*	0*	0*	9.1*	
2906.00*	2.2*	123*	0*	0*	9.2*	
2908.00*	24.6*	160*	0*	0*	9.2*	
2910.00*	6.0*	252*	0*	0*	9.2*	
2912.00*	21.6*	167*	0*	0*	9.2*	
2914.00*	16.7*	17*	.1*	321*	9.2*	
2916.00*	3.3*	64*	.1*	320*	9.2*	
2918.00*	54.7*	12*	.1*	321*	9.2*	

FILE : 2

FORMATION					BUREHOLE				
DEPTH	CLIP	GIP	DEVIAT	DEVIAT	CALIPER	CALIPER	QUALITY		
FE	FE	DEG	DEG	DEG	1-3	2-4	INDEX		
					IN	IN	(BEST=Δ)		

2920.00*	15.5*	206*	.1*	321*	9.2*	9.0*			
2922.00*	10.2*	321*	.1*	322*	9.2*	9.0*			
2924.00*	6.7*	158*	0*	0*	9.2*	9.0*A			
2926.00*	4.2*	171*	0*	0*	9.2*	9.0*A			
2928.00*	5.7*	108*	0*	0*	9.2*	9.0*C			
2930.00*	5.6*	31*	0*	0*	9.2*	9.0*A			
2932.00*	3.8*	80*	0*	0*	9.2*	9.0*C			
2934.00*	.6*	31*	0*	0*	9.2*	9.0*A			
2936.00*	.8*	178*	0*	0*	9.2*	9.0*A			
2938.00*	2.2*	236*	0*	0*	9.2*	9.0*A			
2940.00*	1.4*	293*	0*	0*	9.2*	9.0*C			
2942.00*	2.8*	315*	0*	0*	9.1*	9.0*C			
2944.00*	5.7*	197*	0*	0*	9.1*	9.0*C			
2946.00*	7.4*	203*	.1*	329*	9.1*	9.0*C			
2948.00*	48.3*	173*	.2*	320*	9.1*	9.0*			
2950.00*	52.1*	169*	.2*	319*	9.2*	9.0*			
2952.00*	3.0*	263*	.2*	320*	9.3*	9.0*A			
2954.00*	3.2*	275*	.2*	321*	9.3*	9.0*A			
2956.00*	14.8*	315*	.2*	321*	9.4*	9.0*C			
2958.00*	7.2*	315*	.2*	321*	9.4*	9.0*A			
2960.00*	4.9*	299*	.2*	320*	9.3*	9.0*A			
2962.00*	6.0*	229*	.2*	314*	9.3*	9.0*A			
2964.00*	3.2*	204*	.2*	319*	9.3*	9.0*A			
2966.00*	1.8*	171*	.1*	319*	9.3*	9.0*A			
2968.00*	2.4*	91*	0*	0*	9.3*	9.0*C			
2970.00*	.5*	84*	0*	0*	9.3*	9.0*C			
2972.00*	10.7*	242*	0*	0*	9.4*	9.0*C			
2974.00*	2.8*	288*	0*	0*	9.4*	9.0*A			
2976.00*	3.1*	299*	0*	0*	9.4*	9.0*A			
2978.00*	7.4*	350*	0*	0*	9.4*	9.0*C			
2980.00*	4.0*	301*	0*	0*	9.4*	9.0*A			
2982.00*	5.0*	331*	0*	0*	9.3*	9.0*C			
2984.00*	3.1*	338*	0*	0*	9.3*	9.0*C			
2986.00*	.8*	150*	0*	0*	9.3*	9.0*C			
2988.00*	4.3*	286*	0*	0*	9.3*	9.0*A			
2990.00*	3.1*	261*	0*	0*	9.4*	9.0*A			
2992.00*	3.6*	215*	0*	0*	9.3*	9.0*A			
2994.00*	2.7*	305*	0*	0*	9.3*	9.0*A			
2996.00*	10.6*	346*	0*	0*	9.3*	9.0*			
2998.00*	6.4*	220*	0*	0*	9.3*	9.0*A			
3000.00*	3.6*	231*	0*	0*	9.3*	9.0*A			
3002.00*	4.1*	241*	0*	0*	9.2*	9.0*A			

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX	
FT	DEG	DEG	FEET	DEG	1-3	2-4	(BEST=A)	
3004.00*	7.6*	281*	0*	0*	9.2*	9.0*A		
3006.00*	4.6*	283*	0*	0*	9.2*	9.0*A		
3009.00*	4.1*	288*	0*	0*	9.2*	9.0*A		
3010.00*	2.5*	286*	0*	0*	9.3*	9.0*A		
3012.00*	6.2*	232*	0*	0*	9.3*	9.0*A		
3014.00*	7.0*	243*	.1*	311*	9.3*	9.0*A		
3016.00*	2.8*	178*	.1*	311*	9.3*	9.0*A		
3018.00*	2.4*	210*	.1*	411*	9.3*	9.0*A		
3020.00*	2.9*	237*	0*	0*	9.4*	9.0*A		
3022.00*	9.4*	262*	0*	0*	9.4*	8.9*A		
3024.00*	7.4*	258*	0*	0*	9.4*	8.9*A		
3026.00*	6.4*	231*	.1*	313*	9.4*	8.9*C		
3028.00*	5.8*	220*	0*	0*	9.3*	9.0*A		
3030.00*	3.2*	226*	0*	0*	9.3*	9.0*A		
3032.00*	3.8*	250*	0*	0*	9.4*	9.0*A		
3034.00*	1.2*	247*	0*	0*	9.1*	9.0*A		
3036.00*	5.3*	230*	0*	0*	9.4*	9.0*C		
3038.00*	6.0*	223*	0*	0*	9.4*	8.9*C		
3040.00*	11.8*	357*	0*	0*	9.4*	8.9*		
3042.00*	69.3*	244*	0*	0*	9.4*	8.9*		
3044.00*	28.4*	322*	0*	0*	9.3*	9.0*		
3046.00*	7.4*	244*	0*	0*	9.3*	9.0*D		
3048.00*	4.8*	203*	0*	0*	9.3*	8.9*D		
3050.00*	5.6*	227*	0*	0*	9.4*	8.9*B		
3052.00*	10.1*	230*	0*	0*	9.4*	8.9*B		
3054.00*	4.8*	165*	0*	0*	9.4*	9.0*B		
3056.00*	5.5*	190*	0*	0*	9.4*	9.0*B		
3058.00*	5.8*	221*	0*	0*	9.4*	8.9*A		
3060.00*	7.0*	223*	0*	0*	9.5*	8.9*C		
3062.00*	5.7*	246*	0*	0*	9.5*	8.9*A		
3064.00*	4.7*	255*	0*	0*	9.5*	8.9*A		
3066.00*	5.7*	229*	0*	0*	9.4*	8.9*A		
3068.00*	5.0*	348*	0*	0*	9.4*	8.9*C		
3070.00*	3.1*	318*	0*	0*	9.3*	8.9*A		
3072.00*	4.2*	217*	0*	0*	9.3*	8.9*A		
3074.00*	4.9*	212*	0*	0*	9.3*	9.0*A		
3076.00*	4.4*	226*	0*	0*	9.3*	9.0*A		
3078.00*	2.5*	216*	0*	0*	9.3*	9.0*A		
3080.00*	2.0*	225*	0*	0*	9.3*	9.0*A		
3082.00*	6.9*	217*	0*	0*	9.3*	9.0*A		
3084.00*	8.1*	216*	0*	0*	9.3*	9.0*A		
3086.00*	7.8*	210*	0*	0*	9.3*	9.0*A		

FILE : 2

FORMATION				LOG-BOLE				QUALITY
DEPTH	DIP	DIF	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
					IN	IN		
3038.00*	4.7*	226*	0*	0*	9.3*	9.0*	A	
3090.00*	5.2*	220*	0*	0*	9.3*	9.0*	A	
3092.00*	4.3*	209*	0*	0*	9.3*	9.0*	C	
3094.00*	6.7*	199*	0*	0*	9.3*	9.0*	C	
3096.00*	.5*	243*	0*	0*	9.3*	9.0*	A	
3098.00*	2.9*	225*	0*	0*	9.3*	9.0*	A	
3100.00*	6.4*	229*	0*	0*	9.3*	9.0*	A	
3102.00*	4.1*	227*	0*	0*	9.4*	9.0*	A	
3104.00*	4.0*	206*	0*	0*	9.4*	9.0*	A	
3106.00*	1.2*	166*	0*	0*	9.4*	8.9*	A	
3108.00*	3.9*	207*	0*	0*	9.4*	8.9*	A	
3110.00*	6.1*	243*	0*	0*	9.4*	8.9*	A	
3112.00*	5.8*	231*	0*	0*	9.5*	8.9*	A	
3114.00*	6.9*	251*	0*	0*	9.5*	8.9*	A	
3116.00*	5.0*	219*	0*	0*	9.5*	8.9*	A	
3118.00*	4.5*	224*	0*	0*	9.5*	8.9*	A	
3120.00*	36.0*	34*	0*	0*	9.4*	8.9*		
3122.00*	32.0*	45*	6*	0*	9.3*	8.9*		
3124.00*	14.6*	328*	0*	0*	9.3*	9.0*		
3126.00*	5.5*	303*	0*	0*	9.3*	9.0*	D	
3128.00*	26.1*	175*	0*	0*	9.3*	9.0*	D	
3130.00*	6.3*	212*	0*	0*	9.3*	9.0*	D	
3132.00*	6.4*	233*	0*	0*	9.3*	9.0*	D	
3134.00*	5.3*	215*	0*	0*	9.3*	8.9*	D	
3136.00*	1.1*	272*	0*	0*	9.3*	8.9*	A	
3138.00*	1.4*	291*	0*	0*	9.3*	8.9*	A	
3140.00*	6.5*	166*	0*	0*	9.3*	8.9*	C	
3142.00*	3.0*	219*	0*	0*	9.3*	9.0*	A	
3144.00*	.3*	72*	0*	0*	9.3*	9.0*	A	
3146.00*	34.9*	120*	0*	0*	9.3*	9.0*		
3148.00*	35.1*	120*	0*	0*	9.3*	9.0*		
3150.00*	6.6*	206*	0*	0*	9.3*	9.0*	A	
3152.00*	7.0*	189*	0*	0*	9.3*	9.0*	A	
3154.00*	6.4*	266*	0*	0*	9.3*	9.0*	C	
3156.00*	5.5*	213*	0*	0*	9.3*	9.0*	A	
3158.00*	5.3*	206*	0*	0*	9.3*	9.0*	A	
3160.00*	5.5*	207*	0*	0*	9.3*	9.0*	A	
3162.00*	5.8*	210*	0*	0*	9.3*	9.0*	A	
3164.00*	11.2*	244*	0*	0*	9.4*	9.0*		
3166.00*	4.9*	196*	0*	0*	9.4*	9.0*	A	
3168.00*	5.1*	200*	0*	0*	9.3*	9.0*	A	
3170.00*	5.7*	198*	0*	0*	9.3*	9.0*	A	

FILE : 2

FORMATION				BUREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
3172.00*	5.3*	199*	0*	0*	9.3*	9.0*	C	
3174.00*	36.5*	61*	0*	0*	9.3*	9.0*		
3176.00*	12.5*	258*	0*	0*	9.3*	9.0*		
3178.00*	9.1*	232*	0*	0*	9.3*	9.0*	A	
3180.00*	6.8*	216*	0*	0*	9.2*	9.0*	A	
3182.00*	5.5*	211*	0*	0*	9.2*	9.0*	A	
3184.00*	5.8*	232*	0*	0*	9.2*	9.0*	A	
3186.00*	5.3*	217*	0*	0*	9.2*	8.9*	A	
3188.00*	5.4*	214*	0*	0*	9.2*	8.9*	A	
3190.00*	6.8*	342*	0*	0*	7.2*	9.0*	A	
3192.00*	9.7*	339*	0*	0*	9.2*	9.0*	A	
3194.00*	5.2*	206*	0*	0*	9.2*	9.0*	A	
3196.00*	4.4*	201*	0*	0*	9.2*	9.0*	A	
3198.00*	4.7*	263*	0*	0*	9.2*	9.0*	A	
3200.00*	5.7*	216*	0*	0*	9.1*	9.0*	A	
3202.00*	5.3*	222*	0*	0*	9.1*	8.9*	A	
3204.00*	4.9*	204*	0*	0*	9.1*	9.0*	A	
3206.00*	5.2*	190*	0*	0*	9.1*	9.0*	A	
3208.00*	6.2*	207*	0*	0*	9.2*	9.0*	A	
3210.00*	6.9*	215*	0*	0*	9.2*	9.0*	A	
3212.00*	7.5*	201*	0*	0*	9.2*	9.0*	C	
3214.00*	6.3*	208*	0*	0*	9.2*	9.0*	A	
3216.00*	6.6*	206*	0*	0*	9.2*	9.0*	A	
3218.00*	2.5*	231*	0*	0*	9.2*	9.0*	A	
3220.00*	2.6*	225*	0*	0*	9.2*	9.0*	A	
3222.00*	7.9*	231*	0*	0*	9.3*	8.9*	A	
3224.00*	5.6*	253*	0*	0*	9.3*	9.0*	A	
3226.00*	5.0*	259*	0*	0*	9.3*	9.0*	A	
3228.00*	4.6*	236*	0*	0*	9.3*	9.0*	A	
3230.00*	4.9*	239*	0*	0*	9.4*	9.0*	A	
3232.00*	7.3*	218*	0*	0*	9.4*	9.0*	A	
3234.00*	7.2*	216*	0*	0*	9.3*	9.0*	A	
3236.00*	7.7*	222*	0*	0*	9.3*	9.0*	A	
3238.00*	7.5*	213*	0*	0*	9.3*	9.0*	C	
3240.00*	5.7*	210*	0*	0*	9.3*	9.0*	C	
3242.00*	2.9*	201*	0*	0*	9.3*	9.0*	A	
3244.00*	4.7*	230*	0*	0*	9.2*	9.1*	A	
3246.00*	5.2*	209*	0*	0*	9.2*	9.1*	A	
3248.00*	5.3*	233*	0*	0*	9.2*	9.1*	A	
3250.00*	4.7*	223*	0*	0*	9.3*	9.1*	A	
3252.00*	3.1*	236*	0*	0*	9.3*	9.1*	A	
3254.00*	31.1*	176*	0*	0*	9.3*	9.1*		

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FE	DEC	DEC	LEG	AZIMUTH	1-3	2-4	(BEST=A)	
				DEC	IN	IN		
3256.00*	33.6*	225*	0*	0*	9.3*	9.0*		
3258.00*	16.1*	177*	0*	0*	9.3*	9.0*		
3260.00*	*	*	0*	0*	9.2*	9.0*		
3262.00*	11.2*	358*	0*	0*	9.2*	9.0*		
3264.00*	6.1*	233*	0*	0*	9.2*	9.0*		
3266.00*	65.1*	229*	0*	0*	9.2*	9.0*		
3268.00*	33.5*	178*	0*	0*	9.2*	9.0*		
3270.00*	19.0*	272*	0*	0*	9.2*	9.0*		
3272.00*	27.9*	39*	0*	0*	9.3*	9.0*		
3274.00*	6.2*	226*	0*	0*	9.3*	9.0*		
3276.00*	27.5*	21*	0*	0*	9.2*	9.0*		
3278.00*	25.1*	342*	0*	0*	9.2*	9.0*		
3280.00*	49.2*	227*	0*	0*	9.2*	9.0*		
3282.00*	21.9*	18*	0*	0*	9.2*	9.0*		
3284.00*	6.7*	350*	0*	0*	9.1*	9.0*		
3286.00*	11.2*	236*	0*	0*	9.1*	9.0*		
3288.00*	47.5*	256*	0*	0*	9.1*	9.0*		
3290.00*	57.1*	43*	0*	0*	9.1*	9.0*		
3292.00*	57.3*	47*	0*	0*	9.2*	9.0*		
3294.00*	11.9*	246*	0*	0*	9.1*	9.0*		
3296.00*	71.5*	337*	0*	0*	9.1*	9.0*		
3298.00*	49.2*	192*	0*	0*	9.1*	9.0*		
3300.00*	60.4*	228*	0*	0*	9.1*	9.0*		
3302.00*	27.9*	4*	0*	0*	9.1*	9.0*		
3304.00*	22.5*	146*	0*	0*	9.1*	9.0*		
3306.00*	19.6*	190*	0*	0*	9.1*	9.0*		
3308.00*	42.7*	243*	0*	0*	9.1*	9.0*		
3310.00*	53.3*	180*	0*	0*	9.1*	9.0*		
3312.00*	26.0*	348*	0*	0*	9.1*	9.0*		
3314.00*	29.1*	290*	0*	0*	9.1*	9.0*		
3316.00*	29.6*	118*	0*	0*	9.1*	9.0*		
3318.00*	48.3*	138*	0*	0*	9.1*	9.0*		
3320.00*	54.7*	132*	0*	0*	9.1*	9.0*		
3322.00*	21.8*	45*	0*	0*	9.1*	9.0*		
3324.00*	19.7*	203*	0*	0*	9.0*	9.0*B		
3326.00*	23.1*	159*	0*	0*	9.0*	9.0*B		
3328.00*	44.6*	155*	0*	0*	9.1*	9.0*		
3330.00*	17.3*	172*	0*	0*	9.1*	9.0*		
3332.00*	66.2*	109*	0*	0*	9.1*	9.0*		
3334.00*	48.2*	351*	0*	0*	9.1*	9.0*		
3336.00*	25.3*	294*	0*	0*	9.1*	9.0*		
3338.00*	15.3*	36*	0*	0*	9.1*	9.0*		

FILE : 2

FORMATION		BOREHOLE				QUALITY	
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)
					ID	ID	
3340.00	11.5	147	0	0	9.1	9.0	
3342.00	71.7	75	0	0	9.0	9.0	
3344.00	19.0	22	0	0	9.0	9.0	
3346.00	19.9	338	0	0	9.0	9.0	
3348.00	19.2	337	0	0	9.1	9.0	
3350.00	37.9	205	0	0	9.1	9.0	D
3352.00	37.9	201	0	0	9.1	9.0	D
3354.00	71.2	115	0	0	9.1	9.0	
3356.00	57.1	334	0	0	9.1	9.0	
3358.00	27.7	277	0	0	9.0	9.0	
3360.00			0	0	9.0	9.0	
3362.00	48.1	183	0	0	9.0	9.0	
3364.00	4.3	235	0	0	9.0	9.0	D
3366.00	61.1	333	0	0	9.0	9.0	
3368.00	36.8	269	0	0	9.0	9.0	
3370.00	2.2	242	0	0	9.1	9.0	D
3372.00	28.7	259	0	0	9.1	9.0	
3374.00	5.9	123	0	0	9.1	9.0	B
3376.00	7.0	120	0	0	9.1	9.0	B
3378.00	8.9	177	0	0	9.0	9.0	D
3380.00	4.4	233	0	0	9.0	9.0	A
3382.00	5.9	241	0	0	9.1	9.0	C
3384.00	4.7	263	0	0	9.1	9.0	C
3386.00	7.8	231	0	0	9.1	9.0	C
3388.00	5.8	232	0	0	9.1	9.0	A
3390.00	5.5	160	0	0	9.1	9.0	A
3392.00	5.6	175	0	0	9.1	9.0	A
3394.00	6.7	169	0	0	9.1	9.0	C
3396.00	5.1	140	0	0	9.2	9.0	A
3398.00	19.1	87	0	0	9.2	9.0	
3400.00	60.0	196	0	0	9.1	9.0	
3402.00	53.1	112	0	0	9.1	9.0	
3404.00	6.7	224	0	0	9.2	9.0	B
3406.00	7.9	231	0	0	9.2	9.0	B
3408.00	29.0	127	0	0	9.2	9.0	
3410.00	11.9	187	0	0	9.2	9.0	
3412.00	9.3	177	0	0	9.2	9.0	D
3414.00	9.0	176	0	0	9.2	9.0	D
3416.00	9.3	229	0	0	9.3	9.0	B
3418.00	9.4	231	0	0	9.2	9.0	D
3420.00	27.0	310	0	0	9.2	9.0	
3422.00	6.0	196	0	0	9.3	9.0	

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	GRVAT	DEVIAT	CALIBER	CALIBER	INDEX	(BEST=A)	
FT	DEG	DEG	DEG	IN	IN			
3424.00*	6.0*	196*	0*	9.3*	9.0*			
3426.00*	28.2*	219*	0*	9.3*	9.0*			
3428.00*	29.3*	353*	0*	9.3*	9.0*			
3430.00*	27.6*	266*	0*	9.3*	9.0*			
3432.00*	26.7*	243*	0*	9.3*	9.0*			
3434.00*	18.6*	79*	0*	9.3*	9.0*			
3436.00*	27.8*	211*	0*	9.3*	9.0*			
3438.00*	21.2*	295*	0*	9.3*	9.0*			
3440.00*	3.1*	219*	0*	9.3*	9.0*	A		
3442.00*	5.0*	179*	0*	9.3*	9.0*	C		
3444.00*	19.1*	188*	0*	9.3*	9.0*			
3446.00*	12.8*	178*	0*	9.2*	9.0*	C		
3448.00*	24.1*	281*	0*	9.2*	9.0*			
3450.00*	3.3*	253*	0*	9.2*	9.0*	C		
3452.00*	3.2*	225*	0*	9.2*	9.0*	C		
3454.00*	8.5*	241*	0*	9.2*	9.0*	A		
3456.00*	9.2*	211*	0*	9.2*	9.0*	A		
3458.00*	12.5*	213*	0*	9.2*	9.0*	C		
3460.00*	5.4*	183*	0*	9.2*	9.0*	C		
3462.00*	1.2*	66*	0*	9.2*	9.0*	C		
3464.00*	2.0*	190*	0*	9.2*	9.0*	C		
3466.00*	13.4*	106*	0*	9.1*	9.0*			
3468.00*	12.6*	203*	0*	9.1*	9.0*	A		
3470.00*	0.0*	232*	0*	9.1*	9.0*	A		
3472.00*	4.7*	248*	0*	9.1*	9.0*	A		
3474.00*	10.6*	338*	0*	9.1*	9.0*	C		
3476.00*	8.7*	264*	0*	9.1*	9.0*	A		
3478.00*	4.6*	264*	0*	9.2*	9.0*	A		
3480.00*	7.0*	241*	0*	9.2*	9.0*	B		
3482.00*	0.3*	228*	0*	9.3*	9.0*	B		
3484.00*	24.2*	192*	0*	9.3*	9.0*			
3486.00*	31.3*	217*	0*	9.4*	9.0*			
3488.00*	31.1*	216*	0*	9.4*	9.0*			
3490.00*	10.2*	204*	0*	9.4*	9.0*			
3492.00*	7.3*	181*	0*	9.4*	9.0*	D		
3494.00*	72.6*	345*	0*	9.3*	9.0*			
3496.00*	51.3*	237*	0*	9.3*	9.0*			
3498.00*	8.0*	211*	0*	9.1*	8.9*	D		
3500.00*	7.1*	199*	0*	9.4*	8.9*	B		
3502.00*	21.8*	243*	0*	9.3*	8.9*			
3504.00*	33.9*	134*	0*	9.3*	9.0*			
3506.00*	23.5*	156*	0*	9.3*	9.0*			

DATE : 2

FOUNDATION				BOREHOLE				QUALITY
DEPTH	DIP	DIV	DEVIAT	DEVIAT	CALIFER	CALIFER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
					IN	IN		
3508.00*	14.1*	292*	0*	0*	9.4*	9.0*		
3510.00*	10.2*	70*	0*	0*	9.4*	8.9*		
3512.00*	23.7*	323*	0*	0*	9.4*	8.9*		
3514.00*	24.1*	197*	0*	0*	9.4*	8.9*		
3516.00*	27.9*	147*	0*	0*	9.4*	8.9*		
3518.00*	5.2*	210*	0*	0*	9.1*	8.9#B		
3520.00*	5.2*	238*	0*	0*	9.4*	9.0#A		
3522.00*	8.3*	197*	0*	0*	9.3*	9.0#C		
3524.00*	9.1*	140*	0*	0*	9.2*	9.0#C		
3526.00*	4.7*	151*	0*	0*	9.2*	9.0#C		
3528.00*	4.7*	265*	0*	0*	9.2*	9.0#C		
3530.00*	1.3*	204*	0*	0*	9.2*	9.0#A		
3532.00*	7.1*	170*	0*	0*	9.2*	9.0#A		
3534.00*	6.3*	162*	0*	0*	9.2*	9.0#A		
3536.00*	6.1*	212*	0*	0*	9.2*	9.0#A		
3538.00*	6.5*	215*	0*	0*	9.2*	9.0#A		
3540.00*	5.7*	202*	0*	0*	9.2*	9.0#A		
3542.00*	6.0*	213*	0*	0*	9.3*	9.0#A		
3544.00*	8.3*	215*	0*	0*	9.3*	9.0#A		
3546.00*	8.9*	221*	0*	0*	9.2*	9.0#A		
3548.00*	6.6*	221*	0*	0*	9.2*	9.0#A		
3550.00*	6.3*	220*	0*	0*	9.2*	8.9#A		
3552.00*	6.1*	223*	0*	0*	9.2*	8.9#A		
3554.00*	6.0*	221*	0*	0*	9.2*	9.0#A		
3556.00*	6.3*	199*	0*	0*	9.2*	8.9#A		
3558.00*	9.6*	193*	0*	0*	9.2*	8.9#B		
3560.00*	11.0*	198*	0*	0*	9.2*	8.9#D		
3562.00*	6.1*	160*	0*	0*	9.3*	8.9#D		
3564.00*	8.6*	154*	0*	0*	9.3*	8.9#D		
3566.00*	6.2*	197*	0*	0*	9.3*	8.9#C		
3568.00*	7.2*	196*	0*	0*	9.2*	8.9#A		
3570.00*	7.4*	244*	0*	0*	9.1*	8.8#C		
3572.00*	6.5*	214*	0*	0*	9.1*	8.8#A		
3574.00*	10.8*	263*	0*	0*	9.1*	8.8#C		
3576.00*	15.5*	264*	0*	0*	9.1*	8.9*		
3578.00*	6.6*	223*	0*	0*	9.1*	9.0#A		
3580.00*	6.7*	214*	0*	0*	9.1*	9.0#A		
3582.00*	5.1*	217*	0*	0*	9.1*	9.0#A		
3584.00*	4.9*	220*	0*	0*	9.1*	9.0#A		
3586.00*	7.1*	220*	0*	0*	9.1*	9.0#A		
3588.00*	6.1*	214*	0*	0*	9.1*	9.0#A		
3590.00*	4.4*	213*	0*	0*	9.1*	9.0#A		

COMPANY : REICHHOLD ENERGY
 WELL : "CPCWP ZELLERBACH" #34-26

PAGE 40

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIE	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DGC	DEG	DEG	DEG	I1	I2	(BEST=A)	
3592.00	6.0	210	0	0	9.0	9.0	C	
3594.00	5.0	208	0	0	9.1	9.0	D	
3596.00	18.0	151	0	0	9.1	9.1		
3598.00	7.1	247	0	0	9.1	9.1	D	
3600.00	2.2	295	0	0	9.1	9.0	D	
3602.00	8.3	207	0	0	9.1	9.0	C	
3604.00	8.2	195	0	0	9.1	9.0	A	
3606.00	11.3	207	0	0	9.1	9.0	A	
3608.00	7.4	199	0	0	9.1	9.0	A	
3610.00	6.4	277	0	0	9.1	9.0	A	
3612.00	6.8	245	0	0	9.1	9.0	C	
3614.00	6.7	244	0	0	9.1	9.0	A	
3616.00	6.7	245	0	0	9.1	9.0	A	
3618.00	10.5	220	0	0	9.1	8.9	A	
3620.00	9.4	223	0	0	9.1	8.9	A	
3622.00	33.7	74	0	0	9.1	8.9		
3624.00	5.8	160	0	0	9.1	8.9	C	
3626.00	5.6	144	0	0	9.1	9.0	D	
3628.00	19.4	271	0	0	9.1	9.1	D	
3630.00	6.7	171	0	0	9.1	9.0	D	
3632.00	6.5	158	0	0	9.1	9.1	B	
3634.00	17.5	239	0	0	9.1	9.1	B	
3636.00	18.0	252	0	0	9.1	9.1	D	
3638.00	8.9	30	0	0	9.1	9.1		
3640.00	2.7	64	0	0	9.1	9.1	D	
3642.00	8.5	206	0	0	9.1	9.0	D	
3644.00	23.6	144	0	0	9.1	9.0	B	
3646.00	28.5	236	0	0	9.1	9.1		
3648.00	9.9	201	0	0	9.1	9.1	D	
3650.00	6.5	262	0	0	9.1	9.1	D	
3652.00	36.0	318	0	0	9.1	9.1		
3654.00	65.6	188	0	0	9.1	9.1		
3656.00	22.3	285	0	0	9.1	9.1		
3658.00	5.0	216	0	0	9.1	9.1	D	
3660.00	5.6	216	0	0	9.1	9.1	B	
3662.00	5.3	222	0	0	9.1	9.0	B	
3664.00	51.4	318	0	0	9.1	9.1		
3666.00	6.3	242	0	0	9.1	9.1	D	
3668.00	49.3	89	0	0	9.1	9.2		
3670.00	11.2	284	0	0	9.1	9.2		
3672.00	53.0	217	0	0	9.1	9.2		
3674.00	48.7	187	0	0	9.1	9.2		

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIT	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DFG	DEG	DEG	1-3	2-4	(BEST=A)	
3676.00	20.4	252	0	0	9.1	9.1		
3678.00	23.9	146	0	0	9.1	9.1		
3680.00	3.6	220	0	0	9.1	9.1	B	
3682.00	3.3	210	0	0	9.1	9.1	B	
3684.00	9.7	136	0	0	9.1	9.1	D	
3686.00	26.4	219	0	0	9.1	9.1		
3688.00	3.8	339	0	0	9.1	9.1	D	
3690.00	3.1	209	0	0	9.1	9.1	B	
3692.00	3.7	213	0	0	9.1	9.1	B	
3694.00	27.8	273	0	0	9.1	9.0		
3696.00	9.3	277	0	0	9.1	9.0	D	
3698.00	5.1	207	0	0	9.1	9.1	D	
3700.00	23.3	143	0	0	9.1	9.1		
3702.00	1.5	71	0	0	9.1	9.1	D	
3704.00	10.1	107	0	0	9.1	9.0		
3706.00	60.2	333	0	0	9.1	9.0		
3708.00	21.4	256	0	0	9.1	9.0		
3710.00	2.0	135	0	0	9.1	9.1		
3712.00	35.5	218	0	0	9.1	9.1		
3714.00	51.9	345	0	0	9.1	9.1		
3716.00			0	0	9.1	9.1		
3718.00	57.6	270	0	0	9.0	9.1		
3720.00	33.9	192	0	0	9.0	9.2		
3722.00	30.9	344	0	0	9.0	9.2		
3724.00	14.7	276	0	0	9.0	9.2		
3726.00	4.5	221	0	0	9.0	9.2	B	
3728.00	4.1	210	0	0	9.0	9.2	B	
3730.00	9.3	214	0	0	9.1	9.2	D	
3732.00	5.0	221	0	0	9.1	9.1	D	
3734.00	39.8	16	0	0	9.1	9.1		
3736.00	3.9	176	0	0	9.1	9.1	D	
3738.00	5.5	218	0	0	9.1	9.0	D	
3740.00	22.0	124	0	0	9.1	9.0		
3742.00	27.6	107	0	0	9.1	9.0		
3744.00	30.1	106	0	0	9.1	9.0		
3746.00	27.2	107	0	0	9.0	9.0		
3748.00	18.1	215	0	0	9.0	8.9	B	
3750.00	11.4	192	0	0	9.0	8.9	B	
3752.00	11.7	200	0	0	9.0	8.9	B	
3754.00	14.2	222	0	0	9.0	9.0	D	
3756.00	8.0	12	0	0	9.0	9.0		
3758.00	17.9	109	0	0	9.0	9.0	B	

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIL	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(REST=A)	
					IN	IN		
3760.00*	20.2*	191*	0*	0*	9.1*	9.0*	D	
3762.00*	20.8*	79*	0*	6*	9.1*	9.0*		
3764.00*	39.9*	343*	0*	0*	9.1*	9.1*		
3766.00*	28.5*	272*	0*	0*	9.1*	9.2*		
3768.00*	23.1*	67*	0*	0*	9.1*	9.2*		
3770.00*	1.5*	100*	0*	0*	9.1*	9.2*		
3772.00*	42.3*	101*	0*	0*	9.1*	9.2*		
3774.00*	9.6*	245*	0*	6*	9.1*	9.2*		
3776.00*	17.3*	188*	0*	0*	9.1*	9.2*	B	
3778.00*	17.5*	187*	0*	0*	9.1*	9.2*	D	
3780.00*	28.3*	247*	0*	0*	9.1*	9.2*		
3782.00*	59.2*	332*	0*	0*	9.1*	9.2*		
3784.00*	43.8*	25*	0*	0*	9.1*	9.2*		
3785.00*	9.3*	212*	0*	0*	9.1*	9.1*	C	
3788.00*	9.0*	203*	0*	0*	9.1*	9.1*	A	
3790.00*	8.3*	199*	0*	0*	9.1*	9.1*	A	
3792.00*	9.1*	200*	0*	0*	9.1*	9.1*	A	
3794.00*	11.6*	200*	0*	0*	9.1*	9.1*	A	
3796.00*	10.3*	207*	0*	0*	9.1*	9.1*	D	
3798.00*	21.2*	227*	0*	0*	9.0*	9.1*		
3800.00*	16.5*	179*	0*	0*	9.1*	9.1*	D	
3802.00*	21.9*	162*	0*	0*	9.1*	9.1*	B	
3804.00*	23.6*	153*	0*	0*	9.1*	9.1*	D	
3806.00*	8.3*	203*	0*	0*	9.1*	9.1*	D	
3808.00*	10.1*	192*	0*	0*	9.1*	9.1*	D	
3810.00*	8.9*	199*	0*	0*	9.1*	9.1*	D	
3812.00*	5.2*	195*	0*	0*	9.1*	9.1*	D	
3814.00*	6.2*	191*	0*	0*	9.0*	9.2*	D	
3816.00*	23.9*	167*	0*	0*	9.0*	9.3*	D	
3818.00*	8.5*	223*	0*	0*	9.0*	9.3*	A	
3820.00*	9.3*	226*	0*	0*	9.0*	9.3*	A	
3822.00*	10.4*	225*	0*	0*	9.0*	9.3*	A	
3824.00*	7.6*	223*	0*	0*	9.1*	9.3*	A	
3826.00*	6.0*	247*	0*	0*	9.1*	9.2*	A	
3828.00*	9.4*	211*	0*	0*	9.1*	9.1*	A	
3830.00*	8.9*	199*	0*	0*	9.1*	9.0*	A	
3832.00*	8.7*	211*	0*	0*	9.1*	9.0*	A	
3834.00*	9.7*	215*	0*	0*	9.1*	9.0*	A	
3836.00*	10.0*	222*	0*	0*	9.1*	9.0*	A	
3838.00*	9.8*	216*	0*	0*	9.1*	9.0*	A	
3840.00*	9.8*	233*	0*	0*	9.1*	9.0*	A	
3842.00*	9.5*	226*	0*	0*	9.1*	9.0*	A	

PLUG : 2

#	FORMATION				BOREHOLE				QUALITY INDEX (BEST=A)
	DEPTH	DIP	DIF	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
	FT	DEG	DEG	NEG	DEG	1-3 IN	2-4 IN		
	A								
3844.00*	9.2*	216*	0*	0*	9.1*	8.9*A			
3846.00*	11.2*	229*	0*	0*	9.2*	9.0*C			
3848.00*	15.9*	253*	0*	0*	9.2*	9.0*C			
3850.00*	7.6*	208*	0*	0*	9.2*	9.0*C			
3852.00*	14.7*	260*	0*	0*	9.2*	9.0*			
3854.00*	8.5*	208*	0*	0*	9.2*	9.0*A			
3856.00*	8.7*	207*	0*	0*	9.2*	9.0*A			
3858.00*	18.4*	198*	0*	0*	9.2*	8.0*C			
3860.00*	10.1*	210*	0*	0*	9.2*	9.0*A			
3862.00*	9.8*	226*	0*	0*	9.1*	9.0*A			
3864.00*	10.8*	223*	0*	0*	9.1*	9.0*A			
3866.00*	5.2*	231*	0*	0*	9.1*	9.0*D			
3868.00*	7.3*	228*	0*	0*	9.1*	9.0*B			
3870.00*	10.1*	205*	0*	0*	9.0*	8.7*B			
3872.00*	8.2*	250*	0*	0*	9.1*	8.7*D			
3874.00*	23.5*	251*	0*	0*	9.2*	8.9*B			
3876.00*	21.3*	240*	0*	0*	9.0*	8.8*D			
3878.00*	16.3*	200*	0*	0*	8.6*	8.7*D			
3880.00*	18.2*	240*	0*	0*	8.5*	8.8*D			
3882.00*	19.5*	235*	0*	0*	8.9*	8.9*D			
3884.00*	10.7*	211*	0*	0*	9.2*	9.0*D			
3886.00*	10.7*	173*	0*	0*	9.2*	9.0*A			
3888.00*	7.7*	211*	0*	0*	9.2*	9.0*A			
3890.00*	3.2*	216*	0*	0*	9.1*	9.0*A			
3892.00*	16.0*	222*	0*	0*	9.1*	9.0*A			
3894.00*	17.9*	220*	0*	0*	9.1*	9.0*C			
3896.00*	31.1*	154*	0*	0*	9.1*	9.0*			
3898.00*	8.8*	223*	0*	0*	9.1*	9.0*A			
3900.00*	8.8*	221*	0*	0*	9.1*	9.0*A			
3902.00*	2.4*	215*	0*	0*	9.0*	8.9*A			
3904.00*	1.9*	190*	0*	0*	8.9*	8.6*A			
3906.00*	5.6*	209*	0*	0*	8.8*	8.5*A			
3908.00*	12.4*	214*	0*	0*	8.9*	8.6*C			
3910.00*	13.5*	180*	0*	0*	8.9*	8.8*A			
3912.00*	12.2*	198*	0*	0*	8.9*	9.1*A			
3914.00*	12.1*	214*	0*	0*	8.9*	9.4*A			
3916.00*	12.0*	208*	0*	0*	8.9*	9.4*A			
3918.00*	6.2*	197*	0*	0*	9.0*	9.3*A			
3920.00*	7.7*	242*	0*	0*	9.0*	9.3*A			
3922.00*	9.9*	249*	0*	0*	9.0*	9.3*A			
3924.00*	11.9*	223*	0*	0*	9.0*	9.2*A			
3926.00*	11.6*	217*	0*	0*	9.0*	9.2*A			

FILE : 2

FORMATION		BOPEJOLE		QUALITY			
DATE	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX
FI	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)
					IN	IN	
3928.00*	11.4*	208*	0*	0*	9.0*	9.2*	A
3930.00*	14.9*	209*	0*	0*	9.0*	9.2*	A
3932.00*	13.9*	217*	0*	0*	9.0*	9.2*	A
3934.00*	14.1*	194*	0*	0*	9.0*	9.2*	A
3936.00*	13.7*	189*	0*	0*	9.0*	9.1*	C
3938.00*	27.4*	233*	0*	0*	9.0*	9.1*	
3940.00*	33.3*	241*	0*	0*	9.0*	9.0*	
3942.00*	70.1*	42*	0*	0*	9.0*	8.9*	
3944.00*	*	*	0*	0*	9.0*	8.9*	
3946.00*	12.3*	197*	0*	0*	9.0*	9.0*	A
3948.00*	4.6*	240*	0*	0*	9.0*	9.0*	A
3950.00*	11.9*	169*	0*	0*	9.0*	9.0*	A
3952.00*	9.2*	197*	0*	0*	9.0*	9.1*	C
3954.00*	13.7*	204*	0*	0*	9.0*	9.2*	A
3956.00*	15.2*	194*	0*	0*	9.0*	9.0*	A
3958.00*	11.6*	188*	0*	0*	9.0*	8.9*	A
3960.00*	18.3*	167*	0*	0*	9.1*	8.9*	A
3962.00*	12.0*	192*	0*	0*	9.1*	8.9*	A
3964.00*	11.5*	203*	0*	0*	9.1*	8.9*	A
3966.00*	12.7*	186*	0*	0*	9.1*	8.9*	C
3968.00*	51.8*	349*	0*	0*	9.0*	8.8*	
3970.00*	66.9*	111*	0*	0*	9.0*	8.7*	
3972.00*	38.0*	248*	0*	0*	8.8*	8.6*	
3974.00*	9.3*	122*	0*	0*	8.7*	8.6*	B
3976.00*	4.3*	158*	0*	0*	8.9*	8.8*	
3978.00*	18.7*	114*	0*	0*	9.1*	9.0*	B
3980.00*	15.7*	109*	0*	0*	9.0*	9.0*	B
3982.00*	15.1*	73*	0*	0*	9.1*	9.0*	D
3984.00*	*	*	0*	0*	9.2*	9.1*	
3986.00*	39.5*	162*	0*	0*	9.5*	9.1*	
3988.00*	*	*	0*	0*	9.5*	9.1*	
3990.00*	24.4*	123*	0*	0*	9.2*	9.2*	D
3992.00*	38.2*	175*	0*	0*	9.1*	9.2*	
3994.00*	10.4*	46*	0*	0*	9.2*	9.1*	
3996.00*	4.1*	301*	0*	0*	9.2*	9.0*	
3998.00*	7.5*	316*	0*	0*	9.2*	9.0*	
4000.00*	64.6*	108*	0*	0*	9.1*	9.1*	
4002.00*	43.9*	59*	0*	0*	9.3*	9.2*	
4004.00*	26.8*	326*	0*	0*	9.3*	9.2*	
4006.00*	20.0*	126*	0*	0*	9.1*	9.2*	
4008.00*	13.6*	326*	0*	0*	9.5*	9.2*	
4010.00*	15.7*	322*	0*	0*	9.9*	9.2*	

COMPANY : REICHHOLD ENERGY
 WELL : "CHOCOR ZULLEBRACH" 434-2c

PAGE 45

FILE : 2

FORMATION		CORRECTION		QUALITY			
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX
FT	DEC	DEC	DEC	DEC	1-3	2-4	(BEST=A)
4012.00	16.6	356	0	0	9.7	9.2	
4014.00	29.0	170	0	0	9.6	9.2	
4016.00	31.4	176	0	0	9.4	9.3	
4018.00	14.9	204	0	0	9.7	3.34D	
4020.00	11.6	237	0	0	10.0	9.3	A
4022.00	2.9	166	0	0	9.9	9.2	A
4024.00	5.5	166	0	0	9.6	9.2	A
4026.00	11.0	271	0	0	9.4	9.2	
4028.00	9.4	207	0	0	9.3	9.3	B
4030.00	8.8	203	0	0	9.2	9.3	B
4032.00	11.4	200	0	0	9.3	9.4	B
4034.00	34.2	345	0	0	9.4	9.4	
4036.00	52.7	339	0	0	9.4	9.3	
4038.00	60.4	110	0	0	9.6	9.3	
4040.00	37.5	165	0	0	9.5	9.3	
4042.00	13.6	237	0	0	9.3	9.2	B
4044.00	11.1	222	0	0	9.2	9.2	B
4046.00	15.3	204	0	0	9.1	9.2	D
4048.00	19.8	234	0	0	9.2	9.2	
4050.00	4.0	172	0	0	9.3	9.2	
4052.00	12.0	228	0	0	9.3	9.1	D
4054.00	23.1	182	0	0	9.3	9.0	D
4056.00	17.7	293	0	0	9.4	8.9	
4058.00	57.3	159	0	0	9.5	8.9	
4060.00	50.0	305	0	0	9.4	8.9	
4062.00	23.7	181	0	0	9.3	8.9	D
4064.00	21.3	268	0	0	9.2	8.9	
4066.00	16.3	152	0	0	9.2	8.8	D
4068.00	59.4	339	0	0	9.3	8.6	
4070.00	18.6	175	0	0	9.4	8.7	B
4072.00	20.3	174	0	0	9.4	8.0	B
4074.00	19.3	175	0	0	9.3	8.0	A
4076.00	18.2	182	0	0	9.2	8.7	A
4078.00	17.1	175	0	0	9.1	8.8	A
4080.00	20.0	169	0	0	9.1	8.9	C
4082.00	35.1	225	0	0	8.8	8.7	
4084.00	52.9	113	0	0	8.7	8.7	
4086.00	18.3	166	0	0	8.8	8.8	A
4088.00	16.9	174	0	0	8.8	8.8	C
4090.00	19.3	196	0	0	8.8	8.8	A
4092.00	23.5	130	0	0	9.1	8.8	
4094.00	29.1	87	0	0	9.2	9.0	

FILE : 2

FOUNDATION		BOREHOLE		QUALITY			
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)
					IN	IN	
4096.00*	11.6*	202*	0*	0*	9.2*	9.0*	D
4098.00*	11.5*	195*	0*	0*	9.2*	8.8*	B
4100.00*	15.3*	214*	0*	0*	9.2*	8.8*	B
4102.00*	14.2*	203*	0*	0*	9.2*	8.9*	B
4104.00*	14.1*	309*	0*	0*	9.2*	9.0*	D
4106.00*	20.4*	180*	0*	0*	9.4*	9.0*	B
4108.00*	14.0*	190*	0*	0*	9.6*	9.0*	B
4110.00*	13.9*	177*	0*	0*	9.7*	8.0*	B
4112.00*	14.6*	182*	0*	0*	9.6*	8.9*	D
4114.00*	19.1*	179*	0*	0*	9.5*	8.9*	C
4116.00*	16.8*	174*	.1*	11*	9.5*	8.9*	A
4118.00*	15.5*	172*	.3*	11*	9.4*	9.8*	A
4120.00*	16.3*	175*	.4*	13*	9.4*	8.7*	A
4122.00*	14.9*	197*	.4*	26*	9.5*	8.7*	A
4124.00*	13.1*	217*	.4*	64*	9.5*	8.8*	A
4126.00*	21.5*	222*	.5*	99*	9.5*	8.9*	D
4128.00*	49.0*	7*	.5*	142*	9.5*	8.9*	
4130.00*	20.5*	111*	.5*	323*	9.4*	8.9*	B
4132.00*	21.0*	178*	.6*	6*	9.3*	8.9*	B
4134.00*	17.8*	175*	.6*	55*	9.5*	9.9*	D
4136.00*	31.4*	273*	.6*	115*	9.5*	8.8*	
4138.00*	55.7*	31*	.6*	164*	9.5*	8.8*	
4140.00*	12.5*	116*	.5*	235*	9.5*	8.9*	
4142.00*	23.5*	27*	.6*	5*	9.5*	8.9*	
4144.00*	19.3*	340*	.6*	17*	9.6*	8.8*	
4146.00*	26.3*	269*	.7*	319*	9.7*	8.8*	
4148.00*	30.8*	154*	.7*	355*	9.7*	8.8*	
4150.00*	31.4*	169*	.7*	357*	9.8*	8.7*	
4152.00*	17.4*	329*	.8*	170*	9.8*	8.7*	
4154.00*	30.2*	2*	.8*	200*	9.6*	8.7*	
4156.00*	15.2*	339*	.8*	437*	9.7*	8.6*	
4158.00*	21.2*	151*	.8*	1*	9.7*	8.8*	D
4160.00*	21.7*	164*	.8*	11*	9.6*	8.8*	D
4162.00*	19.2*	165*	.8*	12*	9.4*	8.8*	D
4164.00*	26.6*	167*	.8*	12*	9.4*	8.8*	D
4166.00*	26.3*	167*	.9*	4*	9.3*	8.8*	D
4168.00*	16.7*	169*	.9*	340*	9.4*	8.9*	D
4170.00*	20.5*	169*	.9*	345*	9.4*	9.0*	D
4172.00*	16.7*	167*	.9*	1*	9.4*	9.0*	B
4174.00*	15.2*	177*	.9*	7*	9.4*	9.0*	D
4176.00*	11.5*	182*	1.0*	13*	9.3*	9.1*	D
4178.00*	12.8*	182*	1.0*	13*	9.0*	9.1*	A

FILE : 2

FORMATION					BOREHOLE				
DEPTH	DIP	DIR	DEVIAT	DEVIAT	CALIBER	CALIBER	QUALITY		
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)		
					IN	IN			

4180.00*	13.6*	182*	1.0*	12*	8.9*	9.1*	A		
4182.00*	14.3*	176*	1.0*	11*	8.9*	9.1*	A		
4184.00*	14.6*	174*	1.0*	9*	8.8*	9.1*	C		
4186.00*	19.5*	191*	1.0*	9*	8.7*	9.1*	A		
4188.00*	15.6*	171*	1.0*	7*	8.7*	9.2*	C		
4190.00*	30.5*	199*	1.0*	7*	8.8*	9.3*			
4192.00*	17.6*	188*	.9*	7*	8.8*	9.4*	A		
4194.00*	15.4*	201*	1.0*	6*	8.8*	9.5*	C		
4196.00*	*	*	1.0*	5*	8.8*	9.3*			
4198.00*	4.9*	227*	1.1*	5*	8.8*	9.1*			
4200.00*	4.9*	138*	1.2*	5*	8.9*	9.1*			
4202.00*	23.5*	177*	1.3*	5*	8.8*	9.2*	b		
4204.00*	44.6*	177*	1.3*	6*	8.8*	9.2*			
4206.00*	37.9*	249*	1.4*	7*	8.8*	9.2*			
4208.00*	17.1*	184*	1.4*	6*	8.9*	9.3*			
4210.00*	60.5*	206*	1.5*	5*	8.9*	9.1*			
4212.00*	53.5*	196*	1.5*	4*	8.9*	8.8*			
4214.00*	27.2*	184*	1.6*	4*	8.7*	8.5*	D		
4216.00*	53.5*	26*	1.6*	5*	8.5*	8.3*			
4218.00*	50.5*	356*	1.5*	4*	8.7*	8.7*			
4220.00*	19.2*	184*	1.5*	3*	9.0*	9.1*	D		
4222.00*	17.6*	190*	1.4*	3*	9.0*	8.9*	D		
4224.00*	30.8*	174*	1.4*	2*	8.9*	8.9*			
4226.00*	23.2*	189*	1.4*	2*	9.0*	8.9*	D		
4228.00*	21.1*	190*	1.5*	2*	8.9*	8.8*	B		
4230.00*	18.5*	104*	1.6*	2*	8.9*	8.8*	B		
4232.00*	16.7*	197*	1.6*	1*	9.0*	8.8*	D		
4234.00*	11.8*	123*	1.5*	1*	9.0*	8.9*			
4236.00*	58.7*	181*	1.6*	1*	9.0*	8.9*			
4238.00*	27.7*	326*	1.5*	2*	8.9*	8.8*	C		
4240.00*	28.2*	330*	1.5*	4*	8.8*	8.7*	C		
4242.00*	20.9*	334*	1.5*	4*	8.8*	8.8*	A		
4244.00*	24.3*	333*	1.6*	4*	8.9*	8.7*	A		
4246.00*	26.4*	26*	1.7*	3*	8.9*	8.7*			
4248.00*	31.9*	179*	1.7*	2*	8.8*	8.7*			
4250.00*	11.6*	194*	1.6*	2*	8.7*	8.7*			
4252.00*	7.9*	202*	1.7*	2*	8.7*	8.6*			
4254.00*	35.4*	32*	1.7*	2*	6.7*	8.6*			
4256.00*	35.4*	124*	1.7*	2*	8.7*	8.6*			
4258.00*	13.5*	216*	1.7*	2*	8.7*	8.6*	A		
4260.00*	13.9*	218*	1.7*	1*	8.7*	8.6*	A		
4262.00*	25.3*	219*	1.7*	1*	8.7*	8.6*			

FILE : 2

FOUNDATION		COREHOLE						QUALITY
DEPTH	DIP	DIF	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
					IN	IN		
4264.00*	22.1*	215*	1.7*	359*	8.6*	8.6*	C	
4266.00*	18.9*	164*	1.7*	358*	8.6*	8.6*		
4268.00*	9.9*	190*	1.7*	358*	8.6*	8.6*	B	
4270.00*	12.6*	183*	1.7*	357*	8.6*	8.6*	C	
4272.00*	12.4*	184*	1.8*	357*	8.7*	8.6*	C	
4274.00*	11.8*	189*	1.8*	358*	8.6*	8.6*	C	
4276.00*	14.8*	185*	1.8*	359*	8.7*	8.7*	C	
4278.00*	11.9*	202*	1.8*	359*	8.8*	8.7*	A	
4280.00*	11.7*	195*	1.9*	359*	8.8*	8.7*	A	
4282.00*	12.1*	186*	1.9*	358*	8.8*	8.7*	A	
4284.00*	14.6*	186*	1.9*	358*	8.8*	8.6*	A	
4286.00*	14.3*	197*	2.0*	359*	8.8*	8.7*	A	
4288.00*	13.7*	194*	2.0*	358*	8.8*	8.7*	A	
4290.00*	13.0*	195*	2.0*	358*	8.8*	8.6*	A	
4292.00*	17.1*	190*	2.0*	357*	8.8*	8.6*	A	
4294.00*	18.0*	192*	2.0*	357*	8.8*	8.6*	A	
4296.00*	12.6*	192*	2.0*	356*	8.8*	8.6*	A	
4298.00*	4.3*	331*	2.0*	356*	8.8*	8.6*	A	
4300.00*	10.2*	200*	2.0*	356*	8.9*	8.7*	A	
4302.00*	13.4*	198*	2.0*	356*	8.8*	8.6*	A	
4304.00*	20.6*	241*	2.0*	356*	8.8*	8.4*		
4306.00*	15.2*	206*	1.9*	354*	8.7*	8.5*	A	
4308.00*	16.9*	190*	1.9*	354*	8.9*	8.6*	C	
4310.00*	18.9*	190*	1.9*	353*	8.9*	8.6*	A	
4312.00*	18.6*	185*	1.9*	353*	8.9*	8.7*	A	
4314.00*	15.8*	196*	1.9*	354*	8.9*	8.6*	A	
4316.00*	12.1*	196*	1.9*	354*	8.9*	8.7*	A	
4318.00*	12.2*	198*	1.8*	354*	8.9*	8.7*	A	
4320.00*	12.4*	199*	1.8*	355*	8.8*	8.6*	A	
4322.00*	13.3*	182*	1.7*	355*	8.8*	8.6*	A	
4324.00*	10.4*	177*	1.7*	355*	8.8*	8.6*	B	
4326.00*	13.9*	179*	1.7*	356*	8.8*	8.6*	B	
4328.00*	13.5*	167*	1.7*	358*	8.7*	8.5*	D	
4330.00*	35.8*	174*	1.7*	359*	8.8*	8.5*		
4332.00*	11.9*	168*	1.7*	360*	8.9*	8.7*	B	
4334.00*	10.0*	175*	1.7*	358*	9.0*	8.9*	D	
4336.00*	14.2*	19*	1.7*	356*	8.9*	8.9*		
4338.00*	32.3*	3*	1.7*	355*	8.7*	8.7*		
4340.00*	17.6*	177*	1.7*	354*	8.7*	8.7*	D	
4342.00*	30.0*	181*	1.7*	353*	8.7*	8.7*		
4344.00*	53.9*	340*	1.8*	352*	8.8*	8.7*		
4346.00*	8.9*	195*	1.8*	353*	8.8*	8.7*	D	

FILE : 2

FORMATION					BOREHOLE				
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	QUALITY		
EL	DEG	DFG	DEG	DFG	1-3	2-4	(BEST=A)		
					IN	IN			

4318.00*	12.8*	165*	1.8*	353*	8.8*	8.7*	D		
4350.00*	14.9*	200*	1.9*	353*	8.9*	8.8*	A		
4352.00*	14.7*	196*	1.9*	354*	9.0*	8.9*	A		
4354.00*	14.2*	197*	1.9*	354*	8.9*	8.8*	A		
4356.00*	14.9*	203*	1.9*	355*	8.8*	8.9*	A		
4358.00*	14.7*	200*	2.0*	356*	8.9*	9.0*	A		
4360.00*	14.9*	200*	2.0*	356*	9.0*	8.9*	A		
4362.00*	15.5*	201*	2.0*	356*	8.9*	8.7*	A		
4364.00*	14.7*	206*	2.0*	357*	8.7*	8.7*	A		
4366.00*	16.3*	200*	2.0*	357*	8.7*	8.8*	A		
4368.00*	16.0*	200*	1.9*	357*	8.8*	8.8*	A		
4370.00*	14.5*	204*	1.9*	357*	9.0*	8.8*	A		
4372.00*	13.8*	205*	1.9*	357*	9.1*	8.8*	A		
4374.00*	18.3*	204*	1.8*	356*	8.9*	8.7*	A		
4376.00*	20.4*	210*	1.8*	356*	8.7*	8.7*	A		
4378.00*	16.4*	210*	1.8*	356*	8.8*	8.7*	A		
4380.00*	15.7*	208*	1.7*	356*	8.8*	8.7*	A		
4382.00*	14.2*	200*	1.7*	356*	8.7*	8.7*	A		
4384.00*	14.4*	201*	1.7*	356*	8.7*	8.7*	A		
4386.00*	27.6*	20*	1.8*	356*	8.7*	8.7*	A		
4388.00*	14.4*	184*	1.8*	355*	8.7*	8.7*	A		
4390.00*	16.9*	183*	1.8*	354*	8.7*	8.7*	A		
4392.00*	15.6*	185*	1.8*	353*	8.7*	8.7*	A		
4394.00*	15.1*	206*	1.8*	353*	8.7*	8.7*	C		
4396.00*	11.3*	211*	1.8*	353*	8.8*	8.8*	A		
4398.00*	11.2*	207*	1.7*	353*	9.0*	9.0*	A		
4400.00*	10.2*	191*	1.7*	352*	9.2*	8.9*	A		
4402.00*	9.6*	193*	1.7*	352*	9.3*	8.9*	A		
4404.00*	12.0*	201*	1.7*	353*	9.3*	8.9*	A		
4406.00*	12.9*	208*	1.7*	353*	9.3*	8.9*	A		
4408.00*	15.0*	199*	1.8*	354*	9.3*	8.9*	A		
4410.00*	17.3*	199*	1.8*	354*	9.1*	8.8*	A		
4412.00*	19.6*	205*	1.8*	354*	9.0*	8.8*	A		
4414.00*	11.5*	208*	1.8*	355*	9.0*	8.8*	A		
4416.00*	9.8*	190*	1.8*	356*	9.1*	8.8*	A		
4418.00*	10.7*	182*	1.8*	355*	9.0*	8.7*	A		
4420.00*	14.0*	226*	1.7*	354*	8.8*	8.5*	C		
4422.00*	12.8*	50*	1.7*	353*	8.7*	8.5*	A		
4424.00*	13.9*	57*	1.7*	352*	8.6*	8.5*	A		
4426.00*	5.6*	155*	1.7*	351*	8.7*	8.4*	C		
4428.00*	16.0*	197*	1.7*	351*	8.7*	8.3*	C		
4430.00*	15.9*	213*	1.6*	352*	8.7*	8.2*	A		

FILE : 2

FORMATION				BENCHOLF				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST-A)	
4432.00*	32.1*	230*	1.6*	353*	8.7*	8.2*		
4434.00*	31.3*	228*	1.6*	353*	8.8*	8.3*		
4436.00*	*	*	1.6*	353*	8.8*	8.4*		
4439.00*	22.4*	186*	1.6*	353*	8.8*	8.4*		
4440.00*	6.0*	213*	1.6*	353*	8.8*	8.5*		
4442.00*	7.2*	168*	1.6*	354*	8.7*	8.5*		
4444.00*	17.0*	160*	1.6*	354*	8.7*	8.5*		
4446.00*	28.5*	337*	1.6*	354*	8.6*	8.5*		
4449.00*	12.3*	202*	1.6*	354*	8.6*	8.6*		
4450.00*	13.7*	203*	1.6*	353*	8.6*	8.5*A		
4452.00*	14.1*	199*	1.6*	353*	8.6*	8.5*A		
4454.00*	14.1*	207*	1.5*	353*	8.6*	8.6*A		
4456.00*	13.9*	209*	1.6*	353*	8.6*	8.6*A		
4458.00*	14.1*	197*	1.6*	353*	8.6*	8.6*A		
4460.00*	13.6*	199*	1.6*	353*	8.7*	8.6*A		
4462.00*	12.7*	205*	1.6*	354*	8.7*	8.6*A		
4464.00*	15.3*	198*	1.7*	354*	8.7*	8.6*A		
4466.00*	17.8*	196*	1.7*	353*	8.8*	8.7*D		
4468.00*	18.7*	191*	1.8*	353*	9.0*	8.8*D		
4470.00*	21.3*	181*	1.9*	353*	9.1*	8.7*D		
4472.00*	60.2*	170*	1.9*	354*	9.0*	8.6*		
4474.00*	17.5*	188*	1.9*	355*	8.9*	8.6*B		
4476.00*	16.1*	192*	1.9*	355*	8.8*	8.6*B		
4478.00*	14.5*	202*	1.8*	355*	8.7*	8.6*A		
4480.00*	13.9*	209*	1.8*	354*	8.7*	8.6*A		
4482.00*	12.9*	204*	1.7*	354*	8.7*	8.6*A		
4484.00*	12.0*	198*	1.7*	353*	8.7*	8.6*C		
4486.00*	17.5*	193*	1.6*	353*	8.8*	8.6*A		
4488.00*	7.9*	233*	1.5*	354*	8.8*	8.6*C		
4490.00*	13.5*	166*	1.5*	354*	8.8*	8.6*A		
4492.00*	14.4*	189*	1.5*	354*	8.8*	8.6*A		
4494.00*	15.1*	196*	1.5*	355*	8.8*	8.5*A		
4496.00*	38.3*	173*	1.5*	355*	8.8*	8.5*		
4498.00*	29.3*	231*	1.6*	356*	8.9*	8.6*		
4500.00*	9.2*	184*	1.6*	356*	8.9*	8.7*A		
4502.00*	10.9*	190*	1.7*	356*	8.9*	8.8*A		
4504.00*	11.8*	194*	1.8*	356*	8.8*	8.6*A		
4506.00*	20.8*	172*	1.8*	356*	8.7*	8.5*A		
4508.00*	19.7*	190*	1.8*	355*	8.6*	8.4*C		
4510.00*	16.9*	211*	1.9*	355*	8.7*	8.4*C		
4512.00*	14.7*	188*	1.9*	355*	8.8*	8.4*A		
4514.00*	18.1*	178*	1.9*	355*	8.9*	8.4*A		

FILE : 2

FORMATION		BOREHOLE		QUALITY			
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX
FE	LOG	AZIMUTH	FEQ	AZIMUTH	1-3	2-4	(BEST=A)
		LEG	DEG	DEG	IN	IN	
4516.00*	32.1*	163*	1.9*	356*	8.8*	8.4*	R
4519.00*	17.6*	179*	1.9*	357*	8.7*	8.4*	A
4520.00*	18.0*	180*	1.8*	358*	8.7*	8.4*	A
4522.00*	18.4*	193*	1.8*	358*	8.7*	8.4*	A
4524.00*	15.2*	213*	1.7*	358*	8.7*	8.4*	A
4526.00*	22.2*	229*	1.7*	358*	8.7*	8.4*	
4528.00*	22.0*	216*	1.7*	358*	8.9*	8.6*	D
4530.00*	22.9*	186*	1.7*	356*	9.1*	8.8*	B
4532.00*	22.6*	190*	1.7*	358*	9.0*	8.7*	B
4534.00*	23.6*	192*	1.7*	358*	8.8*	8.6*	B
4536.00*	17.7*	192*	1.7*	357*	8.7*	8.6*	D
4538.00*	18.1*	179*	1.7*	356*	8.7*	8.5*	D
4540.00*	14.5*	148*	1.6*	355*	8.8*	8.5*	
4542.00*	24.1*	307*	1.6*	355*	8.8*	8.6*	
4544.00*	8.4*	172*	1.5*	356*	8.8*	8.6*	D
4546.00*	6.0*	171*	1.5*	357*	8.8*	8.6*	D
4548.00*	30.5*	285*	1.5*	357*	8.8*	8.7*	
4550.00*	20.9*	188*	1.5*	358*	8.9*	8.7*	
4552.00*	9.1*	198*	1.5*	359*	8.9*	8.6*	B
4554.00*	9.3*	188*	1.5*	359*	9.0*	8.9*	B
4556.00*	16.1*	206*	1.5*	359*	9.0*	8.9*	D
4558.00*	19.2*	158*	1.5*	359*	8.9*	8.8*	
4560.00*	16.3*	154*	1.5*	359*	8.8*	8.6*	
4562.00*	14.3*	30*	1.5*	360*	8.7*	8.6*	
4564.00*	64.7*	193*	1.6*	359*	8.7*	8.7*	
4566.00*	14.5*	186*	1.6*	359*	8.8*	8.7*	A
4568.00*	15.5*	192*	1.6*	359*	8.8*	8.7*	A
4570.00*	16.6*	190*	1.7*	357*	8.8*	8.6*	A
4572.00*	18.8*	187*	1.7*	356*	8.8*	8.6*	A
4574.00*	19.9*	190*	1.7*	356*	8.7*	8.5*	A
4576.00*	16.6*	194*	1.7*	357*	8.7*	8.5*	A
4578.00*	10.0*	170*	1.7*	357*	8.8*	8.6*	A
4580.00*	13.3*	174*	1.7*	358*	8.8*	8.6*	C
4582.00*	22.5*	199*	1.6*	360*	8.8*	8.6*	A
4584.00*	12.8*	166*	1.6*	1*	8.8*	8.7*	A
4586.00*	17.5*	162*	1.6*	0*	8.8*	8.7*	A
4588.00*	17.3*	167*	1.6*	360*	8.7*	8.7*	C
4590.00*	16.2*	183*	1.5*	360*	8.7*	8.8*	A
4592.00*	16.4*	182*	1.6*	360*	8.9*	8.8*	A
4594.00*	14.7*	166*	1.7*	360*	9.1*	8.8*	A
4596.00*	18.2*	172*	1.7*	360*	9.1*	8.8*	A
4598.00*	18.2*	178*	1.7*	0*	8.9*	8.7*	C

FILE : 2

FORMATION				BONE-HOLE				QUALITY
DEPTH	DIP	RIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX	
FT	DEG	DEC	DEG	DEG	1-3 IN	2-4 IN	(BEST=A)	
4600.00*	11.7*	89*	1.7*	1*	8.7*	8.6*		
4602.00*	12.6*	316*	1.6*	2*	8.6*	8.5*		
4604.00*	14.7*	186*	1.6*	2*	8.7*	8.4*C		
4606.00*	13.5*	206*	1.7*	2*	8.8*	8.4*A		
4608.00*	14.8*	206*	1.7*	3*	8.7*	8.4*A		
4610.00*	16.1*	201*	1.7*	3*	8.7*	8.4*B		
4612.00*	13.9*	192*	1.6*	2*	8.7*	8.5*A		
4614.00*	17.0*	207*	1.6*	2*	8.7*	8.5*A		
4616.00*	17.0*	201*	1.7*	1*	8.6*	8.5*A		
4618.00*	12.9*	196*	1.6*	360*	8.7*	8.5*A		
4620.00*	13.9*	209*	1.6*	359*	8.7*	8.5*A		
4622.00*	14.2*	206*	1.7*	360*	8.7*	8.5*A		
4624.00*	12.0*	210*	1.7*	360*	8.6*	8.5*A		
4626.00*	13.8*	195*	1.7*	359*	8.6*	8.6*C		
4628.00*	21.7*	212*	1.8*	358*	8.7*	8.6*A		
4630.00*	20.7*	209*	1.8*	358*	8.7*	8.6*A		
4632.00*	15.8*	180*	1.8*	359*	8.7*	8.5*		
4634.00*	14.7*	190*	1.8*	1*	8.7*	8.4*A		
4636.00*	12.3*	187*	1.8*	1*	8.6*	8.4*A		
4638.00*	12.2*	188*	1.8*	2*	8.6*	8.4*A		
4640.00*	15.1*	192*	1.8*	3*	8.6*	8.5*A		
4642.00*	19.4*	195*	1.8*	3*	8.6*	8.5*A		
4644.00*	22.4*	190*	1.8*	3*	8.7*	8.5*A		
4646.00*	14.9*	197*	1.8*	2*	8.6*	8.4*A		
4648.00*	14.3*	197*	1.8*	2*	8.5*	8.4*A		
4650.00*	12.6*	110*	1.6*	1*	8.4*	8.4*		
4652.00*	37.5*	275*	1.9*	359*	8.4*	8.4*		
4654.00*	26.3*	179*	1.9*	356*	8.6*	8.4*C		
4656.00*	15.1*	166*	1.9*	353*	8.8*	8.5*C		
4658.00*	14.5*	175*	1.9*	353*	8.8*	8.6*A		
4660.00*	16.0*	177*	1.9*	353*	8.8*	8.5*A		
4662.00*	14.6*	197*	1.9*	353*	8.8*	8.5*A		
4664.00*	13.0*	196*	1.9*	353*	8.6*	8.5*A		
4666.00*	15.2*	203*	1.9*	353*	8.5*	8.5*A		
4668.00*	15.8*	183*	1.9*	353*	8.5*	8.6*A		
4670.00*	15.0*	180*	1.9*	355*	8.5*	8.7*C		
4672.00*	16.6*	195*	1.9*	357*	8.5*	8.7*A		
4674.00*	16.8*	180*	1.9*	360*	8.5*	8.7*A		
4676.00*	14.5*	213*	1.9*	1*	8.5*	8.7*A		
4678.00*	15.2*	206*	1.9*	359*	8.5*	8.6*A		
4680.00*	18.4*	191*	1.9*	358*	8.6*	8.6*A		
4682.00*	19.6*	186*	1.9*	359*	8.6*	8.6*A		

FILE : 2

* FORHALLIDP *					* ROPEHOLE *				

DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	QUALITY		
FT	DEC	DEG	DEG	DEG	IN	IN	INDEX		

								(BEST=A)	

1684.00*	33.3*	26*	1.9*	358*	8.6*	8.6*			
1686.00*	17.4*	206*	1.9*	358*	8.6*	8.6*	A		
1688.00*	16.5*	196*	1.9*	358*	8.7*	8.6*	A		
1690.00*	15.6*	192*	1.9*	358*	8.7*	8.6*	A		
1692.00*	15.3*	198*	1.9*	356*	8.7*	8.6*	A		
1694.00*	15.3*	195*	1.9*	354*	8.7*	8.6*	A		
1696.00*	15.5*	192*	1.9*	354*	8.5*	8.6*	A		
1698.00*	17.2*	189*	1.9*	351*	8.5*	8.6*	A		
1700.00*	17.2*	204*	2.0*	354*	8.4*	8.6*	A		
1702.00*	16.3*	196*	2.0*	353*	8.5*	8.7*	A		
1704.00*	16.9*	196*	2.1*	353*	8.5*	8.7*	A		
1706.00*	18.1*	189*	2.1*	353*	8.6*	8.7*	A		
1708.00*	17.5*	194*	2.1*	352*	8.7*	8.6*	A		
1710.00*	16.6*	199*	2.2*	353*	8.7*	8.8*	A		
1712.00*	14.7*	188*	2.2*	353*	8.7*	8.8*	A		
1714.00*	16.6*	187*	2.3*	353*	8.7*	8.8*	A		
1716.00*	19.7*	191*	2.3*	353*	8.7*	8.8*	A		
1718.00*	19.8*	197*	2.3*	353*	8.7*	8.9*	A		
1720.00*	20.1*	195*	2.4*	352*	8.7*	8.9*	A		
1722.00*	20.1*	194*	2.4*	352*	8.8*	9.0*	A		
1724.00*	19.5*	195*	2.3*	352*	8.8*	9.0*	A		
1726.00*	16.7*	189*	2.3*	352*	8.8*	8.9*	A		
1728.00*	15.8*	188*	2.2*	353*	8.8*	8.9*	A		
1730.00*	15.7*	195*	2.2*	353*	8.7*	8.9*	A		
1732.00*	16.1*	194*	2.1*	354*	8.7*	8.9*	A		
1734.00*	14.8*	202*	2.1*	356*	8.8*	8.9*	A		
1736.00*	15.3*	201*	2.1*	357*	8.8*	8.8*	A		
1738.00*	14.9*	204*	2.1*	357*	8.9*	8.7*	A		
1740.00*	13.7*	210*	2.1*	357*	8.9*	8.7*	A		
1742.00*	15.7*	198*	2.2*	358*	8.9*	8.7*	A		
1744.00*	16.0*	189*	2.3*	358*	8.9*	8.6*	A		
1746.00*	15.4*	190*	2.4*	357*	8.9*	8.6*	A		
1748.00*	18.1*	187*	2.4*	356*	8.8*	8.6*	A		
1750.00*	18.4*	196*	2.5*	355*	8.9*	8.7*	A		
1752.00*	17.3*	190*	2.6*	355*	9.0*	8.9*	A		
1754.00*	17.1*	184*	2.6*	354*	8.9*	8.9*	A		
1756.00*	15.7*	194*	2.6*	354*	9.0*	8.8*	A		
1758.00*	16.0*	193*	2.6*	354*	9.1*	8.8*	A		
1760.00*	15.9*	190*	2.6*	354*	9.1*	8.8*	A		
1762.00*	15.2*	189*	2.6*	354*	9.1*	8.9*	A		
1764.00*	15.3*	192*	2.6*	353*	9.1*	8.8*	A		
1766.00*	15.0*	197*	2.6*	354*	9.2*	8.8*	A		

FILE : 2

* FORMATION * * BOREHOLE * * * * * QUALITY * *										
----------*-----*-----*-----*										
DEPTH	DIR	DIA	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX			
FE	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)			

					IN	IN				

4768.00*	14.7*	194*	2.6*	354*	9.1*	8.8*	A			
4770.00*	15.1*	193*	2.6*	354*	9.1*	8.8*	A			
4772.00*	16.9*	195*	2.6*	354*	9.1*	8.7*	A			
4774.00*	18.6*	196*	2.7*	354*	9.0*	8.7*	A			
4776.00*	18.9*	194*	2.7*	354*	9.0*	8.7*	A			
4778.00*	17.8*	192*	2.7*	354*	9.1*	8.6*	A			
4780.00*	16.7*	191*	2.7*	354*	9.2*	8.8*	A			
4782.00*	15.7*	191*	2.7*	353*	9.2*	8.7*	A			
4784.00*	15.6*	186*	2.7*	353*	9.1*	8.7*	A			
4786.00*	16.7*	189*	2.8*	353*	8.9*	8.7*	A			
4788.00*	17.4*	192*	2.8*	353*	8.9*	9.7*	A			
4790.00*	17.0*	193*	2.8*	354*	9.0*	8.8*	A			
4792.00*	16.9*	191*	2.8*	354*	9.1*	8.8*	A			
4794.00*	17.3*	189*	2.8*	354*	9.0*	8.6*	A			
4796.00*	17.1*	188*	2.8*	355*	8.9*	8.6*	A			
4798.00*	15.9*	189*	2.8*	355*	8.8*	8.8*	A			
4800.00*	15.9*	190*	2.8*	356*	8.9*	8.8*	A			
4802.00*	16.6*	198*	2.8*	355*	8.9*	8.7*	A			
4804.00*	16.6*	193*	2.8*	354*	9.0*	8.8*	A			
4806.00*	16.8*	196*	2.9*	355*	8.9*	8.8*	A			
4808.00*	15.4*	193*	2.9*	355*	8.8*	8.8*	A			
4810.00*	14.8*	189*	2.9*	355*	8.8*	8.8*	A			
4812.00*	13.4*	190*	3.0*	354*	8.8*	8.9*	A			
4814.00*	14.5*	190*	3.0*	353*	8.9*	8.9*	A			
4816.00*	15.5*	191*	3.0*	353*	8.8*	8.9*	A			
4818.00*	15.7*	192*	3.1*	352*	8.7*	8.9*	A			
4820.00*	15.8*	191*	3.1*	351*	8.8*	8.9*	A			
4822.00*	15.3*	189*	3.2*	350*	8.8*	8.9*	A			
4824.00*	15.1*	188*	3.2*	350*	8.8*	8.9*	A			
4826.00*	11.9*	193*	3.3*	350*	8.8*	9.0*	A			
4828.00*	11.5*	197*	3.3*	349*	8.9*	9.1*	A			
4830.00*	11.6*	198*	3.2*	349*	8.9*	9.0*	A			
4832.00*	15.8*	188*	3.2*	350*	8.8*	8.9*	A			
4834.00*	14.6*	186*	3.2*	349*	8.8*	8.9*	A			
4836.00*	14.6*	187*	3.2*	349*	8.8*	8.9*	A			
4838.00*	15.7*	183*	3.2*	350*	8.8*	8.9*	A			
4840.00*	18.6*	181*	3.2*	350*	8.9*	8.9*	A			
4842.00*	19.1*	182*	3.2*	349*	8.8*	8.9*	A			
4844.00*	17.2*	182*	3.2*	349*	8.8*	9.0*	A			
4846.00*	16.7*	185*	3.2*	349*	8.9*	9.0*	A			
4848.00*	16.2*	185*	3.2*	348*	8.9*	8.9*	A			
4850.00*	16.5*	183*	3.2*	348*	8.8*	8.7*	A			

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX	
FT	LEG	DFG	DEG	DEG	1-3	2-4	(BEST=A)	
4852.00*	17.2*	184*	3.2*	348*	8.7*	8.6*	A	
4854.00*	15.4*	183*	3.2*	346*	8.8*	8.8*	A	
4856.00*	15.3*	178*	3.2*	347*	9.0*	8.9*	A	
4858.00*	16.0*	175*	3.2*	348*	8.9*	8.5*	A	
4860.00*	14.5*	202*	3.2*	347*	8.9*	8.8*	A	
4862.00*	19.6*	194*	3.3*	347*	8.9*	8.8*	A	
4864.00*	11.3*	190*	3.3*	346*	8.9*	8.8*	A	
4866.00*	11.7*	196*	3.3*	349*	8.9*	8.8*	A	
4868.00*	13.2*	188*	3.3*	343*	8.8*	8.7*	A	
4870.00*	13.4*	178*	3.4*	341*	8.8*	8.8*	A	
4872.00*	14.0*	180*	3.4*	344*	8.9*	8.8*	A	
4874.00*	13.9*	177*	3.5*	344*	8.9*	8.9*	A	
4876.00*	13.7*	176*	3.5*	344*	9.0*	8.9*	A	
4878.00*	13.3*	176*	3.5*	344*	8.9*	8.8*	A	
4880.00*	12.7*	177*	3.5*	344*	8.9*	8.8*	A	
4882.00*	13.6*	179*	3.5*	344*	8.9*	8.8*	A	
4884.00*	14.3*	193*	3.6*	343*	8.9*	8.8*	A	
4886.00*	14.0*	194*	3.6*	343*	9.1*	8.7*	A	
4888.00*	14.0*	190*	3.6*	342*	9.2*	8.8*	A	
4890.00*	13.8*	186*	3.6*	343*	9.1*	8.8*	A	
4892.00*	13.1*	184*	3.6*	343*	9.1*	8.9*	A	
4894.00*	13.6*	184*	3.5*	343*	9.1*	8.9*	C	
4896.00*	13.2*	182*	3.5*	343*	9.1*	8.9*	C	
4898.00*	12.7*	178*	3.5*	344*	9.1*	8.8*	A	
4900.00*	12.6*	179*	3.5*	343*	9.1*	8.9*	A	
4902.00*	11.2*	176*	3.5*	342*	9.1*	8.9*	A	
4904.00*	10.7*	174*	3.5*	341*	9.2*	8.9*	A	
4906.00*	10.8*	174*	3.5*	341*	9.3*	8.8*	A	
4908.00*	10.9*	172*	3.5*	341*	9.4*	8.8*	A	
4910.00*	8.1*	196*	3.5*	341*	9.1*	8.8*	D	
4912.00*	9.3*	211*	3.5*	339*	9.2*	8.7*	D	
4914.00*	58.9*	251*	3.5*	339*	9.2*	8.8*	F	
4916.00*	7.3*	219*	3.6*	339*	9.2*	8.9*	D	
4918.00*	18.9*	200*	3.6*	339*	9.3*	8.9*	E	
4920.00*	14.5*	179*	3.6*	339*	9.1*	8.9*	F	
4922.00*	18.1*	176*	3.6*	338*	9.5*	8.9*	D	
4924.00*	13.2*	186*	3.6*	338*	9.4*	8.9*	A	
4926.00*	13.1*	189*	3.6*	337*	9.4*	8.9*	A	
4928.00*	12.8*	193*	3.6*	337*	9.3*	8.9*	A	
4930.00*	12.2*	192*	3.6*	338*	9.2*	8.9*	A	
4932.00*	12.2*	194*	3.6*	338*	9.3*	8.9*	A	
4934.00*	12.8*	198*	3.6*	339*	9.3*	8.9*	A	

COMPANY : BEICHHOLD ENERGY
 WELL : "CROWN ZELLERBACH" #34-26

FILE : 2

FORMATION					BOREHOLE				
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	QUALITY		
	AZIMUTH	AZIMUTH			1-3	2-4	INDEX		
ft	DEG	DEG	DEG	DEG	IN	IN	(BEST=0)		

4936.00	12.1	205	3.6	339	9.3	8.9	A		
4938.00	10.5	216	3.5	339	9.4	8.8	A		
4940.00	11.5	219	3.5	339	9.5	8.9	C		
4942.00	13.1	205	3.5	339	9.5	8.8	A		
4944.00	13.2	200	3.5	339	9.5	8.9	A		
4946.00	13.6	198	3.5	340	9.5	8.9	A		
4948.00	11.2	204	3.5	340	9.4	8.9	A		
4950.00	9.2	214	3.5	339	9.3	8.9	A		
4952.00	12.8	215	3.5	339	9.2	8.9	A		
4954.00	14.3	201	3.5	340	9.2	9.0	A		
4956.00	11.4	200	3.5	339	9.3	9.0	A		
4958.00	17.0	197	3.5	338	9.3	8.9	A		
4960.00	20.6	204	3.5	339	9.3	8.9	A		
4962.00	9.6	333	3.5	333	9.3	8.8			
4964.00	7.2	65	3.5	338	9.2	8.8			
4966.00	5.4	343	3.5	337	9.2	8.9			
4968.00	3.9	194	3.5	337	9.2	8.8	A		
4970.00	3.0	200	3.5	337	9.1	8.8	A		
4972.00	3.5	204	3.4	337	9.0	8.8	A		
4974.00	7.5	213	3.4	337	8.9	8.7	A		
4976.00	8.5	219	3.4	338	8.9	8.7	A		
4978.00	12.8	36	3.3	339	9.1	8.9	B		
4980.00	14.0	24	3.3	340	9.1	8.9	B		
4982.00	5.5	189	3.3	340	9.1	8.9	D		
4984.00	5.6	173	3.3	339	9.0	8.9	D		
4986.00	10.0	210	3.1	339	9.0	8.9	D		
4988.00	4.6	190	3.3	339	9.0	8.9	D		
4990.00	33.3	185	3.3	339	9.0	8.9			
4992.00	4.5	240	3.3	339	9.1	8.9	D		
4994.00	4.9	215	3.3	339	9.2	8.9	B		
4996.00	5.4	209	3.3	339	9.3	8.9	A		
4998.00	6.7	235	3.1	339	9.3	8.9			
5000.00	34.7	177	3.4	339	9.2	8.9			
5002.00	3.4	165	3.4	339	8.9	8.9	A		
5004.00	59.5	191	3.4	339	8.8	8.9			
5006.00	39.5	170	3.4	339	9.0	8.8			
5008.00	13.9	187	3.4	338	9.3	8.8	C		
5010.00	8.9	168	3.4	338	9.4	8.9	C		
5012.00	7.3	185	3.4	338	9.3	8.9	A		
5014.00	7.2	195	3.3	338	9.2	8.9	A		
5016.00	9.1	192	3.3	339	9.2	8.8	A		
5018.00	8.5	198	3.4	340	9.3	8.8	A		

FILF : 2

FOOTAGE				BOREHOLE				QUALITY
DEPTH	DIP	DIC	DEVIAT	DEVIAT	CALIBER	CALIBER	JUDGX	
FT	DEG	DIC	DEG	DEG	IN	IN	(BEST=A)	
5020.00	8.9*	213*	3.4*	341*	9.5*	8.8*A		
5022.00	9.5*	172*	3.3*	341*	9.4*	8.9*A		
5024.00	10.4*	153*	3.3*	341*	9.4*	9.9*A		
5026.00	9.3*	205*	3.2*	341*	9.3*	8.9*C		
5028.00	9.9*	203*	3.2*	341*	9.2*	8.9*C		
5030.00	9.1*	170*	3.2*	340*	9.2*	8.9*A		
5032.00	4.0*	178*	3.2*	340*	9.2*	8.9*A		
5034.00	5.8*	175*	3.2*	340*	9.3*	8.9*A		
5036.00	8.8*	193*	3.2*	340*	9.3*	8.9*A		
5038.00	9.9*	192*	3.2*	339*	9.3*	8.9*A		
5040.00	7.3*	193*	3.3*	339*	9.3*	8.9*A		
5042.00	6.1*	200*	3.3*	339*	9.3*	8.9*A		
5044.00	10.6*	212*	3.3*	339*	9.3*	8.9*C		
5046.00	9.0*	214*	3.3*	339*	9.2*	8.9*C		
5048.00	12.0*	200*	3.3*	338*	9.2*	8.8*A		
5050.00	*	*	3.3*	338*	9.2*	8.8*		
5052.00	43.6*	57*	3.3*	338*	9.2*	8.8*		
5054.00	8.0*	164*	3.3*	336*	9.2*	8.8*A		
5056.00	7.0*	185*	3.3*	338*	9.1*	8.8*A		
5058.00	8.2*	172*	3.2*	338*	9.1*	8.9*A		
5060.00	7.9*	182*	3.2*	338*	9.1*	8.9*A		
5062.00	8.4*	183*	3.2*	338*	9.1*	8.9*A		
5064.00	9.7*	170*	3.2*	339*	9.2*	8.8*A		
5066.00	10.7*	154*	3.2*	339*	9.2*	8.9*C		
5068.00	13.3*	170*	3.2*	339*	9.2*	8.9*A		
5070.00	11.9*	178*	3.2*	338*	9.2*	8.9*A		
5072.00	12.7*	181*	3.3*	338*	9.2*	8.9*A		
5074.00	13.0*	179*	3.3*	339*	9.3*	8.9*A		
5076.00	12.8*	179*	3.3*	339*	9.3*	8.9*A		
5078.00	12.9*	175*	3.3*	339*	9.3*	8.9*A		
5080.00	13.5*	175*	3.3*	339*	9.3*	8.9*A		
5082.00	13.7*	177*	3.3*	340*	9.3*	8.8*C		
5084.00	12.4*	175*	3.3*	341*	9.4*	8.8*C		
5086.00	12.7*	174*	3.3*	342*	9.5*	8.7*C		
5088.00	13.5*	178*	3.3*	342*	9.5*	8.6*C		
5090.00	13.6*	182*	3.2*	342*	9.5*	8.7*C		
5092.00	15.9*	194*	3.2*	342*	9.5*	8.7*A		
5094.00	13.1*	189*	3.2*	340*	9.4*	8.8*A		
5096.00	13.4*	167*	3.3*	340*	9.3*	8.8*A		
5098.00	27.4*	49*	3.3*	340*	9.3*	8.7*		
5100.00	10.8*	47*	3.3*	340*	8.9*	8.5*		
5102.00	16.9*	165*	3.3*	340*	8.7*	8.3*A		

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3 IN	2-4 IN	(BEST=A)	
5104.00*	7.3*	5*	3.3*	340*	9.0*	8.4*		
5106.00*	10.4*	54*	3.3*	339*	9.0*	8.5*		
5108.00*	15.8*	184*	3.3*	337*	9.1*	8.6#A		
5110.00*	17.8*	190*	3.3*	336*	9.1*	8.7#A		
5112.00*	17.5*	195*	3.3*	339*	9.1*	8.8#A		
5114.00*	11.5*	154*	3.3*	349*	9.1*	8.8#C		
5116.00*	16.2*	352*	3.2*	339*	9.0*	8.9*		
5118.00*	16.0*	181*	3.2*	339*	9.0*	8.9#B		
5120.00*	23.8*	190*	3.2*	339*	9.1*	8.8#B		
5122.00*	22.4*	190*	3.3*	339*	9.0*	8.8#B		
5124.00*	57.1*	328*	3.4*	339*	9.0*	8.8*		
5126.00*	22.6*	157*	3.4*	338*	8.8*	8.6#D		
5128.00*	22.0*	185*	3.4*	338*	8.9*	8.6#B		
5130.00*	3.7*	209*	3.4*	338*	9.1*	8.6#H		
5132.00*	10.5*	185*	3.4*	338*	9.2*	8.8#B		
5134.00*	12.3*	193*	3.4*	339*	9.3*	8.7#A		
5136.00*	12.6*	179*	3.4*	340*	9.3*	8.7#A		
5138.00*	10.0*	166*	3.4*	340*	9.3*	8.6#A		
5140.00*	10.3*	168*	3.4*	340*	9.3*	8.8#B		
5142.00*	13.5*	60*	3.3*	339*	9.3*	8.7*		
5144.00*	24.4*	49*	3.3*	338*	9.3*	8.8*		
5146.00*	26.2*	190*	3.3*	339*	9.3*	8.8#C		
5148.00*	18.4*	186*	3.3*	340*	9.4*	8.7#A		
5150.00*	19.8*	178*	3.4*	341*	9.2*	8.6#A		
5152.00*	19.6*	187*	3.4*	340*	9.0*	8.5#A		
5154.00*	18.6*	189*	3.4*	339*	9.0*	8.6#A		
5156.00*	20.0*	191*	3.4*	339*	9.0*	8.5#A		
5158.00*	18.2*	182*	3.4*	339*	9.0*	8.4#A		
5160.00*	17.8*	177*	3.4*	339*	9.0*	8.4#A		
5162.00*	20.1*	181*	3.3*	339*	8.9*	8.4#A		
5164.00*	13.7*	188*	3.3*	340*	8.9*	8.4#A		
5166.00*	13.4*	189*	3.3*	341*	8.8*	8.5#A		
5168.00*	12.9*	189*	3.2*	340*	8.7*	8.5#A		
5170.00*	15.2*	185*	3.2*	340*	8.7*	8.5#A		
5172.00*	15.5*	188*	3.2*	339*	8.7*	8.5#A		
5174.00*	13.5*	187*	3.3*	339*	8.8*	8.4#A		
5176.00*	26.1*	156*	3.3*	339*	8.8*	8.4*		
5178.00*	11.3*	182*	3.3*	339*	8.9*	8.5#A		
5180.00*	10.1*	182*	3.4*	339*	8.9*	8.4#A		
5182.00*	12.9*	192*	3.4*	340*	8.9*	8.4#C		
5184.00*	15.9*	192*	3.3*	340*	8.9*	8.8#C		
5186.00*	14.5*	194*	3.3*	340*	8.9*	8.6#C		

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	AZIMUTH	DEG	AZIMUTH	1-3	2-4	(BEST=A)	
					IN	IN		
5188.00*	7.0*	177*	3.3*	341*	9.1*	8.9*	A	
5190.00*	11.1*	177*	3.3*	341*	9.1*	8.9*	A	
5192.00*	13.8*	180*	3.3*	341*	9.0*	8.8*	A	
5194.00*	12.1*	196*	3.4*	341*	9.0*	8.7*	A	
5196.00*	12.7*	197*	3.5*	340*	9.0*	8.8*	A	
5198.00*	13.8*	196*	3.5*	310*	9.1*	8.4*	C	
5200.00*	11.6*	175*	3.5*	340*	9.2*	8.9*	C	
5202.00*	12.9*	180*	3.5*	340*	9.2*	8.9*	A	
5204.00*	12.1*	180*	3.5*	340*	9.2*	8.9*	A	
5206.00*	12.4*	195*	3.5*	310*	9.2*	8.9*	A	
5208.00*	13.4*	181*	3.5*	339*	9.3*	8.9*	A	
5210.00*	14.1*	170*	3.5*	339*	9.3*	8.9*	A	
5212.00*	13.0*	172*	3.5*	338*	9.3*	8.9*	A	
5214.00*	11.2*	185*	3.5*	338*	9.3*	8.9*	A	
5216.00*	11.2*	175*	3.5*	339*	9.3*	8.9*	A	
5218.00*	12.7*	172*	3.5*	330*	9.3*	8.8*	A	
5220.00*	11.7*	186*	3.5*	330*	9.3*	8.8*	A	
5222.00*	14.5*	178*	3.5*	337*	9.2*	8.7*	A	
5224.00*	13.7*	172*	3.5*	337*	9.2*	8.7*	A	
5226.00*	11.7*	176*	3.5*	337*	9.2*	8.9*	A	
5228.00*	11.5*	176*	3.5*	337*	9.2*	8.9*	A	
5230.00*	12.3*	182*	3.5*	338*	9.2*	8.9*	A	
5232.00*	10.5*	174*	3.5*	338*	9.2*	8.9*	A	
5234.00*	11.0*	178*	3.5*	339*	9.1*	8.9*	A	
5236.00*	11.5*	186*	3.5*	339*	9.1*	8.9*	A	
5238.00*	10.2*	188*	3.5*	338*	9.1*	9.0*	A	
5240.00*	10.1*	177*	3.5*	337*	9.1*	9.0*	A	
5242.00*	10.1*	175*	3.5*	337*	9.1*	9.0*	A	
5244.00*	12.6*	180*	3.5*	337*	9.2*	9.0*	A	
5246.00*	13.1*	185*	3.5*	337*	9.2*	8.9*	A	
5248.00*	14.5*	176*	3.5*	336*	9.2*	8.9*	A	
5250.00*	5.0*	54*	3.5*	336*	9.3*	8.9*		
5252.00*	18.7*	354*	3.5*	336*	9.4*	8.9*	D	
5254.00*	23.9*	281*	3.5*	336*	9.4*	9.8*		
5256.00*	18.8*	344*	3.5*	336*	9.4*	8.9*	B	
5258.00*	18.9*	341*	3.4*	336*	9.3*	8.9*	B	
5260.00*	17.3*	210*	3.4*	336*	9.2*	8.9*	B	
5262.00*	16.6*	200*	3.4*	337*	9.1*	8.9*	D	
5264.00*	8.0*	204*	3.4*	339*	9.0*	9.0*	D	
5266.00*	8.8*	216*	3.3*	341*	9.0*	8.9*	B	
5268.00*	9.8*	245*	3.3*	343*	9.0*	8.9*	B	
5270.00*	8.9*	269*	3.2*	343*	9.0*	8.9*	B	

FILE : 2

FORMATION					HOPEHOLE				
DEPTH	DIP	DIF	DEVIAT	DEVIAT	CALIPER	CALIPER	QUALITY		
FT	DEG	DEG	DEG	DEG	1-3	2-4	INDEX		
					IN	IN	(BEST=A)		

5272.00*	8.7*	259*	3.2*	342*	9.0*	8.9#B			
5274.00*	73.4*	161*	3.3*	342*	9.0*	9.0*			
5276.00*	2.1*	227*	3.3*	342*	9.0*	9.0#D			
5278.00*	17.6*	359*	3.3*	341*	9.0*	9.0*			
5280.00*	22.5*	281*	3.3*	341*	9.0*	9.1*			
5282.00*	25.1*	316*	3.3*	340*	9.0*	9.1*			
5284.00*	14.3*	151*	3.3*	340*	9.0*	9.1#D			
5286.00*	12.6*	149*	3.4*	341*	8.9*	9.0#B			
5288.00*	9.9*	151*	3.4*	341*	9.0*	9.0#D			
5290.00*	74.2*	145*	3.3*	341*	9.0*	9.0*			
5292.00*	10.7*	155*	3.3*	342*	9.0*	9.0#B			
5294.00*	10.5*	161*	3.3*	342*	9.0*	9.2#B			
5296.00*	11.7*	133*	3.3*	342*	9.0*	9.2#D			
5298.00*	16.1*	159*	3.3*	342*	9.0*	9.6#D			
5300.00*	13.9*	164*	3.3*	342*	9.0*	8.8#A			
5302.00*	13.0*	161*	3.3*	343*	9.1*	8.8#A			
5304.00*	16.4*	152*	3.3*	343*	9.2*	8.9#A			
5306.00*	40.1*	314*	3.3*	342*	9.1*	8.8*			
5308.00*	55.0*	161*	3.3*	341*	9.0*	8.7*			
5310.00*	55.8*	158*	3.3*	340*	9.0*	8.8*			
5312.00*	6.9*	183*	3.3*	339*	9.1*	8.8#A			
5314.00*	7.7*	180*	3.2*	349*	9.1*	8.9#C			
5316.00*	10.2*	185*	3.2*	340*	9.0*	8.9#A			
5318.00*	9.8*	182*	3.4*	340*	9.1*	9.0#A			
5320.00*	7.1*	169*	3.3*	340*	9.1*	9.0#A			
5322.00*	7.2*	167*	3.2*	341*	9.1*	8.9#A			
5324.00*	8.7*	172*	3.2*	342*	9.2*	8.9#A			
5326.00*	7.3*	181*	3.2*	342*	9.3*	8.9#A			
5328.00*	7.4*	184*	3.2*	343*	9.3*	8.9#A			
5330.00*	6.5*	191*	3.2*	342*	9.3*	8.9#A			
5332.00*	5.8*	175*	3.2*	342*	9.2*	8.9#A			
5334.00*	2.5*	124*	3.2*	341*	9.1*	8.9#C			
5336.00*	2.4*	107*	3.3*	342*	9.1*	8.9#A			
5338.00*	3.0*	153*	3.3*	342*	9.1*	8.9#A			
5340.00*	1.6*	140*	3.3*	343*	9.0*	8.9#A			
5342.00*	1.8*	155*	3.3*	341*	8.8*	8.9#A			
5344.00*	3.1*	171*	3.3*	343*	8.7*	9.0#A			
5346.00*	2.3*	108*	3.3*	343*	9.8*	9.2#C			
5348.00*	3.4*	161*	3.4*	343*	9.0*	9.4#C			
5350.00*	30.2*	138*	3.4*	344*	8.9*	9.3*			
5352.00*	3.6*	165*	3.4*	344*	8.9*	9.3#A			
5354.00*	3.3*	145*	3.3*	344*	9.0*	9.2#A			

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
					IN	IN		
5356.00*	3.7*	127*	3.3*	343*	9.0*	9.1*	A	
5358.00*	3.6*	154*	3.3*	343*	9.0*	9.1*	A	
5360.00*	2.8*	171*	3.2*	342*	9.0*	9.1*	A	
5362.00*	3.0*	170*	3.2*	340*	9.0*	9.0*	A	
5364.00*	4.5*	153*	3.2*	339*	9.0*	9.0*	C	
5366.00*	3.9*	188*	3.1*	340*	9.0*	9.9*	A	
5368.00*	4.0*	188*	3.2*	340*	9.0*	8.9*	A	
5370.00*	2.8*	183*	3.2*	340*	9.0*	8.9*	C	
5372.00*	2.7*	161*	3.2*	340*	9.1*	9.0*	C	
5374.00*	3.1*	130*	3.2*	340*	9.1*	9.0*	A	
5376.00*	16.1*	26*	3.2*	339*	9.0*	9.0*		
5378.00*	55.7*	244*	3.2*	339*	9.0*	8.0*		
5380.00*	2.1*	129*	3.3*	339*	8.8*	8.6*	A	
5382.00*	2.6*	120*	3.3*	339*	8.9*	8.7*	A	
5384.00*	2.8*	189*	3.3*	339*	9.0*	9.0*	A	
5386.00*	3.3*	87*	3.4*	338*	9.1*	9.0*	C	
5388.00*	1.4*	61*	3.4*	337*	9.0*	9.0*	C	
5390.00*	1.5*	34*	3.5*	337*	9.0*	9.0*	A	
5392.00*	2.2*	340*	3.5*	337*	9.0*	9.0*	C	
5394.00*	2.9*	337*	3.5*	336*	9.0*	9.0*	A	
5396.00*	2.6*	323*	3.5*	335*	9.0*	9.0*	A	
5398.00*	1.7*	286*	3.5*	335*	9.0*	9.0*	A	
5400.00*	2.3*	278*	3.5*	335*	9.0*	9.0*	A	
5402.00*	1.3*	263*	3.5*	335*	9.0*	8.9*	A	
5404.00*	1.0*	287*	3.5*	335*	9.0*	8.9*	A	
5406.00*	2.7*	168*	3.5*	335*	8.9*	8.9*	C	
5408.00*	2.3*	167*	3.5*	334*	9.0*	8.9*	C	
5410.00*	3.3*	185*	3.4*	333*	9.1*	8.9*	A	
5412.00*	4.8*	267*	3.1*	334*	9.1*	8.9*	A	
5414.00*	1.7*	210*	3.4*	336*	9.0*	8.8*	C	
5416.00*	2.9*	52*	3.4*	338*	8.9*	8.8*	C	
5418.00*	.2*	338*	3.4*	339*	8.8*	8.9*	C	
5420.00*	3.3*	255*	3.4*	339*	8.8*	8.9*	A	
5422.00*	3.9*	282*	3.4*	339*	8.7*	8.7*	A	
5424.00*	2.9*	247*	3.4*	337*	8.7*	8.7*	A	
5426.00*	1.2*	194*	3.3*	337*	8.7*	8.8*	C	
5428.00*	2.7*	72*	3.3*	337*	8.8*	8.9*	C	
5430.00*	1.6*	284*	3.2*	337*	8.9*	8.9*	A	
5432.00*	3.4*	250*	3.1*	336*	8.9*	8.9*	A	
5434.00*	59.3*	192*	3.1*	336*	8.9*	8.8*		
5436.00*	10.0*	348*	3.1*	337*	8.8*	8.9*		
5438.00*	2.6*	225*	3.1*	337*	8.7*	8.9*	D	

FILE : 2

FORMATION					HOPEHOLE				
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	QUALITY		
FT	DEG	DEG	LEG	DEG	1-3	2-4	(BEST=A)		
					IN	IN			
5140.00*	3.3*	356*	3.1*	339*	8.7*	8.7*	U		
5142.00*	32.0*	83*	3.1*	340*	8.8*	8.8*			
5141.00*	61.1*	350*	3.1*	340*	8.8*	8.9*			
5145.00*	6.1*	355*	3.0*	340*	8.7*	8.9*	U		
5148.00*	43.5*	223*	3.0*	341*	8.6*	8.9*			
5150.00*	31.6*	146*	3.0*	341*	8.6*	8.9*			
5152.00*	2.0*	193*	3.0*	340*	8.8*	9.0*	B		
5154.00*	1.6*	337*	3.1*	340*	8.9*	9.0*	B		
5156.00*	7.3*	340*	3.1*	340*	8.9*	9.0*	D		
5159.00*	14.8*	327*	3.2*	339*	8.9*	9.0*			
5160.00*	5.5*	209*	3.2*	339*	8.9*	9.0*	B		
5162.00*	5.1*	210*	3.2*	338*	8.9*	9.0*	D		
5164.00*	22.4*	94*	3.2*	338*	8.9*	9.0*			
5166.00*	7.4*	322*	3.2*	338*	8.8*	9.0*	D		
5168.00*	3.2*	274*	3.1*	338*	8.8*	9.0*	D		
5170.00*	23.7*	69*	3.1*	339*	8.8*	9.1*			
5172.00*	54.5*	132*	3.1*	338*	8.8*	9.1*			
5174.00*	7.3*	260*	3.1*	338*	8.8*	9.1*	C		
5176.00*	2.0*	171*	3.1*	339*	8.9*	9.1*	A		
5178.00*	3.7*	106*	3.2*	338*	9.0*	9.0*	A		
5180.00*	5.8*	110*	3.1*	338*	9.0*	9.0*	A		
5182.00*	2.3*	348*	3.1*	337*	9.1*	8.9*	C		
5184.00*	7.1*	343*	3.1*	336*	9.1*	8.9*	C		
5186.00*	6.5*	329*	3.1*	336*	9.0*	9.0*	A		
5188.00*	6.5*	325*	3.0*	336*	9.1*	9.0*	A		
5190.00*	32.3*	202*	3.0*	336*	9.2*	9.0*			
5192.00*	5.0*	327*	2.9*	336*	9.2*	9.0*	C		
5194.00*	5.8*	1*	3.0*	337*	9.2*	9.0*	A		
5196.00*	5.7*	348*	3.0*	337*	9.2*	9.0*	A		
5198.00*	4.2*	347*	3.0*	337*	9.1*	9.0*	A		
5200.00*	4.2*	334*	3.0*	337*	9.1*	9.0*	A		
5202.00*	4.7*	332*	3.0*	336*	8.9*	9.0*	A		
5204.00*	5.6*	341*	2.9*	336*	8.9*	9.0*	A		
5206.00*	5.3*	332*	2.9*	336*	9.0*	9.0*	A		
5208.00*	5.9*	333*	2.9*	335*	9.0*	9.1*	A		
5210.00*	6.8*	312*	2.9*	335*	9.0*	9.1*	C		
5212.00*	7.2*	299*	2.9*	335*	9.0*	9.1*	C		
5214.00*	10.4*	352*	2.9*	336*	9.1*	9.1*	A		
5216.00*	9.9*	356*	2.9*	336*	9.1*	9.1*	A		
5218.00*	10.7*	318*	2.9*	336*	9.0*	9.0*	A		
5220.00*	14.5*	338*	3.0*	335*	9.0*	8.9*	A		
5222.00*	8.6*	355*	2.9*	335*	8.9*	8.8*	A		

FILE : 2

FORMATION		BOREHOLE		QUALITY			
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)
					IN	IN	
5524.00*	10.5*	359*	2.9*	333*	8.8*	8.9*	A
5526.00*	11.2*	350*	2.9*	334*	8.9*	8.9*	A
5528.00*	20.6*	82*	2.8*	333*	8.9*	9.0*	
5530.00*	31.9*	67*	2.8*	332*	8.4*	8.9*	
5532.00*	25.6*	339*	2.9*	331*	8.8*	8.9*	
5534.00*	22.7*	310*	2.9*	330*	8.6*	8.9*	
5536.00*	18.3*	320*	3.0*	330*	8.9*	9.0*	
5538.00*	45.8*	248*	3.0*	330*	9.0*	9.0*	
5540.00*	12.2*	241*	3.0*	330*	9.0*	9.0*	
5542.00*	37.6*	306*	2.9*	329*	9.0*	9.1*	
5544.00*	35.6*	14*	2.9*	328*	9.0*	9.1*	
5546.00*	19.1*	181*	2.9*	328*	8.9*	9.0*	
5548.00*	6.8*	266*	2.9*	327*	8.7*	9.0*	
5550.00*	12.2*	349*	2.9*	327*	8.8*	9.0*	D
5552.00*	17.0*	338*	2.9*	328*	8.8*	9.1*	B
5554.00*	38.0*	165*	2.9*	326*	8.9*	9.0*	
5556.00*	17.9*	339*	2.9*	330*	8.7*	8.8*	B
5558.00*	17.0*	332*	2.9*	331*	8.5*	8.4*	B
5560.00*	8.3*	17*	2.9*	331*	8.6*	8.5*	D
5562.00*	15.5*	296*	2.9*	331*	8.8*	8.6*	D
5564.00*	26.2*	235*	3.0*	332*	8.8*	8.6*	
5566.00*	13.1*	141*	3.0*	332*	8.9*	8.7*	B
5568.00*	12.1*	141*	3.1*	330*	8.9*	8.7*	B
5570.00*	7.7*	134*	3.2*	329*	9.0*	8.7*	A
5572.00*	7.5*	138*	3.2*	329*	9.1*	8.8*	A
5574.00*	6.1*	141*	3.2*	330*	9.0*	8.8*	A
5576.00*	6.0*	155*	3.1*	330*	8.9*	8.8*	A
5578.00*	3.0*	31*	3.1*	331*	8.9*	8.8*	D
5580.00*	3.2*	5*	3.1*	330*	9.0*	8.9*	B
5582.00*	3.5*	282*	3.1*	329*	8.8*	8.8*	D
5584.00*	6.3*	348*	3.1*	328*	8.7*	8.7*	D
5586.00*	21.7*	48*	3.1*	328*	8.6*	8.6*	
5588.00*	19.2*	52*	3.1*	329*	8.7*	8.6*	
5590.00*	13.6*	2*	3.0*	329*	8.6*	8.5*	D
5592.00*	13.0*	2*	2.9*	329*	8.5*	8.5*	B
5594.00*	11.8*	356*	2.8*	329*	8.6*	8.4*	B
5596.00*	10.8*	354*	2.8*	329*	8.7*	8.3*	B
5598.00*	15.7*	359*	2.8*	329*	8.7*	8.3*	D
5600.00*	10.2*	353*	2.8*	329*	8.7*	8.3*	B
5602.00*	11.4*	349*	2.8*	329*	8.5*	8.0*	B
5604.00*	12.5*	5*	2.8*	328*	8.5*	7.9*	B
5606.00*	11.7*	346*	2.8*	327*	8.7*	8.0*	D

FILE : 2

FORMATION		BOREHOLE						QUALITY
DEPTH	DI	DIP	DEVIAT	DEVIAT	CALIBER	CALIBER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
					IN	IN		
5608.00*	71.7*	81*	2.8*	326*	8.6*	7.9*		
5610.00*	13.6*	345*	2.8*	324*	8.6*	8.0*	D	
5612.00*	13.9*	10*	2.8*	324*	8.7*	8.1*	D	
5614.00*	25.2*	71*	2.8*	323*	8.8*	8.4*		
5616.00*	13.0*	1*	2.7*	322*	8.9*	8.5*	B	
5618.00*	16.8*	355*	2.8*	320*	8.7*	8.3*	B	
5620.00*	50.7*	336*	2.8*	319*	8.7*	8.3*		
5622.00*	13.8*	10*	2.8*	321*	8.7*	8.4*	D	
5624.00*	16.3*	326*	2.8*	322*	8.7*	8.4*	D	
5626.00*	18.7*	347*	2.7*	319*	8.7*	8.3*	D	
5629.00*	13.6*	359*	2.6*	317*	8.8*	8.4*	B	
5630.00*	16.8*	355*	2.6*	315*	8.8*	8.4*	B	
5632.00*	19.9*	9*	2.6*	315*	8.7*	8.4*	D	
5634.00*	10.5*	2*	2.5*	316*	8.6*	8.5*	B	
5636.00*	11.3*	347*	2.5*	316*	8.7*	8.5*	B	
5638.00*	5.0*	348*	2.5*	315*	8.6*	8.4*	C	
5640.00*	8.0*	324*	2.5*	315*	8.6*	8.5*	C	
5642.00*	11.1*	351*	2.6*	315*	8.8*	8.6*	A	
5644.00*	11.2*	352*	2.7*	315*	8.8*	8.6*	A	
5646.00*	52.0*	87*	2.7*	314*	8.7*	8.5*		
5648.00*	60.1*	59*	2.8*	311*	8.7*	8.6*		
5650.00*	17.5*	350*	2.9*	309*	8.6*	8.7*	C	
5652.00*	17.8*	337*	2.9*	308*	8.7*	8.6*	A	
5654.00*	9.7*	0*	2.8*	306*	8.7*	8.6*	A	
5656.00*	8.8*	351*	2.7*	306*	8.7*	8.6*	C	
5658.00*	11.2*	323*	2.7*	308*	8.7*	8.5*	C	
5660.00*	11.5*	341*	2.7*	308*	8.8*	8.6*	A	
5662.00*	11.5*	350*	2.8*	305*	8.9*	8.5*	A	
5664.00*	76.9*	141*	2.8*	303*	8.9*	8.6*		
5666.00*	10.1*	8*	2.8*	305*	8.9*	8.6*	C	
5668.00*	*	*	2.8*	306*	8.9*	8.5*		
5670.00*	70.9*	127*	2.8*	307*	9.0*	8.7*		
5672.00*	3.2*	200*	2.8*	305*	9.0*	8.8*	D	
5674.00*	5.1*	337*	2.8*	306*	9.0*	8.9*	A	
5676.00*	7.9*	333*	2.9*	307*	9.0*	8.9*	A	
5678.00*	8.5*	348*	2.9*	307*	9.0*	8.9*	A	
5680.00*	6.2*	360*	2.9*	307*	8.9*	8.9*	A	
5682.00*	7.3*	352*	2.8*	306*	8.7*	8.9*	A	
5684.00*	5.1*	1*	2.7*	306*	8.8*	8.8*	C	
5686.00*	3.0*	14*	2.6*	305*	8.8*	8.7*	A	
5688.00*	2.8*	20*	2.6*	305*	8.9*	8.8*	A	
5690.00*	2.9*	8*	2.6*	305*	9.0*	8.9*	A	

FILE : 7

FURCAFLU				BÖREHÖLLE				QUALITY
DEPTH	GIF	DIF	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FE	DEG	OPG	DEG	AZIMUTH	1-3	2-4	(BEST=A)	
				DEG	IN	IN		
5692.00*	6.7*	37*	2.6*	305*	9.0*	9.0*	C	
5694.00*	5.5*	91*	2.7*	305*	9.0*	9.1*	C	
5696.00*	4.2*	76*	2.6*	305*	9.0*	9.1*	C	
5698.00*	4.5*	316*	2.5*	305*	8.9*	9.1*	A	
5700.00*	26.6*	308*	2.5*	306*	8.7*	8.9*		
5702.00*	25.1*	285*	2.5*	308*	8.8*	8.8*		
5704.00*	11.8*	323*	2.5*	308*	9.0*	8.9*	A	
5706.00*	11.1*	306*	2.5*	309*	9.0*	8.9*	A	
5708.00*	11.2*	281*	2.6*	309*	8.9*	8.8*	A	
5710.00*	11.5*	362*	2.6*	310*	8.8*	8.7*	A	
5712.00*	11.8*	290*	2.6*	311*	8.9*	8.8*	A	
5714.00*	19.4*	271*	2.6*	312*	8.9*	8.8*	C	
5716.00*	10.9*	298*	2.6*	312*	8.8*	8.5*	A	
5718.00*	16.5*	239*	2.6*	310*	8.8*	8.2*		
5720.00*	10.8*	99*	2.5*	309*	8.8*	8.5*	D	
5722.00*	17.9*	76*	2.5*	308*	8.7*	8.3*	D	
5724.00*	17.2*	51*	2.5*	308*	8.6*	8.1*	D	
5726.00*	18.7*	12*	2.5*	308*	8.5*	8.2*	D	
5728.00*	23.2*	20*	2.6*	307*	8.5*	8.3*	B	
5730.00*	15.6*	61*	2.6*	304*	8.7*	8.3*	A	
5732.00*	14.6*	61*	2.5*	303*	8.7*	8.4*	B	
5734.00*	72.7*	332*	2.5*	303*	8.7*	8.5*		
5736.00*	25.1*	254*	2.5*	303*	8.6*	8.5*		
5738.00*	19.7*	275*	2.5*	302*	8.5*	8.5*	D	
5740.00*	24.7*	268*	2.6*	301*	8.5*	8.6*	D	
5742.00*	19.7*	262*	2.7*	299*	8.6*	8.5*	D	
5744.00*	21.0*	281*	2.8*	298*	8.6*	8.4*	D	
5746.00*	19.4*	293*	2.9*	298*	8.6*	8.5*	D	
5748.00*	9.1*	276*	2.9*	298*	8.7*	8.6*	B	
5750.00*	17.9*	282*	2.9*	299*	8.7*	8.6*	B	
5752.00*	13.3*	263*	2.9*	299*	8.8*	8.6*	D	
5754.00*	18.3*	119*	2.8*	299*	9.0*	8.7*		
5756.00*	56.7*	172*	2.7*	298*	9.2*	8.7*		
5758.00*	29.4*	311*	2.9*	298*	9.1*	8.7*	B	
5760.00*	18.9*	316*	2.8*	298*	9.0*	8.8*	D	
5762.00*	19.6*	303*	2.7*	300*	9.0*	8.7*	D	
5764.00*	13.9*	167*	2.7*	301*	9.0*	8.7*		
5766.00*	12.2*	273*	2.7*	302*	8.9*	8.7*		
5768.00*	50.0*	168*	2.7*	303*	8.6*	8.7*	B	
5770.00*	31.1*	204*	2.7*	302*	8.6*	8.8*		
5772.00*	12.7*	108*	2.7*	302*	8.9*	8.8*	D	
5774.00*	13.3*	98*	2.7*	302*	9.1*	8.9*	B	

FILE : 2

FORMATION				BOREHOLE				QUALITY
DEPTH	DIP	DIP	DEVIAT	DEVIAT	CALIPER	CALIPER	INDEX	
FT	DEG	DEG	DEG	DEG	1-3	2-4	(BEST=A)	
					IP	IP		
5776.00*	28.4*	78*	2.7*	302*	9.0*	8.8*		
5778.00*	15.7*	128*	2.8*	302*	9.0*	8.8*C		
5780.00*	18.2*	128*	2.9*	301*	9.0*	8.7*C		
5782.00*	17.6*	118*	2.9*	298*	9.0*	8.7*C		
5784.00*	18.0*	90*	2.9*	297*	8.9*	8.8*C		
5786.00*	21.9*	110*	2.9*	297*	8.8*	8.9*A		
5788.00*	23.7*	114*	2.9*	296*	8.7*	8.9*A		
5790.00*	28.9*	130*	2.9*	296*	8.7*	8.9*A		
5792.00*	28.3*	124*	2.9*	296*	8.8*	8.9*A		
5794.00*	24.8*	132*	2.9*	296*	7.1*	8.9*A		
5796.00*	22.0*	120*	2.9*	296*	9.1*	8.9*A		
5798.00*	43.3*	164*	3.0*	296*	9.0*	8.9*		
5800.00*	22.4*	104*	2.9*	295*	9.0*	9.0*A		
5802.00*	23.1*	77*	2.9*	295*	9.0*	8.9*C		
5804.00*	15.3*	89*	2.9*	294*	8.9*	8.8*A		
5806.00*	19.8*	95*	2.9*	293*	8.8*	8.7*C		
5808.00*	22.4*	106*	2.9*	291*	8.8*	8.7*C		
5810.00*	15.7*	107*	2.8*	290*	8.9*	8.6*C		
5812.00*	19.2*	97*	2.8*	289*	9.0*	8.9*A		
5814.00*	19.3*	93*	2.9*	288*	9.0*	8.9*A		
5816.00*	20.6*	94*	2.9*	287*	9.0*	8.9*A		
5818.00*	22.3*	102*	2.9*	289*	8.9*	8.9*B		
5820.00*	23.7*	96*	3.0*	291*	9.0*	8.9*C		
5822.00*	20.1*	85*	3.1*	292*	8.7*	8.6*A		
5824.00*	26.9*	79*	3.1*	293*	8.6*	8.5*A		
5826.00*	26.3*	108*	3.1*	293*	8.9*	8.7*A		
5828.00*	58.9*	50*	3.1*	294*	9.0*	8.7*		
5830.00*	22.4*	117*	3.0*	294*	9.0*	8.7*A		