

WELL SUMMARY REPORT
 (Submit in duplicate)

Operator REICHHOLD ENERGY CORPORATION Field MIST
 Well No. HAMMERBERG NO. 1 Sec. 14, T. 6N, R. 5W, W. B. & M.
 Location 209' N. 612' W. from E/4 Corner Elevation above sea level 553.6 feet
 All depth measurements taken from top of KB, which is 10.5 feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date October 3, 1979
 C. Fry D. Dawson Geologist Superintendent
 Signed W.S. [Signature] Title Engineer
 (President, Secretary or Agent)

Commenced drilling 9/7/79 Completed drilling 9/14/79 Drilling tools Sable
 Redrilling 9/15/79 Rotary
 Total depth O.H. 2,851' Plugged depth Original Hole 9/21/79 GEOLOGICAL MARKERS
R/D 3,318' 2,271' - 1,947' DEPTH
Redrill Hole 1,413' - 1,008' ±
2,450' - 2,234 ± 617' - 460'
611' - 360'

Commenced producing NEVER PRODUCED Date Flowing/gas lift/pumping
 (cross out unnecessary words)

Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure
SUSPENDED					

Initial production
 Production after 30 days

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth o. shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
7"	398	0	20	N	S	K	9-7/8"	150	

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
NONE	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				