

WELL SUMMARY REPORT  
 (Submit in duplicate)

*Journal 243*

Operator REICHHOLD ENERGY CORPORATION Field Pittsburg

Well No. Investment Management Sec. 20, T. 6N, R. 4W, W. B. & M.

Location \_\_\_\_\_ Elevation above sea level 648 feet

All depth measurements taken from top of Kelly Bushing, which is 11.4 feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date September 23, 1983

Signed *Bob Stone*

Title Field Operations Supervisor  
 (President, Secretary or Agent)

Engineer or Geologist \_\_\_\_\_ Superintendent \_\_\_\_\_

Commenced drilling September 15, 1983 Completed drilling September 20, 1983 Drilling tools Cable Rotary

Total depth 2505' Plugged depth 2505' GEOLOGICAL MARKERS \_\_\_\_\_ DEPTH \_\_\_\_\_

Junk \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

RECEIVED FILE  
 OCT 4 1983  
 DEPT. OF GEOLOGY

Commenced producing \_\_\_\_\_ Date \_\_\_\_\_ Flowing/gas lift/pumping (cross out unnecessary words)

Initial production \_\_\_\_\_  
 Production after 30 days \_\_\_\_\_

Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas Mcf. per day	Tubing Pressure	Casing Pressure

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
8 5/8"	477	0'	24#	New	Seamless	K-55	12 1/4	205	

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				