

WELL SUMMARY REPORT  
 (Submit in duplicate)

RECEIVED - PTLD

JAN 25 1985

Operator Reichhold Energy Corporation Field Mist  
 Well No. Longview Fibre 42-22 Sec. 22, T. 6N, R. 5W,  
 Location 563'W & 261'N of East 1/4 corner Elevation above sea level 755.0 feet

DEPT. OF GEOLOGY  
 A MINERAL ENGINEER  
 W. B. C. M.

All depth measurements taken from top of Kelly Bushing, which is 11.4 feet above ground

In compliance with the rules and regulations pursuant to ORS 520 (Chapter 667 OL 1953) the information given herewith is a complete and correct record of the present condition of the well and all work done thereon, so far as can be determined from all available records.

Date January 22, 1985

Signed [Signature]

Engineer or Geologist \_\_\_\_\_ Superintendent \_\_\_\_\_

Title Field Operations Supervisor  
 (President, Secretary or Agent)

Commenced drilling January 11, 1985 Completed drilling January 16, 1985 Drilling tool Cable Rotary  
 Total depth 2278 Plugged depth Surface GEOLOGICAL MARKERS \_\_\_\_\_ DEPTH \_\_\_\_\_

Junk \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Commenced producing \_\_\_\_\_ Date \_\_\_\_\_ Flowing/gas lift/pumping (cross out unnecessary words)

	Clean oil bbl. per day	Gravity Clean oil	Percent water including emulsion	Gas McL. per day	Tubing Pressure	Casing Pressure
Initial production						
Production after 30 days						

CASING RECORD (Present Hole)

Size of casing (A.P.L.)	Depth of shoe	Top of casing	Weight of casing	New or second hand	Seamless or Lapweld	Grade of casing	Size of hole drilled	No. of sacks of cement	Depth of cementing if through perforations
8 5/8	436	Surface	24#	New	Seamless	K-55	12 1/4	230	

PERFORATIONS

Size of casing	From	To	Size of perforations	Number of rows	Distance between centers	Method of perforations
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				
	ft.	ft.				

Electrical Log Depths 2272 (Attach Copy of Log)

Jan 1985