

RECEIVED-PTLD

NOV 10 1982

PTLD 10/10/82

*

* SCHLUMBERGER *

HIGH RESOLUTION

DIPMETER

CLUSTER LISTING

8

BLICHFELD ENERGY CORP.

WIST

COLOMBIA, OREGON

WELL #12-14

RUN NO. ONE JOB NO. 7030

CLUSTER RESULTS ONLY

4 FT. CURR. - 2 FT. GAP

30 DEG. X2 SEARCH ANGLE

*

* SCHLUMBERGER *

HIGH RESOLUTION

DIAMETER

CLUSTER LISTING

REICHHOLD ENERGY CORP.

MIST

COLUMBIA, OREGON

LABEL #12-14

RUN NO. ONE JOB NO. 7030

CLUSTER RESULTS ONLY

4 FT. CORR. - 2 FT. STEP

30 DEG. X2 SEARCH ANGLE

 * FORMATION * BOREHOLE * QUAL. *
 * ----- * INDEX *
 * DEPTH * DIP DIP * DEV. DEV. DIAM DIAM * BEST *
 * * * AZI. * AZI. 1-3 2-4 * =A *

*	436.0			0.4	101	7.0	8.0		*
*	438.0			0.3	109	6.9	8.8		*
*	440.0			0.3	105	6.6	8.8		*
*	442.0			0.3	91	6.6	8.5		*
*	444.0			0.3	81	6.4	8.3		*
*	446.0			0.4	71	6.3	8.2		*
*	448.0			0.4	55	6.4	7.0		*
*	450.0			0.4	39	6.3	6.7		*
*	452.0	43.7	32	0.4	33	6.2	6.3	D	*
*	454.0			0.4	28	6.3	6.4		*
*	456.0			0.4	22	6.2	6.5		*
*	458.0	46.3	38	0.4	23	6.2	6.5	B	*
*	460.0			0.5	31	6.2	6.6		*
*	462.0	40.7	38	0.5	38	6.2	6.0	D	*
*	464.0			0.5	38	6.1	6.5		*
*	466.0	48.3	51	0.5	38	6.0	6.3	D	*
*	468.0			0.5	38	6.0	6.3		*
*	470.0	44.4	49	0.5	36	6.0	6.4	D	*
*	472.0			0.5	37	6.0	6.5		*
*	474.0	8.6	182	0.5	35	6.0	6.3	B	*
*	476.0	4.5	201	0.5	28	6.1	6.2	D	*
*	478.0			0.5	21	6.1	6.1		*
*	480.0			0.5	21	6.0	6.1		*
*	482.0			0.5	29	5.9	6.0		*
*	484.0			0.4	35	5.9	6.0		*
*	486.0			0.3	34	5.9	6.1		*
*	488.0			0.3	26	6.0	6.2		*
*	490.0			0.3	16	6.0	6.2		*
*	492.0			0.3	13	5.9	6.2		*
*	494.0			0.3	22	5.9	6.2		*
*	496.0	7.0	359	0.3	33	6.0	6.2	D	*
*	498.0			0.3	37	6.1	6.2		*
*	500.0	4.0	271	0.3	33	6.0	6.2	D	*
*	502.0	6.7	295	0.3	29	6.0	6.4	D	*
*	504.0	7.4	288	0.3	26	6.2	6.5	B	*
*	506.0	6.7	287	0.3	23	6.3	6.4	B	*
*	508.0	9.0	252	0.3	21	6.2	6.4	D	*
*	510.0	8.4	248	0.4	17	6.2	6.4	D	*
*	512.0	3.6	230	0.4	15	6.2	6.4	A	*
*	514.0	9.8	226	0.4	18	6.3	6.4	A	*

FORMATION				BOREHOLE				GOAL
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A	
* 516.0	9.1	231	0.4	23	6.3	6.4	A	
* 518.0	7.9	231	0.3	25	6.3	6.4	A	
* 520.0	7.3	234	0.3	26	6.3	6.4	A	
* 522.0	9.6	243	0.3	25	6.3	6.4	A	
* 524.0	8.9	238	0.3	24	6.3	6.4	A	
* 526.0	9.0	234	0.3	23	6.3	6.4	A	
* 528.0	4.8	252	0.3	29	6.3	6.4	D	
* 530.0	4.4	259	0.4	18	6.3	6.4	D	
* 532.0	4.5	257	0.4	19	6.3	6.4	B	
* 534.0	3.5	281	0.5	21	6.3	6.4	B	
* 536.0	3.6	297	0.4	22	6.2	6.4	B	
* 538.0	16.4	205	0.4	24	6.1	6.4	D	
* 540.0			0.4	24	5.9	6.3		
* 542.0			0.4	20	5.8	6.3		
* 544.0			0.4	13	5.7	6.2		
* 546.0	7.9	206	0.4	9	5.9	6.2	D	
* 548.0	10.4	229	0.4	10	6.1	6.2	D	
* 550.0	3.1	248	0.4	5	6.1	6.1	D	
* 552.0	10.5	216	0.4	9	6.1	6.2	A	
* 554.0	9.9	221	0.4	20	6.2	6.4	A	
* 556.0	4.9	229	0.4	21	6.3	6.3	A	
* 558.0	11.6	232	0.4	16	6.3	6.3	A	
* 560.0	10.3	119	0.4	13	6.3	6.3	C	
* 562.0	14.5	233	0.4	11	6.3	6.4	A	
* 564.0	14.6	238	0.4	10	6.3	6.4	A	
* 566.0	11.2	242	0.4	9	6.3	6.4	A	
* 568.0	11.3	231	0.4	8	6.3	6.4	A	
* 570.0	9.0	228	0.4	8	6.3	6.4	A	
* 572.0	7.1	237	0.4	8	6.3	6.4	A	
* 574.0	10.7	239	0.3	6	6.3	6.4	A	
* 576.0	7.1	247	0.3	5	6.3	6.4	A	
* 578.0	10.8	254	0.3	6	6.2	6.3	A	
* 580.0	8.5	280	0.3	5	6.2	6.4	A	
* 582.0	8.0	276	0.3	5	6.2	6.3	A	
* 584.0			0.3	7	6.2	6.3		
* 586.0			0.3	7	6.1	6.3		
* 588.0	2.7	297	0.3	8	6.1	6.3	C	
* 590.0	5.2	271	0.3	11	6.2	6.4	A	
* 592.0	6.8	265	0.3	12	6.2	6.3	A	
* 594.0	9.4	264	0.3	14	6.2	6.4	A	

FORMATION			BUREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST #A
* 596.0	7.6	285	0.3	13	6.2	6.4	A *
* 598.0	6.3	289	0.3	13	6.2	6.4	A *
* 600.0	6.6	290	0.3	12	6.1	6.4	A *
* 602.0	5.7	288	0.3	14	6.1	6.4	A *
* 604.0	5.1	291	0.3	19	6.1	6.3	A *
* 606.0	5.7	293	0.3	22	6.1	6.3	A *
* 608.0	5.9	291	0.3	24	6.1	6.3	A *
* 610.0	6.0	282	0.4	28	6.1	6.3	A *
* 612.0	5.4	262	0.4	27	6.1	6.2	A *
* 614.0	6.1	296	0.4	28	6.1	6.2	A *
* 616.0	6.6	288	0.3	31	6.1	6.2	A *
* 618.0	6.2	288	0.3	36	6.3	6.3	A *
* 620.0	5.9	284	0.3	37	6.3	6.2	A *
* 622.0	5.2	273	0.3	35	6.3	6.2	A *
* 624.0	4.9	270	0.3	34	6.3	6.3	A *
* 626.0	4.5	266	0.3	35	6.3	6.4	A *
* 628.0	3.2	281	0.4	39	6.3	6.4	A *
* 630.0	3.9	288	0.4	43	6.3	6.4	A *
* 632.0	6.2	270	0.4	44	6.2	6.4	A *
* 634.0	24.5	145	0.4	41	6.1	6.4	B *
* 636.0	26.4	126	0.4	38	6.1	6.3	D *
* 638.0	28.7	105	0.4	38	6.0	6.3	B *
* 640.0	7.1	145	0.4	42	6.1	6.4	D *
* 642.0	6.9	116	0.4	41	6.2	6.4	D *
* 644.0			0.4	38	6.3	6.4	
* 646.0			0.5	36	6.3	6.4	
* 648.0	5.9	82	0.5	37	6.2	6.3	B *
* 650.0	5.5	101	0.5	40	6.2	6.3	B *
* 652.0	5.7	282	0.4	41	6.2	6.4	B *
* 654.0	8.8	285	0.4	44	6.2	6.3	D *
* 656.0	10.8	273	0.4	48	6.3	6.3	D *
* 658.0			0.4	49	6.3	6.3	
* 660.0			0.4	47	6.2	6.3	
* 662.0	4.0	310	0.4	46	6.1	6.3	B *
* 664.0	2.4	325	0.4	50	6.1	6.3	B *
* 666.0			0.4	52	6.3	6.2	
* 668.0	4.8	305	0.4	48	6.3	6.2	D *
* 670.0	4.7	296	0.4	43	6.2	6.3	B *
* 672.0	8.5	284	0.4	42	6.3	6.3	D *
* 674.0			0.4	40	6.3	6.3	

FORMATION		BOPEHOLE						QUAL.
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	
		AZI.		AZI.	1-3	2-4	=A	
* 676.0	4.0	30	0.4	41	6.2	6.3	D	
* 678.0	17.4	10	0.4	43	6.2	6.3	D	
* 680.0	12.0	289	0.4	44	6.2	6.3	A	
* 682.0	12.5	281	0.4	44	6.3	6.4	A	
* 684.0	14.5	276	0.4	43	6.3	6.4	A	
* 686.0	12.8	271	0.4	44	6.3	6.4	A	
* 688.0	12.4	267	0.4	46	6.3	6.4	A	
* 690.0	11.9	272	0.4	48	6.3	6.4	A	
* 692.0	12.0	275	0.4	46	6.2	6.4	A	
* 694.0	11.5	277	0.4	45	6.3	6.4	A	
* 696.0	9.0	275	0.4	46	6.3	6.4	A	
* 698.0	12.5	285	0.4	45	6.2	6.3	A	
* 700.0	11.0	261	0.5	43	6.2	6.3	A	
* 702.0	9.9	245	0.5	42	6.3	6.4	A	
* 704.0	8.6	249	0.4	45	6.3	6.4	A	
* 706.0	8.2	251	0.4	46	6.3	6.4	A	
* 708.0	7.7	254	0.4	47	6.3	6.3	A	
* 710.0	7.6	265	0.4	46	6.3	6.3	A	
* 712.0	8.3	269	0.4	44	6.3	6.4	A	
* 714.0	8.1	267	0.5	47	6.3	6.4	A	
* 716.0	7.5	273	0.5	48	6.4	6.4	A	
* 718.0	7.1	266	0.5	46	6.4	6.3	A	
* 720.0	7.0	256	0.5	43	6.4	6.3	A	
* 722.0	6.4	266	0.5	40	6.3	6.4	A	
* 724.0	5.8	263	0.5	39	6.3	6.4	A	
* 726.0	5.3	255	0.5	36	6.2	6.3	A	
* 728.0	5.1	240	0.5	32	6.2	6.3	A	
* 730.0	4.8	243	0.5	28	6.2	6.2	A	
* 732.0	5.1	250	0.5	31	6.4	6.3	A	
* 734.0	5.5	254	0.5	36	6.3	6.4	A	
* 736.0	6.0	249	0.6	37	6.1	6.3	A	
* 738.0	10.4	216	0.6	35	6.0	6.1	D	
* 740.0			0.6	38	6.0	6.1		
* 742.0	4.1	168	0.5	42	6.1	6.3	B	
* 744.0	14.0	15	0.5	41	6.2	6.4	B	
* 746.0	6.6	355	0.5	39	6.3	6.4	D	
* 748.0	2.5	265	0.6	38	6.3	6.4	B	
* 750.0	3.8	252	0.6	39	6.3	6.4	B	
* 752.0	10.7	195	0.6	43	6.3	6.4	D	
* 754.0	15.9	179	0.7	41	6.2	6.4	B	



FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	INDEX BEST =A	
* 756.0	12.1	165	0.7	36	6.2	6.3	D	
* 758.0	14.2	166	0.7	36	6.3	6.4	B	
* 760.0	14.4	165	0.7	37	6.3	6.4	D	
* 762.0			0.7	35	6.2	6.4		
* 764.0	30.0	167	0.7	33	6.2	6.3	D	
* 766.0	29.5	167	0.7	34	6.2	6.3	D	
* 768.0			0.7	34	6.2	6.4		
* 770.0			0.7	28	6.2	6.4		
* 772.0	23.9	331	0.7	24	6.2	6.4	U	
* 774.0	24.1	326	0.7	25	6.2	6.4	P	
* 776.0	14.5	289	0.7	28	6.2	6.4	A	
* 778.0	14.1	282	0.7	31	6.3	6.4	A	
* 780.0	13.4	288	0.7	30	6.3	6.4	A	
* 782.0	13.9	281	0.7	29	6.3	6.3	A	
* 784.0	15.4	280	0.7	32	6.3	6.3	A	
* 786.0	20.2	286	0.8	37	6.2	6.2	A	
* 788.0	13.6	286	0.8	36	6.2	6.2	A	
* 790.0	13.3	289	0.8	31	6.2	6.3	A	
* 792.0	10.6	279	0.9	25	6.2	6.4	A	
* 794.0	9.7	277	0.9	21	6.3	6.3	A	
* 796.0	9.2	278	0.9	23	6.3	6.3	A	
* 798.0	8.1	278	0.9	23	6.3	6.4	A	
* 800.0	9.6	283	0.9	23	6.4	6.4	A	
* 802.0	11.5	270	0.9	26	6.3	6.4	A	
* 804.0	8.6	279	0.8	25	6.3	6.4	A	
* 806.0	6.4	277	0.8	26	6.3	6.4	A	
* 808.0	7.9	262	0.8	27	6.3	6.4	A	
* 810.0	6.8	253	0.8	28	6.2	6.4	A	
* 812.0	6.2	253	0.8	29	6.2	6.4	A	
* 814.0	5.3	279	0.8	26	6.2	6.4	A	
* 816.0	6.3	272	0.8	23	6.2	6.4	A	
* 818.0	7.3	282	0.8	22	6.2	6.4	A	
* 820.0	7.5	271	0.7	22	6.3	6.4	A	
* 822.0	8.1	292	0.7	26	6.3	6.4	A	
* 824.0	8.2	286	0.8	30	6.3	6.4	A	
* 826.0			0.8	29	6.3	6.4		
* 828.0	26.2	295	0.8	28	6.3	6.4	U	
* 830.0	7.7	277	0.8	27	6.3	6.4	A	
* 832.0	4.2	269	0.8	29	6.3	6.4	A	
* 834.0	7.3	266	0.8	33	6.3	6.4	A	

FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A	
*	836.0	3.5	320	0.8	32	6.3	6.4	A
*	838.0	4.3	315	0.8	31	6.3	6.4	A
*	840.0	0.2	36	0.8	29	6.3	6.4	B
*	842.0	11.8	349	0.8	28	6.3	6.4	U
*	844.0	6.0	72	0.8	30	6.3	6.4	D
*	846.0	3.5	85	0.8	35	6.4	6.4	B
*	848.0	1.2	166	0.8	33	6.4	6.4	D
*	850.0			0.8	29	6.4	6.4	
*	852.0	9.0	300	0.6	30	6.4	6.4	D
*	854.0	0.5	207	0.8	33	6.4	6.4	D
*	856.0	4.4	11	0.8	35	6.4	6.4	D
*	858.0	2.4	313	0.7	38	6.4	6.4	B
*	860.0			0.7	37	6.4	6.4	
*	862.0	8.3	9	0.6	35	6.4	6.4	A
*	864.0	9.0	13	0.6	35	6.4	6.4	A
*	866.0	2.6	299	0.6	35	6.4	6.4	A
*	868.0	1.9	40	0.5	34	6.4	6.4	A
*	870.0	1.2	68	0.5	30	6.4	6.4	C
*	872.0	5.0	1	0.5	29	6.4	6.4	A
*	874.0	7.9	359	0.5	33	6.4	6.4	C
*	876.0	5.7	322	0.5	37	6.3	6.4	C
*	878.0	2.9	337	0.5	37	6.3	6.4	C
*	880.0	6.1	290	0.5	36	6.3	6.4	A
*	882.0	5.2	280	0.5	35	6.3	6.4	A
*	884.0	3.9	274	0.5	37	6.2	6.4	A
*	886.0	3.8	242	0.5	41	6.2	6.4	C
*	888.0	3.3	282	0.5	43	6.2	6.4	A
*	890.0	4.8	290	0.5	42	6.2	6.4	A
*	892.0	12.8	286	0.5	42	6.2	6.4	C
*	894.0	8.4	278	0.5	42	6.2	6.4	A
*	896.0	8.9	269	0.5	41	6.2	6.3	A
*	898.0	7.6	356	0.5	39	6.2	6.3	D
*	900.0	8.0	356	0.5	39	6.1	6.2	D
*	902.0			0.5	38	6.1	6.2	
*	904.0	41.8	257	0.5	36	6.1	6.4	D
*	906.0	42.0	248	0.5	34	6.1	6.4	B
*	908.0	7.7	248	0.5	36	6.1	6.4	B
*	910.0	6.0	244	0.5	44	6.1	6.4	D
*	912.0			0.5	47	6.2	6.4	
*	914.0	1.6	242	0.5	49	6.3	6.4	B

* FORMATION * BOREHOLE * GOAL. *

* ----- * INDEX *

* DEPTH * DIP * DIP * DEV. * DEV. * DIAM * DIAM * BEST *

* * * AZI. * * AZI. * 1-3 * 2-4 * =A *

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST
		AZI.			1-3	2-4	=A
916.0	3.2	233	0.5	49	6.3	6.3	D
918.0	2.2	233	0.5	46	6.3	6.3	A
920.0	2.2	226	0.5	45	6.3	6.4	A
922.0	2.0	227	0.5	47	6.3	6.4	A
924.0	2.4	237	0.5	19	6.3	6.3	A
926.0	5.1	231	0.5	55	6.2	6.2	A
928.0	6.0	275	0.6	60	6.2	6.1	A
930.0	6.6	275	0.6	56	6.1	6.0	A
932.0	3.4	190	0.6	52	5.9	5.9	A
934.0	13.6	187	0.6	48	6.0	6.1	C
936.0	15.8	177	0.6	44	6.2	6.2	C
938.0	0.7	99	0.6	43	6.3	6.3	A
940.0			0.6	44	6.2	6.3	
942.0			0.5	42	6.1	6.3	
944.0	12.5	154	0.5	44	6.0	6.4	D
946.0	13.2	161	0.5	48	6.0	6.4	D
948.0	9.2	170	0.5	51	6.1	6.3	b
950.0			0.5	57	6.2	6.4	
952.0			0.5	57	6.2	6.5	
954.0			0.5	53	6.3	6.5	
956.0			0.5	49	6.3	6.5	
958.0	8.8	171	0.5	49	6.2	6.4	D
960.0			0.5	51	6.3	6.4	
962.0			0.5	48	6.3	6.4	
964.0	61.8	120	0.5	39	6.3	6.4	B
966.0	9.6	149	0.5	34	6.2	6.4	D
968.0	10.8	156	0.5	33	6.0	6.3	b
970.0			0.5	32	6.0	6.4	
972.0	4.7	186	0.5	34	6.2	6.5	D
974.0			0.5	35	6.3	6.5	
976.0			0.5	33	6.2	6.4	
978.0			0.5	29	6.2	6.4	
980.0	9.1	169	0.4	28	6.3	6.4	D
982.0	8.4	162	0.4	26	6.3	6.4	U
984.0	1.8	89	0.4	24	6.3	6.4	A
986.0	1.4	83	0.4	24	6.3	6.4	A
988.0	0.9	140	0.4	25	6.3	6.4	A
990.0	1.1	180	0.4	25	6.3	6.4	C
992.0	1.7	118	0.4	21	6.3	6.4	C
994.0			0.4	18	6.3	6.5	

* FORMATION * BOREHOLE * QUAL. *

* ----- * INDEX *

* DEPTH * DIP DIP * DEV. DEV. DIAM DIAM * BEST *

* * AZI. * AZI. 1-3 2-4 * =A *

* * * * *

* 996.0 0.4 22 6.3 6.5 *

* 998.0 1.6 220 0.4 23 6.3 6.5 B *

* 1000.0 4.0 217 0.4 23 6.3 6.3 D *

* 1002.0 5.3 164 0.4 25 6.3 6.1 D *

* 1004.0 3.0 252 0.4 28 6.3 6.2 D *

* 1006.0 8.1 250 0.4 29 6.3 6.5 D *

* 1008.0 0.3 26 6.3 6.6 *

* 1010.0 7.6 260 0.3 22 6.3 6.6 D *

* 1012.0 5.0 257 0.3 25 6.3 6.5 H *

* 1014.0 5.5 239 0.3 37 6.3 6.4 B *

* 1016.0 5.4 245 0.3 41 6.4 5.4 B *

* 1018.0 6.2 268 0.3 37 6.4 6.4 A *

* 1020.0 6.1 286 0.4 34 6.3 6.4 A *

* 1022.0 6.8 293 0.4 36 6.3 6.4 A *

* 1024.0 6.6 276 0.4 37 6.3 6.4 A *

* 1026.0 6.1 272 0.4 33 6.4 6.3 A *

* 1028.0 5.3 257 0.4 30 6.3 6.3 A *

* 1030.0 24.3 318 0.4 31 6.3 6.3 A *

* 1032.0 24.9 309 0.4 32 6.3 6.3 A *

* 1034.0 23.2 308 0.3 36 6.3 6.3 A *

* 1036.0 22.0 305 0.3 41 6.3 6.3 A *

* 1038.0 0.3 49 6.3 6.3 *

* 1040.0 0.3 56 6.2 6.3 *

* 1042.0 8.7 317 0.3 54 6.3 6.3 D *

* 1044.0 8.2 323 0.3 52 6.3 6.3 D *

* 1046.0 9.2 314 0.3 53 6.3 6.3 D *

* 1048.0 12.3 324 0.3 57 6.3 6.3 D *

* 1050.0 0.4 59 6.3 6.3 *

* 1052.0 0.4 56 6.3 6.3 *

* 1054.0 0.4 52 6.3 6.3 *

* 1056.0 0.4 51 6.3 6.3 *

* 1058.0 7.9 226 0.4 50 6.3 6.3 A *

* 1060.0 7.3 215 0.4 49 6.3 6.3 A *

* 1062.0 7.2 214 0.4 50 6.3 6.4 A *

* 1064.0 7.4 218 0.5 49 6.3 6.4 A *

* 1066.0 7.9 218 0.5 46 6.3 6.4 A *

* 1068.0 7.1 213 0.5 46 6.3 6.4 A *

* 1070.0 7.7 202 0.5 47 6.3 6.4 A *

* 1072.0 13.4 171 0.5 45 6.3 6.4 B *

* 1074.0 9.0 152 0.4 44 6.3 6.3 D *



* FORMATION * BOREHOLE * QUAL. *

* -----*-----*-----* INDEX *

* DEPTH * DIP * DIP * DEV. * DEV. * DIAM * DIAM * BEST *

* * * * * AZI. * * * * * AZI. * * * * * 1-3 * 2-4 * =A *

* * * * *

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST
		AZI.		AZI.	1-3	2-4	=A
* 1076.0	8.6	228	0.4	48	6.3	6.4	A
* 1078.0	7.6	219	0.4	50	6.3	6.4	A
* 1080.0	7.3	227	0.4	47	6.3	6.4	A
* 1082.0	7.5	210	0.5	45	6.3	6.4	A
* 1084.0	10.3	206	0.5	45	6.3	6.4	A
* 1086.0	11.6	196	0.5	45	6.3	6.4	A
* 1088.0	5.7	213	0.5	44	6.3	6.4	A
* 1090.0	6.9	231	0.5	38	6.3	6.4	A
* 1092.0	7.1	221	0.5	33	6.3	6.4	A
* 1094.0	7.7	225	0.5	31	6.3	6.4	A
* 1096.0	8.6	224	0.4	32	6.3	6.4	A
* 1098.0	7.8	221	0.4	34	6.3	6.4	A
* 1100.0	6.5	238	0.4	35	6.3	6.4	A
* 1102.0	6.9	231	0.4	35	6.3	6.4	A
* 1104.0	6.2	223	0.4	34	6.3	6.4	A
* 1106.0	6.8	230	0.4	33	6.3	6.4	A
* 1108.0	7.4	233	0.4	31	6.3	6.4	A
* 1110.0	9.2	234	0.4	26	6.3	6.4	A
* 1112.0	8.4	216	0.4	27	6.3	6.4	A
* 1114.0	8.3	220	0.4	26	6.3	6.4	A
* 1116.0	5.9	227	0.4	25	6.3	6.4	A
* 1118.0	8.5	229	0.4	20	6.3	6.5	A
* 1120.0	7.7	220	0.4	15	6.3	6.4	A
* 1122.0	10.4	202	0.3	11	6.3	6.4	A
* 1124.0			0.3	8	6.3	6.5	
* 1126.0	6.2	265	0.3	5	6.3	6.4	C
* 1128.0	6.9	243	0.3	2	6.3	6.4	A
* 1130.0	7.3	235	0.3	4	6.3	6.4	A
* 1132.0	9.3	211	0.3	6	6.3	6.4	A
* 1134.0	10.5	200	0.3	6	6.3	6.4	A
* 1136.0	8.6	206	0.3	4	6.3	6.4	A
* 1138.0			0.3	359	6.3	6.4	
* 1140.0	9.5	210	0.3	356	6.3	6.4	C
* 1142.0	9.1	231	0.2	352	6.3	6.4	A
* 1144.0	9.7	229	0.2	348	6.3	6.4	A
* 1146.0	11.0	224	0.2	344	6.3	6.4	A
* 1148.0	7.6	246	0.2	342	6.3	6.4	A
* 1150.0	14.9	265	0.2	342	6.3	6.4	A
* 1152.0	11.0	242	0.2	343	6.3	6.4	A
* 1154.0	10.1	200	0.2	342	6.3	6.4	A

* FORMATION *					* BOREHOLE *			* QUAL. *	

* DEPTH *	* DIP	* DIP	* DEV.	* DEV.	* DIAM	* DIAM	* BEST	* INDEX *	
* * *	* * *	* AZI. *	* * *	* AZI. *	* 1-3 *	* 2-4 *	* =A *	* * *	

* 1156.0	11.1	214	0.2	343	6.3	6.4	A	*	
* 1158.0	11.2	207	0.2	349	6.3	6.4	C	*	
* 1160.0	10.9	207	0.2	351	6.3	6.4	A	*	
* 1162.0	10.1	213	0.2	354	6.3	6.4	A	*	
* 1164.0	9.0	224	0.2	357	6.3	6.4	A	*	
* 1166.0	8.1	218	0.2	360	6.3	6.4	A	*	
* 1168.0	7.4	227	0.1	2	6.3	6.4	A	*	
* 1170.0	7.4	229	0.0	0	6.3	6.4	A	*	
* 1172.0	6.3	245	0.0	0	6.3	6.4	A	*	
* 1174.0	4.1	257	0.6	0	6.3	6.4	A	*	
* 1176.0	6.9	63	0.0	0	6.3	6.4	A	*	
* 1178.0	2.4	263	0.1	17	6.4	6.4	A	*	
* 1180.0	3.0	262	0.2	15	6.4	6.4	A	*	
* 1182.0	3.9	272	0.2	10	6.4	6.4	A	*	
* 1184.0	5.5	280	0.2	11	6.4	6.4	A	*	
* 1186.0	4.0	213	0.2	18	6.4	6.4	A	*	
* 1188.0	3.7	261	0.3	29	6.4	6.4	A	*	
* 1190.0	3.0	210	0.3	18	6.4	6.4	A	*	
* 1192.0	3.5	217	0.3	12	6.3	6.3	A	*	
* 1194.0	4.0	259	0.4	13	6.3	6.4	A	*	
* 1196.0	3.9	259	0.4	13	6.3	6.4	A	*	
* 1198.0	7		0.3	13	6.3	6.4		*	
* 1200.0	5.7	235	0.3	13	6.3	6.4	A	*	
* 1202.0	8.6	231	0.4	14	6.3	6.4	A	*	
* 1204.0	8.8	235	0.4	16	6.3	6.4	A	*	
* 1206.0	6.1	244	0.4	20	6.3	6.4	A	*	
* 1208.0	6.8	232	0.4	22	6.3	6.4	A	*	
* 1210.0	10.3	224	0.4	19	6.4	6.3	C	*	
* 1212.0	7.1	230	0.4	13	6.4	6.3	A	*	
* 1214.0	5.9	228	0.4	8	6.4	6.3	A	*	
* 1216.0	4.9	211	0.4	9	6.4	6.2	A	*	
* 1218.0	12.9	199	0.4	6	6.5	6.2	A	*	
* 1220.0	11.6	201	0.4	6	6.4	6.2	C	*	
* 1222.0	14.5	277	0.4	9	6.4	6.2	D	*	
* 1224.0	18.2	287	0.4	10	6.4	6.3	D	*	
* 1226.0	18.4	286	0.4	13	6.3	6.4	D	*	
* 1228.0	14.7	304	0.4	18	6.4	6.4	D	*	
* 1230.0	26.3	251	0.4	21	6.4	6.4	D	*	
* 1232.0	26.4	252	0.4	24	6.3	6.4	D	*	
* 1234.0	17.3	301	0.4	27	6.4	6.4	B	*	

* FORMATION * BOREHOLE * QUAL. *

* ----- * INDEX *

* DEPTH * DIP DIP * DEV. DEV. DIAM DIAM * BEST *

* * * AZI. * AZI. 1-3 2-4 * =A *

*

* 1236.0 15.7 299 0.4 29 6.5 6.4 D *

* 1238.0 17.0 294 0.4 29 6.5 6.3 D *

* 1240.0 19.1 294 0.4 30 6.5 6.3 D *

* 1242.0 17.3 292 0.4 30 6.7 6.3 D *

* 1244.0 2.3 224 0.5 30 6.7 6.4 D *

* 1246.0 2.2 241 0.5 31 6.6 6.4 B *

* 1248.0 0.5 31 6.5 6.4 *

* 1250.0 0.5 32 6.5 6.3 *

* 1252.0 0.5 31 6.5 6.3 *

* 1254.0 9.0 195 0.6 27 6.5 6.3 D *

* 1256.0 0.6 24 6.4 6.3 *

* 1258.0 20.6 298 0.6 23 6.4 6.4 B *

* 1260.0 19.7 298 0.6 25 6.4 6.4 B *

* 1262.0 16.4 279 0.7 27 6.4 6.4 A *

* 1264.0 17.0 284 0.7 28 6.4 6.4 A *

* 1266.0 17.8 281 0.7 31 6.5 6.4 A *

* 1268.0 16.3 277 0.7 33 6.5 6.4 A *

* 1270.0 14.8 283 0.7 36 6.4 6.4 A *

* 1272.0 16.3 298 0.8 40 6.4 6.4 A *

* 1274.0 15.7 297 0.8 40 6.4 6.4 C *

* 1276.0 16.3 292 0.8 37 6.4 6.4 A *

* 1278.0 16.7 281 0.8 41 6.4 6.3 A *

* 1280.0 17.3 283 0.8 50 6.3 6.3 A *

* 1282.0 20.0 289 0.9 52 6.4 6.3 A *

* 1284.0 17.6 286 0.9 49 6.4 6.4 A *

* 1286.0 12.1 268 1.0 46 6.4 6.4 C *

* 1288.0 6.6 248 1.0 44 6.4 6.4 C *

* 1290.0 17.1 288 1.0 43 6.4 6.4 A *

* 1292.0 21.4 288 1.0 44 6.3 6.4 C *

* 1294.0 1.1 46 6.3 6.4 *

* 1296.0 12.0 275 1.0 49 6.3 6.4 B *

* 1298.0 13.9 283 1.0 48 6.4 6.3 A *

* 1300.0 15.7 290 1.1 47 6.3 6.3 A *

* 1302.0 12.1 318 1.1 48 6.3 6.3 C *

* 1304.0 1.2 49 6.3 6.3 *

* 1306.0 18.4 317 1.2 47 6.4 6.4 U *

* 1308.0 12.7 287 1.2 46 6.4 6.4 B *

* 1310.0 14.3 303 1.3 49 6.3 6.4 D *

* 1312.0 1.3 52 6.3 6.3 *

* 1314.0 25.3 336 1.3 53 6.3 6.4 B *

* FORMATION * HOPEHOLE * QUAL. *

* -----*-----* INDEX *

* DEPTH * DIP * DIP * DEV. * DEV. * DIAM * DIAM * TEST *

* * * AZI. * * AZI. * 1-3 * 2-4 * =A *

*

* 1316.0 18.8 318 1.3 56 6.2 6.4 B *

* 1318.0 18.6 312 1.3 60 6.2 6.2 B *

* 1320.0 18.8 307 1.4 57 6.3 6.2 B *

* 1322.0 1.3 54 6.2 6.2 B *

* 1324.0 23.0 304 1.4 57 6.2 6.2 B *

* 1326.0 27.6 306 1.4 60 6.2 6.3 B *

* 1328.0 28.8 311 1.4 60 6.2 6.3 B *

* 1330.0 26.2 299 1.4 58 6.2 6.3 B *

* 1332.0 1.4 60 6.3 6.3 B *

* 1334.0 1.4 63 6.2 6.3 B *

* 1336.0 1.4 66 6.2 6.4 B *

* 1338.0 1.4 65 6.2 6.4 B *

* 1340.0 25.8 305 1.4 59 6.2 6.3 D *

* 1342.0 1.4 56 6.2 6.2 B *

* 1344.0 24.4 287 1.4 59 6.2 6.2 D *

* 1346.0 25.6 274 1.5 60 6.2 6.2 B *

* 1348.0 1.5 60 6.2 6.2 B *

* 1350.0 16.2 36 1.5 59 6.2 6.3 D *

* 1352.0 17.7 52 1.5 57 6.2 6.3 B *

* 1354.0 14.9 39 1.4 59 6.1 6.3 B *

* 1356.0 22.5 285 1.4 57 6.1 6.4 B *

* 1358.0 24.1 269 1.5 56 6.2 6.4 B *

* 1372.0 1.6 71 6.2 6.2 B *

* 1374.0 2.7 64 10.9 5.0 B *

* 1376.0 1.6 67 6.3 6.2 B *

* 1378.0 1.6 67 6.3 6.3 B *

* 1380.0 14.4 225 1.6 66 6.3 6.3 D *

* 1382.0 25.9 42 1.6 62 6.2 6.2 B *

* 1384.0 25.6 33 1.6 63 6.2 6.2 D *

* 1386.0 15.5 211 1.6 68 6.2 6.1 B *

* 1388.0 16.9 214 1.6 67 6.2 6.2 B *

* 1390.0 24.9 27 1.6 64 6.2 6.2 D *

* 1392.0 13.2 199 1.6 62 6.2 6.2 D *

* 1394.0 7.8 234 1.6 59 6.1 6.1 D *

* 1396.0 1.6 56 6.1 6.1 B *

* 1398.0 18.2 211 1.6 57 6.2 6.2 D *

* 1400.0 1.6 61 6.2 6.3 B *

* 1402.0 23.0 208 1.6 67 6.2 6.3 D *

* 1404.0 20.1 209 1.6 69 6.3 6.3 B *

* 1406.0 18.7 213 1.6 69 6.2 6.3 B *



* FORMATION * BUREHOLE * QUAL. *

* ----- * INDEX *

* DEPTH * DIP * DIP * DEV. * DEV. * DIAM * DIAM * BEST *

* * * * * AZI. * AZI. * 1-3 * 2-4 * =A *

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST
		AZI.		AZI.	1-3	2-4	=A
1408.0	15.0	233	1.6	66	6.2	6.2	B
1410.0	13.1	265	1.6	64	6.3	6.3	B
1412.0	12.0	268	1.6	62	6.2	6.3	B
1414.0	23.6	256	1.6	60	6.2	6.3	D
1416.0	25.4	220	1.6	56	6.2	6.2	D
1418.0			1.6	57	6.3	6.2	
1420.0			1.6	62	6.3	6.2	
1422.0	12.3	275	1.6	63	6.3	6.3	D
1424.0	13.1	273	1.6	61	6.4	6.3	D
1426.0			1.6	67	6.3	6.2	
1428.0	11.7	270	1.6	72	6.3	6.2	D
1430.0	15.0	235	1.6	72	6.3	6.2	D
1432.0	15.8	245	1.6	71	6.3	6.2	B
1434.0	15.5	244	1.6	64	6.3	6.3	B
1436.0	15.9	237	1.6	60	6.2	6.2	D
1438.0			1.7	60	6.3	6.0	
1440.0	13.0	274	1.7	59	6.3	6.0	B
1442.0	24.0	290	1.7	58	6.4	6.2	B
1444.0	25.9	296	1.7	56	6.4	6.2	D
1446.0	27.7	293	1.7	55	6.4	6.1	D
1448.0			1.7	56	6.3	6.1	
1450.0	27.5	228	1.7	53	6.3	6.1	D
1452.0	26.3	226	1.7	57	6.1	6.1	D
1454.0	24.0	302	1.7	63	6.1	6.1	B
1456.0	24.0	295	1.8	62	6.2	6.1	B
1458.0	27.3	299	1.8	62	6.1	6.3	C
1460.0	26.6	291	1.8	58	6.2	6.4	A
1462.0	27.7	294	1.8	52	6.2	6.3	C
1464.0	27.1	293	1.8	48	6.2	6.2	C
1466.0	19.7	262	1.8	46	6.2	6.2	B
1468.0	16.0	301	1.9	51	6.3	6.3	A
1470.0	18.3	315	1.9	61	6.2	6.4	A
1472.0	25.0	308	2.0	65	6.2	6.4	A
1474.0	32.0	309	2.0	64	6.3	6.5	A
1476.0	22.5	302	2.1	62	6.3	6.4	A
1478.0	29.1	295	2.1	59	6.3	6.3	A
1480.0	25.9	299	2.1	59	6.2	6.3	A
1482.0	26.8	298	2.1	54	6.2	6.3	A
1484.0	25.6	306	2.1	52	6.2	6.4	A
1486.0	25.3	296	2.2	54	6.1	6.4	A

* FUNDATION * BOREHOLE * QUAL. * INDEX *									

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	=A	
		AZI.		AZI.	1-3	2-4			

* 1488.0	19.1	293	2.2	53	6.1	6.3	C	*	
* 1490.0	25.4	329	2.2	55	6.2	6.3	C	*	
* 1492.0	13.0	26	2.2	58	6.2	6.2	D	*	
* 1494.0			2.3	59	6.1	6.1		*	
* 1496.0	21.7	316	2.3	62	6.3	6.2	D	*	
* 1498.0	16.7	324	2.3	64	6.4	6.3	B	*	
* 1500.0	16.3	331	2.3	66	6.4	6.3	B	*	
* 1502.0	11.7	358	2.4	67	6.3	6.2	D	*	
* 1504.0			2.4	66	6.2	6.1		*	
* 1506.0			2.4	65	6.1	5.9		*	
* 1508.0	29.2	297	2.5	63	6.0	5.9	D	*	
* 1510.0	21.8	327	2.5	61	6.1	5.9	D	*	
* 1512.0			2.5	60	6.1	5.9		*	
* 1514.0			2.5	61	6.1	6.0		*	
* 1516.0			2.5	61	5.9	6.0		*	
* 1518.0			2.5	62	5.8	6.0		*	
* 1520.0			2.5	65	5.7	5.9		*	
* 1522.0	38.4	257	2.5	68	5.8	5.9	D	*	
* 1524.0			2.5	69	5.8	5.9		*	
* 1526.0	35.9	253	2.5	68	5.8	5.9	D	*	
* 1528.0	36.2	254	2.5	67	5.8	6.0	D	*	
* 1530.0			2.5	68	5.9	6.2		*	
* 1532.0			2.6	70	5.9	6.2		*	
* 1534.0			2.6	70	5.9	6.3		*	
* 1536.0			2.6	66	6.0	6.3		*	
* 1538.0	26.9	259	2.6	62	5.9	6.3	D	*	
* 1540.0	27.7	249	2.6	62	5.8	6.2	D	*	
* 1542.0	24.1	262	2.6	66	5.8	6.2	D	*	
* 1544.0			2.6	66	5.9	6.3		*	
* 1546.0			2.6	66	5.9	6.4		*	
* 1548.0			2.6	65	5.9	6.4		*	
* 1550.0			2.6	67	5.9	6.4		*	
* 1552.0			2.6	72	6.0	6.3		*	
* 1554.0			2.6	73	6.1	6.3		*	
* 1556.0			2.6	71	6.2	6.2		*	
* 1558.0	5.9	287	2.6	73	6.3	6.2	D	*	
* 1560.0	5.1	295	2.6	76	6.3	6.2	B	*	
* 1562.0	9.4	333	2.6	78	6.4	6.2	D	*	
* 1564.0			2.6	79	6.3	6.2		*	
* 1566.0			2.6	80	6.2	6.2		*	




```

*****
*          *   FORMATION   *          *   BOREHOLE   *   QUAL. *
*          *-----*-----*-----*-----*-----*-----*-----*
* DEPTH *   DIP   DIP   *   DEV.   DEV.   DIAM   DIAM * BEST *
*          *     AZI. *     AZI.   1-3   2-4 * =A *
*****
*
* 1568.0          2.6   81      6.1   6.2
* 1570.0    7.2   310     2.6   78      6.1   6.2   D
* 1572.0          2.7   75      6.2   6.2
* 1574.0    12.8   10      2.7   73      6.2   6.1   D
* 1576.0    15.4   336     2.6   73      6.2   6.1   D
* 1578.0    13.2   359     2.6   75      6.2   6.2   D
* 1580.0    14.0   354     2.6   80      6.2   6.1   D
* 1582.0          2.6   81      6.2   6.1
* 1584.0    14.1   360     2.6   81      6.1   6.1   D
* 1586.0          2.6   80      6.1   6.1
* 1588.0    8.4     5      2.6   78      6.1   6.2   B
* 1590.0    6.1   357     2.6   78      6.1   6.1   B
* 1592.0    13.3   43      2.6   75      6.1   6.0   D
* 1594.0    13.0   355     2.6   74      6.2   6.0   C
* 1596.0    1.9   154     2.6   61      6.2   5.9   A
* 1598.0    2.0   159     2.6   84      6.1   5.9   A
* 1600.0          2.6   82      6.2   6.0
* 1602.0    7.4   317     2.6   79      6.4   6.0   C
* 1604.0    6.3   314     2.6   79      6.5   5.9   A
* 1606.0    2.8   297     2.6   81      6.5   5.9   A
* 1608.0    2.6   18      2.5   84      6.5   6.0   A
* 1610.0    13.3   48      2.5   86      6.5   6.1   B
* 1612.0    12.1   359     2.5   87      6.5   6.1   A
* 1614.0    10.0   356     2.5   88      6.4   6.1   A
* 1616.0    8.1   347     2.5   88      6.4   6.1   A
* 1618.0    5.6   342     2.5   87      6.2   6.2   A
* 1620.0    5.1   332     2.5   84      6.3   6.2   B
* 1622.0    5.2   315     2.5   80      6.4   6.2   D
* 1624.0    8.7   306     2.5   82      6.4   6.1   D
* 1626.0    7.5   324     2.5   85      6.4   6.1   B
* 1628.0    7.0   318     2.5   83      6.3   6.1   B
* 1630.0    6.2   286     2.5   83      6.3   6.0   D
* 1632.0    6.7   272     2.5   82      6.4   6.0   D
* 1634.0          2.5   79      6.3   6.0
* 1636.0          2.5   82      6.2   6.1
* 1638.0    4.4   348     2.5   86      6.2   6.2   D
* 1640.0          2.5   89      6.1   6.3
* 1642.0    8.9     26     2.5   91      6.1   6.3   A
* 1644.0    10.0   24      2.5   90      6.1   6.3   A
* 1646.0    9.6     7      2.5   91      6.0   6.3   A
*****
    
```

FORMATION			BOREHOLE				QUAL.	INDEX
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST	=A
* 1648.0	2.0	7	2.5	94	6.0	6.3	A	*
* 1650.0	8.5	34	2.5	96	6.0	6.3	A	*
* 1652.0	9.1	9	2.5	95	6.1	6.2	A	*
* 1654.0	9.3	12	2.5	96	6.2	6.1	A	*
* 1656.0			2.5	97	6.2	6.1		*
* 1658.0			2.5	96	6.1	6.2		*
* 1660.0			2.5	93	6.0	6.3		*
* 1662.0			2.5	89	5.9	6.0		*
* 1664.0			2.5	88	5.0	5.9		*
* 1666.0	3.1	310	2.6	87	6.0	6.0	B	*
* 1668.0	5.7	312	2.6	88	5.9	6.0	B	*
* 1670.0	6.2	330	2.6	92	5.9	6.0	D	*
* 1672.0	36.5	207	2.6	94	6.0	6.1	D	*
* 1674.0	38.1	201	2.6	91	6.0	6.1	D	*
* 1676.0			2.6	88	5.9	5.8		*
* 1678.0	46.3	245	2.6	89	5.9	5.9	D	*
* 1680.0	47.2	240	2.7	89	5.9	5.9	D	*
* 1682.0			2.7	89	5.9	5.9		*
* 1684.0	19.5	312	2.7	91	5.9	5.9	B	*
* 1686.0	41.9	307	2.7	92	6.1	5.9	B	*
* 1688.0	39.0	307	2.6	93	6.2	6.0	B	*
* 1690.0			2.6	95	6.1	6.0		*
* 1692.0			2.6	95	6.0	5.9		*
* 1694.0			2.5	95	6.0	5.9		*
* 1696.0			2.5	96	6.0	6.0		*
* 1698.0			2.5	95	6.0	6.0		*
* 1700.0			2.5	97	6.0	6.0		*
* 1702.0			2.5	99	6.1	5.9		*
* 1704.0			2.4	99	6.2	5.9		*
* 1706.0	30.2	231	2.4	98	6.2	6.0	D	*
* 1708.0			2.3	99	6.1	6.0		*
* 1710.0			2.3	101	6.0	6.0		*
* 1712.0			2.3	99	6.0	6.0		*
* 1714.0			2.3	97	6.0	6.0		*
* 1716.0	28.9	223	2.3	95	5.9	6.1	B	*
* 1718.0			2.3	91	6.0	6.1		*
* 1720.0			2.3	87	6.0	6.2		*
* 1722.0	12.9	315	2.3	87	6.1	6.2	D	*
* 1724.0	11.1	114	2.4	90	6.1	6.1	B	*
* 1726.0	9.4	120	2.4	93	6.1	6.1	D	*



FORMATION			BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIA# 1-3	DIA# 2-4	BEST # =A
							INDEX
* 1728.0	8.2	303	2.4	92	6.0	6.1	D
* 1730.0	10.7	264	2.4	88	6.0	6.0	E
* 1732.0	10.8	261	2.4	86	5.9	6.1	B
* 1734.0			2.4	86	5.9	6.2	
* 1736.0			2.4	86	5.9	6.2	
* 1738.0			2.4	86	6.0	6.2	
* 1740.0	11.1	345	2.4	84	6.0	6.3	D
* 1742.0			2.4	81	6.0	6.3	
* 1744.0			2.4	82	6.1	6.3	
* 1746.0			2.4	85	6.0	6.3	
* 1748.0			2.4	88	6.0	6.1	
* 1750.0			2.4	89	6.0	6.1	
* 1752.0			2.4	88	6.0	6.1	
* 1754.0			2.4	87	6.0	6.0	
* 1756.0			2.4	86	6.0	6.0	
* 1758.0			2.4	86	5.9	6.1	
* 1760.0			2.4	85	5.9	6.1	
* 1762.0			2.4	84	6.0	6.1	
* 1764.0			2.4	83	6.0	6.1	
* 1766.0			2.4	82	6.0	6.2	
* 1768.0			2.4	81	6.1	6.3	
* 1770.0			2.5	78	6.1	6.2	
* 1772.0	8.0	210	2.5	75	6.1	6.2	B
* 1774.0	14.5	200	2.5	81	6.1	6.3	D
* 1776.0	8.7	170	2.5	82	6.2	6.2	D
* 1778.0	8.5	166	2.5	79	6.2	6.3	D
* 1780.0	8.3	208	2.5	76	6.2	6.4	B
* 1782.0	6.9	200	2.5	73	6.2	6.5	A
* 1784.0	8.3	205	2.4	75	6.2	6.5	A
* 1786.0	9.8	201	2.4	75	6.1	6.4	A
* 1788.0	5.9	184	2.4	73	6.1	6.3	A
* 1790.0	4.3	195	2.4	75	6.1	6.4	A
* 1792.0	8.9	190	2.4	79	6.1	6.4	C
* 1794.0	5.4	208	2.4	81	6.2	6.3	C
* 1796.0	3.6	214	2.4	81	6.4	6.3	A
* 1798.0	4.2	217	2.4	82	6.4	6.3	A
* 1800.0	6.3	219	2.4	83	6.3	6.3	A
* 1802.0	4.3	265	2.4	82	6.2	6.3	A
* 1804.0	2.6	240	2.4	80	6.2	6.3	C
* 1806.0	3.5	253	2.4	77	6.2	6.3	C

* FORMATION *					* BOREHOLE *			* GOAL *	

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	INDEX	
		AZI.		AZI.	1-3	2-4	=A		

* 1808.0	4.4	258	2.4	79	6.3	6.4	A	*	
* 1810.0	4.6	259	2.4	82	6.3	6.4	A	*	
* 1812.0	3.1	275	2.3	82	6.3	6.4	C	*	
* 1814.0	8.6	233	2.3	84	6.4	6.3	A	*	
* 1816.0	9.2	222	2.3	81	6.3	6.3	A	*	
* 1818.0	14.4	222	2.3	72	6.3	6.2	A	*	
* 1820.0	13.1	212	2.3	68	6.3	6.4	A	*	
* 1822.0	5.7	251	2.3	68	6.2	6.5	A	*	
* 1824.0	6.1	246	2.3	76	6.1	6.4	A	*	
* 1826.0	5.1	223	2.3	72	6.1	6.1	A	*	
* 1828.0	6.2	175	2.3	72	6.2	6.3	C	*	
* 1830.0	8.4	180	2.4	74	6.2	6.3	A	*	
* 1832.0	11.7	244	2.4	78	6.1	6.4	A	*	
* 1834.0	28.9	20	2.4	81	6.1	6.4	D	*	
* 1836.0	25.0	15	2.4	78	6.0	6.3	B	*	
* 1838.0	26.6	275	2.4	77	6.1	6.3	D	*	
* 1840.0	26.4	273	2.4	82	6.1	6.4	D	*	
* 1842.0			2.4	84	6.1	6.4		*	
* 1844.0	10.4	225	2.4	80	6.1	6.4	A	*	
* 1846.0	10.7	218	2.4	77	6.1	6.4	A	*	
* 1848.0	14.4	229	2.4	79	6.1	6.4	A	*	
* 1850.0	14.9	232	2.5	82	6.2	6.4	C	*	
* 1852.0	9.1	231	2.5	84	6.2	6.3	A	*	
* 1854.0	8.6	235	2.5	86	6.2	6.3	A	*	
* 1856.0	10.6	252	2.5	84	6.2	6.4	A	*	
* 1858.0	11.5	245	2.5	80	6.3	6.2	A	*	
* 1860.0	11.3	118	2.5	77	6.2	6.1	D	*	
* 1862.0	12.1	122	2.4	76	6.1	6.1	B	*	
* 1864.0	6.5	209	2.4	78	6.1	6.2	A	*	
* 1866.0	7.0	274	2.4	82	6.1	6.1	A	*	
* 1868.0	7.3	264	2.4	78	6.1	6.1	D	*	
* 1870.0	4.9	267	2.4	68	6.0	6.2	D	*	
* 1872.0	5.6	268	2.4	65	6.0	6.2	C	*	
* 1874.0	11.9	224	2.5	68	6.1	6.2	D	*	
* 1876.0	8.0	331	2.5	71	6.2	6.2	D	*	
* 1878.0	9.1	338	2.5	71	6.3	6.3	D	*	
* 1880.0	8.3	315	2.5	70	6.4	6.3	D	*	
* 1882.0	5.0	340	2.5	70	6.3	6.2	D	*	
* 1884.0			2.5	70	6.3	6.1		*	
* 1886.0	12.5	305	2.5	70	6.3	6.2	D	*	

FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST #A	
1888.0	1.9	262	2.5	70	6.4	6.3	D	
1890.0	2.0	254	2.5	69	6.3	6.3	B	
1892.0	1.0	254	2.5	71	6.3	6.3	B	
1894.0	2.9	172	2.5	74	6.3	6.3	D	
1896.0			2.5	75	6.2	6.2		
1898.0	1.4	75	2.5	75	6.2	6.1	B	
1900.0	6.1	333	2.5	75	6.3	6.2	D	
1902.0	11.9	346	2.5	71	6.3	6.3	D	
1904.0	12.4	349	2.5	73	6.2	6.3	F	
1906.0	13.2	348	2.5	77	6.2	6.4	B	
1908.0	14.3	357	2.6	79	6.2	6.4	A	
1910.0	13.9	357	2.6	77	6.2	6.4	A	
1912.0	11.3	347	2.6	76	6.3	6.3	A	
1914.0	9.5	343	2.6	76	6.3	6.3	A	
1916.0	9.7	344	2.6	77	6.3	6.4	B	
1918.0			2.7	77	6.3	6.4		
1920.0	21.3	1	2.7	75	6.4	6.5	D	
1922.0	23.1	355	2.7	74	6.3	6.5	B	
1924.0	14.1	348	2.7	77	6.3	6.5	D	
1926.0	11.7	348	2.7	80	6.2	6.5	D	
1928.0	37.5	176	2.7	84	6.3	6.5	B	
1930.0	38.7	179	2.6	88	6.2	6.4	B	
1932.0	11.4	12	2.6	87	6.2	6.4	D	
1934.0	11.6	7	2.6	85	6.3	6.5	A	
1936.0	19.3	360	2.6	87	6.3	6.5	C	
1938.0	10.8	10	2.6	87	6.3	6.5	A	
1940.0	9.7	12	2.6	85	6.3	6.4	A	
1942.0	13.6	360	2.6	82	6.2	6.4	A	
1944.0	15.9	347	2.6	81	6.1	6.5	A	
1946.0			2.7	81	6.0	6.4		
1948.0			2.7	76	6.1	6.4		
1950.0	12.6	327	2.7	73	6.3	6.4	C	
1952.0	13.5	329	2.7	76	6.3	6.4	A	
1954.0	11.7	346	2.7	81	6.3	6.3	A	
1956.0	12.2	334	2.7	85	6.3	6.4	C	
1958.0	11.1	358	2.7	65	6.2	6.3	C	
1960.0	12.2	360	2.7	85	6.3	6.3	A	
1962.0	11.8	356	2.7	83	6.3	6.3	A	
1964.0	12.4	360	2.7	82	6.3	6.4	A	
1966.0	12.4	5	2.6	84	6.3	6.4	A	

* * * * *	* * * * * * * * *			* * * * * * * * *			* * * * *
	FORMATION			BOREHOLE			QUAL.
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST
		AZI.		AZI.	1-3	2-4	=A
* 1968.0			2.6	83	6.2	6.4	
* 1970.0			2.6	83	6.1	6.3	
* 1972.0	13.6	360	2.6	84	6.2	6.3	C
* 1974.0	13.6	2	2.5	85	6.2	6.2	C
* 1976.0	11.5	1	2.5	86	6.2	6.2	A
* 1978.0	11.7	353	2.5	87	6.2	6.2	A
* 1980.0	12.5	340	2.5	90	6.3	6.3	A
* 1982.0	14.4	359	2.5	92	6.3	6.3	A
* 1984.0	11.0	6	2.5	92	6.3	6.2	A
* 1986.0			2.5	93	6.3	6.2	
* 1990.0	6.5	25	2.4	92	6.2	6.3	B
* 1990.0			2.4	91	6.3	6.3	
* 1992.0			2.4	90	6.2	6.3	
* 1994.0			2.4	89	6.1	6.3	
* 1996.0			2.4	87	6.0	6.3	
* 1998.0	9.2	56	2.4	86	6.1	6.3	D
* 2000.0	9.1	50	2.5	90	6.1	6.3	D
* 2002.0	11.7	36	2.5	98	6.0	6.3	B
* 2004.0	11.4	24	2.5	101	6.0	6.2	B
* 2006.0			2.5	92	5.9	6.0	
* 2008.0			2.5	88	6.0	5.9	
* 2010.0			2.5	89	6.0	6.0	
* 2012.0			2.5	90	6.0	6.0	
* 2014.0			2.4	95	6.0	5.9	
* 2016.0			2.4	96	6.0	5.9	
* 2018.0			2.4	91	6.0	6.0	
* 2020.0	6.9	37	2.5	93	6.0	6.0	D
* 2022.0			2.5	93	6.0	6.0	
* 2024.0	7.7	11	2.5	89	6.0	6.0	D
* 2026.0	13.9	50	2.5	86	6.0	6.1	B
* 2028.0	14.2	40	2.5	86	6.0	6.1	B
* 2030.0	16.7	28	2.5	89	6.0	6.1	D
* 2032.0			2.5	87	6.0	6.1	
* 2034.0			2.5	83	6.0	6.1	
* 2036.0	35.9	274	2.5	82	6.0	6.1	D
* 2038.0	36.8	277	2.4	81	6.0	6.1	D
* 2040.0	35.6	272	2.4	82	6.0	6.1	D
* 2042.0			2.4	86	6.0	6.0	
* 2044.0			2.4	84	6.0	6.0	
* 2046.0			2.4	85	6.0	6.0	

* FORMATION * BOREHOLE * QUAL. *

* ----- * INDEX *

* DEPTH * DIP DEP * DEV. DEV. DIAM DIAM * BEST *

* * AZI. * AZI. 1-3 2-4 * =A *

*

* 2048.0 2.4 93 5.8 6.1 *

* 2050.0 36.3 271 2.4 95 5.8 6.1 D *

* 2052.0 2.4 89 5.8 6.1 *

* 2054.0 17.7 137 2.4 90 5.8 6.1 B *

* 2056.0 2.4 93 5.8 6.1 *

* 2058.0 2.4 90 5.8 6.1 *

* 2060.0 2.4 90 5.8 6.0 *

* 2062.0 2.5 81 5.9 6.0 *

* 2064.0 2.5 79 5.9 5.9 *

* 2066.0 2.5 87 5.8 6.0 *

* 2068.0 2.5 90 5.8 6.1 *

* 2070.0 2.5 91 5.9 6.1 *

* 2072.0 19.7 142 2.5 90 6.0 6.1 D *

* 2074.0 8.3 348 2.5 88 5.9 6.1 D *

* 2076.0 14.7 16 2.5 87 6.0 6.1 D *

* 2078.0 13.3 13 2.5 88 6.0 6.1 B *

* 2080.0 12.1 15 2.5 88 6.0 6.1 B *

* 2082.0 2.5 88 6.0 6.1 *

* 2084.0 45.8 309 2.5 88 6.0 6.1 B *

* 2086.0 2.5 87 6.0 6.1 *

* 2088.0 41.9 206 2.5 86 5.9 6.1 D *

* 2090.0 40.4 210 2.5 88 5.9 6.0 D *

* 2092.0 2.5 88 5.9 6.0 *

* 2094.0 13.8 11 2.5 87 5.9 6.1 D *

* 2096.0 18.6 340 2.5 87 5.9 6.0 D *

* 2098.0 16.6 344 2.5 87 5.9 6.0 D *

* 2100.0 2.5 85 6.0 6.1 *

* 2102.0 2.5 81 5.9 6.1 *

* 2104.0 2.5 82 6.0 6.1 *

* 2106.0 10.0 357 2.5 83 6.0 6.1 B *

* 2108.0 12.9 357 2.5 83 6.0 6.1 B *

* 2110.0 15.3 357 2.5 84 5.9 6.1 B *

* 2112.0 12.2 355 2.5 84 5.9 6.1 D *

* 2114.0 13.7 357 2.6 86 5.9 6.0 C *

* 2116.0 10.5 356 2.6 88 5.9 6.0 A *

* 2118.0 9.6 358 2.6 85 5.9 6.1 A *

* 2120.0 11.2 360 2.6 87 6.0 6.2 B *

* 2122.0 9.8 358 2.6 91 6.0 6.3 A *

* 2124.0 8.1 358 2.5 90 6.0 6.2 A *

* 2126.0 8.5 355 2.5 88 6.0 6.1 A *

* FORMATION * BOFHOLE * QUAL. *

* ----- * INDEX *

* DEPTH * DIP OIP * DEV. DEV. DIAM DIAM * BEST *

* * AZI. * AZI. 1-3 2-4 * =A *

DEPTH	DIP	OIP	DEV.	DEV.	DIAM	DIAM	BEST
		AZI.		AZI.	1-3	2-4	=A
* 2128.0	8.0	353	2.5	88	6.0	6.2	A
* 2130.0	6.8	356	2.5	90	6.0	6.2	A
* 2132.0	6.2	357	2.5	89	6.0	6.1	A
* 2134.0			2.5	90	6.0	6.1	
* 2136.0	10.2	348	2.5	93	6.1	6.3	A
* 2138.0	8.1	350	2.5	94	6.1	6.4	C
* 2140.0	7.5	350	2.5	91	6.1	6.3	A
* 2142.0	6.5	343	2.5	88	6.0	6.2	A
* 2144.0	6.5	357	2.5	89	6.0	6.1	C
* 2146.0	9.2	1	2.5	89	5.9	6.1	A
* 2148.0	9.1	6	2.5	87	5.9	6.1	C
* 2150.0	2.8	324	2.5	86	6.0	6.1	A
* 2152.0	4.1	360	2.5	90	6.1	6.2	A
* 2154.0	6.7	5	2.5	91	6.1	6.3	A
* 2156.0	9.5	355	2.5	87	6.1	6.3	A
* 2158.0	13.2	2	2.5	86	6.1	6.2	C
* 2160.0	8.7	2	2.5	87	6.0	6.2	A
* 2162.0	8.7	2	2.5	89	6.0	6.2	A
* 2164.0	5.0	2	2.5	89	6.0	6.1	A
* 2166.0	9.3	16	2.5	88	5.9	6.0	A
* 2168.0	9.1	15	2.5	88	6.0	5.9	A
* 2170.0	8.0	21	2.5	90	6.0	6.0	A
* 2172.0	9.2	12	2.5	94	6.0	6.1	A
* 2174.0			2.5	96	6.0	6.1	
* 2176.0			2.5	96	5.9	6.1	
* 2178.0			2.4	94	6.0	6.1	
* 2180.0			2.4	91	6.0	6.0	
* 2182.0	10.9	40	2.4	87	6.0	6.1	A
* 2184.0	11.1	23	2.4	86	6.0	6.1	A
* 2186.0	12.4	35	2.4	87	6.1	6.1	A
* 2188.0	11.1	4	2.4	86	6.0	6.1	C
* 2190.0	9.8	18	2.4	93	6.0	6.0	A
* 2192.0	11.4	22	2.4	101	5.9	5.9	A
* 2194.0	10.0	22	2.4	97	5.9	5.9	A
* 2196.0	12.1	20	2.4	95	6.0	5.9	C
* 2198.0	13.5	18	2.4	99	6.0	6.0	A
* 2200.0	13.5	15	2.4	98	6.0	6.0	A
* 2202.0	8.3	24	2.4	97	6.1	6.0	A
* 2204.0	5.7	317	2.4	96	6.1	6.1	A
* 2206.0	7.6	333	2.4	96	6.2	6.2	A



* FORMATION *					* BOREHOLE *			* QUAL. *	

* DEPTH *	* DIP *	* DIP *	* DEV. *	* DEV. *	* DIAM *	* DIAM *	* BEST *	* INDEX *	
		AZI.		AZI.	1-3	2-4	=A		

* 2208.0	9.1	339	2.4	96	6.2	6.2	A	*	
* 2210.0	8.8	331	2.4	96	6.2	6.1	A	*	
* 2212.0	7.4	343	2.4	99	6.1	6.1	A	*	
* 2214.0	6.8	345	2.4	97	6.1	6.0	A	*	
* 2216.0	6.2	339	2.4	95	6.1	6.1	A	*	
* 2218.0	6.4	325	2.4	96	6.2	6.1	A	*	
* 2220.0	5.3	315	2.4	95	6.1	6.1	A	*	
* 2222.0	5.9	331	2.4	95	6.0	6.0	A	*	
* 2224.0	6.7	316	2.4	97	5.9	6.0	C	*	
* 2226.0	7.1	283	2.4	98	5.9	6.0	C	*	
* 2228.0	12.7	314	2.4	100	5.9	5.9	C	*	
* 2230.0	13.3	300	2.4	103	5.9	6.0	C	*	
* 2232.0	15.0	319	2.4	102	5.8	6.0	C	*	
* 2234.0	9.3	336	2.4	98	5.9	5.9	C	*	
* 2236.0	9.6	329	2.4	97	5.9	5.9	A	*	
* 2238.0	8.1	320	2.4	101	5.9	6.0	A	*	
* 2240.0	14.3	331	2.4	104	5.9	6.0	C	*	
* 2242.0	9.6	338	2.4	106	5.8	5.9	A	*	
* 2244.0	10.1	311	2.4	109	5.8	5.9	C	*	
* 2246.0	10.7	341	2.4	106	5.9	5.9	A	*	
* 2248.0	10.2	345	2.4	101	5.9	6.0	A	*	
* 2250.0	8.4	342	2.4	99	6.0	6.0	A	*	
* 2252.0	6.3	331	2.5	98	5.9	6.0	A	*	
* 2254.0	7.0	331	2.5	101	5.8	6.0	A	*	
* 2256.0	8.7	321	2.4	98	5.8	5.9	A	*	
* 2258.0	10.0	308	2.5	95	5.8	5.9	A	*	
* 2260.0			2.5	99	5.6	5.9		*	
* 2262.0			2.5	101	5.7	5.8		*	
* 2264.0			2.5	108	5.9	5.9		*	
* 2266.0	12.4	22	2.5	111	5.8	5.9	B	*	
* 2268.0	12.1	23	2.5	106	5.8	6.0	B	*	
* 2270.0	11.8	24	2.5	104	5.9	6.0	D	*	
* 2272.0	7.3	349	2.5	102	5.9	6.0	A	*	
* 2274.0	7.5	338	2.5	99	6.0	6.0	A	*	
* 2276.0	7.6	338	2.5	100	6.0	6.0	A	*	
* 2278.0	7.0	339	2.6	101	6.0	6.0	A	*	
* 2280.0	9.8	334	2.6	109	6.0	6.0	A	*	
* 2282.0	9.5	335	2.6	114	6.0	6.0	A	*	
* 2284.0	5.7	335	2.6	111	6.0	6.0	A	*	
* 2286.0	7.1	328	2.6	109	6.0	6.0	A	*	

* FURMATION * BOREHOLE * QUAL. *

* ----- * INDEX *

* DEPTH * DIP DIP * DEV. DEV. DIAM DIAM * BEST *

* * AZI. * AZI. 1-3 2-4 * =A *

* * * * *

* 2288.0 4.9 20 2.5 111 6.0 6.0 A *

* 2290.0 6.0 21 2.5 113 6.0 6.0 A *

* 2292.0 8.5 10 2.5 108 5.9 6.0 A *

* 2294.0 6.2 5 2.5 105 6.0 6.0 A *

* 2296.0 7.0 10 2.5 105 6.0 6.0 A *

* 2298.0 8.5 1 2.5 110 6.0 6.0 A *

* 2300.0 16.0 19 2.5 114 6.0 5.9 C *

* 2302.0 13.3 294 2.5 115 5.9 5.9 C *

* 2304.0 11.0 298 2.5 115 6.0 5.9 C *

* 2306.0 17.4 333 2.5 114 6.0 5.9 C *

* 2308.0 12.4 349 2.5 116 6.0 5.9 C *

* 2310.0 10.2 358 2.6 122 6.0 6.0 A *

* 2312.0 9.2 6 2.6 119 6.0 6.0 A *

* 2314.0 6.6 306 2.6 110 5.9 6.0 A *

* 2316.0 5.4 275 2.6 109 5.8 6.0 A *

* 2318.0 4.7 14 2.7 113 5.8 5.9 A *

* 2320.0 9.3 2 2.7 117 5.8 5.9 A *

* 2322.0 9.1 357 2.7 119 5.9 5.8 A *

* 2324.0 9.1 352 2.7 116 6.0 5.8 A *

* 2326.0 10.5 360 2.7 112 6.0 5.9 A *

* 2328.0 10.1 350 2.7 107 5.9 5.9 A *

* 2330.0 8.1 330 2.7 100 5.9 5.9 C *

* 2332.0 5.4 328 2.7 104 5.8 5.9 A *

* 2334.0 4.2 341 2.7 111 5.8 6.0 A *

* 2336.0 5.4 338 2.7 108 5.8 6.1 A *

* 2338.0 7.7 325 2.7 101 5.8 6.1 A *

* 2340.0 9.2 346 2.7 100 5.7 6.0 C *

* 2342.0 10.4 324 2.7 104 5.7 6.1 A *

* 2344.0 8.1 325 2.7 108 5.8 6.1 A *

* 2346.0 6.9 337 2.7 107 5.8 6.1 A *

* 2348.0 8.1 314 2.7 105 5.8 6.1 A *

* 2350.0 5.9 315 2.7 103 5.8 6.1 A *

* 2352.0 7.7 23 2.7 103 5.8 6.1 A *

* 2354.0 8.9 32 2.7 103 5.8 6.1 C *

* 2356.0 6.8 329 2.8 104 5.8 6.0 A *

* 2358.0 5.3 313 2.8 104 5.8 6.0 A *

* 2360.0 3.3 319 2.8 106 5.9 6.0 A *

* 2362.0 2.4 121 2.8 111 5.9 6.1 A *

* 2364.0 1.2 112 2.8 113 6.0 6.1 A *

* 2366.0 2.8 116 2.8 116 6.0 6.0 A *



* FFORMATION *					* BOREHOLE *			* QUAL. *	

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	INDEX	
		AZI.		AZI.	1-3	2-4	=A		

* 2368.0	4.9	103	2.7	118	6.0	5.9		C	*
* 2370.0	3.4	346	2.7	113	6.0	6.0		A	*
* 2372.0	19.4	334	2.7	112	5.9	6.0		D	*
* 2374.0			2.7	112	6.0	6.0			*
* 2376.0			2.8	112	6.0	5.9			*
* 2378.0			2.8	111	6.0	6.0			*
* 2380.0			2.8	110	6.0	6.0			*
* 2382.0			2.8	112	6.0	6.1			*
* 2384.0			2.8	111	6.0	6.1			*
* 2386.0			2.9	110	5.9	6.1			*
* 2388.0	15.0	316	2.9	110	5.9	6.0		B	*
* 2390.0	14.1	326	2.9	109	5.8	6.0		B	*
* 2392.0	13.1	328	2.9	108	5.8	6.0		D	*
* 2394.0			2.9	107	5.8	6.0			*
* 2396.0			3.0	108	5.8	6.0			*
* 2398.0	30.9	34	2.9	110	5.9	6.0		D	*
* 2400.0	35.0	34	2.9	112	5.8	6.0		D	*
* 2402.0			2.9	113	6.9	6.0			*
* 2404.0	17.9	352	2.9	107	6.0	6.0		D	*
* 2406.0	16.2	336	2.9	102	6.0	6.0		D	*
* 2408.0			2.9	102	5.9	6.0			*
* 2410.0	14.9	337	2.9	104	5.8	6.0		D	*
* 2412.0			2.9	106	5.9	6.0			*
* 2414.0			2.9	107	5.9	6.0			*
* 2416.0			3.0	106	6.0	6.1			*
* 2418.0			3.0	104	6.0	6.2			*
* 2420.0			3.0	103	6.0	6.3			*
* 2422.0			3.0	99	6.0	6.2			*
* 2424.0			3.0	93	6.0	6.2			*
* 2426.0			3.0	93	5.9	6.2			*
* 2428.0			3.0	101	5.9	6.2			*
* 2430.0			3.0	106	6.0	6.1			*
* 2432.0	7.0	357	3.0	107	6.1	6.2		D	*
* 2434.0			3.0	110	6.0	6.0			*
* 2436.0			3.1	105	5.9	6.0			*
* 2438.0			3.1	96	6.0	6.2			*
* 2440.0	14.1	348	3.1	96	6.1	6.2		D	*
* 2442.0			3.0	96	6.1	6.3			*
* 2444.0	4.9	87	3.0	95	6.1	6.2		D	*
* 2446.0			3.0	91	6.1	6.1			*

 * FURNATION * SUPPHOLL * QUAL. *
 * ----- * INDEX *
 * DEPTH * DIP DIP * DEV. DEV. DIAM DIAM * BEST *
 * * * AZI. * AZI. 1-4 2-4 * =A *

* 2448.0			3.0	87	6.1	6.2		*
* 2450.0	6.0	357	3.0	84	6.2	6.3	B	*
* 2452.0			3.0	89	6.1	6.3		*
* 2454.0			3.0	99	6.0	6.1		*
* 2456.0	9.4	349	3.0	101	5.9	6.0	A	*
* 2458.0	8.8	354	3.0	101	6.0	6.1	A	*
* 2460.0			3.0	101	6.0	6.1		*
* 2462.0	5.3	38	3.0	100	6.0	6.1	C	*
* 2464.0	11.0	360	3.0	99	6.0	6.1	C	*
* 2466.0	13.5	351	3.0	100	6.0	6.1	A	*
* 2468.0	10.6	336	3.0	98	6.0	6.1	A	*
* 2470.0			3.0	96	6.0	6.1		*
* 2472.0			3.0	98	6.0	6.1		*
* 2474.0			3.0	102	6.0	6.1		*
* 2476.0	4.3	286	3.0	103	6.1	6.1	D	*
* 2478.0	5.8	221	3.0	103	6.1	6.1	B	*
* 2480.0	6.2	245	3.0	102	6.0	6.1	b	*
* 2482.0			3.0	100	5.9	6.0		*
* 2484.0			3.0	99	5.9	6.0		*
* 2486.0			3.1	99	6.0	6.0		*
* 2488.0			3.1	100	6.0	6.0		*
* 2490.0			3.1	101	6.0	6.1		*
* 2492.0	10.4	16	3.1	103	6.0	6.1	A	*
* 2494.0	13.7	6	3.2	103	6.0	6.1	A	*
* 2496.0	13.5	9	3.1	104	6.0	6.1	A	*
* 2498.0	3.3	360	3.1	103	6.0	6.1	A	*
* 2500.0	6.0	42	3.0	104	6.0	6.1	A	*
* 2502.0	7.1	68	3.0	105	6.0	6.0	A	*
* 2504.0	8.0	73	3.0	104	6.0	6.0	C	*
* 2506.0	6.6	359	3.0	102	6.0	6.0	C	*
* 2508.0	8.8	341	3.0	102	6.0	6.0	C	*
* 2510.0	8.7	348	3.0	104	6.0	6.0	A	*
* 2512.0	10.4	346	3.0	104	6.0	6.0	A	*
* 2514.0	11.3	344	3.0	104	6.0	6.0	A	*
* 2516.0	9.4	346	3.0	104	6.0	6.0	C	*
* 2518.0	5.8	347	3.0	102	6.0	6.0	A	*
* 2520.0	10.5	347	3.0	102	5.9	6.0	A	*
* 2522.0	13.8	5	3.0	104	6.0	6.0	D	*
* 2524.0	8.4	337	3.0	105	6.0	6.0	D	*
* 2526.0	8.4	300	3.0	106	6.0	6.0	D	*

FORMATION					BUREHOLE			QUAL.	
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	INDEX	BEST	
		AZI.		AZI.	1-3	2-4		=A	

* 2528.0	13.0	355	3.0	108	6.0	6.0		D	*
* 2530.0	4.5	41	3.0	108	6.0	6.0		D	*
* 2532.0	4.5	31	2.9	105	6.0	5.9		D	*
* 2534.0	8.5	335	2.9	103	6.0	5.9		B	*
* 2536.0	7.7	340	2.9	102	6.0	5.9		B	*
* 2538.0	9.1	348	2.9	98	6.0	5.9		D	*
* 2540.0	9.6	334	2.9	97	6.0	5.9		D	*
* 2542.0	6.1	317	2.8	103	6.0	5.9		D	*
* 2544.0			2.8	108	6.0	5.9			*
* 2546.0			2.9	109	6.0	5.9			*
* 2548.0	7.5	80	2.8	109	5.9	5.9		D	*
* 2550.0	7.0	24	2.8	110	5.9	6.0		B	*
* 2552.0	5.9	360	2.8	110	6.0	6.0		B	*
* 2554.0	1.6	283	2.8	114	6.0	6.0		B	*
* 2556.0	10.7	31	2.8	117	5.9	6.0		D	*
* 2558.0	6.9	46	2.8	112	6.0	6.0		D	*
* 2560.0	10.4	347	2.8	110	6.0	6.0		D	*
* 2562.0	6.7	340	2.8	110	5.9	6.0		D	*
* 2564.0	16.1	198	2.8	109	5.9	6.0		B	*
* 2566.0	9.5	332	2.8	111	5.9	6.0		D	*
* 2568.0	7.5	344	2.8	115	6.0	5.9		A	*
* 2570.0	7.1	350	2.8	116	5.9	5.9		A	*
* 2572.0	8.5	343	2.8	117	5.9	5.9		A	*
* 2574.0	9.4	354	2.8	116	6.0	5.9		A	*
* 2576.0	7.0	332	2.8	113	6.0	5.9		A	*
* 2578.0	4.8	311	2.8	113	5.9	5.9		A	*
* 2580.0	5.1	318	2.8	119	5.9	5.9		A	*
* 2582.0	7.8	328	2.7	124	6.0	5.8		A	*
* 2584.0	8.9	334	2.7	126	5.9	5.8		A	*
* 2586.0	9.3	310	2.7	128	5.9	5.9		C	*
* 2588.0	10.5	349	2.8	125	5.8	5.9		A	*
* 2590.0	10.3	354	2.8	120	5.8	5.9		A	*
* 2592.0	11.8	355	2.7	118	5.9	5.9		C	*
* 2594.0	16.0	354	2.8	118	5.9	6.0		A	*
* 2596.0	12.1	360	2.8	118	5.9	6.0		A	*
* 2598.0	8.7	334	2.8	115	5.8	5.9		A	*
* 2600.0	9.7	340	2.9	111	5.8	5.7		A	*
* 2602.0	13.4	340	2.9	111	5.9	5.6		A	*
* 2604.0	11.2	2	3.0	109	6.0	5.5		C	*
* 2606.0			3.0	113	5.8	5.6			*

FORMATION				BUREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST #A	INDEX
2608.0	10.8	325	3.0	116	5.7	5.7	A	*
2610.0	6.7	355	3.0	113	5.7	5.7	A	*
2612.0	7.9	13	2.9	117	5.7	5.7	A	*
2614.0	8.2	358	2.9	118	5.7	5.6	A	*
2616.0	9.3	354	2.8	117	5.7	5.7	A	*
2618.0	9.5	13	2.8	117	5.7	5.9	A	*
2620.0	10.5	15	2.7	117	5.7	6.0	A	*
2622.0	9.9	14	2.7	119	5.7	6.0	A	*
2624.0	7.1	18	2.7	120	5.8	6.0	A	*
2626.0	8.0	6	2.7	120	5.9	6.0	A	*
2628.0	10.9	24	2.7	118	5.9	5.9	C	*
2630.0	8.8	359	2.7	117	5.9	5.9	A	*
2632.0	9.0	359	2.7	119	5.9	6.0	A	*
2634.0	11.7	346	2.7	119	5.9	6.0	C	*
2636.0			2.7	119	5.8	6.0		*
2638.0			2.7	119	5.8	6.0		*
2640.0	7.0	336	2.7	118	5.9	5.9	C	*
2642.0	11.8	348	2.7	116	5.8	5.9	A	*
2644.0	12.3	360	2.7	116	5.8	5.9	A	*
2646.0	7.3	10	2.7	116	5.9	5.9	A	*
2648.0	8.4	356	2.6	112	5.9	5.9	A	*
2650.0	12.5	341	2.6	108	5.9	5.8	A	*
2652.0	12.4	349	2.6	107	5.9	5.8	C	*
2654.0	12.8	352	2.6	107	5.9	5.8	A	*
2656.0	8.2	352	2.7	109	5.9	5.9	A	*
2658.0	10.5	353	2.7	112	5.9	6.0	A	*
2660.0	12.0	351	2.7	112	5.9	6.0	A	*
2662.0	9.9	353	2.7	112	5.9	6.1	A	*
2664.0	10.3	347	2.7	108	5.9	6.0	A	*
2666.0	10.0	353	2.7	104	5.9	6.0	A	*
2668.0	7.8	2	2.7	107	5.9	6.0	A	*

* FORMATION * BOREHOLE * QUAL. *

----------* INDEX *

* DEPTH * DIP DIP * DEV. DEV. DIAM DIAM * BEST *

* * AZI. * AZI. 1-3 2-4 * #A *

DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST #A
436.0			0.1	118	7.9	7.7	
438.0			0.2	135	8.8	7.0	
440.0	56.0	172	0.2	121	8.8	6.7	D
442.0			0.2	77	8.5	6.7	
444.0			0.3	66	8.3	6.5	
446.0			0.4	68	8.1	6.4	
448.0			0.6	66	7.6	6.5	
450.0			0.7	59	6.6	6.4	
452.0			0.7	54	6.2	6.3	
454.0			0.8	50	6.3	6.3	
456.0			0.8	46	6.3	6.3	
458.0	49.3	33	0.8	49	6.4	6.2	D
460.0	51.4	43	0.7	54	6.5	6.3	B
462.0			0.7	56	6.5	6.3	
464.0			0.7	55	6.4	6.2	
466.0			0.7	54	6.3	6.1	
468.0			0.6	59	6.2	6.1	
470.0			0.6	62	6.2	6.1	
472.0			0.7	53	6.1	6.1	
474.0	11.2	214	0.7	47	6.1	6.1	B
476.0	8.6	214	0.7	51	6.1	6.2	B
478.0			0.6	52	6.0	6.2	
480.0			0.6	51	5.9	6.1	
482.0			0.7	56	5.9	6.0	
484.0			0.8	60	5.9	6.0	
486.0			0.8	55	5.9	6.0	
488.0			0.8	51	6.0	6.1	
490.0			0.8	54	6.0	6.1	
492.0			0.8	58	6.0	6.1	
494.0			0.7	57	6.0	6.1	
496.0			0.7	57	6.1	6.1	
498.0	7.6	275	0.6	56	6.1	6.2	B
500.0	7.1	180	0.6	53	6.1	6.3	D
502.0	6.0	279	0.6	52	6.2	6.2	D
504.0	8.7	296	0.7	52	6.3	6.3	D
506.0	7.6	294	0.8	51	6.3	6.3	D
508.0	7.2	335	0.8	50	6.3	6.3	D
510.0	6.8	351	0.7	56	6.3	6.3	D
512.0	4.3	245	0.7	50	6.2	6.3	B
514.0	8.0	239	0.6	51	6.3	6.3	B

FORMATION				BOREHOLE				QUAL.	INDEX
DEPTH	DIP	DIP AZI.	LEV.	DEV.	DIAM 1-3	DIAM 2-4	BEST	=A	
516.0	8.7	245	0.6	51	6.4	6.3	A	*	
518.0	7.6	241	0.6	53	6.5	6.3	A	*	
520.0	8.1	255	0.6	57	6.6	6.3	A	*	
522.0	12.0	247	0.5	56	6.5	6.3	A	*	
524.0	8.8	243	0.5	51	6.4	6.3	A	*	
526.0	8.8	243	0.5	50	6.3	6.4	A	*	
528.0			0.6	52	6.3	6.4		*	
530.0			0.7	54	6.3	6.4		*	
532.0	3.9	266	0.7	54	6.3	6.4	A	*	
534.0	3.7	278	0.6	53	6.3	6.4	A	*	
536.0			0.6	51	6.2	6.4		*	
538.0			0.6	51	6.0	6.3		*	
540.0			0.6	51	5.9	6.3		*	
542.0			0.5	53	5.8	6.3		*	
544.0	12.0	194	0.5	46	5.8	6.3	C	*	
546.0	1.0	206	0.5	41	6.0	6.2	C	*	
548.0	8.6	267	0.5	40	6.1	6.2	A	*	
550.0	9.4	239	0.5	41	6.0	6.1	A	*	
552.0	12.0	229	0.5	44	6.1	6.3	A	*	
554.0	11.7	219	0.5	45	6.2	6.4	A	*	
556.0	11.3	233	0.5	45	6.3	6.3	A	*	
558.0	12.0	114	0.5	47	6.2	6.3	D	*	
560.0	16.6	181	0.5	49	6.2	6.4	C	*	
562.0	14.1	241	0.5	50	6.3	6.4	A	*	
564.0	14.7	239	0.5	50	6.3	6.4	A	*	
566.0	11.8	232	0.5	52	6.3	6.4	A	*	
568.0	10.9	228	0.5	52	6.3	6.4	A	*	
570.0	8.8	231	0.5	51	6.3	6.4	A	*	
572.0	6.8	239	0.5	52	6.3	6.4	A	*	
574.0	8.0	238	0.5	55	6.3	6.3	A	*	
576.0	11.8	258	0.5	57	6.2	6.3	A	*	
578.0	10.6	286	0.5	54	6.2	6.3	A	*	
580.0	7.9	285	0.5	48	6.2	6.3	A	*	
582.0			0.5	51	6.2	6.3		*	
584.0			0.5	53	6.1	6.3		*	
586.0			0.5	49	6.1	6.3		*	
588.0	6.3	277	0.5	47	6.2	6.3	A	*	
590.0	6.6	272	0.5	45	6.3	6.4	A	*	
592.0	6.6	256	0.5	44	6.3	6.4	A	*	
594.0	7.3	254	0.5	44	6.3	6.3	A	*	


```

*****
*          *      FORMATION          *      BOREHOLE          *      QUAL. *
*          *-----*-----*-----*-----*-----*-----*-----*-----*
*  DEPTH  *  DIP    DIP    *  DEV.    DEV.    DIAM    DIAM  *  BEST  *
*          *      AZI.  *      AZI.    1-3    2-4  *  =A   *
*****
*
*  596.0   7.3    278    0.5    44    6.3    6.3    A    *
*  598.0   6.9    276    0.5    44    6.3    6.3    A    *
*  600.0   6.2    283    0.5    43    6.3    6.3    A    *
*  602.0   5.2    281    0.5    42    6.3    6.3    A    *
*  604.0   5.2    283    0.5    42    6.3    6.3    A    *
*  606.0   5.4    283    0.5    42    6.3    6.3    A    *
*  608.0   5.4    282    0.5    44    6.3    6.3    A    *
*  610.0   5.5    288    0.5    47    6.3    6.3    A    *
*  612.0   4.8    266    0.5    44    6.3    6.3    A    *
*  614.0   5.4    273    0.5    39    6.2    6.2    A    *
*****

```

WELCHHOLD ENERGY CORP.

WELL #12-14

SUMMARY

DEPTH	GIP	DIP	DEV	DEV	DIAM	DIAM	QUAL
		AZI		AZI	1-3	2-4	
TOP							
436.0	19.9	60.	0.4	101.	7.6	8.0	*
BOTTOM							
2668.0	7.8	2.	2.7	107.	5.9	6.0	A
TOT							
438.0	9.9	341.	0.2	135.	8.9	7.0	*
BOTTOM							
614.0	5.4	273.	0.5	39.	6.2	6.2	A