



## DIP LOG CALCULATIONS

<b>COMPANY</b>	REICHHOLD ENERGY CORPORATION		
<b>WELL</b>	N.N.G. - MERRILL NO. 1		
<b>FIELD</b>	SALEM HILLS PROSPECT		
<b>COUNTY</b>	MARION	STATE	OREGON

**WELEX**

A **Halliburton** Company

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS		
								NO.1	NO.2	NO.3
622.0	622.4 B	2.0	287.	1.2	352.	309.	11.4	0.0	.40	.30
622.4	622.8 B	1.4	295.	1.2	352.	309.	11.3	0.0	.30	.30
622.8	623.3 B	1.3	347.	1.1	352.	309.	11.3	0.0	.20	.40
626.8	627.8 C	3.0	191.	1.1	352.	309.	10.7	0.0	-.10	-.30
629.2	630.1 B	1.5	17.	1.1	352.	309.	10.4	0.0	.10	.40
630.1	630.8 C	2.3	290.	1.1	352.	309.	10.3	0.0	.40	.30
634.3	635.0 A	5.5	80.	1.2	352.	309.	9.9	0.0	-.60	.30
641.8	642.5 B	3.3	23.	1.2	352.	309.	9.4	0.0	.10	.60
651.7	652.4 C	5.9	358.	1.1	2.	312.	9.5	0.0	.50	1.00
655.5	656.0 C	2.4	2.	1.1	2.	312.	9.6	0.0	.20	.50
663.3	663.7 C	5.1	22.	1.1	2.	321.	9.7	0.0	.30	.90
666.7	667.3 C	5.9	42.	1.2	2.	319.	9.8	0.0	.00	.90
670.3	670.6 B	5.4	32.	1.2	2.	316.	9.8	0.0	.10	.90
672.8	674.1 D	4.0	73.	1.2	2.	307.	9.7	0.0	-.40	.30
674.1	674.6 A	4.0	70.	1.2	2.	305.	9.6	0.0	-.40	.30
677.2	677.6 D	2.7	50.	1.1	2.	311.	9.5	0.0	-.10	.40
682.3	682.8 C	3.3	54.	1.1	2.	307.	9.3	0.0	-.20	.40
690.2	690.4 B	5.6	68.	1.1	2.	307.	9.3	0.0	-.50	.40
692.8	693.0 C	2.9	82.	1.1	2.	310.	9.3	0.0	-.30	.20
697.3	697.7 D	2.6	324.	1.1	2.	320.	9.3	0.0	.40	.40
699.4	699.8 B	2.5	326.	1.1	2.	322.	9.4	0.0	.40	.40
704.8	705.2 B	2.6	218.	1.0	35.	307.	9.4	0.0	.00	-.20
706.6	707.1 C	2.8	302.	1.0	352.	299.	9.4	0.0	.40	.40
710.8	711.1 C	2.2	119.	1.0	352.	294.	9.4	0.0	-.30	-.10
721.6	721.7 C	6.3	88.	1.0	352.	288.	9.4	0.0	-.90	-.20
725.2	725.6 D	2.9	161.	.9	352.	289.	9.4	0.0	-.20	-.30
736.8	737.5 D	1.5	163.	.9	352.	290.	9.4	0.0	-.10	-.10
745.3	745.7 D	3.7	350.	.9	352.	283.	9.4	0.0	.10	.60
749.7	750.8 C	4.0	354.	.9	352.	277.	9.4	0.0	.00	.60
750.8	751.3 D	5.9	310.	.9	352.	278.	9.4	0.0	.60	.90
752.4	752.7 D	4.3	317.	.9	351.	260.	9.4	0.0	.40	.70
755.0	756.0 D	3.4	24.	.9	350.	282.	9.5	0.0	-.20	.40
757.7	758.1 D	3.7	289.	.9	349.	282.	9.6	0.0	.50	.50
760.5	760.9 D	2.7	328.	.9	349.	281.	9.6	0.0	.20	.50
765.8	766.3 B	9.6	318.	.9	350.	278.	9.7	0.0	.90	1.50
773.9	774.7 C	6.5	108.	.9	352.	272.	9.6	0.0	-.90	-.70
777.3	777.7 B	9.4	70.	.9	354.	282.	9.6	0.0	-1.30	-.10
786.0	786.6 C	7.9	111.	.9	355.	280.	9.5	0.0	-1.10	-.80
790.8	791.3 D	4.7	97.	.8	355.	282.	9.6	0.0	-.70	-.30
796.7	797.2 D	1.9	102.	.8	355.	281.	9.5	0.0	-.30	-.10
797.2	797.6 D	1.9	102.	.8	355.	281.	9.5	0.0	-.30	-.10
798.8	799.2 C	6.4	323.	.8	355.	278.	9.5	0.0	.50	1.00
799.2	800.7 C	4.5	275.	.8	355.	274.	9.5	0.0	.60	.50
800.7	801.2 B	3.6	188.	.8	355.	272.	9.5	0.0	.10	-.30
812.3	812.7 D	6.5	53.	.8	355.	269.	9.6	0.0	-.90	.00
817.8	818.4 A	5.5	47.	.8	355.	270.	9.3	0.0	-.70	.10
819.3	819.7 C	6.6	35.	.8	355.	270.	9.3	0.0	-.70	.30
821.2	821.9 B	4.4	60.	.8	355.	274.	9.3	0.0	-.60	.00
826.0	826.5 C	8.1	81.	.8	355.	272.	9.3	0.0	-1.20	-.50
826.5	827.0 C	3.4	101.	.8	355.	272.	9.3	0.0	-.50	-.30
829.4	829.9 B	4.4	41.	.8	355.	273.	9.4	0.0	-.50	.20
846.4	846.8 A	2.2	0.	.8	3.	272.	9.4	0.0	-.10	.30
850.7	851.3 C	1.9	300.	.7	2.	281.	9.5	0.0	.20	.30
858.2	858.4 C	8.6	45.	.7	357.	276.	9.7	0.0	-1.00	.30
867.8	868.7 C	4.6	350.	.6	6.	290.	9.3	0.0	.20	.70

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
871.8	872.1	C	7.8	46.	.6	6.	274.	9.2	0.0	-.90	.20
880.2	880.4	D	14.1	312.	.5	6.	174.	8.9	0.0	-1.70	.00
889.0	889.2	D	23.6	230.	.7	3.	302.	9.0	0.0	1.60	-1.70
897.8	898.2	D	1.4	186.	.6	3.	273.	9.0	0.0	.00	-.10
900.2	901.1	C	3.9	177.	.6	3.	272.	9.0	0.0	.00	-.40
902.5	903.1	B	2.0	341.	.6	2.	270.	9.1	0.0	.00	.30
941.4	942.2	C	12.3	97.	.6	355.	248.	9.2	0.0	-1.40	-1.60
948.2	948.9	C	7.8	87.	.5	355.	249.	9.1	0.0	-1.00	-.90
960.8	961.7	C	9.0	65.	.5	2.	251.	9.1	0.0	-1.30	-.70
961.7	962.3	C	6.8	107.	.5	2.	251.	9.1	0.0	-.70	-.90
962.3	962.6	C	10.6	86.	.5	2.	251.	9.1	0.0	-1.40	-1.20
964.5	964.8	D	9.9	97.	.5	2.	246.	9.1	0.0	-1.10	-1.30
971.3	972.0	D	2.7	235.	.6	4.	242.	9.1	0.0	.30	.20
972.0	973.2	D	7.3	221.	.6	6.	243.	9.0	0.0	.90	.30
973.2	974.3	D	3.5	179.	.6	8.	243.	9.0	0.0	.20	-.20
974.3	975.4	C	5.0	149.	.6	10.	234.	9.0	0.0	.10	-.50
976.7	978.0	C	3.7	316.	.6	14.	196.	9.0	0.0	-.40	.10
980.9	982.1	B	5.9	72.	.6	18.	115.	8.9	0.0	.70	-.10
982.1	982.6	B	3.7	51.	.6	17.	89.	8.9	0.0	.50	.00
1018.3	1019.0	C	4.8	82.	.6	21.	254.	8.9	0.0	-.70	-.50
1021.8	1023.2	D	9.1	29.	.7	21.	194.	8.9	0.0	-1.20	-1.10
1023.2	1024.9	D	2.0	82.	.7	20.	171.	8.9	0.0	.00	-.30
1031.0	1031.2	D	6.0	2.	.9	17.	27.	8.9	0.0	.90	.30
1032.0	1032.2	D	1.6	243.	.9	18.	10.	8.9	0.0	.00	-.10
1038.3	1038.9	C	1.6	138.	.8	23.	270.	8.9	0.0	-.20	-.20
1040.0	1041.0	D	13.4	267.	.8	24.	233.	8.9	0.0	1.20	1.70
1043.8	1044.3	C	5.2	166.	.9	22.	146.	8.9	0.0	.60	.50
1044.3	1044.7	C	5.1	132.	.9	22.	137.	8.9	0.0	.70	.30
1046.3	1047.0	B	3.1	68.	.9	21.	91.	8.9	0.0	.50	.10
1048.7	1049.0	C	8.0	23.	.9	20.	40.	8.9	0.0	1.20	.50
1049.9	1050.9	C	3.8	31.	.9	20.	4.	8.9	0.0	.50	.60
1053.0	1053.5	A	7.0	53.	.9	22.	343.	8.9	0.0	.20	1.00
1057.8	1058.2	B	2.4	215.	.7	27.	250.	8.9	0.0	.20	.00
1064.0	1064.3	B	6.1	75.	.8	26.	71.	8.9	0.0	.90	.60
1065.9	1066.1	B	5.7	19.	.8	24.	9.	8.9	0.0	.80	.70
1067.0	1067.2	B	5.1	330.	.8	23.	300.	8.9	0.0	.80	1.10
1073.8	1074.3	C	2.5	31.	.9	25.	255.	8.9	0.0	-.40	.00
1075.2	1076.0	C	6.4	62.	.9	27.	226.	8.9	0.0	-.90	-.80
1077.0	1077.6	B	5.7	122.	.9	29.	192.	8.9	0.0	.30	-.50
1081.0	1081.6	B	4.8	33.	.9	31.	68.	8.9	0.0	.70	.10
1084.7	1085.5	C	2.1	114.	.9	30.	16.	8.9	0.0	.00	.30
1085.5	1086.5	B	1.8	81.	.9	29.	351.	8.9	0.0	.00	.30
1087.7	1088.5	A	2.4	4.	.9	28.	309.	8.9	0.0	.10	.40
1092.7	1093.0	C	1.5	82.	.9	27.	210.	8.9	0.0	-.20	-.30
1093.4	1094.0	A	1.7	22.	.9	27.	191.	8.9	0.0	-.30	-.30
1096.5	1096.8	C	4.6	60.	1.0	27.	105.	8.9	0.0	.60	-.10
1096.8	1097.3	C	1.6	62.	1.0	27.	96.	8.9	0.0	.30	.00
1098.5	1098.9	C	5.5	17.	1.0	27.	55.	8.9	0.0	.80	.10
1102.3	1102.7	B	2.7	49.	1.1	28.	352.	8.9	0.0	.20	.50
1102.7	1103.5	B	2.7	35.	1.0	28.	342.	8.9	0.0	.20	.50
1107.0	1108.0	A	5.5	30.	1.0	28.	259.	8.9	0.0	-.70	.10
1108.0	1109.1	B	6.5	45.	1.0	29.	242.	8.9	0.0	-1.00	-.40
1114.1	1114.3	D	4.7	113.	.9	32.	119.	8.8	0.0	.70	.30
1114.7	1115.2	C	3.1	68.	.9	33.	94.	8.8	0.0	.50	.10
1115.7	1116.2	C	6.0	38.	.9	34.	61.	8.8	0.0	.90	.30

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS		
								NO.1	NO.2	NO.3

1116.2	1117.3	C	6.0	41.	.9	34.	42.	8.8	0.0	.90	.60
1122.0	1122.3	C	8.5	120.	.9	37.	305.	8.8	0.0	-1.20	-.60
1126.7	1127.0	C	7.9	100.	.9	37.	196.	8.8	0.0	.00	-1.00
1129.1	1129.2	C	5.2	174.	1.0	37.	134.	8.8	0.0	.50	.60
1129.8	1130.0	C	3.8	98.	1.0	37.	111.	8.8	0.0	.60	.20
1131.6	1132.3	C	5.6	58.	1.0	38.	57.	8.8	0.0	.90	.60
1136.0	1136.2	C	1.6	159.	.9	41.	347.	8.8	0.0	-.20	.00
1137.4	1137.7	B	.9	91.	.9	42.	296.	8.8	0.0	-.20	.00
1137.9	1138.1	C	2.5	118.	.9	42.	278.	8.8	0.0	-.40	-.30
1138.8	1139.7	C	7.3	132.	.9	43.	243.	8.8	0.0	-.30	-1.00
1139.7	1140.4	B	3.9	132.	.9	43.	221.	8.8	0.0	.00	-.50
1140.4	1141.0	B	.7	91.	.9	43.	205.	8.8	0.0	-.10	-.20
1141.0	1141.7	B	.6	50.	.9	42.	187.	8.8	0.0	-.10	-.20
1143.9	1144.2	C	2.2	26.	.9	40.	105.	8.9	0.0	.20	-.20
1151.2	1151.5	D	4.2	147.	.9	36.	295.	8.9	0.0	-.50	-.50
1152.7	1153.3	A	3.6	108.	.9	38.	259.	8.9	0.0	-.50	-.50
1153.3	1153.7	C	3.5	97.	.9	38.	249.	8.9	0.0	-.50	-.50
1156.2	1156.7	B	2.3	105.	1.0	41.	178.	9.0	0.0	.10	-.30
1161.2	1161.6	C	3.5	346.	1.0	44.	30.	9.0	0.0	.50	.10
1164.7	1164.8	C	1.3	74.	.9	43.	330.	9.0	0.0	-.10	.20
1165.7	1166.3	B	1.2	155.	.9	43.	307.	9.0	0.0	-.20	-.10
1166.3	1167.3	C	3.1	92.	.9	43.	295.	9.0	0.0	-.50	-.10
1168.2	1169.2	C	4.9	108.	.8	42.	269.	9.0	0.0	-.70	-.60
1174.4	1174.9	B	5.2	99.	.9	42.	164.	9.0	0.0	.40	-.40
1176.0	1176.2	B	1.4	79.	.9	43.	132.	9.0	0.0	.20	-.10
1178.7	1179.2	C	2.3	28.	.9	43.	64.	9.0	0.0	.40	.10
1181.0	1182.0	C	4.6	67.	.9	42.	39.	9.0	0.0	.60	.70
1182.2	1182.7	A	4.4	21.	.9	42.	33.	9.0	0.0	.70	.40
1186.2	1186.5	A	5.8	49.	.9	40.	11.	9.0	0.0	.60	.90
1187.6	1188.2	A	7.5	57.	.9	39.	337.	9.0	0.0	.00	1.00
1192.9	1193.0	D	5.4	68.	.9	38.	280.	9.0	0.0	-.80	-.10
1194.0	1194.8	C	2.5	58.	.9	38.	278.	9.0	0.0	-.40	.00
1194.8	1195.2	B	2.5	58.	.9	38.	278.	9.0	0.0	-.40	.00
1195.7	1196.0	C	.8	121.	.9	38.	277.	9.0	0.0	-.20	-.10
1196.0	1196.3	B	2.5	57.	.9	38.	277.	9.0	0.0	-.40	.00
1197.5	1197.8	C	3.6	19.	.9	38.	277.	9.0	0.0	-.30	.30
1199.7	1200.0	C	6.5	80.	.9	38.	274.	9.0	0.0	-1.00	-.40
1202.0	1202.6	C	2.1	72.	.9	38.	274.	9.1	0.0	-.40	-.10
1204.5	1205.2	A	4.6	47.	.9	38.	276.	9.1	0.0	-.60	.10
1211.0	1211.3	B	7.1	48.	.9	38.	274.	9.1	0.0	-.90	.10
1211.3	1211.7	C	6.7	66.	.9	38.	274.	9.1	0.0	-1.00	-.20
1214.0	1214.3	C	1.6	114.	.9	38.	274.	9.2	0.0	-.30	-.20
1221.0	1221.2	C	4.3	23.	.9	38.	274.	9.2	0.0	-.40	.30
1227.0	1228.0	D	6.4	24.	.9	38.	278.	9.2	0.0	-.50	.50
1231.8	1232.6	D	4.3	23.	.9	38.	283.	9.2	0.0	-.30	.40
1234.0	1234.2	C	2.9	18.	.8	38.	283.	9.2	0.0	-.20	.30
1236.3	1236.5	C	3.6	25.	.8	38.	281.	9.2	0.0	-.30	.30
1239.5	1240.3	C	1.6	175.	.8	38.	275.	9.2	0.0	-.10	-.20
1240.3	1241.0	D	.9	52.	.8	38.	275.	9.2	0.0	-.20	.00
1243.6	1244.0	D	3.1	340.	.8	38.	274.	9.2	0.0	.00	.40
1247.0	1248.1	D	12.3	220.	.8	37.	266.	9.2	0.0	1.30	-.20
1252.5	1252.9	C	3.8	46.	.8	37.	277.	9.2	0.0	-.50	.10
1255.2	1256.1	D	1.6	8.	.8	37.	285.	9.2	0.0	-.10	.20
1256.1	1256.6	D	2.9	22.	.8	37.	286.	9.2	0.0	-.20	.30
1259.4	1260.0	C	1.5	94.	.8	37.	282.	9.2	0.0	-.30	-.10

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1260.0	1261.3	D	7.0	7.	.8	37.	281.	9.2	0.0	-.20	.80
1265.0	1265.9	C	4.3	25.	.8	35.	275.	9.3	0.0	-.40	.30
1269.8	1270.3	D	2.8	75.	.8	34.	267.	9.3	0.0	-.50	-.20
1288.2	1289.4	B	3.6	50.	.9	35.	262.	9.4	0.0	-.60	-.10
1296.5	1297.5	B	2.4	35.	.8	31.	259.	9.4	0.0	-.40	.00
1297.5	1298.2	C	2.1	54.	.8	30.	259.	9.4	0.0	-.40	-.10
1307.0	1308.3	B	.7	82.	.8	29.	254.	9.4	0.0	-.20	-.10
1314.0	1314.4	D	3.6	148.	.8	29.	259.	9.4	0.0	-.20	-.50
1321.7	1322.7	C	5.2	81.	.8	28.	251.	9.4	0.0	-.80	-.60
1330.3	1331.0	C	4.6	263.	.6	24.	250.	9.4	0.0	.50	.50
1351.0	1351.2	C	3.7	80.	.8	27.	254.	9.2	0.0	-.60	-.40
1352.8	1353.3	C	2.9	105.	.7	27.	254.	9.2	0.0	-.40	-.40
1367.3	1368.2	D	8.9	50.	.7	24.	257.	9.3	0.0	-1.30	-.30
1369.7	1371.2	C	5.0	64.	.7	22.	251.	9.3	0.0	-.80	-.40
1400.2	1400.6	D	3.1	31.	.7	22.	242.	9.3	0.0	-.50	-.10
1408.2	1408.8	C	6.5	90.	.7	18.	240.	9.3	0.0	-.80	-.90
1419.8	1420.2	D	3.7	95.	.7	14.	246.	9.3	0.0	-.50	-.50
1424.3	1425.2	D	6.5	133.	.7	17.	246.	9.3	0.0	-.30	-.90
1427.2	1427.3	D	6.1	92.	.7	19.	247.	9.3	0.0	-.80	-.80
1431.0	1432.3	C	4.7	113.	.7	20.	240.	9.3	0.0	-.40	-.70
1432.3	1433.1	B	4.3	54.	.7	20.	237.	9.3	0.0	-.70	-.40
1433.1	1434.4	C	2.6	10.	.7	19.	236.	9.3	0.0	-.40	.00
1434.4	1435.2	C	2.3	69.	.7	19.	236.	9.3	0.0	-.40	-.30
1435.2	1436.1	D	6.7	130.	.7	18.	236.	9.3	0.0	-.20	-.90
1439.9	1441.2	D	17.2	203.	.7	16.	250.	9.3	0.0	1.90	-.30
1473.8	1474.0	D	7.5	97.	.7	16.	248.	9.3	0.0	-.90	-1.00
1477.8	1478.2	C	10.5	201.	.6	14.	248.	9.3	0.0	1.10	-.20
1487.5	1488.0	A	6.2	91.	.6	13.	246.	9.3	0.0	-.80	-.80
1533.3	1534.5	D	9.2	47.	.7	11.	258.	9.3	0.0	-1.30	-.20
1536.0	1537.0	C	3.1	80.	.7	12.	255.	9.3	0.0	-.50	-.30
1557.0	1558.0	C	14.9	339.	.6	16.	261.	9.3	0.0	.00	1.90
1564.3	1565.0	B	4.3	46.	.6	11.	264.	9.3	0.0	-.60	.00
1568.9	1569.1	C	2.3	2.	.6	7.	257.	9.3	0.0	-.20	.20
1577.5	1578.7	D	22.9	284.	.6	12.	259.	9.3	0.0	2.70	3.10
1595.0	1595.2	D	23.6	259.	.5	10.	260.	9.3	0.0	3.40	2.20
1605.0	1605.6	D	24.0	275.	.5	11.	254.	9.2	0.0	3.00	3.10
1608.8	1609.2	D	4.4	320.	.6	15.	256.	9.2	0.0	.10	.60
1612.8	1613.4	C	5.3	67.	.6	14.	262.	9.2	0.0	-.80	-.30
1621.8	1622.2	C	3.1	70.	.6	8.	247.	9.2	0.0	-.50	-.30
1628.7	1629.4	C	5.7	34.	.6	7.	260.	9.2	0.0	-.70	.10
1635.6	1636.4	C	8.2	191.	.6	6.	241.	9.2	0.0	.80	-.20
1641.4	1642.2	B	4.0	13.	.6	6.	244.	9.2	0.0	-.50	.10
1648.7	1650.4	D	2.0	184.	.6	5.	245.	9.2	0.0	.10	-.10
1666.6	1669.0	D	7.0	153.	.6	20.	189.	9.0	0.0	.80	.00
1670.0	1671.0	C	5.0	197.	.6	24.	155.	9.0	0.0	.40	.60
1676.4	1678.1	C	7.6	67.	.6	17.	126.	9.0	0.0	.70	-.40
1688.7	1690.0	D	.7	135.	.6	14.	134.	9.0	0.0	.10	.00
1690.0	1691.0	D	1.2	176.	.6	15.	131.	9.0	0.0	.10	.10
1698.7	1699.7	C	4.4	100.	.6	17.	125.	9.0	0.0	.60	.10
1700.4	1700.8	C	1.9	185.	.6	17.	124.	9.0	0.0	.10	.20
1703.8	1704.0	D	4.4	151.	.5	15.	125.	9.1	0.0	.50	.50
1714.7	1715.0	D	5.3	60.	.5	8.	128.	9.3	0.0	.40	-.40
1716.0	1716.5	D	3.7	137.	.5	7.	134.	9.3	0.0	.50	.30
1717.0	1717.3	D	6.8	16.	.5	7.	134.	9.3	0.0	-.30	-1.00
1728.2	1728.8	C	7.4	69.	.5	6.	140.	9.4	0.0	.50	-.60

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
1730.9	1731.2	A	6.5	97.	.5	6.	145.	9.4	0.0	.70	-.20
1749.2	1750.0	C	4.4	100.	.4	6.	144.	9.4	0.0	.50	-.10
1750.0	1750.8	C	6.7	77.	.4	6.	144.	9.4	0.0	.50	-.50
1750.8	1751.2	B	4.1	88.	.4	6.	142.	9.4	0.0	.40	-.20
1764.7	1766.7	C	15.4	63.	.5	6.	136.	9.4	0.0	1.00	-1.30
1778.5	1779.0	D	7.3	297.	.4	5.	150.	9.5	0.0	-1.00	-.20
1781.2	1781.7	A	5.2	43.	.4	5.	142.	9.5	0.0	.00	-.70
1785.0	1785.4	D	5.7	219.	.4	5.	148.	9.5	0.0	.10	.70
1806.8	1807.3	D	12.4	294.	.4	8.	146.	9.6	0.0	-1.70	-.30
1814.2	1814.5	D	7.1	162.	.4	8.	134.	9.6	0.0	.80	.90
1814.5	1815.7	B	9.4	177.	.4	8.	133.	9.6	0.0	.80	1.30
1815.7	1816.2	A	5.6	125.	.4	8.	131.	9.6	0.0	.80	.40
1819.0	1819.3	B	5.3	336.	.4	8.	140.	9.6	0.0	-.70	-.70
1826.0	1826.4	B	3.0	39.	.4	7.	161.	9.6	0.0	-.20	-.50
1834.8	1835.3	B	8.9	97.	.4	6.	157.	9.6	0.0	.80	-.50
1841.2	1841.8	C	4.0	178.	.4	7.	166.	9.6	0.0	.50	.40
1862.8	1863.2	D	6.0	155.	.5	10.	105.	10.3	0.0	.50	.90
1865.0	1865.2	D	5.3	163.	.5	10.	71.	10.2	0.0	-.10	.60
1901.0	1902.0	C	3.8	36.	.6	360.	5.	9.6	0.0	.50	.60
1902.9	1903.1	D	4.6	268.	.6	360.	6.	9.6	0.0	.10	-.50
1921.3	1922.0	D	6.8	339.	.5	358.	358.	9.3	0.0	1.00	.40
1926.3	1927.2	A	5.7	55.	.5	357.	339.	9.3	0.0	.10	.80
1927.2	1927.7	A	4.1	51.	.5	357.	336.	9.4	0.0	.10	.60
1937.3	1938.3	B	5.0	75.	.7	348.	355.	9.4	0.0	.10	.70
1943.0	1943.3	C	4.6	81.	.8	347.	352.	9.5	0.0	.00	.60
1964.3	1965.3	D	4.8	32.	.6	347.	331.	10.1	0.0	.30	.80
1978.0	1978.4	C	5.2	227.	.5	354.	330.	9.6	0.0	.00	-.60
2001.0	2003.0	D	13.3	211.	.6	346.	347.	9.7	0.0	-1.10	-1.90
2009.8	2010.0	D	10.9	207.	.6	353.	356.	9.3	0.0	-1.10	-1.40
2027.4	2028.0	C	10.4	88.	.5	346.	346.	9.5	0.0	-.50	1.00
2035.5	2037.3	D	32.6	77.	.6	340.	351.	9.5	0.0	-.50	4.30
2043.8	2044.8	C	8.2	116.	.6	338.	332.	9.5	0.0	-1.00	.00
2046.8	2047.1	C	1.8	6.	.6	338.	344.	9.5	0.0	.30	.30
2054.2	2054.5	D	5.2	123.	.6	340.	321.	9.7	0.0	-.70	-.20
2063.7	2064.2	B	8.3	112.	.6	335.	244.	9.8	0.0	-.70	-1.20
2069.3	2069.7	D	11.2	279.	.5	323.	229.	9.8	0.0	.80	1.70
2076.0	2077.5	D	6.4	25.	.5	327.	237.	9.5	0.0	-.90	-.10
2084.9	2085.2	C	2.9	83.	.4	330.	220.	9.5	0.0	-.30	-.40
2085.5	2086.3	C	2.1	299.	.4	330.	227.	9.5	0.0	.00	.30
2088.2	2089.8	C	2.5	241.	.4	330.	231.	9.5	0.0	.30	.30
2090.0	2090.3	C	4.3	68.	.4	330.	231.	9.5	0.0	-.60	-.50
2092.0	2092.2	D	14.2	185.	.4	331.	214.	9.4	0.0	1.90	.40
2102.0	2104.0	C	7.6	82.	.4	335.	168.	9.2	0.0	.20	-.80
2104.0	2106.0	C	7.5	77.	.3	335.	164.	9.2	0.0	.20	-.80
2106.0	2108.0	C	9.8	164.	.3	336.	161.	9.2	0.0	1.30	.90
2110.0	2112.0	B	17.4	203.	.3	336.	140.	9.3	0.0	.70	2.40
2118.0	2120.0	C	3.1	295.	.3	333.	100.	9.4	0.0	-.40	-.40
2120.0	2122.0	B	1.1	317.	.3	333.	95.	9.4	0.0	-.10	-.20
2122.0	2123.5	C	13.9	85.	.3	333.	97.	9.4	0.0	2.00	.90
2125.5	2126.3	C	17.5	160.	.3	333.	114.	9.4	0.0	1.40	2.50
2126.3	2128.0	C	22.6	152.	.3	333.	107.	9.3	0.0	1.90	3.30
2130.0	2130.6	C	22.8	143.	.4	333.	102.	9.3	0.0	2.10	3.30
2137.3	2138.6	C	.8	102.	.4	333.	117.	9.6	0.0	.10	.00
2149.5	2152.5	C	14.0	229.	.4	332.	96.	9.3	0.0	-1.60	.20
2152.5	2154.0	C	28.6	224.	.4	331.	90.	9.4	0.0	-3.60	.40

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2158.0	2159.5	D	25.4	273.	.4	327.	99.	9.7	0.0	-4.00	-2.30
2165.3	2166.7	C	21.0	311.	.5	336.	110.	9.4	0.0	-2.70	-2.80
2170.0	2171.0	C	41.5	210.	.5	342.	73.	9.1	0.0	-5.80	.30
2179.8	2180.6	C	7.6	347.	.6	325.	342.	9.2	0.0	1.10	.80
2186.0	2187.3	C	1.7	239.	.6	327.	298.	9.4	0.0	.20	.00
2194.7	2196.3	C	14.9	300.	.6	326.	230.	9.1	0.0	.30	2.00
2199.8	2200.7	C	12.2	168.	.7	325.	223.	8.8	0.0	1.10	-.40
2200.7	2203.0	C	14.0	148.	.7	325.	224.	8.8	0.0	.70	-1.10
2204.7	2206.7	C	20.6	111.	.7	326.	228.	8.9	0.0	-.90	-2.80
2208.6	2210.0	C	24.5	106.	.6	326.	215.	9.0	0.0	-.60	-3.30
2211.9	2213.0	C	27.1	158.	.6	324.	229.	9.0	0.0	1.90	-2.00
2216.0	2218.0	C	26.4	163.	.6	321.	251.	9.0	0.0	.80	-2.80
2218.0	2220.0	C	15.9	99.	.6	319.	244.	9.0	0.0	-1.60	-2.10
2231.7	2232.1	C	10.0	320.	.7	317.	222.	9.4	0.0	-.50	1.00
2238.0	2239.3	C	4.5	351.	.7	318.	217.	9.6	0.0	-.60	.10
2243.5	2244.6	C	2.0	68.	.7	318.	229.	9.5	0.0	-.30	-.20
2254.0	2255.0	D	10.0	266.	.6	313.	221.	9.6	0.0	.80	1.50
2263.0	2264.0	C	8.4	286.	.7	307.	226.	9.8	0.0	.40	1.30
2281.6	2283.0	B	11.7	289.	.6	319.	239.	9.2	0.0	.80	1.70
2292.0	2294.0	C	6.0	280.	.6	314.	223.	9.5	0.0	.30	.90
2296.6	2298.3	C	7.3	87.	.6	312.	226.	9.6	0.0	-.70	-1.00
2303.5	2304.7	C	8.9	51.	.6	310.	234.	9.5	0.0	-1.30	-.70
2307.0	2308.5	B	7.6	34.	.6	310.	229.	9.3	0.0	-1.10	-.40
2311.6	2312.7	C	5.4	110.	.6	314.	240.	9.3	0.0	-.40	-.70
2323.3	2324.7	C	12.5	70.	.5	325.	171.	9.3	0.0	-.10	-1.60
2327.3	2329.0	C	5.8	73.	.5	319.	168.	9.2	0.0	.00	-.70
2330.0	2332.0	B	6.1	96.	.5	317.	170.	9.1	0.0	.30	-.50
2332.0	2334.3	C	4.2	76.	.5	317.	170.	9.1	0.0	.00	-.50
2334.7	2336.3	C	3.2	351.	.5	317.	173.	9.1	0.0	-.50	-.30
2337.0	2338.3	C	1.8	94.	.5	317.	179.	9.1	0.0	.00	-.20
2348.5	2350.6	C	12.9	96.	.5	320.	147.	9.1	0.0	1.30	-.40
2350.6	2352.0	B	5.7	65.	.5	321.	130.	9.1	0.0	.40	-.40
2352.0	2354.0	C	5.6	8.	.5	321.	120.	9.1	0.0	-.20	-.80
2356.6	2358.0	C	7.6	314.	.5	323.	111.	9.0	0.0	-.90	-1.00
2358.0	2360.0	B	5.6	356.	.5	324.	109.	9.0	0.0	-.20	-.60
2360.0	2361.3	B	1.2	5.	.5	325.	99.	9.0	0.0	.00	-.20
2362.0	2363.3	C	1.5	92.	.6	326.	81.	9.1	0.0	.20	.10
2366.0	2367.2	C	3.2	13.	.6	328.	60.	9.2	0.0	.40	-.10
2367.3	2368.3	B	5.2	5.	.6	329.	43.	9.3	0.0	.70	.00
2368.3	2370.1	B	3.8	31.	.6	329.	35.	9.3	0.0	.60	.30
2370.1	2372.0	C	2.2	67.	.6	330.	32.	9.3	0.0	.30	.30
2372.0	2374.0	C	15.0	60.	.6	331.	38.	9.3	0.0	1.90	1.90
2374.0	2376.0	B	7.3	62.	.6	332.	48.	9.3	0.0	1.00	.80
2376.0	2378.0	C	18.5	16.	.6	333.	51.	9.2	0.0	2.50	.20
2378.0	2379.3	B	6.0	39.	.6	334.	49.	9.2	0.0	.90	.40
2380.0	2381.3	D	8.9	23.	.6	333.	44.	9.2	0.0	1.30	.40
2384.3	2386.0	B	3.6	78.	.6	325.	11.	9.2	0.0	.20	.50
2386.0	2388.0	B	4.2	63.	.6	322.	354.	9.2	0.0	.20	.60
2388.0	2390.0	C	14.2	88.	.6	319.	336.	9.2	0.0	-1.00	1.00
2390.0	2392.0	B	13.4	43.	.7	318.	303.	9.2	0.0	-.60	1.30
2392.0	2394.0	A	6.0	26.	.7	319.	282.	9.3	0.0	-.30	.60
2394.0	2396.0	B	8.9	75.	.8	321.	276.	9.3	0.0	-1.20	-.30
2396.0	2398.0	B	7.3	70.	.8	322.	284.	9.3	0.0	-.90	.00
2398.0	2400.0	C	3.8	39.	.9	324.	291.	9.3	0.0	-.20	.40
2402.4	2403.3	C	4.9	1.	.8	325.	279.	9.3	0.0	.00	.70

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
2408.0	2409.3	C	9.7	60.	.7	326.	224.	9.3	0.0	-1.30	-1.10
2412.0	2414.0	C	23.2	28.	.6	322.	232.	9.3	0.0	-3.40	-.90
2414.0	2416.0	C	20.2	41.	.6	319.	230.	9.3	0.0	-3.00	-1.50
2420.6	2421.3	C	3.4	46.	.6	312.	234.	9.2	0.0	-.50	-.20
2426.0	2428.0	C	8.7	52.	.6	315.	222.	9.2	0.0	-1.20	-.90
2428.0	2429.3	C	7.5	19.	.6	316.	215.	9.2	0.0	-1.10	-.40
2430.6	2432.0	C	1.7	80.	.6	317.	218.	9.3	0.0	-.20	-.20
2432.0	2434.0	C	7.8	76.	.7	317.	226.	9.4	0.0	-.90	-1.00
2436.0	2438.3	B	4.7	115.	.8	318.	238.	9.6	0.0	-.30	-.60
2438.3	2440.0	D	.6	13.	.8	318.	243.	9.6	0.0	-.10	.10
2440.6	2442.1	C	2.9	156.	.8	318.	236.	9.6	0.0	.10	-.20
2442.1	2444.0	C	2.8	72.	.8	316.	230.	9.6	0.0	-.40	-.30
2446.0	2448.0	C	7.7	153.	.7	314.	230.	9.5	0.0	.40	-.60
2448.6	2450.0	D	6.7	204.	.6	312.	215.	9.4	0.0	.90	.50
2456.0	2458.0	C	8.9	129.	.6	319.	186.	9.5	0.0	.80	-.40
2458.0	2460.0	C	3.9	124.	.6	321.	182.	9.5	0.0	.30	-.20
2464.5	2465.0	B	4.2	69.	.6	327.	153.	9.8	0.0	.10	-.50
2470.6	2472.7	C	10.5	67.	.6	330.	157.	10.1	0.0	.20	-1.30
2473.0	2474.3	B	6.9	33.	.5	327.	169.	10.0	0.0	-.70	-1.10
2478.0	2480.0	A	25.8	320.	.5	318.	172.	9.8	0.0	-3.90	-.60
2484.0	2486.0	C	11.2	291.	.5	317.	153.	9.8	0.0	-1.50	.00
2486.0	2488.3	B	8.9	320.	.5	317.	151.	9.8	0.0	-1.40	-.70
2488.3	2489.3	B	5.2	37.	.5	317.	154.	9.8	0.0	-.30	-.80
2490.6	2492.3	B	10.0	50.	.5	315.	155.	9.8	0.0	-.20	-1.40
2496.3	2498.0	B	13.3	54.	.5	305.	140.	9.8	0.0	.40	-1.50
2502.3	2503.0	B	4.0	175.	.5	304.	148.	9.9	0.0	.40	.50
2503.0	2505.5	B	3.7	192.	.5	306.	141.	9.9	0.0	.20	.50
2505.5	2507.5	B	4.9	201.	.5	308.	151.	10.0	0.0	.30	.70
2518.0	2520.0	B	5.8	147.	.6	312.	148.	10.2	0.0	.80	.50
2520.0	2522.0	B	2.8	165.	.5	312.	148.	10.1	0.0	.30	.30
2522.0	2524.0	C	5.3	150.	.5	313.	146.	10.1	0.0	.70	.50
2524.0	2525.3	B	0.7	161.	.5	313.	151.	10.0	0.0	.60	.50
2531.5	2532.3	C	2.2	222.	.4	314.	172.	9.8	0.0	.10	.30
2546.0	2547.5	C	4.2	197.	.5	317.	151.	10.2	0.0	.30	.60
2548.6	2550.0	C	2.9	67.	.5	319.	158.	10.3	0.0	.00	-.40
2550.0	2552.0	C	3.0	44.	.5	319.	160.	10.3	0.0	-.20	-.50
2552.0	2552.6	C	3.5	322.	.5	317.	165.	10.1	0.0	-.60	-.20
2558.0	2558.5	C	6.5	282.	.4	309.	151.	9.6	0.0	-.80	.10
2560.6	2562.1	C	10.7	293.	.4	307.	154.	9.6	0.0	-1.40	.00
2562.1	2564.1	C	5.8	339.	.4	306.	157.	9.7	0.0	-.90	-.60
2564.1	2566.5	C	7.9	274.	.4	306.	155.	9.9	0.0	-.80	.40
2566.5	2568.6	C	2.3	99.	.4	305.	150.	10.1	0.0	.20	-.10
2568.6	2570.0	C	2.4	130.	.4	304.	148.	10.2	0.0	.30	.10
2570.0	2572.0	C	5.5	339.	.4	304.	157.	10.2	0.0	-.90	-.60
2573.5	2574.7	B	4.6	320.	.4	304.	113.	10.0	0.0	-.60	-.70
2579.9	2580.6	C	10.2	45.	.3	304.	120.	9.7	0.0	.60	-.90
2582.0	2584.0	B	4.0	265.	.3	307.	99.	9.5	0.0	-.60	-.30
2584.0	2586.0	B	4.6	339.	.3	310.	78.	9.4	0.0	.00	-.60
2586.0	2588.0	C	15.0	224.	.3	312.	66.	9.3	0.0	-2.10	-.70
2591.0	2591.5	C	4.9	257.	.3	314.	61.	9.1	0.0	-.60	-.60
2592.3	2592.9	B	6.3	80.	.4	314.	63.	9.2	0.0	.80	.70
2592.9	2593.3	B	2.5	181.	.4	313.	65.	9.2	0.0	-.20	.10
2593.3	2594.2	C	2.7	201.	.4	313.	67.	9.3	0.0	-.30	.00
2594.2	2596.6	C	9.6	72.	.4	312.	62.	9.4	0.0	1.30	1.00
2601.0	2601.7	C	1.9	117.	.4	309.	28.	9.7	0.0	.00	.20



CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS		
								NO.1	NO.2	NO.3

2604.3	2604.7	C	7.1	294.	.4	310.	31.	9.7	0.0	.10	-.90
2605.0	2606.3	C	1.7	309.	.4	310.	34.	9.7	0.0	.10	-.20
2606.3	2608.3	B	2.5	15.	.4	310.	35.	9.7	0.0	.40	.10
2608.3	2609.0	B	8.5	95.	.4	310.	32.	9.7	0.0	.40	1.20
2609.0	2610.4	C	7.2	17.	.4	310.	28.	9.7	0.0	1.10	.50
2610.4	2611.3	B	6.0	32.	.4	310.	28.	9.7	0.0	.90	.60
2611.3	2612.4	B	3.9	26.	.4	310.	31.	9.6	0.0	.60	.30
2612.4	2614.0	C	4.6	17.	.4	309.	28.	9.5	0.0	.70	.30
2614.0	2616.0	C	7.0	39.	.4	308.	33.	9.4	0.0	1.00	.70
2622.6	2623.3	B	5.3	87.	.4	306.	38.	9.2	0.0	.40	.70
2623.3	2623.7	B	6.3	67.	.4	306.	37.	9.2	0.0	.70	.80
2623.7	2625.5	B	5.4	50.	.4	306.	33.	9.2	0.0	.70	.60
2625.5	2626.3	B	3.7	75.	.4	306.	26.	9.2	0.0	.30	.50
2626.3	2627.1	B	4.0	19.	.4	306.	25.	9.2	0.0	.60	.30
2627.1	2628.3	B	2.8	37.	.4	306.	24.	9.2	0.0	.40	.30
2628.3	2629.5	B	3.7	74.	.4	306.	24.	9.3	0.0	.30	.50
2629.5	2631.3	B	3.3	14.	.4	306.	26.	9.3	0.0	.50	.20
2631.3	2632.6	B	2.8	47.	.4	307.	33.	9.4	0.0	.40	.30
2632.6	2634.0	B	8.4	59.	.4	309.	41.	9.5	0.0	1.10	1.00
2634.0	2635.5	B	6.3	55.	.4	310.	51.	9.5	0.0	.90	.60
2635.5	2637.3	B	6.2	60.	.3	312.	56.	9.6	0.0	.90	.60
2640.0	2642.0	C	4.6	40.	.3	314.	51.	9.8	0.0	.70	.30
2643.0	2644.0	C	3.5	133.	.3	311.	51.	9.7	0.0	.00	.40
2644.0	2646.0	C	9.8	115.	.3	310.	42.	9.6	0.0	.20	1.30
2646.0	2648.0	C	5.9	112.	.3	307.	30.	9.5	0.0	.00	.70
2648.5	2650.0	C	3.3	59.	.3	305.	33.	9.4	0.0	.40	.40
2652.6	2655.3	C	9.7	308.	.4	299.	32.	9.4	0.0	.40	-1.00
2655.3	2656.7	B	11.5	312.	.4	298.	28.	9.4	0.0	.70	-1.00
2656.7	2658.3	B	9.2	296.	.4	297.	24.	9.4	0.0	.30	-1.00
2658.3	2659.7	B	12.7	291.	.4	295.	20.	9.4	0.0	.40	-1.40
2659.7	2661.3	C	12.5	293.	.4	295.	18.	9.4	0.0	.50	-1.30
2661.3	2663.0	C	6.9	16.	.4	297.	17.	9.3	0.0	1.00	.60
2666.0	2667.5	C	9.5	163.	.4	302.	33.	9.3	0.0	-1.00	.20
2682.6	2683.3	C	5.8	207.	.4	296.	341.	9.3	0.0	-.40	-.80
2684.7	2686.1	C	9.7	162.	.4	295.	346.	9.2	0.0	-1.30	-.80
2689.0	2690.6	C	12.9	258.	.4	293.	350.	9.0	0.0	.30	-1.40
2700.0	2702.0	C	2.9	43.	.4	293.	328.	9.5	0.0	.10	.40
2702.0	2704.0	B	3.3	65.	.5	293.	337.	9.6	0.0	.00	.40
2705.0	2706.3	C	6.0	85.	.5	293.	348.	9.6	0.0	-.20	.60
2709.7	2710.5	C	5.7	283.	.5	293.	352.	9.7	0.0	.50	-.40
2713.0	2714.5	C	9.1	280.	.5	288.	347.	9.6	0.0	.80	-.60
2714.5	2716.1	B	12.9	296.	.5	286.	351.	9.6	0.0	1.40	-.50
2716.1	2718.0	C	2.8	35.	.4	284.	352.	9.6	0.0	.30	.40
2722.5	2724.0	C	13.7	251.	.4	281.	344.	9.5	0.0	.30	-1.60
2725.0	2725.3	C	1.5	54.	.4	282.	349.	9.4	0.0	.10	.20
2731.0	2732.0	C	4.1	32.	.4	285.	7.	9.2	0.0	.50	.50
2735.0	2736.3	C	3.0	211.	.4	289.	4.	9.1	0.0	-.30	-.40
2737.8	2738.4	C	.8	48.	.4	291.	3.	9.1	0.0	.10	.10
2738.4	2739.3	C	7.6	108.	.4	292.	3.	9.1	0.0	-.40	.60
2746.3	2747.3	C	22.3	40.	.4	293.	5.	9.0	0.0	2.30	3.10
2751.0	2752.6	C	7.0	59.	.3	292.	24.	9.0	0.0	.70	.90
2754.0	2756.0	D	9.2	129.	.3	291.	30.	9.0	0.0	-.40	.80
2768.6	2770.0	C	3.5	345.	.3	294.	12.	9.2	0.0	.50	.10
2770.0	2770.8	C	4.5	178.	.3	294.	11.	9.2	0.0	-.60	-.30
2770.8	2771.8	C	4.9	101.	.3	294.	10.	9.2	0.0	-.10	.50

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS		
								NO.1	NO.2	NO.3

2775.0	2776.0	C	1.7	167.	.3	294.	5.	9.3	0.0	-.20	-.10
2776.0	2778.0	B	3.3	156.	.3	293.	5.	9.3	0.0	-.40	-.10
2779.0	2781.3	C	16.8	13.	.4	293.	8.	9.3	0.0	2.40	1.70
2784.0	2786.0	B	6.1	2.	.4	293.	6.	9.4	0.0	.90	.50
2786.0	2788.0	B	6.5	40.	.4	293.	5.	9.5	0.0	.70	.90
2788.0	2789.3	B	10.4	55.	.4	293.	5.	9.5	0.0	.80	1.50
2794.5	2795.1	C	4.9	48.	.4	288.	8.	9.8	0.0	.50	.70
2798.0	2798.4	B	6.7	51.	.4	285.	5.	10.0	0.0	.60	1.00
2809.0	2810.4	B	7.7	83.	.3	292.	12.	9.3	0.0	.20	1.00
2810.4	2812.0	C	2.0	15.	.3	292.	7.	9.2	0.0	.30	.20
2812.0	2814.0	B	8.0	50.	.3	290.	7.	9.2	0.0	.70	1.10
2818.0	2819.0	C	5.7	85.	.3	285.	355.	9.2	0.0	-.10	.60
2819.0	2820.4	B	3.5	299.	.3	284.	350.	9.2	0.0	.40	-.10
2820.4	2822.5	B	5.2	72.	.3	283.	349.	9.2	0.0	.00	.60
2822.5	2824.5	B	5.1	72.	.3	282.	349.	9.3	0.0	.00	.60
2826.0	2828.0	C	2.8	231.	.4	281.	352.	9.4	0.0	-.10	-.40
2828.0	2830.0	C	2.0	226.	.4	280.	355.	9.4	0.0	-.10	-.30
2832.6	2834.3	C	2.8	21.	.4	282.	7.	9.4	0.0	.40	.30
2834.3	2835.3	C	2.6	340.	.4	283.	1.	9.4	0.0	.40	.10
2835.3	2836.6	C	6.2	153.	.4	284.	1.	9.4	0.0	-.80	-.20
2836.6	2838.3	B	6.8	123.	.4	285.	2.	9.4	0.0	-.60	.30
2844.0	2846.0	C	20.9	76.	.4	286.	309.	9.3	0.0	-2.20	.70
2850.0	2852.5	C	18.5	29.	.4	288.	286.	9.4	0.0	-1.00	1.70
2852.0	2854.0	C	7.6	2.	.4	290.	295.	9.5	0.0	.30	1.10
2860.0	2861.5	C	10.3	53.	.4	298.	282.	10.1	0.0	-1.20	.30
2862.0	2863.5	C	2.6	250.	.4	298.	283.	10.0	0.0	.40	.10
2868.0	2870.0	C	22.6	92.	.4	298.	279.	9.6	0.0	-3.40	-1.80
2870.6	2872.0	C	6.4	120.	.4	298.	272.	9.5	0.0	-.70	-.80
2880.3	2881.3	C	4.5	136.	.4	300.	277.	9.6	0.0	-.40	-.60
2892.0	2893.0	C	1.8	346.	.2	304.	283.	10.0	0.0	.10	.30
2907.0	2907.5	C	3.2	184.	.1	297.	285.	9.8	0.0	.00	-.40
2917.5	2918.3	B	2.9	149.	.1	286.	280.	9.4	0.0	-.20	-.40
2922.0	2924.0	C	6.9	187.	.1	276.	282.	9.4	0.0	.10	-.80
2930.0	2932.0	B	9.0	268.	.2	258.	291.	9.5	0.0	1.30	.40
2964.0	2966.0	B	2.9	100.	.2	202.	174.	9.5	0.0	.20	-.20
2970.0	2972.0	C	6.7	242.	.2	198.	185.	9.5	0.0	.40	1.00
2981.0	2982.0	C	25.7	341.	.2	196.	194.	10.2	0.0	-3.90	-.50
2998.0	3000.0	C	5.2	292.	.3	255.	197.	9.9	0.0	-.20	.60
3030.0	3030.6	C	6.7	23.	.3	324.	284.	9.8	0.0	-.30	.70
3031.5	3033.0	C	5.0	173.	.3	322.	274.	9.8	0.0	.00	-.60
3038.3	3039.9	C	10.8	28.	.2	315.	289.	9.8	0.0	-.50	1.10
3040.0	3042.0	C	5.3	12.	.2	313.	290.	9.8	0.0	.00	.70
3049.0	3049.4	C	8.4	291.	.3	311.	295.	10.0	0.0	1.30	.80
3064.5	3066.0	D	15.6	77.	.3	337.	289.	10.3	0.0	-2.30	-.30
3087.5	3088.7	D	7.6	80.	.2	324.	293.	9.6	0.0	-1.00	-.10
3095.7	3096.0	C	2.2	119.	.2	315.	295.	10.1	0.0	-.30	-.20
3103.0	3104.5	C	33.7	155.	.2	327.	270.	10.3	0.0	-1.50	-5.70
3119.5	3120.0	C	6.2	88.	.0	350.	289.	9.8	0.0	-1.20	-.40
3122.0	3123.0	C	13.3	160.	.0	346.	290.	9.8	0.0	-1.00	-2.00
3127.3	3128.6	C	10.8	152.	.0	338.	290.	9.8	0.0	-1.00	-1.60
3132.0	3133.5	C	12.9	262.	.0	324.	293.	9.7	0.0	1.80	.30
3156.7	3160.0	C	12.4	348.	.0	192.	296.	10.0	0.0	.90	1.90
3167.0	3168.3	B	6.7	10.	.0	207.	320.	9.9	0.0	.50	1.00
3168.3	3169.7	C	5.8	330.	.0	210.	317.	9.9	0.0	.80	.70
3172.6	3173.5	C	7.3	347.	.0	211.	300.	9.9	0.0	.60	1.10

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3178.5	3180.0	C	10.7	4.	.0	207.	306.	9.8	0.0	.60	1.60
3198.0	3200.0	C	4.4	306.	.2	96.	317.	9.5	0.0	.60	.30
3231.9	3232.3	C	17.3	173.	.2	154.	314.	10.1	0.0	-1.80	-2.70
3256.0	3256.7	C	3.9	344.	.3	162.	323.	10.5	0.0	.50	.50
3258.0	3259.3	C	3.7	105.	.3	158.	310.	10.7	0.0	-.60	-.20
3262.0	3263.3	C	12.9	264.	.3	158.	328.	10.6	0.0	1.20	-.90
3282.5	3284.0	C	27.3	215.	.4	164.	326.	10.0	0.0	-.90	-4.30
3284.0	3286.6	B	19.6	187.	.4	161.	313.	10.2	0.0	-1.40	-3.20
3299.0	3300.0	C	21.6	51.	.5	163.	336.	9.6	0.0	.20	2.90
3302.6	3304.3	C	13.8	81.	.5	168.	336.	9.5	0.0	-.90	1.10
3304.3	3305.0	B	8.4	93.	.5	169.	336.	9.5	0.0	-.80	.40
3305.0	3306.3	B	5.9	137.	.5	170.	335.	9.5	0.0	-.90	-.40
3330.0	3332.3	C	3.7	132.	.7	180.	342.	10.0	0.0	-.60	-.20
3352.0	3354.0	C	8.3	190.	1.1	197.	14.	10.0	0.0	-1.40	-.90
3362.0	3365.5	B	17.3	131.	1.3	201.	42.	9.6	0.0	-.60	1.90
3366.0	3368.0	B	10.7	122.	1.3	200.	34.	9.6	0.0	-.40	1.10
3368.0	3369.3	C	10.8	15.	1.3	200.	27.	9.5	0.0	1.40	.60
3369.3	3370.0	D	14.8	12.	1.3	200.	23.	9.5	0.0	2.00	.90
3370.0	3372.0	D	4.4	296.	1.3	199.	21.	9.5	0.0	.00	-.60
3379.0	3380.4	C	30.6	17.	1.2	192.	336.	9.3	0.0	2.90	4.50
3385.3	3386.6	B	32.2	21.	1.2	214.	315.	9.6	0.0	1.40	4.90
3386.6	3388.5	C	5.7	252.	1.3	220.	307.	9.7	0.0	.70	-.30
3388.5	3390.3	B	5.7	195.	1.3	226.	309.	9.8	0.0	-.10	-.90
3390.3	3391.5	C	19.9	202.	1.3	230.	305.	9.8	0.0	.00	-2.80
3391.5	3393.0	C	14.7	179.	1.5	232.	299.	9.7	0.0	-.60	-2.20
3402.0	3404.0	C	2.5	32.	2.0	235.	199.	8.9	0.0	-.20	.00
3411.5	3412.6	B	3.3	58.	1.8	217.	9.	8.7	0.0	.10	.20
3412.6	3414.5	B	3.6	356.	1.8	219.	352.	8.7	0.0	.40	.10
3414.5	3416.0	B	6.7	357.	1.8	221.	343.	8.7	0.0	.80	.50
3416.0	3418.0	C	1.4	282.	1.8	223.	330.	8.7	0.0	.20	-.20
3420.0	3422.0	C	5.7	29.	1.9	226.	294.	8.8	0.0	.00	.50
3426.0	3428.0	C	7.0	233.	2.0	222.	100.	9.0	0.0	-1.00	.10
3428.0	3430.0	C	2.2	149.	2.0	220.	82.	9.0	0.0	-.20	.20
3430.9	3434.0	C	3.6	44.	2.0	219.	65.	9.0	0.0	.20	.00
3434.0	3438.0	C	4.0	358.	2.1	218.	66.	8.9	0.0	.00	-.40
3442.5	3443.1	C	.9	248.	2.1	218.	71.	8.8	0.0	-.40	-.20
3444.0	3446.0	B	2.4	242.	2.1	218.	70.	8.8	0.0	-.60	-.30
3446.0	3448.0	B	2.8	20.	2.1	218.	70.	8.8	0.0	.00	-.20
3450.0	3452.0	B	8.8	38.	2.1	218.	72.	8.8	0.0	.80	.00
3454.0	3456.0	B	3.7	91.	2.1	218.	82.	9.0	0.0	.20	.30
3456.0	3458.0	C	3.5	63.	2.0	219.	78.	9.0	0.0	.20	.10
3458.0	3460.0	B	4.8	35.	2.0	219.	74.	9.1	0.0	.30	-.10
3460.0	3462.0	B	3.4	61.	2.0	219.	74.	9.1	0.0	.20	.10
3463.0	3464.0	C	7.2	170.	1.9	220.	70.	9.0	0.0	-.60	.50
3465.0	3466.0	C	3.9	36.	1.9	220.	75.	8.9	0.0	.20	-.10
3466.0	3468.5	B	4.4	238.	1.9	220.	85.	8.8	0.0	-.80	-.20
3472.0	3472.5	C	1.3	90.	1.9	225.	5.	8.6	0.0	-.10	-.10
3476.6	3477.3	C	4.2	265.	2.0	235.	340.	8.6	0.0	.30	-.50
3482.0	3484.0	C	3.9	24.	2.1	238.	166.	8.6	0.0	-.40	-.30
3484.0	3486.0	C	3.8	251.	2.0	236.	105.	8.6	0.0	-.70	-.10
3510.7	3511.0	B	4.9	38.	1.9	242.	21.	8.9	0.0	.50	.30
3514.5	3515.5	C	3.1	107.	2.0	236.	244.	8.8	0.0	.00	-.20
3517.0	3519.0	C	1.8	323.	2.1	232.	158.	8.8	0.0	-.30	.10
3522.0	3522.6	C	5.1	5.	2.1	230.	100.	8.8	0.0	-.20	-.60
3528.0	3530.0	C	7.1	138.	1.9	233.	7.	8.8	0.0	-.80	-.10

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO. 1	DIA 13	DISPLACEMENTS			
								NO. 1	NO. 2	NO. 3	
3530.0	3531.0	C	4.9	58.	1.9	234.	342.	8.8	0.0	.10	.40
3534.0	3535.9	B	3.2	199.	1.9	240.	171.	8.8	0.0	.30	.60
3538.5	3539.3	C	2.6	346.	1.9	245.	353.	8.8	0.0	.40	.00
3543.9	3544.5	C	6.0	47.	1.8	239.	214.	8.8	0.0	-.60	-.40
3544.5	3545.3	C	12.4	121.	1.8	238.	191.	8.8	0.0	.90	-.60
3549.0	3549.9	B	2.6	305.	1.8	230.	72.	8.8	0.0	-.40	-.50
3553.0	3553.2	C	3.8	270.	1.9	234.	297.	8.9	0.0	.70	.10
3555.5	3556.0	B	1.9	330.	1.9	239.	260.	8.9	0.0	.30	.40
3556.0	3558.0	B	1.8	271.	1.9	241.	209.	9.0	0.0	.20	.50
3558.0	3558.9	B	4.9	99.	2.0	244.	163.	9.0	0.0	.30	-.10
3558.9	3560.0	B	4.0	41.	2.0	245.	143.	9.0	0.0	-.20	-.40
3560.0	3562.3	B	6.1	54.	2.0	245.	121.	9.0	0.0	.20	-.40
3562.3	3563.5	B	5.9	38.	2.0	243.	112.	9.0	0.0	.10	-.50
3564.0	3566.0	C	1.6	56.	2.0	240.	111.	9.0	0.0	-.10	-.10
3566.0	3568.0	C	4.2	86.	2.0	237.	114.	9.0	0.0	.30	.10
3576.0	3576.7	B	2.6	271.	1.9	232.	82.	9.0	0.0	-.60	-.40
3579.0	3579.5	C	2.0	96.	1.9	231.	85.	9.0	0.0	.00	.10
3580.0	3582.6	B	6.9	78.	1.9	230.	86.	9.1	0.0	.70	.40
3585.0	3586.0	B	2.7	352.	1.8	230.	86.	9.2	0.0	-.20	-.40
3590.0	3592.0	B	3.2	90.	1.8	230.	92.	9.3	0.0	.20	.20
3592.0	3594.0	C	3.2	74.	1.8	230.	88.	9.3	0.0	.20	.10
3594.0	3596.0	B	3.9	160.	1.8	230.	86.	9.3	0.0	-.20	.40
3596.0	3598.0	C	2.2	157.	1.9	230.	88.	9.3	0.0	-.20	.20
3598.0	3602.0	B	4.6	49.	1.9	231.	89.	9.3	0.0	.30	-.10
3612.0	3614.0	B	3.7	49.	2.0	238.	104.	9.3	0.0	.10	-.20
3616.0	3617.0	A	2.7	91.	2.1	238.	105.	9.2	0.0	.10	.10
3617.5	3619.2	B	5.9	1.	2.1	238.	103.	9.2	0.0	-.30	-.80
3622.5	3623.0	A	1.2	91.	2.0	240.	104.	9.2	0.0	-.10	.00
3627.6	3628.0	B	5.0	46.	1.9	242.	104.	9.3	0.0	.20	-.30
3629.3	3630.0	B	4.2	21.	1.9	243.	105.	9.3	0.0	-.10	-.50
3633.2	3634.0	C	2.7	343.	1.8	243.	89.	9.4	0.0	-.30	-.50
3637.0	3637.5	B	1.1	101.	1.8	243.	36.	9.6	0.0	-.10	-.10
3647.3	3647.8	C	11.8	91.	1.7	243.	16.	9.4	0.0	.10	1.30
3649.6	3650.2	B	.9	336.	1.7	243.	8.	9.3	0.0	.10	-.20
3651.9	3652.3	C	5.5	89.	1.7	245.	0.	9.3	0.0	-.10	.40
3660.0	3661.0	C	3.1	224.	1.6	253.	0.	9.3	0.0	-.20	-.60
3663.8	3664.3	B	4.1	285.	1.7	253.	0.	9.3	0.0	.30	-.50
3666.0	3666.6	B	10.3	170.	1.7	253.	0.	9.3	0.0	-1.40	-.90
3670.5	3671.3	B	2.2	72.	1.8	253.	2.	9.3	0.0	.10	.10
3673.6	3674.0	B	8.7	113.	1.7	253.	8.	9.2	0.0	-.50	.50
3676.0	3676.5	A	3.0	48.	1.7	253.	13.	9.2	0.0	.30	.20
3678.3	3679.6	B	1.5	122.	1.7	253.	10.	9.2	0.0	-.10	-.10
3680.8	3681.5	B	3.9	181.	1.7	253.	5.	9.2	0.0	-.50	-.50
3683.0	3684.0	B	4.7	95.	1.7	253.	3.	9.2	0.0	-.10	.30
3689.6	3690.0	C	7.6	212.	1.7	253.	3.	9.3	0.0	-.80	-1.20
3696.3	3696.6	B	13.5	225.	1.7	253.	8.	9.3	0.0	-1.30	-2.10
3698.0	3700.0	C	16.9	256.	1.6	253.	24.	9.4	0.0	-1.20	-2.70
3702.8	3703.7	C	21.5	237.	1.6	255.	22.	9.3	0.0	-2.30	-3.30
3712.4	3712.7	B	8.1	181.	1.7	259.	14.	9.1	0.0	-1.10	-.70
3714.9	3715.5	C	3.3	37.	1.7	259.	16.	9.0	0.0	.40	.20
3722.0	3722.4	C	4.5	128.	1.7	259.	17.	8.9	0.0	-.30	.10
3725.0	3726.0	C	8.1	11.	1.7	259.	18.	8.9	0.0	1.10	.40
3734.0	3734.6	B	5.3	192.	1.6	259.	17.	8.9	0.0	-.70	-.60
3741.6	3741.8	C	5.4	288.	1.6	259.	14.	8.9	0.0	.20	-.70
3744.3	3744.7	C	4.6	260.	1.6	259.	19.	8.9	0.0	-.20	-.80

CORRELATION CORR. DIP DIP DRFT DRFT AZ. DIA DISPLACEMENTS  
 INTERVAL GRADE ANGLE AZ. ANGLE AZ. NO.1 13 NO.1 NO.2 NO.3

3745.6	3746.3	B	2.7	287.	1.6	259.	24.	8.9	0.0	.00	-.50
3748.3	3748.6	B	.7	164.	1.6	259.	24.	8.9	0.0	-.10	-.20
3752.4	3752.5	B	4.4	295.	1.7	259.	31.	8.9	0.0	.00	-.70
3757.5	3758.5	B	4.0	305.	1.7	259.	30.	8.9	0.0	.10	-.60
3759.0	3760.0	A	4.3	263.	1.7	259.	29.	8.9	0.0	-.30	-.80
3761.0	3761.4	B	1.6	162.	1.7	259.	25.	8.9	0.0	-.20	-.20
3763.8	3764.2	B	5.2	304.	1.7	259.	19.	8.9	0.0	.30	-.60
3767.0	3767.5	B	2.3	254.	1.7	259.	16.	8.9	0.0	-.10	-.50
3768.5	3768.9	A	4.4	314.	1.8	259.	14.	8.9	0.0	.40	-.40
3771.6	3772.0	C	4.7	172.	1.8	259.	13.	8.9	0.0	-.60	-.40
3774.0	3774.5	C	5.3	235.	1.8	259.	19.	8.9	0.0	-.50	-.90
3776.4	3776.6	D	3.8	290.	1.8	259.	19.	8.9	0.0	.10	-.60
3778.4	3778.7	B	3.8	290.	1.8	259.	19.	8.9	0.0	.10	-.60
3781.8	3782.0	C	2.6	157.	1.8	259.	19.	9.0	0.0	-.30	-.20
3784.6	3784.8	B	2.2	237.	1.8	259.	19.	9.0	0.0	-.20	-.50
3787.7	3788.0	B	13.6	326.	1.8	259.	15.	9.1	0.0	1.50	-.50
3790.0	3791.0	B	6.2	282.	1.8	259.	16.	9.1	0.0	.10	-.90
3793.2	3794.0	B	2.2	230.	1.8	259.	15.	9.2	0.0	-.20	-.50
3794.0	3794.6	B	3.8	222.	1.8	259.	14.	9.3	0.0	-.40	-.70
3797.7	3798.0	B	12.9	248.	1.8	259.	17.	9.5	0.0	-.90	-2.10
3799.0	3800.0	A	4.7	242.	1.8	259.	18.	9.5	0.0	-.40	-.90
3800.8	3801.5	B	6.0	29.	1.8	259.	14.	9.5	0.0	.80	.50
3806.0	3806.4	B	5.1	54.	1.8	259.	16.	9.3	0.0	.50	.50
3809.6	3810.0	A	5.0	248.	1.8	259.	15.	9.1	0.0	-.30	-.90
3814.3	3814.8	B	2.0	303.	1.7	260.	9.	9.2	0.0	.20	-.30
3815.3	3815.5	B	1.1	203.	1.7	260.	10.	9.2	0.0	-.10	-.30
3817.6	3818.2	A	4.4	341.	1.6	260.	13.	9.3	0.0	.60	-.10
3821.6	3821.8	B	1.5	132.	1.6	261.	13.	9.3	0.0	-.10	-.10
3825.6	3826.0	A	4.4	340.	1.6	261.	13.	9.3	0.0	.60	-.10
3828.5	3829.5	B	2.7	2.	1.5	261.	15.	9.3	0.0	.40	.00
3830.0	3831.0	B	2.5	335.	1.5	261.	18.	9.3	0.0	.30	-.20
3834.3	3834.6	A	2.3	100.	1.5	261.	19.	9.4	0.0	.00	.10
3837.0	3837.3	C	4.8	1.	1.5	261.	17.	9.5	0.0	.70	.10
3846.0	3846.4	B	2.4	100.	1.6	261.	18.	9.6	0.0	.00	.10
3851.0	3852.2	B	2.9	30.	1.7	261.	23.	9.7	0.0	.40	.10
3857.6	3858.2	B	2.4	101.	1.6	261.	22.	9.7	0.0	.00	.10
3858.3	3858.4	B	3.4	125.	1.6	261.	22.	9.7	0.0	-.20	.10
3862.5	3863.0	C	6.3	3.	1.7	261.	23.	9.7	0.0	.90	.10
3864.5	3865.1	B	3.5	325.	1.7	262.	26.	9.6	0.0	.30	-.40
3867.5	3868.0	A	2.4	15.	1.8	262.	32.	9.5	0.0	.30	-.10
3869.0	3870.0	B	3.0	120.	1.8	262.	33.	9.4	0.0	-.10	.10
3873.2	3873.4	C	2.8	154.	1.8	264.	34.	9.4	0.0	-.30	-.10
3876.1	3876.6	B	16.7	87.	1.7	265.	35.	9.4	0.0	1.10	2.20
3879.6	3880.2	B	3.1	347.	1.7	267.	37.	9.4	0.0	.30	-.30
3883.0	3884.0	B	5.6	65.	1.6	266.	40.	9.4	0.0	.60	.50
3886.1	3886.7	B	4.3	13.	1.6	264.	42.	9.3	0.0	.50	-.10
3891.6	3892.2	B	5.8	171.	1.5	263.	39.	9.2	0.0	-.70	-.10
3896.0	3896.4	C	2.0	216.	1.6	264.	59.	9.1	0.0	-.40	-.30
3900.0	3901.0	B	1.0	134.	1.6	266.	50.	9.1	0.0	-.10	-.10
3902.3	3902.6	C	2.7	355.	1.6	265.	47.	9.2	0.0	.20	-.30
3904.7	3905.2	C	3.5	46.	1.6	265.	44.	9.3	0.0	.40	.10
3910.3	3911.5	C	3.8	237.	1.6	264.	35.	9.4	0.0	-.50	-.70
3915.0	3915.3	B	5.6	27.	1.6	262.	58.	9.3	0.0	.60	-.10
3922.5	3923.1	B	5.7	29.	1.6	263.	45.	9.2	0.0	.70	.10
3923.2	3924.0	B	7.1	22.	1.6	264.	43.	9.2	0.0	.90	.10

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA. 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
3926.5	3926.7	C	2.3	92.	1.6	267.	41.	9.4	0.0	.10	.10
3937.0	3939.0	C	9.7	6.	1.6	265.	29.	9.1	0.0	1.30	.20
3943.8	3944.0	B	7.2	40.	1.7	266.	25.	9.0	0.0	.90	.60
3950.0	3950.7	C	5.9	101.	2.0	270.	207.	9.0	0.0	-.10	-.50
3954.3	3955.6	B	1.0	62.	2.0	268.	147.	9.0	0.0	-.20	-.10
3956.8	3957.0	A	5.3	78.	2.0	267.	140.	9.0	0.0	.20	-.30
3961.6	3961.9	B	13.1	115.	1.9	267.	142.	9.1	0.0	1.50	.40
3967.3	3967.8	A	20.1	162.	1.9	270.	153.	9.2	0.0	2.50	2.20
3970.3	3972.3	C	15.3	74.	1.9	272.	169.	9.2	0.0	.00	-1.70
3980.0	3982.0	B	10.4	343.	1.9	272.	178.	9.1	0.0	-1.60	-.50
3982.6	3983.1	A	2.5	356.	2.0	272.	177.	9.1	0.0	-.50	-.10
3984.5	3985.1	B	1.5	37.	2.0	272.	175.	9.2	0.0	-.30	-.10
3990.0	3991.0	B	5.3	76.	2.2	272.	168.	9.3	0.0	-.10	-.50
3995.0	3998.0	B	5.5	136.	2.2	272.	166.	9.1	0.0	.50	.20
3998.0	4000.0	B	2.8	187.	2.2	272.	164.	9.1	0.0	.10	.40
4003.0	4004.0	B	3.5	192.	2.1	272.	156.	9.2	0.0	.10	.50
4015.6	4016.0	B	9.4	89.	1.9	272.	150.	9.5	0.0	.60	-.50
4020.5	4021.2	B	5.1	136.	1.9	272.	153.	9.6	0.0	.50	.30
4022.3	4022.7	C	3.5	113.	1.9	272.	155.	9.6	0.0	.20	.00
4029.8	4030.0	C	8.9	198.	2.1	272.	154.	9.6	0.0	.50	1.30
4033.0	4034.0	B	4.9	71.	2.1	273.	160.	9.6	0.0	-.10	-.50
4039.0	4039.3	A	4.4	64.	2.0	273.	160.	9.7	0.0	-.20	-.50
4039.6	4041.0	A	5.4	79.	2.0	274.	161.	9.7	0.0	.00	-.50
4047.0	4047.3	A	2.2	213.	2.0	274.	171.	9.7	0.0	.00	.40
4060.0	4060.4	A	.7	142.	1.9	274.	171.	9.6	0.0	-.10	.10
4064.3	4064.7	C	17.4	53.	1.9	273.	152.	9.9	0.0	-.20	-2.30
4070.2	4071.5	B	6.0	35.	2.0	272.	157.	10.2	0.0	-.60	-.90
4073.2	4073.7	B	1.3	39.	2.0	272.	172.	10.0	0.0	-.30	-.10
4076.0	4076.3	B	6.2	120.	2.0	272.	173.	9.9	0.0	.50	-.10
4080.6	4082.0	B	1.2	108.	2.0	272.	158.	9.6	0.0	-.10	.00
4082.0	4082.4	B	6.6	278.	2.0	272.	155.	9.7	0.0	-.90	.30
4086.8	4087.1	B	3.8	48.	1.9	272.	154.	9.7	0.0	-.30	-.50
4091.8	4092.0	B	2.2	43.	1.9	272.	153.	9.7	0.0	-.30	-.30
4096.3	4096.6	B	2.1	357.	1.9	272.	150.	9.7	0.0	-.50	-.30
4101.7	4102.5	B	1.8	88.	1.9	272.	161.	9.7	0.0	-.10	-.10
4110.0	4110.8	B	2.4	131.	2.0	272.	165.	9.6	0.0	.10	.10
4113.0	4114.0	A	4.2	189.	2.0	274.	167.	9.6	0.0	.30	.60
4116.3	4118.0	C	6.9	55.	2.0	275.	172.	9.7	0.0	-.50	-.90
4123.8	4124.2	C	3.1	138.	2.0	278.	176.	9.6	0.0	.20	.10
4128.0	4128.6	B	2.8	264.	1.9	279.	189.	9.6	0.0	-.10	.50
4131.0	4131.3	A	2.3	60.	1.8	280.	190.	9.6	0.0	-.30	-.20
4134.0	4136.0	B	1.3	24.	1.8	280.	194.	9.6	0.0	-.30	.00
4136.0	4138.0	A	4.7	114.	1.8	280.	197.	9.6	0.0	.10	-.30
4139.8	4140.2	B	3.2	58.	1.8	280.	198.	9.6	0.0	-.40	-.30
4143.6	4143.8	B	5.6	64.	1.8	278.	171.	9.7	0.0	-.30	-.70
4148.3	4149.2	B	5.2	53.	1.8	276.	158.	9.9	0.0	-.30	-.70
4151.9	4152.4	C	3.1	231.	1.8	275.	165.	9.9	0.0	-.10	.50
4159.0	4160.0	B	8.9	249.	1.8	275.	191.	9.9	0.0	.40	1.50
4165.3	4165.8	C	11.6	323.	1.8	275.	200.	10.0	0.0	-1.30	.70
4167.8	4168.0	B	16.2	326.	1.7	275.	200.	10.0	0.0	-1.90	.80
4171.0	4172.0	B	13.2	339.	1.6	274.	176.	10.1	0.0	-2.20	-.70
4173.4	4173.6	C	15.2	95.	1.6	272.	185.	10.2	0.0	.30	-1.70
4177.5	4178.0	B	11.6	284.	1.5	268.	199.	10.4	0.0	-.20	1.70
4183.6	4184.0	B	6.9	12.	1.4	264.	128.	10.2	0.0	-.50	-1.10
4187.0	4188.0	B	14.1	253.	1.3	262.	98.	10.0	0.0	-2.30	-.70

CORRELATION CORR. DIP DIP DRFT DRFT AZ. DIA DISPLACEMENTS  
 INTERVAL GRADE ANGLE AZ. ANGLE AZ. NO.1 13 NO.1 NO.2 NO.3

4192.8	4193.0	C	16.8	231.	1.3	260.	70.	9.8	0.0	-2.70	-1.10
4210.3	4210.4	B	7.9	24.	1.5	262.	163.	9.9	0.0	-.90	-1.10
4213.5	4214.2	B	9.4	42.	1.6	262.	166.	9.8	0.0	-.70	-1.30
4217.0	4217.5	B	14.9	32.	1.6	261.	170.	9.7	0.0	-1.50	-2.10
4219.8	4220.0	B	13.9	49.	1.6	261.	168.	9.6	0.0	-.80	-1.90
4222.2	4223.0	B	7.7	17.	1.6	261.	180.	9.7	0.0	-1.10	-.80
4224.8	4225.1	B	1.3	302.	1.6	262.	165.	9.7	0.0	-.30	.10
4231.6	4232.0	A	13.4	83.	1.6	262.	177.	9.8	0.0	.10	-1.50
4232.0	4232.4	B	9.2	94.	1.6	262.	177.	9.8	0.0	.30	-.80
4236.4	4236.6	B	6.8	181.	1.5	262.	168.	9.8	0.0	.80	.90
4238.3	4238.6	B	5.8	240.	1.5	262.	168.	9.8	0.0	.00	.90
4240.0	4240.7	A	3.9	324.	1.5	262.	165.	9.8	0.0	-.70	-.10
4243.6	4244.0	B	11.1	329.	1.5	262.	165.	9.8	0.0	-1.80	-.60
4246.0	4246.3	B	11.6	6.	1.5	262.	146.	9.8	0.0	-1.30	-1.70
4251.0	4252.0	B	9.4	40.	1.5	262.	169.	9.8	0.0	-.80	-1.30
4253.6	4253.8	A	4.5	343.	1.5	262.	167.	9.8	0.0	-.80	-.30
4256.3	4257.2	A	7.3	58.	1.5	262.	161.	9.8	0.0	-.20	-.90
4259.3	4259.6	B	5.5	96.	1.5	262.	164.	9.8	0.0	.30	-.30
4261.3	4261.4	B	3.1	12.	1.5	261.	170.	9.9	0.0	-.50	-.30
4263.0	4264.0	B	6.2	110.	1.4	258.	170.	9.9	0.0	.50	-.20
4265.0	4265.3	B	8.6	151.	1.4	257.	169.	10.0	0.0	1.20	.60
4268.0	4270.0	B	9.2	316.	1.4	252.	160.	10.2	0.0	-1.50	-.30
4272.0	4272.5	B	5.8	28.	1.4	248.	153.	10.1	0.0	-.50	-.80
4279.6	4280.0	C	8.3	123.	1.4	237.	78.	9.7	0.0	.50	1.10
4282.8	4283.0	B	12.5	280.	1.3	240.	81.	9.6	0.0	-1.80	-1.70
4289.0	4290.0	B	10.8	187.	1.1	249.	56.	9.3	0.0	-1.30	.10
4291.0	4292.0	C	6.7	110.	1.0	247.	56.	9.3	0.0	.30	.80
4293.0	4294.5	B	7.1	214.	1.0	244.	47.	9.3	0.0	-1.10	-.60
4296.3	4297.0	B	6.8	330.	1.0	240.	46.	9.4	0.0	.30	-.70
4298.0	4298.6	B	4.3	31.	1.0	238.	49.	9.4	0.0	.50	.10
4300.5	4301.2	B	4.8	347.	1.0	236.	41.	9.4	0.0	.40	-.30
4302.5	4303.1	A	5.2	292.	.9	238.	34.	9.5	0.0	-.10	-.80
4311.7	4312.5	C	1.2	240.	.9	246.	32.	9.8	0.0	-.20	-.30
4315.7	4316.3	C	8.1	325.	.9	248.	32.	9.9	0.0	.60	-.70
4321.6	4322.0	C	5.3	240.	.9	246.	44.	10.0	0.0	-.80	-.80
4329.8	4330.2	C	4.8	46.	.7	229.	41.	9.8	0.0	.60	.40
4343.0	4345.0	D	1.0	335.	.7	242.	15.	9.7	0.0	.10	-.10
4355.7	4356.0	C	10.8	247.	1.0	258.	310.	9.7	0.0	1.10	-.60
4359.6	4360.5	C	21.0	120.	1.2	262.	285.	9.6	0.0	-2.70	-2.50
4366.0	4367.0	D	9.6	71.	1.4	254.	232.	9.6	0.0	-1.10	-1.00
4375.6	4376.0	C	16.3	317.	1.4	247.	171.	9.7	0.0	-2.30	-.10
4378.0	4378.5	C	17.4	327.	1.4	246.	164.	9.7	0.0	-2.70	-.90
4391.0	4392.0	B	5.4	207.	1.1	229.	107.	9.4	0.0	-.40	.50
4397.5	4398.2	B	1.8	282.	.9	222.	69.	9.1	0.0	-.30	-.30
4399.6	4400.2	B	1.5	133.	.8	219.	55.	9.0	0.0	-.10	.10
4401.7	4402.2	A	6.3	2.	.8	224.	49.	9.2	0.0	.60	-.20
4403.0	4404.1	A	3.6	107.	.8	229.	23.	9.3	0.0	-.10	.30
4404.3	4405.2	A	3.6	98.	.8	232.	355.	9.4	0.0	-.20	.20
4407.2	4407.6	A	4.1	226.	.9	239.	357.	9.6	0.0	-.30	-.70
4410.0	4410.3	B	5.1	340.	.9	247.	349.	9.8	0.0	.80	.30
4413.0	4413.5	B	13.9	197.	.9	250.	320.	9.8	0.0	-.70	-2.10
4417.0	4417.7	B	9.0	113.	.9	253.	294.	9.8	0.0	-1.20	-.80
4419.7	4420.4	B	4.4	171.	.9	256.	274.	9.9	0.0	.10	-.50
4421.8	4422.2	A	4.0	150.	1.0	254.	274.	9.9	0.0	-.10	-.50
4425.6	4425.9	B	2.2	205.	1.1	251.	280.	9.9	0.0	.30	-.10

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
4427.0	4428.0	C	3.1	185.	1.2	249.	268.	9.9	0.0	.30	-.20
4429.6	4429.8	C	9.1	64.	1.2	247.	256.	9.9	0.0	-1.20	-.50
4433.0	4433.4	B	11.3	70.	1.3	243.	221.	9.9	0.0	-1.20	-1.40
4435.7	4436.0	B	5.1	174.	1.3	240.	206.	9.9	0.0	.80	.30
4444.0	4446.0	C	17.9	346.	1.3	231.	161.	9.9	0.0	-2.70	-1.80
4447.7	4448.4	C	12.4	338.	1.2	229.	164.	9.9	0.0	-1.90	-.90
4454.0	4454.5	B	4.4	150.	1.2	234.	155.	10.0	0.0	.60	.50
4456.0	4456.5	C	12.2	50.	1.2	237.	157.	10.1	0.0	-.30	-1.60
4462.0	4464.0	B	19.0	290.	1.3	243.	157.	10.1	0.0	-2.50	.50
4470.0	4472.0	C	24.1	38.	1.3	241.	172.	10.0	0.0	-2.20	-3.70
4476.0	4478.0	C	17.5	346.	1.3	235.	173.	9.9	0.0	-2.70	-1.30
4480.0	4480.7	B	13.2	55.	1.3	232.	150.	9.8	0.0	.10	-1.50
4511.0	4512.3	B	18.8	93.	.6	200.	6.	9.3	0.0	-.40	2.10
4513.7	4514.2	B	4.4	147.	.6	203.	6.	9.2	0.0	-.60	-.10
4517.0	4518.0	B	18.5	22.	.6	208.	6.	9.1	0.0	2.30	2.10
4519.0	4520.0	B	7.6	112.	.6	211.	6.	9.0	0.0	-.50	.50
4521.0	4522.0	B	3.6	71.	.6	214.	8.	9.2	0.0	.10	.40
4526.0	4526.5	A	9.8	333.	.5	223.	6.	9.7	0.0	1.30	.10
4529.0	4530.0	C	8.9	139.	.5	229.	6.	10.0	0.0	-1.10	.10
4530.0	4532.0	B	10.8	118.	.5	229.	6.	10.0	0.0	-.90	.70
4533.0	4534.0	B	8.6	46.	.5	225.	6.	9.9	0.0	.80	1.20
4538.0	4540.0	B	19.1	155.	.5	216.	6.	9.5	0.0	-2.70	-.50
4541.0	4542.0	B	7.8	198.	.6	219.	10.	9.4	0.0	-1.10	-.90
4544.0	4545.0	C	3.2	12.	.7	229.	10.	9.2	0.0	.40	.20
4549.8	4550.0	C	11.8	272.	1.0	246.	355.	8.9	0.0	.50	-1.20
4556.0	4556.4	C	24.6	299.	1.0	222.	182.	8.9	0.0	-2.10	1.50
4564.0	4565.0	C	34.8	332.	1.0	232.	42.	8.9	0.0	2.60	-2.80
4567.0	4568.0	B	16.1	351.	1.0	248.	10.	8.9	0.0	2.20	.70
4570.0	4572.0	B	15.9	360.	1.0	257.	347.	8.9	0.0	2.10	1.70
4574.0	4576.0	B	11.9	317.	.9	238.	244.	9.0	0.0	.30	1.60
4576.0	4578.0	B	14.6	52.	.9	228.	179.	9.0	0.0	-.90	-1.90
4579.6	4580.4	B	9.7	43.	.9	213.	118.	9.0	0.0	.50	-.70
4582.0	4582.8	B	6.1	47.	.8	213.	102.	9.0	0.0	.50	-.20
4584.0	4584.5	C	7.0	126.	.8	213.	100.	9.1	0.0	.70	.90
4587.0	4588.0	B	6.6	34.	.7	213.	58.	9.1	0.0	.80	.20
4596.5	4597.5	C	8.4	16.	.6	213.	26.	9.2	0.0	1.10	.50
4600.0	4600.3	B	4.1	10.	.6	212.	20.	9.2	0.0	.50	.20
4608.0	4608.3	C	7.3	104.	.6	193.	358.	9.2	0.0	-.50	.50
4610.5	4611.6	B	10.3	335.	.6	190.	347.	9.2	0.0	1.40	.60
4613.0	4614.0	A	6.7	61.	.5	193.	350.	9.3	0.0	.10	.80
4615.0	4616.0	A	5.4	85.	.5	195.	354.	9.3	0.0	-.20	.50
4618.0	4619.0	A	5.2	94.	.5	198.	354.	9.4	0.0	-.30	.40
4620.9	4621.2	B	3.8	328.	.6	204.	349.	9.4	0.0	.50	.10
4622.1	4622.7	B	13.9	84.	.6	209.	344.	9.3	0.0	-.70	1.20
4626.0	4626.5	C	18.6	57.	.8	224.	295.	9.2	0.0	-1.70	.80
4637.5	4637.8	C	9.2	7.	.7	216.	79.	9.0	0.0	.50	-.70
4639.0	4640.0	A	13.5	23.	.6	211.	58.	9.0	0.0	1.60	.10
4642.0	4642.6	B	19.6	1.	.7	221.	33.	9.0	0.0	2.50	.30
4650.0	4652.0	B	8.8	50.	.9	256.	281.	9.0	0.0	-.80	.30
4655.0	4655.3	B	6.3	240.	.8	235.	156.	9.2	0.0	-.10	.80
4657.0	4658.0	B	11.0	64.	.7	222.	116.	9.4	0.0	1.10	-.30
4659.0	4660.0	A	10.6	29.	.7	212.	72.	9.5	0.0	1.20	-.10
4667.7	4668.5	C	18.0	38.	.8	208.	8.	9.1	0.0	1.90	2.30
4674.0	4676.0	B	9.7	322.	.8	238.	350.	9.0	0.0	1.30	.20
4676.0	4678.0	B	9.7	68.	.9	251.	327.	9.0	0.0	-.40	.80



CORRELATION INTERVAL:	CORR. GRADE:	DIP ANGLE	DIP AZ.	DRIFT ANGLE:	DRIFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS		
								NO.1	NO.2	NO.3

4685.0	4686.0	D	6.8	98.	.9	238.	127.	9.1	0.0	.80	.20
4690.0	4690.5	C	14.8	64.	.9	213.	111.	9.2	0.0	1.60	-.20
4694.0	4696.0	B	8.1	42.	.8	207.	98.	9.3	0.0	.70	-.30
4697.0	4698.0	C	3.6	122.	.8	204.	79.	9.4	0.0	.20	.50
4702.0	4704.0	B	10.6	39.	.8	208.	48.	9.3	0.0	1.40	.70
4706.0	4706.6	A	15.7	340.	.7	216.	54.	9.2	0.0	.90	-1.30
4714.3	4714.6	C	9.9	79.	.6	212.	9.	9.0	0.0	.20	1.20
4722.5	4723.5	B	3.6	301.	.4	204.	358.	9.0	0.0	.30	-.20
4737.0	4738.0	D	11.0	82.	.5	228.	7.	9.0	0.0	.10	1.30
4741.8	4742.2	C	7.0	81.	.7	241.	8.	9.0	0.0	.10	.80
4744.0	4745.0	C	16.0	159.	.7	254.	8.	9.0	0.0	-2.10	-.50
4750.8	4751.1	B	10.5	188.	.8	278.	332.	9.0	0.0	-.90	-1.40
4755.6	4757.5	B	16.8	28.	.8	248.	173.	9.0	0.0	-1.70	-2.20
4763.0	4764.0	C	17.3	22.	.8	225.	135.	9.2	0.0	-.60	-2.30
4769.0	4770.0	A	4.2	86.	.7	220.	108.	9.5	0.0	.50	.20
4771.0	4772.0	B	10.3	115.	.7	216.	102.	9.5	0.0	1.30	1.20
4778.0	4779.0	B	9.3	278.	.6	202.	67.	9.5	0.0	-1.10	-1.30
4783.0	4784.0	B	7.0	356.	.6	201.	45.	9.5	0.0	.70	-.20
4788.0	4790.0	B	11.3	54.	.6	206.	19.	9.5	0.0	1.10	1.50
4790.0	4794.0	B	13.6	21.	.6	211.	12.	9.4	0.0	1.80	1.40
4796.0	4797.0	A	11.8	40.	.6	221.	8.	9.2	0.0	1.20	1.50
4800.0	4800.6	C	1.7	16.	.6	230.	6.	9.0	0.0	.20	.10
4804.0	4804.3	B	7.6	325.	.7	251.	6.	9.0	0.0	.90	-.10
4807.7	4808.0	B	4.6	132.	.8	271.	345.	9.0	0.0	-.50	-.10
4811.0	4812.0	B	1.7	105.	.8	274.	257.	9.1	0.0	-.10	-.10
4815.0	4816.0	B	3.7	116.	.8	250.	177.	9.1	0.0	.30	-.10
4816.0	4816.6	C	7.5	109.	.8	245.	164.	9.2	0.0	.70	-.20
4819.0	4819.3	B	6.2	153.	.8	228.	134.	9.2	0.0	.70	.80
4825.5	4826.0	B	5.7	92.	.8	221.	102.	9.2	0.0	.70	.40
4827.0	4828.0	A	2.6	112.	.8	220.	90.	9.1	0.0	.20	.30
4829.6	4830.2	B	2.8	96.	.8	219.	70.	9.1	0.0	.20	.30
4831.6	4832.0	B	5.1	12.	.8	226.	53.	9.1	0.0	.50	-.10
4838.0	4838.6	B	4.1	176.	1.0	251.	350.	9.1	0.0	-.50	-.50
4843.2	4843.3	B	8.7	43.	1.0	252.	237.	9.1	0.0	-1.10	-.40
4844.8	4845.2	B	5.3	279.	1.0	250.	191.	9.1	0.0	-.10	.70
4848.0	4849.2	C	18.8	299.	.9	244.	130.	9.1	0.0	-2.80	-1.30
4857.7	4858.0	B	9.0	317.	.8	245.	66.	9.4	0.0	-.30	-1.30
4860.5	4861.5	B	7.6	14.	.8	246.	59.	9.5	0.0	.80	-.20
4863.6	4863.7	C	7.0	281.	.8	246.	58.	9.4	0.0	-.70	-1.10
4867.7	4868.1	B	13.0	53.	.9	246.	47.	9.3	0.0	1.70	1.20
4877.0	4878.0	B	5.9	174.	.9	281.	350.	9.3	0.0	-.70	-.60
4879.2	4879.4	B	10.2	63.	1.0	289.	308.	9.3	0.0	-.70	.70
4881.0	4883.0	B	13.5	342.	1.0	289.	252.	9.2	0.0	-.30	1.60
4884.8	4885.0	C	14.4	10.	.9	284.	195.	9.1	0.0	-2.10	-1.10
4887.3	4887.5	B	10.3	190.	.9	280.	175.	9.1	0.0	1.20	1.20
4891.0	4891.8	C	3.6	69.	.9	274.	143.	9.0	0.0	.10	-.30
4895.0	4895.3	B	11.2	52.	.9	270.	100.	9.0	0.0	1.10	-.30
4898.0	4899.0	C	5.8	325.	.9	267.	86.	9.0	0.0	-.40	-.90
4900.2	4901.5	C	9.7	353.	.9	269.	80.	9.0	0.0	.20	-1.10
4904.0	4906.0	C	7.2	7.	1.0	289.	30.	9.0	0.0	1.00	.20
4908.0	4910.0	C	21.4	214.	1.0	307.	316.	9.0	0.0	.00	-2.60
4920.0	4922.0	B	33.7	67.	.8	268.	110.	9.4	0.0	4.40	-.40
4925.0	4926.0	A	5.5	336.	.7	262.	84.	9.3	0.0	-.20	-.80
4929.6	4930.0	B	25.3	56.	.6	256.	74.	9.1	0.0	3.60	1.30
4940.0	4942.0	B	2.7	15.	.8	282.	87.	9.1	0.0	.10	-.30

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRFT ANGLE	DRFT AZ.	AZ. NO.1	DIA 13	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
4942.0	4944.0	B	4.2	4.	.8	283.	87.	9.1	0.0	.10	-.50
4946.0	4948.0	C	9.7	228.	.8	284.	80.	9.0	0.0	-1.30	-.30
4950.0	4952.0	C	18.6	216.	.8	286.	94.	8.9	0.0	-1.90	.60
4956.0	4958.0	B	3.3	3.	.9	293.	104.	8.9	0.0	-.10	-.50
4959.0	4960.0	B	7.7	320.	.9	295.	110.	8.9	0.0	-.90	-1.10
4963.0	4964.0	C	10.0	6.	.8	296.	107.	8.9	0.0	-.10	-1.30
4968.0	4970.0	C	23.0	352.	.7	296.	98.	9.0	0.0	-.40	-3.10
4973.8	4975.0	B	1.0	48.	.8	322.	88.	8.9	0.0	.10	-.10
4984.0	4986.0	B	15.2	30.	1.0	333.	235.	8.8	0.0	-2.10	-.50
4990.0	4992.0	B	8.1	103.	1.0	308.	174.	8.8	0.0	.40	-.60
4992.0	4994.0	B	18.5	103.	.9	307.	157.	8.8	0.0	1.70	-.70
4995.6	4996.3	B	3.0	58.	.9	305.	128.	8.8	0.0	.10	-.30
4997.0	4998.0	B	1.7	266.	.8	304.	125.	8.8	0.0	-.30	-.10
4998.6	4999.5	C	9.9	17.	.8	303.	122.	8.8	0.0	-.20	-1.30
5002.0	5004.0	C	11.2	135.	.7	318.	110.	9.0	0.0	1.20	1.30
5010.0	5012.0	C	5.3	359.	.6	352.	26.	9.3	0.0	.80	.20
5012.0	5014.0	B	2.7	76.	.7	346.	357.	9.3	0.0	.10	.40
5014.0	5018.0	C	9.2	105.	.8	336.	334.	9.2	0.0	-.90	.30
5020.0	5020.7	C	7.2	249.	1.0	323.	231.	9.0	0.0	.80	.90
5024.0	5024.5	B	3.5	68.	.9	318.	190.	9.1	0.0	-.30	-.50
5027.0	5028.0	B	2.3	122.	.9	315.	145.	9.2	0.0	.20	.00
5029.0	5030.0	B	4.0	25.	.8	313.	126.	9.3	0.0	-.10	-.60
5031.9	5032.2	B	3.2	86.	.8	313.	126.	9.2	0.0	.30	-.10
5033.6	5033.8	B	2.4	157.	.7	314.	138.	9.2	0.0	.20	.20
5035.0	5036.0	B	3.0	72.	.6	316.	146.	9.1	0.0	.10	-.30
5040.0	5040.4	C	6.2	306.	.4	319.	134.	9.0	0.0	-.90	-.50
5052.5	5053.1	B	1.6	135.	.7	360.	357.	9.2	0.0	-.10	.10
5053.1	5054.0	B	2.4	136.	.7	359.	357.	9.2	0.0	-.20	.10
5056.0	5056.4	B	4.1	66.	.8	358.	330.	9.0	0.0	-.10	.50
5057.0	5058.0	A	5.4	67.	.8	357.	319.	8.9	0.0	-.30	.50
5060.0	5062.0	B	4.7	132.	.9	353.	282.	8.8	0.0	-.50	-.50
5063.5	5064.2	B	1.2	98.	.9	348.	252.	9.0	0.0	-.20	-.10
5075.6	5076.0	B	14.4	24.	.7	323.	187.	9.5	0.0	-2.00	-1.80
5077.3	5078.2	B	11.2	52.	.7	318.	163.	9.5	0.0	-.40	-1.60
5079.0	5079.6	C	21.5	1.	.7	314.	160.	9.5	0.0	-2.90	-2.90
5082.0	5082.5	C	21.8	150.	.7	307.	161.	9.4	0.0	-3.20	-2.50
5084.4	5085.2	B	2.8	138.	.7	302.	157.	9.4	0.0	.30	.10
5089.0	5090.0	B	35.5	192.	.7	292.	127.	9.2	0.0	1.40	5.40
5094.0	5094.6	C	1.6	133.	.8	298.	109.	9.2	0.0	.10	.10
5099.5	5100.0	B	4.5	218.	.8	307.	119.	9.2	0.0	-.30	.30
5101.3	5101.5	C	13.1	136.	.8	308.	132.	9.2	0.0	1.70	1.20
5105.0	5106.0	B	2.8	185.	.8	311.	159.	9.4	0.0	.20	.30
5106.0	5107.0	B	3.2	175.	.8	311.	163.	9.4	0.0	.30	.30
5110.0	5110.8	B	3.8	41.	.8	313.	160.	9.6	0.0	-.30	-.60
5113.0	5114.0	B	1.8	109.	.8	311.	156.	9.6	0.0	.10	-.10
5117.7	5118.4	B	2.8	130.	.7	307.	145.	9.7	0.0	.30	.10
5121.6	5121.7	C	2.8	333.	.7	304.	155.	9.7	0.0	-.50	-.30
5127.2	5128.0	B	12.7	69.	.7	298.	160.	9.7	0.0	.20	-1.50
5130.0	5130.2	B	9.9	55.	.7	296.	155.	9.7	0.0	-.10	-1.30
5133.0	5133.5	B	2.0	42.	.7	291.	142.	9.7	0.0	-.10	-.30
5138.0	5138.1	C	3.4	208.	.6	283.	102.	9.7	0.0	-.30	.20
5153.0	5154.0	C	13.8	154.	.8	276.	89.	9.7	0.0	.10	-1.80
5162.0	5162.7	C	4.9	67.	.6	275.	90.	9.7	0.0	.60	.10
5169.0	5170.0	D	9.4	119.	.7	275.	99.	9.6	0.0	1.10	1.10
5182.0	5185.0	B	1.0	325.	.4	294.	32.	9.5	0.0	.10	-.10

CORRELATION INTERVAL	CORR. GRADE	DIP ANGLE	DIP AZ.	DRIFT ANGLE	DRIFT AZ.	AZ. NO.1	DIA 15	DISPLACEMENTS			
								NO.1	NO.2	NO.3	
5189.7	5190.3	C	4.3	74.	.2	302.	21.	9.5	0.0	.30	.60
5194.0	5194.6	C	2.5	150.	.3	302.	7.	9.5	0.0	-.20	.10
5199.6	5200.4	C	3.7	228.	.5	302.	346.	9.5	0.0	-.10	-.50
5202.3	5204.0	B	9.9	76.	.5	302.	345.	9.5	0.0	-.20	1.10
5206.1	5206.8	B	3.2	96.	.5	302.	354.	9.5	0.0	-.10	.30
5211.9	5212.4	C	5.8	322.	.6	301.	343.	9.5	0.0	.90	.30
5217.5	5218.0	B	3.6	301.	.7	299.	314.	9.5	0.0	.60	.30
5222.0	5222.5	B	9.6	109.	.8	294.	305.	9.5	0.0	-1.30	-.50
5230.0	5230.8	C	2.2	155.	1.1	281.	250.	9.5	0.0	.10	.10
5237.6	5237.9	C	18.9	132.	1.0	278.	239.	9.6	0.0	2.90	1.70
5242.0	5243.0	B	8.3	133.	1.0	279.	228.	9.6	0.0	1.20	1.00
5250.0	5250.6	B	18.5	126.	.9	285.	237.	9.6	0.0	-.50	-2.50
5257.3	5257.6	B	5.6	119.	.9	284.	218.	9.7	0.0	.00	-.60
5261.6	5262.0	B	11.1	102.	.9	285.	219.	9.7	0.0	-.50	-1.50
5265.3	5265.7	B	6.1	77.	.9	288.	216.	9.7	0.0	-.60	-.80
5267.3	5267.6	A	5.6	183.	.9	289.	220.	9.7	0.0	.30	-.40
5269.0	5270.0	B	4.4	114.	.8	291.	221.	9.7	0.0	-.10	-.50
5270.0	5270.8	B	7.6	150.	.8	291.	222.	9.7	0.0	.50	-.50
5274.3	5274.7	B	5.5	182.	.7	291.	218.	9.7	0.0	.30	-.40
5282.0	5282.5	B	11.9	88.	.6	292.	210.	9.7	0.0	-.70	-1.70