

RECEIVED  
JUL 15 1966  
LOS ANGELES

SUNDRY NOTICES AND REPORTS ON WELLS

Use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.

1. OIL WELL  GAS WELL  OTHER  Wildcat

2. NAME OF OPERATOR  
Shell Oil Company

3. ADDRESS OF OPERATOR  
1008 West Sixth Street, Los Angeles, California 90054

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)  
At surface  
4370' FNL & 8170' FEL of Lease  
Lambert Zone Oregon North: X = 1,009,750  
Y = 930,190

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
RT 69' above MLLW, water depth 408'

7. UNIT AGREEMENT NAME  
8. FARM OR LEASE NAME  
9. WELL NO.  
1ET

10. FIELD AND POOL, OR WILDCAT  
Wildcat

11. SEC. T. R. M. OR BLM. AND SURVEY OR AREA  
Block 59N-63W  
Oregon Map #1

12. COUNTY OR PARISH 13. STATE  
Offshore Oregon

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:			SUBSEQUENT REPORT OF:		
TEST WATER SHUT-OFF	HILL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL		
FRACURE TREAT	MULTIPLE COMPLETE	FRACURE TREATMENT	ALTERING CASING		
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT*	X	
REPAIR WELL	CHANGE PLANS	(Other)			

NOTE: Report results of multiple completion on Well Completion or Log completion Report and Log form.

17. (This space is for the operator to report on the well and give pertinent data, including estimated date of starting any work on the well. If well is being plugged, give subsurface location of plug measured and true vertical depths for all markers and zones pertinent to this work.)

With 24 x 13 3/8" casing cemented at 627', 11 3/4" casing cemented at 2107', 9 5/8" casing cemented at 4791' and total depth 10,160', abandonment procedures were carried out as follows:

1. With open-ended drill pipe at 4900' pumped in 200 sacks of cement. Found top of cement at 4329' and tested with 15,000 lbs. weight. Test good.
2. Cut 9 5/8" casing at 492' (15' below ocean floor).
3. With open-ended drill pipe at 577' spotted 20 sacks of cement. Calculated top of cement at 527' (50' below the ocean floor).
4. Sheared marine conductor 3' below the ocean floor.
5. Recovered all equipment from the ocean floor.

Verbal permission to abandon OCS-P 075-1ET was obtained from Mr. J. H. Fackler on 7/1/66.

18. I hereby certify that the foregoing is true and correct

SIGNED Walter T. Walker, Jr. TITLE Div. Exploitation Engr. DATE 7/5/66

(This space for Federal or State official use)

APPROVED BY J. H. Fackler TITLE Los Angeles District Engineer DATE JUL 19 1966

CONDITIONS OF APPROVAL, IF ANY:

\*See Instructions on Reverse Side

RECEIVED  
JUL 5 1966  
LOS ANGELES

SUNDRY NOTICES AND REPORTS ON WELLS

Use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT" for such proposals.

1. OIL WELL  GAS WELL  OTHER  Wildcat

2. NAME OF OPERATOR  
Shell Oil Company

3. ADDRESS OF OPERATOR  
1008 West Sixth Street, Los Angeles, California 90054

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)  
At surface  
4370' FNL & 8170' FEL of Lease  
Lambert Zone Oregon North: X = 1,009,750  
Y = 930,190

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.)  
RT 69' above MLLW, water depth 408'

7. UNIT AGREEMENT NAME  
8. FARM OR LEASE NAME  
9. WELL NO.  
1ET

10. FIELD AND POOL, OR WILDCAT  
Wildcat

11. SEC. T. R. M. OR BLM. AND SURVEY OR AREA  
Block 59N-63W  
Oregon Map #1

12. COUNTY OR PARISH 13. STATE  
Offshore Oregon

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:			SUBSEQUENT REPORT OF:		
TEST WATER SHUT-OFF	HILL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL		
FRACURE TREAT	MULTIPLE COMPLETE	FRACURE TREATMENT	ALTERING CASING		
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMENT*		
REPAIR WELL	CHANGE PLANS	(Other)			

NOTE: Report results of multiple completion on Well Completion or Log completion Report and Log form.

17. (This space is for the operator to report on the well and give pertinent data, including estimated date of starting any work on the well. If well is being plugged, give subsurface location of plug measured and true vertical depths for all markers and zones pertinent to this work.)

With 24 X 13-3/8" casing cemented at 627', 11-3/4" casing cemented at 2107', 9-5/8" casing cemented at 4791', and total depth of 10,160', the well is to be abandoned as follows:

1. A cement plug will be placed from 100' below the shoe of the 9-5/8" casing to 100' above the shoe of 9-5/8" casing and tested with 15,000 lbs. drill string weight.
2. The 9-5/8" casing will be cut at 515' (38' below ocean floor) and a cement plug spotted from 100' to 50' below the ocean floor.
3. The marine conductor will be sheared loose 3' below the ocean floor.
4. All ocean floor equipment will then be recovered.

Verbal permission to abandon as described above was obtained from Mr. J. H. Fackler on 7-1-66.

18. I hereby certify that the foregoing is true and correct

SIGNED W. T. Walker, Jr. TITLE Div. Exploitation Engr. DATE 7-5-66

(This space for Federal or State official use)

APPROVED BY J. H. Fackler TITLE Los Angeles District Engineer DATE JUL 7 1966

CONDITIONS OF APPROVAL, IF ANY: See attached conditions.

\*See Instructions on Reverse Side

RECEIVED  
JUL 7 1966  
LOS ANGELES  
CYPHER