



FILE NO. \_\_\_\_\_  
 COMPANY: OREGON NATURAL GAS CORP.  
 WELL: OM 44A-3  
 FIELD: MIST  
 COUNTY: CLATSOP STATE: OR.  
 LOCATION: \_\_\_\_\_  
 OTHER SERVICES: \_\_\_\_\_

2" = 100'  
 129° N 4 26' W RY/SE  
 TWP 34N R3E S4  
 SEC 3  
 ELEVATIONS: \_\_\_\_\_  
 LOGGING HEADQUARTERS: \_\_\_\_\_  
 DRILLING HEADQUARTERS: \_\_\_\_\_

FORMATION BEHIND GAUGE: \_\_\_\_\_  
 LOGGING HEADQUARTERS: \_\_\_\_\_  
 DRILLING HEADQUARTERS: \_\_\_\_\_  
 DATE: 12/2/86  
 RUN: \_\_\_\_\_  
 SERVICE ORDER: \_\_\_\_\_

DEPTH-DEPT: \_\_\_\_\_  
 BOTTOM-LOADED INTERFER: \_\_\_\_\_  
 TOP-LOADED INTERFER: \_\_\_\_\_

DRILLING - LOGGER: \_\_\_\_\_  
 BIT SIZE: 8 5/8"  
 TYPE FLUID IN HOLE: \_\_\_\_\_  
 DENSITY / VISCOSITY: \_\_\_\_\_  
 FW / FLUID LOSS: \_\_\_\_\_  
 SOURCE OF SERVICES: \_\_\_\_\_  
 RPT. AT HEADS: \_\_\_\_\_  
 RPT. AT HOLES: \_\_\_\_\_  
 SOURCE OF RPT. / RNC: \_\_\_\_\_

THE SLINGS CIRCULATION: \_\_\_\_\_  
 THE SLINGS CIRCULATION: \_\_\_\_\_  
 THE SLINGS CIRCULATION: \_\_\_\_\_  
 THE SLINGS CIRCULATION: \_\_\_\_\_

REVISIONS: \_\_\_\_\_  
 NO. \_\_\_\_\_  
 BY: \_\_\_\_\_  
 DATE: \_\_\_\_\_


IN MAKING INTERPRETATIONS OF LOGS OUR EMPLOYEES WILL GIVE CUSTOMER THE BEST FIT OF THEIR BEST JUDGMENT, BUT SINCE WE ARE NOT A TESTING LABORATORY WE CANNOT GUARANTEE THE ACCURACY OR CORRECTNESS OF ANY INTERPRETATION. WE SHALL NOT BE LIABLE OR RESPONSIBLE FOR ANY LOSS, COST, DAMAGES, OR EXPENSES WHATSOEVER INCURRED OR SUSTAINED BY THE CUSTOMER RESULTING FROM ANY INTERPRETATION MADE BY ANY OF OUR EMPLOYEES.

REMARKS: RUN ( 1 )

**EQUIPMENT DATA**

RUN	TRIP	TOOL	SERIAL NO.	SERIES NO.	POSITION
1	1	DIFL	72831	1503	1.5 SO
1	1	AC	79725	1604	CENT.
1	1	CAL	79289	4282	VARIABLE

WELL NAME: OREGON NATURAL GAS CORP. RUN: 1  
 SERVICE: K0214N FILE: 3 TRIP: 1  
 REVISION: FYSVAL OJ3 D007 VER 7 DATE: 12/12/86 TIME: 23:57:0  
 MODE: PLAYBACK



BIT: 6" VOL(CU.FT): 0.28  
 ORL(INCH): 6" SP(MU): 100  
 AC(MICS.FT): 150 TEN(LBS): 5000