
*

* SCHLUMBERGER *

RECEIVED-PTLD
FEB 11 1984

DEPT OF GEOLOGY
& MINERAL WINDS

HIGH RESOLUTION

DIPMETER

CLUSTER LISTING

BEITCHFIELD ENERGY CORR.

SIGT-BREKLER BASIN

COLUMBIA, OREGON

WISSOH #11-5

RUN 05, ONE JOB NO. 10420

CLUSTER RESULTS ONLY

4 FT. CORR. - 2 FT. STEP

30 DEG. X2 SEARCH ANGLE

FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A	
-----								INDEX
* 586.0			0.9	221	8.0	8.3		
* 588.0			0.9	225	8.0	8.1		
* 590.0	3.2	281	0.9	229	8.0	8.0	C	
* 592.0	5.9	324	0.9	227	8.2	8.1	A	
* 594.0	1.6	319	0.9	225	8.3	8.3	A	
* 596.0	1.7	278	1.0	224	8.3	8.3	A	
* 598.0	1.9	303	0.9	227	8.2	8.3	A	
* 600.0	2.0	333	0.9	228	8.0	8.3	A	
* 602.0	2.4	360	0.9	226	7.9	8.2	A	
* 604.0	2.7	302	0.9	225	8.0	8.2	A	
* 606.0	3.0	332	0.9	226	8.2	8.1	A	
* 608.0	3.4	354	1.0	227	8.4	8.0	A	
* 610.0	3.1	310	1.0	224	8.5	8.0	A	
* 612.0	4.6	330	1.0	221	8.4	8.1	A	
* 614.0	4.1	1	1.0	221	8.2	8.2	A	
* 616.0	4.6	353	1.0	225	8.3	8.2	A	
* 618.0	8.5	4	1.0	227	8.2	8.2	C	
* 620.0	6.4	19	1.0	224	8.1	8.2	C	
* 622.0	3.6	2	1.0	219	8.1	8.2	A	
* 624.0	3.5	11	1.0	219	8.1	8.1	A	
* 626.0	3.5	10	1.0	220	8.1	8.0	A	
* 628.0	2.5	8	1.0	220	8.0	8.0	A	
* 630.0	4.8	18	1.0	221	8.2	8.1	A	
* 632.0	6.5	319	1.0	222	8.2	8.2	C	
* 634.0	5.2	312	1.0	220	8.0	8.1	A	
* 636.0	2.6	313	1.0	219	8.1	8.1	A	
* 638.0	1.0	294	0.9	218	8.1	8.0	A	
* 640.0	0.8	305	0.9	220	8.0	8.0	A	
* 642.0	1.4	392	0.9	225	8.1	8.0	A	
* 644.0	3.1	351	0.9	226	8.1	8.1	A	
* 646.0	1.1	6	1.0	227	8.1	8.2	A	
* 648.0	1.6	36	1.0	225	8.0	8.1	A	
* 650.0	3.9	27	1.0	227	7.9	7.9	A	
* 652.0	3.3	22	1.0	229	8.0	8.0	A	
* 654.0	3.7	12	1.0	222	8.0	8.0	A	
* 656.0	3.3	10	0.9	220	7.9	7.8	A	
* 658.0	4.6	21	1.0	220	8.0	8.1	A	
* 660.0	7.3	24	1.0	220	8.2	8.2	A	
* 662.0	9.9	163	1.0	219	8.2	8.3	A	
* 664.0			1.0	219	8.0	8.3		



FORMATION				SUPEHOLE				QUAL.	

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST	INDEX	
		AZI.		AZI.	1-3	2-4	=A		

*									*
*	666.0	1.7	244	1.0	219	8.0	8.3	A	*
*	668.0	1.8	244	1.0	219	7.9	8.2	A	*
*	670.0	2.4	344	1.0	217	7.8	8.1	A	*
*	672.0	5.3	359	1.0	216	7.9	8.4	A	*
*	674.0	3.7	357	1.0	217	7.9	8.7	A	*
*	676.0	8.8	139	1.0	223	7.9	8.5	A	*
*	678.0	10.8	145	1.0	229	7.7	8.3	A	*
*	680.0	12.8	142	1.0	234	7.9	8.3	A	*
*	682.0	9.7	333	1.0	235	8.0	8.4	C	*
*	684.0	1.5	135	1.0	231	8.0	8.3	A	*
*	686.0	0.6	102	1.0	228	7.9	8.3	A	*
*	688.0	1.0	33	1.0	226	7.9	8.2	A	*
*	690.0	1.7	54	1.0	224	7.9	8.2	A	*
*	692.0	1.9	37	1.0	221	7.8	8.2	A	*
*	694.0	2.5	11	1.0	216	7.8	8.2	A	*
*	696.0	2.9	357	1.0	214	7.8	8.2	A	*
*	698.0	3.3	14	1.0	213	7.8	8.1	A	*
*	700.0	4.6	62	1.0	212	7.9	8.1	A	*
*	702.0	4.4	75	1.0	213	8.1	8.1	A	*
*	704.0	1.6	116	1.0	214	8.2	8.0	A	*
*	706.0	2.8	63	1.0	216	8.1	8.0	A	*
*	708.0	2.2	62	1.0	222	8.0	8.1	A	*
*	710.0	1.4	200	1.0	226	8.0	8.1	C	*
*	712.0	2.2	206	1.0	221	8.0	7.9	C	*
*	714.0			1.0	215	8.0	7.9		*
*	716.0			1.0	214	8.0	8.1		*
*	718.0	1.7	273	1.0	212	8.0	8.1	A	*
*	720.0	0.8	109	1.0	213	8.0	8.1	A	*
*	722.0	8.1	177	1.0	216	7.9	8.1	A	*
*	724.0	8.3	180	1.0	215	8.0	8.1	A	*
*	726.0	8.3	174	1.0	213	8.0	8.1	A	*
*	728.0	9.0	177	0.9	213	8.0	8.3	A	*
*	730.0	10.0	197	0.9	216	8.0	8.4	C	*
*	732.0	12.5	199	0.9	217	8.0	8.4	A	*
*	734.0	9.3	197	0.9	217	7.9	8.4	A	*
*	736.0	8.1	187	0.9	218	7.9	8.5	A	*
*	738.0	7.1	178	0.9	220	7.9	8.5	A	*
*	740.0	6.0	162	0.9	219	7.9	8.3	A	*
*	742.0	7.5	134	0.9	218	7.9	8.2	A	*
*	744.0	3.8	200	1.0	218	7.9	8.1	A	*

FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A	INDEX
* 746.0	3.5	190	1.0	218	7.9	8.0	A	*
* 748.0	3.7	165	1.0	216	8.0	8.2	A	*
* 750.0	2.8	125	1.0	212	7.9	8.5	A	*
* 752.0	2.9	135	1.0	212	7.8	8.5	A	*
* 754.0	3.0	146	1.0	213	7.8	8.3	A	*
* 756.0	6.2	175	1.0	214	7.9	8.1	A	*
* 758.0	8.0	165	1.0	213	7.9	8.1	A	*
* 760.0	8.4	170	1.0	214	7.9	8.1	A	*
* 762.0	8.8	177	1.0	220	7.9	8.1	A	*
* 764.0	4.3	207	1.0	226	7.9	8.1	A	*
* 766.0	1.7	244	1.0	224	7.8	8.2	A	*
* 768.0	0.5	155	0.9	222	7.7	9.1	A	*
* 770.0	4.0	278	0.9	225	7.6	8.0	A	*
* 772.0	10.5	197	0.9	227	7.7	8.0	A	*
* 774.0	12.3	219	0.9	228	7.8	8.0	A	*
* 776.0	9.6	224	0.9	227	8.0	8.3	A	*
* 778.0	7.4	16	0.9	221	8.3	8.3	C	*
* 780.0	4.0	220	0.9	213	8.3	8.1	C	*
* 782.0	7.7	227	0.9	212	7.9	8.0	C	*
* 784.0	0.7	172	0.9	219	7.8	8.1	A	*
* 786.0	2.6	168	1.0	227	8.0	8.1	C	*
* 788.0			1.0	228	8.2	8.1		*
* 790.0	3.1	146	1.0	221	8.2	8.2	C	*
* 792.0	1.9	131	1.0	217	8.0	8.2	A	*
* 794.0	1.1	126	1.0	216	7.6	8.0	A	*
* 796.0	1.8	123	1.0	222	7.8	7.9	A	*
* 798.0	2.7	94	1.0	233	8.6	8.0	D	*
* 800.0	3.3	144	1.0	234	8.3	8.0	D	*
* 802.0	5.4	128	1.0	224	7.6	8.1	D	*
* 804.0	0.2	162	1.0	216	7.5	8.1	D	*
* 806.0	3.2	179	1.0	210	7.7	8.2	D	*
* 808.0			1.0	203	7.9	8.4		*
* 810.0			1.0	200	8.0	8.3		*
* 812.0			1.0	201	8.2	8.1		*
* 814.0			1.0	204	8.2	8.2		*
* 816.0			1.0	207	7.8	8.2		*
* 818.0			1.0	209	7.7	8.3		*
* 820.0			1.0	212	7.8	8.3		*
* 822.0	8.1	62	1.0	212	8.0	8.2	D	*
* 824.0	3.5	253	1.0	210	7.9	8.2	D	*

* FORMATION * POREHOLE * QUAL. *									
*-----+ INDEX *									
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST	=A	

* 826.0	2.0	142	1.0	214	7.9	8.2	B		*
* 828.0	2.6	120	1.0	216	8.0	8.2	B		*
* 830.0			1.0	214	7.9	8.3			*
* 832.0			1.0	215	7.8	8.2			*
* 834.0	3.4	146	1.0	220	8.0	8.1	D		*
* 836.0	2.0	210	1.0	222	8.3	8.1	D		*
* 838.0	2.3	147	1.0	214	8.3	8.2	B		*
* 840.0	2.8	99	1.0	212	8.0	8.2	B		*
* 842.0	2.4	117	0.9	213	7.8	8.2	B		*
* 844.0	3.5	168	0.9	214	7.9	8.4	D		*
* 846.0			0.9	210	8.3	8.4			*
* 848.0			0.9	204	8.4	8.2			*
* 850.0	11.3	161	1.0	202	8.0	8.1	D		*
* 852.0	6.4	167	1.0	202	7.7	8.2	B		*
* 854.0	9.1	123	1.0	200	7.7	8.3	D		*
* 856.0	4.5	86	1.0	200	7.7	8.3	D		*
* 858.0	4.8	126	1.0	202	7.7	8.2	D		*
* 860.0	4.6	249	1.0	206	7.7	8.2	D		*
* 862.0			1.0	208	7.7	8.0			*
* 864.0			1.0	204	7.7	8.0			*
* 866.0			1.0	200	7.7	8.3			*
* 868.0	6.2	161	1.0	201	7.9	8.2	C		*
* 870.0	2.2	132	1.0	203	7.9	8.2	C		*
* 872.0			1.0	204	7.8	8.2			*
* 874.0			1.0	204	7.6	8.1			*
* 876.0	2.2	92	1.0	204	7.7	8.0	A		*
* 878.0	5.1	110	1.0	205	7.7	7.9	C		*
* 880.0	6.4	104	1.0	207	7.7	8.0	A		*
* 882.0	5.1	99	1.0	210	8.3	8.1	A		*
* 884.0	1.1	96	1.0	212	8.7	8.3	A		*
* 886.0	1.3	73	1.0	214	8.6	8.3	A		*
* 888.0	4.0	119	1.0	214	8.5	8.3	C		*
* 890.0	1.9	110	1.0	218	8.4	8.2	A		*
* 892.0	1.9	95	1.0	219	8.3	8.2	A		*
* 894.0	1.6	104	1.0	221	8.1	8.2	A		*
* 896.0	2.2	116	1.0	221	7.9	8.1	A		*
* 898.0	2.0	129	1.0	218	7.6	8.1	A		*
* 900.0	2.5	107	1.0	214	7.6	7.9	A		*
* 902.0	3.0	106	1.0	213	7.6	7.9	A		*
* 904.0	2.3	123	1.0	214	7.7	8.0	A		*

FORMATION				BUREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST #A	INDEX
906.0	2.7	133	1.0	211	7.7	7.9	A	
908.0	4.1	136	1.0	208	7.7	8.0	A	
910.0	5.1	143	1.0	205	7.9	8.2	A	
912.0	5.3	144	1.0	202	7.8	8.3	A	
914.0	1.9	37	1.0	201	7.6	8.1	B	
916.0	0.3	155	1.0	202	7.6	8.0	B	
918.0	6.6	206	1.0	203	7.9	8.2	D	
920.0			1.0	203	8.0	8.2		
922.0			1.0	201	8.0	8.2		
924.0			0.9	202	8.0	8.2		
926.0			0.9	203	8.0	8.2		
928.0			0.9	202	8.0	8.3		
930.0			0.9	203	8.0	8.3		
932.0			0.9	204	7.9	8.3		
934.0	62.8	226	0.9	207	7.8	8.3	D	
936.0			0.9	208	7.7	8.2		
938.0			0.9	207	7.9	8.1		
940.0			0.9	207	8.0	8.1		
942.0	52.9	225	0.9	208	8.1	8.1	B	
944.0	55.2	219	1.0	209	8.1	8.1	B	
946.0	60.1	217	0.9	209	7.9	8.0	D	
948.0	58.1	213	0.9	209	7.7	8.0	D	
950.0			0.9	211	7.6	8.0		
952.0			0.9	211	7.5	8.2		
954.0	6.1	1	0.9	210	7.6	8.1	B	
956.0	6.2	356	0.9	210	7.7	8.1	B	
958.0	4.5	355	0.9	208	7.8	8.5	B	
960.0	2.4	12	0.9	207	7.7	8.6	D	
962.0	5.6	250	0.9	207	7.7	8.5	D	
964.0	2.6	252	0.9	205	7.7	8.5	D	
966.0	4.9	296	0.9	201	7.7	8.5	D	
968.0	1.3	201	0.9	202	7.7	8.3	D	
970.0			0.9	202	7.7	8.1		
972.0			1.0	201	7.8	8.0		
974.0			1.0	201	7.9	8.0		
976.0			1.0	201	7.9	8.0		
978.0			1.0	202	8.1	8.0		
980.0			1.0	202	8.2	8.0		
982.0			1.0	203	8.2	8.1		
984.0			1.0	202	8.2	8.2		

FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST #A	
988.0			1.0	201	8.2	8.4		
988.0			1.0	202	8.2	8.4		
990.0			0.9	200	8.2	8.3		
992.0			0.9	201	8.2	8.4		
994.0			0.9	204	8.3	8.2		
996.0			0.9	205	8.1	8.1		
998.0			0.9	200	8.6	8.1		
1000.0			0.9	196	8.2	8.4		
1002.0			0.9	195	8.1	8.4		
1004.0			0.9	198	7.9	8.3		
1006.0			0.9	202	8.4	8.2		
1008.0			0.9	204	8.9	8.2		
1010.0			0.8	211	9.1	8.2		
1012.0			0.8	211	8.8	8.3		
1014.0	11.9	350	0.8	206	8.3	8.4	D	
1016.0	12.7	179	0.7	205	8.2	8.3	B	
1018.0	13.4	184	0.7	204	8.1	8.1	D	
1020.0	11.3	311	0.7	202	8.1	8.1	B	
1022.0	10.7	308	0.8	202	8.1	8.2	B	
1024.0	11.3	290	0.8	202	8.1	8.1	D	
1026.0	10.6	285	0.9	200	8.0	8.2	D	
1028.0	11.2	61	0.9	198	7.8	8.1	D	
1030.0	12.2	72	0.9	195	7.7	8.1	B	
1032.0	12.9	85	0.9	196	7.9	8.2	B	
1034.0	9.7	133	0.9	197	7.9	8.2	A	
1036.0	9.3	129	0.9	195	7.8	8.2	A	
1038.0	8.7	126	0.9	198	7.9	8.2	A	
1040.0	8.9	129	0.9	200	7.9	8.2	A	
1042.0	8.5	135	0.8	200	7.9	8.2	A	
1044.0	9.9	130	0.8	199	7.8	8.2	A	
1046.0	12.3	131	0.8	199	8.0	8.3	A	
1048.0	8.1	155	0.8	201	8.0	8.3	A	
1050.0	6.5	150	0.7	200	7.7	8.2	A	
1052.0	6.9	122	0.7	198	7.9	8.2	A	
1054.0	7.4	121	0.7	198	8.0	8.3	A	
1056.0	13.3	110	0.8	199	8.0	8.3	A	
1058.0	10.0	115	0.8	198	8.0	8.2	A	
1060.0	6.4	134	0.8	200	8.0	8.3	A	
1062.0			0.7	202	8.0	8.3		
1064.0	8.1	146	0.7	198	7.8	8.2	A	

* FORMATION *				* BOREHOLE *				* QUAL. *
-----				*-----*				* INDEX *
* DEPTH *	* DIP *	* DIP *	* DEV. *	* DEV. *	* DIAM 1-3 *	* DIAM 2-4 *	* BEST #A *	
* AZI. *				* AZI. *				
* 1146.0	6.7	150	0.5	205	7.9	8.2	A	
* 1148.0	7.4	145	0.5	203	7.7	8.0	A	
* 1150.0	8.6	149	0.5	203	7.8	8.1	A	
* 1152.0	7.2	150	0.6	204	7.7	8.1	A	
* 1154.0	10.0	159	0.6	204	7.5	8.0	A	
* 1156.0			0.6	202	7.6	8.0		
* 1158.0	6.9	158	0.6	198	8.0	8.1	A	
* 1160.0	7.2	155	0.6	199	7.9	8.2	A	
* 1162.0	6.5	150	0.6	202	7.8	8.1	A	
* 1164.0	7.6	149	0.6	204	7.8	8.0	A	
* 1166.0	8.2	139	0.6	201	7.8	8.0	A	
* 1168.0	7.6	140	0.5	199	7.8	8.1	A	
* 1170.0	7.3	139	0.5	198	7.7	8.1	A	
* 1172.0	7.2	139	0.5	201	7.7	8.0	A	
* 1174.0	6.2	155	0.5	205	7.7	8.2	A	
* 1176.0	6.7	164	0.5	208	7.8	8.3	A	
* 1178.0	7.8	170	0.5	209	7.7	8.2	A	
* 1180.0	9.4	174	0.5	209	7.3	7.8	A	
* 1182.0	6.1	162	0.5	207	7.1	7.6	A	
* 1184.0	8.6	167	0.6	206	7.5	7.7	A	
* 1186.0	8.0	165	0.6	203	7.9	7.8	A	
* 1188.0	7.1	161	0.6	204	8.0	7.8	A	
* 1190.0	8.4	172	0.6	204	7.9	7.8	A	
* 1192.0	10.1	164	0.6	203	7.9	7.9	A	
* 1194.0	8.5	159	0.5	207	7.9	8.0	A	
* 1196.0	6.3	167	0.5	210	7.8	7.9	A	
* 1198.0	6.7	152	0.5	212	7.7	7.9	A	
* 1200.0	5.8	140	0.5	209	7.8	8.1	A	
* 1202.0	5.4	117	0.5	205	8.1	8.1	A	
* 1204.0	4.2	133	0.5	205	8.1	8.1	A	
* 1206.0	7.4	163	0.5	208	8.0	7.9	A	
* 1208.0	7.4	159	0.5	210	7.9	7.9	A	
* 1210.0	8.4	213	0.5	210	7.9	8.1	A	
* 1212.0	7.8	203	0.5	208	7.7	8.1	A	
* 1214.0	7.6	201	0.5	210	7.7	8.1	A	
* 1216.0	7.5	204	0.5	213	7.6	8.1	A	
* 1218.0	7.0	164	0.5	215	7.7	8.1	C	
* 1220.0	6.2	162	0.5	214	8.0	8.1	A	
* 1222.0	6.5	150	0.5	211	8.1	8.1	A	
* 1224.0	9.2	171	0.5	210	8.0	8.0	A	

FORMATION				BOREHOLE				QUAL.	
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST # =A	INDEX	
*	1226.0	7.5	176	0.5	210	7.9	7.9	A	*
*	1228.0	7.0	184	0.5	207	7.9	8.1	A	*
*	1230.0	3.7	2	0.4	205	7.9	8.1	A	*
*	1232.0	2.3	293	0.4	204	8.0	8.1	A	*
*	1234.0	5.5	214	0.4	204	8.1	8.2	A	*
*	1236.0	6.7	231	0.4	205	8.1	8.2	A	*
*	1238.0	7.2	236	0.4	204	8.1	8.2	A	*
*	1240.0	4.4	244	0.5	202	8.1	8.4	C	*
*	1242.0	7.3	293	0.5	201	8.0	8.6	C	*
*	1244.0	12.8	299	0.5	204	8.0	8.5	C	*
*	1246.0			0.5	209	8.1	8.3		*
*	1248.0			0.5	206	8.0	8.2		*
*	1250.0	29.4	142	0.5	202	8.0	8.2	A	*
*	1252.0	32.0	144	0.5	200	8.1	8.4	C	*
*	1254.0	38.9	148	0.5	199	8.1	8.2	C	*
*	1256.0			0.4	203	8.1	8.2		*
*	1258.0	32.7	160	0.4	208	8.1	8.3	A	*
*	1260.0	33.4	161	0.4	213	8.1	8.2	A	*
*	1262.0	34.2	160	0.3	217	8.1	8.1	A	*
*	1264.0	36.0	154	0.3	219	8.1	8.0	A	*
*	1266.0	35.9	150	0.3	219	8.0	8.1	C	*
*	1268.0	35.5	152	0.3	220	8.0	8.2	A	*
*	1270.0	34.7	153	0.3	222	8.1	8.1	A	*
*	1272.0	34.6	146	0.3	221	8.1	8.0	A	*
*	1274.0	33.4	141	0.3	216	8.1	7.9	A	*
*	1276.0	32.9	140	0.3	215	8.1	7.8	A	*
*	1278.0	30.8	139	0.4	218	8.0	7.8	A	*
*	1280.0	29.7	131	0.4	216	8.0	7.6	A	*
*	1282.0	28.6	140	0.4	213	7.9	7.8	C	*
*	1284.0	31.7	142	0.5	217	8.0	7.8	C	*
*	1286.0	32.0	136	0.5	220	8.0	7.9	A	*
*	1288.0	29.0	132	0.5	223	8.0	7.9	C	*
*	1290.0			0.5	231	8.0	8.0		*
*	1292.0			0.5	235	8.1	8.1		*
*	1294.0	25.6	68	0.5	235	8.0	8.2	B	*
*	1296.0	33.8	59	0.5	233	8.0	8.1	D	*
*	1298.0	21.7	312	0.5	235	8.0	8.1	B	*
*	1300.0			0.5	238	7.9	8.1		*
*	1302.0			0.5	237	7.9	8.2		*
*	1304.0			0.4	231	7.9	8.1		*

FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIF	DEV.	DEV.	DIAM	DIAM	BEST	
		AZI.		AZI.	1-3	2-4	=A	

*	1306.0			0.4	227	8.0	7.9	
*	1308.0			0.4	224	8.1	8.0	
*	1310.0	29.2	131	0.5	212	8.1	8.1	A
*	1312.0	30.3	134	0.5	205	8.1	8.0	A
*	1314.0	29.6	131	0.5	204	8.0	8.0	A
*	1316.0	29.8	130	0.5	207	8.0	8.0	A
*	1318.0	30.3	133	0.5	213	8.0	8.3	A
*	1320.0	29.8	136	0.5	215	8.0	8.5	A
*	1322.0	30.2	136	0.4	214	8.0	8.3	A
*	1324.0	29.7	137	0.4	214	7.9	8.2	A
*	1326.0	27.0	135	0.5	217	7.8	8.0	A
*	1328.0	31.3	127	0.5	220	7.8	7.8	C
*	1330.0	33.1	131	0.4	222	7.8	7.7	C
*	1332.0	30.2	132	0.4	225	7.9	7.8	A
*	1334.0	30.6	135	0.4	227	8.0	7.8	C
*	1336.0	29.8	129	0.4	226	8.0	7.9	A
*	1338.0	29.9	121	0.3	226	8.0	7.9	C
*	1340.0	29.9	120	0.3	227	8.0	7.7	A
*	1342.0	29.4	113	0.3	230	8.1	7.7	A
*	1344.0	29.8	133	0.3	234	8.1	7.9	A
*	1346.0	30.5	130	0.4	232	8.1	7.9	A
*	1348.0	30.7	129	0.4	230	8.1	8.0	A
*	1350.0	34.2	134	0.4	231	8.0	7.9	C
*	1352.0	36.4	135	0.4	233	8.0	7.8	C
*	1354.0	27.3	122	0.4	232	8.0	7.8	A
*	1356.0	29.6	126	0.4	236	8.1	7.7	A
*	1358.0	28.1	132	0.4	236	8.1	7.6	A
*	1360.0	31.7	132	0.4	229	8.1	7.7	C
*	1362.0	27.7	136	0.3	226	8.0	7.3	A
*	1364.0	27.1	134	0.3	224	8.0	7.8	A
*	1366.0	27.7	132	0.3	225	8.0	7.7	A
*	1368.0	28.6	137	0.4	228	8.0	7.8	A
*	1370.0	29.1	136	0.4	226	8.1	7.9	A
*	1372.0	31.0	136	0.4	222	8.1	7.9	A
*	1374.0	28.0	132	0.5	225	8.1	8.0	A
*	1376.0	27.7	132	0.5	233	8.1	8.0	A
*	1378.0	27.6	134	0.5	242	8.1	8.1	A
*	1380.0	26.2	142	0.5	246	8.1	8.3	A
*	1382.0	26.6	142	0.5	249	8.0	8.3	A
*	1384.0	26.4	143	0.4	251	8.0	8.2	A



* FORMATION *					* BOREHOLE *			* QUAL. *	

* DEPTH *	* DIP *	* DIP AZI. *	* DEV. *	* DEV. AZI. *	* DIAM 1-3 *	* DIAM 2-4 *	* BEST =A *	* INDEX *	* *

*	1386.0	26.3	136	0.4	251	7.9	8.0	A	*
*	1388.0	27.4	137	0.4	249	7.9	8.0	A	*
*	1390.0	28.5	140	0.4	246	7.9	8.1	C	*
*	1392.0	30.0	144	0.3	245	7.9	8.0	C	*
*	1394.0	29.8	139	0.4	245	7.9	7.9	A	*
*	1396.0	29.8	138	0.4	245	7.9	7.9	A	*
*	1398.0	28.8	144	0.4	244	7.9	8.0	A	*
*	1400.0	30.3	142	0.5	241	8.0	8.2	A	*
*	1402.0			0.5	242	8.0	8.4		*
*	1404.0			0.5	245	8.0	8.4		*
*	1406.0			0.5	246	7.9	8.2		*
*	1408.0			0.5	247	7.9	8.0		*
*	1410.0			0.5	249	7.8	8.1		*
*	1412.0			0.5	253	7.9	8.3		*
*	1414.0			0.5	258	8.0	8.7		*
*	1416.0	26.8	135	0.5	258	8.0	8.7	C	*
*	1418.0	24.2	141	0.5	259	8.0	8.3	C	*
*	1420.0	21.9	129	0.5	261	7.9	8.3	A	*
*	1422.0	24.5	131	0.5	260	7.9	8.3	A	*
*	1424.0	25.1	137	0.5	259	7.9	8.2	C	*
*	1426.0	17.7	138	0.5	261	8.0	8.3	A	*
*	1428.0	16.6	151	0.5	262	8.1	8.3	A	*
*	1430.0	17.5	143	0.5	261	8.2	8.3	A	*
*	1432.0	17.9	130	0.6	259	8.2	8.3	A	*
*	1434.0	20.2	136	0.6	259	8.1	8.3	A	*
*	1436.0	25.1	141	0.6	264	8.1	8.3	A	*
*	1438.0	24.1	147	0.6	270	8.1	8.3	A	*
*	1440.0	24.7	147	0.6	273	8.1	8.3	A	*
*	1442.0	26.6	149	0.5	274	8.1	8.4	A	*
*	1444.0	26.3	145	0.6	274	8.1	8.5	A	*
*	1446.0	30.2	146	0.6	275	8.1	8.7	C	*
*	1448.0	26.9	142	0.6	274	8.1	8.7	C	*
*	1450.0	25.8	147	0.6	273	8.0	8.9	C	*
*	1452.0	18.7	142	0.7	271	8.0	8.7	C	*
*	1454.0	20.7	141	0.7	269	8.0	8.6	A	*
*	1456.0			0.7	270	8.0	8.7		*
*	1458.0	19.9	136	0.7	272	8.0	8.6	A	*
*	1460.0	14.9	125	0.7	273	8.0	8.6	A	*
*	1462.0	15.9	123	0.7	273	8.0	8.6	A	*
*	1464.0	23.3	145	0.7	272	8.0	8.7	A	*

```

*****
#          *      FORMATION          *      BOREHOLE          *      QUAL.      *
#          *-----*-----*-----*-----*-----*-----*-----*-----*-----*
# DEPTH   *   DIP   DIP   *   DEV.   DEV.   DIAM   DIAM   *   BEST   *
#         *     *     *     *     *     *     *     *     *   =A   *
#         *     *     *     *     *     *     *     *     *-----*
#
# 1466.0   18.6   153         0.7   268         8.0   8.9         C   *
# 1468.0   25.1   147         0.7   265         8.0   8.9         A   *
# 1470.0   22.2   145         0.7   269         8.0   8.8         D   *
# 1472.0   29.3   163         0.7   274         8.0   8.8         D   *
# 1474.0   26.4   156         0.8   274         8.0   8.8         D   *
# 1476.0   15.2   158         0.8   272         8.0   8.6         D   *
# 1478.0   22.9   162         0.8   271         8.1   8.5         E   *
# 1480.0   21.1   163         0.8   271         8.0   8.5         D   *
# 1482.0   21.4   161         0.9   272         8.1   8.6         D   *
# 1484.0   21.5   138         0.9   275         8.1   8.7         D   *
# 1486.0   20.1   153         1.0   276         8.1   8.6         D   *
# 1488.0   21.5   167         1.0   275         8.1   8.3         D   *
# 1490.0   26.4   117         1.0   275         8.1   8.3         D   *
# 1492.0         1.0   277         8.0   8.5         *
# 1494.0   30.5   154         1.0   280         8.1   8.7         D   *
# 1496.0         1.0   281         8.1   8.7         *
# 1498.0   31.1   137         1.0   280         8.1   8.7         D   *
# 1500.0         1.0   279         8.1   8.6         *
# 1502.0   22.9   136         1.0   280         8.1   8.6         E   *
# 1504.0   22.9   133         1.0   280         8.1   8.4         E   *
# 1506.0   24.9   136         1.0   279         8.1   8.3         E   *
# 1508.0   32.6   120         1.1   278         8.1   8.5         D   *
# 1510.0   54.9   262         1.1   278         8.1   8.6         E   *
# 1512.0   22.1   163         1.1   279         8.1   8.4         C   *
# 1514.0   18.8   167         1.1   279         8.1   8.4         C   *
# 1516.0   21.9   152         1.1   279         8.1   8.4         C   *
# 1518.0   21.6   149         1.1   280         8.0   8.4         A   *
# 1520.0   22.9   151         1.1   282         7.9   8.5         A   *
# 1522.0   25.6   152         1.1   284         7.9   8.4         A   *
# 1524.0   21.1   157         1.1   286         7.9   8.3         A   *
# 1526.0   19.5   143         1.1   289         7.8   8.5         A   *
# 1528.0   17.5   144         1.2   290         7.8   8.6         C   *
# 1530.0   24.9   158         1.2   291         7.8   8.5         A   *
# 1532.0   22.9   155         1.2   291         7.8   8.3         A   *
# 1534.0   23.7   152         1.3   290         7.8   8.4         A   *
# 1536.0   25.1   155         1.4   290         7.9   8.5         A   *
# 1538.0   24.6   158         1.4   290         7.9   8.6         A   *
# 1540.0   23.3   158         1.4   290         7.9   8.6         A   *
# 1542.0   23.9   159         1.4   291         7.8   8.6         A   *
# 1544.0   24.6   159         1.4   290         7.9   8.8         A   *
*****

```

FORMATION			BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST #A
* 1546.0	22.9	166	1.4	291	7.9	8.8	A
* 1548.0	22.3	161	1.4	293	7.9	8.6	A
* 1550.0	22.2	155	1.4	293	8.1	8.7	A
* 1552.0	20.7	155	1.4	291	8.1	8.6	A
* 1554.0	20.1	158	1.4	286	8.1	8.5	A
* 1556.0			1.5	286	8.0	8.5	
* 1558.0	27.7	136	1.5	288	8.0	8.7	C
* 1560.0			1.5	288	7.9	8.9	
* 1562.0			1.5	287	7.9	8.6	
* 1564.0			1.5	285	8.0	8.3	
* 1566.0	27.5	158	1.6	288	8.1	8.3	A
* 1568.0	28.6	169	1.6	288	8.1	8.6	A
* 1570.0	20.2	174	1.6	289	8.0	8.8	C
* 1572.0			1.7	290	8.0	9.8	
* 1574.0	16.6	180	1.7	291	8.0	8.6	A
* 1576.0	19.5	178	1.7	292	8.1	8.6	A
* 1578.0	22.5	176	1.8	292	8.1	8.9	C
* 1580.0	20.5	174	1.8	292	8.0	9.0	A
* 1582.0	16.5	173	1.8	294	7.9	8.8	C
* 1584.0			1.8	295	7.9	8.9	
* 1586.0	20.6	165	1.8	295	8.0	9.1	C
* 1588.0	21.0	162	1.8	294	8.0	9.0	A
* 1590.0	18.3	151	1.8	294	8.1	8.7	A
* 1592.0	18.5	154	1.8	295	8.1	8.8	A
* 1594.0	19.0	163	1.8	296	8.1	8.7	B
* 1596.0	18.0	155	1.9	297	8.1	8.4	D
* 1598.0	17.6	157	1.9	297	8.1	8.5	D
* 1600.0	18.6	141	2.0	297	8.1	8.5	B
* 1602.0	19.7	155	2.1	299	8.1	8.3	B
* 1604.0	22.5	160	2.1	298	8.1	8.3	B
* 1606.0			2.1	300	8.1	8.4	
* 1608.0			2.1	303	8.1	8.3	
* 1610.0			2.1	304	7.9	8.2	
* 1612.0			2.1	301	7.7	7.8	
* 1614.0			2.2	298	7.8	7.7	
* 1616.0	11.6	147	2.2	298	8.0	8.1	C
* 1618.0	13.1	135	2.2	299	8.1	8.2	A
* 1620.0	13.7	135	2.2	300	8.1	8.2	A
* 1622.0	13.0	130	2.2	301	8.1	8.2	A
* 1624.0	12.3	120	2.2	301	8.1	8.1	A



* FORMATION *					* BOREHOLE *			* QUAL. *	

* DEPTH *	* DIP	* DIP	* DEV.	* DEV.	* DIAM	* DIAM	* BEST	* INDEX *	
* * *	* * *	* AZI. *	* * *	* AZI. *	* 1-3	* 2-4	* =A	* * *	

* 1626.0	11.9	152	2.3	303	8.1	8.1	A	*	
* 1628.0	13.0	151	2.3	304	8.1	8.1	A	*	
* 1630.0	14.2	163	2.3	305	8.1	8.1	A	*	
* 1632.0	14.2	165	2.3	307	8.1	8.1	A	*	
* 1634.0	14.0	175	2.4	311	8.1	8.1	A	*	
* 1636.0	14.8	180	2.4	309	8.1	8.1	A	*	
* 1638.0	15.4	184	2.4	304	8.1	8.3	A	*	
* 1640.0	10.9	143	2.4	302	8.1	8.5	A	*	
* 1642.0	6.2	138	2.4	303	8.1	8.6	A	*	
* 1644.0	5.9	147	2.4	303	8.1	8.6	A	*	
* 1646.0	4.9	157	2.4	300	8.1	8.5	A	*	
* 1648.0	4.8	148	2.4	297	8.0	8.6	A	*	
* 1650.0	6.7	154	2.4	302	8.0	8.9	A	*	
* 1652.0	7.3	142	2.4	302	8.1	8.8	A	*	
* 1654.0	15.9	154	2.4	300	8.0	9.1	A	*	
* 1656.0	15.5	162	2.4	301	8.0	9.2	A	*	
* 1658.0	19.2	167	2.5	302	8.0	9.3	A	*	
* 1660.0	17.2	149	2.5	301	8.0	9.7	C	*	
* 1662.0	16.1	153	2.5	300	8.0	9.5	A	*	
* 1664.0	12.7	152	2.6	300	8.0	9.3	A	*	
* 1666.0	13.1	172	2.6	301	8.0	9.5	A	*	
* 1668.0	17.9	178	2.6	301	8.0	9.4	C	*	
* 1670.0	11.8	144	2.7	301	8.0	9.0	A	*	
* 1672.0	10.1	157	2.6	301	8.0	8.8	A	*	
* 1674.0	10.2	156	2.6	302	8.0	9.0	A	*	
* 1676.0	8.8	175	2.6	301	8.0	9.1	A	*	
* 1678.0	14.8	154	2.7	298	8.0	8.8	A	*	
* 1680.0			2.7	297	8.0	8.8		*	
* 1682.0			2.6	300	8.0	8.8		*	
* 1684.0	17.6	173	2.6	301	8.1	8.9	C	*	
* 1686.0			2.6	300	8.0	9.3		*	
* 1688.0			2.5	299	8.0	9.3		*	
* 1690.0			2.5	301	7.9	9.2		*	
* 1692.0	1.7	228	2.5	301	7.9	9.3	D	*	
* 1694.0			2.4	298	8.0	9.1		*	
* 1696.0	7.3	126	2.5	299	8.0	9.0	D	*	
* 1698.0			2.5	300	8.0	9.2		*	
* 1700.0	2.0	45	2.5	298	8.0	9.1	B	*	
* 1702.0	6.3	310	2.5	297	8.0	9.0	B	*	
* 1704.0	3.3	310	2.6	293	8.0	9.0	B	*	

* FURHATION *				* BOREHOLE *				* QUAL. *
----------*				*-----*-----*				* INDEX *
* DEPTH *	* DIP *	* DIP AZI. *	* DEV. *	* DEV. AZI. *	* DIAM 1-3 *	* DIAM 2-4 *	* BEST #A *	
* 1706.0	2.6	178	2.6	293	8.1	8.6	A	
* 1708.0	3.2	173	2.6	299	8.1	8.2	A	
* 1710.0	6.4	132	2.6	302	8.0	7.9	A	
* 1712.0	7.3	133	2.6	299	8.1	8.1	A	
* 1714.0	5.1	128	2.6	298	8.1	8.1	A	
* 1716.0	7.3	172	2.5	300	8.1	7.8	A	
* 1718.0	7.4	195	2.5	300	8.1	8.0	A	
* 1720.0	12.6	82	2.5	298	8.0	8.8	C	
* 1722.0	2.0	256	2.5	296	8.0	9.0	A	
* 1724.0	2.3	217	2.4	295	8.0	8.7	A	
* 1726.0	3.9	243	2.4	295	8.0	8.8	A	
* 1728.0	3.7	243	2.3	296	8.0	8.7	A	
* 1730.0	2.3	255	2.3	296	8.1	8.3	A	
* 1732.0	2.0	272	2.3	296	8.1	8.5	A	
* 1734.0	2.6	111	2.3	293	8.1	8.7	A	
* 1736.0	1.4	62	2.3	291	8.1	8.5	C	
* 1738.0	0.4	1	2.4	292	8.1	8.4	A	
* 1740.0	1.5	299	2.4	296	8.1	8.4	A	
* 1742.0	6.0	264	2.4	300	8.1	8.2	A	
* 1744.0	5.9	255	2.4	302	8.1	8.2	A	
* 1746.0	4.2	213	2.4	301	8.1	8.3	A	
* 1748.0	4.2	214	2.4	299	8.1	8.3	A	
* 1750.0	9.1	231	2.4	297	8.1	8.4	A	
* 1752.0	9.3	233	2.4	296	8.1	8.3	A	
* 1754.0	3.6	262	2.4	298	8.1	8.2	C	
* 1756.0	5.9	171	2.4	297	8.1	8.4	C	
* 1758.0	2.8	194	2.4	298	8.1	8.5	C	
* 1760.0	0.8	285	2.4	299	8.1	8.3	C	
* 1762.0	2.2	269	2.3	298	8.1	8.2	A	
* 1764.0	2.0	246	2.3	297	8.1	8.2	A	
* 1766.0	2.2	254	2.3	297	8.1	8.1	A	
* 1768.0	2.5	259	2.3	299	8.1	8.1	A	
* 1770.0	15.7	280	2.3	300	8.1	8.2	B	
* 1772.0	18.1	287	2.3	301	8.1	8.2	B	
* 1774.0	7.9	275	2.3	300	8.1	8.1	A	
* 1776.0	7.5	272	2.2	300	8.1	8.1	A	
* 1778.0	6.1	269	2.2	300	8.1	8.0	A	
* 1780.0	6.3	282	2.2	301	8.1	8.0	A	
* 1782.0	4.6	289	2.2	299	8.1	8.1	C	
* 1784.0			2.2	295	8.1	8.1		

* FORMATION * BOREHOLE * QUAL. *									

DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST		
		AZI.		AZI.	1-3	2-4	=A		

* 1786.0			2.3	297	8.1	8.2			
* 1788.0	5.7	300	2.3	301	8.1	8.1	C		
* 1790.0	5.0	268	2.3	302	8.1	8.1	A		
* 1792.0	3.6	267	2.3	301	8.1	8.0	A		
* 1794.0	5.3	267	2.3	299	8.1	8.0	A		
* 1796.0	5.7	242	2.3	299	8.1	8.0	C		
* 1798.0	4.4	172	2.3	301	8.1	8.1	A		
* 1800.0	6.3	157	2.3	301	8.1	8.1	A		
* 1802.0	8.4	153	2.4	300	8.1	8.1	A		
* 1804.0	8.2	154	2.4	299	8.1	8.1	A		
* 1806.0	6.8	137	2.4	302	8.1	8.1	A		
* 1808.0	9.1	126	2.4	305	8.1	8.0	A		
* 1810.0	10.1	148	2.4	303	8.1	8.1	A		
* 1812.0	9.9	150	2.4	302	8.1	8.3	A		
* 1814.0	9.5	222	2.3	304	8.1	8.6	C		
* 1816.0	4.0	161	2.3	302	8.1	8.7	C		
* 1818.0	6.8	175	2.3	300	8.1	8.6	A		
* 1820.0	5.9	186	2.3	300	8.0	8.8	A		
* 1822.0	4.4	189	2.3	306	8.0	9.0	A		
* 1824.0	6.5	175	2.3	302	8.0	9.1	A		
* 1826.0	7.3	153	2.4	305	8.0	8.8	A		
* 1828.0	11.6	153	2.4	304	8.1	8.3	A		
* 1830.0			2.4	301	8.1	8.1			
* 1832.0			2.4	300	8.0	8.2			
* 1834.0	7.2	121	2.3	301	8.1	8.3	A		
* 1836.0	11.9	146	2.3	301	8.1	8.2	C		
* 1838.0	9.2	159	2.3	301	8.1	8.1	C		
* 1840.0	8.9	180	2.3	302	8.1	8.2	A		
* 1842.0	9.5	174	2.3	301	8.1	8.5	A		
* 1844.0	11.5	181	2.3	301	8.1	8.5	C		
* 1846.0	9.6	172	2.3	301	8.1	8.3	A		
* 1848.0	9.4	172	2.3	303	8.1	8.2	A		
* 1850.0	9.2	171	2.3	303	8.1	8.2	A		
* 1852.0	8.9	167	2.3	304	8.1	8.2	A		
* 1854.0	7.5	171	2.3	304	8.1	8.3	A		
* 1856.0	7.3	174	2.3	303	8.1	8.3	A		
* 1858.0	6.6	180	2.3	301	8.1	8.2	A		
* 1860.0	6.9	127	2.3	302	8.1	8.2	C		
* 1862.0	7.5	185	2.3	305	8.1	8.2	A		
* 1864.0	10.7	184	2.3	303	8.1	8.2	A		

```

*****
#          *      FORMATION          *          BOREHOLE          *      QUAL.  *
#          *-----*-----*-----*-----*-----*-----*-----*-----*-----*
# DEPTH   *   DIP    DIP    *   DEV.   DEV.   DIAM   DIAM   * BEST   *
#         *         AZI.  *         AZI.  1-3   2-4   * =A    *
*****
#
# 1866.0   10.4    185      2.3    302      8.1    8.3    A      *
# 1868.0    4.3    203      2.3    303      8.1    8.3    A      *
# 1870.0    4.4    203      2.3    304      8.1    8.3    A      *
# 1872.0    4.3    233      2.3    306      8.1    8.4    A      *
# 1874.0    4.3    233      2.3    304      8.1    8.6    A      *
# 1876.0    5.4    248      2.2    304      8.1    8.5    A      *
# 1878.0    5.7    249      2.2    305      8.1    8.5    A      *
# 1880.0    3.1    263      2.2    305      8.1    8.5    A      *
# 1882.0    3.1    261      2.2    304      8.1    8.3    A      *
# 1884.0    2.6    244      2.2    305      8.1    8.4    A      *
# 1886.0    3.2    260      2.1    305      8.1    8.5    A      *
# 1888.0    1.2    309      2.1    304      8.1    8.4    A      *
# 1890.0    3.9    323      2.1    304      8.1    8.3    C      *
# 1892.0    7.9    307      2.1    304      8.1    8.3    C      *
# 1894.0    3.8    300      2.1    304      8.2    8.3    A      *
# 1896.0    2.5    257      2.1    305      8.2    8.4    A      *
# 1898.0    3.0    256      2.1    305      8.2    8.3    A      *
# 1900.0    5.7    255      2.1    302      8.1    8.3    A      *
# 1902.0    5.2    279      2.1    299      8.1    8.6    A      *
# 1904.0   16.4    337      2.1    299      8.0    8.8    C      *
# 1906.0   14.5    319      2.0    303      8.0    8.6    C      *
# 1908.0   16.2    332      2.0    302      8.1    8.4    A      *
# 1910.0   12.9    341      2.0    300      8.1    8.8    A      *
# 1912.0   12.2    343      2.0    298      8.1    8.1    A      *
# 1914.0    8.9    342      2.0    299      8.1    8.7    A      *
# 1916.0    2.0    301      2.0    301      8.1    8.4    A      *
# 1918.0    8.6     4      2.0    303      8.1    8.4    A      *
# 1920.0    8.8     4      2.0    303      8.1    8.3    A      *
# 1922.0   10.6    328      2.0    302      8.1    8.3    A      *
# 1924.0   11.2    328      2.0    303      8.1    8.3    A      *
# 1926.0   14.0    327      2.0    305      8.1    8.3    A      *
# 1928.0   10.7    327      2.0    305      8.1    8.3    A      *
# 1930.0   14.3    321      2.0    304      8.1    8.2    A      *
# 1932.0   14.0    322      1.9    301      8.1    8.2    A      *
# 1934.0    7.8    310      1.8    303      8.1    8.3    A      *
# 1936.0    6.7    328      1.9    308      8.1    8.3    A      *
# 1938.0    8.9    337      1.9    309      8.1    8.3    A      *
# 1940.0   10.3    331      1.9    307      8.1    8.2    A      *
# 1942.0    9.6    343      1.9    307      8.1    8.2    A      *
# 1944.0    4.4    225      1.8    309      8.1    8.3    A      *
*****

```

* FORMATION * BUREHOLE * QUAL. *									
* ----- * INDEX *									
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST		
		AZI.		AZI.	1-3	2-4	=A		

* 1946.0	3.0	245	1.8	309	8.1	8.3	C	*	
* 1948.0	2.5	254	1.9	309	8.1	8.3	A	*	
* 1950.0	3.1	253	1.9	310	8.1	8.5	A	*	
* 1952.0	12.3	351	1.9	310	8.1	8.5	D	*	
* 1954.0	13.2	345	1.8	311	8.1	8.3	D	*	
* 1956.0	12.2	342	1.8	311	8.1	8.3	B	*	
* 1958.0	9.3	354	1.8	310	8.1	8.2	D	*	
* 1960.0	8.3	319	1.8	310	8.1	8.2	A	*	
* 1962.0	7.5	316	1.8	310	8.1	8.2	A	*	
* 1964.0	6.7	318	1.8	311	8.1	8.3	A	*	
* 1966.0	7.3	305	1.8	311	8.1	8.3	A	*	
* 1968.0	9.5	293	1.8	311	8.1	8.2	A	*	
* 1970.0	9.3	315	1.8	312	8.1	8.2	A	*	
* 1972.0	8.4	321	1.7	313	8.1	8.2	A	*	
* 1974.0	7.6	317	1.7	313	8.1	8.2	A	*	
* 1976.0	9.0	317	1.7	313	8.1	8.2	A	*	
* 1978.0	9.6	310	1.7	314	8.1	8.2	A	*	
* 1980.0	10.2	339	1.6	314	8.1	8.2	A	*	
* 1982.0	10.2	342	1.6	313	8.1	8.3	A	*	
* 1984.0	11.6	351	1.6	312	8.1	8.4	A	*	
* 1986.0	13.4	350	1.6	312	8.1	8.6	A	*	
* 1988.0	10.1	14	1.5	314	8.0	8.6	A	*	
* 1990.0	10.6	15	1.5	315	8.0	8.3	A	*	
* 1992.0	9.0	17	1.6	314	8.1	8.3	A	*	
* 1994.0	8.9	357	1.6	314	8.1	8.3	A	*	
* 1996.0	10.2	350	1.6	314	8.1	8.3	A	*	
* 1998.0	4.0	308	1.6	315	8.1	8.3	A	*	
* 2000.0	3.9	291	1.6	317	8.1	8.2	A	*	
* 2002.0	5.3	344	1.6	316	8.1	8.2	A	*	
* 2004.0	5.4	349	1.6	316	8.1	8.3	A	*	
* 2006.0	6.4	352	1.6	319	8.1	8.2	A	*	
* 2008.0	5.0	1	1.5	318	8.1	8.2	A	*	
* 2010.0	5.9	358	1.5	314	8.0	8.3	A	*	
* 2012.0	6.0	360	1.5	314	8.0	8.3	A	*	
* 2014.0	5.2	340	1.4	314	8.0	8.3	A	*	
* 2016.0	5.0	355	1.4	314	8.0	8.4	C	*	
* 2018.0	3.7	353	1.4	312	8.0	8.5	A	*	
* 2020.0	5.8	347	1.4	313	8.0	8.5	A	*	
* 2022.0	5.4	355	1.4	317	8.0	8.4	A	*	
* 2024.0	4.8	344	1.4	317	8.0	8.4	A	*	


FORMATION			BOREHOLE				QUAL.	
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A	
-----			-----				INDEX	
*	2026.0	4.3	342	1.4	318	8.0	8.1	A
*	2028.0	6.9	349	1.4	319	8.0	8.4	A
*	2030.0	6.1	360	1.4	320	8.0	8.4	A
*	2032.0	6.1	356	1.4	323	8.0	8.3	A
*	2034.0	5.0	354	1.4	325	8.0	8.3	A
*	2036.0	4.3	3	1.4	325	8.0	8.3	A
*	2038.0	3.3	347	1.4	326	8.0	8.3	A
*	2040.0	5.3	301	1.4	324	7.9	8.2	A
*	2042.0	11.7	354	1.4	323	7.9	8.1	A
*	2044.0	7.1	351	1.3	323	8.0	8.1	A
*	2046.0	7.5	353	1.3	319	8.1	8.2	A
*	2048.0	13.9	353	1.3	318	8.1	8.2	A
*	2050.0	11.7	340	1.2	320	8.0	8.3	A
*	2052.0	19.9	326	1.2	318	8.0	8.3	C
*	2054.0			1.2	317	8.0	8.4	
*	2056.0	12.2	317	1.2	319	7.9	8.6	C
*	2058.0	17.4	298	1.2	322	7.9	8.6	C
*	2060.0			1.2	321	7.9	8.6	
*	2062.0	7.7	332	1.2	319	7.9	8.6	A
*	2064.0	3.9	349	1.2	318	7.9	8.7	A
*	2066.0	18.6	353	1.3	319	7.9	8.7	D
*	2068.0	10.9	48	1.3	319	7.9	8.3	D
*	2070.0	9.8	16	1.3	314	8.0	8.2	B
*	2072.0	20.2	353	1.3	313	8.1	8.4	B
*	2074.0			1.4	320	8.1	8.4	
*	2076.0			1.4	323	8.1	8.6	
*	2078.0	15.4	23	1.4	322	8.1	9.0	D
*	2080.0	7.2	41	1.4	323	8.0	8.9	D
*	2082.0	6.9	49	1.5	323	8.1	8.5	D
*	2084.0	8.7	48	1.4	323	8.1	8.6	B
*	2086.0	12.2	355	1.4	323	8.1	8.5	A
*	2088.0	12.8	360	1.4	325	8.0	8.6	A
*	2090.0	6.1	335	1.3	324	8.0	8.8	A
*	2092.0	3.1	333	1.3	324	8.0	8.9	C
*	2094.0	3.7	17	1.2	327	8.0	8.7	A
*	2096.0	12.2	1	1.2	327	8.0	8.5	C
*	2098.0	10.9	347	1.1	326	7.9	8.5	A
*	2100.0	7.8	360	1.1	326	7.9	8.5	A
*	2102.0	9.0	7	1.1	327	7.9	8.4	A
*	2104.0			1.1	326	7.9	8.3	

-----FORMATION-----				*-----BOREHOLE-----*				* QUAL. *
* DEPTH *	* DIP *	* DIP AZI. *	* DEV. *	* DEV. AZI. *	* DIAM 1-3 *	* DIAM 2-4 *	* INDEX BEST #A *	
* 2106.0	17.0	333	1.0	323	7.9	8.2	C	
* 2108.0	9.7	325	1.0	324	7.9	8.2	A	
* 2110.0	7.5	341	1.0	326	7.9	8.2	A	
* 2112.0	9.0	323	1.0	326	7.8	8.2	A	
* 2114.0	8.0	315	1.0	329	7.8	8.2	A	
* 2116.0	7.3	314	1.0	331	7.8	8.2	A	
* 2118.0	9.9	325	1.0	332	7.8	8.2	A	
* 2120.0	11.4	316	1.0	336	7.8	8.2	A	
* 2122.0	11.7	312	1.0	339	7.9	8.2	A	
* 2124.0	12.9	316	1.0	339	7.9	8.5	A	
* 2126.0	15.9	328	1.0	338	8.0	8.6	C	
* 2128.0	22.1	345	0.9	334	8.0	8.3	A	
* 2130.0			0.9	328	8.0	8.1		
* 2132.0	15.6	331	0.9	326	7.9	8.0	A	
* 2134.0	13.1	324	0.9	328	7.9	7.7	A	
* 2136.0	10.3	272	0.9	327	8.0	7.6	A	
* 2138.0	9.4	233	0.9	326	8.1	7.9	A	
* 2140.0	13.2	327	0.9	327	8.1	8.1	A	
* 2142.0	11.4	292	0.9	332	8.1	8.1	A	
* 2144.0	9.3	286	0.9	336	8.1	8.2	A	
* 2146.0	9.2	283	0.9	335	8.1	8.2	A	
* 2148.0	13.1	266	0.9	336	8.0	8.2	A	
* 2150.0			0.9	340	7.9	8.2		
* 2152.0			0.9	345	7.9	8.1		
* 2154.0			0.9	347	7.9	8.1		
* 2156.0	13.8	308	1.0	341	8.1	8.1	C	
* 2158.0	9.0	295	1.0	333	8.1	8.2	A	
* 2160.0	7.0	281	1.0	331	8.1	8.2	A	
* 2162.0	9.7	326	1.0	335	8.1	8.2	A	
* 2164.0	9.9	273	1.0	339	8.3	8.2	A	
* 2166.0	9.7	271	1.1	338	8.3	8.2	A	
* 2168.0	8.9	287	1.0	334	8.2	8.2	A	
* 2170.0	9.7	295	1.0	335	8.3	8.2	A	
* 2172.0	9.5	292	0.9	337	8.4	8.2	C	
* 2174.0	6.3	341	0.9	334	8.5	8.2	C	
* 2176.0	10.4	326	0.9	334	8.5	8.2	A	
* 2178.0	8.6	341	0.9	333	8.6	8.2	A	
* 2180.0	8.9	281	0.9	331	8.5	8.2	C	
* 2182.0	8.1	264	0.9	330	8.2	8.2	A	
* 2184.0	10.5	259	0.8	333	8.1	8.2	A	

* * * * * FORMATION * * * * *				* * * * * BOREHOLE * * * * *				* QUAL. *
* * * * * ----- * * * * *				* * * * * ----- * * * * *				* INDEX *
DEPTH	DIP	DIP AZI.	DEV.	DEV.	DIAM 1-3	DIAM 2-4	BEST =A	
* 2186.0	4.6	343	0.8	337	8.1	8.2	C	*
* 2188.0	7.2	314	0.8	338	8.1	8.2	A	*
* 2190.0	7.5	302	0.8	338	8.1	8.2	A	*
* 2192.0	7.0	300	0.8	339	8.1	8.2	A	*
* 2194.0	6.3	297	0.8	339	8.1	8.2	A	*
* 2196.0	6.8	300	0.8	343	8.1	8.2	A	*
* 2198.0	6.4	303	0.8	346	8.1	8.2	A	*
* 2200.0	6.4	301	0.8	345	8.1	8.3	A	*
* 2202.0	5.2	301	0.8	346	8.1	8.3	A	*
* 2204.0	4.8	294	0.8	348	8.1	8.4	A	*
* 2206.0	7.6	316	0.8	347	8.0	8.7	A	*
* 2208.0	8.1	327	0.8	345	8.0	8.7	A	*
* 2210.0	12.9	351	0.8	345	8.0	8.6	C	*
* 2212.0	10.4	316	0.8	345	8.0	8.6	A	*
* 2214.0	7.8	312	0.9	344	8.0	8.5	A	*
* 2216.0	6.4	306	0.9	345	8.1	8.4	A	*
* 2218.0	6.0	311	0.8	347	8.1	8.4	A	*
* 2220.0	5.9	318	0.8	344	8.1	8.4	A	*
* 2222.0	6.1	313	0.8	342	8.1	8.5	A	*
* 2224.0	8.1	303	0.8	344	8.0	8.7	A	*
* 2226.0	17.3	339	0.8	348	8.0	8.5	A	*
* 2228.0	17.3	339	0.8	352	8.0	8.4	A	*
* 2230.0	12.4	319	0.8	352	8.0	8.6	A	*
* 2232.0	9.9	315	0.7	351	8.0	8.8	A	*
* 2234.0	14.7	324	0.8	351	8.0	9.0	A	*
* 2236.0	9.4	330	0.8	351	8.0	9.0	A	*
* 2238.0	8.2	290	0.8	352	8.0	9.1	A	*
* 2240.0	9.3	295	0.8	354	8.0	9.1	A	*
* 2242.0	11.0	299	0.9	352	8.0	8.9	A	*
* 2244.0	12.0	295	0.8	349	8.0	8.7	A	*
* 2246.0	10.4	258	0.9	350	8.0	8.5	A	*
* 2248.0	7.4	266	0.9	353	8.0	8.4	A	*
* 2250.0	7.9	274	1.0	355	8.0	8.8	A	*
* 2252.0	10.9	282	0.9	354	7.9	9.5	A	*
* 2254.0			0.9	356	7.9	9.9		*
* 2256.0			0.8	359	7.9	9.3		*
* 2258.0	12.5	286	0.8	359	7.9	8.9	B	*
* 2260.0	10.4	292	0.8	359	7.9	9.0	B	*
* 2262.0	8.4	272	0.8	357	7.8	8.9	D	*
* 2264.0	9.8	284	0.7	356	7.9	8.7	B	*

FORMATION			BOREHOLE				QUAL.
-----			-----				INDEX
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST
		AZI.		AZI.	1-3	2-4	=A

*								*
*	2266.0	9.8	282	0.7	356	7.9	8.5	B *
*	2268.0	10.4	295	0.7	356	7.9	8.5	B *
*	2270.0	28.7	9	0.8	352	7.9	8.3	B *
*	2272.0	28.8	9	0.8	346	7.9	8.2	D *
*	2274.0	7.8	263	0.8	343	7.9	8.3	A *
*	2276.0	9.5	275	0.8	343	8.0	8.3	A *
*	2278.0	10.1	280	0.8	345	8.0	8.2	A *
*	2280.0	10.4	297	0.8	350	8.1	8.2	A *
*	2282.0	13.4	302	0.8	351	8.0	8.3	A *
*	2284.0	10.6	284	0.8	350	8.0	8.6	A *
*	2286.0	10.6	300	0.8	347	8.0	8.6	A *
*	2288.0	9.7	279	0.8	346	8.0	8.4	A *
*	2290.0	8.5	260	0.8	352	8.0	8.2	A *
*	2292.0	9.1	248	0.8	358	8.0	8.1	A *
*	2294.0	11.5	278	0.8	360	8.0	8.1	A *
*	2296.0	11.5	276	0.8	0	8.0	8.2	A *
*	2298.0	10.4	276	0.9	357	8.0	8.1	A *
*	2300.0	9.8	264	0.8	354	8.0	8.1	A *
*	2302.0	10.4	267	0.8	360	8.2	8.0	D *
*	2304.0			0.8	4	8.4	8.1	*
*	2306.0	13.3	278	0.8	3	8.2	8.1	A *
*	2308.0	13.2	277	0.8	3	8.1	8.2	A *
*	2310.0			0.8	3	8.5	8.1	*
*	2312.0	12.6	255	0.7	2	8.0	8.0	A *
*	2314.0	9.3	249	0.7	0	8.9	8.2	C *
*	2316.0	9.8	276	0.6	2	8.4	8.2	A *
*	2318.0	10.3	268	0.6	6	8.0	8.2	A *
*	2320.0	10.7	260	0.6	6	8.0	8.2	A *
*	2322.0	9.6	261	0.5	3	8.2	8.2	A *
*	2324.0	6.0	247	0.5	355	8.5	8.2	A *
*	2326.0	10.6	288	0.5	348	8.4	8.1	A *
*	2328.0	13.2	290	0.4	346	8.2	8.1	A *
*	2330.0	9.8	274	0.4	347	8.2	8.0	A *
*	2332.0	6.6	296	0.5	353	8.2	8.0	A *
*	2334.0	5.1	283	0.5	358	8.3	8.2	C *
*	2336.0	7.7	290	0.5	358	8.1	8.2	A *
*	2338.0	9.2	259	0.6	358	8.0	8.2	A *
*	2340.0	8.6	262	0.6	358	8.4	8.2	A *
*	2342.0	15.8	288	0.6	359	8.5	8.2	A *
*	2344.0	15.4	263	0.7	6	8.5	8.2	A *




```

*****
*          *      FORMATION      *          *      BOREHOLE      *      QUAL.      *
*          *-----*-----*-----*-----*-----*-----*-----*-----*-----*-----*
*  DEPTH  *  DIP    DIP    *  DEV.  DEV.  DIAM  DIAM  *  BEST  *
*          *      AZI.  *      AZI.  1-3  2-4  *  =A    *
*****
*
*  2346.0  15.5    260    0.7   16   8.6   8.2   A
*  2348.0  10.1    245    0.7   19   8.5   8.2   C
*  2350.0  11.7    215    0.7   17   8.1   8.2   A
*  2352.0  12.1    219    0.6   13   8.0   8.2   C
*  2354.0          0.6   11   8.0   8.2
*  2356.0  12.7    251    0.6   14   8.1   8.2   A
*  2358.0   7.9    259    0.5   22   8.4   8.1   C
*  2360.0  10.8    254    0.5   24   8.4   8.1   A
*  2362.0  15.5    249    0.4   23   8.5   8.1   A
*  2364.0  13.0    250    0.4   23   8.5   8.1   A
*  2366.0   9.6    209    0.4   23   8.2   8.1   A
*  2368.0          0.4   24   8.1   8.1
*  2370.0          0.4   31   8.0   8.0
*  2372.0  16.6    238    0.5   34   8.0   8.0   A
*  2374.0  13.3    237    0.5   30   8.0   8.0   A
*  2376.0   7.7    224    0.5   26   7.8   8.0   A
*  2378.0  14.9    227    0.5   25   7.7   8.0   A
*  2380.0  13.8    216    0.6   24   7.9   8.0   A
*  2382.0  12.3    234    0.6   23   8.0   8.1   A
*  2384.0  11.4    229    0.7   20   8.2   8.2   A
*  2386.0  12.9    233    0.6   17   8.5   8.2   A
*  2388.0  12.0    232    0.8   17   8.7   8.2   A
*  2390.0  11.6    234    0.9   17   8.5   8.2   C
*  2392.0   8.4    237    0.9   17   8.4   8.2   A
*  2394.0  33.1    206    0.9   18   8.6   8.2   D
*  2396.0  24.3    211    0.9   20   8.4   8.1   D
*  2398.0  25.6    220    1.0   25   8.0   8.1   B
*  2400.0  13.6    242    1.0   28   8.0   8.2   A
*  2402.0  11.6    239    1.0   26   8.1   8.2   A
*  2404.0  11.8    242    1.0   28   8.3   8.2   A
*  2406.0  10.0    241    1.0   33   8.5   8.2   A
*  2408.0   9.3    231    1.0   35   8.4   8.2   A
*  2410.0   9.5    231    1.1   39   8.3   8.2   A
*  2412.0  10.2    223    1.1   37   8.3   8.2   A
*  2414.0   9.2    216    1.2   31   8.6   8.1   A
*  2416.0  15.9    232    1.2   27   9.0   8.1   A
*  2418.0   3.2    208    1.2   30   9.4   8.0   C
*  2420.0  16.1    228    1.2   37   9.7   8.1   A
*  2422.0  16.8    224    1.2   38   9.0   8.1   A
*  2424.0  14.2    225    1.2   36   8.9   8.1   A
*****

```



FORMATION			BUREHOLE				QUAL.
-----			-----				INDEX
DEPTH	DIP	DIP	DEV.	DEV.	DIAM	DIAM	BEST
		AZI.		AZI.	1-3	2-4	=A

*	2426.0	11.7	220	1.2	35	8.0	8.2	A
*	2428.0	12.3	211	1.2	36	9.1	8.2	A
*	2430.0	11.2	225	1.3	36	9.0	8.2	A
*	2432.0		218	1.3	33	8.7	8.2	A
*	2434.0			1.3	32	8.5	8.2	
*	2436.0	9.7	252	1.3	34	8.5	8.2	C
*	2438.0	9.9	246	1.3	35	8.4	8.2	A
*	2440.0	11.1	240	1.3	36	8.4	8.2	A
*	2442.0	13.6	229	1.3	37	8.1	8.2	A
*	2444.0	12.3	235	1.4	37	8.1	8.2	A
*	2446.0	12.0	235	1.4	32	8.3	8.2	A
*	2448.0	13.1	238	1.4	26	8.4	8.2	A
*	2450.0	11.9	246	1.4	25	8.6	8.2	A
*	2452.0	13.0	241	1.5	28	8.3	8.2	A
*	2454.0	12.5	233	1.5	31	8.1	8.2	A
*	2456.0	11.5	232	1.5	34	8.0	8.2	A
*	2458.0	11.4	235	1.5	35	8.0	8.2	A
*	2460.0	10.5	240	1.5	35	8.0	8.2	A
*	2462.0	9.9	240	1.6	37	8.0	8.2	A
*	2464.0	11.4	247	1.6	38	8.0	8.2	A
*	2466.0	13.9	258	1.6	41	7.9	8.2	A
*	2468.0	13.7	240	1.6	40	8.0	8.2	A
*	2470.0	11.3	230	1.7	36	8.1	8.2	A
*	2472.0	11.6	223	1.7	34	8.2	8.2	A
*	2474.0			1.8	33	8.4	8.1	
*	2476.0	10.9	242	1.9	34	8.3	8.2	A
*	2478.0	9.1	246	1.8	33	8.4	8.2	A
*	2480.0	10.0	255	1.7	34	8.3	8.2	A
*	2482.0	8.0	261	1.7	39	7.9	8.2	A
*	2484.0	10.9	276	1.7	41	7.9	8.2	C
*	2486.0	15.0	259	1.7	39	8.0	8.2	C
*	2488.0	9.0	271	1.7	39	7.9	8.2	A
*	2490.0	7.5	249	1.7	40	7.9	8.2	C
*	2492.0	10.3	242	1.7	34	7.9	8.2	A
*	2494.0	11.7	263	1.8	31	7.9	8.2	A
*	2496.0	8.9	267	1.8	31	7.9	8.2	A
*	2498.0	11.1	243	1.8	27	7.9	8.1	A
*	2500.0	10.6	238	1.8	26	7.9	8.1	A
*	2502.0	11.7	257	1.8	28	7.8	8.2	C
*	2504.0	11.0	263	1.8	33	7.8	8.2	C



FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A	INDEX
*	2506.0	9.8	253	1.8	33	7.8	8.2	A
*	2508.0	7.3	246	1.9	30	7.9	8.2	A
*	2510.0	7.0	232	1.9	29	8.0	8.0	A
*	2512.0	6.8	242	1.9	26	7.9	8.0	C
*	2514.0	9.9	225	1.8	24	7.8	8.2	A
*	2516.0	10.4	223	1.8	22	7.7	8.1	A
*	2518.0	17.9	242	1.8	21	7.4	7.9	C
*	2520.0	21.2	242	1.8	23	7.6	7.9	C
*	2522.0			1.8	26	7.9	8.2	
*	2524.0			1.8	24	7.9	8.2	
*	2526.0	47.2	259	1.8	22	7.9	8.2	B
*	2528.0			1.8	23	7.9	8.1	
*	2530.0			1.9	23	7.9	8.1	
*	2532.0			1.9	22	7.9	8.2	
*	2534.0			1.9	20	8.0	8.2	
*	2536.0			1.9	26	8.0	8.2	
*	2538.0			1.9	30	8.0	8.1	
*	2540.0			1.9	25	8.1	8.0	
*	2542.0	17.5	243	2.0	22	8.1	7.9	C
*	2544.0	14.4	240	2.0	23	8.0	8.1	A
*	2546.0	12.1	234	2.0	23	8.0	8.2	A
*	2548.0	14.3	212	2.0	22	8.0	8.2	C
*	2550.0	9.0	218	2.0	20	8.0	8.2	A
*	2552.0	6.9	220	2.0	20	8.0	8.2	A
*	2554.0	4.5	198	2.0	21	8.0	8.2	A
*	2556.0	4.2	199	2.0	20	8.0	8.2	A
*	2558.0	8.3	210	2.0	24	8.0	8.1	A
*	2560.0	8.5	171	1.9	30	8.0	8.0	C
*	2562.0	23.2	158	1.9	25	8.0	8.0	D
*	2564.0	30.1	211	1.9	19	8.0	8.1	B
*	2566.0	31.0	215	2.0	19	7.9	8.2	D
*	2568.0	24.5	171	2.0	19	7.9	8.2	D
*	2570.0			2.0	21	7.9	8.1	
*	2572.0			2.0	20	7.8	8.1	
*	2574.0	22.1	181	2.0	17	7.9	8.1	D
*	2576.0	30.8	165	2.1	15	8.0	8.1	E
*	2578.0	30.1	173	2.1	14	7.9	8.1	B
*	2580.0	29.4	166	2.2	13	7.9	8.1	B
*	2582.0	18.1	182	2.2	12	7.9	8.1	D
*	2584.0	30.3	187	2.2	13	7.9	8.1	D

FORMATION			BOREHOLE				QUAL.	INDEX
DEPTH	DIP	DIF AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST =A	
2586.0	14.0	178	2.2	16	7.8	8.2	D	
2588.0	19.5	175	2.2	16	7.8	8.1	D	
2590.0			2.2	13	7.8	8.0		
2592.0			2.2	13	7.8	8.0		
2594.0	19.8	158	2.2	16	7.8	8.0	B	
2596.0	19.6	159	2.2	16	7.7	7.8	B	
2598.0	18.9	167	2.3	13	7.6	7.8	D	
2600.0	32.3	186	2.3	11	7.6	7.9	D	
2602.0			2.3	10	7.5	7.8		
2604.0			2.3	6	7.4	7.7		
2606.0			2.3	7	7.4	7.7		
2608.0			2.3	11	7.5	7.8		
2610.0	20.1	182	2.3	9	7.4	7.9	D	
2612.0	31.3	180	2.3	9	7.4	8.0	D	
2614.0	31.6	182	2.3	7	7.5	8.0	B	
2616.0			2.3	6	7.4	7.9		
2618.0			2.3	8	7.5	8.0		
2620.0	29.3	178	2.4	7	7.5	8.0	D	
2622.0			2.4	8	7.5	8.0		
2624.0			2.4	6	7.4	8.0		
2626.0			2.4	4	7.4	8.0		
2628.0			2.5	5	7.4	8.0		
2630.0			2.5	8	7.3	7.8		
2632.0	47.0	191	2.5	7	7.2	7.7	D	
2634.0	51.1	192	2.5	360	7.0	7.7	B	
2636.0			2.5	355	7.0	7.7		
2638.0			2.5	356	7.0	7.7		
2640.0			2.5	358	7.1	7.8		
2642.0			2.5	359	7.1	7.7		
2644.0			2.5	1	7.1	7.6		
2646.0			2.5	3	7.1	7.6		
2648.0			2.5	1	7.2	7.7		
2650.0			2.6	354	7.3	7.8		
2652.0			2.6	347	7.3	7.9		
2654.0			2.6	344	7.4	7.8		
2656.0			2.7	346	7.4	7.6		
2658.0			2.7	350	7.4	7.5		
2660.0			2.7	354	7.4	7.6		
2662.0			2.7	357	7.4	7.6		
2664.0			2.7	357	7.6	7.6		

FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIP AZI.	DEV.	DEV. AZI.	DIAM 1-3	DIAM 2-4	BEST INDEX =A	
2642.0			2.4	2	7.3	7.5		
2644.0			2.4	3	7.3	7.6		
2646.0			2.4	6	7.4	7.6		
2648.0			2.5	359	7.5	7.7		
2650.0			2.5	349	7.6	7.9		
2652.0			2.5	341	7.6	7.9		
2654.0			2.6	339	7.5	7.6		
2656.0			2.7	343	7.5	7.5		
2658.0			2.7	348	7.4	7.6		
2660.0			2.7	354	7.4	7.6		
2662.0			2.7	355	7.6	7.6		
2664.0			2.7	348	7.6	7.7		
2666.0			2.7	341	7.5	7.8		
2668.0			2.7	339	7.5	7.8		
2670.0			2.6	339	7.6	7.6		
2672.0	2.6	160	2.6	341	7.6	7.6	B	
2674.0	2.7	160	2.7	340	7.7	7.7	B	
2676.0			2.7	337	7.6	7.8		
2678.0	37.9	163	2.7	342	7.4	7.6	D	
2680.0			2.7	346	7.4	7.4		
2682.0			2.7	346	7.5	7.4		
2684.0			2.7	346	7.4	7.5		
2686.0			2.7	347	7.4	7.6		
2688.0			2.7	348	7.5	7.5		
2690.0			2.7	350	7.5	7.5		
2692.0			2.6	349	7.3	7.6		
2694.0			2.6	347	7.3	7.6		
2696.0			2.6	345	7.5	7.6		
2698.0			2.5	344	7.7	7.7		
2700.0			2.5	343	7.7	7.6		
2702.0			2.5	342	7.6	7.6		
2704.0			2.5	340	7.5	7.7		
2706.0			2.5	348	7.6	7.8		
2708.0			2.6	355	7.6	7.7		
2710.0			2.6	352	7.8	7.7		
2712.0			2.6	350	7.8	7.7		
2714.0			2.7	350	7.8	7.5		
2716.0			2.7	351	7.8	7.7		
2718.0			2.8	350	7.9	7.9		
2720.0	42.9	167	2.8	349	7.9	7.9	D	

FORMATION				BOREHOLE				QUAL.
DEPTH	DIP	DIP	DEVI.	DEVI.	DIAM	DIAM	BEST	
	AZI.			AZI.	1-3	2-4	=A	
2722.0	43.7	173	2.8	343	7.9	8.0	D	
2724.0			2.8	338	7.9	8.0		
2726.0			2.8	338	7.9	7.9		
2728.0			2.8	337	7.7	7.9		
2730.0			2.8	339	7.8	7.9		
2732.0	37.1	189	2.7	348	7.8	7.8	D	
2734.0	30.8	184	2.9	351	7.9	7.8	B	
2736.0			2.8	347	7.9	8.0		
2738.0			2.8	342	7.7	8.1		
2740.0			2.8	339	7.4	8.1		
2742.0			2.8	339	7.4	8.1		
2744.0			2.8	341	7.4	8.1		
2746.0			2.9	343	7.5	8.0		
2748.0			3.0	343	7.7	8.1		
2750.0			3.0	343	8.0	8.1		
2752.0			3.0	341	8.0	8.2		
2754.0	65.2	212	3.1	342	8.0	8.1	D	
2756.0	65.4	211	3.0	342	7.9	8.0	B	
2758.0	7.8	80	3.0	340	7.9	7.9	B	
2760.0	3.3	288	3.0	341	7.9	8.0	D	
2762.0			2.9	346	7.9	8.1		
2764.0	8.7	336	2.9	349	7.9	8.0	D	
2766.0	8.3	339	2.8	347	7.9	8.0	B	
2768.0	7.7	68	2.8	346	7.9	8.0	B	
2770.0	7.8	54	2.7	347	7.9	8.0	B	
2772.0			2.8	348	7.9	8.1		
2774.0	9.8	354	2.8	349	7.9	8.1	B	
2776.0			2.8	350	7.9	8.1		
2778.0			2.9	350	7.9	8.1		
2780.0			2.9	350	7.9	8.1		
2782.0			2.9	348	7.8	8.1		
2784.0			2.9	346	7.9	8.1		
2786.0			3.0	342	7.9	8.1		
2788.0			3.0	340	7.9	8.1		
2790.0			3.0	340	7.9	8.1		
2792.0			2.9	340	7.9	8.1		
2794.0			2.8	341	8.0	8.1		
2796.0			2.7	337	8.0	8.1		
2798.0			2.7	339	7.7	8.0		



REICHHOLD ENERGY CORP.

WILSON #11-5

SUMMARY

```

*****
* DEPTH *   DIP   DIP   *   DEV   DEV   DIAM   DIAM * QUAL *
*       *       AZM  *       AZM   1-3   2-4  *     *
*****
*
* TOP
* 506.00  48.4   173.   0.3   186.   0.9   10.2  *     *
*
* BOTTOM
* 2800.00 25.6   95.    2.8   342.   7.6   8.0   *     *
*
* TOP
* 2642.00 32.1   319.   2.4   2.     7.3   7.5   *     *
*
* BOTTOM
* 2798.00 12.4   291.   2.7   339.   7.7   8.0   *     *
*****

```