

Oregon Health Plan Report of Results for
AllCare CCO Child Population (Claims Stratum: With Chronic Conditions)
2020 CAHPS® 5.0H Medicaid with CCC Measure Member Experience Survey

Prepared for:

Oregon Health Authority

Prepared by:

Center for the Study of Services 1625 K Street NW, Suite 800 Washington, DC 20006



Table of Contents

Introduction		4
What's New in 2020		5
2020 Survey Fielding Updates		5
Impact of COVID-19 on OHA Reporting	g	€
Updates to the 2020 OHA CAHPS Surv	vey Results Report	6
Top Priorities for Quality Improvemen	nt	7
Survey Results at a Glance		g
About This Report		10
Survey Protocol and Timeline		12
Survey Materials		12
Sample Selection		12
Data Capture		13
Member Dispositions and Response Rate		14
Patient Experience of Care Measures .		15
Calculation and Reporting of Results		18
Summary of Survey Results		19
Detailed Performance Charts		21

Memb	er Profile and Analysis of Plan Ratings by Member Segment	42
	Health Status and Demographics	43
	Use of Services	
Key Dr	iver Analysis	53
	Objectives	
	Technical Approach	53
	Industry Key Driver Model	54
	Opportunities for Plan Quality Improvement	55
	Health Plan Quality Improvement Resources for Key Drivers	57
Appen	dix	I
	Cross-Tabulations of Survey Responses	II
	Survey Instrument	III
	Calculation Guidelines for Global Proportions	
	Glossary of Terms	VI

INTRODUCTION

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous six months.

WHAT'S NEW IN 2020

2020 SURVEY FIELDING UPDATES

SAMPLING METHODOLOGY

The sampling methodology consisted of a primary sample for CCOs as well as oversample segments based on race/ethnicity to capture the experience of these members that might not otherwise be captured in the primary sample. Previously, the oversample was drawn independently from the primary sample. However, members sampled as part of the primary sample were counted towards their respective race/ethnicity segments and therefore, we were able to increase the 2020 target sample sizes based on the re-allocation of the oversample.

Two child Medicaid samples were drawn based on the pre-screen status code that identified children that were likely to have a chronic condition (CCC) based on claim and encounter records in the sample frame. However, <u>all</u> child Medicaid sample members received the Child Medicaid with CCC measures instrument regardless of their pre-screen status code to reduce the variation of survey materials and streamline the data collection process.

SURVEY INSTRUMENTS

The National Committee for Quality Assurance (NCQA) shortened the 2020 HEDIS/CAHPS 5.0H surveys to reduce the burden for health plan members and sponsors. OHA adopted these changes for the surveys administered to OHP members. The following questions were removed from the survey:

- Shared Decision Making questions and the associated composite measure
- Health Promotion and Education question
- Written Materials or Internet Provided Needed Information question (adult only)
- Chronic conditions (adult only) and proxy questions.

To support the Race, Ethnicity, Language, and Disability (REALD) initiative, OHA implemented additional items in the demographics area of the survey to collect these data from OHP members. Kindergarten readiness items were also removed from the child instrument.

IMPACT OF COVID-19 ON OHA REPORTING

The 2020 OHA CAHPS survey fielding timeline overlapped with the COVID-19 outbreak in the United States (US). Survey administration began on January 8, 2020 and data collection closed on April 6, 2020. The pandemic gained more widespread national attention during the second half of survey administration. Oregon's response to the outbreak as outlined in Governor's Executive Order No. 20-12 (https://www.oregon.gov/gov/Documents/executive orders/eo 20-12.pdf) demonstrates the overlap of the timelines. A multitude of factors, such as COVID-19 infection rates, consumer experience, stay-at-home orders, social distancing guidelines, and "essential business" designations might affect the data collected. It is unclear how all these changes may have impacted CAHPS survey results for 2020 and CCOs should be mindful of this when interpreting results.

UPDATES TO THE 2020 OHA CAHPS SURVEY RESULTS REPORT

CSS has made several updates to the 2020 CAHPS Results Reports:

- The Member Profile and Analysis of Plan Ratings by Member Segment section has been updated for revised race and gender survey item. Visiting a dentist's office or clinic for care survey item was also included as a utilization measure.
- The CSS *Key Driver Model* has been updated to reflect the shortened survey instrument. Areas that are no longer being assessed with the survey were removed from consideration as possible key drivers of plan performance.
- An updated and expanded Health Plan Quality Improvement Resource Guide is included.

EXECUTIVE SUMMARY

CSS administered the Child Medicaid with CCC Measure version of the 2020 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of AllCare CCO, hereafter referred to as AllCare between January 8 and April 8, 2020. The final Child Medicaid survey sample (Claims Stratum: With Chronic Conditions) for AllCare included 575 members. 160 members completed the survey, resulting in a response rate of 27.92 percent.

This section highlights some of the key survey findings for AllCare, including trends in CAHPS ratings and composites and comparisons to the State Oregon Health Plan results. Results are based on the rates of members answering 8, 9, or 10 for the ratings questions and Usually or Always for all other measures. Statistical significance tests were conducted at the 95% confidence level. Up to six organizational priorities for quality improvement are also identified based on CSS's Key Driver Analysis.

RESULTS ON KEY SURVEY MEASURES

STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2019

Reportable Rate IMPROVED	Reportable Rate DECLINED		
Rating of All Health Care (by 16.75 points)	No statistically significant declines		

STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

Reportable Rate ABOVE Benchmark	Reportable Rate BELOW Benchmark					
2020 State OHP						
Rating of All Health Care (by 8.36 points) None						

TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's Key Driver Analysis identifies the areas of health plan performance and aspects of member experience that shape members' overall assessment of their health plan. To the extent that these specific areas or experiences can be improved, the overall rating of the plan should reflect these gains. Up to five quality improvement opportunities with the highest return on investment for AllCare are identified below. Effective interventions in these areas have the greatest potential impact on the *Rating of Health Plan* score.

Top Priorities for Quality Improvement

- 1. Improving the quality of physicians in health plan network (personal doctors)
- 2. Improving the quality of physicians in health plan network (specialists)
- 3. Removing reasons for members to contact customer service
- 4. Improving member access to care (ease of getting needed care, tests, or treatment)
- 5. Improving member access to care (getting an appointment for urgent care as soon as needed)

The remainder of this report examines these and other findings in greater detail.

SURVEY RESULTS AT A GLANCE

An overview of summary measures is presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the state Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2020 OHA CAHPS SURVEY FOR ALLCARE CHILD MEDICAID SAMPLE (CLAIMS STRATUM: WITH CHRONIC CONDITIONS): SURVEY RESULTS AT A GLANCE

CAHPS 5.0H Survey Measures		Global Propor	Global Proportions and Question Summary Rates			d Respo		
		2018	2019	2020	2018	2019	2020	2020 State OHP
	Q9. Rating of All Health Care	85.56%	74.16%	90.91%	90	89	132	82.55% 🔺
Overall Ratings	Q36. Rating of Personal Doctor	87.50%	86.27%	88.82%	112	102	152	88.23%
(% 8, 9, or 10)	Q43. Rating of Specialist Seen Most Often	78.13%	80.00% (Low n)	85.37%	32	25	41	85.11%
	Q49. Rating of Health Plan	84.62%	78.70%	82.28%	117	108	158	78.05%
Getting Needed Care	Getting Needed Care Composite	90.82%	85.12%	90.18%	61	58	89	84.11%
(% Always or Usually)	Q10. Easy to get needed care	91.01%	88.76%	91.73%	89	89	133	89.37%
(% Always or Usually)	Q41. Easy to see specialists	90.63%	81.48% (Low n)	88.64%	32	27	44	78.85%
Cotting Core Ovields	Getting Care Quickly Composite	92.22%	93.30%	91.54%	62	61	98	89.83%
Getting Care Quickly (% Always or Usually)	Q4. Got urgent care as soon as needed	90.70%	92.86%	93.85%	43	42	65	92.76%
(% Always of Osually)	Q6. Got routine care as soon as needed	93.75%	93.75%	89.23%	80	80	130	86.91%
	How Well Doctors Communicate Composite	96.66%	90.63%	96.37%	90	80	131	94.37%
How Well Doctors	Q27. Doctor explained things	98.88%	93.75%	98.47%	89	80	131	94.55%
Communicate*	Q28. Doctor listened carefully	96.67%	91.25%	94.66%	90	80	131	95.12%
(% Always or Usually)	Q29. Doctor showed respect	97.78%	91.25%	96.18%	90	80	131	96.14%
	Q32. Doctor spent enough time	93.33%	86.25%	96.18%	90	80	131	91.66%
Customer Service	Customer Service Composite	91.32% (Low n)	86.36% (Low n)	89.22%	29	22	51	87.16%
(% Always or Usually)	Q45. Provided needed information/help	86.21% (Low n)	72.73% (Low n)	82.35%	29	22	51	81.16%
	Q46. Treated with courtesy/respect	96.43% (Low n)	100.00% (Low n)	96.08%	28	22	51	93.15%
	Q35. Coordination of Care (% Always or Usually)	83.33%	83.72%	84.06%	48	43	69	82.19%
Children with Chronic	. Access to Prescription Medicines	93.75%	82.69%	90.00%	64	52	80	89.77%
	. Access to Specialized Services	61.21% (Low n)	79.29% (Low n)	74.47%	20	19	32	71.30%
Conditions Measures	. Getting Needed Information	92.22%	86.52%	96.24%	90	89	133	91.66%
Conditions ivieasures	. Personal Doctor Who Knows Child	91.87%	82.61%	90.95%	69	58	97	88.69%
	. Coordination of Care for Children With Chronic Conditions	83.33% (Low n)	66.19% (Low n)	78.13%	24	21	38	77.44%

If n is less than 30, "Low n" is displayed next to score.

Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All statistical tests are conducted at the 95% confidence level prior to rounding. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as 🛦 when your rate is higher or 🔻 when it is lower.

ABOUT THIS REPORT

The key features of this 2020 CAHPS report, prepared by CSS for AllCare, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS* 2020, *Volume 3: Specifications for Survey Measures* unless otherwise noted. Summary Results are reported regardless of whether the denominator threshold is met, however, any summary measure where the denominator is less than 30 is marked as "Low n".
- Throughout the report, the 2020 AllCare survey results are compared to the 2020 State OHP. The 2020 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority who were likely to have a chronic condition based on claim and encounter records.
- Executive Summary provides a high-level overview of survey findings. This section highlights the areas where AllCare performs significantly above or below the state Oregon Health Plan performance. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Up to five top organizational priorities for quality improvement based on CSS's Key Driver Analysis are identified.
- Summary of Survey Results presents the 2020 AllCare survey scores on key measures, including question summary rates (QSRs), global proportions, and changes in QSR and global proportion scores from the previous year (if applicable); and comparisons to relevant state Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- Detailed Performance Charts are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2020 AllCare QSRs and global proportions are compared to the 2020 State OHP on all measures. Where available, a three-year trend in scores is also shown.
- Member Profile and Analysis of Plan Ratings by Member Segment compares the 2020 AllCare respondent profile to the appropriate reference distribution (i.e., all plans included in the 2020 State OHP) of demographic characteristics and utilization variables. Variation in Rating of Health Plan measure by member segment is examined.
- Key Driver Analysis identifies those aspects of member experience (key drivers) that are closely related to the overall rating of the plan. The CSS Key Driver Model quantifies the contribution of each key driver to the overall evaluation of the plan. The 2020 AllCare results on each key driver are compared to the highest score among all the Child Medicaid plans contributing to the 2020 State OHP, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall Rating of Health Plan score. Opportunities for improvement are prioritized based on the expected improvement in the AllCare Rating of Health Plan score due to improved performance on the key driver. A separate section of the report provides some helpful resources for health plan quality improvement.

•	The A	Apper	ndix	inc	ludes:
---	-------	-------	------	-----	--------

- Detailed cross-tabulations of survey responses for every survey question, with additional tables summarizing performance on key survey measures;
- A copy of the survey instrument;
- Step-by-step guidelines for calculating composite global proportions; and
- A glossary of terms.

SURVEY METHODOLOGY

SURVEY PROTOCOL AND TIMELINE

CSS administered the Child Medicaid with CCC Measure version of the 2020 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of AllCare using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online, which was mailed on January 8;
- An initial questionnaire with cover letter, which was mailed on January 15;
- A replacement questionnaire with cover letter, which was mailed on February 13;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 9; and
- Close of data collection on April 6, 2020.

SURVEY MATERIALS

The survey instruments (both English and Spanish) used for AllCare are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS 2020, Volume 3: Specifications for Survey Measures* and *Quality Assurance Plan for HEDIS 2020 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all the mailing materials. Each survey package included a postage-paid return envelope. Besides the core CAHPS questions, the survey included 25 additional questions added by OHA. These included questions on cultural competency, access to dental care, and REALD demographics. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

SAMPLE SELECTION

CSS followed Oregon Health Authority's instructions to generate the survey sample for AllCare. Sample-eligible members were defined as plan members who were 17 years old or younger as of November 30, 2019; were currently enrolled; had been continuously enrolled for six months (with no more than one enrollment break of 45 days or less); and whose primary coverage was through Medicaid. The sample frame included a pre-screen status code to identify

children that were likely to have a chronic condition (CCC) based on claim and encounter records. Using this code, a sample was drawn from the child Medicaid population. All child Medicaid sample members received the Child Medicaid w/ CCC measures instrument regardless of their pre-screen status code. The results for the CCC population presented in this report are based the pre-screen status code rather than responses to the survey in the NCQA methodology.

Prior to sampling, CSS carefully inspected the member file(s) and informed the Oregon Health Authority of any errors or irregularities found (such as missing address elements or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up-to-date.

The final sample was generated using a random selection methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. Therefore, the final Child Medicaid survey sample (Claims Stratum: With Chronic Conditions) for AllCare included 575 members.

DATA CAPTURE

Questionnaires returned by mail were recorded using either manual data entry or optical scanning. Responses recorded via manual data entry were keyed by two independent data entry operators, and any discrepancies between the two response records were flagged and reconciled by a supervisor. Individual responses on surveys recorded via optical scanning were sent to data entry operators if the scanning technology was unable to identify the specific response option selected with a pre-defined degree of certainty.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. On-site CATI supervisors maintained quality control by monitoring the telephone interviews and keyboard entry of interviewers in real time. In addition, CSS research staff remotely monitored interviews on a regular basis. Due to the multiple mailings and varied modes of data collection, multiple survey responses could be received from the same sample member. In those cases, CSS included only one survey response (the most complete survey) in the final analysis dataset.

MEMBER DISPOSITIONS AND RESPONSE RATE

Among the AllCare sample members who met final eligibility criteria, 160 completed the survey, resulting in a response rate of 27.92 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2020 OHA CAHPS SURVEY FOR ALLCARE CHILD MEDICAID SAMPLE (CLAIMS STRATUM: WITH CHRONIC CONDITIONS): SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

	Total		
Disposition	Number	% Initial Sample	2020 State OHP
Initial Sample	575	100.00%	
Disposition			
Complete and Eligible - Mail	96	16.70%	14.44%
Complete and Eligible - Phone	57	9.91%	9.40%
Complete and Eligible - Internet	7	1.22%	1.07%
Complete and Eligible - Total	160	27.83%	24.91%
Does not meet Eligible Population criteria	2	0.35%	0.81%
Incomplete (but Eligible)	10	1.74%	1.98%
Ineligible	0	0.00%	0.09%
- Language barrier	0	0.00%	0.03%
- Mentally or physically incapacitated	0	0.00%	0.00%
- Deceased	0	0.00%	0.00%
Refusal	36	6.26%	6.97%
Nonresponse after maximum attempts	363	63.13%	64.76%
Added to Do Not Call (DNC) list	4	0.70%	0.53%
Response Rate*		27.92%	25.13%

70170

^{*}Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

SATISFACTION WITH THE EXPERIENCE OF CARE

PATIENT EXPERIENCE OF CARE MEASURES

GLOBAL RATINGS

CAHPS Health Plan Survey (version 5.0H) includes four global rating questions that utilize the scale of 0 to 10, with 0 representing the worst and 10 representing the best possible rating. Results are reported as the proportion of members selecting one of the top three responses (8, 9, or 10).

- Rating of Personal Doctor (0 = worst personal doctor possible; 10 = best personal doctor possible)
- Rating of Specialist Seen Most Often (0 = worst specialist possible; 10 = best specialist possible)
- Rating of All Health Care (0 = worst health care possible; 10 = best health care possible)
- Rating of Health Plan (0 = worst health plan possible; 10 = best health plan possible)

CAHPS COMPOSITES

In addition to the global ratings, the results for several CAHPS composite measures are also reported. CAHPS composites combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- **Getting Needed Care** combines two survey questions that address member access to care. Both questions use a *Never, Sometimes, Usually*, or *Always* response scale, with *Always* being the most favorable response. Results are based on the proportion of members answering the following questions as *Usually* or *Always*.
 - In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?
 - In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

- **Getting Care Quickly** combines responses to two survey questions that address timely availability of both urgent and check-up/routine care. The questions use a *Never*, *Sometimes*, *Usually*, or *Always* scale, with *Always* being the most favorable response. Results are based on the proportion of members selecting *Usually* or *Always* in response to the following questions:
 - In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?
 - In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?
- **How Well Doctors Communicate** combines responses to four survey questions that address physician communication. The questions use a *Never*, *Sometimes*, *Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members answering the following questions as *Usually* or *Always*:
 - In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?
 - In the last 6 months, how often did your child's personal doctor listen carefully to you?
 - In the last 6 months, how often did your child's personal doctor show respect for what you had to say?
 - In the last 6 months, how often did your child's personal doctor spend enough time with your child?
- **Customer Service** combines responses to two survey questions that ask about member experience with the health plan's customer service. The questions use a *Never, Sometimes, Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always* in response to the following questions:
 - In the last 6 months, how often did customer service staff at your child's health plan give you the information or help you needed?
 - In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?
- Coordination of Care is based on a single survey question, which uses a Never, Sometimes, Usually, or Always scale (with Always being the most favorable response). Results are based on the proportion of members selecting Usually or Always in response to the question below:
 - In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

NCQA calculates and reports the following measures for the Child Medicaid with CCC Survey:

- Access to Specialized Services combines responses to three survey questions addressing the child's access to special equipment or devices, therapies, treatments, or counseling. The questions use a Never, Sometimes, Usually, or Always scale, with Always being the most favorable response. Results are reported as the proportion of members answering the following questions as Usually or Always:
 - In the last 6 months, how often was it easy to get special medical equipment or devices for your child?
 - In the last 6 months, how often was it easy to get this therapy for your child?
 - In the last 6 months, how often was it easy to get this treatment or counseling for your child?
- **Personal Doctor Who Knows Child** combines responses to three survey questions addressing the doctor's understanding of the child's health issues. The questions use a **Yes** or **No** scale. Results are reported as the proportion of members answering **Yes** to the following questions:
 - In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?
 - Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?
 - Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your <u>family's</u> day-to-day life?
- Coordination of Care for Children with Chronic Conditions combines responses to two survey items addressing care coordination needs related to the child's chronic condition. The questions use a Yes or No scale. Results are reported as the proportion of members answering Yes to the following questions:
 - In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?
 - In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?
- **Getting Needed Information** is based on a single survey question, which uses a *Never, Sometimes, Usually*, or *Always* scale (with *Always* being the most favorable response). Results are based on the proportion of members selecting *Usually* or *Always* in response to the question below:
 - In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?

- Access to Prescription Medicines is based on a single survey question, which uses a Never, Sometimes, Usually, or Always scale (with Always being the most favorable response). Results are based on the proportion of members selecting Usually or Always in response to the question below:
 - In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?

CALCULATION AND REPORTING OF RESULTS

QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest from a given question on the survey.

Composite Global Proportions express the proportion of respondents selecting the response option(s) of interest from a given group of questions on the survey. They are calculated by first determining the proportion of respondents selecting the reported response(s) on each survey question contributing to the composite and subsequently averaging these proportions across all items in the composite.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS 2020*, *Volume 3: Specifications for Survey Measures* or consult the Appendix.

DENOMINATOR THRESHOLD

The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite (note: composite denominators are rounded for display purposes). If the rate denominator is less than 30, a measure result of "Low n" was assigned. This report presents results for all measures, regardless of denominator size. Any result that does not meet the denominator threshold of 30 valid responses is denoted with "Low n" to inform interpretations of results.

COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2020 AllCare results are compared to the 2020 State OHP as well as to the highest and lowest performing CCO. The 2020 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority who were likely to have a chronic condition based on claim and encounter records. If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

SUMMARY OF SURVEY RESULTS

Exhibit 3 provides a high-level AllCare performance overview on key survey measures. These include overall ratings, composite global proportions, and QSRs for additional content areas. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

EXHIBIT 3. 2020 OHA CAHPS SURVEY FOR ALLCARE CHILD MEDICAID SAMPLE (CLAIMS STRATUM: WITH CHRONIC CONDITIONS): SUMMARY OF RESULTS ON KEY MEASURES

		Difference** between 2020 Rate and			
CAHPS 5.0H Survey Measures*	2020 Rate	2019 Rate	2018 Rate	2020 State OHP	
Ratings					
Rating of Personal Doctor	88.82%	2.54%	1.32%	0.59%	
Rating of Specialist Seen Most Often	85.37%	5.37%	7.24%	0.26%	
Rating of All Health Care	90.91%	16.75% ▲	5.35%	8.36% 🔺	
Rating of Health Plan	82.28%	3.57%	-2.34%	4.23%	
Composite Measures					
Getting Needed Care	90.18%	5.06%	-0.64%	6.07%	
Getting Care Quickly	91.54%	-1.77%	-0.69%	1.71%	
How Well Doctors Communicate	96.37%	5.75%	-0.29%	2.01%	
Customer Service	89.22%	2.85%	-2.10%	2.06%	
Additional Content Areas					
Coordination of Care	84.06%	0.34%	0.72%	1.87%	
Children with Chronic Conditions Measures					
Access to Prescription Medicines	90.00%	7.31%	-3.75%	0.23%	
Access to Specialized Services	74.47%	-4.82%	13.26%	3.17%	
Getting Needed Information	96.24%	9.72% 🔺	4.02%	4.58%	
Personal Doctor Who Knows Child	90.95%	8.35%	-0.92%	2.26%	
Coordination of Care for Children With Chronic Conditions	78.13%	11.93%	-5.21%	0.69%	

^{*} Results were calculated following NCQA specifications and prior year results may differ from those previously reported.

^{**} Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the small denominator threshold (n=30). All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your current-year rate is higher or ▼ when it is lower.

DETAILED PERFORMANCE CHARTS


This section of the report includes detailed charts for composite global proportions, rating question summary rates (QSRs), as well as additional QSRs for individual survey items. The charts have the following features:

TREND IN RESULTS

- AllCare survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year, if the measure is new, or if the measure is not deemed appropriate for trending. In such cases, "No data" appears in place of the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. If the number of responses is less than 30, "Low n" appears next to the value of *n*, indicating that the result does not meet the denominator threshold. CSS calculates all rates regardless of this threshold.
- Statistical comparisons are conducted between the current-year rate and each of the prior-year rates, if available. Where appropriate, differences in both standard (e.g., 8 + 9 + 10 or Usually + Always) as well as top-box (e.g., 9 + 10 or Always) rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2019 rate denotes a statistically significant difference between the 2020 and 2019 rates.


COMPARISONS TO BENCHMARKS

• The horizontal lines displayed on the charts correspond to the 2020 State OHP as well as to the highest and lowest performing CCO. If the 2020 AllCare score is significantly different from any of these benchmark scores at the 95% confidence level, ★ appears next to the relevant score.







Tests of statistical significance were conducted for the following reportable rates: (8+9+10) and (9+10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ★ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \bigstar symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \bigstar symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a * symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a 🛨 symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \star symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \star symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a 🛨 symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a $\frac{1}{2}$ symbol next to the comparison rate.



Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pi\$ symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a + symbol next to the comparison rate.

MEMBER PROFILE AND ANALYSIS OF PLAN RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the AllCare membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A health plan's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their ratings of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.


While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.

The charts on the following pages compare the AllCare membership profile to the relevant state Oregon Health Plan benchmark distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the AllCare membership on a given member attribute (e.g., gender, education level, number of doctor visits, etc.) with the 2020 state Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.

HEALTH STATUS AND DEMOGRAPHICS

The following characteristics are profiled in this section:

- Child's age
- Child's current gender identity
- Child's health status
- Child's mental or emotional health status
- Respondent's age
- Respondent's current gender identity
- Respondent's education level
- Respondent's relationship to the child
- Child's racial or ethnic identity




^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.



^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.


^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.



[†] The self-reported race and ethnicity responses were aggregated into broader race and ethnic categories to help summarize for reporting purposes.

^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.



[†] The self-reported race and ethnicity responses were aggregated into broader race and ethnic categories to help summarize for reporting purposes.

^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.

USE OF SERVICES

The following utilization measures are included in this section:

- Seeking urgent care
- Making appointments for routine care
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Having a regular dentist
- Number of visits to a doctor's office or clinic
- Number of specialists seen





^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.

Q7. In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Q42. How many specialists has your child seen in the last 6 months? (Note: the question applies only to those respondents who had appointments with specialists.)





Note: all percentages are rounded for display. Rating of Health Plan score should be interpreted with caution if the size of the group (pie slice) is small.

^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.

KEY DRIVER ANALYSIS

OBJECTIVES

CSS's Key Driver Analysis (KDA) highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans;
- To highlight industry best practices on the key driver measures;
- To compare the current performance of AllCare to industry best practices in these areas; and
- To estimate the impact of improving performance on these measures on the Rating of Health Plan measure.

TECHNICAL APPROACH

INDUSTRY VIEW

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences within a single plan. Certain plan attributes are strongly related to member satisfaction at the industry level. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared across plans. However, within a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any "gaps" in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, searched for information in the plan's written materials, etc.) CSS's analysis shows that these experience variables explain a significant portion of the plan's overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan's membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan's perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider any and all measurable influences on the overall rating of the plan.

KEY DRIVER MODEL DEVELOPMENT

The CSS *Key Driver Model* was developed using a national plan-level dataset of Child Medicaid CAHPS survey results. The analysis was based on the plans surveyed by CSS in 2020, including their 2020, 2019 and 2018 results for a total 312 units of observation. CSS performed regression analysis of health plan ratings to identify the sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global *Rating of Health Plan* score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.) Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan's point of view.

All of the plan variables, including potential drivers of satisfaction (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

INDUSTRY KEY DRIVER MODEL

The table below lists six key drivers of Child Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (*p*-value < 0.05). Performance on these variables, together with the control variables, explains 75 percent of the industry variation in Child Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not take into account how AllCare is currently performing on these measures. Improvement targets identified specifically for AllCare, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

Access to care (Q10, Q4) and providers (Q25, Q36 and Q43) are significant drivers of member experience. Note that Q44 (contacting customer service) is marked with a ▼ symbol because this experience is *negatively* related to the overall health plan score. Plans that have large numbers of members who report contacting customer service to get information or help generally have *lower* overall satisfaction scores.

Key Driver	Interpretation
Q36. Rating of Personal Doctor (percent 9 or 10)	The higher the proportion of members rating their child's personal doctor as 9 or 10 , the higher the overall plan score
Q10. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of respondents reporting that the necessary care, tests, or treatment were easy to get, the higher the overall plan score
Q43. Rating of Specialist Seen Most Often (percent 9 or 10)	The higher the proportion of members rating their specialist as 9 or 10 , the higher the overall plan score
Q25. Child has a personal doctor (percent <i>Yes</i>)	The higher the proportion of respondents who report that their child has a personal doctor, the higher the overall plan score
Q44. ▼ Got information or help from customer service (percent <i>Yes</i>)	The higher the proportion of members reporting that they contacted customer service for information or help, the lower the overall plan score
Q4. Got an appointment for urgent care as soon as needed (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of members reporting favorably on their experience getting urgent care, the higher the overall plan score

OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT

Specific improvement opportunities for AllCare are presented in Exhibit 4. The ordering reflects both the strength of each key driver in the broad industry context and how AllCare is currently performing on the measure.

The middle panel of the chart compares how AllCare is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among all the Child Medicaid plans contributing to the 2020 State OHP. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of AllCare performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score AllCare could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 4. 2020 OHA CAHPS SURVEY FOR ALLCARE CHILD MEDICAID SAMPLE (CLAIMS STRATUM: WITH CHRONIC CONDITIONS): KEY AREAS AND PRIORITIES FOR IMPROVEMENT

Current Key Driver Performance		Room for Improvement on Key Driver	Overall Improvement Opportunity
2020 Rate		Percentage Point Difference Between Current Key Driver Score and the Best Practice Score*	Expected Percentage Point Improvement in Rating of Health Plan score (percent 9 or 10) if Key Driver Performs at Best Practice Level
Q36. Rating of Personal Doctor (percent 9 or 10)	78.29%	+6.74% -> 85.03%	+3.56%
Q43. Rating of Specialist Seen Most Often (percent 9 or 10)	68.29%	+14.21% > 82.50%	+1.74%
Q44. Got information or help from customer service (percent <i>Yes</i>)	▼ 32.28%	-15.07% -17.21%	+1.53%
Q10. Ease of getting needed care, tests, or treatment (percent <i>Usually</i> or <i>Always</i>)	91.73%	+3.27% -> 95.00%	+0.99%
Q4. Got urgent care as soon as needed (percent Usually or Always)	93.85%	+6.15%	+0.91%
Q25. Child has personal doctor (percent <i>Yes</i>)	96.23%	+1.73% -> 97.96%	+0.30%

^{*}Best score on the key driver measure among all plans included in the 2020 State OHP

HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS

CSS's Industry *Key Driver Analysis* lists improvement opportunities and priorities for AllCare. The following is a list of possible interventions and resources related to each of the key drivers. This section is included as a guide to assist you in your quality improvement efforts. Some of these resources may be more applicable to AllCare than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to the Agency for Health Care Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems (https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf).

IMPROVING MEMBER ACCESS TO CARE

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment.

- Same-Day Appointment Scheduling The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html.
- Implement Process Improvements to Streamline Patient Flow Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician's assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html for AHRQ's guide to plan and implement patient flow improvement strategies.
- Patient-Centered Medical Homes (PCMH) This model increases patient access to physicians, reducing barriers to receiving care
 (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2869425/). There are many valuable sources of information on the medical home model of care and health equity. To start, see this Institute of Medicine report: https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf. Family Medicine for America's Health is a collaboration of family medicine organizations dedicated to improving health care by expanding and emphasizing primary care, particularly through the use of patient-centered medical homes. For AHRQ's resources detailing transitioning a practice to a patient-centered medical home model, see http://www.pcmh.ahrq.gov/.

• Alternative Access Centers – This brief (http://www.rwjf.org/content/dam/farm/reports/issue_briefs/2015/rwjf419415) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly. Providing patients with alternative venues to access health care, rather than the traditional doctor's office or hospital, lowers barriers to care (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/).

IMPROVING QUALITY OF PHYSICIANS IN HEALTH PLAN NETWORK

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in patients' increased rating of doctors.

- Help Patients Communicate Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and "coached care" programs. See http://www.ahrq.gov/cahps/quality-improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-decisionmaking.html and http://www.ahrq.gov/cahps/quality-improvement/improvement/improvement-guide/6-strategies-for-improving/communication/strategy6htools.html. For a sample communication document that providers can distribute to patients before or during visits, see http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048.
- Build Physician-Patient Relationships An article published in the British Journal of General Practice found that patients seeing their preferred doctor rated their satisfaction with visits significantly higher than patients who did not have a doctor preference or those who would have preferred to see a different doctor. A study of English National Health Service data found that confidence and trust in a doctor is an important predictor of overall patient satisfaction (http://www.ncbi.nlm.nih.gov/pubmed/18416910/), while a Harvard study found that a positive physician-patient relationship correlates with better healthcare outcomes (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/).

• Improve Referral Communication – The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase patient satisfaction with their specialist. For examples of interventions that improve care coordination efficiency and quality, see https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and as well as https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency.

IMPROVING CUSTOMER SERVICE AND HEALTH PLAN-RELATED INFORMATION

It is important that health plan information be provided to members and that the information addresses member concerns. As representatives of the plan, customer service staff must ensure that members have confidence and trust in their ability to address their concerns. The following resources contain recommendations for improving customer service.

- Develop Customer Service Standards To improve customer service, the Agency for Healthcare Research and Quality suggests first articulating which aspects of customer service are most important to your organization. After developing these standards, monitor performance and promote accountability among staff. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html.
- Iterative Improvement for Member Services This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and thoroughly assess member dissatisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See http://www.rand.org/pubs/working_papers/WR517.html.
- Implement Service Recovery Procedures When customers have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, proper handling of complaints can reassure patients and restore loyalty to the health plan. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service-recovery.html.
- Make Plan Information Accessible to All Members A Health Research and Educational Trust study found that demographic characteristics, including education, age, gender, and income, significantly impacted use of an Internet-based decision tool. The tool provided cost information as well as a health and wellness assessment. The study suggests that effort beyond Internet-based tools is necessary to reach certain demographics. For further information, see http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3447236/.

- Increase Access to Trusted Health Information Many people look to their health plan for information not only on how the health plan works, but also on resources to help them improve their health, particularly when dealing with chronic illnesses. A recent meta-analysis confirmed that improved access to trusted health information leads to improved outcomes (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5818676/). Also, the Office of the National Coordinator for Health Information Technology (ONC) created the ONC Patient Engagement (PE) Playbook (https://www.healthit.gov/playbook/pe/) to help healthcare providers use health information technology (health IT) to provide better care to patients by specifically focusing on electronic health record (EHR) patient portals. This tool would allow both patients and healthcare teams, concurrent with patients' privacy preferences, to easily access patient health information which may lead to increased benefits for healthcare, such as improved health outcomes and lower costs.
- Evaluate the Organization's Health Literacy Programs The CDC has developed guidance on evaluating an organization's health literacy program, including recommended sources of communication and health literacy measures. See http://www.cdc.gov/healthliteracy/researchevaluate/program-evaluation.html. The CDC's National Prevention Information Network also offers tools to create health materials in plain language to reduce health disparities (https://npin.cdc.gov/pages/health-communication-language-and-literacy).
- Improve Patient Health Literacy This guide by the Office of Disease Prevention and Health Promotion outlines steps to improve health literacy, which may help patients to better absorb the information they obtain from written materials or the Internet. For detailed steps, see https://health.gov/ourwork/health-literacy/resources. AHRQ has also developed its own health literacy toolkit to support physicians (https://www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/literacy-toolkit/healthlittoolkit2.html).

APPENDIX

CROSS-TABULATIONS OF SURVEY RESPONSES

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Satisfaction With the Experience of Care

		Global Pr	oportions	
	2020 State		Plan Rate	
Survey Measures*	ОНР	2020	2019	2018
Ratings				
Rating of Personal Doctor	88.23%	88.82%	86.27%	87.50%
Rating of Specialist	85.11%	85.37%	80.00%	78.13%
Rating of All Health Care	82.55%	90.91%	74.16%	85.56%
Rating of Health Plan	78.05%	82.28%	78.70%	84.62%
Composites				
Getting Needed Care	84.11%	90.18%	85.12%	90.82%
Getting Care Quickly	89.83%	91.54%	93.30%	92.22%
How Well Doctors Communicate	94.37%	96.37%	90.63%	96.66%
Customer Service	87.16%	89.22%	86.36%	91.32%
Additional Content Areas				
Coordination of Care	82.19%	84.06%	83.72%	83.33%
Children with Chronic Conditions Composites				
Access to Prescription Medicine	89.77%	90.00%	82.69%	93.75%
Access to Specialized Services	71.30%	74.47%	79.29%	61.21%
Getting Needed Information	91.66%	96.24%	86.52%	92.22%
Personal Doctor or Nurse Who Knows Child	88.69%	90.95%	82.61%	91.87%
Coordination of Care w/CCC (Q16 & Q27)	77.44%	78.13%	66.19%	83.33%

^{*} Results were calculated by CSS following NCQA specifications. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 3

In the last 6 months, did your child have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

Base: All respondents

	ЭНР					ndent's (Identity (Q73)		C	Child's Ag (Q69)	е		sponder Education (Q74)		Child's	Health:	Status					Race (076)						Doctor V t 6 Mont (Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	118	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	43	3	1	0	1	0	0	0	0	1	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,409	157	110	118	13	139	0	43	74	36	18	48	84	108	37	9	2	4	1	13	1	1	61	2	41	22	120	11
	98.2%	98.1%	99.1%	100.0%	92.9%	100.0%		100.0%	100.0%	97.3%	100.0%	98.0%	100.0%	100.0%	97.4%	90.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	99.2%	91.7%
Yes	876	66	43	45	5	58	0	17	33	13	9	19	35	43	16	6	1	2	0	3	1	0	27	0	21	4	56	5
	36.4%	42.0%	39.1%	38.1%	38.5%	41.7%		39.5%	44.6%	36.1%	50.0%	39.6%	41.7%	39.8%	43.2%	66.7%	50.0%	50.0%	0.0%	23.1%	100.0%	0.0%	44.3%	0.0%	51.2%	18.2%	46.7%	45.5%
No	1,533	91	67	73	8	81	0	26	41	23	9	29	-	65		3	1	2	1	10	0	1	34	2	20	18	64	6
	63.6%	58.0%	60.9%	61.9%	61.5%	58.3%		60.5%	55.4%	63.9%	50.0%	60.4%	58.3%	60.2%	56.8%	33.3%	50.0%	50.0%	100.0%	76.9%	0.0%	100.0%	55.7%	100.0%	48.8%	81.8%	53.3%	54.5%
Significantly different from column:*																										AA	Z	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 4

In the last 6 months, when your child <u>needed care right away</u>, how often did your child get care as soon as he or she needed?

Base: All respondents whose child need care right away (Q3)

Base: All respondents whose child need care rig	ОНР					ndent's G Identity	Gender	(Child's Ag	е		sponden Education		Child's	Health	Status					Race					Child's Las	t 6 Mont	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооЭ	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	876	66	43	43	5	58	0	17	33	13	9	19	35	43	16	6	1	2	0	3	1	0	27	0	21	4	56	5
Number missing or multiple answer	20	1	1	0	0	1	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	856	65	42	43	5	57	0	17	33	12	9	19	34	42	16	6	1	2	0	3	1	0	26	0	21	4	55	5
	97.7%	98.5%	97.7%	100.0%	100.0%	98.3%		100.0%	100.0%	92.3%	100.0%	100.0%	97.1%	97.7%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%		96.3%	0.0%	100.0%	100.0%	98.2%	100.0%
Never	7 0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
Sometimes	55	4	3	4	0	4	0	0	3	1	1	1	2	2	2	0	0	0	0	1	0	0	0	0	3	1	2	1
	6.4%	6.2%	7.1%	9.3%	0.0%	7.0%		0.0%	9.1%	8.3%	11.1%	5.3%	5.9%	4.8%	12.5%	0.0%	0.0%	0.0%		33.3%	0.0%		0.0%		14.3%	25.0%	3.6%	20.0%
Usually	175	11	8	4	1	10	0	3	5	2	2	4	5	6	3	2	0.0%	0	0	1	0	0	3	0	5	1	9	1
Always	20.4% 619	16.9% 50	19.0% 31	9.3%	20.0%	17.5% 43		17.6% 14	15.2% 25	16.7%	22.2%	21.1%	14./%	14.3% 34	18.8%	33.3%	0.0%	0.0%		33.3%	0.0%		11.5% 23		23.8%	25.0%	16.4%	20.0%
Aiways	72.3%		-		80.0%				-	75.0%	66.7%	73.7%	79.4%	81.0%	68.8%	66.7%	100.0%	100.0%		33.3%	100.0%		:		61.9%	50.0%	80.0%	60.0%
Significantly different from column:*	, 2.5 %	, 5.5 70	, 5.0 %	01.470	55.670	, 5.4 70		32.470	, 3.0 %	, 5.0 %	55.7 70	, 5.7 70	, ,,,,,,,	01.070	55.676	00.7 70	100.070	100.070		33.370	100.070		55.570		01.570	55.070	00.070	55.070
Usually or Always	794	61	39	39	5	53	0	17	30	11	8	18	32	40	14	6	1	2	0	2	1	0	26	0	18	3	53	4
	92.8%	93.8%	92.9%	90.7%	100.0%	93.0%		100.0%	90.9%	91.7%	88.9%	94.7%	94.1%	95.2%	87.5%	100.0%	100.0%	100.0%		66.7%	100.0%		100.0%		85.7%	75.0%	96.4%	80.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 5

In the last 6 months, did you make any appointments for a check-up or routine care for your child at a doctor's office or clinic?

Base: All respondents

	ЧР					ndent's (Identity		C	hild's Ag	е		sponden Education		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	роо9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	119	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	1.
Number missing or multiple answer	35	2	2	0	0	2	0	0	1	1	0	1	1	2	0	0	0	0	0	0	0	0	1	0	0	0	1	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	2,417	158	109	119	14	137	0	43	73	36	18	48	83	106	38	10	2	4	1	13	1	1	60	2	41	22	120	1.
	98.6%	98.8%	98.2%	100.0%	100.0%	98.6%		100.0%	98.6%	97.3%	100.0%	98.0%	98.8%	98.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	98.4%	0.0%	100.0%	100.0%	99.2%	100.0%
Yes	1,851	130	82	89	11	114	0	38	59	28	12	43	68	90	28	9	2	4	1	11	1	0	53	1	31	7	107	1.
	76.6%	82.3%	75.2%	74.8%	78.6%	83.2%		88.4%	80.8%	77.8%	66.7%	89.6%	81.9%	84.9%	73.7%	90.0%	100.0%	100.0%	100.0%	84.6%	100.0%	0.0%	88.3%	50.0%	75.6%	31.8%	89.2%	100.0%
No	566	28	27	30	3	23	0	5	14	8	6	5	15	16		1	0	0	0	2	0	1	7	1	10	15	13	ſ
	23.4%	17.7%	24.8%	25.2%	21.4%	16.8%		11.6%	19.2%	22.2%	33.3%	10.4%	18.1%	15.1%	26.3%	10.0%	0.0%	0.0%	0.0%	15.4%	0.0%	100.0%	11.7%	50.0%	24.4%	68.2%	10.8%	0.0%
Significantly different from column:*																										AB		Z

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 6

In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?

Base: All respondents who made an appointment for their child for health care (Q5)

base. Air respondents who made air appointing	윺		, ,			ndent's (Identity		C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V	
	ᆼ					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,851	130	82	80	11	114	0	38	59	28	12	43	68	90	28	9	2	4	1	11	1	0	53	1	31	7	107	12
Number missing or multiple answer	33	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA			NA	NA		NA		NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,818 98.2%	130 100.0%	80 97.6%	100.0%	11 100.0%	114	0	38 100.0%		28 100.0%	100.0%	43 100.0%	100.0%	90 100.0%	28 100.0%	100.0%	100.0%	100.0%	1 100.0%	100.0%	1 100.0%	0	53 100.0%	0.0%	100.0%	7 100.0%	107 100.0%	
Never	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.070	0	0	0	0
	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	217	14	5	5	1	13	0	3	7	4	2	4	7	9	2	3	0	0	0	1	0	0	4	0	3	0	10	3
	11.9%	10.8%	6.3%	6.3%	9.1%	11.4%		7.9%	11.9%	14.3%	16.7%	9.3%	10.3%	10.0%	7.1%	33.3%	0.0%	0.0%	0.0%	9.1%	0.0%		7.5%	0.0%	9.7%	0.0%	9.3%	25.0%
Usually	530	32	23	25	3	28	0	11	11	8	4	8	19	19	9	2	0	2	0	3	0	0	12	0	7	4	24	3
	29.2%	24.6%	28.8%	31.3%	27.3%	24.6%		28.9%	18.6%	28.6%	33.3%	18.6%	27.9%	21.1%	32.1%	22.2%	0.0%	50.0%	0.0%	27.3%	0.0%		22.6%	0.0%	22.6%	57.1%	22.4%	25.0%
Always	1,050	84	52	50	7	73	0	24	41	16	6	31	42	62	17	4	2	2	1	7	1	0	37	1	21	3	73	6
	57.8%	64.6%	65.0%	62.5%	63.6%	64.0%		63.2%	69.5%	57.1%	50.0%	72.1%	61.8%	68.9%	60.7%	44.4%	100.0%	50.0%	100.0%	63.6%	100.0%		69.8%	100.0%	67.7%	42.9%	68.2%	50.0%
Significantly different from column:*																												
Usually or Always	1,580			75	10		0	35							26	6	2	4	1	10	1	0	49	1	28		97	
	86.9%	89.2%	93.8%	93.8%	90.9%	88.6%		92.1%	88.1%	85.7%	83.3%	90.7%	89.7%	90.0%	92.9%	66.7%	100.0%	100.0%	100.0%	90.9%	100.0%		92.5%	100.0%	90.3%	100.0%	90.7%	75.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 7

In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Base: All respondents

Base: All respondents																												
	_					ndent's (Identity	Gender	С	hild's Ag	ge		sponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	0707	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	2,452 57	_	111 2	0	14 1	139 3	0	43 0	74 2	2	18 0	3	84 1	2	38 2	1	0	4 1	1 0	13 0	1 0	1 0	61 0	2 0	41 0	22 0	121 0	12 0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,395 97.7%	155 96.9%	109 98.2%	115 100.0%	13 92.9%			43 100.0%	72 97.3%		-		83 98.8%		36 94.7%	-	100.0%	75.0%	100.0%	13 100.0%	100.0%	100.0%	61 100.0%	0.0%	41 100.0%	22 100.0%	121 100.0%	
None	473	22		23	1	19	0	5	9	7	4	7	9	14	7	0	0	0	0	3	0	1	6	0	6	22	0	0
	19.7%	14.2%	18.3%	20.0%	7.7%			11.6%	12.5%	20.0%	22.2%	15.2%	10.8%		19.4%	0.0%	0.0%	0.0%	0.0%	23.1%	0.0%	100.0%	9.8%	0.0%	14.6%	100.0%	0.0%	0.0%
1 time	628 26.2%	42 27.1%	31 28.4%	21.7%	23.1%	39 28.7%		27.9%	29.2%	25.7%	16.7%	37.0%	25.3%	32 30.2%	25.0%	11.1%	50.0%	33.3%	0.0%	23.1%	0.0%	0.0%	29.5%	50.0%	24.4%	0.0%	42 34.7%	0.0%
2	562 23.5%	41 26.5%	17 15.6%	26 22.6%	4 30.8%	35 25.7%	0	12 27.9%	18 25.0%	9 25.7%	3 16.7%	8 17.4%	27 32.5%		5 13.9%	22.2%	0.0%	2 66.7%	0.0%	4 30.8%	0.0%	0 0.0%	18 29.5%	1 50.0%	11 26.8%	0.0%	41 33.9%	0.0%
3	323 13.5%	27 17.4%	14 12.8%	19 16.5%	3 23.1%	23 16.9%	0	8 18.6%	12 16.7%	_	2 11.1%	10 21.7%	14 16.9%		9 25.0%	0.0%	1 50.0%	0.0%	1 100.0%	2 15.4%	1 100.0%	0.0%	9 14.8%	0.0%	6 14.6%	0.0%	27 22.3%	0.0%
4	162 6.8%	11 7.1%	7.3%	7 6.1%	0.0%	10 7.4%	0	7.0%	5 6.9%	2 5.7%	3 16.7%	1 2.2%	6 7.2%	5 4.7%	8.3%	33.3%	0.0%	0.0%	0.0%	1 7.7%	0.0%	0.0%	5 8.2%	0.0%	4 9.8%	0.0%	11 9.1%	0.0%
5 to 9	172 7.2%	7 4.5%	15 13.8%	11 9.6%	1 7.7%	6 4.4%	0	2 4.7%	4 5.6%	1 2.9%	2 11.1%	1	4 4.8%	4 3.8%	5.6%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4 6.6%	0.0%	2 4.9%	0.0%	0.0%	7 58.3%
10 or more times	75 3.1%	5 3.2%	4 3.7%	4	1	4 2.9%	0	2.3%	3 4.2%	1	1	2	2	2	2.8%	2	0	0	0	0.0%	0	0.0%	1	0.0%	2 4.9%	0.0%	0.0%	5
5 or more times	247 10.3%	12 7.7%	19 17.4%		2 15.4%	10 7.4%	0	7.0%	7 9.7%	2 5.7%	3 16.7%	3 6.5%	6 7.2%	6 5.7%	8.3%	3 33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5 8.2%	0.0%	4 9.8%	0.0%	0.0%	12 100.0%
Significantly different from column:*		С		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						,,,,,,						. ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,												1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 8

In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

·	ОНР					ndent's O Identity (Q73)		C	Child's Ag (Q69)	je		esponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poo9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Sastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,922	133	89	90	12	117	0	38	63	28	14	39	74	92	29	9	2	3	1	10	1	0	55	2	35	0	121	12
Number missing or multiple answer	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA		NA		NA	NA		NA		NA		NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA		NA	NA	NA	NA	NA
Usable responses	1,906 99.2%	133 100.0%	89 100.0%	90 100.0%	12 100.0%	117 100.0%	0	38 100.0%			14 100.0%				29 100.0%	_	100.0%	100.0%	100.0%	10 100.0%	100.0%	0	55 100.0%	0.0%	35 100.0%	0	121 100.0%	12 100.0%
Never	31 1.6%	0.0%	1 1.1%	1.1%	0.0%	0.0%	0	0	0.0%	0	0.0%	0	0	0	0.0%	0.0%	0	0	0.0%	0.0%	0	0	0	0.0%	0.0%	0	0.0%	0
Sometimes	128 6.7%	5 3.8%	11 12.4%	6 6.7%	0.0%	5 4.3%	0	0.0%	5 7.9%	0.0%	7.1%	1 2.6%	3 4.1%	5 5.4%	0.0%	0.0%	0.0%	0.0%	0.0%	1 10.0%	0.0%	0	1.8%	1 50.0%	0 0.0%	0	5 4.1%	0.0%
Usually	404 21.2%	23 17.3%	22 24.7%	26 28.9%	1 8.3%	22 18.8%	0	8 21.1%	10 15.9%	5 17.9%	3 21.4%	6 15.4%	13 17.6%	14 15.2%	5 17.2%	4 44.4%	0.0%	2 66.7%	0.0%	20.0%	0.0%	0	6 10.9%	0.0%	7 20.0%	0	21 17.4%	2 16.7%
Always	1,343 70.5%	105 78.9%	55 61.8%	57 63.3%	11 91.7%	90 76.9%	0	30 78.9%	48 76.2%		10 71.4%			73 79.3%	24 82.8%	_	2 100.0%	33.3%	1 100.0%	7 70.0%	1 100.0%	0	48 87.3%	1 50.0%	28 80.0%	0	95 78.5%	10 83.3%
Significantly different from column:*		ACD											,,,,,								1							
Usually or Always	1,747	128		83			0	38		-	13			-	29		2	3	1	9	1	0	54	1	35	0	116	
Significantly different from column:*	91.7%	96.2% C	86.5%	92.2%	100.0%	95.7%		100.0%	92.1%	100.0%	92.9%	97.4%	95.9%	94.6%	100.0%	100.0%	100.0%	100.0%	100.0%	90.0%	100.0%		98.2%	50.0%	100.0%		95.9%	100.0%

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 9

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

Base: All respondents whose child went to a do	CIOI 3 OIIICE/C	illille (Q7)																										
	IP				Respo	ndent's (Identity		С	hild's Ag	e		sponder Education		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	1,922 19 NA	133 1 NA	89 0 NA	0	1	0	0 0 NA	38 0 NA	63 1 NA	28 0 NA	14 0 NA	39 0 NA	74 1 NA	92 1 NA	29 0 NA	9 0 NA	2 0 NA	3 0 NA	1 0 NA	10 0 NA	1 0 NA	O NA	55 0 NA	2 0 NA	35 0 NA	0 0 NA	121 1 NA	12 0 NA
Usable responses	1,903 99.0%	132 99.2%	89 100.0%				0	38 100.0%	62 98.4%	28 100.0%	14 100.0%	39 100.0%	73 98.6%	91 98.9%	29 100.0%	9 100.0%	2 100.0%	3 100.0%	100.0%	10 100.0%	100.0%		55 100.0%	0.0%	35 100.0%	0	120 99.2%	12 100.0%
0 Worst health care possible	5 0.3%	0.0%	1 1.1%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0	0.0%	0.0%
1	6 0.3%	0 0.0%	0.0%	1 1.1%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0	0.0%	0.0%
2	8 0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0	0.0%	0.0%
3	15 0.8%	2 1.5%	1 1.1%	0.0%	0.0%	2 1.7%	0	0 0.0%	2 3.2%	0.0%	7.1%	0.0%	1 1.4%	2 2.2%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	1 2.9%	0	0.8%	8.3%
4	17 0.9%	0.0%	0.0%	2.2%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0	0.0%	0.0%
5	50 2.6%	2 1.5%	1 1.1%	0.0%	0.0%	2 1.7%	0	0.0%	2 3.2%	0.0%	0.0%	0.0%	2 2.7%	1.1%	1 3.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	2.9%	0	0.8%	8.3%
6	65 3.4%	2 1.5%	6.7%	0.0%	0.0%	2 1.7%	0	2 5.3%	0.0%	0.0%	0.0%	0.0%	2 2.7%	2.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		3.6%	0.0%	0.0%	0	2 1.7%	0.0%
7	166 8.7%	6 4.5%	14 15.7%	11.1%			0	1 2.6%	4 6.5%	1 3.6%	7.1%	5.1%	3 4.1%	4 4.4%	2 6.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		1.0 70	0.0%	8.6%	0 	5.0%	0.0%
8	397 20.9%	28 21.2%	20 22.5%	24.4%	9.1%	25 21.4%	0	11 28.9%	11 17.7%	4 14.3%	2 14.3%	5 12.8%	18 24.7%	14 15.4%	8 27.6%	4 44.4%	0.0%	66.7%	0.0%	2 20.0%	0.0%		10 18.2%	50.0%	5 14.3%	0 	26 21.7%	16.7%
9	394 20.7%	27 20.5%	17 19.1%	26.7%	27.3%	23 19.7%	0	6 15.8%	11 17.7%	10 35.7%	6 42.9%	10 25.6%	10 13.7%	17 18.7%	6 20.7%	4 44.4%	0.0%	0.0%	0.0%	5 50.0%	0.0%	C	13 23.6%	0.0%	3 8.6%	0	22 18.3%	41.7%
10 Best health care possible	780 41.0%	65 49.2%	29 32.6%		63.6%	57 48.7%	0	18 47.4%	32 51.6%	13 46.4%	28.6%	22 56.4%	37 50.7%	51 56.0%	12 41.4%	1 11.1%	2 100.0%	33.3%	100.0%	30.0%	100.0%		52.7%	50.0%	62.9%	0	62 51.7%	25.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 9

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

·	Ь	, ,				ndent's (Identity		C	hild's Ag	ge		sponder Education		Child's	Health	Status					Race					Child's Las	Doctor \ t 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	5019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	p005	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	1,922 19 NA	133 1 NA	0	90 0 NA	12 1 NA	117 0 NA	0 0 NA	38 0 NA	63 1 NA	0	14 0	39 0 NA	74 1	92 1 NA	29 0 NA	9 0 NA	0 NA	3 0 NA	1 0 NA	10 0 NA	1 0 NA	0 0 NA	55 0 NA	2 0 NA	35 0 NA	0 0 NA	121 1 NA	12 0 NA
Usable responses	1,903 99.0%	132		90	11			38 100.0%	62		14			91	29	-	100.0%	3	1 100.0%	10	1	0	55	2 0.0%	35	0	120	12 100.0%
0 to 4	51 2.7%	2 1.5%	2	3.3%	0.0%	2 1.7%	0	0.0%	2 3.2%	0	7.1%	0	1 1.4%	2	0.0%	0.0%	0	0	0.0%	0.0%	0	0	0	0.0%	2.9%	0	0.8%	1
5	50 2.6%	2 1.5%	1 1.1%	0.0%	0.0%	2 1.7%	0	0.0%	2 3.2%	0.0%	0.0%	0.0%	2 2.7%	1 1.1%	1 3.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	1 2.9%	0	1 0.8%	1 8.3%
6 or 7	231 12.1%	8 6.1%	20 22.5%	10 11.1%	0.0%	6.8%	0	7.9%	4 6.5%	1 3.6%	7.1%	5.1%	5 6.8%	6 6.6%	2 6.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	5.5%	0.0%	3 8.6%	0	8 6.7%	0.0%
8 to 10	1,571 82.6%	120 90.9%		77 85.6%	11 100.0%	105	0	35 92.1%	54 87.1%		12 85.7%	-			26 89.7%		2 100.0%	3 100.0%	1 100.0%	10 100.0%	1 100.0%	0	52 94.5%	2 100.0%	30 85.7%	0	110 91.7%	
Significantly different from column:*		AC																										
0 to 6	166 8.7%	6 4.5%	9 10.1%	3.3%	0.0%	5.1%	0	5.3%	4 6.5%	0.0%	7.1%	0.0%	5 6.8%	5.5%	3.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	_	0.0%	2 5.7%	0	4 3.3%	2 16.7%
7 to 8	563 29.6%	34 25.8%		32 35.6%	9.1%	31 26.5%	0	12 31.6%	15 24.2%		3 21.4%	7 17.9%	21 28.8%	18 19.8%	10 34.5%	4 44.4%	0.0%	2 66.7%	0.0%	20.0%	0.0%	0	11 20.0%	1 50.0%	8 22.9%	0	32 26.7%	
9 to 10	1,174 61.7%	92 69.7%	_	55 61.1%	10 90.9%	80 68.4%	0	24 63.2%	43 69.4%		10 71.4%	32 82.1%		68 74.7%	18 62.1%	-	2 100.0%	1 33.3%	1 100.0%	8 80.0%	1 100.0%	0	42 76.4%	1 50.0%	25 71.4%	0	84 70.0%	
Significantly different from column:*		С																										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 10

In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

Base: All respondents whose child went to a doi	JUI S UIIICE/U	JIIIIC (Q1)																										
	۵					ndent's (Identity		C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	H					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooD	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,922	133	89	89	12	117	0	38	63	28	14	39	74	92	29	9	2	3	1	10	1	0	55	2	35	0	121	12
Number missing or multiple answer	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,910	133	89	89	12	117		38		28	14	39		92	29	_	2	3	1	10	1	0	55	2	35	0	121	12
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	100.0%		100.0%	100.0%
Never	29 1.5%	0.0%	1 1.1%	1.1%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0	0.0%	0.0%
Sometimes	174	11	9	7	0	10	0	2	6	2	3	1	6	7	3	0	0	0	0	1	0	0	0	0	5	0	8	3
	9.1%	8.3%	10.1%	7.9%	0.0%	8.5%		5.3%	9.5%	7.1%	21.4%	2.6%	8.1%	7.6%	10.3%	0.0%	0.0%	0.0%	0.0%	10.0%	0.0%		0.0%	0.0%	14.3%		6.6%	25.0%
Usually	574	29	33	31	0	28	0	11	11	6	4	7	17	15	9	4	0	1	0	2	0	0	12	1	5	0	27	2
	30.1%	21.8%	37.1%	34.8%	0.0%			28.9%	17.5%	21.4%	28.6%	17.9%	23.0%	16.3%	31.0%	44.4%	0.0%	33.3%	0.0%	20.0%	0.0%		21.8%	50.0%	14.3%		22.3%	16.7%
Always	1,133	93	46	50	12	79	0	25		20	7	31		70		5	2	2	1	7	1	0	43	1	25	0	86	
	59.3%	69.9%	51.7%	56.2%	100.0%	67.5%		65.8%	73.0%	71.4%	50.0%	79.5%	68.9%	76.1%	58.6%	55.6%	100.0%	66.7%	100.0%	70.0%	100.0%		78.2%	50.0%	71.4%		71.1%	58.3%
Significantly different from column:*		ACD																									'	
Usually or Always	1,707		79	81			0	36			11						2	3	1	9	1	0	55	2	30	0	113	
	89.4%	91.7%	88.8%	91.0%	100.0%	91.5%		94.7%	90.5%	92.9%	78.6%	97.4%	91.9%	92.4%	89.7%	100.0%	100.0%	100.0%	100.0%	90.0%	100.0%		100.0%	100.0%	85.7%		93.4%	75.0%
Significantly different from column:*																											'	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 11

Is your child now enrolled in any kind of school or daycare?

Base: All respondents

	НР					ident's G		C	hild's Ag	е		sponder		Child's	Health :	Status					Race						t 6 Mon	Visits in iths
	2020 State O	2020	2019	2018	Male	Female (62)	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	(Q74)	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle (OV) African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	11 4 (O ₂)	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	119	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	34	2	0	0	0	2	0	0	1	1	1	1	0	1	0	1	0	0	0	1	0	0	0	0	0	0	1	
Number no experience	NA	NA		NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	
Usable responses	2,418 98.6%	158 98.8%		119 100.0%	14 100.0%	137 98.6%		43 100.0%	73 98.6%		17 94.4%		84 100.0%		38 100.0%	90.0%	100.0%	100.0%	100.0%	92.3%	100.0%	100.0%	61 100.0%	0.0%	41 100.0%	22 100.0%	120 99.2%	
Yes	1,902 78.7%	120 75.9%	-	96 80.7%	12 85.7%	103 75.2%	0	23 53.5%	64 87.7%	29 80.6%	15 88.2%		67 79.8%	78 72.9%	31 81.6%	7 77.8%	50.0%	2 50.0%	1 100.0%	91.7%	1 100.0%	100.0%	45 73.8%	2 100.0%	31 75.6%	18 81.8%	88 73.3%	
No	516				2	34	0	20	9	7	2	16	17			2	1	2	0	1	0	0	16	0	10	4	32	1
	21.3%	24.1%	26.1%	19.3%	14.3%	24.8%		46.5%	12.3%	19.4%	11.8%	33.3%	20.2%	27.1%	18.4%	22.2%	50.0%	50.0%	0.0%	8.3%	0.0%	0.0%	26.2%	0.0%	24.4%	18.2%	26.7%	8.3%
Significantly different from column:*						Ī		IJ	Н	Н																		

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 12

In the last 6 months, did you need your child's doctors or other health providers to contact a school or daycare center about your child's health or health care?

Base: All respondents whose child is enrolled in school or daycare (Q11)

	ОНР					ndent's (Identity (Q73)		C	hild's Ag (Q69)	e		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	C	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	1,902	120	82	94	12	103	0	23	64	29	15	32	67	78	31	7	1	2	1	11	1	1	45	2	31	18	88	11
Number missing or multiple answer	29	2	0	0	0	2	0	0	1	1	0	1	1	0	2	0	0	0	0	0	0	0	1	0	1	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	1,873	118	82	94	12	101	0	23	63	28	15	31	66	78	29	7	1	2	1	11	1	1	44	2	30	18	86	11
	98.5%	98.3%	100.0%	100.0%	100.0%	98.1%		100.0%	98.4%	96.6%	100.0%	96.9%	98.5%	100.0%	93.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	97.8%	0.0%	96.8%	100.0%	97.7%	100.0%
Yes	280	16	6	11	2	13	0	4	7	4	2	3	10	8	6	1	0	0	0	0	0	0	7	0	6	0	11	5
	14.9%	13.6%	7.3%	11.7%	16.7%	12.9%		17.4%	11.1%	14.3%	13.3%	9.7%	15.2%	10.3%	20.7%	14.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	15.9%	0.0%	20.0%	0.0%	12.8%	45.5%
No	1,593	102	76	83	10	88	0	19	56	24	13	28	56	70	23		1	2	1	11	1	1	37	2	24	18	75	6
	85.1%	86.4%	92.7%	88.3%	83.3%	87.1%		82.6%	88.9%	85.7%	86.7%	90.3%	84.8%	89.7%	79.3%	85.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	84.1%	100.0%	80.0%	100.0%	87.2%	54.5%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 13

In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?

Base: All respondents whose child is enrolled in school or daycare and needed their child's doctor/health provider to contact school/daycare center about their child's health (Q11 & Q12)

	ОНР					ndent's (Identity (Q73)		C	Child's Ag (Q69)	je		sponder Educatio (Q74)		Child's	Health	Status					Race (Q76)						Doctor 'st 6 Mon (Q7)	Visits in oths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	280	16	6	11	2	13	0	4	7	4	2	3	10	8	6	1	0	0	0	0	0	0	7	0	6	0	11	5
Number missing or multiple answer	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N.A
Usable responses	277	16	6	11	2	13	0	4	7	4	2	3	10	8	6	1	0	0	0	0	0	0	7	0	6	0	11	5
	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%							100.0%	0.0%	100.0%		100.0%	100.0%
Yes	253	13	4	11	2	11	0	4	5	4	1	3	9	7	5	1	0	0	0	0	0	0	7	0	5	0	8	
	91.3%	81.3%	66.7%	100.0%	100.0%	84.6%		100.0%	71.4%	100.0%	50.0%	100.0%	90.0%	87.5%	83.3%	100.0%							100.0%		83.3%		72.7%	100.0%
No	24	3	2	0	0	2	0	0	2	0	1	0	1	1	1	0	0	0	0	0	0	0	0	0	1	0	3	(
	8.7%	18.8%	33.3%	0.0%	0.0%	15.4%		0.0%	28.6%	0.0%	50.0%	0.0%	10.0%	12.5%	16.7%	0.0%							0.0%		16.7%		27.3%	0.0%
Significantly different from column:*						_																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 14

In the last 6 months, did you get or try to get any special medical equipment or devices for your child?

Base: All respondents

	ОНР					ndent's (Identity (Q73)		C	hild's Ag (Q69)	ie		sponder Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in ths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern M	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	118	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	17	1	0	0	0	1	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,435	159	111	118	14	138	0	43	73	37	18		84	107	38		2	4	1	13	1	1	61	2	41	22	121	12
	99.3%	99.4%	100.0%	100.0%	100.0%	99.3%		100.0%	98.6%	100.0%	100.0%	98.0%	100.0%	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	168	9	10	4	2	7	0	2	4	3	2	3	4	3	4	2	0	0	0	0	0	0	4	0	2	1	5	3
	6.9%	5.7%	9.0%	3.4%	14.3%	5.1%		4.7%	5.5%	8.1%	11.1%	6.3%	4.8%	2.8%	10.5%	20.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.6%	0.0%	4.9%	4.5%	4.1%	25.0%
No	2,267	150	101	114		131	0	41	69	34	16	45	80	104	34	8	2	4	1	13	1	1	57	2	39		116	9
	93.1%	94.3%	91.0%	96.6%	85.7%	94.9%		95.3%	94.5%	91.9%	88.9%	93.8%	95.2%	97.2%	89.5%	80.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	93.4%	100.0%	95.1%	95.5%	95.9%	75.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 15

In the last 6 months, how often was it easy to get special medical equipment or devices for your child?

Base: All respondents who got or tried to get special medical equipment or device for their child (Q14)

Base. All respondents who got or thed to get sp		7-7-	3, 401,001,00		Respoi	ndent's (Identity		C	Child's A	ge		esponder Educatio		Child's	Health	Status					Race						Doctor V	
	R					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	168	9	10	4	2	7	0	2	4	3	2	! 3	4	3	4	2	0	0	0	0	0	0	4	0	2	1	5	3
Number missing or multiple answer	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA.	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA.	NA	NA	NA	NA	NA
Usable responses	167	9	10	4	2	7	0	2	4	3	2	. 3	4	3	4	2	0	0	0	0	0	0	4	0	2	1	5	3
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%							100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	24 14.4%	2 22.2%	1 10.0%	1 25.0%	0.0%	2 28.6%	0	1 50.0%	1 25.0%	0.0%	0.0%	0.0%	50.0%	66.7%	0.0%	0.0%	0	0	0	0	0	0	0.0%	0	0.0%	0.0%	1 20.0%	1 33.3%
Sometimes	24	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	14.4%	0.0%	10.0%	25.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%							0.0%		0.0%	0.0%	0.0%	0.0%
Usually	45	2	2	1	1	1	0	0	1	1	1	. 1	0	0	1	1	0	0	0	0	0	0	1	0	1	1	0	1
	26.9%	22.2%	20.0%	25.0%	50.0%	14.3%		0.0%	25.0%	33.3%	50.0%	33.3%	0.0%	0.0%	25.0%	50.0%							25.0%		50.0%	100.0%	0.0%	33.3%
Always	74	5	6	1	1	4	0	1	2	2	1	. 2	2	1	3	1	0	0	0	0	0	0	3	0	1	0	4	1
	44.3%	55.6%	60.0%	25.0%	50.0%	57.1%		50.0%	50.0%	66.7%	50.0%	66.7%	50.0%	33.3%	75.0%	50.0%							75.0%		50.0%	0.0%	80.0%	33.3%
Significantly different from column:*																												
Usually or Always	119	7	8	2	2	5	0	1	3	3	2	. 3	2	1	4	2	0	0	0	0	0	0	4	0	2	1	4	2
	71.3%	77.8%	80.0%	50.0%	100.0%	71.4%		50.0%	75.0%	100.0%	100.0%	100.0%	50.0%	33.3%	100.0%	100.0%							100.0%		100.0%	100.0%	80.0%	66.7%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 16

Did anyone from your child's health plan, doctor's office, or clinic help you get special medical equipment or devices for your child?

Base: All respondents who got or tried to get special medical equipment or device for their child (Q14)

	чР					ndent's (Identity		C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						t 6 Mon	Visits in oths
	ò					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	168	9	10	4	2	7	0	2	4	3	2	3	4	3	4	2	0	0	0	0	0	0	4	0	2	1	5	3
Number missing or multiple answer	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	167 99.4%	9 100.0%	10 100.0%	4 100.0%	2 100.0%	7 100.0%	0	2 100.0%	4 100.0%	3 100.0%	2 100.0%	3 100.0%	4 100.0%	3 100.0%	4 100.0%	2 100.0%	0	0	0	0	0	0	4 100.0%	0.0%	2 100.0%	1 100.0%	5 100.0%	3 100.0%
Yes	133 79.6%		8 80.0%	2 50.0%	1 50.0%	6 85.7%	0	2 100.0%	75.0%	2 66.7%	1 50.0%	3 100.0%	75.0%	2 66.7%	75.0%	2 100.0%	0	0	0	0	0	0	4 100.0%	0	1 50.0%	0.0%	4 80.0%	3 100.0%
No	34 20.4%	2 22.2%	20.0%	2 50.0%	1 50.0%	1 14.3%	0	0.0%	1 25.0%	1 33.3%	1 50.0%	0.0%	1 25.0%	1 33.3%	1 25.0%	0.0%	0	0	0	0	0	0	0.0%	0	1 50.0%	1 100.0%	1 20.0%	0.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 17

In the last 6 months, did you get or try to get special therapy such as physical, occupational, or speech therapy for your child?

Base: All respondents

	ОНР					ndent's G Identity (Q73)	Gender	С	Child's Ag (Q69)	е		sponder ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	118	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	24	2	1	0	1	0	0	0	0	1	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA
Usable responses	2,428	158	110	118	13	139	0	43	74	36	18	48	84	108	37	9	2	4	1	13	1	1	61	2	41	22	121	11
	99.0%	98.8%	99.1%	100.0%	92.9%	100.0%		100.0%	100.0%	97.3%	100.0%	98.0%	100.0%	100.0%	97.4%	90.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	91.7%
Yes	504	33	21	29	1	31	0	8	16	7	5	10	16	21	9	2	1	0	0	3	0	0	10	0	11	5	24	4
	20.8%	20.9%	19.1%	24.6%	7.7%	22.3%		18.6%	21.6%	19.4%	27.8%	20.8%	19.0%	19.4%	24.3%	22.2%	50.0%	0.0%	0.0%	23.1%	0.0%	0.0%	16.4%	0.0%	26.8%	22.7%	19.8%	36.4%
No	1,924	125	89	89	12	108	0	35	58	29	13	38	68	87	28	7	1	4	1	10	1	1	. 51	2	30	17	97	7
	79.2%	79.1%	80.9%	75.4%	92.3%	77.7%		81.4%	78.4%	80.6%	72.2%	79.2%	81.0%	80.6%	75.7%	77.8%	50.0%	100.0%	100.0%	76.9%	100.0%	100.0%	83.6%	100.0%	73.2%	77.3%	80.2%	63.6%
Significantly different from column:*							-											1	1	1								, 7

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 18

In the last 6 months, how often was it easy to get this therapy for your child?

Base: All respondents who got or tried to get special therapy for their child (Q17)

Base. Air respondents who got or thed to get s	Joodan tinorapy	, 101 111011 01111	3 (417)		Respor	ndent's G	Gender		الدائدات		Re	esponder	nt's	Childle	ططاعمالا	Chahira					Dane					Child's	Doctor V	/isits in
	_					Identity			Child's Ag	je	1	Educatio	n	Child S	Health	Status					Race					Las	t 6 Mont	:hs
	핑					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	504	33	21	29	1	31	0	8	16	7	5	10	16	21	9	2	1	0	0	3	0	0	10	0	11	5	24	4
Number missing or multiple answer	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA
Usable responses	493	33	21	29	1	31	0	8	16	7	5	10	16	21	9	2	1	0	0	3	0	0	10	0	11	5	24	4
	97.8%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	48 9.7%	4 12.1%	9.5%	8 27.6%	0.0%	9.7%	0	0.0%	0.0%	3 42.9%	0.0%	10.0%	2 12.5%	9.5%	1 11.1%	0.0%	0.0%	0	0	0.0%	0	0	0.0%	0	1 9.1%	0.0%	4 16.7%	0.0%
Sometimes	95	6	2	4	1	5	0	3	2	1	2	1	3	2	3	1	0	0	0	2	. 0	0	1	0	1	1	4	1
	19.3%	18.2%	9.5%	13.8%	100.0%	16.1%		37.5%	12.5%	14.3%	40.0%	10.0%	18.8%	9.5%	33.3%	50.0%	0.0%			66.7%			10.0%		9.1%	20.0%	16.7%	25.0%
Usually	137 27.8%	9 27.3%	9 42.9%	9 31.0%	0.0%	9 29.0%	0	1 12.5%	7 43.8%	1 14.3%	40.0%	3 30.0%	4 25.0%	6 28.6%	3 33.3%	0.0%	0.0%	0	0	0.0%	0	0	4 40.0%	0	4 36.4%	2 40.0%	4 16.7%	3 75.0%
Always	213		8	8	0	14	0	4	7	2	1	5	7	11	2	1	1	0	0	1	. 0	0	5	0	5	2	12	0
1	43.2%	42.4%	38.1%	27.6%	0.0%	45.2%		50.0%	43.8%	28.6%	20.0%	50.0%	43.8%	52.4%	22.2%	50.0%	100.0%			33.3%			50.0%		45.5%	40.0%	50.0%	0.0%
Significantly different from column:*																												
Usually or Always	350	23	17	17	0	23	0	5	14	3	3	8	11	17	5	1	1	0	0	1	. 0	0	9	0	9	4	16	3
	71.0%	69.7%	81.0%	58.6%	0.0%	74.2%		62.5%	87.5%	42.9%	60.0%	80.0%	68.8%	81.0%	55.6%	50.0%	100.0%			33.3%			90.0%		81.8%	80.0%	66.7%	75.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 19

Did anyone from your child's health plan, doctor's office, or clinic help you get this therapy for your child?

Base: All respondents who got or tried to get special therapy for their child (Q17)

	ОНР					ndent's (Identity (Q73)	Gender	C	Child's Ag (Q69)	je		esponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in oths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	504	33	21	29	1	31	0	8	16	7	5	10	16	21	9	2	1	0	0	3	0	0	10	0	11	5	24	4
Number missing or multiple answer	8	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	496 98.4%	33 100.0%	20 95.2%		_	31 100.0%	0	8 100.0%	16 100.0%	7 100.0%	5 100.0%	10 100.0%			9 100.0%	2 100.0%	1 100.0%	0	0	3 100.0%	0		10 100.0%	0.0%	11 100.0%	5 100.0%	24 100.0%	4 100.0%
Yes	360 72.6%	25 75.8%	14 70.0%	25 86,2%	1 100.0%	24 77.4%	0	8 100.0%	13 81.3%	3 42.9%	5 100.0%	7 70.0%	12 75.0%	16 76.2%	7 77.8%	100.0%	1 100.0%	0	0	2 66.7%	0	0	90.0%	0	72.7%	5 100.0%	17 70.8%	75.0%
No	136 27.4%	8 24.2%	6	13.8%	0	7 22.6%	0	0	3 18.8%	4	0	3	4	5 23.8%	2	0	0	0	0	1 33.3%	0	0	1	0	3 27.3%	0.0%	7	1 25.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 20

In the last 6 months, did you get or try to get treatment or counseling for your child for an emotional, developmental, or behavioral problem?

Base: All respondents

	ЧР					ndent's (Identity		C	hild's Ag	е		sponder ducation		Child's	Health :	Status					Race						st 6 Mon	Visits in iths
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	118	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	19	3	0	0	1	2	0	0	2	1	0	2	1	1	2	0	0	0	0	0	0	0	1	0	2	1	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,433	157	111	118	13	137	0	43	72	36	18	47	83	107	36	10	2	4	1	13	1	1	60	2	39	21	119	12
	99.2%	98.1%	100.0%	100.0%	92.9%	98.6%		100.0%	97.3%	97.3%	100.0%	95.9%	98.8%	99.1%	94.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	98.4%	0.0%	95.1%	95.5%	98.3%	100.0%
Yes	906	54	26	28	5	45	0	11	27	12	4	14	31	32	16	4	1	. 0	1	3	0	0	20	1	13	8	38	6
	37.2%	34.4%	23.4%	23.7%	38.5%	32.8%		25.6%	37.5%	33.3%	22.2%	29.8%	37.3%	29.9%	44.4%	40.0%	50.0%	0.0%	100.0%	23.1%	0.0%	0.0%	33.3%	50.0%	33.3%	38.1%	31.9%	50.0%
No	1,527	103	85	90	8	92	0	32	45	24	14	33	52	75	20	6	1	4	0	10	1	1	40	1	26	13	81	6
	62.8%	65.6%	76.6%	76.3%	61.5%	67.2%		74.4%	62.5%	66.7%	77.8%	70.2%	62.7%	70.1%	55.6%	60.0%	50.0%	100.0%	0.0%	76.9%	100.0%	100.0%	66.7%	50.0%	66.7%	61.9%	68.1%	50.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 21

In the last 6 months, how often was it easy to get this treatment or counseling for your child?

Base: All respondents who got or tried to get treatment for their child's emotional, developmental, or behavioral problem (Q20)

Base: All respondents who got or thea to get the	۵				Respor	ndent's C Identity	Gender	C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	동					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	906	54	26	28	5	45	0	11	27	12	4	14	31	32	16	4	1	0	1	3	0	0	20	1	13	8	38	6
Number missing or multiple answer	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	. NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	892	54	26	28	5	45	0	11	27	12	4	14	31	32	16	4	1	0	1	3	0	0	20	1	13	8	38	6
	98.5%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	79 8.9%	5 9.3%	3 11.5%	7.1%	0.0%	4 8.9%	0	0.0%	3 11.1%	8.3%	0.0%	0.0%	4 12.9%	4 12.5%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0	0	10.0%	1 100.0%	0.0%	0.0%	4 10.5%	1 16.7%
Sometimes	174	8	3	5	0	7	0	2	4	1	1	0	6	3	4	1	0	0	0	1	0	0	2	0	1	0	7	0
	19.5%	14.8%	11.5%	17.9%	0.0%	15.6%		18.2%	14.8%	8.3%	25.0%	0.0%	19.4%	9.4%	25.0%	25.0%	0.0%		0.0%	33.3%			10.0%	0.0%	7.7%	0.0%	18.4%	0.0%
Usually	234 26.2%		8 30.8%	7 25.0%	1 20.0%	13 28.9%	0	4 36.4%	5 18.5%	6 50.0%	50.0%	5 35.7%	7 22.6%	7 21.9%	7 43.8%	1 25.0%	0.0%	0	0.0%	0.0%	0	0	5 25.0%	0.0%	5 38.5%	4 50.0%	8 21.1%	3 50.0%
Always	405	26	12	14	4	21	0	5	15	4	1	9	14	18	5	2	1	0	1	2	0	0	11	0	7	4	19	2
	45.4%	48.1%	46.2%	50.0%	80.0%	46.7%		45.5%	55.6%	33.3%	25.0%	64.3%	45.2%	56.3%	31.3%	50.0%	100.0%		100.0%	66.7%			55.0%	0.0%	53.8%	50.0%	50.0%	33.3%
Significantly different from column:*																												
Usually or Always	639	41	20	21	5	34	0	9	20	10	3	14	21	25	12	3	1	0	1	2	. 0	0	16	0	12	8	27	5
	71.6%	75.9%	76.9%	75.0%	100.0%	75.6%		81.8%	74.1%	83.3%	75.0%	100.0%	67.7%	78.1%	75.0%	75.0%	100.0%		100.0%	66.7%			80.0%	0.0%	92.3%	100.0%	71.1%	83.3%
Significantly different from column:*																												
NA Net Applicable																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 22

Did anyone from your child's health plan, doctor's office, or clinic help you get this treatment or counseling for your child?

Base: All respondents who got or tried to get treatment for their child's emotional, developmental, or behavioral problem (Q20)

	ЧР					ndent's (Identity		(Child's Ag	je		esponder Education		Child's	Health	Status					Race						st 6 Mon	Visits in ths
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	906	54	26	28	5	45	0	11	27	12	4	14	31	32	16	4	1	0	1	3	0	0	20	1	13	8	38	6
Number missing or multiple answer	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	892 98.5%	54 100.0%	26 100.0%	28 100.0%	5 100.0%	45 100.0%		11 100.0%	27 100.0%	12 100.0%	4 100.0%	14 100.0%		32 100.0%	16 100.0%	4 100.0%	1 100.0%	0	1 100.0%	3 100.0%	0	0	20 100.0%	0.0%	13 100.0%	8 100.0%	38 100.0%	
Yes	477	30	13	20	5	23	0	9	12	6	2	8	17	19	7	3	1	0	0	1	0	0	11	0	6	1	23	-
	53.5%	55.6%	50.0%	71.4%	100.0%	51.1%		81.8%	44.4%	50.0%	50.0%	57.1%	54.8%	59.4%	43.8%	75.0%	100.0%		0.0%	33.3%			55.0%	0.0%	46.2%	12.5%	60.5%	83.3%
No	415	24	13	8	0	22	0	2	15	6	2	6	14	13	9	1	0	0	1	2	0	0	9	1	7	7	15	1
	46.5%	44.4%	50.0%	28.6%	0.0%	48.9%		18.2%	55.6%	50.0%	50.0%	42.9%	45.2%	40.6%	56.3%	25.0%	0.0%		100.0%	66.7%			45.0%	100.0%	53.8%	87.5%	39.5%	16.7%
Significantly different from column:*																						-						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 23

In the last 6 months, did your child get care from more than one kind of health care provider or use more than one kind of health care service?

Base: All respondents

	ЧР					ndent's (Identity		C	Child's Ag	je		sponder ducation		Child's	Health	Status					Race						st 6 Mon	Visits in iths
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	114	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	41	4	2	0	0	3	0	2	2	0	0	3	0	3	1	0	0	0	0	0	0	0	2	0	0	1	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,411	156	109	114	14	136	0	41	72	37	18	46			37	10	2	4	1	13	1	1	59	2	41	21	118	12
	98.3%	97.5%	98.2%	100.0%	100.0%	97.8%		95.3%	97.3%	100.0%	100.0%	93.9%	100.0%	97.2%	97.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	96.7%	0.0%	100.0%	95.5%	97.5%	100.0%
Yes	906	60	37	38	5	52	0	14	29	14	7	19	31	35	17	6	1	0	0	1	0	0	24	0	17	2	46	11
	37.6%	38.5%	33.9%	33.3%	35.7%	38.2%		34.1%	40.3%	37.8%	38.9%	41.3%	36.9%	33.3%	45.9%	60.0%	50.0%	0.0%	0.0%	7.7%	0.0%	0.0%	40.7%	0.0%	41.5%	9.5%	39.0%	91.7%
No	1,505	96	72	76	9	84	0	27	43	23	11	27	53	70	20	4	1	4	1	12	1	1	35	2	24	19	72	1
	62.4%	61.5%	66.1%	66.7%	64.3%	61.8%		65.9%	59.7%	62.2%	61.1%	58.7%	63.1%	66.7%	54.1%	40.0%	50.0%	100.0%	100.0%	92.3%	100.0%	100.0%	59.3%	100.0%	58.5%	90.5%	61.0%	8.3%
Significantly different from column:*						1							1									1				AA	ZAB	AA

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 24

In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?

Base: All respondents whose child got care from more than one kind of health care provider or service (Q23)

	ЭНР					ndent's (Identity (Q73)		C	Child's Ag (Q69)	je		esponder Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in oths
	2020 State (2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	900g	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	906	60	37	36	5	52	0	14	29	14	7	19	31	35	17	6	1	0	0	1	0	0	24	0	17	2	46	11
Number missing or multiple answer	20	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA
Usable responses	886	60	35	36	5	52	0	14	29	14	7	19	31	35	17	6	1	0	0	1	0	0	24	0	17	2	46	11
	97.8%	100.0%	94.6%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	563	45	23	24	3	41	0	11	21	11	7	13	24	26	12	6	1	0	0	1	0	0	18	0	15	0	33	11
	63.5%	75.0%	65.7%	66.7%	60.0%	78.8%		78.6%	72.4%	78.6%	100.0%	68.4%	77.4%	74.3%	70.6%	100.0%	100.0%			100.0%			75.0%		88.2%	0.0%	71.7%	100.0%
No	323	15	12	12	2	11	0	3	8	3	0	6	7	9	5	0	0	0	0	0	0	0	6	0	2	2	13	0
	36.5%	25.0%	34.3%	33.3%	40.0%	21.2%		21.4%	27.6%	21.4%	0.0%	31.6%	22.6%	25.7%	29.4%	0.0%	0.0%			0.0%			25.0%		11.8%	100.0%	28.3%	0.0%
Significantly different from column:*													_															

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 25

A personal doctor is the one your child would see if he or she needs a check-up, has a health problem, or gets sick or hurt. Does your child have a personal doctor?

Base: All respondents

	ОНР					ndent's (Identity (Q73)		C	hild's Ag (Q69)	je		sponden ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	118	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	29	1	0	0	0	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.
Usable responses	2,423	159	111	118	14	138	0	42	74	37	18	48	84		38		2	4	1	13	1	1	60	2	41	22	120	12
	98.8%	99.4%	100.0%	100.0%	100.0%	99.3%		97.7%	100.0%	100.0%	100.0%	98.0%	100.0%	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	98.4%	0.0%	100.0%	100.0%	99.2%	100.0%
Yes	2,235	153	105	114	13	134	0	42	70	35	15	48	82	103	37	9	2	2	1	12	1	1	60	2	40	21	116	12
	92.2%	96.2%	94.6%	96.6%	92.9%	97.1%		100.0%	94.6%	94.6%	83.3%	100.0%	97.6%	96.3%	97.4%	90.0%	100.0%	50.0%	100.0%	92.3%	100.0%	100.0%	100.0%	100.0%	97.6%	95.5%	96.7%	100.0%
No	188	6	6	4	1	4	0	0	4	2	3	0	2	4	1	1	0	2	0	1	0	0	0	0	1	1	4	C
	7.8%	3.8%	5.4%	3.4%	7.1%	2.9%		0.0%	5.4%	5.4%	16.7%	0.0%	2.4%	3.7%	2.6%	10.0%	0.0%	50.0%	0.0%	7.7%	0.0%	0.0%	0.0%	0.0%	2.4%	4.5%	3.3%	0.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 26

In the last 6 months, how many times did your child visit his or her personal doctor for care?

Base: All respondents whose child has a personal doctor (Q25)

	ОНР					ndent's (Identity		C	hild's Ag	ie		esponder		Child's	Health :	Status					Race						Doctor \	
	0					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,235	153	105	111	13	134	0	42	70	35	15	48	82	103	37	9	2	2	1	12	1	1	60	2	40	21	116	12
Number missing or multiple answer	39	1	2	0	0	1	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA		NA	NA	NA	NA	NA
Usable responses	2,196	152	103	111	13		0	42	70	34	15		81	102	37	9	2	2	1	12	1	1	60	2	39	21	115	
	98.3%	99.3%	98.1%	100.0%	100.0%	99.3%		100.0%	100.0%	97.1%	100.0%	100.0%	98.8%	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	97.5%	100.0%	99.1%	100.0%
None	442	21	23	21	1	18	0	4	12	5	3	6	10	15	6	0	0	0	0	2	. 0	0	5	1	8	13	7	1
	20.1%	13.8%		18.9%	7.7%			9.5%	17.1%	14.7%	20.0%		12.3%	14.7%	16.2%	0.0%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%		50.0%	20.5%	61.9%	6.1%	
1 time	756	58		37	4	54	0	17	29	12	6	22	29	44	11	3	2	1	0	7	0	0	20	1	17	6	50	_
	34.4%	38.2%	35.0%	33.3%	30.8%			40.5%	41.4%	35.3%	40.0%	45.8%		43.1%	29.7%	33.3%	100.0%	50.0%	0.0%	58.3%	0.0%	0.0%	33.3%	50.0%	43.6%	28.6%	43.5%	
2	503	38		21	4	33	0	11	19	6	1	10	26	27	8	1	0	0	1	2	. 0	1	18	0	8	1	34	_
2	22.9%	25.0%		18.9%	30.8%			26.2%	27.1%	17.6%	6.7%	20.8%	32.1%	26.5%	21.6%	11.1%	0.0%	0.0%	100.0%	16.7%	0.0%	100.0%	30.0%	0.0%	20.5%	4.8%	29.6%	16.7%
3	259 11.8%	18 11.8%		20 18.0%	15.4%	14 10.5%	0	16.7%	4.3%	17.6%	6.7%	10.4%	10 12.3%	6.9%	21.6%	11.1%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	15.0%	0.0%	7.7%	4.8%	15 13.0%	0 000
1	11.8%	11.8%	11.7%	18.0%	15.4%	10.5%		16.7%	4.3%	17.6%	0.7%	10.4%	12.3%	6.9%	21.6%	11.1%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	15.0%	0.0%	7.7%	4.8%	13.0%	0.0%
*	5.3%	7.2%	7.8%	6.3%	7.7%	6.8%		4.8%	4.3%	11.8%	6.7%	8.3%	4.9%	6.9%	5.4%	22.2%	0.0%	50.0%	0.0%	8.3%	0.0%	0.0%	8.3%	0.0%	2.6%	0.0%	7.0%	25.0%
5 to 9	91	7.2-70	7.070	0.5 /6	7.770	3	0	4.070	7.370	11.070	0.770	0.570	4.570	0.970	2.470	1	0.070	0.070	0.070	0.570	0.070	0.070	0.5 /0	0.070	2.070	0.070	7.070	23.070
	4.1%	2.6%	4.9%	3.6%	7.7%	2.3%		2.4%	2.9%	2.9%	13.3%	0.0%	2.5%	1.0%	5.4%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.3%	0.0%	2.6%	0.0%	0.9%	25.0%
10 or more times	28	2.070	2	1	0	2.570	0	0	2.570	0	1	1	0	1	0	1	0.070	0.070	0.070	0.070	0.070	0.070	1	0.070	1	0.070	0.570	2
	1.3%	1.3%	1.9%	0.9%	0.0%	1.5%		0.0%	2.9%	0.0%	6.7%	2.1%	0.0%	1.0%	0.0%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.7%	0.0%	2.6%	0.0%	0.0%	16.7%
2 or more times	998	73	44	53	8	61	0	21	29	17	6	20	42	43	20	6	0	1	1	3	1	1	35	0	14	2	58	10
	45.4%	48.0%	42.7%	47.7%	61.5%	45.9%		50.0%	41.4%	50.0%	40.0%	41.7%	51.9%	42.2%	54.1%	66.7%	0.0%	50.0%	100.0%	25.0%	100.0%	100.0%	58.3%	0.0%	35.9%	9.5%	50.4%	83.3%
Significantly different from column:*								_	_											W		_	TY		W	AA	ZAB	AA

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 26a

In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages?

base. All respondents whose child has a person					Respoi	ndent's (Identity		C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,754	131	80	90	12	115	0	38	58	29	12	42	71	87	31	9	2	2	1	10	1	. 1	55	1	31	8	108	11
Number missing or multiple answer	9	1	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	0	0	1	0	0	0	0	0	0	1	0
Number no experience	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA.	NA	NA	NA	NA	NA	NA
Usable responses	1,745	130	80	90	12	114	0	38	57	29	12	42	70	87	30	_	2	2	1	9	1	. 1	55	1	31	8	107	11
	99.5%	99.2%	100.0%	100.0%	100.0%	99.1%		100.0%	98.3%	100.0%	100.0%	100.0%	98.6%	100.0%	96.8%	100.0%	100.0%	100.0%	100.0%	90.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	99.1%	100.0%
Never	1,592	123	79	86	12	107	0	37	54	26	10	38	70	84	28	7	2	2	1	4	1	. 1	55	1	31	7	102	11
	91.2%	94.6%	98.8%	95.6%	100.0%	93.9%		97.4%	94.7%	89.7%	83.3%	90.5%	100.0%	96.6%	93.3%	77.8%	100.0%	100.0%	100.0%	44.4%	100.0%	100.0%	100.0%	100.0%	100.0%	87.5%	95.3%	100.0%
Sometimes	84	4	0	3	0	4	0	1	2	1	1	2	0	0	2	2	0	0	0	2	. 0	0	0	0	0	0	3	0
	4.8%	3.1%	0.0%	3.3%	0.0%	3.5%		2.6%	3.5%	3.4%	8.3%	4.8%	0.0%	0.0%	6.7%	22.2%	0.0%	0.0%	0.0%	22.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.8%	0.0%
Usually	34	2	1	1	0	2	0	0	1	1	0	2	0	2	0	0	0	0	0	2	. 0	0	0	0	0	1	1	0
	1.9%	1.5%	1.3%	1.1%	0.0%	1.8%		0.0%	1.8%	3.4%	0.0%	4.8%	0.0%	2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	22.2%	0.0%	0.0%	0.0%	0.0%	0.0%	12.5%	0.9%	0.0%
Always	35	1	0	0	0	1	0	0	0	1	1	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0
	2.0%	0.8%	0.0%	0.0%	0.0%	0.9%		0.0%	0.0%	3.4%	8.3%	0.0%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%
Significantly different from column:*																												
Usually or Always	69	_	1	1	0	3	0	0	1	2	1	2	0	3	0	0	0	0	0	3	0	0	0	0	0	1	2	0
	4.0%	2.3%	1.3%	1.1%	0.0%	2.6%		0.0%	1.8%	6.9%	8.3%	4.8%	0.0%	3.4%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	12.5%	1.9%	0.0%
Significantly different from column:*															ĺ												, !	i

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 27

In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

	ОНР					ndent's O Identity (Q73)	Gender	C	Child's Ac (Q69)	je		sponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor V st 6 Mont (Q7)	
	2020 State (2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern f African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,754	131	80	89	12	115	0	38	58	29	12	42	71	87	31	9	2	2	1	10	1	1	55	1	31	8	108	11
Number missing or multiple answer	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,742	131	80	89	12	115	0	38			12			87	31	9	2	2	1	10	1	1	55	1	31	8	108	11
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	33 1.9%	0.0%	3.8%	1.1%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	62	2	2	0	0	2	0	1	0	1	1	1	0	0	1	1	0	0	0	1	0	0	0	0	0	0	1	0
	3.6%	1.5%	2.5%	0.0%	0.0%	1.7%		2.6%	0.0%	3.4%	8.3%	2.4%	0.0%	0.0%	3.2%	11.1%	0.0%	0.0%	0.0%	10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%
Usually	244	19	12	12	0	18	0	6	8	4	1	5	11	13	2	3	0	1	0	2	0	0	4	0	2	1	18	0
	14.0%	14.5%	15.0%	13.5%	0.0%	15.7%		15.8%	13.8%	13.8%	8.3%	11.9%	15.5%	14.9%	6.5%	33.3%	0.0%	50.0%	0.0%	20.0%	0.0%	0.0%	7.3%	0.0%	6.5%	12.5%	16.7%	0.0%
Always	1,403	110	63	76	12	95	0	31	50	24	10	36	60	74	28	5	2	1	1	7	1	1	51	1	29	7	89	11
	80.5%	84.0%	78.8%	85.4%	100.0%	82.6%		81.6%	86.2%	82.8%	83.3%	85.7%	84.5%	85.1%	90.3%	55.6%	100.0%	50.0%	100.0%	70.0%	100.0%	100.0%	92.7%	100.0%	93.5%	87.5%	82.4%	100.0%
Significantly different from column:*																												
Usually or Always	1,647	129	75	88	12	113	0	37	58	28	11	41	71	87	30	8	2	2	1	9	1	1	55	1	31	8	107	11
	94.5%	98.5%	93.8%	98.9%	100.0%	98.3%		97.4%	100.0%	96.6%	91.7%	97.6%	100.0%	100.0%	96.8%	88.9%	100.0%	100.0%	100.0%	90.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	99.1%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 28

In the last 6 months, how often did your child's personal doctor listen carefully to you?

	Ы			Ĭ		ndent's G Identity	ender	C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	ᆼ					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	1,754	131	80	90	12	115	0	38	58	29	12	42	71	87	31	9	2	2	1	10	1	1	55	1	31	8	108	11
Number missing or multiple answer	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,741 99.3%	131 100.0%	80 100.0%	90 100.0%	12 100.0%	115 100.0%	0	38 100.0%		29 100.0%	12 100.0%			87 100.0%	31 100.0%	9 100.0%	2 100.0%	100.0%	100.0%	10 100.0%	100.0%	1 100.0%	55 100.0%	0.0%	31 100.0%	8 100.0%	108 100.0%	11 100.0%
Never	21 1.2%	1 0.8%	3.8%	1.1%	1 8.3%	0.0%	0	0	0.0%	1	0.0%	1	0	0	0	1	0	0	0	0	0	0.0%	0	0.0%	0.0%	0	0.0%	1
Sometimes	64 3.7%	6 4.6%	4 5.0%	2 2.2%	0.0%	6 5.2%	0	5 13.2%	1 1.7%	0.0%	8.3%	2.4%	4 5.6%	3 3.4%	0.0%	3 33.3%	0.0%	0.0%	0.0%	1 10.0%	0.0%	0.0%	3 5.5%	0 0.0%	0 0.0%	0.0%	6 5.6%	0.0%
Usually	272 15.6%	17 13.0%	10 12.5%	14 15.6%	0.0%	17 14.8%	0	4 10.5%	9 15.5%	4 13.8%	1 8.3%	6 14.3%	10 14.1%	10 11.5%	6	1 11.1%	0	50.0%	0.0%	1 10.0%	0.0%	0	4	0 0.0%	1 3.2%	0.0%	16 14.8%	0.0%
Always	1,384 79.5%	107 81.7%	63	73 81.1%	11	92	0	29 76.3%	48	24	10 83.3%	34	57		25	4	100.0%	1	1	8	1 100.0%	1	48	1	30	8 100.0%	86 79.6%	10
Significantly different from column:*													. ,,,,,,,,,															
Usually or Always	1,656	124	73	87	11	109	0	33	57	28	11	40	67	84	31	5	2	2	1	9	1	1	52	1	31	8	102	10
	95.1%	94.7%	91.3%	96.7%	91.7%	94.8%		86.8%	98.3%	96.6%	91.7%	95.2%	94.4%	96.6%	100.0%	55.6%	100.0%	100.0%	100.0%	90.0%	100.0%	100.0%	94.5%	100.0%	100.0%	100.0%	94.4%	90.9%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 29

In the last 6 months, how often did your child's personal doctor show respect for what you had to say?

	Ь					ndent's (Identity		C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	роо9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,754	131	80	90	12	115	0	38	58	29	12	42	71	87	31	9	2	2	1	10	1	1	55	1	31	8	108	11
Number missing or multiple answer	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,738	131	80	90	12	115	0	38	58	29	12	42			31	9	2	2	1	10	1	1	55	1	31	8	108	11
	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	12	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.7%	0.0%	2.5%	1.1%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	55	5	5	1	0	5	0	3	1	1	0	2	3	2	1	2	0	0	0	0	0	0	2	0	0	0	4	0
	3.2%		6.3%	1.1%	0.0%			7.9%	1.7%	3.4%	0.0%	4.8%	4.2%	2.3%	3.2%	22.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.6%	0.0%	0.0%	0.0%	3.7%	0.0%
Usually	205	12	8	13	0	12	0	5	4	3	0	3	9	9	3	0	0	1	0	0	0	0	6	0	2	0	12	0
	11.8%			14.4%	0.0%			101270							9.7%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%	10.9%	0.0%	6.5%	0.0%	11.1%	0.0%
Always	1,466		65	75	12	98	0	30	53		12				27	7	2	1	1	10	1	1	47	1	29	8	92	11
	84.3%	87.0%	81.3%	83.3%	100.0%	85.2%		78.9%	91.4%	86.2%	100.0%	88.1%	83.1%	87.4%	87.1%	77.8%	100.0%	50.0%	100.0%	100.0%	100.0%	100.0%	85.5%	100.0%	93.5%	100.0%	85.2%	100.0%
Significantly different from column:*																												
Usually or Always	1,671	126	-	88			0	35			12				30		2	2	1	10	_	1	53	1	31	_	104	
	96.1%	96.2%	91.3%	97.8%	100.0%	95.7%		92.1%	98.3%	96.6%	100.0%	95.2%	95.8%	97.7%	96.8%	77.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	96.4%	100.0%	100.0%	100.0%	96.3%	100.0%
Significantly different from column:*																												

NA - Not Applicabl

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 30

Is your child able to talk with doctors about his or her health care?

	4P					ndent's C Identity	Gender	C	hild's Ag	е		sponden Education		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,754	131	80	90	12	115	0	38	58	29	12	42	71	87	31	9	2	2	1	10	1	1	55	1	31	8	108	11
Number missing or multiple answer	23	3	0	0	0	2	0	1	1	0	1	0	1	1	1	0	0	0	0	0	0	0	1	0	1	0	2	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,731 98.7%	128 97.7%		90 100.0%	12 100.0%	113 98.3%	0	37 97.4%	57 98.3%	29 100.0%	11 91.7%	42 100.0%	70 98.6%	86 98.9%		9 100.0%	2 100.0%	2 100.0%	1 100.0%	10 100.0%	1 100.0%	1 100.0%	54 98.2%	0.0%	30 96.8%	8 100.0%	106 98.1%	
Yes	1,280	86		57	7	77	0	8	50	25	6	27	49	59		5	1	2	1	8	1	0	36	1	20	4	73	5
	73.9%	67.2%	65.0%	63.3%	58.3%	68.1%		21.6%	87.7%	86.2%	54.5%	64.3%	70.0%	68.6%	66.7%	55.6%	50.0%	100.0%	100.0%	80.0%	100.0%	0.0%	66.7%	100.0%	66.7%	50.0%	68.9%	50.0%
No	451	42	28	33	5	36	0	29	7	4	5	15	21	27	10	4	1	0	0	2	0	1	18	0	10	4	33	5
	26.1%	32.8%	35.0%	36.7%	41.7%	31.9%		78.4%	12.3%	13.8%	45.5%	35.7%	30.0%	31.4%	33.3%	44.4%	50.0%	0.0%	0.0%	20.0%	0.0%	100.0%	33.3%	0.0%	33.3%	50.0%	31.1%	50.0%
Significantly different from column:*		-				-		IJ	Н	Н											1				-			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 31

In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand?

Base: All respondents whose child has a personal doctor, visited their personal doctor to get care, and is able to talk with his/her doctors (Q25, Q26, & Q30)

Base: All respondents whose child has a person	iai doctor, vi	зиса илен ре	isonai docio	i to get care	, and is abi	ic to talk with	THIS/HET GC	010/3 (420	, 420, 4 40	0)				r			ı											
	۵					ndent's (Identity		(Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	픙					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	1,280	86	52	57	7	77	0	8	50	25	6	27	49	59	20	5	1	2	1	8	1	0	36	1	20	4	73	5
Number missing or multiple answer	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,266	86	52	57	7	77	0	8	50	25	6	27		59	20	5	1	2	1	8	1	0	36	1	20	4	73	5
	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	9 0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	66	1	2	0	0	1	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	5.2%	1.2%	3.8%	0.0%	0.0%	1.3%		0.0%	2.0%	0.0%	0.0%	0.0%	2.0%	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	1.4%	0.0%
Usually	258	14	10	12	0	13	0	1	8	4	0	5	8	8	3	2	0	1	0	0	0	0	4	0	3	2	11	0
	20.4%	16.3%	19.2%	21.1%	0.0%	16.9%		12.5%	16.0%	16.0%	0.0%	18.5%	16.3%	13.6%	15.0%	40.0%	0.0%	50.0%	0.0%	0.0%	0.0%		11.1%	0.0%	15.0%	50.0%	15.1%	0.0%
Always	933	71	40	45	7	63	0	7	41	21	6	22	40	50	17	3	1	1	1	8	1	0	32	1	17	2	61	5
	73.7%	82.6%	76.9%	78.9%	100.0%	81.8%		87.5%	82.0%	84.0%	100.0%	81.5%	81.6%	84.7%	85.0%	60.0%	100.0%	50.0%	100.0%	100.0%	100.0%		88.9%	100.0%	85.0%	50.0%	83.6%	100.0%
Significantly different from column:*																												
Usually or Always	1,191	85		-		76	0	8	49			27					1	2	1	8	1	0	36	1	20		72	
	94.1%	98.8%	96.2%	100.0%	100.0%	98.7%		100.0%	98.0%	100.0%	100.0%	100.0%	98.0%	98.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	98.6%	100.0%
Significantly different from column:*																												1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 32

In the last 6 months, how often did your child's personal doctor spend enough time with your child?

	4P			Ĭ		ndent's (Gender	C	Child's Ag	ge		esponder Educatio		Child's	Health	Status					Race						Doctor V	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,754	131	80	90	12	115	0	38	58	29	12	42	71	87	31	9	2	2	1	10	1	1	55	1	31	8	108	11
Number missing or multiple answer	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,738	131	80	90	12	115	0	38	58	29	12	42	71	87	31	9	2	2	1	10	1	1	55	1	31	8	108	11
	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	15 0.9%	0.8%	5 6.3%	1.1%	0.0%	1 0.9%	0	0.0%	1.7%	0.0%	0.0%	0.0%	1.4%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%	0.0%
Sometimes	130	4	6	5	0	3	0	2	1	0	2	0	1	2	1	1	0	0	0	2	0	0	1	0	0	0	3	0
	7.5%	3.1%	7.5%	5.6%	0.0%	2.6%		5.3%	1.7%	0.0%	16.7%	0.0%	1.4%	2.3%	3.2%	11.1%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%	1.8%	0.0%	0.0%	0.0%	2.8%	0.0%
Usually	403	31	13	17	1	29	0	8	11	10	3	12	14	18	8	3	0	1	0	4	0	1	7	0	6	5	25	0
	23.2%	23.7%	16.3%	18.9%	8.3%	25.2%		21.1%	19.0%	34.5%	25.0%	28.6%	19.7%	20.7%	25.8%	33.3%	0.0%	50.0%	0.0%	40.0%	0.0%	100.0%	12.7%	0.0%	19.4%	62.5%	23.1%	0.0%
Always	1,190	95	56	67	11	82	0	28	45	19	7	30	55	66	22	5	2	1	1	4	1	0	47	1	25	3	79	11
	68.5%	72.5%	70.0%	74.4%	91.7%	71.3%		73.7%	77.6%	65.5%	58.3%	71.4%	77.5%	75.9%	71.0%	55.6%	100.0%	50.0%	100.0%	40.0%	100.0%	0.0%	85.5%	100.0%	80.6%	37.5%	73.1%	100.0%
Significantly different from column:*																												
Usually or Always	1,593	126	69	84	12	111	0	36	56	29	10	42	69	84	30	8	2	2	1	8	1	1	54	1	31	8	104	11
	91.7%	96.2%	86.3%	93.3%	100.0%	96.5%		94.7%	96.6%	100.0%	83.3%	100.0%	97.2%	96.6%	96.8%	88.9%	100.0%	100.0%	100.0%	80.0%	100.0%	100.0%	98.2%	100.0%	100.0%	100.0%	96.3%	100.0%
Significantly different from column:*		С																										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 33

In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?

	ОНР					ndent's G Identity (Q73)		C	hild's Ag	ie		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	1,754	131	80	89	12	115	0	38	58	29	12	42	71	87	31	9	2	2	1	10	1	1	55	1	31	8	108	11
Number missing or multiple answer	12	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA
Usable responses	1,742	131	79	89	12	115	0	38	58	29	12	42	71	87	31	9	2	2	1	10	1	. 1	55	1	31	8	108	11
	99.3%	100.0%	98.8%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,541	120	66	84	11	105	0	37	52	26	12	37	65	79	30	8	2	1	1	8	1	. 0	52	1	29	6	100	11
	88.5%	91.6%	83.5%	94.4%	91.7%	91.3%		97.4%	89.7%	89.7%	100.0%	88.1%	91.5%	90.8%	96.8%	88.9%	100.0%	50.0%	100.0%	80.0%	100.0%	0.0%	94.5%	100.0%	93.5%	75.0%	92.6%	100.0%
No	201	11	13	5	1	10	0	1	6	3	0	5	6	8	1	1	0	1	0	2	0	1	3	0	2	2	8	0
	11.5%	8.4%	16.5%	5.6%	8.3%	8.7%		2.6%	10.3%	10.3%	0.0%	11.9%	8.5%	9.2%	3.2%	11.1%	0.0%	50.0%	0.0%	20.0%	0.0%	100.0%	5.5%	0.0%	6.5%	25.0%	7.4%	0.0%
Significantly different from column:*																									_			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 34

In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor?

	НР					ndent's (Identity		C	Child's Ag	je		sponder		Child's	Health	Status					Race						t 6 Mon	Visits in iths
	2020 State O	2020	2019	2018	Male	(Q73) Female	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	(Q74)	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Description African African (9)	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 (62)	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,754	131	80	90	12	115	0	38	58	29	12	42	71	87	31	9	2	2	1	10	1	1	55	1	31	8	108	11
Number missing or multiple answer	15	1	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,739 99.1%	130 99.2%		90 100.0%	12 100.0%	114 99.1%	0	38 100.0%	-	29 100.0%	12 100.0%	42 100.0%		87 100.0%	30 96.8%	-	100.0%	100.0%	1 100.0%	10 100.0%	1 100.0%	1 100.0%	54 98.2%	0.0%	31 100.0%	8 100.0%	107 99.1%	11 100.0%
Yes	933 53.7%	70 53.8%		48 53.3%	6 50.0%	63 55.3%	0	21 55.3%	29 50.9%	17 58.6%	8 66.7%	22 52.4%	38 54.3%	43 49.4%	18 60.0%	7 77.8%	50.0%	0.0%	0.0%	4 40.0%	1 100.0%	1 100.0%	30 55.6%	0.0%	15 48.4%	3 37.5%	56 52.3%	9 81.8%
No	806	60		42	6	51	0	17	28		4	20	32	44	12	2	1	2	1	6	0	0	24	1	16	5	51	2
	46.3%	46.2%	45.0%	46.7%	50.0%	44.7%		44.7%	49.1%	41.4%	33.3%	47.6%	45.7%	50.6%	40.0%	22.2%	50.0%	100.0%	100.0%	60.0%	0.0%	0.0%	44.4%	100.0%	51.6%	62.5%	47.7%	18.2%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 35

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

Base: All respondents whose child has a personal doctor, visited their personal doctor, and got care from a doctor/health care provider besides his/her personal doctor (Q25, Q26, & Q34)

base. All respondents whose clina has a person	4	·			Respor	ndent's (Identity	Gender		hild's Ag		Re	sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	933	70	44	48	6	63	0	21	29	17	8	22	38	43	18	7	1	0	0	4	1	1	30	0	15	3	56	9
Number missing or multiple answer	18	1	1	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	915	69	43	48	6	62	0	20	29	17	8	22		42	18	7	1	0	0	4	1	1	30	0	14	3	55	9
	98.1%	98.6%	97.7%	100.0%	100.0%	98.4%		95.2%	100.0%	100.0%	100.0%	100.0%	97.4%	97.7%	100.0%	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	0.0%	93.3%	100.0%	98.2%	100.0%
Never	41	4	2	1	0	4	0	1	1	2	0	1	3	2	2	0	0	0	0	0	0	0	4	0	0	0	4	0
	4.5%		4.7%	2.1%	0.0%	6.5%		5.0%	3.4%	11.8%	0.0%	4.5%	8.1%	4.8%	11.1%	0.0%	0.0%			0.0%	0.0%	0.0%	13.3%		0.0%	0.0%	7.3%	0.0%
Sometimes	122		5	7	0	7	0	0	4	3	1	2	4	5	1	1	0	0	0	1	0	0	1	0	2	0	5	1
	13.3%	10.1%	11.6%	14.6%	0.0%	11.3%		0.0%	13.8%	17.6%	12.5%	9.1%	10.8%	11.9%	5.6%	14.3%	0.0%			25.0%	0.0%	0.0%	3.3%		14.3%	0.0%	9.1%	11.1%
Usually	259	16	9	17	1	14	0	5	5	4	4	3	8	9	5	1	0	0	0	0	0	0	5	0	5	1	14	1
	28.3%	23.2%	20.9%	35.4%	16.7%			25.0%	17.2%	23.5%	50.0%	13.6%	21.6%	21.4%	27.8%	14.3%	0.0%			0.0%	0.0%	0.0%	16.7%		35.7%	33.3%	25.5%	11.1%
Always	493	42	27	23	5	37	0	14	19	8	3	16	22	26	10	5	1	0	0	3	1	1	20	0	7	2	32	7
	53.9%	60.9%	62.8%	47.9%	83.3%	59.7%		70.0%	65.5%	47.1%	37.5%	72.7%	59.5%	61.9%	55.6%	71.4%	100.0%			75.0%	100.0%	100.0%	66.7%		50.0%	66.7%	58.2%	77.8%
Significantly different from column:*																												
Usually or Always	752					51	0	19			7	19				_	1	0	0	3	1	1	25	0	12	3	46	
	82.2%	84.1%	83.7%	83.3%	100.0%	82.3%		95.0%	82.8%	70.6%	87.5%	86.4%	81.1%	83.3%	83.3%	85.7%	100.0%			75.0%	100.0%	100.0%	83.3%		85.7%	100.0%	83.6%	88.9%
Significantly different from column:*							ĺ						ĺ		ĺ		I					ĺ	1				, !	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 36

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q25)

Base: All respondents whose child has a perso	riai doctor (Q	25)															_											
	۵					ndent's (Identity		C	Child's Ag	ge		sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	5019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	2,235 35 NA	153 1 NA	105 3 NA	112 0 NA	0	1	0 0 NA	42 1 NA	70 0 NA	0	15 0 NA	0	82 1 NA	1	37 0 NA	0	2 0 NA	2 0 NA	1 0 NA	12 0 NA	1 0 NA	1 0 NA	60 1 NA	2 0 NA	40 0 NA	21 0 NA	116 1 NA	12 0 NA
Usable responses	2,200	152	102				0	41	70		15		81		37		2	2	1	12	1	1	59	2	40	21	115	12
	98.4%	99.3%	97.1%	100.0%	100.0%			97.6%	100.0%	100.0%	100.0%	100.0%	98.8%	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	98.3%	0.0%	100.0%	100.0%	99.1%	100.0%
0 Worst personal doctor possible	4 0.2%	0.0%	2.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1	6	0	0	1	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.3%	0.0%	0.0%	0.9%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	6 0.3%	0.0%	0.0%	0.9%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	7	0	0	1	. 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.3%	0.0%	0.0%	0.9%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
4	15 0.7%	1.3%	1.0%	1.8%	0.0%	2 1.5%	0	2.4%	0.0%	2.9%	0.0%	2.1%	1 1.2%	2.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.4%	0.0%	0.0%	4.8%	0.9%	0.0%
5	47	3	3	4	0	3	0	0	2	1	0	1	2	3	0	0	0	0	0	0	0	0	1	1	0	1	2	0
6	2.1%	2.0%	2.9%	3.6%	0.0%	2.3%		0.0%	2.9%	2.9%	0.0%	2.1%	2.5%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.7%	50.0%	0.0%	4.8%	1.7%	0.0%
0	51 2.3%	2.0%	2.0%	1.8%	0.0%	1.5%		2.4%	2.9%	0.0%	6.7%	0.0%	1.2%	1.0%	2.7%	11.1%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	2.5%	9.5%	0.9%	0 00%
7	123	2.0-70	2.070	3.070	0.070	7.570	0	2.470	2.970	5.076	0.7 70	0.070	3	5	2.7 70	11.170	0.070	0.070	0.070	0.5 /0	0.070	0.070	3	0.070	2.370	9.570	6	0.070
	5.6%	5.9%	5.9%	2.7%	0.0%	5.3%		4.9%	1.4%	14.3%	0.0%	8.3%	3.7%	4.9%	8.1%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.1%	0.0%	2.5%	4.8%	5.2%	0.0%
8	319	16	18	13	0	16	0	5	7	4	2	3	11	10	5	1	0	1	0	1	0	0	6	0	5	3	13	0
	14.5%	10.5%	17.6%	11.6%	0.0%	12.0%		12.2%	10.0%	11.4%	13.3%	6.3%	13.6%	9.8%	13.5%	11.1%	0.0%	50.0%	0.0%	8.3%	0.0%	0.0%	10.2%	0.0%	12.5%	14.3%	11.3%	0.0%
9	446	24	20	29	_	19	0	7	9	6	2	9	10		6	2	0	1	0	4	0	0	6	0	6	2	22	0
	20.3%	15.8%	19.6%	25.9%	23.1%	14.3%		17.1%	12.9%		13.3%		12.3%		16.2%		0.0%	50.0%	0.0%	33.3%	0.0%	0.0%	10.2%	0.0%	15.0%	9.5%	19.1%	0.0%
10 Best personal doctor possible	1,176 53.5%	95	49.0%	50.0%	76 000	84 63.2%	0	61.0%	70.00/	18 51.4%	66.7%	30 62.5%	65.4%	67 65.7%	22 59.5%		100.0%	0.0%	100.0%	6	100.0%	100.0%	69.5%	50.0%	67.5%	11 52.4%	60.9%	100.00/
	53.5%	62.5%	49.0%	50.0%	76.9%	03.2%		61.0%	70.0%	51.4%	00.7%	02.5%	05.4%	05.7%	59.5%	44.4%	100.0%	0.0%	100.0%	50.0%	100.0%	100.0%	09.5%	50.0%	07.5%	52.4%	60.9%	100.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 36

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q25)

Base: All respondents whose child has a perso	riai doctor (Q	23)		1																								
	۵					ndent's (Identity		C	hild's Ag	ge		esponder Education		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,235	153	105	112	13	134	0	42	70	35	15	48	82	103	37	9	2	2	1	12	1	1	60	2	40	21	116	12
Number missing or multiple answer Number no experience	NA	NA	NA	NA	0 NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0
Usable responses	2,200	152	102	112		133	0	41	70		15		81		37		2	2	1	12	1	1	59	1NA 2	40	21	115	
osasie responses	98.4%	_			100.0%			97.6%			100.0%				100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		0.0%	100.0%	100.0%		100.0%
0 to 4	38	2	3	5	0	2	0	1	0	1	0	1	1	2	0	0	0	0	0	0	0	0	2	0	0	1	1	0
	1.7%	1.3%	2.9%	4.5%	0.0%	1.5%		2.4%	0.0%	2.9%	0.0%	2.1%	1.2%	2.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.4%	0.0%	0.0%	4.8%	0.9%	0.0%
5	47	3	3	2 504	0	3	0	0	2	1	0	1	2	3	0	0	0	0	0	0	0	0	1 704	50.00/	0	1 000	2	0
6 or 7	2.1% 174	2.0%	2.9%	3.6%	0.0%	2.3%		0.0%	2.9%	2.9%	0.0%	2.1%	2.5%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.7%	50.0%	0.0%	4.8%	1.7%	0.0%
6 0i 7	7.9%	7.9%		4.5%	0.0%	6.8%		7.3%	4.3%	14.3%	6.7%	8.3%	4.9%	5.9%	10.8%	22.2%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	5.1%	0.0%	5.0%	14.3%	6.1%	0.0%
8 to 10	1,941	135	88	98	13	119	0	37	65	28	14	42	74	91	33	7	2	2	1	11	1	1	53	1	38	16	105	12
	88.2%	88.8%	86.3%	87.5%	100.0%	89.5%		90.2%	92.9%	80.0%	93.3%	87.5%	91.4%	89.2%	89.2%	77.8%	100.0%	100.0%	100.0%	91.7%	100.0%	100.0%	89.8%	50.0%	95.0%	76.2%	91.3%	100.0%
Significantly different from column:*																												
0 to 6	136		-	11		7	0	2	4	2	1	2	4	6	1	1	0	0	0	1	0	0	3	1	1	4	4	0
	6.2%	5.3%		9.8%	0.0%			4.9%	5.7%	5.7%	6.7%	4.2%	4.9%	5.9%	2.7%	11.1%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%	5.1%	50.0%	2.5%	19.0%	3.5%	0.0%
7 to 8	442 20.1%	25 16.4%		16 14.3%	0.0%	23 17.3%	0	7 17.1%	8 11.4%	9 25.7%	2 13.3%	7 14.6%	14 17.3%		21.6%	22.2%	0.0%	50.0%	0.0%	8.3%	0.0%	0.0%	9 15.3%	0.0%	6 15.0%	4 19.0%	19 16.5%	
9 to 10	1,622	119		85	13	103	0	32			13.3 %		63		21.070		2.0 %	30.070	1	10		3.0 /0	47	1	33	13.070	92	
	73.7%	_			100.0%			78.0%	82.9%		80.0%			79.4%			100.0%	50.0%	100.0%			100.0%	79.7%	50.0%	82.5%	-	80.0%	
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 37

Does your child have any medical, behavioral, or other health conditions that have lasted for more than <u>3 months</u>?

Base: All respondents whose child has a personal doctor (Q25)

	ОНР					ndent's (Identity (Q73)		C	Child's Ag	je		esponder Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,235	153	105	110	13	134	0	42	70	35	15	48	82	103	37	9	2	2	1	12	1	1	60	2	40	21	116	12
Number missing or multiple answer	29	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,206	153	103	110	13	134	0	42	70	35	15	48				9	2	2	1	12	1	1	60	2	40	21	116	12
	98.7%	100.0%	98.1%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,101	81	48	61	6	73	0	14	40	24	8	23		44	27	8	1	0	1	3	0	1	36	0	22	8	62	10
	49.9%	52.9%	46.6%	55.5%	46.2%	54.5%		33.3%	57.1%	68.6%	53.3%	47.9%	57.3%	42.7%	73.0%	88.9%	50.0%	0.0%	100.0%	25.0%	0.0%	100.0%	60.0%	0.0%	55.0%	38.1%	53.4%	83.3%
No	1,105	72	55	49	7	61	0	28	30	11	7	25		59		1	1	2	0	9	1	0	24	2	18	13	54	2
	50.1%	47.1%	53.4%	44.5%	53.8%	45.5%		66.7%	42.9%	31.4%	46.7%	52.1%	42.7%	57.3%	27.0%	11.1%	50.0%	100.0%	0.0%	75.0%	100.0%	0.0%	40.0%	100.0%	45.0%	61.9%	46.6%	16.7%
Significantly different from column:*								IJ	Н	Η				0	Ν					W			T			AB	AB	ZAA

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 38

Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?

Base: All respondents whose child has a personal doctor and has medical, behavioral, other health conditions that has lasted for more than 3 months (Q25 & Q37)

	4P					ndent's G Identity		C	hild's Ag	je		sponder Education		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	ò					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	1,101	81	48	58	6	73	0	14	40	24	8	23	47	44	27	8	1	0	1	3	0	1	36	0	22	8	62	10
Number missing or multiple answer	28	1	1	0	1	0	0	0	1	0	1	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	1 7
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N.F
Usable responses	1,073 97.5%	80 98.8%		58 100.0%	-	73 100.0%	0	14 100.0%	39 97 5%	24 100.0%	7 87 5%	23 100.0%		44 100.0%	27 100 0%	7 87 5%	100.0%	0	1 100.0%	100.0%	0	1 100.0%	35 97.2%	0 0%	22 100 0%	8 100.0%	62 100.0%	-
Yes	975	75	40	54	5	69	0	14	37.370		7	21	45	42	26	6	1	0	1	3	0	1	37.270	0.070	22	8	58	
	90.9%		85.1%	93.1%	100.0%				94.9%		100.0%	91.3%	95.7%	95.5%	96.3%	85.7%	100.0%		100.0%	100.0%		100.0%	94.3%		100.0%	100.0%		100.0%
No	98	5	7	4	0	4	0	0	2	2	0	2	2	2	1	1	0	0	0	0	0	0	2	0	0	0	4	(
	9.1%	6.3%	14.9%	6.9%	0.0%	5.5%		0.0%	5.1%	8.3%	0.0%	8.7%	4.3%	4.5%	3.7%	14.3%	0.0%		0.0%	0.0%		0.0%	5.7%		0.0%	0.0%	6.5%	0.0%
Significantly different from column:*															,													

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 39

Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your family's day-to-day life?

Base: All respondents whose child has a personal doctor and has medical, behavioral, other health conditions that has lasted for more than 3 months (Q25 & Q37)

	4P					ndent's C Identity		C	Child's Ag	je		sponder Education		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	ò					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	1,101	81	48	59	6	73	0	14	40	24	8	23	47	44	27	8	1	0	1	3	0	1	36	0	22	8	62	10
Number missing or multiple answer	37	1	0	0	1	0	0	0	1	0	1	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,064 96.6%	80 98.8%	-	59 100.0%	5 83 3%	73 100.0%	0	14 100.0%	39 97 5%	24 100.0%	87 5%	100.0%		44 100.0%		7 87 5%	100.0%	0	1 100.0%	100.0%	0	1 100.0%	35 97.2%	0 0%	22 100 0%	8 100.0%	62 100.0%	9 90.0%
Yes	923	70		52		64	0	11	35		7	20		40		4	1	0	1	3	0	1	37.12.70	0.070	21	8	54	8
1.00	86.7%				100.0%			78.6%			100.0%			90.9%		57.1%	100.0%		100.0%	100.0%		100.0%	88.6%		95.5%	100.0%	87.1%	88.9%
No	141	10		7	0	9	0	3	4	2	0	3	6	4	2	3	0	0	0	0	0	0	4	0	1	0	8	1
	13.3%	12.5%	20.8%	11.9%	0.0%	12.3%		21.4%	10.3%	8.3%	0.0%	13.0%	12.8%	9.1%	7.4%	42.9%	0.0%		0.0%	0.0%		0.0%	11.4%		4.5%	0.0%	12.9%	11.1%
Significantly different from column:*																												<u> </u>

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 40

In the last 6 months, did you make any appointments for your child to see a specialist?

Base: All respondents

	HP					ndent's G		C	Child's Ag	je		sponder		Child's	Health :	Status					Race						Doctor \	
	2020 State O	2020	2019	2018	Male	Female (C73)	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	(Q74) HS grad	Some College or more	Excellent or Very Good	(Q53) poo 9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Castern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 (O ₂)	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	118	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,440 99.5%	160 100.0%		118 100.0%	14 100.0%	139 100.0%	0	43 100.0%		37 100.0%			84 100.0%		38 100.0%	10 100.0%	2 100.0%	4 100.0%	1 100.0%	13 100.0%	1 100.0%	1 100.0%	61 100.0%	0.0%	41 100.0%	22 100.0%	121 100.0%	12 100.0%
Yes	721 29.5%		27 24.3%	33 28.0%	5 35.7%	37 26.6%	0	13 30.2%	20 27.0%	9 24.3%	5 27.8%	10 20.4%	26 31.0%	21 19.4%	15 39.5%	5 50.0%	1 50.0%	1 25.0%	0.0%	2 15.4%	0.0%	1 100.0%	18 29.5%	0 0.0%	9 22.0%	3 13.6%	31 25.6%	66.7%
No	1,719 70.5%		-	85 72.0%	9 64.3%	102 73.4%	0	30 69.8%	54 73.0%	28 75.7%	13 72.2%		58 69.0%	87 80.6%	23 60.5%	5 50.0%	1 50.0%	75.0%	1 100.0%	11 84.6%	1 100.0%	0 0.0%	43 70.5%	2 100.0%	32 78.0%	19 86.4%	90 74.4%	33.3%
Significantly different from column:*														0	N													

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 41

In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

Base: All respondents who made an appointment for their child to see a specialist (Q40)

	ОНР					ndent's G Identity (Q73)	Gender	C	Child's Ac (Q69)	je		sponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor V st 6 Mont (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	000g	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	721	44	27	32	5	37	0	13	20	9	5	10	26	21	15	5	1	1	0	2	0	1	18	0	9	3	31	8
Number missing or multiple answer	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	714	44	27	32	5	37	0	13		9	5	10	26		15	5	1	1	0	2	0	1	18	0	9	3	31	8
	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%		100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	53 7.4%	6.8%	1 3.7%	0.0%	0.0%	3 8.1%	0	1 7.7%	2 10.0%	0.0%	20.0%	10.0%	3.8%	3 14.3%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0.0%	2 11.1%	0	1 11.1%	0.0%	2 6.5%	1 12.5%
Sometimes	98	2	4	3	0	2	0	0	2	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	1	0	2	0
	13.7%	4.5%	14.8%	9.4%	0.0%	5.4%		0.0%	10.0%	0.0%	0.0%	10.0%	3.8%	4.8%	0.0%	20.0%	0.0%	0.0%		0.0%		0.0%	0.0%		11.1%	0.0%	6.5%	0.0%
Usually	225	13	5	8	2	11	0	5	5	3	2	2	9	5	7	1	0	0	0	0	0	0	7	0	3	1	8	4
	31.5%	29.5%	18.5%	25.0%	40.0%	29.7%		38.5%	25.0%	33.3%	40.0%	20.0%	34.6%	23.8%	46.7%	20.0%	0.0%	0.0%		0.0%		0.0%	38.9%		33.3%	33.3%	25.8%	50.0%
Always	338	26	17	21	3	21	0	7	11	6	2	6	15	12	8	3	1	1	0	2	0	1	9	0	4	2	19	3
	47.3%	59.1%	63.0%	65.6%	60.0%	56.8%		53.8%	55.0%	66.7%	40.0%	60.0%	57.7%	57.1%	53.3%	60.0%	100.0%	100.0%		100.0%		100.0%	50.0%		44.4%	66.7%	61.3%	37.5%
Significantly different from column:*																												
Usually or Always	563	39	22	29	5	32	0	12	16	9	4	8	24	17	15	4	1	1	0	2	0	1	16	0	7	3	27	7
	78.9%	88.6%	81.5%	90.6%	100.0%	86.5%		92.3%	80.0%	100.0%	80.0%	80.0%	92.3%	81.0%	100.0%	80.0%	100.0%	100.0%		100.0%		100.0%	88.9%		77.8%	100.0%	87.1%	87.5%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 42

How many specialists has your child seen in the last 6 months?

Base: All respondents who made an appointment for their child to see a specialist (Q40)

2	Base: All respondents who made an appointmen	it for their cri	na to see a c	pecialist (Q	40)																								
Properties Pro		۵						Gender	C	Child's Ag	je				Child's	Health	Status					Race							
A B C D E F G H I D J K L D M NA		공					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
Number in sample 721			2020	5019	2018	Male	Female	Non-binary, enderqueer, other	\$	유	\$	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	or	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Hawaiian c Islander	White	Other	Multiracial	None	2	5 or more
Number missing or multiple answer 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number no experience Na Na Na Na Na Na Na N		721	44	27	33	5	37	0	13	20	9	5	10	26	21	15	5	1	1	0	2	0	1	18	0	9	3	31	8
Usable responses 712 44 27 33 5 37 0 13 20 9 5 10 26 21 15 5 1 1 1 0 2 0 1 1 18 0 9 3 31 8 9 8.8% 100.0% 10		9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
98.8% 100.0% 100								NA		_	NA	NA				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA
None	Usable responses					_		0	_		9	100.00/				15	5	100.00/	100.00/	0	100.00/	0	1 100 00/	18	0 00/	100.00/	100.00/		100.00/
Septidist Sept	N		100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%		100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Specialist	None		6.8%	3.7%	3.0%	0.0%	8.1%		0.0%	15.0%	0.0%	20.0%	10.0%	3.8%	14.3%	0.0%	0.0%	0.0%	0.0%		0.0%		0.0%	5.6%		11.1%	0.0%	6.5%	12.5%
2	1 specialist			13		3		0	7	12	7	3	5	17	14	9	2	0	1	0	1	0	1	11	0	6	3	21	2
21.9% 15.9% 22.2% 15.2% 0.0% 18.9% 30.8% 10.0% 11.1% 20.0% 20.0% 15.4% 9.5% 26.7% 20.0% 100.0% 0.0% 50.0% 0.0% 11.1% 11.1% 0.0% 16.1% 25.0% 25	· ·	56.2%	63.6%	48.1%	72.7%	60.0%	62.2%		53.8%	60.0%	77.8%	60.0%	50.0%	65.4%	66.7%	60.0%	40.0%	0.0%	100.0%		50.0%		100.0%	61.1%		66.7%	100.0%	67.7%	25.0%
3	2		7	6	5	0	7	0	4	2	1	1	2	4	2	4	1	1	0	0	1	0	0	2	0	1	0	5	2
9.3% 6.8% 7.4% 6.1% 20.0% 5.4% 15.4% 5.0% 0.0% 0.0% 0.0% 11.5% 9.5% 6.7% 0.0% 0.0% 0.0% 0.0% 0.0% 11.1% 11.1% 0.0% 9.7% 0.0% 14 21 3 1 1 1 2 0 0 0 2 1 0 2 1 0 1 2 0 0 0 0 0		21.9%	15.9%	22.2%	15.2%	0.0%	18.9%		30.8%	10.0%	11.1%	20.0%	20.0%	15.4%	9.5%	26.7%	20.0%	100.0%	0.0%		50.0%		0.0%	11.1%		11.1%	0.0%	16.1%	25.0%
4 21 3 1 1 1 2 0 0 0 2 1 0 1 0 1 2 0 0 0 2 1 0 0 2 1 0 0 1 2 0 0 0 0	3		3	2	2	1	2	0	2	1	0	0	0	3	2	1	0	0	0	0	0	0	0	2	0	1	0	3	0
2.9% 6.8% 3.7% 3.0% 20.0% 5.4% 0.0% 10.0% 11.1% 0.0% 20.0% 3.8% 0.0% 6.7% 40.0% 0.0% 0.0% 0.0% 0.0% 11.1% 0.0% 0.0% 0.0% 0.0% 37.5%	4		6.8%	7.4%	6.1%	20.0%	5.4%		15.4%	5.0%	0.0%	0.0%	0.0%	11.5%	9.5%	6.7%	0.0%	0.0%	0.0%		0.0%		0.0%	11.1%		11.1%	0.0%	9.7%	0.0%
	4		6.8%	3 7%	3.0%	20.0%	5.4%		0.0%	10.0%	11 1%	0 0%	20.0%	3 8%	0.0%	6 7%	40.0%	0.0%	0.0%		0.0%		0.0%	11 1%		0.0%	0.0%	0 0 0%	37 5%
TO OF MODE S DECISIONS S. 1. Z.51. M.1. 41. UT. UT. UT. UT. UT. UT. UT. UT. UT. UT	5 or more specialists	2.370	0.070	3.7 70	0.070	20.070	0.470	0	0.070	0.070	0	0.070	20.070	0.070	0.070	0.770	70.070	0.070	0.070	0	0.070	0	0.070	0	0	0.070	0.070	0.070	0
			0.0%	14.8%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%		0.0%	0.0%		0.0%	0.0%	0.0%	0.0%
3 or more specialists 110 6 7 3 2 4 0 2 3 1 0 2 4 2 2 2 0 0 0 0 0 0 4 0 1 0 3 3	3 or more specialists	110	6	7	3	2	4	0	2	3	1	0	2	4	2	2	2	0	0	0	0	0	0	4	0	1	0	3	3
		15.4%	13.6%	25.9%	9.1%	40.0%	10.8%		15.4%	15.0%	11.1%	0.0%	20.0%	15.4%	9.5%	13.3%	40.0%	0.0%	0.0%		0.0%		0.0%	22.2%		11.1%	0.0%	9.7%	37.5%
Significantly different from column:*	Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 43

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents whose child saw a specialist (Q40 & Q42)

Base: All respondents whose child saw a speci	alist (Q40 &	J42)																										
	_					ndent's (Identity	Gender	C	Child's Ag	ge		sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poop	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	666 8 NA	41 0 NA	26 1 NA	32 0 NA	0	34 0 NA	0 0 NA	13 0 NA	17 0 NA	0	4 0 NA	9 0 NA	25 0 NA	0	15 0 NA	0	1 0 NA	1 0 NA	0 0 NA	2 0 NA	0 0 NA	1 0 NA	17 0 NA	0 0 NA	8 0 NA	3 0 NA	29 0 NA	7 0 NA
Usable responses	658	41	25	32		34	0	13			4	9	25		15		1	1	0	2	0	1	17	0	8	3	29	7
·	98.8%	100.0%	96.2%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%		100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
0 Worst specialist possible	0.3%	0.0%	1 4.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%
1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%		0.0%	0.0%		0.0%	0.0%	0.0%	0.0%
2	6 0.9%	0.0%	0.0%	3.1%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0.0%	0.0%	0 	0.0%	0.0%	0.0%	0.0%
3	2	1	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0
	0.3%	2.4%	0.0%	0.0%	0.0%	2.9%		0.0%	5.9%	0.0%	0.0%	0.0%	4.0%	0.0%	6.7%	0.0%	0.0%	0.0%		0.0%		0.0%	5.9%		0.0%	0.0%	3.4%	0.0%
4	0.9%	0.0%	4.0%	3.1%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%		0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%
5	15	3	0	0	0	2	0	2	0	0	0	0	2	2	0	0	0	0	0	0	0	0	2	0	0	0	3	0
e e	2.3%	7.3%	0.0%	0.0%	0.0%	5.9%		15.4%	0.0%	0.0%	0.0%	0.0%	8.0%	11.1%	0.0%	0.0%	0.0%	0.0%		0.0%		0.0%	11.8%		0.0%	0.0%	10.3%	0.0%
0	3.6%	0.0%	4.0%	6.3%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%		0.0%	0.0%		0.0%	0.0%	0.0%	0.0%
7	42	2	2.070	3	0.070	2	0	1	1	0.070	0.070	1	1	1	0.070	1	0.070	0.070	0	0.070	0	0.070	1	0	1	0.070	2	0.070
	6.4%	4.9%	8.0%	9.4%	0.0%	5.9%		7.7%	5.9%	0.0%	0.0%	11.1%	4.0%	5.6%	0.0%	20.0%	0.0%	0.0%		0.0%		0.0%	5.9%		12.5%	0.0%	6.9%	0.0%
8	106	7	3	4	1	6	0	3	3	1	0	0	7	4	3	0	0	0	0	0	0	0	3	0	1	0	6	1
	16.1%	17.1%	12.0%	12.5%	20.0%	17.6%		23.1%	17.6%	11.1%	0.0%	0.0%	28.0%	22.2%	20.0%	0.0%	0.0%	0.0%		0.0%		0.0%	17.6%		12.5%	0.0%	20.7%	14.3%
9	141	2	2	2	1	1	0	0	1	1	0	1	1	0	1	1	0	0	0	0	0	0	0	0	10.55	0	1	1
10 Best specialist possible	21.4%	4.9% 26	8.0%	6.3%	20.0%	2.9%		0.0%	5.9% 11		0.0%	11.1%	4.0%		6.7%	20.0%	0.0%	0.0%		0.0%		0.0%	0.0%		12.5%	0.0%	3.4%	14.3%
TO Best specialist possible	47.6%	63.4%	60.0%	59.4%	60.0%			53.8%			100.0%	77.8%			66.7%	60.0%	100.0%	100.0%		100.0%		100.0%			62.5%	100.0%	55.2%	71.4%
	47.070	05.4%	00.0%	33.470	00.070	04.770		55.070	04.770	//.070	100.070	//.070	32.0%	01.170	00.770	00.070	100.070	100.070		100.070		100.070	30.070		02.370	100.070	JJ.270	/ 1.470

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 43

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents whose child saw a specialist (Q40 & Q42)

·	ы					ndent's (Identity		C	hild's Ag	je		sponder ducatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poop	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	M	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	666 8 NA	41 0 NA	26 1 NA	32 0 NA	5 0 NA	34 0 NA	0 0 NA	13 0 NA	17 0 NA	0	4 0 NA	9 0 NA	25 0 NA	0	15 0 NA	5 0 NA	1 0 NA	1 0 NA	0 0 NA	2 0 NA	0 0 NA	1 0 NA	17 0 NA	0 0 NA	8 0 NA	3 0 NA	29 0 NA	0
Usable responses	658 98.8%	41	25	32		34	0	13 100.0%	17		4	9	25 100.0%	18		5	100.0%	1	0	100.0%	. 0	1	17 100.0%	0	8	3 100.0%	29	7
0 to 4	17 2.6%	1 2.4%	2 8.0%	2 6.3%	0.0%	1 2.9%	0	0.0%	1 5.9%	0.0%	0.0%	0.0%	1	0	1 6.7%	0	0	0	0	0.0%	0	0.0%	1	0	0.0%	0	1 3.4%	0.0%
5	15 2.3%	7.3%	0.0%	0.0%	0.0%	2 5.9%	0	2 15.4%	0.0%	0.0%	0.0%	0.0%	2 8.0%	2 11.1%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0.0%	2 11.8%	0 	0.0%	0.0%	3 10.3%	0.0%
6 or 7	66 10.0%	2 4.9%	3 12.0%	5 15.6%	0.0%	2 5.9%	0	1 7.7%	1 5.9%	0.0%	0.0%	1 11.1%	4.0%	5.6%	0.0%	20.0%	0.0%	0.0%	0	0.0%	0	0.0%	5.9%	0 	1 12.5%	0.0%	2 6.9%	0.0%
8 to 10	560 85.1%	35 85.4%		25 78.1%	5 100.0%	29 85.3%	0	10 76.9%	15 88.2%	_	4 100.0%	88.9%	21 84.0%		14 93.3%		100.0%	1 100.0%	0	100.0%	0	1 100.0%	13 76.5%	0	7 87.5%	3 100.0%	23 79.3%	
Significantly different from column:*																												
0 to 6	56 8.5%	-	12.0%	4 12.5%	0.0%	3 8.8%	0	2 15.4%	5.9%	0.0%	0.0%	0.0%	12.0%	11.1%	6.7%	0.0%	0.0%	0.0%		0.0%	0	0.0%	3 17.6%	0 	0.0%	0.0%	4 13.8%	0.0%
7 to 8	148 22.5%		5 20.0%	7 21.9%	20.0%	8 23.5%	0	4 30.8%	4 23.5%	1 11.1%	0.0%	1 11.1%	8 32.0%	5 27.8%	3 20.0%	20.0%	0.0%	0.0%	0	0.0%	0	0.0%	4 23.5%	0	2 25.0%	0.0%	8 27.6%	1 14.3%
9 to 10	454 69.0%	28 68.3%		21 65.6%	4 80.0%	23 67.6%	0	7 53.8%	12 70.6%		4 100.0%	88.9%	14 56.0%		11 73.3%	4 80.0%	1 100.0%	1 100.0%	0	100.0%	0	1 100.0%	10 58.8%	0 	6 75.0%	3 100.0%	17 58.6%	
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 44

In the last 6 months, did you get information or help from customer service at your child's health plan?

	ОНР					ndent's O Identity (Q73)		C	hild's Ag (Q69)	е		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	119	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	31	2	1	0	0	1	0	0	1	0	0	1	0	1	1	0	0	0	0	0	1	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,421	158	110	119	14	138	0	43	73	37	18	48	84	107	37	10	2	4	1	13	0	1	61	2	41	22	120	12
	98.7%	98.8%	99.1%	100.0%	100.0%	99.3%		100.0%	98.6%	100.0%	100.0%	98.0%	100.0%	99.1%	97.4%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	0.0%	100.0%	100.0%	99.2%	100.0%
Yes	668	51	24	30	4	45	0	14	26	9	10	14	25	31	15	3	0	0	1	6	0	0	17	1	16	4	40	5
	27.6%	32.3%	21.8%	25.2%	28.6%	32.6%		32.6%	35.6%	24.3%	55.6%	29.2%	29.8%	29.0%	40.5%	30.0%	0.0%	0.0%	100.0%	46.2%		0.0%	27.9%	50.0%	39.0%	18.2%	33.3%	41.7%
No	1,753	107	86	89	10	93	0	29	47	28	8	34	59	76	22	7	2	4	0	7	0	1	44	1	25	18	80	7
	72.4%	67.7%	78.2%	74.8%	71.4%	67.4%		67.4%	64.4%	75.7%	44.4%	70.8%	70.2%	71.0%	59.5%	70.0%	100.0%	100.0%	0.0%	53.8%		100.0%	72.1%	50.0%	61.0%	81.8%	66.7%	58.3%
Significantly different from column:*											LM	K	K								· ·							1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 45

In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

Base: All respondents who got information from child's health plan customer service (Q44)

	ЧÞ					ndent's G Identity	Gender	C	Child's Ag	je		sponder Education		Child's	Health	Status					Race						Doctor V t 6 Mont	
	동					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	668	51	24	29	4	45	0	14	26	9	10	14	25	31	15	3	0	0	1	6	0	0	17	1	16	4	40	5
Number missing or multiple answer	15	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	653	51	22	29	4	45	0	14	26	9	10	14	25	31	15	3	0	0	1	6	0	0	17	1	16	4	40	5
	97.8%	100.0%	91.7%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	14 2.1%	1 2.0%	4.5%	3.4%	0.0%	1 2.2%	0	0.0%	3.8%	0.0%	1 10.0%	0.0%	0.0%	0.0%	1 6.7%	0.0%	0	0	0.0%	0.0%	0	0	0.0%	0.0%	1 6.3%	0.0%	1 2.5%	0.0%
Sometimes	109		5	3	0	8	0	3	4	1	2	1	5	6	2	0	0	0	1	0	0	0	3	0	2	1	5	2
	16.7%	15.7%	22.7%	10.3%	0.0%	17.8%		21.4%	15.4%	11.1%	20.0%	7.1%	20.0%	19.4%	13.3%	0.0%			100.0%	0.0%			17.6%	0.0%	12.5%	25.0%	12.5%	40.0%
Usually	172	18	9	11	3	14	0	5	9	2	4	7	6	9	5	2	0	0	0	2	0	0	8	0	6	3	13	2
	26.3%	35.3%	40.9%	37.9%	75.0%	31.1%		35.7%	34.6%	22.2%	40.0%	50.0%	24.0%	29.0%	33.3%	66.7%			0.0%	33.3%			47.1%	0.0%	37.5%	75.0%	32.5%	40.0%
Always	358	24	7	14	1	22	0	6	12	6	3	6	14	16	7	1	0	0	0	4	0	0	6	1	7	0	21	1
	54.8%	47.1%	31.8%	48.3%	25.0%	48.9%		42.9%	46.2%	66.7%	30.0%	42.9%	56.0%	51.6%	46.7%	33.3%			0.0%	66.7%			35.3%	100.0%	43.8%	0.0%	52.5%	20.0%
Significantly different from column:*																												
Usually or Always	530	42	16	25	4	36	0	11	21	8	7	13	20	25	12	3	0	0	0	6	0	0	14	1	13	3	34	3
	81.2%	82.4%	72.7%	86.2%	100.0%	80.0%		78.6%	80.8%	88.9%	70.0%	92.9%	80.0%	80.6%	80.0%	100.0%			0.0%	100.0%			82.4%	100.0%	81.3%	75.0%	85.0%	60.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 46

In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?

Base: All respondents who got information from child's health plan customer service (Q44)

Base: All respondents wno got information from c		promise out of the		٦٠٠/																								
	۵					ndent's C Identity		C	hild's Ag	е		sponden Education		Child's	Health	Status					Race						Doctor V t 6 Mont	
	ᆼ					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	668	51	24	28	4	45	0	14	26	9	10	14	25	31	15	3	0	0	1	6	0	0	17	1	16	4	40	5
Number missing or multiple answer	11	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	657	51	22	28	4	45	0	14	26	9	10	14	25	31	15	3	0	0	1	6	0	0	17	1	16	4	40	5
	98.4%	100.0%	91.7%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	10 1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	35	2	0	1	0	2	0	0	1	1	1	1	0	1	1	0	0	0	0	0	0	0	2	0	0	0	2	0
	5.3%	3.9%	0.0%	3.6%	0.0%	4.4%		0.0%	3.8%	11.1%	10.0%	7.1%	0.0%	3.2%	6.7%	0.0%			0.0%	0.0%			11.8%	0.0%	0.0%	0.0%	5.0%	0.0%
Usually	135	6	6	9	1	4	0	2	2	1	2	1	2	2	2	1	0	0	0	0	0	0	1	0	2	1	4	1
Alumin	20.5%	11.8%	27.3%	32.1%	25.0%			14.3%		11.1%	20.0%				13.3%	33.3%			0.0%	0.0%			5.9%	0.0%	12.5%	25.0%	10.0%	20.0%
Always	477 72.6%	43 84.3%	72.7%	64.3%	75.0%	39 86.7%		85.7%	23 88.5%	77.8%	70.0%	12 85.7%	23 92.0%	28 90.3%	80.0%	66.7%			100.0%	100.0%			82 4%	100.0%	87.5%	75.0%	34 85.0%	80.0%
Significantly different from column:*	, 2.0 /0	D D	, 2.7 70	0 1.5 70	, 5.0 %	55.7 76		03.7 70	33.370	070	, 5.0 70	03.7 70	52.070	30.370	00.070	33.7 70			100.070	200.070			32.470	200.070	07.1370	7 3.0 70	05.070	20.070
Usually or Always	612	49	22	27	4	43	0	14	25	8	9	13	25	30	14	3	0	0	1	6	0	0	15	1	16	4	38	5
	93.2%	96.1%	100.0%	96.4%	100.0%	95.6%		100.0%	96.2%	88.9%	90.0%	92.9%	100.0%	96.8%	93.3%	100.0%			100.0%	100.0%			88.2%	100.0%	100.0%	100.0%	95.0%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 47

In the last 6 months, did your child's health plan give you any forms to fill out?

	ОНР				Respondent's Gender Identity (Q73) (Q69) (Q74) (Q53) (Q53)														Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths		
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	114	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	59	2	1	0	0	1	0	0	1	0	0	1	0	0	2	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,393	158	110	114	14	138	0	43	73	37	18	48	84	108	36	10	2	4	1	13	1	1	60	2	41	22	120	12
	97.6%	98.8%	99.1%	100.0%	100.0%	99.3%		100.0%	98.6%	100.0%	100.0%	98.0%	100.0%	100.0%	94.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	98.4%	0.0%	100.0%	100.0%	99.2%	100.0%
Yes	769	50	41	38	6	44	0	10	25	13	6	17	26	34	12	3	0	0	0	6	1	1	16	0	14	5	39	5
	32.1%	31.6%	37.3%	33.3%	42.9%	31.9%		23.3%	34.2%	35.1%	33.3%	35.4%	31.0%	31.5%	33.3%	30.0%	0.0%	0.0%	0.0%	46.2%	100.0%	100.0%	26.7%	0.0%	34.1%	22.7%	32.5%	41.7%
No	1,624	108	69	76	8	94	0	33	48	24	12	31	58	74	24	7	2	4	1	7	0	0	44	2	27	17	81	7
	67.9%	68.4%	62.7%	66.7%	57.1%	68.1%		76.7%	65.8%	64.9%	66.7%	64.6%	69.0%	68.5%	66.7%	70.0%	100.0%	100.0%	100.0%	53.8%	0.0%	0.0%	73.3%	100.0%	65.9%	77.3%	67.5%	58.3%
Significantly different from column:*		-																							-			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 48

In the last 6 months, how often were the forms from your child's health plan easy to fill out?**

Base: All respondents who received forms to fill out from child's health plan (Q47)

	ОНР					ndent's G Identity (Q73)	Gender	C	hild's Ag	ie		esponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor V t 6 Mont (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,393	158	110	114	14	138	0	43	73	37	18	48	84	108	36	10	2	4	1	13	1	1	60	2	41	22	120	12
Number missing or multiple answer	19	2	1	0	1	1	0	0	2	0	0	0	2	1	1	0	0	0	0	1	0	0	0	0	1	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,374	156	109	114	13	137	0	43	71	37	18	48	82	107	35	10	2	4	1	12	1	1	60	2	40	22	118	12
	99.2%	98.7%	99.1%	100.0%	92.9%	99.3%		100.0%	97.3%	100.0%	100.0%	100.0%	97.6%	99.1%	97.2%	100.0%	100.0%	100.0%	100.0%	92.3%	100.0%	100.0%	100.0%	0.0%	97.6%	100.0%	98.3%	100.0%
Never	33 1.4%	2 1.3%	2 1.8%	0.9%	0.0%	2 1.5%	0	0.0%	1 1.4%	1 2.7%	0.0%	0.0%	2.4%	1 0.9%	1 2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1 2.5%	0.0%	2 1.7%	0.0%
Sometimes	109	3	6	6	1	2	0	0	1	1	0	0	3	2	0	0	0	0	0	0	0	1	1	0	1	1	2	0
	4.6%	1.9%	5.5%	5.3%	7.7%	1.5%		0.0%	1.4%	2.7%	0.0%	0.0%	3.7%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	1.7%	0.0%	2.5%	4.5%	1.7%	0.0%
Usually	262	20	13	18	1	19	0	9	8	2	3	6	10	11	7	2	0	0	0	2	0	0	7	0	5	2	14	4
	11.0%	12.8%	11.9%	15.8%	7.7%	13.9%		20.9%	11.3%	5.4%	16.7%	12.5%	12.2%	10.3%	20.0%	20.0%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	11.7%	0.0%	12.5%	9.1%	11.9%	33.3%
Always	1,970	131	88	89	11	114	0	34	61	33	15	42	67	93	27	8	2	4	1	10	1	0	52	2	33	19	100	8
	83.0%	84.0%	80.7%	78.1%	84.6%	83.2%		79.1%	85.9%	89.2%	83.3%	87.5%	81.7%	86.9%	77.1%	80.0%	100.0%	100.0%	100.0%	83.3%	100.0%	0.0%	86.7%	100.0%	82.5%	86.4%	84.7%	66.7%
Significantly different from column:*																												
Usually or Always	2,232	151	101	107	12	133	0	43	69	35	18	48	77	104	34	10	2	4	1	12	1	0	59	2	38	21	114	12
	94.0%	96.8%	92.7%	93.9%	92.3%	97.1%		100.0%	97.2%	94.6%	100.0%	100.0%	93.9%	97.2%	97.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	98.3%	100.0%	95.0%	95.5%	96.6%	100.0%
Significantly different from column:*																									-			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

^{**}Respondents answering "No" to question 47 are reported to NCQA as "Always" in question 43, and are used in calculating the Customer Service composite score.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 49

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

Base: All respondents

Base: All respondents																												
	ОНР				Respo	ndent's (Identity		CI	hild's Ag	е		sponden ducation		Child's	Health S	Status					Race						Doctor V st 6 Mont	
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	0202	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	2,452 56 NA	160 2 NA	111 3 NA	117 0 NA	14 0 NA	139 2 NA	0 0 NA	43 1 NA	74 1 NA	37 0 NA	18 0 NA	49 0 NA	84 2 NA	108 2 NA	38 0 NA	10 0 NA	2 0 NA	4 0 NA	1 0 NA	13 0 NA	1 0 NA	1 0 NA	61 2 NA	2 0 NA	41 0 NA	22 1 NA	121 1 NA	12 0 NA
Usable responses	2,396 97.7%	158 98.8%	108 97.3%	117 100.0%	14 100.0%	137 98.6%	0	42 97.7%	73 98.6%	37 100.0%	18 100.0%	49 100.0%	82 97.6%	106 98.1%	38 100.0%	10 100.0%	2 100.0%	4 100.0%	1 100.0%	13 100.0%	1 100.0%	1 100.0%	59 96.7%	2 0.0%	41 100.0%	21 95.5%	120 99.2%	12 100.0%
0 Worst health plan possible	9 0.4%	0 0.0%	0 0.0%	1 0.9%	0.0%	0.0%	0	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1	12 0.5%	3 1.9%	0 0.0%	0.0%	0.0%	3 2.2%	0	0.0%	3 4.1%	0.0%	1 5.6%	1 2.0%	1 1.2%	3 2.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2 4.9%	0.0%	2 1.7%	1 8.3%
2	10 0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%
3	18 0.8%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%
4	25 1.0%	0.6%	1 0.9%	1 0.9%	0.0%	0.7%	0	0.0%	0 0.0%	1 2.7%	0.0%	1 2.0%	0.0%	0.9%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1 1.7%	0 0.0%	0 0.0%	1 4.8%	0 0.0%	0.0%
5	103 4.3%	1.3%	2 1.9%	2 1.7%	7.1%	0.7%	0	0.0%	0.0%	5.4%	5.6%	0.0%	1 1.2%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1 1.7%	0.0%	0.0%	4.8%	0.8%	0.0%
6	95 4.0%	2.5%	5.6%	5.1%	0.0%	4 2.9%	0	2 4.8%	2 2.7%	0.0%	0.0%	2.0%	3 3.7%	2.8%	1 2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2 4.9%	4.8%	2.5%	0.0%
7	254 10.6%	18 11.4%	14 13.0%	8 6.8%	7.1%	16 11.7%	0	7 16.7%	6 8.2%	5 13.5%	0.0%	5 10.2%	12 14.6%	13 12.3%	5 13.2%	0.0%	50.0%	25.0%	0.0%	0.0%	0.0%	0.0%	5 8.5%	0.0%	7 17.1%	1 4.8%	14 11.7%	3 25.0%
8	419 17.5%	25 15.8%	27 25.0%	26 22.2%	7.1%	23 16.8%	0	5 11.9%	12 16.4%	7 18.9%	3 16.7%	4 8.2%	16 19.5%	15 14.2%	7 18.4%	2 20.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	12 20.3%	1 50.0%	7 17.1%	9.5%	21 17.5%	2 16.7%
9	417 17.4%	28 17.7%	15 13.9%	25 21.4%	3 21.4%	24 17.5%	0	10 23.8%	13 17.8%	5 13.5%	3 16.7%	12 24.5%	12 14.6%	18 17.0%	4 10.5%	6 60.0%	0.0%	0.0%	0.0%	4 30.8%	0.0%	0.0%	10 16.9%	0 0.0%	6 14.6%	5 23.8%	20 16.7%	3 25.0%
10 Best health plan possible	1,034 43.2%	77 48.7%	43 39.8%	48 41.0%	57.1%	65 47.4%	0	18 42.9%	37 50.7%	17 45.9%	10 55.6%	25 51.0%	37 45.1%	51 48.1%	21 55.3%	2 20.0%	50.0%	75.0%	1 100.0%	9 69.2%	1 100.0%	100.0%	30 50.8%	1 50.0%	17 41.5%	10 47.6%	59 49.2%	3 25.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 49

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

·	4					ndent's (Identity		С	hild's Ag	je		sponder Education		Child's	Health	Status					Race						Doctor st 6 Mor	Visits in nths
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	0202	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	2,452 56 NA	160 2 NA	111 3	117 0 NA	14 0 NA	139	0	43 1	74 1	37 0	18 0	49 0	84 2	108 2	38 0	10 0	0	0	0	13 0 NA	0	1 0 NA	61 2	2 0 NA	41 0	22 1	121 1 NA	. 0
Number no experience Usable responses	2,396	158	108			NA 137	NA O	NA 42	73	NA 37	NA 18	NA 49	NA 82	NA 106	NA 38	NA 10		NA 4	NA 1	13	NA 1	INA 1	NA 59	NA 2	NA 41	NA 21	120	
osable responses	97.7%	98.8%		100.0%		98.6%		97.7%	, ,	٥,	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	96.7%	0.0%	100.0%			
0 to 4	74	4	1	2	0	4	0	0	3	1	1	2	1	4	0	0	0	0	0	0	0	0	1	0	2	1	2	. 1
	3.1%	2.5%	0.9%	1.7%	0.0%	2.9%		0.0%	4.1%	2.7%	5.6%	4.1%	1.2%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.7%	0.0%	4.9%	4.8%	1.7%	8.3%
5	103 4.3%	1.3%	1.9%	1.7%	7.1%	0.7%	0	0.0%	0.0%	5.4%	5.6%	0.0%	1.2%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.7%	0.0%	0.0%	4.8%	0.8%	0.0%
6 or 7	349	22	20		1	20	0	9	8	5	0	6	15	16	6	0	1	1	0	0	0	0	5	0	9	2	17	3
	14.6%	13.9%			7.1%	14.6%		21.4%	11.0%		0.0%	12.2%	18.3%	15.1%	15.8%	0.0%	50.0%	25.0%	0.0%	0.0%	0.0%	0.0%	8.5%	0.0%	22.0%	9.5%	14.2%	25.0%
8 to 10	1,870	130	85		12	112	0	33	62	29	16	41	65	84	32	10	1	3	1	13	1	1	52	2	30	17	100	_
Significantly different from column:*	78.0%	82.3%	78.7%	84.6%	85.7%	81.8%		78.6%	84.9%	78.4%	88.9%	83.7%	79.3%	79.2%	84.2%	100.0%	50.0%	75.0%	100.0%	100.0%	100.0%	100.0%	88.1%	100.0%	73.2%	81.0%	83.3%	66.7%
0 to 6	272	10	9	10	1	9	0	2	5	3	2	3	5	9	1	0	0	0	0	0	0	0	2	0	4	3	6	1
	11.4%	6.3%	8.3%	8.5%	7.1%	6.6%		4.8%	6.8%	8.1%	11.1%	6.1%	6.1%	8.5%	2.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.4%	0.0%	9.8%	14.3%	5.0%	8.3%
7 to 8	673	43	41	٥.	_	39	0	12	18	12	3	9	28	28	12	2	1	1	0	0	0	0	17	1	14	3	35	. 5
	28.1%	27.2%	38.0%			28.5%		28.6%	24.7%	32.4%	16.7%	18.4%		26.4%		20.0%	50.0%	25.0%	0.0%	0.0%	0.0%	0.0%	28.8%	50.0%	34.1%	14.3%	29.2%	41.7%
9 to 10	1,451	105	58		11	89	0	28	50	22	13	37	49	69	25	8	50.000	3 75 004	1	13	1	1	40	1	23	15	79	6
Significantly different from column:*	60.6%	66.5%	53.7%	62.4%	78.6%	65.0%		66.7%	68.5%	59.5%	72.2%	75.5%	59.8%	65.1%	65.8%	80.0%	50.0%	/5.0%	100.0%	100.0%	100.0%	100.0%	67.8%	50.0%	56.1%	71.4%	65.8%	50.0%
Significantly uniterest from column:*		U																										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 50

In the last 6 months, did you get or refill any prescription medicines for your child?

	ЭНР				Respondent's Gender Identity Child's Age Respondent's Education (Q73) (Q69) (Q74) Respondent's Child's Health Status Race (Q75) (Q76)															Doctor v st 6 Mon (Q7)								
	2020 State (2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	116	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	29	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,423	160	109	116	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
	98.8%	100.0%	98.2%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,277	80	53	64	8	67	0	18	35	22	8	27	39	46	23	8	1	1	1	2	1	1	34	1	16	6	61	9
	52.7%	50.0%	48.6%	55.2%	57.1%	48.2%		41.9%	47.3%	59.5%	44.4%	55.1%	46.4%	42.6%	60.5%	80.0%	50.0%	25.0%	100.0%	15.4%	100.0%	100.0%	55.7%	50.0%	39.0%	27.3%	50.4%	75.0%
No	1,146	80	56	52	6	72	0	25	39	15	10	22	45	62	15	2	1	3	0	11	0	0	27	1	25	16	60	3
	47.3%	50.0%	51.4%	44.8%	42.9%	51.8%		58.1%	52.7%	40.5%	55.6%	44.9%	53.6%	57.4%	39.5%	20.0%	50.0%	75.0%	0.0%	84.6%	0.0%	0.0%	44.3%	50.0%	61.0%	72.7%	49.6%	25.0%
Significantly different from column:*																				W			T			AAAB	Z	Z

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 51

In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?

Base: All respondents whose child got a prescription for medicine or refilled a prescription (Q50)

Base: All respondents whose child got a prescri	Ь		,			ndent's C Identity	Gender	C	Child's Ag	е		sponder Education		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	동					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,277	80	53	64	8	67	0	18	35	22	8	27	39	46	23	8	1	1	1	2	1	1	34	1	16	6	61	9
Number missing or multiple answer	6	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,271	80	52	64	8	67	0	18	35	22	8	27			23	8	1	1	1	2	1	1	34	1	16	6	61	9
	99.5%	100.0%	98.1%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	12 0.9%	1 1.3%	0.0%	0.0%	0.0%	1 1.5%	0	5.6%	0.0%	0.0%	0.0%	0.0%	2.6%	1 2.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1 11.1%
Sometimes	118	7	9	4	1	6	0	2	1	4	0	3	4	4	1	2	0	0	0	0	0	0	2	0	1	0	6	1
	9.3%	8.8%	17.3%	6.3%	12.5%	9.0%		11.1%	2.9%	18.2%	0.0%	11.1%	10.3%	8.7%	4.3%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.9%	0.0%	6.3%	0.0%	9.8%	11.1%
Usually	316	26	5	14	2	23	0	4	13	8	3	10	12	13	10	3	0	0	0	1	1	0	12	0	5	3	18	4
	24.9%	32.5%	9.6%	21.9%	25.0%	34.3%		22.2%	37.1%	36.4%	37.5%	37.0%	30.8%	28.3%	43.5%	37.5%	0.0%	0.0%	0.0%	50.0%	100.0%	0.0%	35.3%	0.0%	31.3%	50.0%	29.5%	44.4%
Always	825	46	38	46	5	37	0	11	21	10	5	14	22	28	12	3	1	1	1	1	0	1	20	1	10	3	37	3
	64.9%	57.5%	73.1%	71.9%	62.5%	55.2%		61.1%	60.0%	45.5%	62.5%	51.9%	56.4%	60.9%	52.2%	37.5%	100.0%	100.0%	100.0%	50.0%	0.0%	100.0%	58.8%	100.0%	62.5%	50.0%	60.7%	33.3%
Significantly different from column:*																											-	
Usually or Always	1,141	72	43	60	7	60	0	15	34	18	8	24	34	41	22	6	1	1	1	2	1	1	32	1	15	6	55	7
	89.8%	90.0%	82.7%	93.8%	87.5%	89.6%		83.3%	97.1%	81.8%	100.0%	88.9%	87.2%	89.1%	95.7%	75.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	94.1%	100.0%	93.8%	100.0%	90.2%	77.8%
Significantly different from column:*																	I											

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52

Did anyone from your child's health plan, doctor's office, or clinic help you get your child's prescription medicines?

Base: All respondents whose child got a prescription for medicine or refilled a prescription (Q50)

	4				Respondent's Gender Identity Child's Age Respondent's Education CO73) CO74) CO75) Respondent's Child's Health Status Race (O75)														Doctor \ st 6 Mon									
	ō				(Q73) (Q69) (Q74) (Q53) (Q76)															(Q7)								
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,277	80	53	64	8	67	0	18	35	22	8	27	39	46	23	8	1	1	1	2	1	1	34	1	16	6	61	9
Number missing or multiple answer	22	1	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,255	79	51	64	8	67	0	18	35	22	8	27	39			8	1	1	1	2	1	1	34	1	16	6	61	9
	98.3%	98.8%	96.2%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	95.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	780	44	32	37	4	39	0	7	22	13	4	21	17	28		5	1	1	1	1	1	1	23	0	6	2	34	5
	62.2%	55.7%	62.7%	57.8%	50.0%	58.2%		38.9%	62.9%	59.1%	50.0%	77.8%	43.6%	60.9%	45.5%	62.5%	100.0%	100.0%	100.0%	50.0%	100.0%	100.0%	67.6%	0.0%	37.5%	33.3%	55.7%	55.6%
No	475	35	19	27	4	28	0	11	13	9	4	6	22	18	12	3	0	0	0	1	0	0	11	1	10	4	27	4
	37.8%	44.3%	37.3%	42.2%	50.0%	41.8%		61.1%	37.1%	40.9%	50.0%	22.2%	56.4%	39.1%	54.5%	37.5%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	32.4%	100.0%	62.5%	66.7%	44.3%	44.4%
Significantly different from column:*												M	L										Y		W	I		1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52a

A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist?

	ОНР					ndent's O Identity (Q73)	Gender	C	hild's Ag (Q69)	e		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ t 6 Mon (Q7)	Visits in oths
	2020 State (2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	116	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	45	2	7	0	0	1	0	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA
Usable responses	2,407	158	104	116	14	138	0	43	74	36	18	48	84	108	38	9	2	4	1	13	1	1	61	2	41	22	120	12
	98.2%	98.8%	93.7%	100.0%	100.0%	99.3%		100.0%	100.0%	97.3%	100.0%	98.0%	100.0%	100.0%	100.0%	90.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	99.2%	100.0%
Yes	2,005	133	90	102	13	115	0	33	64	33	14	37	76	91	32	8	1	4	1	11	1	0	54	2	33	17	103	9
	83.3%	84.2%	86.5%	87.9%	92.9%	83.3%		76.7%	86.5%	91.7%	77.8%	77.1%	90.5%	84.3%	84.2%	88.9%	50.0%	100.0%	100.0%	84.6%	100.0%	0.0%	88.5%	100.0%	80.5%	77.3%	85.8%	75.0%
No	402	25	14	14	1	23	0	10	10	3	4	11	8	17	6	1	1	0	0	2	0	1	. 7	0	8	5	17	3
	16.7%	15.8%	13.5%	12.1%	7.1%	16.7%		23.3%	13.5%	8.3%	22.2%	22.9%	9.5%	15.7%	15.8%	11.1%	50.0%	0.0%	0.0%	15.4%	0.0%	100.0%	11.5%	0.0%	19.5%	22.7%	14.2%	25.0%
Significantly different from column:*												M	L															

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52b

In the last 6 months, did your child go to a dentist's office or clinic for care?

	НР				Respondent's Gender Identity Child's Age Respondent's Education Child's Health Status Race (Q73) (Q69) (Q74) (Q53) (Q76)														Child's Las	t 6 Mon								
	2020 State O	2020	2019	2018	Male	Female (CC12)	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69)	14 to 18	Less than HS grad	HS grad (Q74)	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Aircan African African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	11 4 (O ₂)	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	115	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	35	1	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Usable responses	2,417 98.6%	159 99.4%	105 94.6%	115 100.0%	14 100.0%		0	43 100.0%		37 100.0%				108 100.0%	38 100.0%	10 100.0%	2 100.0%	4 100.0%	1 100.0%	13 100.0%	1 100.0%	1 100.0%	61 100.0%	0.0%	41 100.0%	22 100.0%	120 99.2%	
Yes	1,600	112	71	85	12	98	0	23	60		13		66		31	8	1	2	1	10	1	0	48	1	28		85	
	66.2%		67.6%	73.9%	85.7%			33.370	81.1%	75.7%	72.2%			66.7%		80.0%	50.0%	50.0%	100.0%	/6.9%	100.0%	0.0%	78.7%	50.0%	68.3%	68.2%	70.8%	83.3%
No	817	47	34	30	2	41	0	20	14	9	5	19				2	1	2	0	3	0	1	13	1	13	7	35	
	33.8%	29.6%	32.4%	26.1%	14.3%	29.5%		46.5%	18.9%	24.3%	27.8%		21.4%	33.3%	18.4%	20.0%	50.0%	50.0%	0.0%	23.1%	0.0%	100.0%	21.3%	50.0%	31.7%	31.8%	29.2%	16.7%
Significantly different from column:*								IJ	Н	Н		M	L															

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52c

In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child?

Base: All respondents whose child visited their dentist's office or clinic for care (Q52b)

base. All respondents whose child visited their	denusts onic	e or cliric for	Care (QUZD	2																								
	4					ndent's (Identity		(Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	F					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	1,600	112	71	82	12	98	0	23	60	28	13	30	66	72	31	8	1	2	1	10	1	0	48	1	28	15	85	10
Number missing or multiple answer	24	1	0	0	0	1	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,576	111	71	82			0	23		27	13				31	8	1	2	1	10	1	0	48	1	28		84	10
	98.5%	99.1%	100.0%	100.0%	100.0%	99.0%		100.0%	100.0%	96.4%	100.0%	100.0%	98.5%	98.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	98.8%	100.0%
Never	20 1.3%	0.0%	1 1.4%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	101	6	5	6	0	6	0	1	3	2	0	3	3	3	2	1	0	0	0	1	0	0	3	0	2	1	5	0
	6.4%	5.4%	7.0%	7.3%	0.0%	6.2%		4.3%	5.0%	7.4%	0.0%	10.0%	4.6%	4.2%	6.5%	12.5%	0.0%	0.0%	0.0%	10.0%	0.0%		6.3%	0.0%	7.1%	6.7%	6.0%	0.0%
Usually	273	19	10	11	1	18	0	3	11	5	2	4	13	13	5	1	0	1	0	2	0	0	7	0	7	3	15	1
	17.3%	17.1%		13.4%	8.3%			13.0%	18.3%	18.5%	15.4%		20.0%	18.3%	16.1%	12.5%	0.0%	50.0%	0.0%	20.0%	0.0%		14.6%	0.0%	25.0%	20.0%	17.9%	10.0%
Always	1,182	86		65	11	73	0	19	46	20	11	23	49	55	24	6	1	1	1	7	1	0	38	1	19	11	64	9
	75.0%	77.5%	77.5%	79.3%	91.7%	75.3%		82.6%	76.7%	74.1%	84.6%	76.7%	75.4%	77.5%	77.4%	75.0%	100.0%	50.0%	100.0%	70.0%	100.0%		79.2%	100.0%	67.9%	73.3%	76.2%	90.0%
Significantly different from column:*									ļ																			
Usually or Always	1,455		65			-	0	22			13				-		1	2	1	9	1	0	45	1	26			
	92.3%	94.6%	91.5%	92.7%	100.0%	93.8%		95.7%	95.0%	92.6%	100.0%	90.0%	95.4%	95.8%	93.5%	87.5%	100.0%	100.0%	100.0%	90.0%	100.0%		93.8%	100.0%	92.9%	93.3%	94.0%	100.0%
Significantly different from column:*								I				1						1	1		1		1			I	, '	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52d

In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted?

	Ь					ndent's (Identity		С	hild's Ag	je		sponder ducatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	112	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	110	6	10	0	0	5	0	1	2	1	1	2	2	2	1	1	0	0	0	1	1	1	0	0	2	1	5	0
Number no experience	1739	125	83	66	11	109	0	39	54	29	12	41	65	89	28	6	2	3	0	12	0	0	48	2	34	20	93	8
Usable responses	603	29	18	46	3	25	0	3	18	7	5	6	17	17	9	3	0	1	1	0	0	0	13	0	5	1	23	4
	24.6%	18.1%	16.2%	41.1%	21.4%	18.0%		7.0%	24.3%	18.9%	27.8%	12.2%	20.2%	15.7%	23.7%	30.0%	0.0%	25.0%	100.0%	0.0%	0.0%	0.0%	21.3%	0.0%	12.2%	4.5%	19.0%	33.3%
Never	223	10	6	10	1	8	0	1	6	2	1	3	5	7	2	1	0	0	0	0	0	0	3	0	1	1	7	1
	37.0%	34.5%	33.3%	21.7%	33.3%	32.0%		33.3%	33.3%	28.6%	20.0%	50.0%	29.4%	41.2%	22.2%	33.3%		0.0%	0.0%				23.1%		20.0%	100.0%	30.4%	25.0%
Sometimes	99	6	6	9	1	5	0	0	3	3	2	1	3	1	4	1	0	0	0	0	0	0	3	0	1	0	5	. 1
	16.4%	20.7%	33.3%	19.6%	33.3%	20.0%		0.0%	16.7%	42.9%	40.0%	16.7%	17.6%	5.9%	44.4%	33.3%		0.0%	0.0%				23.1%		20.0%	0.0%	21.7%	25.0%
Usually	119	6	1	11	0	6	0	0	5	1	1	2	3	4	2	0	0	1	0	0	0	0	3	0	1	0	5	1
	19.7%	20.7%	5.6%	23.9%	0.0%	24.0%		0.0%	27.8%	14.3%	20.0%	33.3%	17.6%	23.5%	22.2%	0.0%		100.0%	0.0%				23.1%		20.0%	0.0%	21.7%	25.0%
Always	162	7	5	16	1	6	0	2	4	1	1	0	6	5	1	1	0	0	1	0	0	0	4	0	2	0	6	. 1
	26.9%	24.1%	27.8%	34.8%	33.3%	24.0%		66.7%	22.2%	14.3%	20.0%	0.0%	35.3%	29.4%	11.1%	33.3%		0.0%	100.0%				30.8%		40.0%	0.0%	26.1%	25.0%
Significantly different from column:*																											ullet	
Usually or Always	281	13	-	27	1	12	0	2	9	2	2	2	9	9	3	1	0	1	1	0	0	0	7	0	3	0	11	2
	46.6%	44.8%	33.3%	58.7%	33.3%	48.0%		66.7%	50.0%	28.6%	40.0%	33.3%	52.9%	52.9%	33.3%	33.3%		100.0%	100.0%				53.8%		60.0%	0.0%	47.8%	50.0%
Significantly different from column:*						1	1			l			l		I			1	l	I	1		l		l		, ,	

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

Base: All respondents

Base: All respondents																												
	구				Respo	ndent's (Identity		CI	hild's Ag	е		sponden ducation		Child's	Health :	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	0202	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооЭ	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	2,452 160 NA	160 11 NA	111 8 NA	111 0 NA	14 0 NA	139 7 NA	0 0 NA	43 3 NA	74 2 NA	37 1 NA	18 0 NA	49 4 NA	84 3 NA	4	38 4 NA	10 0 NA	2 0 NA	. 4 0 NA	1 0 NA	13 0 NA	0	1 1 NA	61 3 NA	2 0 NA	41 2 NA	4	121 5 NA	12 0 NA
Usable responses	2,292 93.5%	149 93.1%	103 92.8%	111 100.0%	14 100.0%	132 95.0%	0	40 93.0%	72 97.3%	36 97.3%	18 100.0%	45 91.8%	81 96.4%	104 96.3%	34 89.5%	10 100.0%	100.0%	100.0%	1 100.0%	13 100.0%	1 100.0%	0.0%	58 95.1%	2 0.0%	39 95.1%		116 95.9%	12 100.0%
0 Extremely Difficult	106 4.6%	10 6.7%	9 8.7%	2 1.8%	7.1%	9 6.8%	0	7.5%	5 6.9%	2 5.6%	2 11.1%	5 11.1%	3 3.7%	4 3.8%	3 8.8%	3 30.0%	0.0%	0.0%	0.0%	1 7.7%	0.0%	0	2 3.4%	0.0%	2 5.1%	5.6%	7 6.0%	1 8.3%
1	28 1.2%	2 1.3%	1 1.0%	0.0%	7.1%	0.8%	0	0.0%	1 1.4%	1 2.8%	1 5.6%	0.0%	1 1.2%	0.0%	2 5.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	1 2.6%	5.6%	1 0.9%	0.0%
2	36 1.6%	2 1.3%	3 2.9%	2 1.8%	0.0%	2 1.5%	0	0 0.0%	2 2.8%	0.0%	0.0%	0.0%	2 2.5%	2 1.9%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0	1 1.7%	0.0%	0.0%	0.0%	2 1.7%	0.0%
3	59 2.6%	2.0%	0.0%	5 4.5%	0.0%	2.3%	0	1 2.5%	2 2.8%	0.0%	0.0%	0.0%	3 3.7%	2 1.9%	1 2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	1 1.7%	0.0%	1 2.6%	0.0%	2 1.7%	1 8.3%
4	62 2.7%	5 3.4%	3 2.9%	4 3.6%	0.0%	5 3.8%	0	0 0.0%	2 2.8%	3 8.3%	0.0%	2 4.4%	3 3.7%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	4 6.9%	0.0%	2.6%	5.6%	2.6%	1 8.3%
5	190 8.3%	21 14.1%	5.8%	5 4.5%	2 14.3%	19 14.4%		7 17.5%	12 16.7%	5.6%	5 27.8%	5 11.1%	10 12.3%	13 12.5%	6 17.6%	2 20.0%	50.0%	0.0%	1 100.0%	7.7%	0.0%		9 15.5%	50.0%	5 12.8%	0.0%	17 14.7%	25.0%
6	3.8%	4.0%	2.9%	4.5%	0.0%	4.5%		5.0%	2.8%	5.6%	5.6%	2.2%	4.9%	3.8%	2.9%	10.0%	0.0%	0.0%	0.0%	7.7%	0.0%		1.7%	0.0%	5.1%	5.6%	4.3%	0.0%
/	6.2%	3.4%	16 15.5%	8.1%	0.0%	3.8%	0	5.0%	2.8%	2.8%	0.0%	4.4%	3.7%		2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		3.4%	0.0%	7.7%	5.6%	3.4%	0.0%
8	294 12.8%	18 12.1%	6.8%	14 12.6%	2 14.3%	16 12.1%	0	6 15.0%	9 12.5%	8.3%	5.6%	5 11.1%	11 13.6%		3 8.8%	20.0%	0.0%	25.0%	0.0%	2 15.4%	0.0%		5.2%	0.0%	4 10.3%	11.1%	14 12.1%	2 16.7%
9	305 13.3%	20 13.4%	13 12.6%	15 13.5%	3 21.4%	15 11.4%	0	6 15.0%	7 9.7%	7 19.4%	1 5.6%	7 15.6%	10 12.3%	12.5%	6 17.6%	1 10.0%	0.0%	0.0%	0.0%	3 23.1%	0.0%	0	7 12.1%	0.0%	7 17.9%	3 16.7%	17 14.7%	0.0%
10 Extremely Easy	982 42.8%	57 38.3%	42 40.8%	50 45.0%	5 35.7%	51 38.6%	0	13 32.5%	28 38.9%	15 41.7%	7 38.9%	18 40.0%	31 38.3%	44 42.3%	11 32.4%	1 10.0%	50.0%	50.0%	0.0%	5 38.5%	1 100.0%	0	28 48.3%	1 50.0%	13 33.3%	8 44.4%	44 37.9%	4 33.3%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

·	Ь					ndent's (Identity		C	hild's Ag	ge		sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	0202	5019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	p005	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	2,452 160	160 11	111 8	111 0	14 0	139 7	0	43 3	74 2	37 1	18 0	49 4	84 3	108 4	38 4	10 0	0	4	0	13 0	1 0	1	61 3	2 0	41 2	22 4	121 5	12 0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	
Usable responses	2,292	149		111				40	72						34	10	_	4	1	13	_	0	58	2	39	18	116	
0.1.4	93.5%	93.1%		100.0%	100.0%			93.0%	97.3%		100.0%	91.8%		96.3%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	95.1%	0.0%	95.1%	81.8%		-
0 to 4	291 12.7%	22 14.8%		11.7%	14.3%	20 15.2%		10.0%	12 16.7%		16.7%	15.6%	12 14.8%	13 12.5%	_	30.0%	0.0%	25.0%	0.0%	7.7%	0.0%		13.8%	0.0%	12.8%	16.7%	15 12.9%	-
5	190	21		5	2	19	0	7	12		5	5	10	13	6	2	1	0	1	1	0	0	9	1	5	0	17	3
	8.3%	14.1%	5.8%	4.5%	14.3%	14.4%		17.5%	16.7%	5.6%	27.8%	11.1%	12.3%	12.5%	17.6%	20.0%	50.0%	0.0%	100.0%	7.7%	0.0%		15.5%	50.0%	12.8%	0.0%	14.7%	25.0%
6 or 7	230	11	19	14	0	11	0	4	4	3	1	3	7	8	2	1	0	0	0	1	0	0	3	0	5	2	9	0
	10.0%	7.4%		12.6%	0.0%			10.0%	5.6%				8.6%		5.9%		0.0%	0.0%	0.0%	7.7%			5.2%	0.0%	12.8%	11.1%	7.8%	0.0%
8 to 10	1,581	95		79	10	82	0	25	44		-	30	-				1	3	0	10	_	0	38	1	24	13	75	6
	69.0%	63.8%	60.2%	71.2%	71.4%	62.1%		62.5%	61.1%	69.4%	50.0%	66.7%	64.2%	67.3%	58.8%	40.0%	50.0%	75.0%	0.0%	76.9%	100.0%		65.5%	50.0%	61.5%	72.2%	64.7%	50.0%
Significantly different from column:* 0 to 6	569	49	25	23	- 4	45	0	13	26	10	0	13	26	30	13	-	- 1	1	- 1	2	0	0	10	- 1	12	4	37	-
0 10 0	24.8%	32.9%		20.7%				32.5%	36.1%		50.0%			28.8%		_	50.0%	25.0%	100.0%	23.1%	0.0%		31.0%	50.0%	30.8%	22.2%	31.9%	-
7 to 8	436	23		20.770	20.070	21	0	32.370	11	_	30.0 %	23.370	14	_	30.270	20.070	0.070	23.070	0	23.170	0.070	0	51.070	0.070	7	3	18	20.070
	19.0%	15.4%		20.7%	14.3%			20.0%	15.3%		5.6%	15.6%			11.8%	20.0%	0.0%	25.0%	0.0%	15.4%	0.0%		8.6%	0.0%	17.9%	16.7%	15.5%	16.7%
9 to 10	1,287	77	55	65	8	66	0	19	35	22	8	25		57	17	2	1	2	0	8	1	0	35	1	20	11	61	4
	56.2%	51.7%	53.4%	58.6%	57.1%	50.0%		47.5%	48.6%	61.1%	44.4%	55.6%	50.6%	54.8%	50.0%	20.0%	50.0%	50.0%	0.0%	61.5%	100.0%		60.3%	50.0%	51.3%	61.1%	52.6%	33.3%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 53

In general, how would you rate your child's overall health?

Base. Air respondents	В					ndent's (Identity	Gender	C	Child's Ag	je		esponder Education		Child's	Health :	Status					Race						Doctor V st 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	5019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	роо5	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	115	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	54	4	2	0	1	1	0	0	0	1	0	0	2	0	0	0	0	0	0	0	0	1	0	0	1	1	3	0
Number no experience	NA	NA		NA			NA		NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	2,398	156	109	115	-	138	0	43	74	36	18		82		38	10	2	4	1	13	_	0	61	2	40	21	118	
	97.8%		98.2%	100.0%	92.9%	99.3%		100.0%	100.0%	97.3%	100.0%	100.0%	97.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	97.6%	95.5%	97.5%	100.0%
Poor	16 0.7%	0.0%	1.8%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Fair	192	10	3	5	2	8	0	3	4	3	3	5	1	0	0	10	0	0	0	2	0	0	3	0	1	0	6	3
	8.0%	6.4%	2.8%	4.3%	15.4%	5.8%		7.0%	5.4%	8.3%	16.7%	10.2%	1.2%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	15.4%	0.0%		4.9%	0.0%	2.5%	0.0%	5.1%	25.0%
Good	646	38	30	22	1	34	0	5	20	11	6	9	20	-	38	0	1	0	0	4	0	0	9	0	14	7	26	3
	26.9%	24.4%	27.5%	19.1%	7.7%	24.6%		11.6%	27.0%	30.6%	33.3%	18.4%	24.4%	0.0%	100.0%	0.0%	50.0%	0.0%	0.0%	30.8%	0.0%		14.8%	0.0%	35.0%	33.3%	22.0%	25.0%
Very Good	898	59	41	52	3	54	0	17	27	14	5	17	34		0	0	0	1	0	2	0	0	29	1	12	7	48	3
	37.4%			45.2%	23.1%			39.5%	36.5%	38.9%	27.8%		41.5%		0.0%	0.0%	0.0%	25.0%	0.0%	15.4%	0.0%		47.5%	50.0%	30.0%	33.3%	40.7%	25.0%
Excellent	646	49	33	36	7	42	0	18	23	8	4	18	27	49	0	0	1	3	1	5	1	0	20	1	13	7	38	3
	26.9%	31.4%	30.3%	31.3%	53.8%	30.4%		41.9%	31.1%	22.2%	22.2%	36.7%	32.9%		0.0%	0.0%	50.0%	75.0%	100.0%	38.5%	100.0%		32.8%	50.0%	32.5%	33.3%	32.2%	25.0%
Significantly different from column:*														0	N			ļ	ļ									
Excellent, Very Good, or Good	2,190	146		110			0	40			15		81			0	100.00/	4	1	11	1	0	58	2	39		112	
0. 10. 11. 1177	91.3%	93.6%	95.4%	95.7%	84.6%	94.2%		93.0%	94.6%	91.7%	83.3%	89.8%	98.8%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	84.6%	100.0%		95.1%	100.0%	97.5%	100.0%	94.9%	75.0%
Significantly different from column:*																												

NA - Not Applicabl

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 54

In general, how would you rate your child's overall mental or emotional health?

Base: All respondents						ident's C			hild's Aq	e		sponder		Child's	Health :	Status					Race						Doctor V	
	△					Identity		-		-		Educatio	n													Las	st 6 Mont	:hs
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	2,452	160	111	115	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	60	5	0	0	0	3	0	0	1	1	1	1	1	2	0	0	0	0	0	0	0	1	1	0	0	1	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA		NA	NA	NA	NA.	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	2,392	155	111	115		136	0	43	73	36	17				38	10	2	4	1	13	_	0	60	2	41	21	117	12
	97.6%	96.9%	100.0%	100.0%	100.0%	97.8%		100.0%	98.6%	97.3%	94.4%	98.0%	98.8%	98.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	98.4%	0.0%	100.0%	95.5%	96.7%	100.0%
Poor	96 4.0%	6 3.9%	0.9%	1.7%	0.0%	5 3.7%	0	2.3%	2 2.7%	8.3%	5.9%	0.0%	4 4.8%	0.9%	4 10.5%	1 10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	5.0%	0.0%	2 4.9%	9.5%	2.6%	8.3%
Fair	420	28	20	17	4	24	0	3	14	11	4	10			12	6	0.070	0.070	1	1	0.070	0	11	0.070	8	7	16	5
	17.6%	18.1%	18.0%	14.8%	28.6%	17.6%		7.0%	19.2%	30.6%	23.5%				31.6%	60.0%	0.0%	0.0%	100.0%	7.7%	0.0%		18.3%	0.0%	19.5%	33.3%	13.7%	41.7%
Good	692	36	27	32	1	32	0	7	21	6	3	13	16	22	13	1	1	. 0	0	4	0	0	11	0	9	4	27	3
	28.9%	23.2%	24.3%	27.8%	7.1%	23.5%		16.3%	28.8%	16.7%	17.6%	27.1%	19.3%	20.8%	34.2%	10.0%	50.0%	0.0%	0.0%	30.8%	0.0%		18.3%	0.0%	22.0%	19.0%	23.1%	25.0%
Very Good	628	41	37	31	3	37	0	13	18	9	4	8	28	33	7	0	0	1	0	3	0	0	16	2	11	3	35	2
	26.3%	26.5%	33.3%	27.0%	21.4%	27.2%		30.2%	24.7%	25.0%	23.5%	16.7%	33.7%	31.1%	18.4%	0.0%	0.0%	25.0%	0.0%	23.1%	0.0%		26.7%	100.0%	26.8%	14.3%	29.9%	16.7%
Excellent	556	44	26	33	6	38	0	19	18	7	5	17			2	2	1	. 3	0	5	1	0	19	0	11	5	36	1
	23.2%	28.4%	23.4%	28.7%	42.9%	27.9%		44.2%	24.7%	19.4%	29.4%	35.4%	26.5%	37.7%	5.3%	20.0%	50.0%	75.0%	0.0%	38.5%	100.0%		31.7%	0.0%	26.8%	23.8%	30.8%	8.3%
Significantly different from column:*								IJ	Н	Н				0	N													
Excellent, Very Good, or Good	1,876	121		96	10	107	0	39	-	22	12				22	3	2	4	0	12	_	0	46	2	31		98	6
	78.4%	78.1%	81.1%	83.5%	71.4%	78.7%		90.7%	78.1%	61.1%	/0.6%	79.2%	/9.5%	89.6%	5/.9%	30.0%	100.0%	100.0%	0.0%	92.3%	100.0%		76.7%	100.0%	75.6%	57.1%	83.8%	50.0%
Significantly different from column:*								J		Н				0	N													

NA - Not Applicabl

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 55

Does your child currently need or use medicine prescribed by a doctor (other than vitamins)?

	ОНР					ndent's O Identity (Q73)		C	hild's Ag (Q69)	e		sponden Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	115	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	54	4	0	0	0	2	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	1	0	0	0	1	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,398	156	111	115	14	137	0	43	74	36	18	48	83	108	37	10	2	4	1	13	1	0	61	2	41	21	119	12
	97.8%	97.5%	100.0%	100.0%	100.0%	98.6%		100.0%	100.0%	97.3%	100.0%	98.0%	98.8%	100.0%	97.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	95.5%	98.3%	100.0%
Yes	945	56	34	46	6	48	0	7	28	20	4	23	26	29	20	7	1	2	0	3	1	0	24	0	12	5	43	5
	39.4%	35.9%	30.6%	40.0%	42.9%	35.0%		16.3%	37.8%	55.6%	22.2%	47.9%	31.3%	26.9%	54.1%	70.0%	50.0%	50.0%	0.0%	23.1%	100.0%		39.3%	0.0%	29.3%	23.8%	36.1%	41.7%
No	1,453	100	77	69	8	89	0	36	46	16	14	25	57	79	17	3	1	2	1	10	0	0	37	2	29	16	76	7
	60.6%	64.1%	69.4%	60.0%	57.1%	65.0%		83.7%	62.2%	44.4%	77.8%	52.1%	68.7%	73.1%	45.9%	30.0%	50.0%	50.0%	100.0%	76.9%	0.0%		60.7%	100.0%	70.7%	76.2%	63.9%	58.3%
Significantly different from column:*								IJ	Н	Н				0	Ν													,

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 56

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/uses medicine prescribed by a doctor (Q55)

	ЭНР					ndent's (Identity (Q73)		C	Child's Ag	je		esponder Educatio (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State (2020	2019	2018	Male	male	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poop	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern S African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	945	56	34	44	6	48	0	7	28	20	4	23	26	29	20	7	1	2	0	3	1	0	24	0	12	5	43	5
Number missing or multiple answer	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA.	NA	NA	NA	NA	NA
Usable responses	935 98.9%	56 100.0%	34 100.0%	44 100.0%	6 100.0%	48 100.0%	0	7 100.0%	28 100.0%	20 100.0%	4 100.0%	23 100.0%		29 100.0%	20 100.0%		1 100.0%	100.0%	0	3 100.0%	100.0%	0	24	0.0%	12 100.0%	5 100.0%	43 100.0%	5 100.0%
Yes	842 90.1%	51 91.1%		42 95.5%	5 83.3%	44 91.7%	0	5 71.4%	26 92.9%		75.0%	21 91.3%	24 92.3%	25 86.2%		-	1 100.0%	1 50.0%	0	66.7%	1 100.0%	0	21 87.5%	0	12 100.0%	5 100.0%	38 88.4%	5 100.0%
No	93	5 8.9%	3	2	16.7%	4	0	2	2	1	1	2	2	4 13.8%	0.0%	1	0	1	0	1	0	0	3	0	0	0.0%	5 11.6%	C
Significantly different from column:*					,,,,,							,,,,,																

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 57

Is this a condition that has lasted or is expected to last for at least 12 months?

Rase: All respondents whose child needs/uses medicine prescribed by a doctor for medical/hehavioral/other health condition (055.8, 056)

	4					ndent's (Identity		C	child's Ag	ge		esponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	842	51	31	40	5	44	0	5	26	19	3	21	24	25	20	6	1	1	0	2	1	0	21	0	12	5	38	
Number missing or multiple answer	12	1	0	0	0	1	0	0	1	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	(
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	N/
Usable responses	830	50			_	43	0	5	25		3	20			-	6	0	1	0	2	1	0	21	0	12	5	37	
	98.6%	98.0%	100.0%	100.0%	100.0%	97.7%		100.0%	96.2%	100.0%	100.0%	95.2%	100.0%	100.0%	95.0%	100.0%	0.0%	100.0%		100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	97.4%	100.0%
Yes	782	47				41	0	4	23		3	19				6	0	1	0	1	1	0	21	0	12	5	34	
	94.2%	94.0%	90.3%	92.5%	80.0%	95.3%		80.0%	92.0%	100.0%	100.0%	95.0%	91.7%	92.0%	94.7%	100.0%		100.0%		50.0%	100.0%		100.0%		100.0%	100.0%	91.9%	100.0%
No	48	3	3	3	1	2	0	1	2	0	0	1	2	2	1	0	0	0	0	1	0	0	0	0	0	0	3	(
	5.8%	6.0%	9.7%	7.5%	20.0%	4.7%		20.0%	8.0%	0.0%	0.0%	5.0%	8.3%	8.0%	5.3%	0.0%		0.0%		50.0%	0.0%		0.0%		0.0%	0.0%	8.1%	0.0%
Significantly different from column:*									ĺ		I		ĺ								I							i

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 58

Does your child need or use more medical care, more mental health services, or more educational services than is usual for most children of the same age?

	ЭНР					ndent's (Identity (Q73)		C	Child's Ag (Q69)	e		sponden Education (Q74)		Child's	Health:	Status					Race (076)					Child's Las	Doctor \ t 6 Mon	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	114	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	80	7	1	0	0	4	0	0	2	1	0	2	1	1	3	0	1	0	0	1	0	1	0	0	0	1	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,372	153	110	114	14	135	0	43	72	36	18	47	83	107	35		1	4	1	12	1	0	61	2	41	21	117	12
	96.7%	95.6%	99.1%	100.0%	100.0%	97.1%		100.0%	97.3%	97.3%	100.0%	95.9%	98.8%	99.1%	92.1%	100.0%	50.0%	100.0%	100.0%	92.3%	100.0%	0.0%	100.0%	0.0%	100.0%	95.5%	96.7%	100.0%
Yes	912	57	35	46	5	50	0	13	29	15	6	18	31	28	22	7	0	0	0	2	1	0	22	0	16	8	39	9
	38.4%	37.3%	31.8%	40.4%	35.7%	37.0%		30.2%	40.3%	41.7%	33.3%	38.3%	37.3%	26.2%	62.9%	70.0%	0.0%	0.0%	0.0%	16.7%	100.0%		36.1%	0.0%	39.0%	38.1%	33.3%	75.0%
No	1,460	96	75	68	9	85	0	30	43	21	12	29	52	79	13	3	1	4	1	10	0	0	39	2	25	13	78	3
	61.6%	62.7%	68.2%	59.6%	64.3%	63.0%		69.8%	59.7%	58.3%	66.7%	61.7%	62.7%	73.8%	37.1%	30.0%	100.0%	100.0%	100.0%	83.3%	0.0%		63.9%	100.0%	61.0%	61.9%	66.7%	25.0%
Significantly different from column:*														0	N											AB		Z

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 59

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/uses more medical care/mental health/educational services than usual for children of same age (Q58)

	4					ndent's G Identity	Gender	C	child's Ag	je		sponder Education		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	912	57	35	45	5	50	0	13	29	15	6	18	31	28	22	7	0	0	0	2	1	0	22	0	16	8	39	,
Number missing or multiple answer	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1 1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	901	57	35	45	5	50	0	13			_	18				-	0	0	0	2	1	0	22	0	16	8	39	· '
	98.8%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%				100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	831	51	33	40	4	45	0	10	26	15	6	16	27	22	22	7	0	0	0	2	1	0	21	0	11	6	35	-
	92.2%	89.5%	94.3%	88.9%	80.0%	90.0%		76.9%	89.7%	100.0%	100.0%	88.9%	87.1%	78.6%	100.0%	100.0%				100.0%	100.0%		95.5%		68.8%	75.0%	89.7%	100.0%
No	70	6	2	5	1	5	0	3	3	0	0	2	4	6	0	0	0	0	0	0	0	0	1	0	5	2	4	1 7
	7.8%	10.5%	5.7%	11.1%	20.0%	10.0%		23.1%	10.3%	0.0%	0.0%	11.1%	12.9%	21.4%	0.0%	0.0%				0.0%	0.0%		4.5%		31.3%	25.0%	10.3%	0.0%
Significantly different from column:*																		1				· ·						1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 60

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/uses more medical care/mental health/educational services than usual for children of same age for medical/behavioral/other health condition (Q58 & Q59)

	ОНР					ndent's (Identity (Q73)		C	Child's Ag	e		sponden Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ t 6 Mon (Q7)	/isits in ths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	831	51	33	40	4	45	0	10	26	15	6	16	27	22	22	7	0	0	0	2	1	0	21	0	11	6	35	9
Number missing or multiple answer	12	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	819	51	32	40	4	45	0	10	26	15	6	16	27	22		7	0	0	0	2	1	0	21	0	11	6	35	9
	98.6%	100.0%	97.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%				100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	800	50	31	38	4	44	0	9	26		5	16	27	21	22	7	0	0	0	2	1	0	20	0	11	6	34	9
	97.7%	98.0%	96.9%	95.0%	100.0%	97.8%		90.0%	100.0%	100.0%	83.3%	100.0%	100.0%	95.5%	100.0%	100.0%				100.0%	100.0%		95.2%		100.0%	100.0%	97.1%	100.0%
No	19	1	1	2	0	1	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	2.3%	2.0%	3.1%	5.0%	0.0%	2.2%		10.0%	0.0%	0.0%	16.7%	0.0%	0.0%	4.5%	0.0%	0.0%				0.0%	0.0%		4.8%		0.0%	0.0%	2.9%	0.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 61

Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do?

	ОНР					ndent's G Identity (Q73)	Gender	С	hild's Ag (Q69)	ie		sponden Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооб	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	114	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	69	4	0	0	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	0	1	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,383	156	111	114	14	138	0	43	74	37	18	49	83	108	37	10	2	4	1	13	1	0	61	2	41	21	119	12
	97.2%	97.5%	100.0%	100.0%	100.0%	99.3%		100.0%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	97.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	95.5%	98.3%	100.0%
Yes	646	49	28	30	4	45	0	10	22	17	6	18	24	25	18	6	0	1	0	4	0	0	20	0	14	7	32	8
	27.1%	31.4%	25.2%	26.3%	28.6%	32.6%		23.3%	29.7%	45.9%	33.3%	36.7%	28.9%	23.1%	48.6%	60.0%	0.0%	25.0%	0.0%	30.8%	0.0%		32.8%	0.0%	34.1%	33.3%	26.9%	66.7%
No	1,737	107	83	84	10	93	0	33	52	20	12	31	59	83	19	4	2	3	1	9	1	0	41	2	27	14	87	4
	72.9%	68.6%	74.8%	73.7%	71.4%	67.4%		76.7%	70.3%	54.1%	66.7%	63.3%	71.1%	76.9%	51.4%	40.0%	100.0%	75.0%	100.0%	69.2%	100.0%		67.2%	100.0%	65.9%	66.7%	73.1%	33.3%
Significantly different from column:*							-	J		Н			· ·	0	N	1			1								,	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 62

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child is limited/prevented in ability to do things children of the same age can do (Q61)

	ОНР					ndent's O Identity (Q73)		C	Child's Ag	е		sponden Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor St 6 Mon	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	646	49	28	30	4	45	0	10	22	17	6	18	24	25	18	6	0	1	0	4	0	0	20	0	14	7	32	8
Number missing or multiple answer	12	3	2	0	0	3	0	0	2	1	0	1	2	1	2	0	0	0	0	0	0	0	1	0	0	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	634	46	26	30	4	42	0	10	20	16	6	17	22	24	16	6	0	1	0	4	0	0	19	0	14	6	31	8
	98.1%	93.9%	92.9%	100.0%	100.0%	93.3%		100.0%	90.9%	94.1%	100.0%	94.4%	91.7%	96.0%	88.9%	100.0%		100.0%		100.0%			95.0%	0.0%	100.0%	85.7%	96.9%	100.0%
Yes	585	41	22	26	4	37	0	7	18	16	5	14	21	20	15	6	0	1	0	4	0	0	18	0	10	5	27	8
	92.3%	89.1%	84.6%	86.7%	100.0%	88.1%		70.0%	90.0%	100.0%	83.3%	82.4%	95.5%	83.3%	93.8%	100.0%		100.0%		100.0%			94.7%		71.4%	83.3%	87.1%	100.0%
No	49	5	4	4	0	5	0	3	2	0	1	3	1	4	1	0	0	0	0	0	0	0	1	0	4	1	4	0
	7.7%	10.9%	15.4%	13.3%	0.0%	11.9%		30.0%	10.0%	0.0%	16.7%	17.6%	4.5%	16.7%	6.3%	0.0%		0.0%		0.0%			5.3%		28.6%	16.7%	12.9%	0.0%
Significantly different from column:*		-				-																						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 63

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child is limited/prevented in ability to do things because of medical/behavioral/other health condition (Q61 & Q62)

	ОНР					ndent's (Identity (Q73)	Gender	C	Child's Ag (Q69)	je		sponder Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	585	41	22	26	4	37	0	7	18	16	5	14	21	20	15	6	0	1	0	4	0	0	18	0	10	5	27	8
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	580 99.1%	41 100.0%			4 100.0%	37 100.0%	0	7 100.0%	18 100.0%	16 100.0%	5 100.0%	14 100.0%		20 100.0%	15 100.0%		0	1 100.0%	0	4 100.0%	0		18 100.0%	0.0%	10 100.0%	5 100.0%	27 100.0%	8 100.0%
Yes	565 97.4%	41 100.0%	22 100.0%		4 100.0%	37 100.0%	0	7 100.0%	18 100.0%	16 100.0%	5 100.0%	14 100.0%	21 100.0%	20 100.0%	15 100.0%	6 100.0%	0	1 100.0%	0	4 100.0%	0	0	18 100.0%	0	10 100.0%	5 100.0%	27 100.0%	-
No	15 2.6%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 64

Does your child need or get special therapy such as physical, occupational, or speech therapy?

	ЧР					ndent's (Identity		C	Child's Ag	je		sponder Education		Child's	Health :	Status					Race						t 6 Mon	Visits in iths
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	115	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	62	4	0	0	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	0	1	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,390	156	111	115	14	138	0	43	74	37	18	49			37	10	2	4	1	13	1	0	61	2	41	21	118	12
	97.5%	97.5%	100.0%	100.0%	100.0%	99.3%		100.0%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	97.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	95.5%	97.5%	100.0%
Yes	579	47	27	31	4	42	0	9	26	11	6	13	26	29	15	3	1	. 0	0	3	0	0	17	1	13	8	33	5
	24.2%	30.1%	24.3%	27.0%	28.6%	30.4%		20.9%	35.1%	29.7%	33.3%	26.5%	31.3%	26.9%	40.5%	30.0%	50.0%	0.0%	0.0%	23.1%	0.0%		27.9%	50.0%	31.7%	38.1%	28.0%	41.7%
No	1,811	109	84	84	10	96	0	34	48	26	12	36	57	79	22	7	1	4	1	10	1	0	44	1	28	13	85	7
	75.8%	69.9%	75.7%	73.0%	71.4%	69.6%		79.1%	64.9%	70.3%	66.7%	73.5%	68.7%	73.1%	59.5%	70.0%	50.0%	100.0%	100.0%	76.9%	100.0%		72.1%	50.0%	68.3%	61.9%	72.0%	58.3%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 65

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/gets special therapy (Q64)

	물					ndent's G Identity		C	Child's Ag	je		sponden Education		Child's		Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	(Q73) Emale	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	(Q74)	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Distriction African African (9)	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	11 5 4 (O ₂)	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	579 12 NA	47 0 NA	27 0 NA	0	4 0 NA	42 0 NA	0 0 NA	9 0 NA	26 0 NA	11 0 NA	6 0 NA	13 0 NA	26 0 NA	0	15 0 NA	3 0 NA	1 0 NA	0 0 NA	0 0 NA	3 0 NA	0 0 NA	0 0 NA	17 0 NA	1 0 NA	13 0 NA	8 0 NA	33 0 NA	(
Usable responses	567 97.9%	47 100.0%		30 100.0%	4 100.0%	42 100.0%	-	9 100.0%	26 100.0%		_	13 100.0%	-		15 100.0%		1 100.0%	0	0	3 100.0%	0	0	17 100.0%	0.0%	13 100.0%	8 100.0%	33 100.0%	-
Yes	473 83.4%	37 78.7%	21 77.8%	21 70.0%	75.0%	33 78.6%	0	6 66.7%	19 73.1%	11 100.0%	5 83.3%	11 84.6%	20 76.9%	20 69.0%	15 100.0%	66.7%	1 100.0%	0	0	3 100.0%	0	0	15 88.2%	0.0%	10 76.9%	5 62.5%	26 78.8%	100.0%
No	94 16.6%	10 21.3%	6 22.2%	9 30.0%	1 25.0%	9 21.4%	0	3 33.3%	7 26.9%	0.0%	1 16.7%	2 15.4%	6 23.1%	9 31.0%	0 0.0%	33.3%	0.0%	0	0	0.0%	0	0	2 11.8%	1 100.0%	3 23.1%	3 37.5%	7 21.2%	0.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 66

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/gets special therapy for medical/behavioral/other health condition (Q64 & Q65)

	ТР					ndent's (Identity		C	Child's Ag	je		esponder Education		Child's	Health	Status					Race						t 6 Mon	Visits in iths
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	H	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	473	37	21	20	3	33	0	6	19	11	5	11	20	20	15	2	1	0	0	3	0	0	15	0	10	5	26	5
Number missing or multiple answer	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	469 99.2%	37 100.0%	20 95.2%	20 100.0%	3 100.0%	33 100.0%	0	6 100.0%	19 100.0%	11 100.0%	5 100.0%	11 100.0%	20 100.0%		-	2 100.0%	1 100.0%	0	0	3 100.0%	0	0	15 100.0%	0.0%	10 100.0%	5 100.0%	26 100.0%	5 100.0%
Yes	438 93.4%	_	20 100.0%	19 95.0%	3 100.0%	30 90.9%	0	5 83.3%	19 100.0%	9 81.8%	4 80.0%	11 100.0%	18 90.0%	17 85.0%	15 100.0%	2 100.0%	1 100.0%	0	0	3 100.0%	0	0	13 86.7%	0	9 90.0%	5 100.0%	23 88.5%	5 100.0%
No	31 6.6%	3 8.1%	0.0%	1 5.0%	0	3	0	1 16.7%	0.0%	2 18.2%	1 20.0%	0.0%	10.0%	3 15.0%	0.0%	0.0%	0.0%	0	0	0.0%	0	0	13.3%	0	1 10.0%	0	3 11.5%	0.0%
Significantly different from column:*	3.0 %	3.1 70	3.0 70	5.0 70	5.070	3.170		13.770	5.0 70	10.270	23.070	3.070	10.070	15.0 70	3.070	5.0 70	3.070			3.070			13.370		20.070	5.0 70	11.570	3.070

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 67

Does your child have any kind of emotional, developmental, or behavioral problem for which he or she needs or gets treatment or counseling?

	ЧР					ndent's (Identity		C	Child's Ag	je		sponder Education		Child's	Health	Status					Race						t 6 Mon	Visits in iths
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	115	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	72	6	0	0	0	2	0	1	0	0	0	0	2	1	2	0	0	0	0	0	0	1	0	0	1	1	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,380	154	111	115	14	137	0	42	74	37	18	49	82	107	36	10	2	4	1	13	1	0	61	2	40	21	117	12
	97.1%	96.3%	100.0%	100.0%	100.0%	98.6%		97.7%	100.0%	100.0%	100.0%	100.0%	97.6%	99.1%	94.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	97.6%	95.5%	96.7%	100.0%
Yes	953	60	30	45	7	51	0	8	34	18	6	20	31	31	23	6	1	0	1	4	0	0	25	0	17	8	43	9
	40.0%	39.0%	27.0%	39.1%	50.0%	37.2%		19.0%	45.9%	48.6%	33.3%	40.8%	37.8%	29.0%	63.9%	60.0%	50.0%	0.0%	100.0%	30.8%	0.0%		41.0%	0.0%	42.5%	38.1%	36.8%	75.0%
No	1,427	94	81	70	7	86	0	34	40	19	12	29	51	76	13	4	1	4	0	9	1	0	36	2	23	13	74	3
	60.0%	61.0%	73.0%	60.9%	50.0%	62.8%		81.0%	54.1%	51.4%	66.7%	59.2%	62.2%	71.0%	36.1%	40.0%	50.0%	100.0%	0.0%	69.2%	100.0%		59.0%	100.0%	57.5%	61.9%	63.2%	25.0%
Significantly different from column:*		С				1	1	IJ	Н	Н		1	1	0	Ν							· ·				AB		Z

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 68

Has this problem lasted or is it expected to last for at least 12 months?

Base: All respondents whose child has emotional, developmental or behavioral problem for which s/he gets treatment (Q67)

	ОНР		·			ndent's (Identity (Q73)		C	Child's Ag (Q69)	ie		sponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	953	60	30	45	7	51	0	8	34	18	6	20	31	31	23	6	1	0	1	4	0	0	25	0	17	8	43	9
Number missing or multiple answer	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	929	60	30	45	7	51	0	8	34	18	6	20	31	31	23	6	1	0	1	4	0	0	25	0	17	8	43	9
	97.5%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	873	59	28	39	7	50	0	8	33	18	6	19	31	31	22	6	1	0	1	4	0	0	24	0	17	8	42	9
	94.0%	98.3%	93.3%	86.7%	100.0%	98.0%		100.0%	97.1%	100.0%	100.0%	95.0%	100.0%	100.0%	95.7%	100.0%	100.0%		100.0%	100.0%			96.0%		100.0%	100.0%	97.7%	100.0%
No	56	1	2	6	0	1	0	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0
	6.0%	1.7%	6.7%	13.3%	0.0%	2.0%		0.0%	2.9%	0.0%	0.0%	5.0%	0.0%	0.0%	4.3%	0.0%	0.0%		0.0%	0.0%			4.0%		0.0%	0.0%	2.3%	0.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 69

What is your child's age?

Base: All respondents																												
	۵					ndent's (Identity		C	Child's A	ge		esponder Educatio		Child's	Health	Status					Race						Doctor V t 6 Mont	
	OHP.					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	p009	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	2,452 69	160 6	111	115	14 0	139 2	0	43 0	74 0	37 0	18 0	49 0	84 2	108 1	38 2	10 0	2	4	1 0	13 0	1 0	1	61 1	2	41 0	22 1	121 4	12 0
Number no experience	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,383 97.2%	154 96.3%			14 100.0%	137 98.6%	0	43 100.0%	74 100.0%		18 100.0%			-	36 94.7%		2 100.0%	4 100.0%	1 100.0%	13 100.0%	1 100.0%	0.0%	60 98.4%	0.0%	41 100.0%	21 95.5%	117 96.7%	12
Less than 1 year old	0.3%	0.6%	0.0%	0.0%	0.0%	1 0.7%	0	1 2.3%	0.0%	0	0.0%	0.0%	1.2%	1	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	1 2.4%	0.0%	1 0.9%	0.0%
1 year old	68 2.9%	6 3.9%	5	9.6%	0.0%	6 4.4%	0	6 14.0%	0.0%	0	0.0%	3	3	3.7%	5.6%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0	6.7%	0.0%	2.4%	1 4.8%	3.4%	1 8.3%
2 years old	110 4.6%	13 8.4%	12		7.1%	12 8.8%	0	13 30.2%	0.0%	0	5.6%	5	7	12	2.8%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0	6 10.0%	0.0%	5	1 4.8%	12 10.3%	0.0%
3 years old	92 3.9%	6 3.9%	7	3.5%	7.1%	5 3.6%	0	6 14.0%	0.0%	0	5.6%	3	2	6	0.0%	0	1	0.0%	0.0%	0.0%	0.0%	0	3	0.0%	2	1 4.8%	5 4.3%	0.0%
4 to 6 years old	301 12.6%	25 16.2%	10	-		24	0	17 39.5%	8 10.8%	0	3 16.7%	6	15	18	4 11.1%	3	0.0%	2	0.0%	2	0.0%	0	10 16.7%	0.0%	5	4 19.0%	18 15.4%	3 25.0%
7 to 9 years old	349 14.6%	30 19.5%	16	17 14.8%	4 28.6%	26 19.0%	0	0.0%	30 40.5%	_	2 11.1%	8 16.3%	19 23.2%	23	5 13.9%	2 20.0%	0.0%	0.0%	1 100.0%	2 15.4%	1 100.0%	0	9 15.0%	2 100.0%	10	4 19.0%	24 20.5%	2 16.7%
10 to 13 years old	602 25.3%	36 23.4%			3	31	0	0.0%	36 48.6%	0	5 27.8%	12 24.5%		21	13 36.1%	_	1 50.0%	1 25.0%	0.0%	4 30.8%	0.0%	0	11 18.3%	0.0%	9 22.0%	3 14.3%	27 23.1%	4
14 to 18 years old	855 35.9%	37 24.0%			5 35.7%	32 23.4%	0	0.0%	0.0%	37 100.0%	6 33.3%	12 24.5%	-		11 30.6%	3 30.0%	0.0%	1 25.0%	0.0%	5 38.5%	0.0%	0	17 28.3%	0.0%	8 19.5%	7 33.3%	26 22.2%	2 16.7%
3 years old or younger	276 11.6%	26 16.9%	24	19	2	24	0	26 60.5%		0	11.1%	11	13	23	8.3%	0	50.0%	0.0%	0.0%	0.0%	0.0%	0	13 21.7%	0.0%	9	3 14.3%	22 18.8%	8.3%
Significantly different from column:*		Α						IJ	Н	Н																		
										•						•			•		•							

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 70

What was your child's biological sex at birth?

	ΗP					ndent's (Identity	Gender	C	Child's Ag	je		sponder Education		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	2020 State O	2020	2019	2018	Male	Female Female	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	(Q74) HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Description African African (9)	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 (O ₂)	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	114	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	71	5	0	0	0	1	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	1	. 0	0	0	1	3	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,381	155	111	114	14	138	0	43	74	37	18	49			36	10	2	4	1	13	1	0	61	2	41	21	118	12
	97.1%	96.9%	100.0%	100.0%	100.0%	99.3%		100.0%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	94.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	95.5%	97.5%	100.0%
Male	1,300	77	70	66	8	67	0	23	37	16	6	23	44	50	22	5	2	2	0	4	1	0	29	1	21	16	53	e
	54.6%	49.7%	63.1%	57.9%	57.1%	48.6%		53.5%	50.0%	43.2%	33.3%	46.9%	53.0%	46.3%	61.1%	50.0%	100.0%	50.0%	0.0%	30.8%	100.0%		47.5%	50.0%	51.2%	76.2%	44.9%	50.0%
Female	1,081	78	41	48	6	71	0	20	37	21	12	26	39	58	14	5	0	2	1	9	0	0	32	1	20	5	65	6
	45.4%	50.3%	36.9%	42.1%	42.9%	51.4%		46.5%	50.0%	56.8%	66.7%	53.1%	47.0%	53.7%	38.9%	50.0%	0.0%	50.0%	100.0%	69.2%	0.0%		52.5%	50.0%	48.8%	23.8%	55.1%	50.0%
Significantly different from column:*		С																								AA	Z	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 71

What is your child's current gender identity?

Base: All respondents

base. Air respondents						ndent's G	Gender	C	hild's A	ge		sponder Educatio		Child's	Health	Status					Race					Child's	Doctor \	
	OHP.					Identity (Q73)			(Q69)		·	(Q74)	n		(Q53)						(Q76)					Las	(Q7)	tris
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	9009	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	90	5			0	1	0	0	0	0	0	0	1	0	2	0	0	0	0	0	0	1	. 0	0	0	1	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,362	155			14	138	0	43	74	37	18	49	83	108	36	10	2	4	1	13	1	0	61	2	41	21	118	12
	96.3%	96.9%			100.0%	99.3%		100.0%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	94.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	0.0%	100.0%	95.5%	97.5%	100.0%
Male	1,280 54.2%	77 49.7%				67 48.6%	0	23 53.5%		16 43.2%	6 33.3%	23 46.9%			22 61.1%	5 50.0%	100.0%	50.0%	0.0%	4 30.8%	1 100.0%	0	29 47.5%	1 50.0%	21 51.2%	16 76.2%	53 44.9%	6 50.0%
Female	1,053	78				71	0	20		21		26			14	5	0	2	1	9	0	0	32	1	20	5	65	6
	44.6%	50.3%			42.9%	51.4%		46.5%	50.0%	56.8%	66.7%	53.1%	47.0%	53.7%	38.9%	50.0%	0.0%	50.0%	100.0%	69.2%	0.0%		52.5%	50.0%	48.8%	23.8%	55.1%	50.0%
Transgender	7	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.3%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Non-binary, genderqueer, or other	22	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.9%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 72

What is your age?

Base: All respondents

	۵					ndent's (Identity	Gender	С	hild's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	роо5	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Y	Z	AA	AB
Number in sample	2,452	160	111	115	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer Number no experience	98 NA	9 NA	NA	NA	NA	NA	NA	NA	NA	NA	0 NA	NA	NA	A NA	NA	NA	NA	NA	NA	NA	NA	0 NA	NA	0 NA	NA	NA NA	NA	NA NA
Usable responses	2,354	151	110	115	14	137	INA O	NA 41	71	37	18			104	35		INA 2	INA 4	INA 1	10A	INA 1	INA 1	59	INA 2	INA 41	20	115	
osable responses	96.0%	94.4%		100.0%		98.6%		95.3%							92.1%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		0.0%	100.0%	90.9%	-	100.0%
Under 18	58	4	4	8	3	1	0	1	2	1	3	1	0	1	2	1	0	0	0	0	0	0	2	0	2	1	1	2
	2.5%	2.6%	3.6%	7.0%	21.4%	0.7%		2.4%	2.8%	2.7%	16.7%	2.1%	0.0%	1.0%	5.7%	10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.4%	0.0%	4.9%	5.0%	0.9%	16.7%
18 to 24	68	5	5	1	1	4	0	4	0	1	0	3	2	2	2	1	1	0	0	0	0	0	0	0	1	0	4	1
	2.9%	3.3%	4.5%	0.9%	7.1%	2.9%		9.8%	0.0%	2.7%	0.0%	6.3%	2.4%	1.9%	5.7%	10.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.4%	0.0%	3.5%	8.3%
25 to 34	463	39	32	38	2	37	0	17	20	0	4	15	19		7	1	0	0	1	4	0	1	14	0	17	4	33	
	19.7%	25.8%	29.1%	33.0%	14.3%	27.0%		41.5%	28.2%	0.0%	22.2%		22.9%		20.0%		0.0%	0.0%	100.0%	30.8%	0.0%	100.0%	23.7%	0.0%	41.5%	20.0%	28.7%	16.7%
35 to 44	854	62	41	35	5	57	0	13	30	19	7	17	37	46	12		0	2	0	5	0	0	28	1	13	9	47	4
45 to 54	36.3% 523	41.1% 25	37.3%	30.4%	35.7%	41.6%		31.7%	42.3%	51.4%	38.9%	35.4%	44.6% 16	44.2% 19	34.3%	40.0%	0.0%	50.0%	0.0%	38.5%	0.0%	0.0%	47.5% 10	50.0%	31.7%	45.0%	40.9%	
45 (0 54	22.2%	16.6%	13.6%		14.3%	-		7.3%	18.3%	24.3%	11.1%	14.6%			17.1%	0.0%	0.0%	50.0%	0.0%	23.1%	100.0%	0.0%		50.0%	9.8%	20.0%	17.4%	-
55 to 64	240	8	10.070	10.570	14.570	70.070	0	7.570	10.3 /0	24.570	11.170	14.070	19.5 /0	10.3 //	17.170	0.070	0.070	30.070	0.070	23.1 /0	0.00.0	0.0 /0	10.970	0.070	3.070	20.070	17.470	2.5 70
	10.2%	5.3%	9.1%	8.7%	7.1%	5.1%		4.9%	2.8%	10.8%	5.6%	4.2%	6.0%	1.9%	11.4%	10.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.4%	0.0%	7.3%	5.0%	4.3%	16.7%
65 to 74	123	8	1	3	0	8	0	1	4	3	1	3	4	4	2	2	0	0	0	1	0	0	3	0	1	1	5	C
	5.2%	5.3%	0.9%	2.6%	0.0%	5.8%		2.4%	5.6%	8.1%	5.6%	6.3%	4.8%	3.8%	5.7%	20.0%	0.0%	0.0%	0.0%	7.7%	0.0%	0.0%	5.1%	0.0%	2.4%	5.0%	4.3%	0.0%
75 or older	25	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
	1.1%	0.0%	1.8%	0.9%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%				0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%
35 or older	1,765	103	69	68	8	95	0	19	49	35	11	29	-	71	24		1	4	0	9	1	0	43	2	21	15	77	7
	75.0%	68.2%	62.7%	59 1%	57.1%	69.3%		46.3%	69.0%	94.6%	61.1%	60.4%	74.7%	68.3%	68.6%	70.0%	50.0%	100.0%	0.0%	69.2%	100 0%	0.0%	72 9%	100.0%	51.2%	75.0%	67.0%	58.3%

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 73

What is your current gender identity?

Base: All respondents

base. All respondents	Ь					ndent's (Identity		C	Child's Ag	ge		sponder ducation		Child's	Health	Status					Race					Child's Las	Doctor \ t 6 Mon	
	占					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	117				0	0	0	1	2	0	0	0	0	2	3	0	0	0	0	0	0	0	0	0	0	2	4	. 0
Number no experience	NA	NA	NA	NA			NA		NA	_	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	2,335	153					0	42	72		18		84	106	35	_	2	4	1	13	1	1	61	2	41	20	117	
	95.2%	95.6%			100.0%	100.0%		97.7%	97.3%	100.0%	100.0%	100.0%	100.0%	98.1%	92.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	90.9%	96.7%	100.0%
Male	343	14			14	0	0	2	7	5	2	4	8	10	1	2	0	1	0	0	0	0	7	0	4	1	10	2
	14.7%	9.2%			100.0%	0.0%		4.8%	9.7%	13.5%	11.1%	8.2%	9.5%	9.4%	2.9%	20.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	11.5%	0.0%	9.8%	5.0%	8.5%	16.7%
Female	1,986	139			0	139	0	40	65	32	16	45	76	96	34	8	2	3	1	13	1	1	54	2	37	19	107	10
	85.1%	90.8%			0.0%	100.0%		95.2%	90.3%	86.5%	88.9%	91.8%	90.5%	90.6%	97.1%	80.0%	100.0%	75.0%	100.0%	100.0%	100.0%	100.0%	88.5%	100.0%	90.2%	95.0%	91.5%	83.3%
Transgender	3	0			_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.1%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Non-binary, genderqueer, or other	3	0				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.1%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 74

What is the highest grade or level of school that you have completed?

base. Air respondents	ОНР					ndent's (Identity	Gender	C	child's Aç	je		esponder Educatio		Child's	Health :	Status					Race					Child's Las	t 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160	111	111	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	129 NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0	NA	0 NA	NA	0 NA	0 NA	NA	NA	0 NA	NA	6 NA	0
Number no experience Usable responses	2,323	151	109	111	14	137	INA O	1NA 42	70		18			105	35	NA O	INA 2	INA 4	INA 1	12		INA 1	61	INA 2	/11	NA 20	115	12
Osable responses	94.7%	94.4%	98.2%		100.0%	98.6%		97.7%	94.6%						92.1%	90.0%	100.0%	100.0%	100.0%	92.3%	_	100.0%		0.0%	100.0%		95.0%	
8th grade or less	208		1	7	2	7	0	0	6	3	9	0	0	4	3	2	0	0	0	3	0	0	2	0	3	2	5	2
	9.0%	6.0%	0.9%	6.3%	14.3%	5.1%		0.0%	8.6%	8.1%	50.0%	0.0%	0.0%	3.8%	8.6%	22.2%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	3.3%	0.0%	7.3%	10.0%	4.3%	16.7%
Some high school, but did not graduate	223 9.6%	9 6.0%	7 6.4%	13 11.7%	0.0%	9 6.6%	0	7.1%	4.3%	3 8.1%	50.0%	0.0%	0.0%	5 4.8%	3 8.6%	1 11.1%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	3.3%	0.0%	7.3%	2 10.0%	6 5.2%	1 8.3%
High school graduate or GED	675	49		28	4	45	0	15	22		0	49		35	9	5	2	0.070	0.070	5	1	0.070	21	0.070	9	7	36	3
3 3	29.1%	32.5%	38.5%	25.2%	28.6%	32.8%		35.7%	31.4%	32.4%	0.0%	100.0%	0.0%	33.3%	25.7%	55.6%	100.0%	0.0%	0.0%	41.7%	100.0%	0.0%	34.4%	0.0%	22.0%	35.0%	31.3%	25.0%
Some college or 2-year degree	822 35.4%	62 41.1%	45 41.3%	47 42.3%	3 21.4%	59 43.1%	0	17 40.5%	33 47.1%	11 29.7%	0.0%	0.0%	62 73.8%	44 41.9%	16 45.7%	1 11.1%	0.0%	1 25.0%	1 100.0%	0.0%	0.0%	1 100.0%	28 45 9%	2 100.0%	17 41.5%	9 45.0%	50 43.5%	25.0%
4-year college graduate	234	16	9	10	2	14	0	5	4	6	0	0	16	12	4	0	0.070	2	0	1	0.070	0	6	0	6	0	13	3
, , , ,	10.1%	10.6%	8.3%	9.0%	14.3%	10.2%		11.9%	5.7%	16.2%	0.0%	0.0%	19.0%	11.4%	11.4%	0.0%	0.0%	50.0%	0.0%	8.3%	0.0%	0.0%	9.8%	0.0%	14.6%	0.0%	11.3%	25.0%
More than 4-year college degree	161 6.9%	6 4.0%	5 4.6%	6 5.4%	3 21.4%	3 2.2%	0	4.8%	2 2.9%	2 5.4%	0.0%	0.0%	7.1%	5 4.8%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	2 3.3%	0.0%	7.3%	0.0%	5 4.3%	0.0%
4-year college graduate or more	395 17.0%	22 14.6%		16 14.4%	5 35.7%	17 12.4%	0	7 16.7%	6 8.6%	8 21.6%	0.0%	0.0%	22 26.2%	17 16.2%	4 11.4%	0.0%	0.0%	75.0%	0.0%	8.3%	0.0%	0.0%	8 13.1%	0 0.0%	9 22.0%	0.0%	18 15.7%	3 25.0%
Significantly different from column:*	271070		221070	_ 11170	2217 70			2317 70	3.0 %	211070	3.0 70	M	L	221270	221170	51070	3.0 70	. 510 70	21070	3.3 70	3.070	31070	231270	2.070		21070		

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 75

How are you related to the child?

Base: All respondents

Base: All respondents																												
	Ь					ndent's (Identity		C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160	111	112	14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	184	15	4	0	0	8	0	5	6	0	0	3	5	8	5	0	0	0	0	0	0	0	4	0	1	5	7	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,268	145	107	112	14	131	0	38	68	37	18	46	79	100	33	10	2	4	1	13	1	1	57	2	40	17	114	11
	92.5%	90.6%	96.4%	100.0%	100.0%	94.2%		88.4%	91.9%	100.0%	100.0%	93.9%	94.0%	92.6%	86.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	93.4%	0.0%	97.6%	77.3%	94.2%	91.7%
Mother or father	1,946			100		117	0	32			17		71	95	27	6	1	4	1	13	1	1	50	2	37		103	9
	85.8%	89.7%	87.9%	89.3%	92.9%	89.3%		84.2%	91.2%	91.9%	94.4%	87.0%	89.9%	95.0%	81.8%	60.0%	50.0%	100.0%	100.0%	100.0%	100.0%	100.0%	87.7%	100.0%	92.5%	94.1%	90.4%	81.8%
Grandparent	164	9	5	7	0	9	0	2	5	2	1	5	3	2	5	2	1	0	0	0	0	0	3	0	2	0	8	0
	7.2%	6.2%	4.7%	6.3%	0.0%	6.9%		5.3%	7.4%	5.4%	5.6%	10.9%	3.8%	2.0%	15.2%	20.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.3%	0.0%	5.0%	0.0%	7.0%	0.0%
Aunt or uncle	25	1	2	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0
Older brother or sister	1.1%	0.7%	1.9%	0.0%	0.0%	0.8%		2.6%	0.0%	0.0%	0.0%	0.0%	1.3%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	0.0%	0.0%	0.9%	0.0%
Older brother or sister	0.3%	0.7%	0.0%	0.0%	7.1%	0.0%		0.0%	0.0%	2.7%	0.0%	2.2%	0.0%	0.0%	0.0%	10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	9.1%
Other relative	11	0.7-70	0.070	0.070	7.170	0.070	0	0.070	0.070	2.7 70	0.070	2.270	0.070	0.0 /0	0.0 /0	10.070	0.070	0.070	0.070	0.070	0.070	0.070	0.070	0.0 /0	0.0 /0	0.070	0.070	3.1 70 O
	0.5%	0.7%	0.9%	0.9%	0.0%	0.8%		2.6%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	0.0%	0.0%	0.9%	0.0%
Legal guardian	79	1	2.570	3	0.070	1	0	1	0.070	0.070	0.070	0.070	1.570	1	0.070	0	0.070	0.070	0.070	0.070	0.070	0.070	1	0.070	0.070	0.070	1	0.070
	3.5%	0.7%	1.9%	2.7%	0.0%	0.8%		2.6%	0.0%	0.0%	0.0%	0.0%	1.3%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	0.0%	0.0%	0.9%	0.0%
Someone else	37	2	3	1	0	2	0	1	1	0	0	0	2	1	1	0	0	0	0	0	0	0	1	0	1	1	0	1
	1.6%	1.4%	2.8%	0.9%	0.0%	1.5%		2.6%	1.5%	0.0%	0.0%	0.0%	2.5%	1.0%	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%	0.0%	2.5%	5.9%	0.0%	9.1%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 76

Which of the following describes your child's $\underline{\text{racial or ethnic identity}}$? Please check $\underline{\text{ALL}}$ that apply.

Base: All respondents

Base: All respondents				,																								
	۵					ndent's (Identity		С	hild's Ag	je		sponden ducation		Child's	Health :	Status					Race						Doctor V st 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)					1	(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	2,452 414 NA	160 34 NA	 NA		14 2 NA	139 25 NA	0 0 NA	43 8 NA	74 16 NA	37 6 NA	18 2 NA	49 11 NA	84 13 NA	108 18 NA	38 10 NA	10 4 NA	2 0 NA	4 0 NA	1 0 NA	13 0 NA	1 0 NA	1 0 NA	61 0 NA	2 0 NA	41 0 NA	22 6	121 21 NA	12 3 NA
Usable responses	2,038	126			12	114	0	35	58	31	16	38	71	90	28	6	2	4	1	13	1	1	61	2	41	16	100	9
	83.1%	78.8%			85.7%	82.0%		81.4%	78.4%	83.8%	88.9%	77.6%	84.5%	83.3%	73.7%	60.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		0.0%	100.0%	72.7%	82.6%	75.0%
American Indian	237 11.6%	14 11.1%			0.0%	14 12.3%	0	5 14.3%	8 13.8%	3.2%	3 18.8%	4 10.5%	7 9.9%	8 8.9%	5 17.9%	1 16.7%	2 100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	12 29.3%	1 6.3%	11 11.0%	2 22.2%
Alaska Native	12	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.6%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Canadian Inuit, Metis, or First Nation	11 0.5%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Indigenous Mexican, Central	186	9			1	8	0	3	5	1	2	3	4	4	5	0	0	0	0	0	0	0	0	0	9	2	6	1
American, or South American	9.1%	7.1%			8.3%	7.0%		8.6%	8.6%	3.2%	12.5%	7.9%	5.6%	4.4%	17.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	22.0%	12.5%	6.0%	11.1%
Asian Indian	17 0.8%	0.8%			8.3%	0.0%	0	0.0%	1 1.7%	0.0%	0.0%	0.0%	1.4%	1.1%	0.0%	0.0%	0.0%	1 25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Chinese	45 2.2%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Filipino/a	24	3 2.4%			0.0%	3 2.6%	0	0.0%	3.4%	3.2%	0.0%	0.0%	3 4.2%	3.3%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.4%	0.0%	3.0%	0.0%
Hmong	1.2 %	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Japanese	15 0.7%	0.8%			1 8.3%	0.0%	0	0.0%	0.0%	3.2%	0.0%	0.0%	1.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.4%	0.0%	1.0%	0.0%
Korean	0.7% 9 0.4%	0.8%			0.0%	0.0%	0	1 2.9%	0.0%	0.0%	0.0%	0.0%	1.4%	1.1%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
Laotian	5	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
South Asian	0.2%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Vietnamese	0.5% 31	0.0%			0	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Asian	1.5% 28	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	1.4%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 76

Which of the following describes your child's $\underline{\text{racial or ethnic identity}}$? Please check $\underline{\text{ALL}}$ that apply.

Base: All respondents

Base: All respondents																												
	IP					ndent's (Identity		CI	nild's Ag	е		sponder ducation		Child's	Health :	Status					Race						Doctor \ t 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооЭ	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	H	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	. 1	61	2	41	22	121	12
Number missing or multiple answer	414	34			2	25	0	8	16	6	2	11	13		10	4	0	0	0	0	0	0	0	0	0	6	21	3
Number no experience	NA 2,038	NA 126	NA	NA 	NA 12	NA 114	NA O	NA 35	NA 58	NA 31	NA 16	NA 38	NA 71	NA 90	NA 28	NA	NA	NA 4	NA 1	NA 13	NA 1	NA NA	NA 61	NA 2	NA 41	NA 16	NA 100	NA O
Usable responses	83.1%	78.8%			85.7%	114 82.0%		81.4%	78.4%	83.8%	88.9%	77.6%	84.5%	83.3%	73.7%	60.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		0.0%	100.0%	72.7%	100 82.6%	75.0%
African American	109	4			0	4	0	2	2	0	0	0	4	3	1	0	0	0	1	0	0	0	0	0	3	1	3	0
	5.3%	3.2%			0.0%	3.5%		5.7%	3.4%	0.0%	0.0%	0.0%	5.6%	3.3%	3.6%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	7.3%	6.3%	3.0%	0.0%
African (Black)	28	1			0	1	0	0	1	0	0	0	1	1	0	0	0	0	1	0	0	0	0	0	0	0	1	0
	1.4%	0.8%			0.0%	0.9%		0.0%	1.7%	0.0%	0.0%	0.0%	1.4%	1.1%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
Caribbean (Black)	9	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OIL DI I	0.4%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Black	0.7%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Hispanic or Latino/a Central American	84	6			1	5	0	2	2	2	3	0.070	3	3	2	1	0.070	0.070	0.070	1	0.070	0.070	0.070	0.070	5	2	4	0.070
·	4.1%	4.8%			8.3%	4.4%		5.7%	3.4%	6.5%	18.8%	0.0%	4.2%	3.3%	7.1%	16.7%	0.0%	0.0%	0.0%	7.7%	0.0%	0.0%	0.0%	0.0%	12.2%	12.5%	4.0%	0.0%
Hispanic or Latino/a Mexican	576	29			2	27	0	7	16	6	10	11	7	16	11	2	0	0	0	12	0	0	0	0	17	7	20	2
	28.3%	23.0%			16.7%	23.7%		20.0%	27.6%	19.4%	62.5%	28.9%	9.9%	17.8%	39.3%	33.3%	0.0%	0.0%	0.0%	92.3%	0.0%	0.0%	0.0%	0.0%	41.5%	43.8%	20.0%	22.2%
Hispanic or Latino/a South American	40	4			0	4	0	0	2	2	3	0	1	1	3	0	0	0	0	2	0	0	0	0	2	1	3	0
	2.0%	3.2%			0.0%	3.5%		0.0%	3.4%	6.5%	18.8%	0.0%	1.4%	1.1%	10.7%	0.0%	0.0%	0.0%	0.0%	15.4%	0.0%	0.0%	0.0%	0.0%	4.9%	6.3%	3.0%	0.0%
Other Hispanic or Latino/a	188	8			0	8	0	1	5	2	4	3	1	5	3	0	0	0	0	5	0	0	0	0	3	2	6	0
Middle Eastern	9.2% 16	6.3%			0.0%	7.0%		2.9%	8.6%	6.5%	25.0%	7.9%	1.4%	5.6%	10.7%	0.0%	0.0%	0.0%	0.0%	38.5%	0.0%	0.0%	0.0%	0.0%	7.3%	12.5%	6.0%	0.0%
Wildlie Eastern	0.8%	0.8%			0.0%	0.9%	U	0.0%	1.7%	0.0%	0.0%	2 60/	0.0%	1 10/	0.0%	0.00/	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.007	1.0%	0.007
Northern African	ປ.8%	0.8%			0.0%	0.9%		0.0%	1./%	0.0%	0.0%	2.6%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
ivoraiciii zullodii	0.1%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 76

Which of the following describes your child's $\underline{\text{racial or ethnic identity}}$? Please check $\underline{\text{ALL}}$ that apply.

Base: All respondents

base. All respondents	ОНР					ndent's (Gender	Cl	hild's Ag	е		sponden ducation		Child's	Health :	Status					Race (Q76)						Doctor st 6 Mor	
	2020 State O	2020	2019	2018	Male	Female (Std)	Non-binary, genderqueer, or other	0 to 5	6 to 13 (690)	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	(Q53) poo 9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Sastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 t d d (((((((((((((((((5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	П	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	2,452 414 NA	160 34 NA	 NA	 NA	14 2 NA	139 25 NA	0 0 NA	43 8 NA	74 16 NA	37 6 NA	18 2 NA	49 11 NA	84 13 NA	108 18 NA	38 10 NA	10 4 NA	2 0 NA	4 0 NA	1 0 NA	13 0 NA	1 0 NA	1 O NA	61 0 NA	2 0 NA	41 0 NA	22 6 NA	121 21 NA	12 3 NA
Usable responses	2,038 83.1%	126 78.8%			12 85.7%	114 82.0%	0	35 81.4%	58 78.4%	31 83.8%	16 88.9%	38 77.6%	71 84.5%	90 83.3%	28 73.7%	6 60.0%	2 100.0%	4 100.0%	1 100.0%	13 100.0%	1 100.0%	100.0%	61 100.0%	0.0%	41 100.0%	16 72.7%	100 82.6%	75.0%
Guamanian or Chamorro	3 0.1%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Micronesian	0.1%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Native Hawaiian	3 0.1%	2 1.6%			0.0%	2 1.8%	0	1 2.9%	0.0%	1 3.2%	0.0%	0.0%	2.8%	2 2.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	2 4.9%	0.0%	2.0%	0.0%
Samoan	4 0.2%	3 2.4%			0.0%	3 2.6%	0	1 2.9%	1 1.7%	0.0%	0.0%	0.0%	3 4.2%	2,2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	2 4.9%	1 6.3%	2.0%	0.0%
Tongan	0.0%	0.0%			0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Pacific Islander	15 0.7%	2 1.6%			0.0%	2 1.8%	0	0.0%	1 1.7%	1 3.2%	0.0%	0.0%	2.8%	1 1.1%	1 3.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2 4.9%	0.0%	2.0%	0.0%
Eastern European	204 10.0%	13 10.3%			1 8.3%	12 10.5%	0	7 20.0%	5 8.6%	3.2%	6.3%	7.9%	9 12.7%	11 12,2%	2 7.1%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	7	0.0%	6 14.6%	1	11 11.0%	11.1%
Slavic	30 1.5%	0.8%			0.0%	0.9%	0	0.0%	0.0%	3.2%	0.0%	2.6%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%	0	1.0%	0.0%
Western European	364 17.9%	30 23.8%			4 33.3%	26 22.8%	0	9 25.7%	10 17.2%	10 32.3%	12.5%	6 15.8%	22 31.0%	24 26.7%	14.3%	33.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	19 31.1%	0.0%	11 26.8%	3	21.0%	66.7%
Other White	816 40.0%	60 47.6%			5 41.7%	55 48.2%	0	16 45.7%	28 48.3%	16 51.6%	5 31.3%	20 52.6%	35 49.3%	43 47.8%	14 50.0%	33.3%	0.0%	0.0%	0.0%	0	0.0%	0.0%	39 63.9%	0.0%	21 51.2%	6	52 52.0%	22.2%
Other	143 7.0%	6.3%			1 8.3%	7 6.1%	0	1 2.9%	5 8.6%	6.5%	0.0%	5.3%	6 8.5%	6.7%	3.6%	1 16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2	6 14.6%	0.0%	8.0%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 78

How well do you speak English?

Base. Air respondents	۵					ndent's C Identity	Gender	C	Child's Ag	je		sponder ducatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	픙					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	156	9			0	2	0	2	3	0	0	1	0	4	3	0	0	0	0	1	0	0	0	0	0	3	5	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,296	151			14	137	0	41	71	37	18	48	84	104	35	10	2	4	1	12	1	1	61	2	41	19	116	12
	93.6%	94.4%			100.0%	98.6%		95.3%	95.9%	100.0%	100.0%	98.0%	100.0%	96.3%	92.1%	100.0%	100.0%	100.0%	100.0%	92.3%	100.0%	100.0%	100.0%	0.0%	100.0%	86.4%	95.9%	100.0%
Very well	1,662	109			9	100	0	21	57	29	11	32	66	76	24	7	2	3	1	6	1	1	49	2	27	12	85	8
	72.4%	72.2%			64.3%	73.0%		51.2%	80.3%	78.4%	61.1%	66.7%	78.6%	73.1%	68.6%	70.0%	100.0%	75.0%	100.0%	50.0%	100.0%	100.0%	80.3%	100.0%	65.9%	63.2%	73.3%	66.7%
Well	395	23			3	20	0	9	8	6	3	8	11	15	6	2	0	0	0	3	0	0	9	0	5	3	18	2
	17.2%	15.2%			21.4%	14.6%		22.0%	11.3%	16.2%	16.7%	16.7%	13.1%	14.4%	17.1%	20.0%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	14.8%	0.0%	12.2%	15.8%	15.5%	16.7%
Not well	144	14			1	13	0	7	5	2	3	7	4	9	5	0	0	0	0	2	0	0	2	0	8	4	9	1
	6.3%	9.3%			7.1%	9.5%		17.1%	7.0%	5.4%	16.7%	14.6%	4.8%	8.7%	14.3%	0.0%	0.0%	0.0%	0.0%	16.7%	0.0%	0.0%	3.3%	0.0%	19.5%	21.1%	7.8%	8.3%
Not at all	95	5			1	4	0	4	1	0	1	1	3	4	0	1	0	1	0	1	0	0	1	0	1	0	4	1
	4.1%	3.3%			7.1%			3.070	1.4%		5.6%				0.0%		0.0%	25.0%	0.0%	8.3%	0.0%	0.0%		0.0%	2.4%		3.4%	
Very well or Well	2,057	132			12	120	0	30	65		14			91	30	-	2	3	1	9	1	1	58	2	32	-	103	
	89.6%	87.4%			85.7%	87.6%		73.2%	91.5%	94.6%	77.8%	83.3%	91.7%	87.5%	85.7%	90.0%	100.0%	75.0%	100.0%	75.0%	100.0%	100.0%	95.1%	100.0%	78.0%	78.9%	88.8%	83.3%
Significantly different from column:*								IJ	Н	Н			ĺ		I	1		1	1		1						, !	, 1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 79

What language do you mainly speak at home?

Base: All respondents

	ОНР					ndent's G Identity (Q73)		C	hild's Ag	je		esponder Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor V st 6 Mont (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poc	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	245	14			1	6	0	3	7	0	2	2	2	7	5	0	0	0	0	3	0	0	1	0	2	3	9	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,207	146			13	133	0	40	67	37	16	47	82	101	33	10	2	4	1	10	1	1	60	2	39	19	112	11
	90.0%	91.3%			92.9%	95.7%		93.0%	90.5%	100.0%	88.9%	95.9%	97.6%	93.5%	86.8%	100.0%	100.0%	100.0%	100.0%	76.9%	100.0%	100.0%	98.4%	0.0%	95.1%	86.4%	92.6%	91.7%
English	1,717	128			13	115	0	36	58	32	9	39	80	94	25	7	2	4	1	1	1	1	59	2	34	14	99	11
	77.8%	87.7%			100.0%	86.5%		90.0%	86.6%	86.5%	56.3%	83.0%	97.6%	93.1%	75.8%	70.0%	100.0%	100.0%	100.0%	10.0%	100.0%	100.0%	98.3%	100.0%	87.2%	73.7%	88.4%	100.0%
Spanish	412	14			0	14	0	1	8	5	5	7	1	6	6	2	0	0	0	8	0	0	0	0	4	5	9	0
	18.7%	9.6%			0.0%	10.5%		2.5%	11.9%	13.5%	31.3%	14.9%	1.2%	5.9%	18.2%	20.0%	0.0%	0.0%	0.0%	80.0%	0.0%	0.0%	0.0%	0.0%	10.3%	26.3%	8.0%	0.0%
Other	78	4			0	4	0	3	1	0	2	1	1	1	2	1	0	0	0	1	0	0	1	0	1	0	4	0
	3.5%	2.7%			0.0%	3.0%		7.5%	1.5%	0.0%	12.5%	2.1%	1.2%	1.0%	6.1%	10.0%	0.0%	0.0%	0.0%	10.0%	0.0%	0.0%	1.7%	0.0%	2.6%	0.0%	3.6%	0.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 80

Does your child need an interpreter for us to communicate with you?

	ОНР					ndent's 0 Identity (Q73)		C	hild's Ag (Q69)	ie		sponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	145	10			1	2	0	3	3	0	0	2	0	5	3	0	0	0	0	1	0	0	1	0	0	3	6	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,307	150			13	137	0	40	71	37	18	47	84	103	35	10	2	4	1	12	1	1	60	2	41	19	115	12
	94.1%	93.8%			92.9%	98.6%		93.0%	95.9%	100.0%	100.0%	95.9%	100.0%	95.4%	92.1%	100.0%	100.0%	100.0%	100.0%	92.3%	100.0%	100.0%	98.4%	0.0%	100.0%	86.4%	95.0%	100.0%
Yes	134	8			0	8	0	2	6	0	2	3	2	5	2	1	0	1	0	1	0	0	1	0	2	2	4	2
	5.8%	5.3%			0.0%	5.8%		5.0%	8.5%	0.0%	11.1%	6.4%	2.4%	4.9%	5.7%	10.0%	0.0%	25.0%	0.0%	8.3%	0.0%	0.0%	1.7%	0.0%	4.9%	10.5%	3.5%	16.7%
No	2,173	142			13	129	0	38	65	37	16	44	82	98	33	9	2	3	1	11	1	1	59	2	39	17	111	10
	94.2%	94.7%			100.0%	94.2%		95.0%	91.5%	100.0%	88.9%	93.6%	97.6%	95.1%	94.3%	90.0%	100.0%	75.0%	100.0%	91.7%	100.0%	100.0%	98.3%	100.0%	95.1%	89.5%	96.5%	83.3%
Significantly different from column:*						-						1	1															1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 81

Does your child need a $\underline{\text{sign language interpreter}}$ for us to communicate with you?

	ОНР					ndent's 0 Identity (Q73)		C	hild's Ag (Q69)	ie		sponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	136	9			0	2	0	2	3	0	0	1	0	4	3	0	0	0	0	1	0	0	0	0	0	3	5	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,316	151			14	137	0	41	71	37	18	48	84	104	35	10	2	4	1	12	1	1	61	2	41	19	116	12
	94.5%	94.4%			100.0%	98.6%		95.3%	95.9%	100.0%	100.0%	98.0%	100.0%	96.3%	92.1%	100.0%	100.0%	100.0%	100.0%	92.3%	100.0%	100.0%	100.0%	0.0%	100.0%	86.4%	95.9%	100.0%
Yes	36	3			0	3	0	1	2	0	2	0	1	1	1	1	0	1	0	1	0	0	0	0	1	0	3	0
	1.6%	2.0%			0.0%	2.2%		2.4%	2.8%	0.0%	11.1%	0.0%	1.2%	1.0%	2.9%	10.0%	0.0%	25.0%	0.0%	8.3%	0.0%	0.0%	0.0%	0.0%	2.4%	0.0%	2.6%	0.0%
No	2,280	148			14	134	0	40	69	37	16	48	83	103	34	9	2	3	1	11	1	1	61	2	40	19	113	12
	98.4%	98.0%			100.0%	97.8%		97.6%	97.2%	100.0%	88.9%	100.0%	98.8%	99.0%	97.1%	90.0%	100.0%	75.0%	100.0%	91.7%	100.0%	100.0%	100.0%	100.0%	97.6%	100.0%	97.4%	100.0%
Significantly different from column:*						-															1							. 7

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 82

Does your child need written materials in an alternate format (Braille, large print, audio recordings, etc.)?

	НР					ndent's (Identity		C	hild's Ag	е		sponder		Child's	Health	Status					Race						t 6 Mon	Visits in iths
	ate O	20	61	81		(Q73)	Į.		(Q69)		S	(Q74)	<u>e</u>	_	(Q53)	_	o		_		(Q76) E	٥ ٦					(Q7)	
	2020 Sta	202	201	2018	Male	Female	Non-binary, genderqueer, other	0 to 5	6 to 13	14 to 18	Less than H. grad	HS grad	Some Colleg or more	Excellent or Very Good	Good	Fair or Poor	American Indian Alaska Native	Asian	Black or Africa American	Hispanic or Latino/a	Middle Eastern/Northe African	Native Hawaiian Pacific Islande	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	169	12			0	5	0	2	4	2	0	3	1	6	3	1	0	0	0	1	0	0	2	0	0	4	6	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	N/A
Usable responses	2,283	148				134	0	41	70	35	18		83		35	9	2	4	1	12	1	1	59	2	41	18	115	
	93.1%	92.5%			100.0%	96.4%		95.3%	94.6%	94.6%	100.0%	93.9%	98.8%	94.4%	92.1%	90.0%	100.0%	100.0%	100.0%	92.3%	100.0%	100.0%	96.7%	0.0%	100.0%	81.8%	95.0%	100.0%
Yes	39	5			2	3	0	0	2	3	2	2	1	0	4	1	0	0	0	0	0	0	0	0	2	1	2	1
	1.7%	3.4%			14.3%	2.2%		0.0%	2.9%	8.6%	11.1%	4.3%	1.2%	0.0%	11.4%	11.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.9%	5.6%	1.7%	8.3%
No	2,244	143				131	0	41	68	32	16	44	82		31	8	2	4	1	12	1	1	59	2	39		113	
	98.3%	96.6%			85.7%	97.8%		100.0%	97.1%	91.4%	88.9%	95.7%	98.8%	100.0%	88.6%	88.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	95.1%	94.4%	98.3%	91.7%
Significantly different from column:*						1																1						1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 83

Is your child $\underline{\text{deaf}}$ or do you have $\underline{\text{serious difficulty hearing}}$?

	ОНР					ndent's O Identity (Q73)		С	hild's Ag (Q69)	е		sponden Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	107	8			0	4	0	1	3	0	0	2	1	3	3	0	0	0	0	1	0	0	0	0	1	1	6	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,345	152			14	135	0	42	71	37	18	47	83	105	35	10	2	4	1	12	1	1	61	2	40	21	115	12
	95.6%	95.0%			100.0%	97.1%		97.7%	95.9%	100.0%	100.0%	95.9%	98.8%	97.2%	92.1%	100.0%	100.0%	100.0%	100.0%	92.3%	100.0%	100.0%	100.0%	0.0%	97.6%	95.5%	95.0%	100.0%
Yes	44	3			1	2	0	0	2	1	0	0	3	3	0	0	0	1	0	0	0	0	2	0	0	0	3	0
	1.9%	2.0%			7.1%	1.5%		0.0%	2.8%	2.7%	0.0%	0.0%	3.6%	2.9%	0.0%	0.0%	0.0%	25.0%	0.0%	0.0%	0.0%	0.0%	3.3%	0.0%	0.0%	0.0%	2.6%	0.0%
No	2,301	149			13	133	0	42	69	36	18	47	80	102	35	10	2	3	1	12	1	1	59	2	40	21	112	12
	98.1%	98.0%			92.9%	98.5%		100.0%	97.2%	97.3%	100.0%	100.0%	96.4%	97.1%	100.0%	100.0%	100.0%	75.0%	100.0%	100.0%	100.0%	100.0%	96.7%	100.0%	100.0%	100.0%	97.4%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 84

Is your child <u>blind</u> or do you have <u>serious difficulty seeing</u>, even when wearing glasses?

	нР					ndent's (Identity		C	hild's Ag	ie		sponder		Child's	Health	Status					Race						t 6 Mon	Visits in oths
	0	_				(Q73)	1		(Q69)			(Q74)			(Q53)	1		1			(Q76)	1 -	1	- 1			(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	107	7			0	3	0	1	2	0	0	1	1	3	2	0	0	0	0	1	. 0	0	0	0	0	1	5	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,345	153			14	136	0	42	72	37	18	48	83	105	36	10	2	4	1	12	1	1	61	2	41	21	116	12
	95.6%	95.6%			100.0%	97.8%		97.7%	97.3%	100.0%	100.0%	98.0%	98.8%	97.2%	94.7%	100.0%	100.0%	100.0%	100.0%	92.3%	100.0%	100.0%	100.0%	0.0%	100.0%	95.5%	95.9%	100.0%
Yes	69	3			0	3	0	0	2	1	0	1	2	1	2	0	0	0	0	0	0	0	1	0	0	0	2	C
	2.9%	2.0%			0.0%	2.2%		0.0%	2.8%	2.7%	0.0%	2.1%	2.4%	1.0%	5.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%	0.0%	1.7%	0.0%
No	2,276	150			14	133	0	42	70	36	18	47	81	104	34	10	2	4	1	12	1	1	60	2	41	21	114	12
	97.1%	98.0%			100.0%	97.8%		100.0%	97.2%	97.3%	100.0%	97.9%	97.6%	99.0%	94.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	98.4%	100.0%	100.0%	100.0%	98.3%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 85

Does a physical, mental, or emotional condition limit your child's activities in any way?

	ОНР					ndent's (Identity (Q73)		C	Child's Ag (Q69)	e		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,452	160			14	139	0	43	74	37	18	49	84	108	38	10	2	4	1	13	1	1	61	2	41	22	121	12
Number missing or multiple answer	116	8			0	4	0	1	1	2	0	3	0	3	3	0	0	0	0	2	0	0	0	0	0	2	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,336	152			14	135	0	42	73	35	18	46	84	105	35	10	2	4	1	11	1	1	61	2	41	20	117	12
	95.3%	95.0%			100.0%	97.1%		97.7%	98.6%	94.6%	100.0%	93.9%	100.0%	97.2%	92.1%	100.0%	100.0%	100.0%	100.0%	84.6%	100.0%	100.0%	100.0%	0.0%	100.0%	90.9%	96.7%	100.0%
Yes	603	38			4	33	0	5	21	12	6	11	20	17	16	5	0	0	0	2	0	0	16	0	13	4	26	8
	25.8%	25.0%			28.6%	24.4%		11.9%	28.8%	34.3%	33.3%	23.9%	23.8%	16.2%	45.7%	50.0%	0.0%	0.0%	0.0%	18.2%	0.0%	0.0%	26.2%	0.0%	31.7%	20.0%	22.2%	66.7%
No	1,733	114			10	102	0	37	52	23	12	35	64	88	19	5	2	4	1	9	1	1	45	2	28	16	91	4
	74.2%	75.0%			71.4%	75.6%		88.1%	71.2%	65.7%	66.7%	76.1%	76.2%	83.8%	54.3%	50.0%	100.0%	100.0%	100.0%	81.8%	100.0%	100.0%	73.8%	100.0%	68.3%	80.0%	77.8%	33.3%
Significantly different from column:*								IJ	Н	Н				0	N													

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 86

Does your child have serious difficulty $\underline{\text{walking or climbing stairs}}?$

Base: All respondents with children 5 or older

	HP					ndent's G Identity	iender	С	hild's Ag	е		sponder Education		Child's	Health	Status					Race					Child's Las	t 6 Mont	
	2020 State O	2020	2019	2018	Male	Female (C73)	Non-binary, genderqueer, or other	0 to 5	6 to 13 (690)	14 to 18	Less than HS grad	(Q74) HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Distriction African African (9)	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 t d d d d d d d d d d d d d d d d d d	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,020	122			12	108	0	11	74	37	15	37	66	79	33	9	1	4	1	12	1	0	45	2	30	17	90	11
Number missing or multiple answer	179	9			1	8	0	1	3	5	2	4	2	7	1	1	0	0	0	2	0	0	3	1	0	3	5	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	1,841 91.1%	113 92.6%			11 91.7%	100 92.6%	0	10 90.9%	71 95.9%	32 86.5%				72 91.1%	32 97.0%		1 100.0%	4 100.0%	1 100.0%	10 83.3%	1 100.0%		42 93.3%	_	30 100.0%	14 82.4%	85 94.4%	
Yes	65	1			0	1	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	3.5%	0.9%			0.0%	1.0%		0.0%	1.4%	0.0%	7.7%	0.0%	0.0%	0.0%	3.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	3.3%	0.0%	0.0%	10.0%
No	1,776	112			11	99	0	10	70	32	12	33	64	72	31	8	1	4	1	10	1	0	42	1	29	14	85	9
	96.5%	99.1%			100.0%	99.0%		100.0%	98.6%	100.0%	92.3%	100.0%	100.0%	100.0%	96.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	96.7%	100.0%	100.0%	90.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 87

Does your child have difficulty dressing or bathing?

Base: All respondents with children 5 or older

	НР					ndent's (C	hild's Ag	е		sponder		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	Female Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	(Q74) HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Castern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 (O ₂)	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,020				12	108	0	11	74	37	15	37	66	79	33	9	1	4	1	12	1	0	45	2	30	17	90	11
Number missing or multiple answer	183	10			_	9	0	1	4	5	3	4	2	7	2	1	0	0	0	2	0	0	3	1	1	3	6	1
Number no experience	NA	NA		NA			NA	NA	NA	NA	NA	NA				NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	
Usable responses	1,837 90.9%					99 91.7%	0	10 90.9%	70 94.6%	32 86.5%				72 91.1%	-	88.9%	100.0%	4 100.0%	1 100.0%	10 83.3%	100.0%	0	I	0.0%	29 96.7%		84 93.3%	
Yes	135 7.3%	8 7.1%				6 6.1%	0	10.0%	5 7.1%	2 6.3%	2 16.7%	3.0%	6.3%	3 4.2%	5 16.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	2.4%	0.0%	5 17.2%	2 14.3%	5 6.0%	10.0%
No	1,702 92.7%	104			10	93	0	90.0%	65 92.9%	30	10 83.3%	32	60	69	26	8	1	4 100.0%	1	10 100.0%	1	0	41	1 100.0%	24 82.8%	12	79 94.0%	g
Significantly different from column:*	52.770	52.570		ı	30.370	33.370		33.070	32.370	33.070	33.370	37.070	33.070	33.070	03.770	100.070	100.070	100.070	100.070	100.070	100.070		37.070	200.070	32.070	03.7 70	3 1.0 70	33.0 %

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 88

Because of a physical, mental, or emotional condition, does your child have serious difficulty concentrating, remembering or making decisions?

Base: All respondents with children 5 or older

	ОНР					ndent's G Identity (Q73)	Gender	C	hild's Ag (Q69)	е		sponden ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor V t 6 Mont (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,020	122			12	108	0	11	74	37	15	37	66	79	33	9	1	4	1	12	1	0	45	2	30	17	90	11
Number missing or multiple answer	189	9			1	8	0	1	3	5	2	4	2	7	1	1	0	0	0	2	0	0	3	1	0	3	5	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	1,831	113			11	100	0	10	71	32	13	33	64	72	32	8	1	4	1	10	1	0	42	1	30	14	85	10
	90.6%	92.6%			91.7%	92.6%		90.9%	95.9%	86.5%	86.7%	89.2%	97.0%	91.1%	97.0%	88.9%	100.0%	100.0%	100.0%	83.3%	100.0%		93.3%	0.0%	100.0%	82.4%	94.4%	90.9%
Yes	631	43			3	38	0	3	28	12	6	12	23	22	17	4	1	0	0	2	0	0	17	0	13	5	29	9
	34.5%	38.1%			27.3%	38.0%		30.0%	39.4%	37.5%	46.2%	36.4%	35.9%	30.6%	53.1%	50.0%	100.0%	0.0%	0.0%	20.0%	0.0%		40.5%	0.0%	43.3%	35.7%	34.1%	90.0%
No	1,200	70			8	62	0	7	43	20	7	21	41	50	15	4	0	4	1	8	1	0	25	1	17	9	56	1
	65.5%	61.9%			72.7%	62.0%		70.0%	60.6%	62.5%	53.8%	63.6%	64.1%	69.4%	46.9%	50.0%	0.0%	100.0%	100.0%	80.0%	100.0%		59.5%	100.0%	56.7%	64.3%	65.9%	10.0%
Significantly different from column:*							-							0	N													

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 89

Because of a physical, mental, or emotional condition, does your child have serious difficulty doing errands alone such as visiting a doctor's office or shopping?

Base: All respondents with children 15 or older

	ОНР					ndent's (Identity (Q73)	Gender	C	hild's Ag (Q69)	е		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	668	28			3	25	0	0	0	28	5	10	13	19	6	2	0	1	0	5	0	0	12	0	6	7	18	2
Number missing or multiple answer	76	5			0	5	0	0	0	5	1	2	2	4	1	0	0	0	0	1	0	0	3	0	0	2	3	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	592	23			3	20	0	0	0	23	4	8	11	-	5	2	0	1	0	4	0	0	9	0	6	5	15	2
	88.6%	82.1%			100.0%	80.0%				82.1%	80.0%	80.0%	84.6%	78.9%	83.3%	100.0%		100.0%		80.0%			75.0%	0.0%	100.0%	71.4%	83.3%	100.0%
Yes	137	5			1	4	0	0	0	5	1	1	3	2	3	0	0	0	0	0	0	0	2	0	3	2	3	C
	23.1%	21.7%			33.3%	20.0%				21.7%	25.0%	12.5%	27.3%	13.3%	60.0%	0.0%		0.0%		0.0%			22.2%		50.0%	40.0%	20.0%	0.0%
No	455	18			2	16	0	0	0	18	3	7	8	13	2	2	0	1	0	4	0	0	7	0	3	3	12	2
	76.9%	78.3%			66.7%	80.0%				78.3%	75.0%	87.5%	72.7%	86.7%	40.0%	100.0%		100.0%		100.0%			77.8%		50.0%	60.0%	80.0%	100.0%
Significantly different from column:*																												1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

SURVEY INSTRUMENT



Survey Instructions

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

 \square_1 Yes \rightarrow If Yes, Go to Question 1

☐₂ No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

Please answer the questions for the child listed on the envelope. Please do not answer for any other children.

1. Our records show that your child is now in Oregon Health Plan. Is that right?

 $\square_{\scriptscriptstyle 1}$ Yes \rightarrow *If Yes, Go to Question 3*

□₂ No

What is the name of your child's health plan? (Please print)

Your Child's Health Care in the Last 6 Months

These questions ask about your child's health care. Do <u>not</u> include care your child got when he or she stayed overnight in a hospital. Do <u>not</u> include the times your child went for dental care visits.

3. In the last 6 months, did your child have an illness, injury, or condition that <u>needed care right away</u> in a clinic, emergency room, or doctor's office?

□₁ Yes

 \square_2 No \rightarrow If No, Go to Question 5

4.	In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed? \[\begin{align*} \Pi_1 & \text{Never} \\ \Pi_2 & \text{Sometimes} \\ \Pi_3 & \text{Usually} \\ \Pi_4 & \text{Always} \end{align*}	8.	In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers? Never Sometimes Usually Always
5.	In the last 6 months, did you make any appointments for a <u>check-up or routine care</u> for your child at a doctor's office or clinic? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 7</i>	9.	Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months? 0 Worst health care possible
6.	In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed? Never Sometimes Usually Always		☐ 1 ☐ 2 ☐ 3 ☐ 3 ☐ 4 ☐ 4 ☐ 5 ☐ 6 ☐ 7 7 ☐ 8 8 ☐ 9 ☐ 10 Best health care possible
7.	In the last 6 months, <u>not</u> counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care? \bigcirc_0 None \rightarrow <i>If None, Go to Question 11</i> \bigcirc_1 1 time \bigcirc_2 2 \bigcirc_3 3 \bigcirc_4 4 \bigcirc_5 5 to 9 \bigcirc_6 10 or more times		In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed? Never Sometimes Usually Always Is your child now enrolled in any kind of school or daycare?
			\square_{2} No \rightarrow If No, Go to Question 14

12.	In the last 6 months, did you need your child's doctors or other health providers to contact a school or daycare center about your child's health or health care? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 14</i>	17.	In the last 6 months, did you get or try to get special therapy such as physical, occupational, or speech therapy for your child? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 20</i>
13.	In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare? Yes No	18.	In the last 6 months, how often was it easy to get this therapy for your child? Never Sometimes Usually Always
S	Specialized Services	19.	Did anyone from your child's health plan, doctor's office, or clinic help you get this therapy for your child?
	Special medical equipment or devices include a walker, wheelchair, nebulizer, feeding tubes, or oxygen equipment. In the last 6 months, did you get or try to get any special medical equipment or devices for your child? \square_1 Yes \square_2 No \Rightarrow If No, Go to Question 17	20.	☐₁ Yes ☐₂ No In the last 6 months, did you get or try to get treatment or counseling for your child for an emotional, developmental, or behavioral problem? ☐₁ Yes
15.	In the last 6 months, how often was it easy to get special medical equipment or devices for your child? Never Sometimes Usually Always	21.	 □₂ No → If No, Go to Question 23 In the last 6 months, how often was it easy to get this treatment or counseling for your child □₁ Never □₂ Sometimes □₃ Usually □₄ Always
16.	Did anyone from your child's health plan, doctor's office, or clinic help you get special medical equipment or devices for your child? Yes No	22.	Did anyone from your child's health plan, doctor's office, or clinic help you get this treatment or counseling for your child? Yes No

24.	In the last 6 months, did your child get care from more than one kind of health care provider or use more than one kind of health care service? ☐ Yes ☐ No → If No, Go to Question 25 In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services? ☐ Yes ☐ Yes ☐ No	 26a. In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages? \[\begin{align*} \text{\tex{\tex
	our Child's Personal Doctor	□₄ Always
25.	A personal doctor is the one your child would see if he or she needs a checkup, has a health problem, or gets sick or hurt. Does your child have a personal doctor? \square_1 Yes \square_2 No \rightarrow If No, Go to Question 40	28. In the last 6 months, how often did your child's personal doctor listen carefully to you? ☐ Never ☐ Sometimes ☐ Usually ☐ Always
26.	In the last 6 months, how many times did your child visit his or her personal doctor for care? \bigcirc_0 None \rightarrow <i>If None, Go to Question 36</i> \bigcirc_1 1 time \bigcirc_2 2 \bigcirc_3 3 \bigcirc_4 4 \bigcirc_5 5 to 9 \bigcirc_6 10 or more times	 29. In the last 6 months, how often did your child's personal doctor show respect for what you had to say? □₁ Never □₂ Sometimes □₃ Usually □₄ Always 30. Is your child able to talk with doctors about his or her health care? □₁ Yes □₂ No → If No, Go to Question 32

31.	In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for <u>your child</u> to understand? Never Sometimes Usually Always	36.	Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?
32.	In the last 6 months, how often did your child's personal doctor spend enough time with your child? Never Sometimes Usually Always		□ ₃ 3 □ ₄ 4 □ ₅ 5 □ ₆ 6 □ ₇ 7 □ ₈ 8 □ ₉ 9 □ ₁₀ 10 Best personal doctor possible
33.	In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving? Yes No	37.	Does your child have any medical, behavioral, or other health conditions that have lasted for more than $\underline{3 \text{ months}}$? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 40</i>
34.	In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor? \square_1 Yes \square_2 No \Rightarrow If No, Go to Question 36	38.	Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life? Yes No
35.	In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers? Never Sometimes Usually Always	39.	Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your <u>family's</u> day-to-day life? Yes No

Getting Health Care from Specialists

When you answer the next questions, do <u>not</u> include dental visits or care your child got when he or she stayed overnight in a hospital.

40. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments for your child to see a specialist?

☐₁ Yes

 \square_1 No \rightarrow If No, Go to Question 44

41. In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

□, Never

☐, Sometimes

□₃ Usually

□₄ Always

42. How many specialists has your child seen in the last 6 months?

 \square_{\circ} None \rightarrow *If None, Go to Question 44*

□₁ 1 specialist

□ 2

□₃ 3

___ 4 **4**

 \square , 5 or more specialists

43. We want to know your rating of the specialist your child saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

□₀ 0 Worst specialist possible
□₁ 1
□₂ 2
□₃ 3
□₄ 4
□₅ 5

□₆ 6

□₇ 7□₈ 8

□₉ 9

□₁₀ 10 Best specialist possible

Your Child's Health Plan

The next questions ask about your experience with your child's health plan.

44. In the last 6 months, did you get information or help from customer service at your child's health plan?

☐
₁ Yes

 \square_2 No \rightarrow If No, Go to Question 47

45. In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

□₁ Never

□₂ Sometimes

 $\square_{\scriptscriptstyle 3}$ Usually

□₄ Always

46.	In the last 6 months, how often did customer service staff at your child's health plan treat	Prescription Medicines
	you with courtesy and respect? \[\sum_1 \text{ Never} \] \[\sum_2 \text{ Sometimes} \] \[\sum_3 \text{ Usually} \] \[\sum_4 \text{ Always}	 50. In the last 6 months, did you get or refill any prescription medicines for your child? ☐₁ Yes ☐₂ No → If No, Go to Question 52a
47.	In the last 6 months, did your child's health plan give you any forms to fill out? \square_1 Yes \square_2 No \Rightarrow <i>If No, Go to Question 49</i>	51. In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan? □₁ Never □₂ Sometimes □₃ Usually
48.	In the last 6 months, how often were the forms from your child's health plan easy to fill out?	□₄ Always
	□¹ Never □² Sometimes □³ Usually □⁴ Always	52. Did anyone from your child's health plan, doctor's office, or clinic help you get your child's prescription medicines? □₁ Yes □₂ No
49.	Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best	
	health plan possible, what number would you use to rate your child's health plan?	Access to Dental Care
	\square_0 0 Worst health plan possible \square_1 1 \square_2 2 \square_3 3 \square_4 4 \square_5 5 \square_6 6	52a. A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child hav a regular dentist? ☐₁ Yes ☐₂ No
	\square_7 7 \square_8 8 \square_9 9 \square_{10} 10 Best health plan possible	52b.In the last 6 months, did your child go to a dentist's office or clinic for care? □₁ Yes □₂ No → If No, Go to Question 52d

52c. In the last 6 months, how often did the dentists	About Your Child and You
or dental staff explain what they were doing while treating your child? \(\sum_1 \) Never \(\sum_2 \) Sometimes \(\sum_3 \) Usually \(\sum_4 \) Always	53. In general, how would you rate your child's overall health? Excellent Very good Good
52d. In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted? 1 Never 2 Sometimes 3 Usually 4 Always 5 My child did not have a dental emergency in the last 6 months	☐ ₄ Fair ☐ ₅ Poor 54. In general, how would you rate your child's overall mental or emotional health? ☐ ₁ Excellent ☐ ₂ Very good ☐ ₃ Good ☐ ₄ Fair ☐ ₅ Poor
52e. Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?	 55. Does your child currently need or use medicine prescribed by a doctor (other than vitamins)? □₁ Yes □₂ No → If No, Go to Question 58
\square_0 0 Extremely difficult \square_1 1 \square_2 2 \square_3 3 \square_4 4 \square_5 5	 56. Is this because of any medical, behavioral, or other health condition? □₁ Yes □₂ No → If No, Go to Question 58
\square_6 6 \square_7 7 \square_8 8 \square_9 9 \square_{10} 10 Extremely easy	57. Is this a condition that has lasted or is expected to last for at least 12 months? □₁ Yes □₂ No

58.	Does your child need or use more medical care, more mental health services, or more educational services than is usual for most children of the same age? Yes	65.	Is this because of any medical, behavioral, or other health condition? \square_1 Yes \square_2 No \Rightarrow If No, Go to Question 67
	$\square_{\scriptscriptstyle 2} \ \ No o \mathit{If} \ \mathit{No}, \ \mathit{Go} \ \mathit{to} \ \mathit{Question} \ \mathit{61}$	66.	Is this a condition that has lasted or is expected to last for at least 12 months?
59.	Is this because of any medical, behavioral, or other health condition?		□₁ Yes □₂ No
	\square_1 Yes \square_2 No \Rightarrow <i>If No, Go to Question 61</i>	67.	Does your child have any kind of emotional,
60.	Is this a condition that has lasted or is expected to last for at least 12 months?		developmental, or behavioral problem for which he or she needs or gets treatment or counseling?
	□₁ Yes □₂ No		\square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 69</i>
61.	Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do?	68.	Has this problem lasted or is it expected to last for at least 12 months? $\square_{_{1}} \text{ Yes}$
	\square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 64</i>		□₂ No
		69.	What is your child's age?
62.	Is this because of any medical, behavioral, or		$\square_{\scriptscriptstyle 00}$ Less than 1 year old
	other health condition? \square_1 Yes		YEARS OLD (write in)
	$\square_{\scriptscriptstyle 2} \ \ No o \mathit{If} \ \mathit{No}, \ \mathit{Go} \ \mathit{to} \ \mathit{Question} \ \mathit{64}$	70.	What was your child's biological sex at birth?
63.	Is this a condition that has lasted or is expected to last for at least 12 months?		□₁ Male □₂ Female
	□₁ Yes	71	What is your shild's current gondor identity?
	□₂ No	/ <u>1</u> .	What is your child's current gender identity?
<i>C A</i>	December of the second on the second state of the second		☐₂ Female
04.	Does your child need or get special therapy such as physical, occupational, or speech		☐₃ Transgender
	therapy?		Non-binary, genderqueer, or other
	□₁ Yes		
	\square_2 No \rightarrow If No, Go to Question 67		

72.	What is <u>your</u> age? Under 18 18 to 24 25 to 34 35 to 44 45 to 54 55 to 64 65 to 74 75 or older	 76. Which of the following describes your child's racial or ethnic identity? Please check ALL that apply. American Indian or Alaska Native A American Indian Alaska Native Canadian Inuit, Metis, or First Nation Indigenous Mexican, Central
73.	What is your current gender identity?	American, or South American
	 □₁ Male □₂ Female □₃ Transgender □₄ Non-binary, genderqueer, or other 	Asian _ E Asian Indian _ Chinese _ Filipino/a _ Hmong
74.	What is the highest grade or level of school that you have completed? 8th grade or less Some high school, but did not graduate High school graduate or GED Some college or 2-year degree 4-year college graduate More than 4-year college degree	☐, Japanese ☐, Korean ☐, Laotian ☐, South Asia ☐, Vietnamese ☐, Other Asian Black or African American ☐, African (Black)
75.	How are you related to the child? Mother or father Grandparent Aunt or uncle Older brother or sister Other relative Legal guardian Someone else	☐ Caribbean (Black) ☐ Cother Black Hispanic or Latino/a ☐ Hispanic or Latino/a Central American ☐ Hispanic or Latino/a Mexican ☐ Hispanic or Latino/a South American ☐ Other Hispanic or Latino/a
		Middle Eastern/Northern African □ _w Middle Eastern □ _x Northern African

Native Hawaiian or Pacific Islander ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	80. Does your child need an <u>interpreter</u> for us to communicate with them? Yes No
☐ _{AC} Tongan ☐ _{AD} Other Pacific Islander	81. Does your child need a <u>sign language</u> interpreter for us to communicate with them?
White	\square_1 No \rightarrow If No, Go to Question 82
☐ _{AE} Eastern European	
☐ _{AF} Slavic ☐ _{AG} Western European ☐ _{AH} Other White	81a. Which type of sign language interpreter does your child need us to communicate with them (ASL, PSE, tactile interpreting, etc.) (Please print)
Other Categories	
☐ _{Al} Other	
77. Regardless of your response to the previous question, how do you identify your child's <u>race</u> , <u>ethnicity</u> , <u>tribal affiliation</u> , <u>country of origin</u> , <u>or ancestry</u> ? (Please print)	 82. Does your child need written materials in an alternate format (Braille, large print, audio recordings, etc.)? □₁ Yes □₂ No → If No, Go to Question 83
· · · · · · · · · · · · · · · · · · ·	82a. Which alternate format does your child need? (Please print)
78. How well does your child speak English? \[\bigcup_1 \text{Very well} \\ \bigcup_2 \text{Well} \\ \bigcup_3 \text{Not well} \\ \bigcup_4 \text{Not at all}	
79. What language does your child mainly speak at home? English Spanish Other (Plagsa print)	
Other (Please print)	


83.	Is your child <u>deaf</u> or does your child have <u>serious difficulty hearing?</u>	Please stop now if your child is under age 15.
84.	☐₁ Yes ☐₂ No Is your child <u>blind</u> or does your child have serious <u>difficulty seeing</u> , even when wearing glasses? ☐₁ Yes ☐₂ No	89. Because of a physical, mental, or emotional condition, does your child have serious difficulty doing errands alone such as visiting a doctor's office or shopping? Yes No
85.	Does a physical, mental, or emotional condition limit your child's activities in any way? Yes No	
F	Please stop now if your child is under age 5.	
86.	Does your child have serious difficulty walking or climbing stairs? Yes No	
87.	Does your child have <u>difficulty dressing or bathing</u> ? Yes No	
88.	Because of a <u>physical</u> , <u>mental</u> , <u>or emotional</u> <u>condition</u> , does your child have serious	Thank You
	difficulty concentrating, remembering or making decisions? Yes No	Please return the completed survey in the postage-paid envelope to: Center for the Study of Services PO Box 10820 Herndon, VA 20172 Please do not include any other correspondence.



Instrucciones para el cuestionario

Conteste cada pregunta marcando el cuadro que aparece a la izquierda de su respuesta.

A veces hay que saltarse alguna pregunta del cuestionario. Cuando esto ocurra, verá una flecha con una nota que le indicará cuál es la siguiente pregunta a la que tiene que pasar. Por ejemplo:



La información personal identificable no se hará pública y solo se dará a conocer de conformidad con las leyes y reglamentos federales.

Usted puede optar por responder a esta encuesta o no. Si decide no participar, esto no afectará los beneficios que su niño obtenga. Usted notará un número en la portada de esta encuesta. Este número se utiliza SOLO para hacernos saber si usted ya envió su encuesta para que no tengamos que enviarle recordatorios.

Si quiere informarse más sobre este estudio, llame al 1-833-257-1377. Las personas con problemas de audición o del habla pueden llamar al 711 para usar el Servicio de Retransmisión de Telecomunicaciones (TRS).

Conteste las preguntas para el niño cuyo nombre figura en el sobre. No las conteste para ningún otro niño.

- Nuestros registros muestran que su niño actualmente está inscrito en Oregon Health Plan. ¿Es correcta esta información?
 - \square_1 Sí \rightarrow Si contestó "Sí", pase a la pregunta 3
 - □₂ No
- ¿Cómo se llama el plan de salud de su niño? (Escriba en letra imprenta)

La atención médica que recibió su niño en los últimos 6 meses

Estas preguntas son acerca de la atención médica que ha recibido su niño. No incluya la atención que recibió su niño cuando pasó la noche hospitalizado. No incluya las consultas de su niño al dentista.

- 3. En los últimos 6 meses, ¿tuvo su niño una enfermedad, lesión o problema de salud para el cual <u>necesitó atención inmediata</u> en una clínica, en una sala de emergencia o en un consultorio médico?
 - □
 ₁ Sí
 - No → Si contestó "No", pase a la pregunta 5

4.	En los últimos 6 meses, cuando su niño necesitó atención inmediata, ¿con qué frecuencia atendieron a su niño tan pronto como lo necesitaba? Nunca A veces La mayoría de las veces Siempre	8.	En los últimos 6 meses, ¿con qué frecuencia le contestaron sus preguntas los doctores u otros profesionales médicos de su niño? Nunca A veces La mayoría de las veces Siempre
5.	En los últimos 6 meses, ¿hizo alguna cita para un <u>chequeo o una consulta de rutina</u> para su niño en un consultorio médico o en una clínica? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 7	9.	Usando un número del 0 al 10, siendo 0 la peor atención médica posible y 10 la mejor atención médica posible, ¿qué número usaría para calificar toda la atención médica que su niño ha recibido en los últimos 6 meses?
6.	En los últimos 6 meses, ¿con qué frecuencia consiguió una cita para un chequeo o una consulta de rutina para su niño en un consultorio médico o en una clínica tan pronto como lo necesitaba? Nunca A veces La mayoría de las veces Siempre	10.	☐ ₄ 4 ☐ ₅ 5 ☐ ₆ 6 ☐ ₇ 7 ☐ ₈ 8 ☐ ₉ 9 ☐ ₁₀ 10 La mejor atención médica posible En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención, los exámenes o
7.	En los últimos 6 meses, <u>sin</u> contar las veces que su niño fue a una sala de emergencia, ¿cuántas veces fue su niño a un consultorio médico o a una clínica para que lo atendieran? □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la		el tratamiento que su niño necesitaba? Nunca A veces La mayoría de las veces Siempre
	pregunta 11 $ \begin{array}{ccc} $	11.	¿Está matriculado actualmente su niño en algún tipo de escuela o guardería? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 14

12.	En los últimos 6 meses, ¿necesitó que los doctores u otros profesionales médicos de su niño se pusieran en contacto con una escuela o guardería acerca de la salud o la atención médica de su niño? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 14		¿Alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a conseguir el equipo o dispositivos médicos especiales para su niño? Sí No En los últimos 6 meses, ¿consiguió o intentó
13.	En los últimos 6 meses, ¿necesitó que los doctores u otros profesionales médicos de su	17.	conseguir terapia especial para su niño, tal como terapia física, ocupacional o del habla?
	niño se pusieran en contacto con una escuela o guardería acerca de la salud o la atención médica de su niño?		□₂ No → Si contestó "No", pase a la pregunta 20
	□₁ Sí □₂ No	18.	En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir esta terapia para su niño?
S	Servicios especializados		□₂ A veces□₃ La mayoría de las veces
14.	En el equipo o dispositivo médico especial se incluye un andador, silla de ruedas,	10	☐₄ Siempre ¿Alguien del consultorio médico o clínica del
	nebulizador, tubos de alimentación o equipo de oxígeno. En los últimos 6 meses, ¿consiguió o intentó conseguir algún equipo o dispositivo médico especial para su niño?	19.	plan de salud de su niño le ayudó a conseguir esta terapia para su niño? Sí No
	\square_{2} No \rightarrow Si contestó "No", pase a la		<u> </u>
	pregunta 17	20.	En los últimos 6 meses, ¿consiguió o intentó conseguir tratamiento o consejería para su niño,
15.	En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir el equipo o dispositivos médicos especiales para su niño?		para un problema emocional, de desarrollo o de comportamiento? $\Box_1 Si$
	☐₁ Nunca ☐₂ A veces		\square_1 No \Rightarrow Si contestó "No", pase a la pregunta 23
	☐₃ La mayoría de las veces ☐₄ Siempre		p. cgaca 20

21.	En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir este tratamiento o consejería para su niño? Nunca A veces La mayoría de las veces Siempre	26. En los últimos 6 meses, ¿cuántas veces fue su niño a ver a su doctor personal para recibir atención médica? □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la pregunta 36 □₁ 1 vez □₂ 2
22.	¿Alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a conseguir este tratamiento o consejería para su niño? Sí No	\square_3 3 \square_4 4 \square_5 5 a 9 \square_6 10 veces o más
23.	En los últimos 6 meses, ¿recibió su niño atención de más de un tipo de profesional médico, o usó más de un tipo de servicio de salud? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 25	26a. En los últimos 6 meses, ¿con qué frecuencia se le hizo difícil hablar con el doctor personal de su niño o entenderlo porque hablaban idiomas diferentes? ☐ Nunca ☐ A veces ☐ La mayoría de las veces ☐ Siempre
24.	En los últimos 6 meses, ¿alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a coordinar la atención médica de su niño entre estos diferentes profesionales o servicios? Sí No	27. En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó los aspectos sobre la salud de su niño de una manera fácil de entender? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₄ Siempre
E	El doctor personal de su niño	28. En los últimos 6 meses, ¿con qué frecuencia el
25.	El doctor personal es aquel a quien su niño acude si necesita un chequeo, tiene un problema de salud o si se enferma o lastima. ¿Tiene su niño un doctor personal? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 40	doctor personal de su niño le escuchó a usted con atención? Nunca A veces La mayoría de las veces Siempre

29.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño demostró respeto por lo que usted tenía que decir? Nunca A veces La mayoría de las veces Siempre	34.	En los últimos 6 meses, ¿atendió a su niño algún doctor u otro profesional médico además de su doctor personal? ☐ Sí ☐ No → Si contestó "No", pase a la pregunta 36
30.	¿Su niño puede hablar con los doctores sobre su atención médica? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 32	35.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño parecía estar informado y al día acerca de la atención que su niño había recibido de estos doctores u otros profesionales médicos? Nunca A veces
31.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas a su niño de una manera fácil de entender? Nunca A veces La mayoría de las veces Siempre	36.	☐₃ La mayoría de las veces ☐₄ Siempre Usando un número del 0 al 10, siendo 0 el peor doctor personal posible y 10 el mejor doctor personal posible, ¿qué número usaría para calificar al doctor personal de su niño? ☐₀ 0 El peor doctor personal posible
	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño pasó suficiente tiempo con este? Nunca A veces La mayoría de las veces Siempre		□₁ 1 □₂ 2 □₃ 3 □₄ 4 □₅ 5 □₆ 6 □٫ 7 □₃ 8 □₃ 9
33.	En los últimos 6 meses, ¿habló el doctor personal de su niño con usted sobre cómo su niño se estaba sintiendo, estaba creciendo o se estaba comportando? Sí No	37.	□ 10 El mejor doctor personal posible ¿Tiene su niño alguna condición médica, de comportamiento u otra condición de salud que haya durado más de 3 meses? □ Sí □ No → Si contestó "No", pase a la pregunta 40

¿El doctor personal de su niño entiende cómo estas condiciones médicas, de comportamiento u otras condiciones de salud afectan la vida cotidiana de su niño? Sí No	42. ¿Cuántos especialistas ha visto su niño en los últimos 6 meses? □₀ Ninguno → Si contestó "Ninguno", pase a la pregunta 44 □₁ 1 especialista □₂ 2	
39. ¿El doctor personal de su niño entiende cómo estas condiciones médicas, de comportamient u otras condiciones de salud afectan la vida cotidiana de su <u>familia</u> ? □₁ Sí □₂ No	 □₃ 3 □₄ 4 □₅ 5 especialistas o más 43. Queremos saber cómo califica al especialista al que su niño acudió con más frecuencia en los últimos 6 meses. Usando un número del 0 al 	
La atención médica que recibió de especialistas	10, siendo 0 el peor especialista posible y 10 el mejor especialista posible, ¿qué número usaría para calificar a ese especialista?	
Al contestar las siguientes preguntas <u>no</u> incluya las consultas de su niño al dentista ni la atención que recibió cuando pasó la noche hospitalizado.	□, 1	
40. Los especialistas son doctores que se especializan en un área de la medicina. Pueder ser cirujanos, doctores especialistas en el corazón, las alergias, la piel y otras áreas. En lo últimos 6 meses, ¿hizo alguna cita para su niño con un especialista?	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
\square_2 No \rightarrow Si contestó "No", pase a la	El plan de salud de su niño	
 pregunta 44 41. En los últimos 6 meses, ¿con qué frecuencia consiguió una cita con un especialista para su niño tan pronto como la necesitaba? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ Siempre 	 Las siguientes preguntas son acerca de su experiencia con el plan de salud de su niño. 44. En los últimos 6 meses, ¿recibió información o ayuda por parte del servicio al cliente del plan de salud de su niño? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 47 	

4 5.	En los últimos 6 meses, ¿con qué frecuencia el servicio al cliente del plan de salud de su niño le dio la información o ayuda que usted necesitaba? Nunca A veces La mayoría de las veces Siempre	 49. Usando un número del 0 al 10, siendo 0 el peor plan de salud posible y 10 el mejor plan de salud posible, ¿qué número usaría para calificar al plan de salud de su niño? □₀ 0 El peor plan de salud posible □₁ 1 □₂ 2 □₃ 3 □₄ 4
16.	En los últimos 6 meses, ¿con qué frecuencia el personal de servicio al cliente del plan de salud de su niño le trató con cortesía y respeto? Nunca A veces La mayoría de las veces Siempre	\square_5 5 \square_6 6 \square_7 7 \square_8 8 \square_9 9 \square_{10} 10 El mejor plan de salud posible
1 7.	En los últimos 6 meses, ¿le dio el plan de salud	Medicinas recetadas
	de su niño algún formulario para completar? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 49 En los últimos 6 meses, ¿con qué frecuencia fueron fáciles de completar los formularios del plan de salud de su niño? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ Siempre	 50. En los últimos 6 meses, ¿consiguió o renovó alguna medicina recetada para su niño? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 52a 51. En los últimos 6 meses, ¿con qué frecuencia fue fácil conseguir medicinas recetadas para su niño a través de su plan de salud? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ La mayoría de las veces □₃ Siempre
		52. ¿Alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a conseguir las medicinas recetadas para su niño? □₁ Sí □₂ No

Acceso a atención dental

Acceso a atención dental	52e. Usando un número del 0 al 10, el 0 siendo extremadamente difícil y el 10
52a. Un dentista regular es a quien su niño va a ver para un chequeo y limpieza o cuando tiene una carie o un dolor de diente. ¿Su niño tiene un dentista regular? □₁ Sí □₂ No 52b. En los últimos 6 meses, ¿fue su niño al consultorio de un dentista o a una clínica dental para recibir atención? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 52d	extremadamente fácil, ¿qué número usaría para calificar cuán fácil le fue encontrar un dentista para su niño?
52c. En los últimos 6 meses, ¿con qué frecuencia el	□ 10 Extrematamente rasii
personal dental o el dentista le explicaron lo que le hacían mientras trataron a su niño? $\square_1 \text{Nunca}$	Acerca de usted y de su niño
□₂ A veces □₃ La mayoría de las veces □₃ La mayoría de las veces □₄ Siempre 52d. En los últimos 6 meses, si su niño necesitó ver a un dentista de inmediato por una emergencia dental, ¿con qué frecuencia él o ella pudo ver a un dentista tan pronto como usted quería? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ La mayoría de las veces □₃ Siempre □₅ Mi niño no tuvo una emergencia dental en los últimos 6 meses	 53. En general, ¿cómo calificaría toda la salud de su niño? □₁ Excelente □₂ Muy buena □₃ Buena □₄ Regular □₅ Mala 54. En general, ¿cómo calificaría toda la salud mental o emocional de su niño? □₁ Excelente □₂ Muy buena □₃ Buena □₃ Buena □₃ Regular □₅ Mala
	 55. ¿Actualmente necesita o usa su niño una medicina recetada por un doctor (aparte de vitaminas)? □₁ Sí □₂ No → Si contestó "No", pase a la

pregunta 58

56.	¿Es esto debido a alguna condición médica, de comportamiento u otra condición de salud? ☐ Sí ☐ No → Si contestó "No", pase a la pregunta 58	comportam $\square_{\scriptscriptstyle 1}$ Sí	oido a alguna condición médica, de iento u otra condición de salud? → Si contestó "No", pase a la pregunta 64
57.	¿Es esta una condición que ha durado o que se espera que dure por lo menos 12 meses?		a condición que ha durado o que se dure por lo menos 12 meses?
58.	¿Necesita o usa su niño más servicios médicos, de salud mental o educativos de lo que es normal para la mayoría de los niños de la misma edad? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 61	como terapi	recibe su niño terapia especial, tal a física, ocupacional o del habla? → Si contestó "No", pase a la pregunta 67 pido a alguna condición médica, de
59.	¿Es esto debido a alguna condición médica, de comportamiento u otra condición de salud? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 61	☐ ₁ Sí ☐ ₂ No	iento u otra condición de salud? → Si contestó "No", pase a la pregunta 67 a condición que ha durado o que se dure por lo menos 12 meses?
60.	¿Es esta una condición que ha durado o que se espera que dure por lo menos 12 meses? Sí No	□₁ Sí □₂ No	•
61.	¿Está su niño limitado o impedido de alguna manera en su habilidad de hacer lo que pueden hacer la mayoría de los niños de la misma edad?	necesita o ro □₁ Sí	ecibe tratamiento o consejería? → Si contestó "No", pase a la pregunta 69
	□₂ No → Si contestó "No", pase a la pregunta 64		este problema o se espera que menos 12 meses?

69.	¿Qué edad tiene <u>su niño</u> ?	74. ¿Cuál es el grado o nivel escolar más alto que
	$\square_{\scriptscriptstyle \infty}$ Menos de un año	ha completado?
	AÑOS (escriba la respuesta)	\square_1 8 años de escuela o menos \square_2 9 a 12 años de escuela, pero sin
70.	¿Cuál es el sexo biológico de su niño?	graduarse Graduado de la escuela secundaria (high school), Diploma de escuela
	☐₂ Femenino	secundaria, preparatoria o su equivalente (o GED)
71.	¿Cuál es su identidad de género actual de su niño?	☐₄ Algunos cursos universitarios o un título universitario de un programa de
	□₁ Masculino	2 años
	☐ ₂ Femenino	☐₅ Título universitario de 4 años
	□ ₃ Transgénero	☐ fitulo universitario de más de 4 años
	□₄ No binario, intergénero, u otra	
		75. ¿Qué relación tiene con el niño?
72.	¿Qué edad tiene <u>usted</u> ?	☐₁ Madre o padre
	□₀ Menos de 18 años	☐₂ Abuelo o abuela
	□₁ 18 a 24	□₃ Tía o tío
	□₂ 25 a 34	☐ ₄ Hermano o hermana mayor
	□ ₃ 35 a 44	□ _s Otro familiar
	□ ₄ 45 a 54	☐ 6 Tutor legal del niño
	□ ₅ 55 a 64	□ ₇ Otra persona
	□ ₆ 65 a 74	
	\square_{7} 75 años o más	76. ¿Cuál de las siguientes opciones describe la
		identidad racial o étnica de su niño? Marque
73.	¿Cuál es su identidad de género actual?	TODAS las opciones que correspondan.
	□₁ Masculino	
	☐ ₂ Femenino	<u>Indígena estadounidense o nativo de Alaska</u>
	☐₃ Transgénero	Indígena norteamericano/a
	□₄ No binario, intergénero, u otra	☐ ₈ Indígena de Alaska
		☐ _c Inuit canadiense, métis o indígena
		canadiense (First Nation)
		□ _□ Indígena mexicano/a,
		centroamericano/a o sudamericano/a

<u>Asiático/a</u>	<u>Blanco/a</u>
□ Indio/a asiático/a	☐ _{AE} Europeo/a oriental
□ _F Chino/a	□ _{AF} Eslavo/a
□ _G Filipino/a	☐ _{AG} Europeo/a occidental
☐ _н Hmong	☐ AH Blanco/a de otro tipo
□, Japonés/a	
□, Coreano/a	Otras categorías
□ _κ Laociano/a	□ _{al} Otra
□ Sudasiático/a	
□ _M Vietnamita	77 Indonondiantemente de su respuesta anterior
□ _N Asiático/a de otro tipo	77. Independientemente de su respuesta anterior, ¿cómo identifica usted la <u>raza</u> , grupo étnico,
	origen tribal, país de origen o ascendencia de
Negro/a o afroamericano/a	su niño? (Escriba en letra imprenta)
□ _o Afroamericano/a	(2007)20 0771017
☐ Africano/a (negro/a)	
□ Caribeño/a (negro/a)	
□ Negro/a de otro tipo	
	78. ¿Qué tan bien habla inglés su niño?
Hispano/a o latino/a	☐₁ Muy bien
s Centroamericano/a, hispano/a o	□₂ Bien
latino/a	□₃ No bien
$\square_{\scriptscriptstyle T}$ Mexicano/a hispano/a o latino/a	□₄ Para nada
Sudamericano/a, hispano/a o latino/a	
\square_{V} Hispano/a o latino/a de otro tipo	79. ¿Qué idioma habla usted principalmente su
	niño en el hogar?
Medio oriental/norteafricano	$\square_{_1}$ Inglés
	□₂ Español
□ _w Del oriente medio	Otra (Escriba en letra imprenta)
□ _x Norafricano/a	, ,
Note of della Condella Ida del Da Car	
Nativo/a de Hawái o de las Islas del Pacífico	20 : Nacacita cu nião un intérpreto para que nos
Guameño/a o chamorro/a	80. ¿Necesita su niño un <u>intérprete</u> para que nos podamos comunicar con él?
□ _z Micronesio/a	
□ _{AA} Indígena de Hawái	□₁ 51 □₂ No
□ _{AB} Samoano/a	□ ₂ NO
Tongano/a	04 (Nancita e ei 7 - ei el 4 - e e e e e e e
☐ _{AD} De otras islas del Pacífico	81. ¿Necesita su niño un intérprete de <u>lenguaje</u> de señas para que nosotros podamos
	comunicarnos con él?
	\square_1 No \rightarrow Si contestó "No", pase a la
	pregunta 82
	pregunta oz

81a.	¿Qué tipo de intérprete necesita su niño para que nosotros podamos comunicarnos con él? (Intérprete ASL, inglés Pidgin por señas [PSE,	Deténgase aquí si su niño tiene menos de 5 años.		
	por sus siglas en inglés], interpretación táctil, etc.) (Escriba en letra imprenta)	86. ¿Tiene su niño dificultad seria para <u>caminar o</u> <u>subir escaleras</u> ? □₁ Sí □₂ No		
82.	¿Necesita su niño materiales escritos en un formato alternativo (Braille, letra grande, grabaciones de audio, etc.)? □₁ Sí □₂ No → Si contestó "No", pase a la	87. ¿Tiene su niño <u>dificultad para vestirse o bañarse</u> ? □₁ Sí □₂ No		
82a.	pregunta 83 .¿Qué formato alternativo necesita su niño? (Escriba en letra imprenta)	 88. Debido a una condición física, mental o emocional, ¿tiene su niño dificultad seria para concentrarse, recordar o tomar decisiones? □₁ Sí □₂ No 		
83.	¿Es su niño <u>sordo/a</u> o tiene <u>dificultad seria para</u> <u>oír</u> ?	Deténgase aquí si su niño tiene menos de 15 años.		
	□₁ Sí □₂ No	89. Debido a una <u>condición física, mental o</u> <u>emocional</u> , ¿tiene su niño dificultad seria para <u>hacer los mandados solo/a, por ejemplo</u> , ir a		
84.	¿Es su niño <u>ciego/a</u> o tiene <u>dificultad seria para ver</u> , aunque lleve puestos lentes? Sí No	ver al médico o ir de compras?		
85.	¿Alguna <u>condición física, mental o emocional</u> <u>limita sus actividades de su niño</u> de alguna	Gracias		
	manera? □₁ Sí □₂ No	Por favor devuelva esta encuesta en el sobre con el porte o franqueo pagado a: Center for the Study of Services		
		PO Box 10820 Herndon, VA 20172		
		Por favor no incluya cualquier otra correspondencia.		

CALCULATION GUIDELINES FOR GLOBAL PROPORTIONS

NCQA's HEDIS 2020, Volume 3: Specifications for Survey Measures contains detailed guidelines for calculation of survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for calculating rolling average composites and question summary rates. For OHA analysis, rolling average measures were calculated using single year rates.
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. There are three steps needed to calculate the composite global proportion:

Step 1

For each question in a composite, count the number of members who selected a favorable response option (i.e., Usually/Always or Yes).

Step 2

For each question, determine the proportion of respondents rating favorably (i.e., Usually/Always or Yes).

Step 3

Calculate the average proportion rating favorably across all the questions in the composite. These are the composite global proportions. Note: each question in a composite is weighted equally, regardless of how many members respond.

Using the example above, here is an illustration of the step-by-step calculation of the *Getting Care Quickly* composite global proportion. Missing responses are not included in the denominator.

Response option	Q4	Q6	Global Proportion
Never or Sometimes	1 / 5 = 0.20	1 / 4 = 0.25	(0.20 + 0.25) / 2 = 0.2250
Usually	2 / 5 = 0.40	1 / 4 = 0.25	(0.40 + 0.25) / 2 = 0.3250
Always	2 / 5 = 0.40	2 / 4 = 0.50	(0.40 + 0.50) / 2 = 0.4500
Always or Usually	4 / 5 = 0.80	3 / 4 = 0.75	(0.80 + 0.75) / 2 = 0.7750

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

GLOSSARY OF TERMS

Attributes

Areas of health plan performance and member experience assessed with the CAHPS survey

Benchmark

A reference score (e.g., the State Oregon Health Plan, the CSS Average, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See *Comparisons to Benchmarks and Prior-Year Results*.

CAHPS 5.0H Surveys

Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.0H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous 12 months, whereas the Medicaid version refers to the previous six (6) months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results in health plan performance reports, to inform accreditation decisions, and to create national benchmarks for care. Health plans might also collect CAHPS survey data for internal quality improvement purposes.

Composite Measures

Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version. See *Patient Experience of Care* Measures.

Confidence Level

A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.

Correlation

A degree of association between two variables, or attributes, typically measured by the *Pearson correlation coefficient*. The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.

Denominator (*n*, or Usable Responses)

Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "Low n" was assigned.

Disposition

The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.) See *Member Dispositions and Response Rate*.

Effectiveness of Care

Effectiveness of Care measures are relevant to Adult surveys only and include Flu Vaccinations for Adults Ages 18–64 (FVA) and Medical Assistance with Smoking and Tobacco Use Cessation (MSC).

Eligible Population

Members who are eligible to participate in the survey based on the following criteria:

- Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership.
- Continuous enrollment (six months for Medicaid, with no more than one enrollment break of 45 days or less);
- Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of November 30 of the measurement year);
- Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).

Global proportions

Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., Always or Usually) averaged across the questions that make up the composite. See Question Summary Rates and Composite Global Proportions.

HEDIS

The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.

Key Drivers and Priorities for Improvement

Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly rated plans. Specific priorities for improvement for *your organization* are identified based on how it is currently performing on the key driver attributes compared to industry best practices.

NCQA

The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

Question Summary Rate

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a *Never, Sometimes, Usually*, or *Always* response scale, with *Always* being the most favorable outcome. Results are typically reported as the proportion of members selecting *Usually* or *Always*. See *Question Summary Rates and Composite Global Proportions*.

Response Rate

Survey response rate is calculated using the following formula:

Response Rate =[Com	Complete and Eligible Surveys
	[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts
	+ Added to Do Not Call (DNC) List]

Sample size

OHA's methodology used a sample size of 1,125 for Adult Medicaid samples, 925 for Child Medicaid samples, and 575 for Child Medicaid with Chronic Conditions samples.

Statistically Significant Difference

When survey results are calculated based on sample data and compared to a benchmark score (e.g., State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.

Trending

Comparison of survey results over time

Usable Responses (n)

See Denominator

Valid Response

Any acceptable (falling within a pre-defined set) response to a survey question that follows the NCQA skip pattern rules and data cleaning guidelines.