

Oregon Health Plan Report of Results for

Fee-For-Service Child Population (Claims Stratum: Non-Chronic)

2020 CAHPS® 5.0H Medicaid with CCC Measure Member Experience Survey

Prepared for:

Oregon Health Authority

Prepared by:

Center for the Study of Services 1625 K Street NW, Suite 800 Washington, DC 20006



Table of Contents

	uction	
What's	s New in 2020	5
	2020 Survey Fielding Updates	5
	Impact of COVID-19 on OHA Reporting	6
	Updates to the 2020 OHA CAHPS Survey Results Report	6
Execut	ive Summary	7
	Results on Key Survey Measures	7
	Top Priorities for Quality Improvement	7
	Survey Results at a Glance	9
About	This Report	.10
Survey	Methodology	.12
	Survey Protocol and Timeline	12
	Survey Materials	12
	Sample Selection	12
	Data Capture	13
Memb	er Dispositions and Response Rate	.14
Satisfa	ction with the Experience of Care	.15
	Patient Experience of Care Measures	15
	Calculation and Reporting of Results	18
	Summary of Survey Results	19
	Detailed Performance Charts	21

Memb	er Profile and Analysis of Plan Ratings by Member Segment	.42
	Health Status and Demographics	. 43
	Use of Services	. 50
Key Dr	iver Analysis	53
	Objectives	53
	Technical Approach	
	Industry Key Driver Model	54
	Opportunities for Plan Quality Improvement	. 55
	Health Plan Quality Improvement Resources for Key Drivers	
Appen	dix	I
	Cross-Tabulations of Survey Responses	II
	Survey Instrument	III
	Calculation Guidelines for Global Proportions	IV
	Glossary of Terms	VI

INTRODUCTION

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous six months.

WHAT'S NEW IN 2020

2020 SURVEY FIELDING UPDATES

SAMPLING METHODOLOGY

The sampling methodology consisted of a primary sample for CCOs as well as oversample segments based on race/ethnicity to capture the experience of these members that might not otherwise be captured in the primary sample. Previously, the oversample was drawn independently from the primary sample. However, members sampled as part of the primary sample were counted towards their respective race/ethnicity segments and therefore, we were able to increase the 2020 target sample sizes based on the re-allocation of the oversample.

Two child Medicaid samples were drawn based on the pre-screen status code that identified children that were likely to have a chronic condition (CCC) based on claim and encounter records in the sample frame. However, <u>all</u> child Medicaid sample members received the Child Medicaid with CCC measures instrument regardless of their pre-screen status code to reduce the variation of survey materials and streamline the data collection process.

SURVEY INSTRUMENTS

The National Committee for Quality Assurance (NCQA) shortened the 2020 HEDIS/CAHPS 5.0H surveys to reduce the burden for health plan members and sponsors. OHA adopted these changes for the surveys administered to OHP members. The following questions were removed from the survey:

- Shared Decision Making questions and the associated composite measure
- Health Promotion and Education question
- Written Materials or Internet Provided Needed Information question (adult only)
- Chronic conditions (adult only) and proxy questions.

To support the Race, Ethnicity, Language, and Disability (REALD) initiative, OHA implemented additional items in the demographics area of the survey to collect these data from OHP members. Kindergarten readiness items were also removed from the child instrument.

IMPACT OF COVID-19 ON OHA REPORTING

The 2020 OHA CAHPS survey fielding timeline overlapped with the COVID-19 outbreak in the United States (US). Survey administration began on January 8, 2020 and data collection closed on April 6, 2020. The pandemic gained more widespread national attention during the second half of survey administration. Oregon's response to the outbreak as outlined in Governor's Executive Order No. 20-12 (https://www.oregon.gov/gov/Documents/executive orders/eo 20-12.pdf) demonstrates the overlap of the timelines. A multitude of factors, such as COVID-19 infection rates, consumer experience, stay-at-home orders, social distancing guidelines, and "essential business" designations might affect the data collected. It is unclear how all these changes may have impacted CAHPS survey results for 2020 and CCOs should be mindful of this when interpreting results.

UPDATES TO THE 2020 OHA CAHPS SURVEY RESULTS REPORT

CSS has made several updates to the 2020 CAHPS Results Reports:

- The Member Profile and Analysis of Plan Ratings by Member Segment section has been updated for revised race and gender survey item. Visiting a dentist's office or clinic for care survey item was also included as a utilization measure.
- The CSS Key Driver Model has been updated to reflect the shortened survey instrument. Areas that are no longer being assessed with the survey were removed from consideration as possible key drivers of plan performance.
- An updated and expanded Health Plan Quality Improvement Resource Guide is included.

EXECUTIVE SUMMARY

CSS administered the Child Medicaid with CCC Measure version of the 2020 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of Fee-For-Service, hereafter referred to as FFS between January 8 and April 8, 2020. The final Child Medicaid survey sample (Claims Stratum: Non-Chronic) for FFS included 950 members. 162 members completed the survey, resulting in a response rate of 17.69 percent.

This section highlights some of the key survey findings for FFS, including trends in CAHPS ratings and composites and comparisons to the State Oregon Health Plan results. Results are based on the rates of members answering 8, 9, or 10 for the ratings questions and Usually or Always for all other measures. Statistical significance tests were conducted at the 95% confidence level. Up to six organizational priorities for quality improvement are also identified based on CSS's Key Driver Analysis.

RESULTS ON KEY SURVEY MEASURES

STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2019

Reportable Rate IMPROVED	Reportable Rate DECLINED			
No statistically significant improvements	Coordination of Care (by 12.85 points)			

STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

Reportable Rate ABOVE Benchmark Reportable Rate BELOW Benchmark						
2020 State OHP						
None Rating of Health Plan (by 12.05 points)						

TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's Key Driver Analysis identifies the areas of health plan performance and aspects of member experience that shape members' overall assessment of their health plan. To the extent that these specific areas or experiences can be improved, the overall rating of the plan should reflect these gains. Up to five quality improvement opportunities with the highest return on investment for FFS are identified below. Effective interventions in these areas have the greatest potential impact on the *Rating of Health Plan* score.

Top Priorities for Quality Improvement

- 1. Improving the quality of physicians in health plan network (specialists)
- 2. Improving the quality of physicians in health plan network (personal doctors)
- 3. Improving member access to care (ease of getting needed care, tests, or treatment)
- 4. Improving member access to care (getting an appointment for urgent care as soon as needed)
- 5. Improving member access to care (having a personal doctor)

The remainder of this report examines these and other findings in greater detail.

SURVEY RESULTS AT A GLANCE

An overview of summary measures is presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the state Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2020 OHA CAHPS SURVEY FOR FFS CHILD MEDICAID SAMPLE (CLAIMS STRATUM: NON-CHRONIC): SURVEY RESULTS AT A GLANCE

CAHPS 5.0H Survey Measures		Global Proportions and Question Summary Rates				d Respo		
		2018	2019	2020	2018	2019	2020	2020 State OHP
	Q9. Rating of All Health Care	84.65%	82.79%	82.03%	254	215	128	87.09%
Overall Ratings	Q36. Rating of Personal Doctor	89.22%	86.08%	89.44%	306	237	142	89.01%
(% 8, 9, or 10)	Q43. Rating of Specialist Seen Most Often	78.95%	86.89%	92.31% (Low n)	57	61	26	85.64%
	Q49. Rating of Health Plan	74.25%	74.15%	71.43%	365	294	154	83.48%
Getting Needed Care	Getting Needed Care Composite	78.65%	87.79%	86.38%	157	140	78	82.21%
(% Always or Usually)	Q10. Easy to get needed care	90.08%	91.20%	90.63%	252	216	128	91.29%
(% Always or Usually)	Q41. Easy to see specialists	67.21%	84.38%	82.14% (Low n)	61	64	28	73.13%
Getting Care Quickly	Getting Care Quickly Composite	89.09%	90.91%	92.06%	170	144	80	89.01%
(% Always or Usually)	Q4. Got urgent care as soon as needed	88.98%	94.25%	90.00%	118	87	40	91.31%
(% Always or Usually)	Q6. Got routine care as soon as needed	89.19%	87.56%	94.12%	222	201	119	86.70% 🔺
	How Well Doctors Communicate Composite	96.54%	96.50%	96.09%	217	193	109	94.71%
How Well Doctors	Q27. Doctor explained things	98.16%	95.88%	97.22%	217	194	108	94.74%
Communicate*	Q28. Doctor listened carefully	96.77%	95.85%	97.25%	217	193	109	96.04%
(% Always or Usually)	Q29. Doctor showed respect	97.24%	99.48%	97.25%	217	194	109	97.03%
	Q32. Doctor spent enough time	93.98%	94.76%	92.66%	216	191	109	91.03%
Customer Service	Customer Service Composite	86.54%	89.38%	96.15% (Low n)	78	76	26	89.00%
(% Always or Usually)	Q45. Provided needed information/help	78.21%	85.33%	92.31% (Low n)	78	75	26	84.08%
(% Always of Osually)	Q46. Treated with courtesy/respect	94.87%	93.42%	100.00% (Low n)	78	76	26	93.93%
	Q35. Coordination of Care (% Always or Usually)	85.56%	91.11%	78.26%	90	90	46	82.81%
	. Access to Prescription Medicines			84.38%			64	91.48%
Children with Chronic	. Access to Specialized Services			69.04% (Low n)			19	71.04%
Conditions Measures	. Getting Needed Information			93.80%			129	91.67%
Conditions Measures	. Personal Doctor Who Knows Child			94.27%			67	91.72%
	. Coordination of Care for Children With Chronic Conditions			64.44%			31	75.10%

If n is less than 30, "Low n" is displayed next to score.

Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All statistical tests are conducted at the 95% confidence level prior to rounding. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as 🛦 when your rate is higher or 🔻 when it is lower.

ABOUT THIS REPORT

The key features of this 2020 CAHPS report, prepared by CSS for FFS, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS* 2020, *Volume 3: Specifications for Survey Measures* unless otherwise noted. Summary Results are reported regardless of whether the denominator threshold is met, however, any summary measure where the denominator is less than 30 is marked as "Low n".
- Throughout the report, the 2020 FFS survey results are compared to the 2020 State OHP. The 2020 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority who were likely to not have a chronic condition based on claim and encounter records.
- Executive Summary provides a high-level overview of survey findings. This section highlights the areas where FFS performs significantly above or below the state Oregon Health Plan performance. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Up to five top organizational priorities for quality improvement based on CSS's Key Driver Analysis are identified.
- Summary of Survey Results presents the 2020 FFS survey scores on key measures, including question summary rates (QSRs), global proportions, and changes in QSR and global proportion scores from the previous year (if applicable); and comparisons to relevant state Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- Detailed Performance Charts are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2020 FFS QSRs and global proportions are compared to the 2020 State OHP on all measures. Where available, a three-year trend in scores is also shown.
- Member Profile and Analysis of Plan Ratings by Member Segment compares the 2020 FFS respondent profile to the appropriate reference distribution (i.e., all plans included in the 2020 State OHP) of demographic characteristics and utilization variables. Variation in Rating of Health Plan measure by member segment is examined.

• Key Driver Analysis identifies those aspects of member experience (key drivers) that are closely related to the overall rating of the plan. The CSS Key Driver Model quantifies the contribution of each key driver to the overall evaluation of the plan. The 2020 FFS results on each key driver are compared to the highest score among all the Child Medicaid plans contributing to the 2020 State OHP, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall Rating of Health Plan score. Opportunities for improvement are prioritized based on the expected improvement in the FFS Rating of Health Plan score due to improved performance on the key driver. A separate section of the report provides some helpful resources for health plan quality improvement.

• The *Appendix* includes:

- Detailed cross-tabulations of survey responses for every survey question, with additional tables summarizing performance on key survey measures;
- A copy of the survey instrument;
- Step-by-step guidelines for calculating composite global proportions; and
- A glossary of terms.

SURVEY METHODOLOGY

SURVEY PROTOCOL AND TIMELINE

CSS administered the Child Medicaid with CCC Measure version of the 2020 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of FFS using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online, which was mailed on January 8;
- An initial questionnaire with cover letter, which was mailed on January 15;
- A replacement questionnaire with cover letter, which was mailed on February 13;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 9; and
- Close of data collection on April 6, 2020.

SURVEY MATERIALS

The survey instruments (both English and Spanish) used for FFS are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS 2020, Volume 3: Specifications for Survey Measures* and *Quality Assurance Plan for HEDIS 2020 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all the mailing materials. Each survey package included a postage-paid return envelope. Besides the core CAHPS questions, the survey included 25 additional questions added by OHA. These included questions on cultural competency, access to dental care, and REALD demographics. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

SAMPLE SELECTION

CSS followed Oregon Health Authority's instructions to generate the survey sample for FFS. Sample-eligible members were defined as plan members who were 17 years old or younger as of November 30, 2019; were currently enrolled; had been continuously enrolled for six months (with no more than one enrollment break of 45 days or less); and whose primary coverage was through Medicaid. The sample frame included a pre-screen status code to identify children that

were likely to have a chronic condition (CCC) based on claim and encounter records. Using this code, a sample was drawn from the child Medicaid population. All child Medicaid sample members received the Child Medicaid w/ CCC measures instrument regardless of their pre-screen status code. The results for the CCC population presented in this report are based the pre-screen status code rather than responses to the survey in the NCQA methodology.

Prior to sampling, CSS carefully inspected the member file(s) and informed the Oregon Health Authority of any errors or irregularities found (such as missing address elements or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up-to-date.

The final sample was generated using a random selection methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. Therefore, the final Child Medicaid survey sample (Claims Stratum: Non-Chronic) for FFS included 950 members.

DATA CAPTURE

Questionnaires returned by mail were recorded using either manual data entry or optical scanning. Responses recorded via manual data entry were keyed by two independent data entry operators, and any discrepancies between the two response records were flagged and reconciled by a supervisor. Individual responses on surveys recorded via optical scanning were sent to data entry operators if the scanning technology was unable to identify the specific response option selected with a pre-defined degree of certainty.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. On-site CATI supervisors maintained quality control by monitoring the telephone interviews and keyboard entry of interviewers in real time. In addition, CSS research staff remotely monitored interviews on a regular basis. Due to the multiple mailings and varied modes of data collection, multiple survey responses could be received from the same sample member. In those cases, CSS included only one survey response (the most complete survey) in the final analysis dataset.

MEMBER DISPOSITIONS AND RESPONSE RATE

Among the FFS sample members who met final eligibility criteria, 162 completed the survey, resulting in a response rate of 17.69 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2020 OHA CAHPS SURVEY FOR FFS CHILD MEDICAID SAMPLE (CLAIMS STRATUM: NON-CHRONIC): SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

	To		
Disposition	Number	% Initial Sample	2020 State OHP
Initial Sample	950	100.00%	
Disposition			
Complete and Eligible - Mail	118	12.42%	13.69%
Complete and Eligible - Phone	40	4.21%	9.56%
Complete and Eligible - Internet	4	0.42%	0.49%
Complete and Eligible - Total	162	17.05%	23.74%
Does not meet Eligible Population criteria	34	3.58%	1.12%
Incomplete (but Eligible)	20	2.11%	1.90%
Ineligible	0	0.00%	0.34%
- Language barrier	0	0.00%	0.11%
- Mentally or physically incapacitated	0	0.00%	0.00%
- Deceased	0	0.00%	0.02%
Refusal	81	8.53%	6.79%
Nonresponse after maximum attempts	645	67.89%	65.73%
Added to Do Not Call (DNC) list	8	0.84%	0.59%
Response Rate*		17.69%	24.04%

40770

^{*}Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

SATISFACTION WITH THE EXPERIENCE OF CARE

PATIENT EXPERIENCE OF CARE MEASURES

GLOBAL RATINGS

CAHPS Health Plan Survey (version 5.0H) includes four global rating questions that utilize the scale of 0 to 10, with 0 representing the worst and 10 representing the best possible rating. Results are reported as the proportion of members selecting one of the top three responses (8, 9, or 10).

- Rating of Personal Doctor (0 = worst personal doctor possible; 10 = best personal doctor possible)
- Rating of Specialist Seen Most Often (0 = worst specialist possible; 10 = best specialist possible)
- Rating of All Health Care (0 = worst health care possible; 10 = best health care possible)
- Rating of Health Plan (0 = worst health plan possible; 10 = best health plan possible)

CAHPS COMPOSITES

In addition to the global ratings, the results for several CAHPS composite measures are also reported. CAHPS composites combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- **Getting Needed Care** combines two survey questions that address member access to care. Both questions use a *Never, Sometimes, Usually*, or *Always* response scale, with *Always* being the most favorable response. Results are based on the proportion of members answering the following questions as *Usually* or *Always*.
 - In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?
 - In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

- **Getting Care Quickly** combines responses to two survey questions that address timely availability of both urgent and check-up/routine care. The questions use a *Never*, *Sometimes*, *Usually*, or *Always* scale, with *Always* being the most favorable response. Results are based on the proportion of members selecting *Usually* or *Always* in response to the following questions:
 - In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?
 - In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?
- **How Well Doctors Communicate** combines responses to four survey questions that address physician communication. The questions use a *Never*, *Sometimes*, *Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members answering the following questions as *Usually* or *Always*:
 - In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?
 - In the last 6 months, how often did your child's personal doctor listen carefully to you?
 - In the last 6 months, how often did your child's personal doctor show respect for what you had to say?
 - In the last 6 months, how often did your child's personal doctor spend enough time with your child?
- **Customer Service** combines responses to two survey questions that ask about member experience with the health plan's customer service. The questions use a *Never, Sometimes, Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always* in response to the following questions:
 - In the last 6 months, how often did customer service staff at your child's health plan give you the information or help you needed?
 - In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?
- Coordination of Care is based on a single survey question, which uses a Never, Sometimes, Usually, or Always scale (with Always being the most favorable response). Results are based on the proportion of members selecting Usually or Always in response to the question below:
 - In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

NCQA calculates and reports the following measures for the Child Medicaid with CCC Survey:

- Access to Specialized Services combines responses to three survey questions addressing the child's access to special equipment or devices, therapies, treatments, or counseling. The questions use a Never, Sometimes, Usually, or Always scale, with Always being the most favorable response. Results are reported as the proportion of members answering the following questions as Usually or Always:
 - In the last 6 months, how often was it easy to get special medical equipment or devices for your child?
 - In the last 6 months, how often was it easy to get this therapy for your child?
 - In the last 6 months, how often was it easy to get this treatment or counseling for your child?
- **Personal Doctor Who Knows Child** combines responses to three survey questions addressing the doctor's understanding of the child's health issues. The questions use a **Yes** or **No** scale. Results are reported as the proportion of members answering **Yes** to the following questions:
 - In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?
 - Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?
 - Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your family's day-to-day life?
- Coordination of Care for Children with Chronic Conditions combines responses to two survey items addressing care coordination needs related to the child's chronic condition. The questions use a Yes or No scale. Results are reported as the proportion of members answering Yes to the following questions:
 - In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?
 - In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?
- **Getting Needed Information** is based on a single survey question, which uses a *Never*, *Sometimes*, *Usually*, or *Always* scale (with *Always* being the most favorable response). Results are based on the proportion of members selecting *Usually* or *Always* in response to the question below:
 - In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?

- Access to Prescription Medicines is based on a single survey question, which uses a Never, Sometimes, Usually, or Always scale (with Always being the most favorable response). Results are based on the proportion of members selecting Usually or Always in response to the question below:
 - In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?

CALCULATION AND REPORTING OF RESULTS

QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest from a given question on the survey.

Composite Global Proportions express the proportion of respondents selecting the response option(s) of interest from a given group of questions on the survey. They are calculated by first determining the proportion of respondents selecting the reported response(s) on each survey question contributing to the composite and subsequently averaging these proportions across all items in the composite.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS 2020*, *Volume 3: Specifications for Survey Measures* or consult the Appendix.

DENOMINATOR THRESHOLD

The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite (note: composite denominators are rounded for display purposes). If the rate denominator is less than 30, a measure result of "Low n" was assigned. This report presents results for all measures, regardless of denominator size. Any result that does not meet the denominator threshold of 30 valid responses is denoted with "Low n" to inform interpretations of results.

COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2020 FFS results are compared to the 2020 State OHP as well as to the highest and lowest performing CCO. The 2020 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority who were likely to not have a chronic condition based on claim and encounter records. If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

SUMMARY OF SURVEY RESULTS

Exhibit 3 provides a high-level FFS performance overview on key survey measures. These include overall ratings, composite global proportions, and QSRs for additional content areas. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

EXHIBIT 3. 2020 OHA CAHPS SURVEY FOR FFS CHILD MEDICAID SAMPLE (CLAIMS STRATUM: NON-CHRONIC): SUMMARY OF RESULTS ON KEY MEASURES

			Difference** between 2020 Rate and				
CAHPS 5.0H Survey Measures*		2020 Rate	2019 Rate	2018 Rate	2020 State OHP		
Ratings							
Rating of Personal Doctor		89.44%	3.36%	0.22%	0.43%		
Rating of Specialist Seen Most Often	Low n	92.31%	5.42%	13.36%	6.67%		
Rating of All Health Care		82.03%	-0.76%	-2.61%	-5.05%		
Rating of Health Plan		71.43%	-2.72%	-2.82%	-12.05% ▼		
Composite Measures							
Getting Needed Care		86.38%	-1.41%	7.74%	4.18%		
Getting Care Quickly		92.06%	1.15%	2.97%	3.05%		
How Well Doctors Communicate		96.09%	-0.40%	-0.44%	1.38%		
Customer Service	Low n	96.15%	6.78%	9.62%	7.15%		
Additional Content Areas							
Coordination of Care		78.26%	-12.85% ▼	-7.29%	-4.55%		
Children with Chronic Conditions Measures							
Access to Prescription Medicines		84.38%	No data***	No data***	-7.10%		
Access to Specialized Services	Low n	69.04%	No data***	No data***	-2.00%		
Getting Needed Information		93.80%	No data***	No data***	2.13%		
Personal Doctor Who Knows Child		94.27%	No data***	No data***	2.55%		
Coordination of Care for Children With Chronic Conditions		64.44%	No data***	No data***	-10.66%		

^{*} Results were calculated following NCQA specifications and prior year results may differ from those previously reported.

^{**} Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the small denominator threshold (n=30). All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your current-year rate is higher or ▼ when it is lower.

^{***} The result is not available because the measure is new or not trendable, or the organization did not collect survey data in a prior year.

DETAILED PERFORMANCE CHARTS


This section of the report includes detailed charts for composite global proportions, rating question summary rates (QSRs), as well as additional QSRs for individual survey items. The charts have the following features:

TREND IN RESULTS


- FFS survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year, if the measure is new, or if the measure is not deemed appropriate for trending. In such cases, "No data" appears in place of the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. If the number of responses is less than 30, "Low n" appears next to the value of *n*, indicating that the result does not meet the denominator threshold. CSS calculates all rates regardless of this threshold.
- Statistical comparisons are conducted between the current-year rate and each of the prior-year rates, if available. Where appropriate, differences in both standard (e.g., 8 + 9 + 10 or Usually + Always) as well as top-box (e.g., 9 + 10 or Always) rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2019 rate denotes a statistically significant difference between the 2020 and 2019 rates.

COMPARISONS TO BENCHMARKS


• The horizontal lines displayed on the charts correspond to the 2020 State OHP as well as to the highest and lowest performing CCO. If the 2020 FFS score is significantly different from any of these benchmark scores at the 95% confidence level, ★ appears next to the relevant score.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a x symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (8+9+10) and (9+10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \star symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \bigstar symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (8 + 9 + 10) and (9 + 10). Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a ** symbol next to the comparison rate.



Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a * symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a 🛨 symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a + symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \star symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a 🛨 symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \star symbol next to the comparison rate.



Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pm\$ symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a *\pi\$ symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a 🛨 symbol next to the comparison rate.

MEMBER PROFILE AND ANALYSIS OF PLAN RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the FFS membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A health plan's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their ratings of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.


While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.

The charts on the following pages compare the FFS membership profile to the relevant state Oregon Health Plan benchmark distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the FFS membership on a given member attribute (e.g., gender, education level, number of doctor visits, etc.) with the 2020 state Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.

HEALTH STATUS AND DEMOGRAPHICS


The following characteristics are profiled in this section:

- Child's age
- Child's current gender identity
- Child's health status
- Child's mental or emotional health status
- Respondent's age
- Respondent's current gender identity
- Respondent's education level
- Respondent's relationship to the child
- Child's racial or ethnic identity




^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.




^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.



^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.


^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.



[†] The self-reported race and ethnicity responses were aggregated into broader race and ethnic categories to help summarize for reporting purposes.

^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.



[†] The self-reported race and ethnicity responses were aggregated into broader race and ethnic categories to help summarize for reporting purposes.


^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.

USE OF SERVICES

The following utilization measures are included in this section:

- Seeking urgent care
- Making appointments for routine care
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Having a regular dentist
- Number of visits to a doctor's office or clinic
- Number of specialists seen





^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.

Q7. In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Q42. How many specialists has your child seen in the last 6 months? (Note: the question applies only to those respondents who had appointments with specialists.)





Note: all percentages are rounded for display. Rating of Health Plan score should be interpreted with caution if the size of the group (pie slice) is small.

^{*} Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

^{**} Includes members who answered the question and provided a valid response to Q49 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q49 or if no one rated the plan as 8, 9, or 10.

KEY DRIVER ANALYSIS

OBJECTIVES

CSS's Key Driver Analysis (KDA) highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans;
- To highlight industry best practices on the key driver measures;
- To compare the current performance of FFS to industry best practices in these areas; and
- To estimate the impact of improving performance on these measures on the Rating of Health Plan measure.

TECHNICAL APPROACH

INDUSTRY VIEW

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences within a single plan. Certain plan attributes are strongly related to member satisfaction at the industry level. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared across plans. However, within a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any "gaps" in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, searched for information in the plan's written materials, etc.) CSS's analysis shows that these experience variables explain a significant portion of the plan's overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan's membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan's perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider any and all measurable influences on the overall rating of the plan.

KEY DRIVER MODEL DEVELOPMENT

The CSS *Key Driver Model* was developed using a national plan-level dataset of Child Medicaid CAHPS survey results. The analysis was based on the plans surveyed by CSS in 2020, including their 2020, 2019 and 2018 results for a total 312 units of observation. CSS performed regression analysis of health plan ratings to identify the sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global *Rating of Health Plan* score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.) Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan's point of view.

All of the plan variables, including potential drivers of satisfaction (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

INDUSTRY KEY DRIVER MODEL

The table below lists six key drivers of Child Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (*p*-value < 0.05). Performance on these variables, together with the control variables, explains 75 percent of the industry variation in Child Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not take into account how FFS is currently performing on these measures. Improvement targets identified specifically for FFS, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

Access to care (Q10, Q4) and providers (Q25, Q36 and Q43) are significant drivers of member experience. Note that Q44 (contacting customer service) is marked with a ▼ symbol because this experience is *negatively* related to the overall health plan score. Plans that have large numbers of members who report contacting customer service to get information or help generally have *lower* overall satisfaction scores.

Key Driver	Interpretation
Q36. Rating of Personal Doctor (percent 9 or 10)	The higher the proportion of members rating their child's personal doctor as 9 or 10 , the higher the overall plan score
Q10. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of respondents reporting that the necessary care, tests, or treatment were easy to get, the higher the overall plan score
Q43. Rating of Specialist Seen Most Often (percent 9 or 10)	The higher the proportion of members rating their specialist as 9 or 10 , the higher the overall plan score
Q25. Child has a personal doctor (percent Yes)	The higher the proportion of respondents who report that their child has a personal doctor, the higher the overall plan score
Q44. ▼ Got information or help from customer service (percent <i>Yes</i>)	The higher the proportion of members reporting that they contacted customer service for information or help, the lower the overall plan score
Q4. Got an appointment for urgent care as soon as needed (percent <i>Always</i> or <i>Usually</i>)	The higher the proportion of members reporting favorably on their experience getting urgent care, the higher the overall plan score

OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT

Specific improvement opportunities for FFS are presented in Exhibit 4. The ordering reflects both the strength of each key driver in the broad industry context and how FFS is currently performing on the measure.

The middle panel of the chart compares how FFS is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among all the Child Medicaid plans contributing to the 2020 State OHP. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of FFS performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score FFS could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 4. 2020 OHA CAHPS SURVEY FOR FFS CHILD MEDICAID SAMPLE (CLAIMS STRATUM: NON-CHRONIC): KEY AREAS AND PRIORITIES FOR IMPROVEMENT

Current Key Driver Performance		Room for Improvement on Key Driver	Overall Improvement Opportunity
2020 Rate		Percentage Point Difference Between Current Key Driver Score and the Best Practice Score*	Expected Percentage Point Improvement in Rating of Health Plan score (percent 9 or 10) if Key Driver Performs at Best Practice Level
Q43. Rating of Specialist Seen Most Often (percent 9 or 10)	65.38%	+31.04% 96.43%	+3.80%
Q36. Rating of Personal Doctor (percent 9 or 10)	76.76%	+6.73% -> 83.49%	+3.55%
Q10. Ease of getting needed care, tests, or treatment (percent <i>Usually</i> or <i>Always</i>)	90.63%	+5.28% -> 95.90%	+1.60%
Q4. Got urgent care as soon as needed (percent <i>Usually</i> or <i>Always</i>)	90.00%	+10.00%	+1.48%
Q25. Child has personal doctor (percent Yes)	90.63%	+3.06% >> 93.69%	+0.54%
Q44. Got information or help from customer service (percent <i>Yes</i>)	▼ 16.88%	-2.38% ➤ 14.49 %	+0.24%

^{*}Best score on the key driver measure among all plans included in the 2020 State OHP

HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS

css's Industry *Key Driver Analysis* lists improvement opportunities and priorities for FFS. The following is a list of possible interventions and resources related to each of the key drivers. This section is included as a guide to assist you in your quality improvement efforts. Some of these resources may be more applicable to FFS than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to the Agency for Health Care Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems (https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf).

IMPROVING MEMBER ACCESS TO CARE

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment.

- Same-Day Appointment Scheduling The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html.
- Implement Process Improvements to Streamline Patient Flow Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician's assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html for AHRQ's guide to plan and implement patient flow improvement strategies.
- Patient-Centered Medical Homes (PCMH) This model increases patient access to physicians, reducing barriers to receiving care
 (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2869425/). There are many valuable sources of information on the medical home model of care and health equity. To start, see this Institute of Medicine report: https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf. Family Medicine for America's Health is a collaboration of family medicine organizations dedicated to improving health care by expanding and emphasizing primary care, particularly through the use of patient-centered medical homes. For AHRQ's resources detailing transitioning a practice to a patient-centered medical home model, see http://www.pcmh.ahrq.gov/.

• Alternative Access Centers – This brief (http://www.rwjf.org/content/dam/farm/reports/issue_briefs/2015/rwjf419415) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly. Providing patients with alternative venues to access health care, rather than the traditional doctor's office or hospital, lowers barriers to care (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/).

IMPROVING QUALITY OF PHYSICIANS IN HEALTH PLAN NETWORK

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in patients' increased rating of doctors.

- Help Patients Communicate Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and "coached care" programs. See http://www.ahrq.gov/cahps/quality-improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-decisionmaking.html and http://www.ahrq.gov/cahps/quality-improvement/improvement/improvement-guide/6-strategies-for-improving/communication/strategy6htools.html. For a sample communication document that providers can distribute to patients before or during visits, see http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048.
- Build Physician-Patient Relationships An article published in the British Journal of General Practice found that patients seeing their preferred doctor rated their satisfaction with visits significantly higher than patients who did not have a doctor preference or those who would have preferred to see a different doctor. A study of English National Health Service data found that confidence and trust in a doctor is an important predictor of overall patient satisfaction (http://www.ncbi.nlm.nih.gov/pubmed/18416910/), while a Harvard study found that a positive physician-patient relationship correlates with better healthcare outcomes (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/).

• Improve Referral Communication – The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase patient satisfaction with their specialist. For examples of interventions that improve care coordination efficiency and quality, see https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and as well as https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency.

IMPROVING CUSTOMER SERVICE AND HEALTH PLAN-RELATED INFORMATION

It is important that health plan information be provided to members and that the information addresses member concerns. As representatives of the plan, customer service staff must ensure that members have confidence and trust in their ability to address their concerns. The following resources contain recommendations for improving customer service.

- Develop Customer Service Standards To improve customer service, the Agency for Healthcare Research and Quality suggests first articulating which aspects of customer service are most important to your organization. After developing these standards, monitor performance and promote accountability among staff. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html.
- Iterative Improvement for Member Services This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and thoroughly assess member dissatisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See http://www.rand.org/pubs/working_papers/WR517.html.
- Implement Service Recovery Procedures When customers have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, proper handling of complaints can reassure patients and restore loyalty to the health plan. For more information, see http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service-recovery.html.
- Make Plan Information Accessible to All Members A Health Research and Educational Trust study found that demographic characteristics, including education, age, gender, and income, significantly impacted use of an Internet-based decision tool. The tool provided cost information as well as a health and wellness assessment. The study suggests that effort beyond Internet-based tools is necessary to reach certain demographics. For further information, see http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3447236/.

- Increase Access to Trusted Health Information Many people look to their health plan for information not only on how the health plan works, but also on resources to help them improve their health, particularly when dealing with chronic illnesses. A recent meta-analysis confirmed that improved access to trusted health information leads to improved outcomes (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5818676/). Also, the Office of the National Coordinator for Health Information Technology (ONC) created the ONC Patient Engagement (PE) Playbook (https://www.healthit.gov/playbook/pe/) to help healthcare providers use health information technology (health IT) to provide better care to patients by specifically focusing on electronic health record (EHR) patient portals. This tool would allow both patients and healthcare teams, concurrent with patients' privacy preferences, to easily access patient health information which may lead to increased benefits for healthcare, such as improved health outcomes and lower costs.
- Evaluate the Organization's Health Literacy Programs The CDC has developed guidance on evaluating an organization's health literacy program, including recommended sources of communication and health literacy measures. See http://www.cdc.gov/healthliteracy/researchevaluate/program-evaluation.html. The CDC's National Prevention Information Network also offers tools to create health materials in plain language to reduce health disparities (https://npin.cdc.gov/pages/health-communication-language-and-literacy).
- Improve Patient Health Literacy This guide by the Office of Disease Prevention and Health Promotion outlines steps to improve health literacy, which may help patients to better absorb the information they obtain from written materials or the Internet. For detailed steps, see https://health.gov/ourwork/health-literacy/resources. AHRQ has also developed its own health literacy toolkit to support physicians (https://www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/literacy-toolkit/healthlittoolkit2.html).

APPENDIX

Fee-For-Service 2020 CAHPS Survey Results

CROSS-TABULATIONS OF SURVEY RESPONSES

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Satisfaction With the Experience of Care

		Global Pr	oportions	
	2020 State		Plan Rate	
Survey Measures*	ОНР	2020	2019	2018
Ratings				
Rating of Personal Doctor	89.01%	89.44%	86.08%	89.22%
Rating of Specialist	85.64%	92.31%	86.89%	78.95%
Rating of All Health Care	87.09%	82.03%	82.79%	84.65%
Rating of Health Plan	83.48%	71.43%	74.15%	74.25%
Composites				
Getting Needed Care	82.21%	86.38%	87.79%	78.65%
Getting Care Quickly	89.01%	92.06%	90.91%	89.09%
How Well Doctors Communicate	94.71%	96.09%	96.50%	96.54%
Customer Service	89.00%	96.15%	89.38%	86.54%
Additional Content Areas				
Coordination of Care	82.81%	78.26%	91.11%	85.56%
Children with Chronic Conditions Composites				
Access to Prescription Medicine	91.48%	84.38%	NA	NA
Access to Specialized Services	71.04%	69.04%	NA	NA
Getting Needed Information	91.67%	93.80%	NA	NA
Personal Doctor or Nurse Who Knows Child	91.72%	94.27%	NA	NA
Coordination of Care w/CCC (Q16 & Q27)	75.10%	64.44%	NA	NA

^{*} Results were calculated by CSS following NCQA specifications. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 3

In the last 6 months, did your child have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

Base: All respondents

	ЭНР					ndent's 0 Identity (073)		C	Child's Ag (Q69)	ie		sponder Education (Q74)		Child's	Health	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poo9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161	327	369	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	50	2	5	0	0	2	0	2	0	0	0	0	2	2	0	0	0	0	1	0	0	0	1	0	0	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,881	159	322	369	22	130	0	36	71	47	16	23					9	5	2	13	0	0	59	4	47	30	122	7
	98.7%	98.8%	98.5%	100.0%	100.0%	98.5%		94.7%	100.0%	100.0%	100.0%	100.0%	98.2%	98.3%	100.0%	100.0%	100.0%	100.0%	66.7%	100.0%			98.3%	0.0%	100.0%	96.8%	99.2%	100.0%
Yes	1,009	41	89	128	2	38	0	8	20	11	4	4	32	33	3	4	2	1	0	4	0	0	15	1	14	2	35	4
	26.0%	25.8%	27.6%	34.7%	9.1%	29.2%		22.2%	28.2%	23.4%	25.0%	17.4%	28.6%	27.7%	12.0%	36.4%	22.2%	20.0%	0.0%	30.8%			25.4%	25.0%	29.8%	6.7%	28.7%	57.1%
No	2,872	118	233	241	20	92	0	28	51	36	12	19	80	86	22	7	7	4	2	9	0	0	44	3	33	28	87	3
	74.0%	74.2%	72.4%	65.3%	90.9%	70.8%		77.8%	71.8%	76.6%	75.0%	82.6%	71.4%	72.3%	88.0%	63.6%	77.8%	80.0%	100.0%	69.2%			74.6%	75.0%	70.2%	93.3%	71.3%	42.9%
Significantly different from column:*		D			F	E																				AA	Z	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 4

In the last 6 months, when your child <u>needed care right away</u>, how often did your child get care as soon as he or she needed?

Base: All respondents whose child need care right away (Q3)

	ЧЬ	3)				ndent's C Identity	Gender	C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	₽					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	P009	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	1,009	41	89	118	2	38	0	8	20	11	4	4	32	33	3	4	2	1	0	4	0	0	15	1	14	2	35	4
Number missing or multiple answer	19	1	2	0	0	1	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	990	40	87	118	2	37	0	8	19	11	4	4	31	32	3	4	2	1	0	4	0	0	14	1	14	2	34	4
	98.1%	97.6%	97.8%	100.0%	100.0%	97.4%		100.0%	95.0%	100.0%	100.0%	100.0%	96.9%	97.0%	100.0%	100.0%	100.0%	100.0%		100.0%			93.3%	0.0%	100.0%	100.0%	97.1%	100.0%
Never	16 1.6%	1 2.5%	0.0%	0.8%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0.0%	0.0%	1 50.0%	0.0%	0.0%
Sometimes	70	3	5	12	1	2	0	1	0	1	0	1	2	2	0	1	0	1	0	0	0	0	0	0	1	0	3	0
	7.1%	7.5%	5.7%	10.2%	50.0%	5.4%		12.5%	0.0%	9.1%	0.0%	25.0%	6.5%	6.3%	0.0%	25.0%	0.0%	100.0%		0.0%			0.0%	0.0%	7.1%	0.0%	8.8%	0.0%
Usually	153 15.5%	6 15.0%	9 10.3%	25 21.2%	0.0%	6 16.2%	0	1 12.5%	4 21.1%	9.1%	25.0%	1 25.0%	4 12.9%	5 15.6%	1 33.3%	0.0%	50.0%	0.0%	0	25.0%	0	0	0.0%	1 100.0%	3 21.4%	0.0%	5 14.7%	1 25.0%
Always	751	30	73	80	1	29	0	6	15	9	3	2	25	25	2	3	1	0	0	3	0	0	14	0	10	1	26	3
	75.9%	75.0%	83.9%	67.8%	50.0%	78.4%		75.0%	78.9%	81.8%	75.0%	50.0%	80.6%	78.1%	66.7%	75.0%	50.0%	0.0%		75.0%			100.0%	0.0%	71.4%	50.0%	76.5%	75.0%
Significantly different from column:*																												
Usually or Always	904	36	82	105	1	35	0	7	19	10	4	3	29	30	3	3	2	0	0	4	0	0	14	1	13	1	31	4
	91.3%	90.0%	94.3%	89.0%	50.0%	94.6%		87.5%	100.0%	90.9%	100.0%	75.0%	93.5%	93.8%	100.0%	75.0%	100.0%	0.0%		100.0%			100.0%	100.0%	92.9%	50.0%	91.2%	100.0%
Significantly different from column:*																											-	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 5

In the last 6 months, did you make any appointments for a check-up or routine care for your child at a doctor's office or clinic?

Base: All respondents

	HP					ndent's (Identity		C	Child's Ag	je		sponder		Child's	Health :	Status					Race					Child's Las	st 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	٧	W	X	Υ	Z	AA	AB
Number in sample	3,931	161	327	368	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	1 -
Number missing or multiple answer	46	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,885 98.8%	161 100.0%	321 98.2%	368 100.0%		132 100.0%	0	38 100.0%		47 100.0%	16 100.0%				25 100.0%	11 100.0%	9 100.0%	5 100.0%	3 100.0%	13 100.0%	0	0	60 100.0%	4 0.0%	47 100.0%	91	123 100.0%	
Yes	2,574	121	204	240	16	101	0	32	55	31	10	13	92	92	18	9	6	4	1	10	0	0	48	2	34	3	112	- (
	66.3%	75.2%	63.6%	65.2%	72.7%	76.5%		84.2%	77.5%	66.0%	62.5%	56.5%	80.7%	76.0%	72.0%	81.8%	66.7%	80.0%	33.3%	76.9%			80.0%	50.0%	72.3%	9.7%	91.1%	85.7%
No	1,311	40	117	128	6	31	0	6	16	16	6	10	22	29	7	2	3	1	2	3	0	0	12	2	13	28	11	
	33.7%	24.8%	36.4%	34.8%	27.3%	23.5%		15.8%	22.5%	34.0%	37.5%	43.5%	19.3%	24.0%	28.0%	18.2%	33.3%	20.0%	66.7%	23.1%			20.0%	50.0%	27.7%	90.3%	8.9%	14.3%
Significantly different from column:*		ACD										M	L		,											AA	Z	1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 6

In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?

Base: All respondents who made an appointment for their child for health care (Q5)

base. All respondents who made all appointme			()			ndent's C			hild's Ac	ie.		sponder		Child's	Health	Status					Race						Doctor V	
	웊					Identity				-	E	Educatio	n													Las	t 6 Mont	:hs
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,574	121	204	222	16	101	0	32	55	31	10	13	92	92	18	9	6	4	1	10	0	0	48	2	34	3	112	6
Number missing or multiple answer	63	2	3	0	0	2	0	0	2	0	0	0	2	2	0	0	0	0	0	1	0	0	0	0	1	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,511	119	201	222	16	99	0	32	53	31	10	13	90	90	18	9	6	4	1	9	0	0	48	2	33	3	110	6
	97.6%	98.3%	98.5%	100.0%	100.0%	98.0%		100.0%	96.4%	100.0%	100.0%	100.0%	97.8%	97.8%	100.0%	100.0%	100.0%	100.0%	100.0%	90.0%			100.0%	0.0%	97.1%	100.0%	98.2%	100.0%
Never	35	0	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
0 "	1.4%	0.0%	2.0%	1.8%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	299 11.9%	5.9%	21 10.4%	9.0%	0.0%	5.1%		0.0%	3.8%	6.5%	10.0%	15.4%	2.2%	2.2%	16.7%	11.1%	16.7%	25.0%	100.0%	0.0%			0.0%	0.0%	3.0%	33.3%	5.5%	0.0%
Usually	639	30	56	58	6	24	0	7	13	10	3	3	23		7	4	2	1	0	4	0	0	12	0	8	1	26	3
,	25.4%	25.2%	27.9%	26.1%	37.5%			21.9%	24.5%	32.3%	30.0%	23.1%	25.6%	20.0%	38.9%	44.4%	33.3%	25.0%	0.0%	44.4%			25.0%	0.0%	24.2%	33.3%	23.6%	50.0%
Always	1,538	82	120	140	10	70	0	25	38	19	6	8	65	70	8	4	3	2	0	5	0	0	36	2	24	1	78	3
	61.3%	68.9%	59.7%	63.1%	62.5%	70.7%		78.1%	71.7%	61.3%	60.0%	61.5%	72.2%	77.8%	44.4%	44.4%	50.0%	50.0%	0.0%	55.6%			75.0%	100.0%	72.7%	33.3%	70.9%	50.0%
Significantly different from column:*														0	N													
Usually or Always	2,177	112	176	198	16	94	0	32	51	29	9	11	88	88	15	8	5	3	0	9	0	0	48	2	32	2	104	6
	86.7%	94.1%	87.6%	89.2%	100.0%	94.9%		100.0%	96.2%	93.5%	90.0%	84.6%	97.8%	97.8%	83.3%	88.9%	83.3%	75.0%	0.0%	100.0%			100.0%	100.0%	97.0%	66.7%	94.5%	100.0%
Significantly different from column:*		Α																										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 7

In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Base: All respondents

base. All respondents						ndent's (Identity	Gender	С	hild's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor \	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
		0	0	00		(4,3)	Ļ.		(405)			(4, .)	d)		(433)		P				(Q, 0)	ŗ					(4,)	
	2020 State	0707	2019	2018	Male	Female	Non-binary, genderqueer, o other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	p005	Fair or Poor	American Indian Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northerr African	Native Hawaiian o Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161	327	365	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	97	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA		NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA.
Usable responses	3,834 97.5%	161 100.0%	321 98.2%	365	22 100.0%	132	0	38 100.0%	71	47 100.0%	16 100.0%				25 100.0%		100.0%	100.0%	100.0%	13 100.0%			100.0%	0.0%	47 100.0%	31 100.0%	123 100.0%	100.0%
None	1,241	31		110	100.070	24	0	100.070	14		100.070	100.070	160.076		100.070	100.070	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	31	100.070	100.0 /0
None	32.4%	19.3%		30.1%	22.7%			13.2%	19.7%		37.5%	34.8%			24.0%	18.2%	22.2%	20.0%	66.7%	23.1%			15.0%	25.0%	21.3%	100.0%	0.0%	0.0%
1 time	1,293	57	95	109	9	44	0	13	25		2	9	42	45	9	1	3	2	1	2	0	0	23	2	14	0	57	0
	33.7%	35.4%	29.6%	29.9%	40.9%	33.3%		34.2%	35.2%	36.2%	12.5%	39.1%	36.8%	37.2%	36.0%	9.1%	33.3%	40.0%	33.3%	15.4%			38.3%	50.0%	29.8%	0.0%	46.3%	0.0%
2	753	43	72	73	4	38	0	11	21	9	5	5	30	33	5	4	2	1	0	4	0	0	17	1	13	0	43	0
	19.6%	26.7%	22.4%	20.0%	18.2%	28.8%		28.9%	29.6%	19.1%	31.3%	21.7%	26.3%	27.3%	20.0%	36.4%	22.2%	20.0%	0.0%	30.8%			28.3%	25.0%	27.7%	0.0%	35.0%	0.0%
3	309	15	24	33	3	12	0	7	3	5	0	1	14	12	3	0	0	1	0	0	0	0	7	0	6	0	15	0
,	8.1%	9.3%	7.5%	9.0%	13.6%	9.1%		18.4%	4.2%	10.6%	0.0%	4.3%	12.3%	9.9%	12.0%	0.0%	0.0%	20.0%	0.0%	0.0%			11.7%	0.0%	12.8%	0.0%	12.2%	0.0%
4	118 3.1%	5.0%	4.0%	4.1%	4.5%	5.3%		0.0%	9.9%	2.1%	12.5%	0.0%	5.3%	5.0%	4.0%	9.1%	22.2%	0.0%	0.0%	15.4%			3.3%	0.0%	2.1%	0.0%	6.5%	0.0%
5 to 9	105	7.070	9.070	18	4.570	7.570	0	2	1	2.170	12.570	0.070	5.576	3.070	1.070	3.170	0	0.070	0.070	2	0	0	3.370	0.070	2.170	0.070	0.570	7
	2.7%	4.3%	2.8%	4.9%	0.0%	5.3%		5.3%	1.4%	8.5%	6.3%	0.0%	5.3%	2.5%	4.0%	27.3%	0.0%	0.0%	0.0%	15.4%			3.3%	0.0%	6.4%	0.0%	0.0%	100.0%
10 or more times	15	0	5	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.4%	0.0%	1.6%	1.9%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5 or more times	120	7	14	25	0	7	0	2	1	4	1	0	6	3	1	3	0	0	0	2	0	0	2	0	3	0	0	7
	3.1%	4.3%	4.4%	6.8%	0.0%	5.3%		5.3%	1.4%	8.5%	6.3%	0.0%	5.3%	2.5%	4.0%	27.3%	0.0%	0.0%	0.0%	15.4%			3.3%	0.0%	6.4%	0.0%	0.0%	100.0%
Significantly different from column:*						l						1				1	I	l						l				, ,

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 8

In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

	4P					ndent's G Identity	Gender	C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	공					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,593	130			17	108	0	33	57	36	10	15	98	99	19	9	7	4	1	10	0	0	51	3	37	0	123	7
Number missing or multiple answer	25	1			0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA.	NA	NA	NA	NA	NA
Usable responses	2,568	129			17	107	0	32	57	36	10	15	97	98	19	9	7	4	1	10	0	0	51	3	37	0	122	7
	99.0%	99.2%			100.0%	99.1%		97.0%	100.0%	100.0%	100.0%	100.0%	99.0%	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%		99.2%	100.0%
Never	42 1.6%	3 2.3%				2.8%	0	3.1%	1.8%	2.8%	0.0%	0.0%	3.1%	2.0%	1 5.3%	0.0%	0.0%	25.0%	0.0%	0.0%	0	0	3.9%	0.0%	0.0%	0	3 2.5%	0.0%
Sometimes	172	5				4	0	1	1	2	2	1	2	3	1	1	1	0	0	0	0	0	3	0	1	0	5	0
	6.7%	3.9%			5.9%	3.7%		3.1%	1.8%	5.6%	20.0%	6.7%	2.1%	3.1%	5.3%	11.1%	14.3%	0.0%	0.0%	0.0%			5.9%	0.0%	2.7%		4.1%	0.0%
Usually	426	31			5	25	0	5	13	13	4	6	20	17	9	5	4	0	1	3	0	0	7	1	11	0	27	4
	16.6%	24.0%			29.4%	23.4%		15.6%	22.8%	36.1%	40.0%	40.0%	20.6%	17.3%	47.4%	55.6%	57.1%	0.0%	100.0%	30.0%			13.7%	33.3%	29.7%		22.1%	57.1%
Always	1,928	90			11	75	0	25	42	20	4	8	72	76	8	3	2	3	0	7	0	0	39	2	25	0	87	3
	75.1%	69.8%			64.7%	70.1%		78.1%	73.7%	55.6%	40.0%	53.3%	74.2%	77.6%	42.1%	33.3%	28.6%	75.0%	0.0%	70.0%			76.5%	66.7%	67.6%		71.3%	42.9%
Significantly different from column:*							-	J		Н				0	N													
Usually or Always	2,354	121			16	100	0	30	55	33	8	14	92	93	17	8	6	3	1	10	0	0	46	3	36	0	114	7
	91.7%	93.8%			94.1%	93.5%		93.8%	96.5%	91.7%	80.0%	93.3%	94.8%	94.9%	89.5%	88.9%	85.7%	75.0%	100.0%	100.0%			90.2%	100.0%	97.3%		93.4%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 9

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

Base: All respondents whose child went to a do		mile (Q7)				ndent's (Identity	Gender	C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V t 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	P009	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	2,593 30 NA	130 2 NA	218 3 NA	254 0 NA	17 0 NA	108 2 NA	0 0 NA	33 1 NA	0 NA	1 NA	10 0 NA	0 NA	2 NA	2 NA	19 0 NA	0	7 0 NA	4 0 NA	1 0 NA	10 0 NA	0 0 NA	0 0 NA		3 0 NA	37 0 NA	0 0 NA	123 2 NA	7 0 NA
Usable responses	2,563 98.8%	128 98.5%	215 98.6%	254 100.0%	17 100.0%	106 98.1%	0	32 97.0%	57 100.0%	35 97.2%	10 100.0%			_	19 100.0%		7 100.0%	4 100.0%	1 100.0%	10 100.0%	0	0	50 98.0%	0.0%	37 100.0%	0	121 98.4%	7 100.0%
0 Worst health care possible	4 0.2%	0.0%	0 0.0%	1 0.4%	0.0%	0 0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0	0 0.0%	0.0%
1	6 0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0	0.0%	0.0%
2	4 0.2%	0.0%	2 0.9%	0.4%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0	0	0	0.0%	0	0.0%	0	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0	0 0.0%	0.0%
3	7 0.3%	0.0%	1 0.5%	0.8%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0 0.0%	0.0%	0	0 0.0%	0.0%
4	13 0.5%	0.0%	2 0.9%	1 0.4%	0.0%	0.0%	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0 0.0%	0.0%	0	0 0.0%	0.0%
5	46 1.8%	2 1.6%	6 2.8%	6 2.4%	1 5.9%	1 0.9%	0	0.0%	0.0%	1 2.9%	0.0%	1 6.7%	1.0%	1.0%	0.0%	1 11.1%	0.0%	0.0%	0.0%	10.0%	0	0	0.0%	0.0%	1 2.7%	0	2 1.7%	0.0%
6	64 2.5%	5 3.9%	8 3.7%	3.5%	0.0%	5 4.7%	0	0.0%	3 5.3%	5.7%	10.0%	0	4.2%	3.1%	5.3%	1	0.0%	0	0.0%	10.0%	0	0	1	0.0%	2.7%	0	5 4.1%	0.0%
7	187 7.3%	16 12.5%	18 8.4%	19 7.5%	4	11 10.4%	0	5 15.6%	3 5.3%	7	0.0%	2	13	9	4 21.1%	3	1	2	0.0%	0.0%	0	0	8 16.0%	1 33.3%	3 8.1%	0	14 11.6%	28.6%
8	505 19.7%	26 20.3%	40 18.6%	7.3% 73 28.7%	3 17.6%	23 21.7%	0	15.6% 15.6%	10 17.5%		60.0%	4	15.5% 15.6%	18	5 26.3%	2	3 42.9%	0	0.0%	30.0%	0	0	18.0%	0.0%	8 21.6%	0	23 19.0%	3 42.9%
9	519	33	55	67	5	28	0	12	18	3	0	4	29	28	5	0	0	0	1	0	0	0	16	2	13	0	32	1
10 Best health care possible	20.2% 1,208 47.1%	25.8% 46 35.9%	25.6% 83 38.6%	26.4% 75 29.5%	29.4% 4 23.5%	26.4% 38 35.8%	0	37.5% 10 31.3%	31.6% 23 40.4%	8.6% 11 31.4%	0.0% 3 30.0%	4	30.2% 34 35.4%	38	26.3% 4 21.1%	2	0.0% 3 42.9%	2	100.0% 0 0.0%	0.0% 5 50.0%	0	0	32.0% 16 32.0%	66.7% 0 0.0%	35.1% 11 29.7%	0	26.4% 45 37.2%	14.3% 1 14.3%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 9

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

Base: All respondents whose child went to a do	cioi s onice/c	illic (Q7)		Respondent's Gender Child's Age Respondent's Child's Health Status Race																								
	۵					ndent's (Identity		С	hild's Ag	je		sponder Education		Child's	Health	Status					Race						Doctor ' st 6 Mon	Visits in oths
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooD	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	2,593 30	130 2	218 3	0	17 0	108 2	0	33 1	57 0	36 1	10 0	15 0	98 2	99 2	19 0	9	7 0	4 0	1 0	10 0	0	0	51 1	3 0	37 0	0	123 2	0
Number no experience	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	
Usable responses	2,563 98.8%	128 98.5%	215 98.6%	254 100.0%		106 98.1%	0	32 97.0%	57 100.0%	35 97.2%	10 100.0%	15 100.0%	96 98.0%	97 98.0%	19 100.0%	100.0%	7 100.0%	4 100.0%	1 100.0%	10 100.0%	0	0	50 98.0%	0.0%	37 100.0%	0	121 98.4%	
0 to 4	34 1.3%	0.0%	5 2.3%	5 2.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0	0.0%	0.0%
5	46 1.8%	2 1.6%	6 2.8%	6 2.4%	1 5.9%	1 0.9%	0	0.0%	0.0%	1 2.9%	0.0%	1 6.7%	1.0%	1.0%	0.0%	1 11.1%	0.0%	0.0%	0.0%	1 10.0%	0	0	0.0%	0 0.0%	1 2.7%	0	2 1.7%	0.0%
6 or 7	251 9.8%	21 16.4%	26 12.1%			16 15.1%	0	5 15.6%	6 10.5%	9 25.7%	1 10.0%	2 13.3%	17 17.7%	12 12.4%	_	4 44.4%	1 14.3%	2 50.0%	0.0%	1 10.0%	0	0	9 18.0%	1 33.3%	4 10.8%	0	19 15.7%	
8 to 10	2,232 87.1%	105 82.0%	178 82.8%		12 70.6%	89 84.0%	0	27 84.4%	51 89.5%	25 71.4%	90.0%	12 80.0%		84 86.6%	14 73.7%		6 85.7%	2 50.0%	1 100.0%	80.0%	0	0	41 82.0%	2 66.7%	32 86.5%	0	100 82.6%	-
Significantly different from column:*									J	ı																		
0 to 6	144 5.6%	7 5.5%	19 8.8%	-		6 5.7%	0	0.0%	3 5.3%	3 8.6%	1 10.0%	1 6.7%	5 5.2%	4 4.1%	1 5.3%	2 22.2%	0.0%	0.0%	0.0%	2 20.0%	0	0	1 2.0%	0.0%	2 5.4%	0	7 5.8%	0.0%
7 to 8	692 27.0%	42 32.8%	58 27.0%			34 32.1%	0	10 31.3%	13 22.8%	18 51.4%	6 60.0%	6 40.0%	28 29.2%	27 27.8%	-	5 55.6%	4 57.1%	2 50.0%	0.0%	3 30.0%	0	0	17 34.0%	1 33.3%	11 29.7%	0	37 30.6%	
9 to 10	1,727 67.4%	79 61.7%	138	142	9 52.9%	66 62.3%	0	22 68.8%	41	14	3 30.0%	8	63	66	9	2 22.2%	3 42.9%	2 50.0%	1 100.0%	5 50.0%	0	0	32 64.0%	2	24 64.9%	0	77 63.6%	2
Significantly different from column:*								J	J	HI																		

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 10

In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

Base: All respondents whose child went to a do	ОНР					ndent's (Identity (Q73)	Gender	C	Child's Ag	е		sponden Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,593	130	218	252	17	108	0	33	57	36	10	15	98	99	19	9	7	4	1	10	0	0	51	3	37	0	123	7
Number missing or multiple answer	33	2	2	0	0	2	0	1	0	1	0	0	2	2	0	0	0	0	0	0	0	0	1	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA		NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	2,560 98.7%	128 98.5%	216 99.1%	252 100.0%	17 100.0%		0	32 97.0%		35 97 2%	10 100.0%	15 100.0%	96 98.0%	-	19 100 0%	100.0%	7 100 0%	4 100.0%	1 100.0%	100.0%	0	0	50 98.0%	0.0%	37 100.0%	_	121 98 4%	7 100.0%
Never	32	1	2	5	0	1	0	0.070	1	0	0.000	0	1	1	0	0	0	0	0	0	0	0	1	0.070	0	0	1	0
	1.3%	0.8%	0.9%	2.0%	0.0%	0.9%		0.0%	1.8%	0.0%	0.0%	0.0%	1.0%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			2.0%	0.0%	0.0%		0.8%	0.0%
Sometimes	191	11	17	20	1	9	0	1	3	5	1	3	6	6	4	1	1	1	0	0	0	0	2	0	4	0	11	0
	7.5%	8.6%	7.9%	7.9%	5.9%	8.5%		3.1%	5.3%	14.3%	10.0%	20.0%	6.3%	6.2%	21.1%	11.1%	14.3%	25.0%	0.0%	0.0%			4.0%	0.0%	10.8%		9.1%	0.0%
Usually	654	37	64	77	7	30	0	9	16	12	4	3	28	25	5	6	2	2	1	5	0	0	11	1	13	0	31	6
	25.5%	28.9%	29.6%	30.6%	41.2%	28.3%		28.1%	28.1%	34.3%	40.0%	20.0%	29.2%	25.8%	26.3%	66.7%	28.6%	50.0%	100.0%	50.0%			22.0%	33.3%	35.1%		25.6%	85.7%
Always	1,683	79	133	150	9	66	0	22	37	18	5	9	61	65	10	2	4	1	0	5	0	0	36	2	20	0	78	1
	65.7%	61.7%	61.6%	59.5%	52.9%	62.3%		68.8%	64.9%	51.4%	50.0%	60.0%	63.5%	67.0%	52.6%	22.2%	57.1%	25.0%	0.0%	50.0%			72.0%	66.7%	54.1%		64.5%	14.3%
Significantly different from column:*																												
Usually or Always	2,337	116	197	227			0	31	53	30	9	12			-	_	6	3	1	10	-	0	47	3	33	0	109	
	91.3%	90.6%	91.2%	90.1%	94.1%	90.6%		96.9%	93.0%	85.7%	90.0%	80.0%	92.7%	92.8%	78.9%	88.9%	85.7%	75.0%	100.0%	100.0%			94.0%	100.0%	89.2%		90.1%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 11

Is your child now enrolled in any kind of school or daycare?

Base: All respondents

	ОНР					ndent's 0 Identity (Q73)		C	Child's Ag (Q69)	е		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	46	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,885	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
	98.8%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	2,772	128			19	105	0	23	63	39	15	18	90	96	20	9	6	3	3	11	0	0	51	3	34	23	100	5
	71.4%	79.5%			86.4%	79.5%		60.5%	88.7%	83.0%	93.8%	78.3%	78.9%	79.3%	80.0%	81.8%	66.7%	60.0%	100.0%	84.6%			85.0%	75.0%	72.3%	74.2%	81.3%	71.4%
No	1,113	33			3	27	0	15	8	8	1	5	24	25	5	2	3	2	0	2	0	0	9	1	13	8	23	2
	28.6%	20.5%			13.6%	20.5%		39.5%	11.3%	17.0%	6.3%	21.7%	21.1%	20.7%	20.0%	18.2%	33.3%	40.0%	0.0%	15.4%			15.0%	25.0%	27.7%	25.8%	18.7%	28.6%
Significantly different from column:*		Α						IJ	Н	Н															-			, 7

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 12

In the last 6 months, did you need your child's doctors or other health providers to contact a school or daycare center about your child's health or health care?

Base: All respondents whose child is enrolled in school or daycare (Q11)

	ОНР					ndent's (Identity (Q73)	Gender	C	hild's Ag (Q69)	е		sponden ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poop	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,772	128			19	105	0	23	63	39	15	18	90	96	20	9	6	3	3	11	0	0	51	3	34	23	100	- 5
Number missing or multiple answer	47	2			1	1	0	0	1	1	1	0	1	1	1	0	0	0	0	0	0	0	2	0	0	1	1	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,725	126			18	104	0	23	62	38	14	18	89		19		6	3	3	11	0	0	49	3	34	22	99	5
	98.3%	98.4%			94.7%	99.0%		100.0%	98.4%	97.4%	93.3%	100.0%	98.9%	99.0%	95.0%	100.0%	100.0%	100.0%	100.0%	100.0%			96.1%	0.0%	100.0%	95.7%	99.0%	100.0%
Yes	202	11			2	9	0	1	7	2	3	3	5	7	2	2	0	0	0	2	0	0	1	0	7	2	9	С
	7.4%	8.7%			11.1%	8.7%		4.3%	11.3%	5.3%	21.4%	16.7%	5.6%	7.4%	10.5%	22.2%	0.0%	0.0%	0.0%	18.2%			2.0%	0.0%	20.6%	9.1%	9.1%	0.0%
No	2,523	115			16	95	0	22	55	36	11	15	84	88	17	7	6	3	3	9	0	0	48	3	27	20	90	5
	92.6%	91.3%			88.9%	91.3%		95.7%	88.7%	94.7%	78.6%	83.3%	94.4%	92.6%	89.5%	77.8%	100.0%	100.0%	100.0%	81.8%			98.0%	100.0%	79.4%	90.9%	90.9%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 13

In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?

Base: All respondents whose child is enrolled in school or daycare and needed their child's doctor/health provider to contact school/daycare center about their child's health (Q11 & Q12)

	ОНР					ndent's (Identity (Q73)		C	Child's Ag	je		sponder Educatio (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	202	11			2	9	0	1	7	2	3	3	5	7	2	2	0	0	0	2	0	0	1	0	7	2	9	0
Number missing or multiple answer	6	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	196	11			2	9	0	1	7	2	3	3	5	7	2	2	0	0	0	2	0	0	1	0	7	2	9	0
	97.0%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%				100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	
Yes	177	9			2	7	0	1	6	2	2	2	5	7	2	0	0	0	0	1	0	0	1	0	6	2	7	0
	90.3%	81.8%			100.0%	77.8%		100.0%	85.7%	100.0%	66.7%	66.7%	100.0%	100.0%	100.0%	0.0%				50.0%			100.0%		85.7%	100.0%	77.8%	
No	19	2			0	2	0	0	1	0	1	1	0	0	0	2	0	0	0	1	0	0	0	0	1	0	2	0
	9.7%	18.2%			0.0%	22.2%		0.0%	14.3%	0.0%	33.3%	33.3%	0.0%	0.0%	0.0%	100.0%				50.0%			0.0%		14.3%	0.0%	22.2%	
Significantly different from column:*																									-			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 14

In the last 6 months, did you get or try to get any special medical equipment or devices for your child?

Base: All respondents

	HP					ndent's (C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race					Child's Las	st 6 Mon	
	2020 State O	2020	2019	2018	Male	(Q73) Emale	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	(Q74)	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle D A African African African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 to (O ₂)	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	1 7
Number missing or multiple answer	16	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,915	161			22	132	0	38	71	47	16	23			25	11	9	5	3	13	0	0	60	4	47		123	
	99.6%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	93	6			0	6	0	2	2	2	1	0	5	6	0	0	1	0	0	0	0	0	2	0	3	1	5	-
	2.4%	3.7%			0.0%	4.5%		5.3%	2.8%	4.3%	6.3%	0.0%	4.4%	5.0%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%			3.3%	0.0%	6.4%	3.2%	4.1%	0.0%
No	3,822	155			22	126	0	36	69	45	15	23	109	115	25	11	8	5	3	13	0	0	58	4	44	30	118	-
	97.6%	96.3%			100.0%	95.5%		94.7%	97.2%	95.7%	93.8%	100.0%	95.6%	95.0%	100.0%	100.0%	88.9%	100.0%	100.0%	100.0%			96.7%	100.0%	93.6%	96.8%	95.9%	100.0%
Significantly different from column:*																												1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 15

In the last 6 months, how often was it easy to get special medical equipment or devices for your child?

Base: All respondents who got or tried to get special medical equipment or device for their child (Q14)

base. All respondents who got or thed to get sp					Respo	ndent's C		C	Child's A	ge		sponder Educatio		Child's	Health	Status					Race						Doctor V	
	HO Ho					(Q73)			(Q69)			(Q74)	••		(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	93	6			0	6	0	2	2	2	1	0	5	6	0	0	1	0	0	0	0	0	2	0	3	1	5	0
Number missing or multiple answer	4	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	89 95.7%	6 100.0%			0	6 100.0%	0	2 100.0%	100.0%	100.0%	1 100.0%	0	5 100.0%	6 100.0%	0	0	1 100.0%	0	0	0	0	0	2 100.0%	0.0%	3 100.0%	1 100.0%	5 100.0%	0
Never	5 5.6%	0.0%			0	0	0	0.0%	0	0	0	0	0	0	0	0	0.0%	0	0	0	0	0	0	0	0.0%	0.0%	0 0.0%	0
Sometimes	11 12.4%	0.0%			0	0.0%	0	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0	0	0 0.0%	0	0	0	0	0	0.0%	0	0 0.0%	0 0.0%	0.0%	0
Usually	19 21.3%	1 16.7%			Ŭ	1 16.7%	0	0.0%	0.0%	50.0%	0.0%	0	1 20.0%	1 16.7%	0	0	1 100.0%	0	0	0	0	0	0.0%	0	0.0%	0 0.0%	1 20.0%	0
Always	54 60.7%	5 83.3%			0	5 83.3%	0	2 100.0%	2 100.0%	50.0%	1 100.0%	0	4 80.0%	5 83.3%	0	0	0.0%	0	0	0	0	0	2 100.0%	0	3 100.0%	1 100.0%	4 80.0%	0
Significantly different from column:*																												
Usually or Always	73 82.0%	6 100.0%			0	6 100.0%	0	2 100.0%	2 100.0%	2 100.0%	1 100.0%	0	5 100.0%	6 100.0%	0	0	1 100.0%	0	0	0	0	0	2 100.0%	0	3 100.0%	1 100.0%	5 100.0%	0
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 16

Did anyone from your child's health plan, doctor's office, or clinic help you get special medical equipment or devices for your child?

Base: All respondents who got or tried to get special medical equipment or device for their child (Q14)

	ЧР					ndent's (Identity		C	Child's Ag	je		sponder ducatio		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	93	6			0	6	0	2	2	2	1	0	5	6	0	0	1	0	0	0	0	0	2	0	3	1	5	0
Number missing or multiple answer	5	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	88 94.6%	6 100.0%				6 100.0%	0	2 100.0%	2 100.0%	2 100.0%	1 100.0%	0	5 100.0%	6 100.0%	0	0	1 100.0%	0	0	0	0	0	2 100.0%	0.0%	3 100.0%	1 100.0%	5 100.0%	0
Yes	71 80.7%	6 100.0%				6 100.0%	0	2 100.0%	2 100.0%	2 100.0%	1 100.0%	0	5 100.0%	6 100.0%	0	0	1 100.0%	0	0	0	0	0	2 100.0%	0	3 100.0%	1 100.0%	5 100.0%	0
No	17 19.3%	0 0.0%			Ĭ	0.0%	0	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0	0	0.0%	0	0	0	0	0	0.0%	0	0 0.0%	0.0%	0.0%	0
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 17

In the last 6 months, did you get or try to get special therapy such as physical, occupational, or speech therapy for your child?

Base: All respondents

	ОНР					ndent's (Identity (Q73)		C	hild's Ag (Q69)	e		sponder Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in ths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	24	1			0	1	0	0	0	1	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,907	160			22	131	0	38	71	46	16	22	114	120	25	11	9	4	3	13	0	0	60	4	47	31	122	7
	99.4%	99.4%			100.0%	99.2%		100.0%	100.0%	97.9%	100.0%	95.7%	100.0%	99.2%	100.0%	100.0%	100.0%	80.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	99.2%	100.0%
Yes	180	17			2	14	0	3	7	6	1	2	12	8	5	2	0	0	0	2	0	0	6	0	8	2	15	0
	4.6%	10.6%			9.1%	10.7%		7.9%	9.9%	13.0%	6.3%	9.1%	10.5%	6.7%	20.0%	18.2%	0.0%	0.0%	0.0%	15.4%			10.0%	0.0%	17.0%	6.5%	12.3%	0.0%
No	3,727	143			20	117	0	35	64	40	15	20	102	112	20	9	9	4	3	11	0	0	54	4	39	29	107	7
	95.4%	89.4%			90.9%	89.3%		92.1%	90.1%	87.0%	93.8%	90.9%	89.5%	93.3%	80.0%	81.8%	100.0%	100.0%	100.0%	84.6%			90.0%	100.0%	83.0%	93.5%	87.7%	100.0%
Significantly different from column:*		Α																							-			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 18

In the last 6 months, how often was it easy to get this therapy for your child?

Base: All respondents who got or tried to get special therapy for their child (Q17)

Base: All respondents who got or tried to get sp			,			ndent's (Identity	Gender	C	Child's Ag	ge		sponder Educatio		Child's	Health	Status					Race						Doctor V t 6 Mont	
	픙					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	p005	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	180	17			- 2	14	0	3	7	6	1	2	12	8	5	2	0	0	0	2	0	0	6	0	8	2	15	0
Number missing or multiple answer	3	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	177	17			2	14	0	3	7	6	1	2	12	8	5	2	0	0	0	2	0	0	6	0	8	2	15	0
	98.3%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%				100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	
Never	24 13.6%	11.8%				7.1%	0	0.0%	0.0%	2 33.3%	0.0%	0.0%	2 16.7%	1 12.5%	0.0%	1 50.0%	0	0	0	0.0%	0	0	0.0%	0	2 25.0%	1 50.0%	1 6.7%	0
Sometimes	32	4				3	0	0	2	2	1	0	2	0	3	1	0	0	0	2	0	0	2	0	0	1	3	0
	18.1%	23.5%			50.0%	21.4%		0.0%	28.6%	33.3%	100.0%	0.0%	16.7%	0.0%	60.0%	50.0%				100.0%			33.3%		0.0%	50.0%	20.0%	
Usually	30	1			. 0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	16.9%	5.9%			0.0%	7.1%		33.3%	0.0%	0.0%	0.0%	0.0%	8.3%	12.5%	0.0%	0.0%				0.0%			16.7%		0.0%	0.0%	6.7%	
Always	91	10			0	9	0	2	5	2	0	2	7	6	2	0	0	0	0	0	0	0	3	0	6	0	10	0
	51.4%	58.8%			0.0%	64.3%		66.7%	71.4%	33.3%	0.0%	100.0%	58.3%	75.0%	40.0%	0.0%				0.0%			50.0%		75.0%	0.0%	66.7%	
Significantly different from column:*																												
Usually or Always	121				0	10	0	3	5	2	0	2	8	7	2	0	0	0	0	0	0	0	4	0	6	0	11	0
	68.4%	64.7%			0.0%	71.4%		100.0%	71.4%	33.3%	0.0%	100.0%	66.7%	87.5%	40.0%	0.0%				0.0%			66.7%		75.0%	0.0%	73.3%	
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 19

Did anyone from your child's health plan, doctor's office, or clinic help you get this therapy for your child?

Base: All respondents who got or tried to get special therapy for their child (Q17)

	HP					ndent's (Identity		C	Child's Ag	je		esponder		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	0	_	_			(Q73)			(Q69)			(Q74)			(Q53)	1	L				(Q76)	L					(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian o Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian o Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	180	17			2	14	0	3	7	6	1	2	12	8	5	2	0	0	0	2	0	0	6	0	8	2	15	(
Number missing or multiple answer	0	0				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	N/
Usable responses	180 100.0%	17 100.0%			2 100.0%	14 100.0%	0	3 100.0%	7 100.0%	6 100.0%	1 100.0%	2 100.0%	12 100.0%	-	5 100.0%	2 100.0%	0	0	0	2 100.0%	0	0	6 100.0%	0.0%	8 100.0%	2 100.0%	15 100.0%	
Yes	123 68.3%	_			2 100.0%	10 71.4%	0	3 100.0%	5 71.4%	4 66.7%	1 100.0%	2 100.0%	8 66.7%	5 62.5%	4 80.0%	2 100.0%	0	0	0	2 100.0%	0	0	5 83.3%	0	5 62.5%	2 100.0%	11 73.3%	
No	57 31.7%	4 23.5%				4 28.6%	0	0.0%	2 28.6%	2 33.3%	0.0%	0.0%	4 33.3%	3 37.5%	1 20.0%	0.0%	0	0	0	0.0%	0	0	1 16.7%	0	3 37.5%	0.0%	4 26.7%	
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 20

In the last 6 months, did you get or try to get treatment or counseling for your child for an emotional, developmental, or behavioral problem?

Base: All respondents

	ОНР					ndent's (Identity (Q73)		C	Child's Ag (Q69)	е		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	20	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,911	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
	99.5%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	271	33			6	27	0	2	18	12	2	5	26	17	9	6	0	1	0	3	0	0	14	0	13	3	26	4
	6.9%	20.5%			27.3%	20.5%		5.3%	25.4%	25.5%	12.5%	21.7%	22.8%	14.0%	36.0%	54.5%	0.0%	20.0%	0.0%	23.1%			23.3%	0.0%	27.7%	9.7%	21.1%	57.1%
No	3,640	128			16	105	0	36	53	35	14	18	88	104	16	5	9	4	3	10	0	0	46	4	34	28	97	3
	93.1%	79.5%			72.7%	79.5%		94.7%	74.6%	74.5%	87.5%	78.3%	77.2%	86.0%	64.0%	45.5%	100.0%	80.0%	100.0%	76.9%			76.7%	100.0%	72.3%	90.3%	78.9%	42.9%
Significantly different from column:*		Α						IJ	Н	Н																		1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 21

In the last 6 months, how often was it easy to get this treatment or counseling for your child?

Base: All respondents who got or tried to get treatment for their child's emotional, developmental, or behavioral problem (Q20)

Base. All respondents who got or thed to get the	_		,		Respoi	ndent's C		(Child's A	ge		esponder Educatio		Child's	Health	Status					Race						Doctor \	
	H H					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	ŀ
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	271	33			6	27	0	2	18	12	2	5	26	17	9	6	0	1	0	3	0	0	14	0	13	3	26	4
Number missing or multiple answer	8	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA.	NA	NA	NA	NA	NA
Usable responses	263	33			6	27	0	2	18	12	2	5	26	17	9	6	0	1	0	3	0	0	14	0	13	3	26	4
	97.0%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%		100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	43	11			2	9	0	0	6	5	0	0	11	8	1	2	0	0	0	0	0	0	3	0	6	1	8	2
	16.3%	33.3%			33.3%	33.3%		0.0%	33.3%	41.7%	0.0%	0.0%	42.3%	47.1%	11.1%	33.3%		0.0%		0.0%			21.4%		46.2%	33.3%	30.8%	50.0%
Sometimes	55	8			4	4	0	0	2	5	1	1	6	3	3	2	0	0	0	1	0	0	3	0	4	2	6	0
	20.9%	24.2%			66.7%	14.8%		0.0%	11.1%	41.7%	50.0%	20.0%	23.1%	17.6%	33.3%	33.3%		0.0%		33.3%			21.4%		30.8%	66.7%	23.1%	0.0%
Usually	50	5			· ·	5	0	1	4	0	1	1	3	2	2	1	0	0	0	2	. 0	0	3	0	0	0	4	1
	19.0%	15.2%			0.0%	18.5%		50.0%	22.2%	0.0%	50.0%	20.0%	11.5%	11.8%	22.2%	16.7%		0.0%		66.7%			21.4%		0.0%	0.0%	15.4%	25.0%
Always	115	9			0	9	0	1	6	2	0	3	6	4	3	1	0	1	0	0	0	0	5	0	3	0	8	1
	43.7%	27.3%			0.0%	33.3%		50.0%	33.3%	16.7%	0.0%	60.0%	23.1%	23.5%	33.3%	16.7%		100.0%		0.0%			35.7%		23.1%	0.0%	30.8%	25.0%
Significantly different from column:*																												
Usually or Always	165	14			0	14	0	2	10	2	1	4	9	6	5	2	0	1	0	2	. 0	0	8	0	3	0	12	2
	62.7%	42.4%			0.0%	51.9%		100.0%	55.6%	16.7%	50.0%	80.0%	34.6%	35.3%	55.6%	33.3%		100.0%		66.7%			57.1%		23.1%	0.0%	46.2%	50.0%
Significantly different from column:*		Α																										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 22

Did anyone from your child's health plan, doctor's office, or clinic help you get this treatment or counseling for your child?

Base: All respondents who got or tried to get treatment for their child's emotional, developmental, or behavioral problem (Q20)

	4					ndent's (Identity		c	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						st 6 Mon	Visits in nths
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	C	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	271	33			6	27	0	2	18	12	2	5	26	17	9	6	0	1	0	3	0	0	14	0	13	3	26	Δ
Number missing or multiple answer	6	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA.
Usable responses	265	33			6	27	0	2	18	12	2	5	26	17	9	6	0	1	0	3	0	0	14	0	13	3	26	
	97.8%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%		100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	145	13			2	11	0	2	7	4	0	3	10	7	4	1	0	0	0	1	0	0	8	0	3	0	12	1
	54.7%	39.4%			33.3%	40.7%		100.0%	38.9%	33.3%	0.0%	60.0%	38.5%	41.2%	44.4%	16.7%		0.0%		33.3%			57.1%		23.1%	0.0%	46.2%	25.0%
No	120	20			4	16	0	0	11	8	2	2	16	10	5	5	0	1	0	2	0	0	6	0	10	3	14	3
	45.3%	60.6%			66.7%	59.3%		0.0%	61.1%	66.7%	100.0%	40.0%	61.5%	58.8%	55.6%	83.3%		100.0%		66.7%			42.9%		76.9%	100.0%	53.8%	75.0%
Significantly different from column:*										1			1															

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 23

In the last 6 months, did your child get care from more than one kind of health care provider or use more than one kind of health care service?

Base: All respondents

	ОНР					ndent's 0 Identity (Q73)		C	Child's Ag (Q69)	е		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	51	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,880	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
	98.7%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	590	52			6	45	0	7	23	21	8	5	36	32	11	8	2	0	0	4	0	0	22	0	19	3	44	5
	15.2%	32.3%			27.3%	34.1%		18.4%	32.4%	44.7%	50.0%	21.7%	31.6%	26.4%	44.0%	72.7%	22.2%	0.0%	0.0%	30.8%			36.7%	0.0%	40.4%	9.7%	35.8%	71.4%
No	3,290	109			16	87	0	31	48	26	8	18	78	89	14	3	7	5	3	9	0	0	38	4	28	28	79	2
	84.8%	67.7%			72.7%	65.9%		81.6%	67.6%	55.3%	50.0%	78.3%	68.4%	73.6%	56.0%	27.3%	77.8%	100.0%	100.0%	69.2%			63.3%	100.0%	59.6%	90.3%	64.2%	28.6%
Significantly different from column:*		Α						J		Н										· ·						AA	Z	, 7

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 24

In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?

Base: All respondents whose child got care from more than one kind of health care provider or service (Q23)

	ЭНР		·			ndent's (Identity (Q73)		C	Child's Ag (Q69)	e		esponder Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	M	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	590	52			6	45	0	7	23	21	8	5	36	32	11	8	2	0	0	4	0	0	22	0	19	3	44	5
Number missing or multiple answer	19	1			0	1	0	0	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	571	51			6	44	0	7	23	20	8	5	35	32	11	7	2	0	0	4	0	0	22	0	18	3	44	4
	96.8%	98.1%			100.0%	97.8%		100.0%	100.0%	95.2%	100.0%	100.0%	97.2%	100.0%	100.0%	87.5%	100.0%			100.0%			100.0%	0.0%	94.7%	100.0%	100.0%	80.0%
Yes	342	24			2	22	0	5	10	9	3	3	16	18	3	2	1	0	0	1	0	0	9	0	10	0	23	1
	59.9%	47.1%			33.3%	50.0%		71.4%	43.5%	45.0%	37.5%	60.0%	45.7%	56.3%	27.3%	28.6%	50.0%			25.0%			40.9%		55.6%	0.0%	52.3%	25.0%
No	229	27			4	22	0	2	13	11	5	2	19	14	8	5	1	0	0	3	0	0	13	0	8	3	21	3
	40.1%	52.9%			66.7%	50.0%		28.6%	56.5%	55.0%	62.5%	40.0%	54.3%	43.8%	72.7%	71.4%	50.0%			75.0%			59.1%		44.4%	100.0%	47.7%	75.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 25

A personal doctor is the one your child would see if he or she needs a check-up, has a health problem, or gets sick or hurt. Does your child have a personal doctor?

Base: All respondents

	ЭНР					ndent's (Identity (Q73)		C	Child's Ag (Q69)	je		sponden Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161	327	367	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	50	1	58	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,881	160	269	367	22	131	0	37	71	47	16	23					9	5	3	13	0	0	59	4	47	31	122	7
	98.7%	99.4%	82.3%	100.0%	100.0%	99.2%		97.4%	100.0%	100.0%	100.0%	100.0%	99.1%	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			98.3%	0.0%	100.0%	100.0%	99.2%	100.0%
Yes	3,381	145	245	324	20	119	0	36	64	41	13	20	105	110	22	10	6	4	3	12	0	0	56	3	43	26	112	7
	87.1%	90.6%	91.1%	88.3%	90.9%	90.8%		97.3%	90.1%	87.2%	81.3%	87.0%	92.9%	91.7%	88.0%	90.9%	66.7%	80.0%	100.0%	92.3%			94.9%	75.0%	91.5%	83.9%	91.8%	100.0%
No	500	15	24	43	2	12	0	1	7	6	3	3	8	10	3	1	3	1	0	1	0	0	3	1	4	5	10	0
	12.9%	9.4%	8.9%	11.7%	9.1%	9.2%		2.7%	9.9%	12.8%	18.8%	13.0%	7.1%	8.3%	12.0%	9.1%	33.3%	20.0%	0.0%	7.7%			5.1%	25.0%	8.5%	16.1%	8.2%	0.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 26

In the last 6 months, how many times did your child visit his or her personal doctor for care?

Base: All respondents whose child has a person	nal doctor (Q	25)																										
	Ь					ndent's (Identity	Gender	С	hild's Ag	je		sponder ducation		Child's	Health :	Status					Race						Doctor V st 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	5019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	3,381	145	245	307	20	119	0	36	64	41	13	20	105	110	22	10	6	4	3	12	0	0	56	3	43	26	112	7
Number missing or multiple answer	76	2	5	0	0	2	0	1	1	0	0	0	2	2	0	0	0	0	0	0	0	0	1	0	1	0	1	1
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	3,305	143	240	307	20	117	0	35	63	41	13		103	108	22		6	4	3	12	-	0	55	3	42	26	111	
	97.8%	98.6%			100.0%			97.2%	98.4%	100.0%	100.0%	100.0%	98.1%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			98.2%	0.0%	97.7%	100.0%	99.1%	85.7%
None	965 29.2%	34 23.8%	46 19.2%	90 29.3%	20.0%	28 23.9%		4 11.4%	14 22.2%	15 36.6%	5 38.5%	5 25.0%	23 22.3%	25 23.1%	7 31.8%	10.0%	1 16.7%	0.0%	66.7%	25.0%			23.6%	33.3%	11 26.2%	23 88.5%	9.0%	1 16.7%
1 time	1,350	58	112	109	11	45	0	18	26	13	2	10	44	44	11	2	4	3	1	3	0	0	23	2	14	2	54	2
	40.8%	40.6%	46.7%	35.5%	55.0%	38.5%		51.4%	41.3%	31.7%	15.4%	50.0%	42.7%	40.7%	50.0%	20.0%	66.7%	75.0%	33.3%	25.0%			41.8%	66.7%	33.3%	7.7%	48.6%	33.3%
2	590	33	52	61	2	30	0	9	15	8	3	4	24	28	1	3	0	1	0	1	0	0	14	0	12	0	33	0
	17.9%	23.1%		19.9%	10.0%	25.6%		25.7%	23.8%	19.5%	23.1%	20.0%	23.3%	25.9%	4.5%	30.0%	0.0%	25.0%	0.0%	8.3%			25.5%	0.0%	28.6%	0.0%	29.7%	0.0%
3	237	10		30	3	7	0	3	3	4	2	1	6	7	1	2	0	0	0	3	0	0	2	0	4	1	9	0
	7.2%	7.0%	7.1%	9.8%	15.0%	6.0%		8.6%	4.8%	9.8%	15.4%	5.0%	5.8%	6.5%	4.5%	20.0%	0.0%	0.0%	0.0%	25.0%			3.6%	0.0%	9.5%	3.8%	8.1%	0.0%
4	90 2.7%	2.8%	2.1%	2.9%	0.0%	3.4%		0.0%	6.3%	0.0%	0.0%	0.0%	3.9%	2.8%	4.5%	0.0%	0.0%	0.0%	0.0%	16.7%			1.8%	0.0%	2.4%	0.0%	2.7%	1 16.7%
5 to 9	61	2.6%	2.170	2.9%	0.0%	3.470	0	0.0%	0.370	0.0%	1	0.0%	2.9%	2.0%	4.3%	0.0%	1	0.0%	0.0%	10.770	0	0	2.0%	0.0%	2.470	0.0%	2.770	10.770
[· ·	1.8%	2.8%	2.9%	2.0%	0.0%	2.6%		2.9%	1.6%	2.4%	7.7%	0.0%	1.9%	0.9%	4.5%	20.0%	16.7%	0.0%	0.0%	0.0%			3.6%	0.0%	0.0%	0.0%	1.8%	33.3%
10 or more times	12	0	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.4%	0.0%	0.4%	0.7%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2 or more times	990	51	82	108	5	44	0	13	23	13	6	5	36	39	4	7	1	1	0	6	0	0	19	0	17	1	47	3
	30.0%	35.7%	34.2%	35.2%	25.0%	37.6%		37.1%	36.5%	31.7%	46.2%	25.0%	35.0%	36.1%	18.2%	70.0%	16.7%	25.0%	0.0%	50.0%			34.5%	0.0%	40.5%	3.8%	42.3%	50.0%
Significantly different from column:*																										AA	Z	

NA - Not Applicabl

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 26a

In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages?

	윺					ndent's C Identity		C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	Visits in ths
	ᆼ					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,340	109	194	217	16	89	0	31	49	26	8	15	80	83	15	9	5	4	1	9	0	0	42	2	31	3	101	5
Number missing or multiple answer	18	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA			NA		NA		NA	NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,322	109	192	217	16	89	0	31	49	26	8	15				9	5	4	1	9	0	0	42	2	31	3	101	5
	99.2%	100.0%	99.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	2,068		181	203		84	0	30		25	-	15				7	5	3	1	77.00/	0	0	42	2	29	-	95	-
Sometimes	89.1% 143		94.3%	93.5%	93.8%	94.4%		96.8%	91.8%	96.2%	37.5%	100.0%	98.8%	96.4%	93.3%	//.8%	100.0%	75.0%	100.0%	77.8%			100.0%	100.0%	93.5%	100.0%	94.1%	100.0%
Sometimes	6.2%		3.1%		6.3%	3.4%		3.2%	4.1%	3.8%	37.5%	0.0%	1.3%	3.6%	0.0%	11.1%	0.0%	25.0%	0.0%	11.1%			0.0%	0.0%	3.2%	0.0%	4.0%	0.0%
Usually	49	1	2	2	0	1	0	0	1	0	1	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	1	0
·	2.1%	0.9%	1.0%	0.9%	0.0%	1.1%		0.0%	2.0%	0.0%	12.5%	0.0%	0.0%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%	11.1%			0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
Always	62	1	3	2	0	1	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0
	2.7%	0.9%	1.6%	0.9%	0.0%	1.1%		0.0%	2.0%	0.0%	12.5%	0.0%	0.0%	0.0%	6.7%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	3.2%	0.0%	1.0%	0.0%
Significantly different from column:*																												
Usually or Always	111	2	5	4	0	2	0	0	2	0	2	0	0	0	1	1	0	0	0	1	0	0	0	0	1	0	2	C
	4.8%	1.8%	2.6%	1.8%	0.0%	2.2%		0.0%	4.1%	0.0%	25.0%	0.0%	0.0%	0.0%	6.7%	11.1%	0.0%	0.0%	0.0%	11.1%			0.0%	0.0%	3.2%	0.0%	2.0%	0.0%
Significantly different from column:*						1																						i

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 27

In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

	ОНР					ndent's O Identity (Q73)	Gender	C	Child's Ag	je		esponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State (2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,340	109	194	217	16	89	0	31	49	26	8	15	80	83	15	9	5	4	1	9	0	0	42	2	31	3	101	5
Number missing or multiple answer	19	1	0	0	0	1	0	0	1	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,321	108	194	217	16	88	0	31	48	26	8	15	79	83	14	9	5	3	1	9	0	0	42	2	31	3	100	5
	99.2%	99.1%	100.0%	100.0%	100.0%	98.9%		100.0%	98.0%	100.0%	100.0%	100.0%	98.8%	100.0%	93.3%	100.0%	100.0%	75.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	99.0%	100.0%
Never	55 2.4%	2 1.9%	4 2.1%	0.5%	0.0%	2.3%	0	3.2%	2.1%	0.0%	0.0%	6.7%	1.3%	2.4%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0	0	0.0%	1 50.0%	0.0%	33.3%	1 1.0%	0.0%
Sometimes	67	1	4	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
	2.9%	0.9%	2.1%	1.4%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	1.0%	0.0%
Usually	315	14	13	31	4	10	0	3	6	4	3	2	9	8	1	5	1	1	0	2	0	0	3	0	6	0	13	1
	13.6%	13.0%	6.7%	14.3%	25.0%	11.4%		9.7%	12.5%	15.4%	37.5%	13.3%	11.4%	9.6%	7.1%	55.6%	20.0%	33.3%	0.0%	22.2%			7.1%	0.0%	19.4%	0.0%	13.0%	20.0%
Always	1,884	91	173	182	12	76	0	27	41	22	5	12	69	72	13	4	3	2	1	7	0	0	39	1	25	2	85	4
	81.2%	84.3%	89.2%	83.9%	75.0%	86.4%		87.1%	85.4%	84.6%	62.5%	80.0%	87.3%	86.7%	92.9%	44.4%	60.0%	66.7%	100.0%	77.8%			92.9%	50.0%	80.6%	66.7%	85.0%	80.0%
Significantly different from column:*																											-	
Usually or Always	2,199	105	186	213	16	86	0	30	47	26	8	14	78	80	14	9	4	3	1	9	0	0	42	1	31	2	98	5
	94.7%	97.2%	95.9%	98.2%	100.0%	97.7%		96.8%	97.9%	100.0%	100.0%	93.3%	98.7%	96.4%	100.0%	100.0%	80.0%	100.0%	100.0%	100.0%			100.0%	50.0%	100.0%	66.7%	98.0%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 28

In the last 6 months, how often did your child's personal doctor listen carefully to you?

	ТP			octor to get	Respoi	ndent's C Identity	Gender	C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	₽					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,340	109	194	217	16	89	0	31	49	26	8	15	80	83	15	9	5	4	1	9	0	0	42	2	31	3	101	5
Number missing or multiple answer	16	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,324	109	193	217	-	89	0	31	49	26	8	15	80		15	9	5	4	1	9	0	0	42	2	31	3	101	5
	99.3%	100.0%	99.5%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	15 0.6%	0.0%	2 1.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	77	3	6	7	1	1	0	0	0	1	0	1	1	2	0	1	0	0	0	1	. 0	0	0	0	1	0	3	0
	3.3%	2.8%	3.1%	3.2%	6.3%	1.1%		0.0%	0.0%	3.8%	0.0%	6.7%	1.3%	2.4%	0.0%	11.1%	0.0%	0.0%	0.0%	11.1%			0.0%	0.0%	3.2%	0.0%	3.0%	0.0%
Usually	325 14.0%		23 11.9%	32 14.7%	-	13 14.6%	0	6 19.4%	9 18.4%	4 15.4%	50.0%	13.3%	11 13.8%	11 13.3%	5 33.3%	3 33.3%	20.0%	1 25.0%	1 100.0%	0.0%	0	0	8 19.0%	0.0%	6 19.4%	0.0%	18 17.8%	1 20.0%
Always	1,907	87	162	178	10	75	0	25	40	21	4	12	68	70	10	5	4	3	0	8	0	0	34	2	24	3	80	4
	82.1%	79.8%	83.9%	82.0%	62.5%	84.3%		80.6%	81.6%	80.8%	50.0%	80.0%	85.0%	84.3%	66.7%	55.6%	80.0%	75.0%	0.0%	88.9%			81.0%	100.0%	77.4%	100.0%	79.2%	80.0%
Significantly different from column:*																												
Usually or Always	2,232	106	185	210	15	88	0	31	49	25	8	14	79	81	15	8	5	4	1	8	0	0	42	2	30	3	98	5
	96.0%	97.2%	95.9%	96.8%	93.8%	98.9%		100.0%	100.0%	96.2%	100.0%	93.3%	98.8%	97.6%	100.0%	88.9%	100.0%	100.0%	100.0%	88.9%			100.0%	100.0%	96.8%	100.0%	97.0%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 29

In the last 6 months, how often did your child's personal doctor show respect for what you had to say?

	۵					ident's G Identity	ender	С	hild's Ag	е		sponder Education		Child's	Health 9	Status					Race					Child's Las	Doctor \ t 6 Mon	
	ᇹ					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
	2,340	109	194	217	16	89	0	31	49	26	8	15	80	83	15	9	5	4	1	9	0	0	42	2	31	3	101	5
Number missing or multiple answer	15	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,325	109	194	217	16	89	0	31	49	26	8	15	80		15	9	5	4	1	9	0	0	42	2	31	3	101	5
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	18 0.8%	1 0.9%	0.0%	1 0.5%	0.0%	1.1%	0	0.0%	0.0%	0.0%	0.0%	1 6.7%	0.0%	0.0%	0.0%	1 11.1%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	1 3.2%	0.0%	1 1.0%	0.0%
Sometimes	51	2	1	5	0	1	0	1	0	0	0	1	0	2	0	0	1	0	0	0	0	0	0	0	0	0	2	0
	2.2%	1.8%	0.5%	2.3%	0.0%	1.1%		3.2%	0.0%	0.0%	0.0%	6.7%	0.0%	2.4%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	2.0%	0.0%
Usually	254	12	23	23	4	7	0	2	6	4	2	0	8	9	2	1	0	0	0	1	0	0	3	0	5	0	12	0
	10.9%	11.0%	11.9%	10.6%	25.0%	7.9%		6.5%	12.2%	15.4%	25.0%	0.0%	10.0%	10.8%	13.3%	11.1%	0.0%	0.0%	0.0%	11.1%			7.1%	0.0%	16.1%	0.0%	11.9%	0.0%
Always	2,002	94	170	188	12	80	0	28	43	22	6	13	72	72	13	7	4	4	1	8	0	0	39	2	25	3	86	5
	86.1%	86.2%	87.6%	86.6%	75.0%	89.9%		90.3%	87.8%	84.6%	75.0%	86.7%	90.0%	86.7%	86.7%	77.8%	80.0%	100.0%	100.0%	88.9%			92.9%	100.0%	80.6%	100.0%	85.1%	100.0%
Significantly different from column:*									-																		-	
Usually or Always	2,256	106	193	211	16	87	0	30	49	26	8	13	80	81	15	8	4	4	1	9	0	0	42	2	30	3	98	5
	97.0%	97.2%	99.5%	97.2%	100.0%	97.8%		96.8%	100.0%	100.0%	100.0%	86.7%	100.0%	97.6%	100.0%	88.9%	80.0%	100.0%	100.0%	100.0%			100.0%	100.0%	96.8%	100.0%	97.0%	100.0%
Significantly different from column:*									-																		-	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 30

Is your child able to talk with doctors about his or her health care?

	4					ndent's G Identity		C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	ò					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,340	109	194	214	16	89	0	31	49	26	8	15	80	83	15	9	5	4	1	9	0	0	42	2	31	3	101	ŗ
Number missing or multiple answer	18	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N.F
Usable responses	2,322 99.2%	109 100.0%	192 99.0%	214 100.0%	16 100.0%	89 100.0%	0	31 100.0%	49 100.0%		_	15 100.0%			-	9 100.0%	5 100.0%	4 100.0%	1 100.0%	9 100.0%	0	0	42 100.0%	2 0.0%	31 100.0%	3 100.0%	101 100.0%	
Yes	1,617	71	140	151	11	57	0	4	43	22	7	9	50	53	11	6	2	2	1	9	0	0	25	0	19	1	67	
	69.6%	65.1%	72.9%	70.6%	68.8%	64.0%		12.9%	87.8%	84.6%	87.5%	60.0%	62.5%	63.9%	73.3%	66.7%	40.0%	50.0%	100.0%	100.0%			59.5%	0.0%	61.3%	33.3%	66.3%	60.0%
No	705	38	52	63	5	32	0	27	6	4	1	6	30	30	4	3	3	2	0	0	0	0	17	2	12	2	34	:
	30.4%	34.9%	27.1%	29.4%	31.3%	36.0%		87.1%	12.2%	15.4%	12.5%	40.0%	37.5%	36.1%	26.7%	33.3%	60.0%	50.0%	0.0%	0.0%			40.5%	100.0%	38.7%	66.7%	33.7%	40.0%
Significantly different from column:*								IJ	Н	Н																		

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 31

In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand?

Base: All respondents whose child has a personal doctor, visited their personal doctor to get care, and is able to talk with his/her doctors (Q25, Q26, & Q30)

base. All respondents whose child has a person	iai doctor, vi	siteu trieli pe	isonai docio	i io gei care	e, anu is abi	c to talk with	i ilia/iloi de	C10/3 (420	, 420, 4 40	10)																		
	۵					ndent's (Identity		(Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	F					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooD	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	1,617	71	140	149	11	57	0	4	43	22	7	9	50	53	11	6	2	2	1	9	0	0	25	0	19	1	67	3
Number missing or multiple answer	16	1	0	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,601	70	140	149			0	3	43	22	7	9	49			6	2	2	1	9	0	0	25	0	19	1	66	
	99.0%	98.6%	100.0%	100.0%	100.0%	98.2%		75.0%	100.0%	100.0%	100.0%	100.0%	98.0%	98.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	98.5%	100.0%
Never	5 0.3%	1 1.4%	0.0%	4 2.7%	0.0%	1.8%	0	0.0%	2.3%	0.0%	0.0%	0.0%	2.0%	0.0%	9.1%	0.0%	0.0%	50.0%	0.0%	0.0%	0	0	0.0%	0	0.0%	0.0%	1 1.5%	0.0%
Sometimes	85	3	6	6	1	2	0	0	1	1	0	1	2	2	0	1	0	0	0	1	0	0	0	0	2	0	3	0
	5.3%	4.3%	4.3%	4.0%	9.1%	3.6%		0.0%	2.3%	4.5%	0.0%	11.1%	4.1%	3.8%	0.0%	16.7%	0.0%	0.0%	0.0%	11.1%			0.0%		10.5%	0.0%	4.5%	0.0%
Usually	325	18	29	40	2	14	0	0	10	8	3	1	11	12	4	2	0	0	0	3	0	0	6	0	6	0	16	2
	20.3%	25.7%	20.7%	26.8%	18.2%	25.0%		0.0%	23.3%	36.4%	42.9%	11.1%	22.4%	23.1%	36.4%	33.3%	0.0%	0.0%	0.0%	33.3%			24.0%		31.6%	0.0%	24.2%	66.7%
Always	1,186	48	105	99	8	39	0	3	31	13	4	7	35	38	6	3	2	1	1	5	0	0	19	0	11	1	46	1
	74.1%	68.6%	75.0%	66.4%	72.7%	69.6%		100.0%	72.1%	59.1%	57.1%	77.8%	71.4%	73.1%	54.5%	50.0%	100.0%	50.0%	100.0%	55.6%			76.0%		57.9%	100.0%	69.7%	33.3%
Significantly different from column:*																												
Usually or Always	1,511	66		139			0	3	41	21	7	8	46				2	1	1	8	0	0	25	0	17	1	62	
	94.4%	94.3%	95.7%	93.3%	90.9%	94.6%		100.0%	95.3%	95.5%	100.0%	88.9%	93.9%	96.2%	90.9%	83.3%	100.0%	50.0%	100.0%	88.9%			100.0%		89.5%	100.0%	93.9%	100.0%
Significantly different from column:*									1			1	l		l	l	I	1	1				1				, !	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 32

In the last 6 months, how often did your child's personal doctor spend enough time with your child?

,	۵					ndent's G Identity	Gender	C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	픕					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,340	109	194	216	16	89	0	31	49	26	8	15	80	83	15	9	5	4	1	9	0	0	42	2	31	3	101	5
Number missing or multiple answer	32	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,308	109	191	216	16	89	0	31	49	26	8	15	80		15	9	5	4	1	9	0	0	42	2	31	3	101	5
	98.6%	100.0%	98.5%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	46 2.0%	1.8%	0.0%	0.5%	0.0%	2.2%		3.2%	0.0%	3.8%	0.0%	0.0%	2.5%	2.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0		4.8%	0.0%	0.0%	0.0%	2.0%	0.0%
Sometimes	161	6	10	12	0	5	0	2	2	0	0	1	4	1	1	3	0	1	0	0	0	0	2	0	2	0	5	1
	7.0%	5.5%	5.2%	5.6%	0.0%	5.6%		6.5%	4.1%	0.0%	0.0%	6.7%	5.0%	1.2%	6.7%	33.3%	0.0%	25.0%	0.0%	0.0%			4.8%	0.0%	6.5%	0.0%	5.0%	20.0%
Usually	497	21	33	52	5	16	0	42.004	11	6	4	5	10	12	5	3	2	1	1	32.20/	0	0	7	0	6	0	20	1
Always	21.5%	19.3% 80		24.1% 151	31.3%	18.0% 66		12.9% 24	22.4%		50.0%	33.3%	12.5%	14.5% 68		33.3%	40.0%	25.0%	100.0%	33.3%			16.7% 31	0.0%	19.4%		19.8%	20.0%
riways	1,604 69.5%			69.9%	68.8%			77.4%			50.0%	60.0%		81.9%	_	33.3%	60.0%	50.0%	0.0%	66.7%				100.0%		100.0%	73.3%	60.0%
Significantly different from column:*	231370	121170	15 70	231370	22.070	12.70			. 515 70	. 51270	231070	23.070	23.070	22.370	221070	23.570	231070	231070	31070	231770			. 5.0 70	2221070	1270	2221070	. 21570	227070
Usually or Always	2,101	101	181	203	16	82	0	28	47	25	8	14	74	80	14	6	5	3	1	9	0	0	38	2	29	3	94	4
	91.0%	92.7%	94.8%	94.0%	100.0%	92.1%		90.3%	95.9%	96.2%	100.0%	93.3%	92.5%	96.4%	93.3%	66.7%	100.0%	75.0%	100.0%	100.0%			90.5%	100.0%	93.5%	100.0%	93.1%	80.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 33

In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?

	ОНР					ndent's G Identity (Q73)	Gender	C	Child's Ag (Q69)	je		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,340	109	194	216	16	89	0	31	49	26	8	15	80	83	15	9	5	4	1	9	0	0	42	2	31	3	101	5
Number missing or multiple answer	16	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,324	109	191	216	16	89	0	31	49	26	8	15	80	83	15	9	5	4	1	9	0	0	42	2	31	3	101	5
	99.3%	100.0%	98.5%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	2,064	102	164	192	16	82	0	29	46	25	8	13	75	78	15	7	3	4	1	9	0	0	40	2	28	2	97	3
	88.8%	93.6%	85.9%	88.9%	100.0%	92.1%		93.5%	93.9%	96.2%	100.0%	86.7%	93.8%	94.0%	100.0%	77.8%	60.0%	100.0%	100.0%	100.0%			95.2%	100.0%	90.3%	66.7%	96.0%	60.0%
No	260	7	27	24	0	7	0	2	3	1	0	2	5	5	0	2	2	0	0	0	0	0	2	0	3	1	4	2
	11.2%	6.4%	14.1%	11.1%	0.0%	7.9%		6.5%	6.1%	3.8%	0.0%	13.3%	6.3%	6.0%	0.0%	22.2%	40.0%	0.0%	0.0%	0.0%			4.8%	0.0%	9.7%	33.3%	4.0%	40.0%
Significantly different from column:*		С																										ı I

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 34

In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor?

	ОНР			Ĭ		ndent's O Identity (Q73)		C	Child's Ag (Q69)	е		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,340	109	194	215	16	89	0	31	49	26	8	15	80	83	15	9	5	4	1	9	0	0	42	2	31	3	101	5
Number missing or multiple answer	17	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,323	109	189	215	16	89	0	31	49	26	8	15	80	83	15	9	5	4	1	9	0	0	42	2	31	3	101	5
	99.3%	100.0%	97.4%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	791	48	92	94	6	39	0	12	21	12	5	7	33	31	8	7	2	2	1	5	0	0	18	0	15	1	42	5
	34.1%	44.0%	48.7%	43.7%	37.5%	43.8%		38.7%	42.9%	46.2%	62.5%	46.7%	41.3%	37.3%	53.3%	77.8%	40.0%	50.0%	100.0%	55.6%			42.9%	0.0%	48.4%	33.3%	41.6%	100.0%
No	1,532	61	97	121	10	50	0	19	28	14	3	8	47	52	7	2	3	2	0	4	0	0	24	2	16	2	59	0
	65.9%	56.0%	51.3%	56.3%	62.5%	56.2%		61.3%	57.1%	53.8%	37.5%	53.3%	58.8%	62.7%	46.7%	22.2%	60.0%	50.0%	0.0%	44.4%			57.1%	100.0%	51.6%	66.7%	58.4%	0.0%
Significantly different from column:*		Α										1													-			1 7

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 35

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

Base: All respondents whose child has a personal doctor, visited their personal doctor, and got care from a doctor/health care provider besides his/her personal doctor (Q25, Q26, & Q34)

base. Air respondents whose critic has a person	4	·			Respor	ndent's (Identity	Gender		hild's Ag		Re	sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	ò					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	791	48	92	90	6	39	0	12	21	12	5	7	33	31	8	7	2	2	1	5	0	0	18	0	15	1	42	5
Number missing or multiple answer	23	2	2	0	0	2	0	1	0	1	0	0	2	2	0	0	0	0	0	0	0	0	1	0	1	0	1	1
Number no experience	NA		NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	768		90	90	6	37	0	11	21	11	5	7	31	29		7	2	2	1	5	0	0	17	0	14	1	41	4
	97.1%	95.8%	97.8%	100.0%	100.0%	94.9%		91.7%	100.0%	91.7%	100.0%	100.0%	93.9%	93.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			94.4%	0.0%	93.3%	100.0%	97.6%	80.0%
Never	41 5.3%	6.5%	3.3%	4 4.4%	1 16.7%	2 5.4%	0	0.0%	1 4.8%	9.1%	0.0%	1 14.3%	2 6.5%	0 0%	12 5%	2 28.6%	0.0%	50.0%	0.0%	0.0%	0	0	1 5.9%	0	7.1%	0.0%	7.3%	0.0%
Sometimes	91	7	5.576	9.4.470	10.770	5.470	0	1	7.070	2.1.70	1	14.570	4	6.076	12.570	20.070	1	0.070	0.070	2	0	0	3.570	0	7.170	0.070	7.570	0.070
Companies	11.8%	15.2%	5.6%	10.0%	16.7%	13.5%		9.1%	14.3%	18.2%	20.0%	14.3%	12.9%	20.7%	0.0%	14.3%	50.0%	0.0%	0.0%	40.0%			5.9%		14.3%	0.0%	17.1%	0.0%
Usually	194	13	21	29	1	11	0	1	9	3	3	2	7	6	6	1	1	0	1	1	0	0	3	0	5	0	13	0
·	25.3%	28.3%	23.3%	32.2%	16.7%	29.7%		9.1%	42.9%	27.3%	60.0%	28.6%	22.6%	20.7%	75.0%	14.3%	50.0%	0.0%	100.0%	20.0%			17.6%		35.7%	0.0%	31.7%	0.0%
Always	442	23	61	48	3	19	0	9	8	5	1	3	18	17	1	3	0	1	0	2	0	0	12	0	6	1	18	4
	57.6%	50.0%	67.8%	53.3%	50.0%	51.4%		81.8%	38.1%	45.5%	20.0%	42.9%	58.1%	58.6%	12.5%	42.9%	0.0%	50.0%	0.0%	40.0%			70.6%		42.9%	100.0%	43.9%	100.0%
Significantly different from column:*		С						I	Н																			
Usually or Always	636	36	82	77	4	30	0	10	17	8	4	5	25	23	7	4	1	1	1	3	0	0	15	0	11	1	31	4
	82.8%	78.3%	91.1%	85.6%	66.7%	81.1%		90.9%	81.0%	72.7%	80.0%	71.4%	80.6%	79.3%	87.5%	57.1%	50.0%	50.0%	100.0%	60.0%			88.2%		78.6%	100.0%	75.6%	100.0%
Significantly different from column:*		С										1															, 7	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 36

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q25)

Base: All respondents whose child has a perso	nal doctor (Q	25)																										
	<u></u>					ndent's (Identity	Gender	C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor Vist 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)					<u> </u>	(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооб	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,381	145	245	306	20	119	0	36	64	41	13	20	105	110	22	10	6	4	3	12	0	0	56	3	43	26	112	7
Number missing or multiple answer	60	3	8	0	0	3	0	1	2	0	1	0	2	2	1	0	0	0	0	0	0	0	1	0	2	0	2	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,321	142	237	306	20	116	0	35	62	41	12			108	21		6	4	3	12	0	0	55	3	41	26	110	6
	98.2%	97.9%	96.7%	100.0%	100.0%	97.5%		97.2%	96.9%	100.0%	92.3%	100.0%	98.1%	98.2%	95.5%	100.0%	100.0%	100.0%	100.0%	100.0%			98.2%	0.0%	95.3%	100.0%	98.2%	85.7%
Worst personal doctor possible	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	0.1%	0 0.0%	0.0%	0.3%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	14	1	0	1	0	1	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0
	0.4%	0.7%	0.0%	0.3%	0.0%	0.9%		0.0%	1.6%	0.0%	0.0%	0.0%	1.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	2.4%	3.8%	0.0%	0.0%
4	13 0.4%	0.0%	1 0.4%	1.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5	75	3	0.470	1.0 /0	0.0 /0	0.070	0	0.070	0.070	0.070	0.0 /0	0.070	0.070	0.070	0.0 /0	0.070	0.070	0.070	0.070	0.070	0	0	0.070	0.070	0.070	1	2	0.0 /0
	2.3%	2.1%	3.8%	2.6%	0.0%	2.6%		0.0%	1.6%	2.4%	8.3%	5.0%	1.0%	0.9%	0.0%	20.0%	0.0%	0.0%	0.0%	8.3%			0.0%	0.0%	4.9%	3.8%	1.8%	0.0%
6	60	1	3	4	0	1	0	0	1	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0
7	1.8% 192	0.7% 10	1.3%	1.3%	0.0%	0.9%		0.0%	1.6%	0.0%	0.0%	0.0%	1.0%	0.0%	4.8%	0.0%	0.0%	25.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.9%	0.0%
ľ	5.8%	7.0%	8.4%	5.2%	20.0%	5.2%		2.9%	9.7%	7.3%	8.3%	5.0%	7.8%	5.6%	د 14.3%	10.0%	0.0%	0.0%	33.3%	16.7%			5.5%	0.0%	9.8%	11.5%	6.4%	0.0%
8	455	7.0%	38	5.2%	20.0%	13	0	2.5%	9.7%	7.5%	0.3% n	3.0%	7.8%	15	14.5%	10.0%	0.0%	0.0%	33.3%	10.7%	0	n	J.J%	0.0%	9.0%	11.5%	14	0.0%
ľ	13.7%	12.7%	16.0%	18.0%	20.0%	11.2%		22.9%	8.1%	9.8%	0.0%	10.0%		-	4.8%	20.0%	16.7%	50.0%	33.3%	0.0%			14.5%	0.0%	9.8%	15.4%	12.7%	0.0%
9	652	27	51	78	4	23	0	8	11	8	4	3	20		3	2	3	0	1	2	0	0	13	0	6	3	21	3
	19.6%	19.0%	21.5%	25.5%	20.0%	19.8%		22.9%	17.7%	19.5%	33.3%	15.0%	19.4%	19.4%	14.3%	20.0%	50.0%	0.0%	33.3%	16.7%			23.6%	0.0%	14.6%	11.5%	19.1%	50.0%
10 Best personal doctor possible	1,849	82	115	140	-	69	0	18	37	25	6	13	58		13	_	2	1	0	7	0	0	31	3	24	14	65	3
	55.7%	57.7%	48.5%	45.8%	40.0%	59.5%		51.4%	59.7%	61.0%	50.0%	65.0%	56.3%	59.3%	61.9%	30.0%	33.3%	25.0%	0.0%	58.3%			56.4%	100.0%	58.5%	53.8%	59.1%	50.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 36

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q25)

	<u> </u>					ndent's (Identity		C	hild's A	ge		sponder ducatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poob	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,381 60 NA	145 3	8	306	20 0	3	0	36 1	64 2	41 0	13 1	20 0 NA	105 2 NA	2	22 1	0	0	4 0 NA	0	12 0 NA	Ö	0 0 NA	56 1	3 0	43 2	26 0 NA	112	1
Number no experience Usable responses	3,321	NA 142		NA 306	NA 20	NA 116	NA 0	NA 35	NA 62		12	1471	1471		NA 21	NA 10	NA 6	NA 4	NA 2	1.2	NA NA	NA O	NA 55	NA 2	NA 41	NA 26	NA 110	
osable responses	98.2%	97.9%			100.0%			97.2%	96.9%		92.3%			98.2%			100.0%	100.0%	100.0%	100.0%			98.2%	0.0%	95.3%	100.0%	98.2%	
0 to 4	38		1	5	0	1	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0
	1.1%	0.7%	0.4%	1.6%	0.0%	0.9%		0.0%	1.6%	0.0%	0.0%	0.0%	1.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	2.4%	3.8%	0.0%	0.0%
5	75 2.3%	2.1%	9 3.8%	2.6%	0.0%	2.6%	0	0.0%	1.6%	2.4%	8.3%	5.0%	1.0%	0.9%	0.0%	20.0%	0.0%	0.0%	0.0%	8.3%	. 0	0	0.0%	0.0%	2 4.9%	3.8%	2 1.8%	0.0%
6 or 7	252 7.6%	11 7.7%	-	20 6.5%	4 20.0%	7 6.0%	0	1 2.9%	7 11.3%	7.3%	1 8.3%	5.0%	9 8.7%	6 5.6%	4 19.0%	10.0%	0.0%	1 25.0%	33.3%	2 16.7%	0	0	3 5.5%	0.0%	4 9.8%	3 11.5%	8 7.3%	0.0%
8 to 10	2,956 89.0%	127 89.4%		273 89.2%	-	105 90.5%	0	34 97.1%	53 85.5%		10 83.3%	-			17 81.0%	70.0%	6 100.0%	75.0%	2 66.7%	75.0%	0	0	52 94.5%	3 100.0%	34 82.9%		100 90.9%	
Significantly different from column:*	03.070	03.470	00.170	03.270	00.070	30.370		37.170	03.370	30.270	03.370	30.070	03.370	32.070	01.070	70.070	100.070	73.070	00.7 70	75.070			34.370	100.070	02.570	00.070	30.370	100.070
0 to 6	173	5	13	17	0	5	0	0	3	1	1	1	3	2	1	2	0	1	0	1	. 0	0	0	0	3	2	3	0
	5.2%	3.5%	5.5%	5.6%	0.0%	4.3%		0.0%	4.8%	2.4%	8.3%	5.0%	2.9%	1.9%	4.8%	20.0%	0.0%	25.0%	0.0%	8.3%			0.0%	0.0%	7.3%	7.7%	2.7%	0.0%
7 to 8	647 19.5%	28 19.7%		71 23.2%	-	19 16.4%	0	9 25.7%	11 17.7%	7 17.1%	1 8.3%	3 15.0%	22 21.4%		4 19.0%	3 30.0%	1 16.7%	50.0%	66.7%	16.7%	0	0	11 20.0%	0.0%	8 19.5%	7 26.9%	21 19.1%	0.0%
9 to 10	2,501	109		218			0	26	48		10				16	_	5	1	1	9	0	0	44	3	30	17	86	
	75.3%	76.8%	70.0%	71.2%	60.0%	79.3%		74.3%	77.4%	80.5%	83.3%	80.0%	75.7%	78.7%	76.2%	50.0%	83.3%	25.0%	33.3%	75.0%			80.0%	100.0%	73.2%	65.4%	78.2%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 37

Does your child have any medical, behavioral, or other health conditions that have lasted for more than $\underline{3 \text{ months}}$?

Base: All respondents whose child has a personal doctor (Q25)

	ОНР					ndent's (Identity (Q73)		C	Child's Ag	je		esponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,381	145			20	119	0	36	64	41	13	20	105	110	22	10	6	4	3	12	0	0	56	3	43	26	112	7
Number missing or multiple answer	34	3			0	3	0	1	2	0	0	0	3	3	0	0	0	0	0	0	0	0	1	0	1	0	2	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,347	142			20	116	0	35	62	41	13	20	102	107	22	10	6	4	3	12	0	0	55	3	42	26	110	6
	99.0%	97.9%			100.0%	97.5%		97.2%	96.9%	100.0%	100.0%	100.0%	97.1%	97.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			98.2%	0.0%	97.7%	100.0%	98.2%	85.7%
Yes	416	48			6	41	0	8	22	17	5	5	37	32	11	4	2	0	0	3	0	0	21	0	18	6	39	3
	12.4%	33.8%			30.0%	35.3%		22.9%	35.5%	41.5%	38.5%	25.0%	36.3%	29.9%	50.0%	40.0%	33.3%	0.0%	0.0%	25.0%			38.2%	0.0%	42.9%	23.1%	35.5%	50.0%
No	2,931	94			14	75	0	27	40	24	8	15	65	75	11	6	4	4	3	9	0	0	34	3	24	20	71	3
	87.6%	66.2%			70.0%	64.7%		77.1%	64.5%	58.5%	61.5%	75.0%	63.7%	70.1%	50.0%	60.0%	66.7%	100.0%	100.0%	75.0%			61.8%	100.0%	57.1%	76.9%	64.5%	50.0%
Significantly different from column:*		Α																										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 38

Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?

Base: All respondents whose child has a personal doctor and has medical, behavioral, other health conditions that has lasted for more than 3 months (Q25 & Q37)

	4 F					ndent's G Identity	iender	С	hild's Ag	е		sponden Education		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	₽					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	416	48			6	41	0	8	22	17	5	5	37	32	11	4	2	0	0	3	0	0	21	0	18	6	39	3
Number missing or multiple answer	5	1			0	1	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	1	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/A
Usable responses	411	47			6	40	0	8	22	16	5	5	36	31	11	4	2	0	0	3	0	0	20	0	18	6	38	3
	98.8%	97.9%			100.0%	97.6%		100.0%	100.0%	94.1%	100.0%	100.0%	97.3%	96.9%	100.0%	100.0%	100.0%			100.0%			95.2%	0.0%	100.0%	100.0%	97.4%	100.0%
Yes	386	45			6	38	0	8	21	15	5	5	34	29	11	4	2	0	0	3	0	0	20	0	16	5	37	3
	93.9%	95.7%			100.0%	95.0%		100.0%	95.5%	93.8%	100.0%	100.0%	94.4%	93.5%	100.0%	100.0%	100.0%			100.0%			100.0%		88.9%	83.3%	97.4%	100.0%
No	25	2			0	2	0	0	1	1	0	0	2	2	0	0	0	0	0	0	0	0	0	0	2	1	1	C
	6.1%	4.3%			0.0%	5.0%		0.0%	4.5%	6.3%	0.0%	0.0%	5.6%	6.5%	0.0%	0.0%	0.0%			0.0%			0.0%		11.1%	16.7%	2.6%	0.0%
Significantly different from column:*																	1	1										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 39

Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your <u>family's</u> day-to-day life?

Base: All respondents whose child has a personal doctor and has medical, behavioral, other health conditions that has lasted for more than 3 months (Q25 & Q37)

	ОНР					ndent's (Identity (Q73)		C	Child's Ag (Q69)	e		sponder Educatio (Q74)		Child's	Health (Q53)	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	Visits in ths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	416	48			6	41	0	8	22	17	5	5	37	32	11	4	2	0	0	3	0	0	21	0	18	6	39	3
Number missing or multiple answer	7	2			1	1	0	0	0	2	1	0	1	1	1	0	0	0	0	0	0	0	2	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	409	46			5	40	0	8	22	15	4	5	36	31	10	4	2	0	0	3	0	0	19	0	18	6	37	3
	98.3%	95.8%			83.3%	97.6%		100.0%	100.0%	88.2%	80.0%	100.0%	97.3%	96.9%	90.9%	100.0%	100.0%			100.0%			90.5%	0.0%	100.0%	100.0%	94.9%	100.0%
Yes	378	43			5	37	0	8	21	13	4	5	33	28	10	4	2	0	0	3	0	0	19	0	15	5	36	2
	92.4%	93.5%			100.0%	92.5%		100.0%	95.5%	86.7%	100.0%	100.0%	91.7%	90.3%	100.0%	100.0%	100.0%			100.0%			100.0%		83.3%	83.3%	97.3%	66.7%
No	31	3			0	3	0	0	1	2	0	0	3	3	0	0	0	0	0	0	0	0	0	0	3	1	1	1
	7.6%	6.5%			0.0%	7.5%		0.0%	4.5%	13.3%	0.0%	0.0%	8.3%	9.7%	0.0%	0.0%	0.0%			0.0%			0.0%		16.7%	16.7%	2.7%	33.3%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 40

In the last 6 months, did you make any appointments for your child to see a specialist?

Base: All respondents

	윺					ndent's C		C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race					Child's Las	st 6 Mon	
	Ō	_				(Q73)			(Q69)			(Q74)			(Q53)				1		(Q76)	_	1				(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	٧	W	X	Υ	Z	AA	AB
Number in sample	3,931	161	327	372	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	1 7
Number missing or multiple answer	10	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,921	161	323	372	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	1 7
	99.7%	100.0%	98.8%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	458	28	64	62	2	26	0	6	13	9	3	2	23	19	5	3	2	1	0	2	0	0	11	0	7	1	24	
	11.7%	17.4%	19.8%	16.7%	9.1%	19.7%		15.8%	18.3%	19.1%	18.8%	8.7%	20.2%	15.7%	20.0%	27.3%	22.2%	20.0%	0.0%	15.4%			18.3%	0.0%	14.9%	3.2%	19.5%	42.9%
No	3,463	133	259	310	20	106	0	32	58	38	13	21	91	102	20	8	7	4	3	11	0	0	49	4	40	30	99	-
	88.3%	82.6%	80.2%	83.3%	90.9%	80.3%		84.2%	81.7%	80.9%	81.3%	91.3%	79.8%	84.3%	80.0%	72.7%	77.8%	80.0%	100.0%	84.6%			81.7%	100.0%	85.1%	96.8%	80.5%	57.1%
Significantly different from column:*		Α																								AA	Z	1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 41

In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

Base: All respondents who made an appointment for their child to see a specialist (Q40)

	Ы					ndent's G Identity	Gender	C	hild's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V t 6 Mont	
	공					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	458	28	64	61	2	26	0	6	13	9	3	2	23	19	5	3	2	1	0	2	0	0	11	0	7	1	24	3
Number missing or multiple answer	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	454	28	64	61	2	26	0	6	13	9	3	2	23	19	5	3	2	1	0	2	0	0	11	0	7	1	24	3
	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	41 9.0%	4 14.3%	5 7.8%	5 8.2%	0.0%	4 15.4%	0	0.0%	3 23.1%	1 11.1%	0.0%	1 50.0%	3 13.0%	2 10.5%	1 20.0%	0.0%	0.0%	0.0%	0	1 50.0%	0	0	9.1%	0	0.0%	0.0%	3 12.5%	1 33.3%
Sometimes	81	1	5	15	0	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0
	17.8%	3.6%	7.8%	24.6%	0.0%	3.8%		0.0%	7.7%	0.0%	0.0%	0.0%	4.3%	0.0%	20.0%	0.0%	0.0%	0.0%		0.0%			9.1%		0.0%	0.0%	4.2%	0.0%
Usually	96 21.1%	10 35.7%	17 26.6%	18 29.5%	2 100.0%	8 30.8%	0	3 50.0%	4 30.8%	3 33.3%	3 100.0%	0.0%	7 30.4%	7 36.8%	2 40.0%	1 33.3%	50.0%	0.0%	0	1 50.0%	0	0	4 36.4%	0	2 28.6%	1 100.0%	9 37.5%	0.0%
Always	236	13	37			13	0	3	5	5	0	1	12		1	2	1	1	0	0	0	0	5	0	5	0	11	2
	52.0%	46.4%	57.8%	37.7%	0.0%	50.0%		50.0%	38.5%	55.6%	0.0%	50.0%	52.2%	52.6%	20.0%	66.7%	50.0%	100.0%		0.0%			45.5%		71.4%	0.0%	45.8%	66.7%
Significantly different from column:*																												
Usually or Always	332	23	54		2	21	0	6	9	8	3	1	19		3	3	2	1	0	1	0	0	9	0	7	1	20	2
	73.1%	82.1%	84.4%	67.2%	100.0%	80.8%		100.0%	69.2%	88.9%	100.0%	50.0%	82.6%	89.5%	60.0%	100.0%	100.0%	100.0%		50.0%			81.8%		100.0%	100.0%	83.3%	66.7%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 42

How many specialists has your child seen in the last 6 months?

Base: All respondents who made an appointment for their child to see a specialist (Q40)

Base: All respondents who made an appointme	rit ior trieir cr	iliu to see a s	pecialist (Q	40)																								
	۵					ndent's (Identity		C	Child's Ag	ge		sponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	٧	W	Χ	Υ	Z	AA	AB
Number in sample	458	28	64	60	2	26	0	6	13	9	3	2	23	19	5	3	2	1	0	2	0	0	11	0	7	1	24	3
Number missing or multiple answer	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	452	28	64	60	2	26	0	6	13	-	3	2	23		5	3	2	1	0	2	0	0	11	0	7	1	24	3
N.	98.7%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
None	56 12.4%	7.1%	3.1%	5.0%	0.0%	7.7%		0.0%	15.4%	0.0%	0.0%	50.0%	4.3%	5.3%	0.0%	0.0%	0.0%	0.0%		0.0%			9.1%		0.0%	0.0%	8.3%	0.0%
1 specialist	320	16	47	41	1	15	0	4	7	5	2	1	13	12	2	2	2	1	0	1	0	0	6	0	5	0.070	15	1
	70.8%		73.4%	68.3%	50.0%			66.7%	53.8%	55.6%	66.7%	50.0%	56.5%	63.2%	40.0%	66.7%	100.0%	100.0%		50.0%			54.5%		71.4%	0.0%	62.5%	33.3%
2	60	7	11	12	1	6	0	0	4	3	1	0	6	4	3	0	0	0	0	1	0	0	2	0	1	1	5	1
	13.3%	25.0%	17.2%	20.0%	50.0%	23.1%		0.0%	30.8%	33.3%	33.3%	0.0%	26.1%	21.1%	60.0%	0.0%	0.0%	0.0%		50.0%			18.2%		14.3%	100.0%	20.8%	33.3%
3	11	1	2	2	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	1	0
	2.4%	3.6%	3.1%	3.3%	0.0%	3.8%		16.7%	0.0%	0.0%	0.0%	0.0%	4.3%	5.3%	0.0%	0.0%	0.0%	0.0%		0.0%			9.1%		0.0%	0.0%	4.2%	0.0%
4	5	2	1	2	0	2	0	1	0	1	0	0	2	1	0	1	0	0	0	0	0	0	1	0	1	0	1	1
	1.1%	7.1%	1.6%	3.3%	0.0%	7.7%		16.7%	0.0%	11.1%	0.0%	0.0%	8.7%	5.3%	0.0%	33.3%	0.0%	0.0%		0.0%			9.1%		14.3%	0.0%	4.2%	33.3%
5 or more specialists	0.0%	0.0%	1 1.6%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
3 or more specialists	16	3	4	4	0.070	3	0	2.070	0.070	1	0.070	0.070	3	2.070	0.070	1	0.070	0.070	0	0.070	0	0	2.070	0	1	0.070	2	1
	3.5%	10.7%	6.3%	6.7%	0.0%	11.5%		33.3%	0.0%	11.1%	0.0%	0.0%	13.0%	10.5%	0.0%	33.3%	0.0%	0.0%		0.0%			18.2%		14.3%	0.0%	8.3%	33.3%
Significantly different from column:*	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,,,,,,						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,											
		•				•	•			•	_	•	•	_				•										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 43

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents whose child saw a specialist (Q40 & Q42)

Base: All respondents whose child saw a speci-	alist (Q40 &	242)																										
	우					ndent's (Identity	Gender	C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor Vist 6 Mont	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)					<u> </u>	(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	396	26	62	57	2	24	0	6	11	9	3	1	22	18	5	3	2	1	0	2	0	0	10	0	7	1	22	3
Number no experience	NA NA	NA	NA NA	NA NA	NA NA	NA.	NA.	NA NA	NA	NA	NA NA	NA	NA	NA	NA	NA.	NA NA	NA	NA	NA.	NA.	NA NA	NA	NA.	NA.	NA	NA.	NΔ
Usable responses	390	26	61		2	24	0	6	11	9	3	1	22		5	3	2	1	0	2	0	0	10	0	7	1	22	3
		_	98.4%		100.0%	1		100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%		100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
0 Worst specialist possible	0.0%	0.0%	1 1.6%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%			0.0%		0.0%	0.0%	0.0%	0.0%
2	0.5%	0.0%	0.0%	1.8%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
3	5	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.3%	0.0%	0.0%	1.8%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%			0.0%		0.0%	0.0%	0.0%	0.0%
4	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
5	9	2	1	4	0	2	0	1	1	0	0	0	2	0	1	1	0	0	0	1	0	0	1	0	0	0	0	2
C	2.3%	7.7%	1.6%	7.0%	0.0%	8.3%		16.7%	9.1%	0.0%	0.0%	0.0%	9.1%	0.0%	20.0%	33.3%	0.0%	0.0%		50.0%			10.0%		0.0%	0.0%	0.0%	66.7%
0	13 3.3%	0.0%	3.3%	3.5%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%			0.0%		0.0%	0.0%	0.0%	0.0%
7	25	0	4	. 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6.4%	0.0%	6.6%	7.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%			0.0%		0.0%	0.0%	0.0%	0.0%
8	54	7	8	17	0	7	0	2	2	3	2	1	4	4	1	2	0	1	0	1	0	0	2	0	2	0	6	1
0	13.8% 97	26.9%	13.1%	29.8%	0.0%	29.2%		33.3%	18.2%	33.3%	66.7%	100.0%	18.2%	22.2%	20.0%	66.7%	0.0%	100.0%		50.0%			20.0%		28.6%	0.0%	27.3%	33.3%
9	24.9%	23.1%	23.0%	22.8%	50.0%	20.8%		1 16.7%	27.3%	22.2%	0.0%	0.0%	27.3%	27.8%	20.0%	0.0%	50.0%	0.0%		0.0%			30.0%		14.3%	0.0%	27.3%	0.0%
10 Best specialist possible	183	11	31	15	1	10	0	2	5	4	1	0	10	9	2	0	1	0	0	0	0	0	4	0	4	1	10	0
	46.9%	42.3%	50.8%	26.3%	50.0%	41.7%		33.3%	45.5%	44.4%	33.3%	0.0%	45.5%	50.0%	40.0%	0.0%	50.0%	0.0%		0.0%			40.0%		57.1%	100.0%	45.5%	0.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 43

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents whose child saw a specialist (Q40 & Q42)

	۵					ndent's (Identity		C	Child's A	ge		sponder Educatio		Child's	Health	Status					Race						Doctor ' st 6 Mon	Visits in oths
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	p005	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Y	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	396 6 NA	26 0 NA	62 1 NA	57 0 NA	2 0 NA	24 0 NA	0 0 NA	6 0 NA	11 0 NA	9 0 NA	3 0 NA	1 0 NA	22 0 NA	0	5 0 NA	0 NA	0 NA	1 0 NA	0 0 NA	0 NA	0 0 NA	0 0 NA	10 0 NA	0 0 NA	7 0 NA	1 0 NA	22 0 NA	0
Usable responses	390 98.5%	26 100.0%	61	57 100.0%	_	24	-	6	11		3 100.0%	1 100.0%	22	18	100.0%	3	100.0%	1	0	2	0	0	10 100.0%	0	7	1 100.0%	22	3
0 to 4	9 2.3%	0.0%	1 1.6%	3.5%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0	0	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
5	9 2.3%	2 7.7%	1 1.6%	7.0%	0.0%	2 8.3%	0	1 16.7%	9.1%	0.0%	0.0%	0.0%	9.1%	0.0%	20.0%	33.3%	0.0%	0.0%	0	1 50.0%	0	0	1 10.0%	0	0.0%	0.0%	0.0%	66.7%
6 or 7	38 9.7%	0.0%	6 9.8%	10.5%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	0.0%	0	0.0%	0.0%	0.0%	0.0%
8 to 10	334 85.6%	24 92.3%			2 100.0%	22 91.7%	0	5 83.3%	10 90.9%	9 100.0%	3 100.0%	1 100.0%	20 90.9%	18 100.0%	4 80.0%	66.7%	2 100.0%	1 100.0%	0	1 50.0%	0	0	9 90.0%	0	7 100.0%	1 100.0%	22 100.0%	1 -
Significantly different from column:*																												
0 to 6	31 7.9%	7.7%	4 6.6%	14.0%	0.0%	8.3%	0	1 16.7%	9.1%	0.0%	0.0%	0.0%	9.1%	0.0%	20.0%	33.3%	0.0%	0.0%	0	50.0%	0	0	10.0%	0	0.0%	0.0%	0.0%	66.7%
7 to 8	79 20.3%	7 26.9%	12 19.7%	21 36.8%	0.0%	7 29.2%	0	2 33.3%	2 18.2%	3 33.3%	2 66.7%	1 100.0%	4 18.2%	4 22.2%	20.0%	66.7%	0.0%	1 100.0%	0	1 50.0%	0	0	2 20.0%	0	2 28.6%	0.0%	6 27.3%	33.3%
9 to 10	280 71.8%	17 65.4%	45 73.8%		2 100.0%	15 62.5%	0	3 50.0%	8 72.7%	6 66.7%	1 33.3%	0.0%	16 72.7%		60.0%	0.0%	2 100.0%	0.0%	0	0.0%	0	0	7 70.0%	0	5 71.4%	1 100.0%	16 72.7%	0
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 44

In the last 6 months, did you get information or help from customer service at your child's health plan?

	ЧР					ndent's (Identity		C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race						t 6 Mon	Visits in iths
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161	327	370	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	46	1	6	0	0	1	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,885 98.8%		-	370 100.0%	22 100.0%		0	38 100.0%		46 97.9%	15 93.8%					11 100.0%	9 100.0%	5 100.0%	3 100.0%	13 100.0%	0	0	60 100.0%	4 0.0%	46 97.9%	31 100.0%	122 99.2%	7 100.0%
Yes	956 24.6%	27	77 24.0%	80 21.6%	5	22	0	9	10	8 17.4%	3	4	18	21 17.5%	4	2 18.2%	1	2	1 33.3%	2 15.4%	0	0	4	1 25.0%	11 23.9%	5 16.1%	21 17.2%	1 14.3%
No	2,929			290		109	0	29		38	12	19	96	99		9	8	3	2	11	0	0	56	3	35	26	101	
	75.4%		76.0%	78.4%	77.3%			76.3%	85.9%	82.6%	80.0%	82.6%	84.2%	82.5%	84.0%	81.8%	88.9%	60.0%	66.7%	84.6%			93.3%	75.0%	76.1%	83.9%	82.8%	85.7%
Significantly different from column:*		Α																					Υ		W			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 45

In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

Base: All respondents who got information from child's health plan customer service (Q44)

·	Ь			477)		ndent's C Identity	Gender	C	Child's Ag	ge		esponder Educatio		Child's	Health	Status					Race						Doctor V t 6 Mont	
	픙					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	H	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	956	27	77	78	5	22	0	9	10	8	3	4	18	21	4	2	1	2	1	2	0	0	4	1	11	5	21	1
Number missing or multiple answer	14	1	2	0	0	1	0	0	0	1	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	942	26	75	78	5	21	0	9	10	7	3	3	18	20	4	2	1	1	1	2	0	0	4	1	11	5	20	1
	98.5%	96.3%	97.4%	100.0%	100.0%	95.5%		100.0%	100.0%	87.5%	100.0%	75.0%	100.0%	95.2%	100.0%	100.0%	100.0%	50.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	95.2%	100.0%
Never	26 2.8%	0.0%	1 1.3%	2.6%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	124	2	10	15	0	2	0	1	1	0	1	0	1	2	0	0	0	0	0	0	0	0	0	1	1	1	1	0
	13.2%	7.7%	13.3%	19.2%	0.0%	9.5%		11.1%	10.0%	0.0%	33.3%	0.0%	5.6%	10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	100.0%	9.1%	20.0%	5.0%	0.0%
Usually	254 27.0%	11 42.3%	21 28.0%	23 29.5%	4 80.0%	7 33.3%	0	3 33.3%	3 30.0%	5 71.4%	33.3%	66.7%	7 38.9%	6 30.0%	4 100.0%	1 50.0%	1 100.0%	1 100.0%	1 100.0%	2 100.0%	0	0	0.0%	0.0%	4 36.4%	3 60.0%	8 40.0%	0.0%
Always	538	13	43	38	1	12	0	5	6	2	1	1	10	12	0	1	0	0	0	0	0	0	4	0	6	1	11	1
	57.1%	50.0%	57.3%	48.7%	20.0%	57.1%		55.6%	60.0%	28.6%	33.3%	33.3%	55.6%	60.0%	0.0%	50.0%	0.0%	0.0%	0.0%	0.0%			100.0%	0.0%	54.5%	20.0%	55.0%	100.0%
Significantly different from column:*																												
Usually or Always	792	24	64	61	5	19	0	8	9	7	2	3	17	18	4	2	1	1	1	2	0	0	4	0	10	4	19	1
	84.1%	92.3%	85.3%	78.2%	100.0%	90.5%		88.9%	90.0%	100.0%	66.7%	100.0%	94.4%	90.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	90.9%	80.0%	95.0%	100.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 46

In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?

Base: All respondents who got information from child's health plan customer service (Q44)

base. All respondents who got information from	Crillu's ricali	ii piari custoi	HEL SELVICE	(Q 44)																								
	Ь					ndent's (Identity		C	Child's Ag	ge		esponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	핑					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	e e		6	ω.		(-)	Ŀ		,		1		d)		(()		ŗ				- C	'n						
	Stat	2020	2019	2018		a)	∑, "; o		8	18	HS	ъ	College	o po		Poor	Indian (Native		ican	b =	theri	ian (-			ē
	0	~	1	1,4	Male	ale	ina	2 2	-		than grad	ırad	IS 2	ent 69	ро	<u>~</u>	Ind	듵	Africa	nic No/2	dle Vor San	wai	<u>i</u> e	ē	aci	пe	4	e e
	2020				Σ	em	유명성	0 to	ţ	4 to	g: g	HS g		e ≥	Good	or	can	Asi	ck or Afric American	Hispanic Latino/a	Middle ern/Nort African	ve Hawai cific Islar	White	횽	崇	None	t to	<u> </u>
	14					ш	Non-binar Inderquee other	_	9	-	esa	工	Some	Excellent Very Goo		Fair	eric		lack A	Ξď	ste	acif			Σ			20
							дe				٦		S				Am		80		Ea	Na.						
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	956	27	77	78	5	22	0	9	10	8	3	4	18	21	4	2	1	2	1	2	0	0	4	1	11	5	21	1
Number missing or multiple answer	17	1	1	0	0	1	0	0	0	1	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	939	26	76	78	5	21	0	9	10	7	3	3	18	20	4	2	1	1	1	2	0	0	4	1	11	5	20	1
	98.2%	96.3%	98.7%	100.0%	100.0%	95.5%		100.0%	100.0%	87.5%	100.0%	75.0%	100.0%	95.2%	100.0%	100.0%	100.0%	50.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	95.2%	100.0%
Never	9	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.0%	0.0%	0.0%	2.6%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	48	0	5	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5.1%	0.0%	6.6%	2.6%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Usually	169	6	14	21	3	3	0	0	2	4	1	0	5	3	3	0	1	0	0	0	0	0	1	0	2	1	5	0
	18.0%	23.1%	18.4%	26.9%	60.0%	14.3%		0.0%	20.0%	57.1%	33.3%	0.0%	27.8%	15.0%	75.0%	0.0%	100.0%	0.0%	0.0%	0.0%			25.0%	0.0%	18.2%	20.0%	25.0%	0.0%
Always	713	20	57	53	2	18	0	9	8	3	2	3	13	17	1	2	0	1	1	2	0	0	3	1	9	4	15	1
	75.9%	76.9%	75.0%	67.9%	40.0%	85.7%		100.0%	80.0%	42.9%	66.7%	100.0%	72.2%	85.0%	25.0%	100.0%	0.0%	100.0%	100.0%	100.0%			75.0%	100.0%	81.8%	80.0%	75.0%	100.0%
Significantly different from column:*																												
Usually or Always	882	26	71	74	5	21	0	9	10		3	3	18		4	2	1	1	1	2	0	0	4	1	11	5	20	
	93.9%	100.0%	93.4%	94.9%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Significantly different from column:*														I											1			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 47

In the last 6 months, did your child's health plan give you any forms to fill out?

	нР				Respondent's Gender Identity Child's Age Education (Q73) (Q69) (Q74) (Q53) Race (Q76)																Child's Las	st 6 Mon						
	2020 State O	2020	2019	2018	Male	Female (622)	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Castern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 to (O ₂)	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161	327	364	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	99	3	10	0	0	2	0	1	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	1	1	1	2	l
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA		NA	NA	NA		NA.	NA	NA	NA.	NA	NA 18	NA	NA		NA	NA	NA	NA	
Usable responses	3,832 97.5%		317 96.9%	364 100.0%	22 100.0%	130 98.5%		37 97.4%	71 100.0%	47 100.0%	16 100.0%		-	120 99.2%		90.9%	100.0%	100.0%	100.0%	100.0%			60 100.0%	0.0%	46 97.9%		121 98.4%	
Yes	1,270	37	86	122	6	30	0	5	18	13	6	5	23	26	8	2	4	. 0	1	5	0	0	8	0	16	7	27	3
	33.1%	23.4%	27.1%	33.5%	27.3%	23.1%		13.5%	25.4%	27.7%	37.5%	22.7%	20.4%	21.7%	32.0%	20.0%	44.4%	0.0%	33.3%	38.5%			13.3%	0.0%	34.8%	23.3%	22.3%	42.9%
No	2,562	121		242	16	100	0	32	53		10		90			8	5	5	2	8	0	0	52	3	30	23	94	
	66.9%	76.6%	72.9%	66.5%	72.7%	76.9%		86.5%	74.6%	72.3%	62.5%	77.3%	79.6%	78.3%	68.0%	80.0%	55.6%	100.0%	66.7%	61.5%			86.7%	100.0%	65.2%	76.7%	77.7%	57.1%
Significantly different from column:*		AD																					Y		W			l

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 48

In the last 6 months, how often were the forms from your child's health plan easy to fill out?** $\,$

Base: All respondents who received forms to fill out from child's health plan (Q47)

base. All respondents who received forms to the	· Out nom om	ia o rioanir pic	(4/																									
	۵					ndent's (Identity		(Child's Ag	ge		sponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	픙					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,832	158	317	358	22	130	0	37	71	47	16	22	113	120	25	10	9	5	3	13	0	0	60	3	46	30	121	7
Number missing or multiple answer	37	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA			NA	NA	. NA	NA	NA					NA	NA	NA	NA	NA	NA NA	NA		NA	NA	NA	NA	NA
Usable responses	3,795	158	316	358	22	130	0	37	71	47	16	22					9	5	3	13	0	0	60	3	46	30		7
	99.0%	100.0%	99.7%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	44 1.2%	3 1.9%	6 1.9%	8 2.2%	0.0%	2.3%	0	0.0%	2.8%	2.1%	0.0%	0.0%	2.7%	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	1 1.7%	0.0%	2 4.3%	0.0%	2.5%	0.0%
Sometimes	210	10	19	19	1	8	0	1	2	6	1	0	8	7	2	0	1	0	0	0	0	0	3	0	5	3	6	1
	5.5%	6.3%	6.0%	5.3%	4.5%	6.2%		2.7%	2.8%	12.8%	6.3%	0.0%	7.1%	5.8%	8.0%	0.0%	11.1%	0.0%	0.0%	0.0%			5.0%	0.0%	10.9%	10.0%	5.0%	14.3%
Usually	408 10.8%	11 7.0%	22 7.0%	50 14.0%	4 18.2%	7 5.4%	0	5.4%	8.5%	6.4%	6.3%	4 18.2%	5 4.4%	7 5.8%	4 16.0%	0.0%	2 22.2%	0.0%	33.3%	7.7%	0	0	0.0%	0.0%	7 15.2%	10.0%	6.6%	0.0%
Always	3,133	134	269	281	17		0	34	61	37	14	18	97	103	19	10	6	5	2	12	. 0	0	56	3	32		104	6
	82.6%	84.8%	85.1%	78.5%	77.3%	86.2%		91.9%	85.9%	78.7%	87.5%	81.8%	85.8%	85.8%	76.0%	100.0%	66.7%	100.0%	66.7%	92.3%			93.3%	100.0%	69.6%	80.0%	86.0%	85.7%
Significantly different from column:*																							Y		W			
Usually or Always	3,541	145	291	331	21	-	0	36	67	40	15	22						5	3	13	0	0	56	3	39	27	112	6
	93.3%	91.8%	92.1%	92.5%	95.5%	91.5%		97.3%	94.4%	85.1%	93.8%	100.0%	90.3%	91.7%	92.0%	100.0%	88.9%	100.0%	100.0%	100.0%			93.3%	100.0%	84.8%	90.0%	92.6%	85.7%
Significantly different from column:*															ĺ						1					I		

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

^{**}Respondents answering "No" to question 47 are reported to NCQA as "Always" in question 43, and are used in calculating the Customer Service composite score.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 49

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

Base: All respondents

base. All respondents																												
	IP					ndent's (Identity		C	Child's Ag	ge		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)				ļ	1	(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	3,931 111 NA	161 7 NA	327 33 NA		1	4	0 0 NA	38 1 NA	71 2 NA	2	16 2 NA	0	114 3 NA	3	25 1 NA	11 1 NA	9 0 NA	5 0 NA	3 0 NA	13 0 NA	0 0 NA	0 0 NA	60 4 NA	4 1 NA	47 0 NA	31 2 NA	123 5 NA	N/
Usable responses	3,820	154	294	365		128	0	37			14				24		9	5	3	13	0	0	56	3	47	29	118	
1	97.2%	95.7%	89.9%	100.0%	95.5%			97.4%	97.2%	95.7%	87.5%	100.0%	97.4%		96.0%	90.9%	100.0%	100.0%	100.0%	100.0%			93.3%	0.0%	100.0%	93.5%	95.9%	100.0%
0 Worst health plan possible	7 0.2%	0.0%	0.0%	0.3%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0		0.0%	0.0%	0.0%	0.0%	0.0%	0.09
1	6	1	0	0	0	1	0	0	0	1	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1	0	
	0.2%	0.6%	0.0%	0.0%	0.0%	0.8%		0.0%	0.0%	2.2%	0.0%	0.0%	0.9%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	2.1%	3.4%	0.0%	0.0%
2	0.2%	0.6%	4 1.4%	0.8%	4.8%	0.0%	0	0.0%	0.0%	2.2%	0.0%	0.0%	0.9%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	7.7%	0		0.0%	0.0%	0.0%	0.0%	0.8%	0.0%
3	24	0	5	10		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.6%	0.0%	1.7%	2.7%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.09
4	25 0.7%	1.9%	1.4%	1.6%	0.0%	2.3%		0.0%	1.4%	4.4%	0.0%	0.0%	2.7%	1.7%	4.2%	0.0%	0.0%	0.0%	0.0%	7.7%			1.8%	0.0%	0.0%	0.0%	1.7%	14.39
5	145	9	22			8	0	1	6	1	1	1	7	7	0	2	0	0	0	1	0	0	3	0	3	0	9	
	3.8%	5.8%	7.5%	6.0%		6.3%		2.7%	8.7%	2.2%	7.1%	4.3%	6.3%	5.9%	0.0%	20.0%	0.0%	0.0%	0.0%	7.7%			5.4%	0.0%	6.4%	0.0%	7.6%	0.0%
6	115 3.0%	9 5.8%	14 4.8%	17 4.7%	_	6.3%	0	2.7%	4.3%	5 11.1%	7.1%	4.3%	6.3%	3.4%	12.5%	10.0%	0.0%	0.0%	0.0%	0.0%	0	0	7.1%	0.0%	8.5%	0.0%	6.8%	14.3%
7	3.0%	21	4.8%			17		2.7%	4.3%	11.1%	7.1%	4.3%	17		12.5%	10.0%	0.0%	0.0%	0.0%	0.0%	0		7.1%	0.0%	8.5%	0.0%	14	14.5%
•	7.9%	13.6%	9.2%	9.6%				10.8%	13.0%	17.8%	0.0%	17.4%	15.3%		20.8%	20.0%	11.1%	0.0%	0.0%	7.7%			16.1%	33.3%	17.0%	20.7%	11.9%	14.3%
8	640	38	67	86	5	31	0	12	15		3	6	26		3	3	2	2	2	1	0	0	17	0	10	5	32	
	16.8%	24.7%	22.8%	23.6%	23.8%	24.2%		32.4%	21.7%	20.0%	21.4%	26.1%	23.4%	26.3%	12.5%	30.0%	22.2%	40.0%	66.7%	7.7%			30.4%	0.0%	21.3%	17.2%	27.1%	14.3%
9	722	23		76	5	18	0	8	13		1	4	18		2	1	1	1	0	0	0	0	10	1	8	3	18	-
	18.9%	14.9%	16.3%					21.6%	18.8%		7.1%	17.4%	16.2%		8.3%	10.0%	11.1%	20.0%	0.0%	0.0%			17.9%	33.3%	17.0%	10.3%	15.3%	28.6%
10 Best health plan possible	1,827 47.8%	49 31.8%	103 35.0%	109 29.9%		42 32.8%	0	11 29.7%	22 31.9%			30.4%	27.9%	38 32.2%	10 41.7%	10.0%	5 55.6%	40.0%	33.3%	61.5%	0		21.4%	33.3%	13 27.7%	14 48.3%	34 28.8%	14.3%
1	47.8%	31.8%	35.0%	29.9%	19.0%	32.8%		29.7%	31.9%	35.6%	5/.1%	30.4%	27.9%	32.2%	41./%	10.0%	35.6%	40.0%	33.3%	01.5%			21.4%	33.3%	27.7%	48.3%	∠8.8%	14.3%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 49

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

base. All respondents	_					ndent's (Identity		C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race					Child's Las	Doctor \	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	3,931 111 NA	161 7 NA	327 33 NA	365 0 NA	1	4	0 0 NA	38 1 NA	71 2 NA	47 2 NA	16 2 NA	0	114 3 NA	3	25 1 NA	1	9 0 NA	5 0 NA	3 0 NA	13 0 NA	Ō	0 0 NA	60 4 NA	4 1 NA	47 0 NA	31 2 NA	123 5 NA	0
Usable responses	3,820 97.2%	154	294	365 100.0%	21	128	0	37 97.4%	69 97.2%	45	14 87.5%	23	111		24	10	9	100.0%	3 100.0%	13	0	0	56	3 0.0%	47 100.0%	29 93.5%	118	7
0 to 4	70 1.8%	5 3.2%	13 4.4%	20 5.5%		4 3.1%	0	0.0%	1 1.4%	4 8.9%	0.0%	0.0%	5 4.5%	4 3.4%	1 4.2%	0	0	0	0.0%	2 15.4%	0	0	1 1.8%	0.0%	1 2.1%	1 3.4%	3 2.5%	1 14.3%
5	145 3.8%	9 5.8%	22 7.5%	22 6.0%		6.3%	0	1 2.7%	6 8.7%	2.2%	7.1%	1 4.3%	7 6.3%	7 5.9%	0.0%	20.0%	0.0%	0.0%	0.0%	7.7%	. 0	0	3 5.4%	0.0%	3 6.4%	0.0%	9 7.6%	0.0%
6 or 7	416 10.9%	30 19.5%	13.9%	52 14.2%	23.8%	25 19.5%	0	5 13.5%	12 17.4%	_	7.1%	5 21.7%	24 21.6%			3 30.0%	1 11.1%	0.0%	0.0%	7.7%	0	0	13 23.2%	1 33.3%	12 25.5%	6 20.7%	22 18.6%	
8 to 10	3,189 83.5%	110 71.4%		271 74.2%		91 71.1%	0	31 83.8%	50 72.5%	27 60.0%	12 85.7%			89 75.4%	15 62.5%		88.9%	5 100.0%	3 100.0%	69.2%	0	0	39 69.6%	66.7%	31 66.0%	22 75.9%	84 71.2%	
Significantly different from column:*		Α						J		Н																		
0 to 6	330 8.6%			59 16.2%	-	20 15.6%	0	5.4%	10 14.5%	-	2 14.3%	8.7%	19 17.1%			30.0%	0.0%	0.0%	0.0%	23.1%	0	0		0.0%	8 17.0%	3.4%	20 16.9%	
7 to 8	941 24.6%	59 38.3%		121 33.2%		48 37.5%	0	16 43.2%	24 34.8%		21.4%	10 43.5%	43 38.7%	45 38.1%	8 33.3%	5 50.0%	3 33.3%	40.0%	66.7%	15.4%	0	0	26 46.4%	1 33.3%	18 38.3%	11 37.9%	46 39.0%	_
9 to 10	2,549 66.7%	72 46.8%		185 50.7%	_	60 46.9%	0	19 51.4%	35 50.7%		9 64.3%	11 47.8%	49 44.1%	50	12 50.0%	20.0%	66.7%	3 60.0%	1 33.3%	61.5%	0	0	22 39.3%	2 66.7%	21 44.7%	17 58.6%	52 44.1%	,
Significantly different from column:*		Α																										i

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 50

In the last 6 months, did you get or refill any prescription medicines for your child?

	ОНР					ndent's (Identity (Q73)		C	Child's Ag	je		sponder Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State (2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	36	3			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,895	158			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	30	121	7
	99.1%	98.1%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	96.8%	98.4%	100.0%
Yes	1,113	65			7	56	0	13	33	19	5	8	49	51	8	5	0	1	2	6	0	0	29	1	20	4	57	4
	28.6%	41.1%			31.8%	42.4%		34.2%	46.5%	40.4%	31.3%	34.8%	43.0%	42.1%	32.0%	45.5%	0.0%	20.0%	66.7%	46.2%			48.3%	25.0%	42.6%	13.3%	47.1%	57.1%
No	2,782	93			10	76	0	25	38	28	11	15	65			6	9	4	1	7	0	0	31	3	27	26	64	3
	71.4%	58.9%			68.2%	57.6%		65.8%	53.5%	59.6%	68.8%	65.2%	57.0%	57.9%	68.0%	54.5%	100.0%	80.0%	33.3%	53.8%			51.7%	75.0%	57.4%	86.7%	52.9%	42.9%
Significantly different from column:*		Α										1	1			1										AA	Z	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 51

In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?

Base: All respondents whose child got a prescription for medicine or refilled a prescription (Q50)

	۵		eu a prescri	, , , ,		ndent's C Identity	Gender	C	Child's Ag	je		esponder Educatio		Child's	Health	Status					Race						Doctor V	
	공					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooD	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,113	65			7	56	0	13	33	19	5	8	49	51	8	5	0	1	2	6	0	0	29	1	20	4	57	4
Number missing or multiple answer	10	1			-	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	. NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,103	64			,	55	0	13			5	8	48		7	5	0	1	2	6	0	0	28	1	20	4	56	4
	99.1%	98.5%			100.0%	98.2%		100.0%	97.0%	100.0%	100.0%	100.0%	98.0%	100.0%	87.5%	100.0%		100.0%	100.0%	100.0%			96.6%	0.0%	100.0%	100.0%	98.2%	100.0%
Never	18 1.6%	5 7.8%				5 9.1%	0	2 15.4%	9.4%	0.0%	0.0%	0.0%	5 10.4%	7.8%	1 14.3%	0.0%	0	0.0%	0.0%	1 16.7%	0	0	4 14.3%	0.0%	0.0%	0.0%	7.1%	1 25.0%
Sometimes	76	5				5	0	1	2	2	1	2	2	2	0	2	0	0	0	1	0	0	3	0	1	1	3	1
	6.9%	7.8%			0.0%	9.1%		7.7%	6.3%	10.5%	20.0%	25.0%	4.2%	3.9%	0.0%	40.0%		0.0%	0.0%	16.7%			10.7%	0.0%	5.0%	25.0%	5.4%	25.0%
Usually	221	15			3	12	0	3	6	6	0	2	13	14	0	1	0	0	0	1	0	0	5	1	6	0	15	0
	20.0%	23.4%			42.9%	21.8%		23.1%	18.8%	31.6%	0.0%	25.0%	27.1%	27.5%	0.0%	20.0%		0.0%	0.0%	16.7%			17.9%	100.0%	30.0%	0.0%	26.8%	0.0%
Always	788	39			4	33	0	7	21	11	4	4	28	31	6	2	0	1	2	3	0	0	16	0	13	3	34	2
	71.4%	60.9%			57.1%	60.0%		53.8%	65.6%	57.9%	80.0%	50.0%	58.3%	60.8%	85.7%	40.0%		100.0%	100.0%	50.0%			57.1%	0.0%	65.0%	75.0%	60.7%	50.0%
Significantly different from column:*																												
Usually or Always	1,009	54			7	45	0	10	27	17	4	6	41	45	6	3	0	1	2	4	0	0	21	1	19	3	49	2
	91.5%	84.4%			100.0%	81.8%		76.9%	84.4%	89.5%	80.0%	75.0%	85.4%	88.2%	85.7%	60.0%		100.0%	100.0%	66.7%			75.0%	100.0%	95.0%	75.0%	87.5%	50.0%
Significantly different from column:*																												لـــــا

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52

Did anyone from your child's health plan, doctor's office, or clinic help you get your child's prescription medicines?

Base: All respondents whose child got a prescrip	otion for med	icine or retili	ea a prescri	ption (Q50)																								
	4					ndent's (Identity		C	Child's Ag	е		esponder Education		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	ò					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	1,113	65			7	56	0	13	33	19	5	8	49	51	8	5	0	1	2	6	0	0	29	1	20	4	57	4
Number missing or multiple answer	31	1			0	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,082	64			7	55	0	13	32	19	5	8	48	51	7	5	0	1	2	6	0	0	28	1	20	4	56	4
	97.2%	98.5%			100.0%	98.2%		100.0%	97.0%	100.0%	100.0%	100.0%	98.0%	100.0%	87.5%	100.0%		100.0%	100.0%	100.0%			96.6%	0.0%	100.0%	100.0%	98.2%	100.0%
Yes	649	28			3	24	0	4	12	12	4	3	19	21	4	2	0	0	1	0	0	0	13	0	10	1	25	2
	60.0%	43.8%			42.9%	43.6%		30.8%	37.5%	63.2%	80.0%	37.5%	39.6%	41.2%	57.1%	40.0%		0.0%	50.0%	0.0%			46.4%	0.0%	50.0%	25.0%	44.6%	50.0%
No	433	36			4	31	0	9	20	7	1	5	29		-	3	0	1	1	6	0	0	15	1	10	3	31	2
	40.0%	56.3%			57.1%	56.4%		69.2%	62.5%	36.8%	20.0%	62.5%	60.4%	58.8%	42.9%	60.0%		100.0%	50.0%	100.0%			53.6%	100.0%	50.0%	75.0%	55.4%	50.0%
Significantly different from column:*		Α						I	1												1							, ,

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52a

A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist?

	ОНР					ndent's (Identity (Q73)		C	Child's Ag (Q69)	e		sponden ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poop	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161	327	366	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	-
Number missing or multiple answer	79	3	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,852	158	322	366	22	132	0	38		47		23			25		9	5	3	13	0	0	60	4	47	30	121	7
	98.0%	98.1%	98.5%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	96.8%	98.4%	100.0%
Yes	3,079	127	262	297	16	108	0	26	64	37	14	16	94	98	22	7	6	3	3	12	0	0	48	4	35	23	97	
	79.9%	80.4%	81.4%	81.1%	72.7%	81.8%		68.4%	90.1%	78.7%	87.5%	69.6%	82.5%	81.0%	88.0%	63.6%	66.7%	60.0%	100.0%	92.3%			80.0%	100.0%	74.5%	76.7%	80.2%	100.0%
No	773	31	60	69	6	24	0	12	7	10	2	7	20	23	3	4	3	2	0	1	0	0	12	0	12	7	24	(
	20.1%	19.6%	18.6%	18.9%	27.3%	18.2%		31.6%	9.9%	21.3%	12.5%	30.4%	17.5%	19.0%	12.0%	36.4%	33.3%	40.0%	0.0%	7.7%			20.0%	0.0%	25.5%	23.3%	19.8%	0.0%
Significantly different from column:*								_	Н																			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52b

In the last 6 months, did your child go to a dentist's office or clinic for care?

	НР					ndent's (Identity		C	Child's Ag	je		sponder Educatio		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	State O	2020	2019	2018		(Q73)	ry, ir, or		(Q69)	18	HS	(Q74)	ege e	or	(Q53)	oor	Indian or Native		ican	ъ	(Q76)	ian or ider			le le		(Q7)	ē
	2020	2	2	2	Male	Female	Non-binal genderquee other	0 to 5	6 to 13	14 to 1	Less than grad	HS gra	Some Collegor or more	Excellent Very Goo	Good	Fair or Po	American Ind Alaska Nat	Asian	Black or Afric American	Hispanic o Latino/a	Middle Eastern/Nort African	Native Hawai Pacific Islar	White	Other	Multiracia	None	1 to 4	5 or mo
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161	327	369	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	78	4	5	0	0	1	0	0	1	0	1	0	0	0	1	0	0	0	0	1	0	0	0	0	0	2	2	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,853 98.0%		322 98.5%	369 100.0%	22 100.0%		0	38 100.0%			15 93.8%			121 100.0%	24 96.0%	11 100.0%	9 100.0%	5 100.0%	3 100.0%	12 92.3%	0	0	60 100.0%	4 0.0%	47 100.0%		121 98.4%	
Yes	2,486 64.5%	113 72.0%	-	248 67.2%	14 63.6%		0	24 63.2%	57 81.4%		12 80.0%	17 73.9%	82 71.9%	88 72.7%	18 75.0%	6 54.5%	7 77.8%	3 60.0%	3 100.0%	8 66.7%	0	0	44 73.3%	75.0%	32 68.1%		89 73.6%	
No	1,367 35.5%	44 28.0%	106 32.9%	121 32.8%		34 26.0%	0	14 36.8%	13 18.6%		3 20.0%	6 26.1%	32 28.1%	33 27.3%	6 25.0%	5 45.5%	2 22.2%	2 40.0%	0.0%	4 33.3%	0	0	16 26.7%	1 25.0%	15 31.9%	12 41.4%	32 26.4%	
Significantly different from column:*	33.370	20.0 70	32.570	32.070	33.470	20.070		J J	H	32.570	23.070	23.170	25.170	27.570	25.070	.5.570	22.270	.5.0 70	3.070	55.570			23.770	25.070	31.370	12.470	20.470	3.07

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52c

In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child?

Base: All respondents whose child visited their dentist's office or clinic for care (Q52b)

	ТР		care (Q52b			ndent's G Identity		C	Child's Ag	je		esponder Educatio		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	₽					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооЭ	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,486	113	216	243	14	97	0	24	57	32	12	17	82	88	18	6	7	3	3	8	0	0	44	3	32	17	89	7
Number missing or multiple answer	36	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,450	113	212	243	14	97	0	24	57	32	12	17	82	88	18	6	7	3	3	8	0	0	44	3	32	17	89	7
	98.6%	100.0%	98.1%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Never	28 1.1%	1 0.9%	2 0.9%	5 2.1%	0.0%	1.0%	0	0.0%	1 1.8%	0.0%	0.0%	0.0%	1 1.2%	0.0%	1 5.6%	0.0%	0.0%	33.3%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	1 1.1%	0.0%
Sometimes	173	6	6	14	0	6	0	2	4	0	1	0	5	5	0	1	0	1	0	1	0	0	1	0	3	1	4	1
	7.1%	5.3%	2.8%	5.8%	0.0%	6.2%		8.3%	7.0%	0.0%	8.3%	0.0%	6.1%	5.7%	0.0%	16.7%	0.0%	33.3%	0.0%	12.5%			2.3%	0.0%	9.4%	5.9%	4.5%	14.3%
Usually	424 17.3%	20 17.7%	29 13.7%	36 14.8%	2 14.3%	18 18.6%	0	1 4.2%	10 17.5%	9 28.1%	4 33.3%	2 11.8%	14 17.1%	12 13.6%	6 33.3%	1 16.7%	2 28.6%	0.0%	0.0%	1 12.5%	0	0	5 11.4%	1 33.3%	9 28.1%	2 11.8%	16 18.0%	2 28.6%
Always	1,825	86	175	188	12	72	0	21	42	23	7	15	62		11	4	5	1	3	6	0	0	38	2	20	14	68	4
	74.5%	76.1%	82.5%	77.4%	85.7%	74.2%		87.5%	73.7%	71.9%	58.3%	88.2%	75.6%	80.7%	61.1%	66.7%	71.4%	33.3%	100.0%	75.0%			86.4%	66.7%	62.5%	82.4%	76.4%	57.1%
Significantly different from column:*																							Υ		W			
Usually or Always	2,249	106	204	224	14	90	0	22	52	32	11	17	76	83	17	5	7	1	3	7	0	0	43	3	29	16	84	6
	91.8%	93.8%	96.2%	92.2%	100.0%	92.8%		91.7%	91.2%	100.0%	91.7%	100.0%	92.7%	94.3%	94.4%	83.3%	100.0%	33.3%	100.0%	87.5%			97.7%	100.0%	90.6%	94.1%	94.4%	85.7%
Significantly different from column:*										1												1						

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52d

In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted?

	Ь					ndent's (Identity		С	hild's Ag	je		sponder ducatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161	327	360	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	167	5	17	0	0	2	0	0	1	1	1	0	1	1	0	1	0	0	0	0	0	0	1	0	1	2	3	0
Number no experience	2921	125	237	210	18	105	0	33	55	37	13	20	90	99	18	7	7	4	3	10	0	0	49	3	37	26	98	1
Usable responses	843	31	73	150	4	25	0	5	15	9	2	3	23	21	7	3	2	1	0	3	0	0	10	1	9	3	22	6
	21.4%	19.3%	22.3%	41.7%	18.2%	18.9%		13.2%	21.1%	19.1%	12.5%	13.0%	20.2%	17.4%	28.0%	27.3%	22.2%	20.0%	0.0%	23.1%			16.7%	0.0%	19.1%	9.7%	17.9%	85.7%
Never	342	12	28	51	0	11	0	1	6	3	0	1	10	6	4	2	0	1	0	2	0	0	4	0	3	2	7	3
	40.6%	38.7%	38.4%	34.0%	0.0%	44.0%		20.0%	40.0%	33.3%	0.0%	33.3%	43.5%	28.6%	57.1%	66.7%	0.0%	100.0%		66.7%			40.0%	0.0%	33.3%	66.7%	31.8%	50.0%
Sometimes	126	2	7	23	0	2	0	0	2	0	1	0	1	2	0	0	0	0	0	0	0	0	0	0	1	0	2	0
	14.9%	6.5%	9.6%	15.3%	0.0%	8.0%		0.0%	13.3%	0.0%	50.0%	0.0%	4.3%	9.5%	0.0%	0.0%	0.0%	0.0%		0.0%			0.0%	0.0%	11.1%	0.0%	9.1%	0.0%
Usually	161	8	11	34	1	6	0	2	3	3	1	1	5	6	2	0	2	0	0	1	0	0	2	1	1	0	6	2
	19.1%	25.8%	15.1%	22.7%	25.0%	24.0%		40.0%	20.0%	33.3%	50.0%	33.3%	21.7%	28.6%	28.6%	0.0%	100.0%	0.0%		33.3%			20.0%	100.0%	11.1%	0.0%	27.3%	33.3%
Always	214		27	42	3	6	0	2	4	3	0	1	7	7	1	1	0	0	0	0	0	0	4	0	4	1	7	1
	25.4%	29.0%	37.0%	28.0%	75.0%	24.0%		40.0%	26.7%	33.3%	0.0%	33.3%	30.4%	33.3%	14.3%	33.3%	0.0%	0.0%		0.0%			40.0%	0.0%	44.4%	33.3%	31.8%	16.7%
Significantly different from column:*																											ullet	
Usually or Always	375			76	4	12	0	4	7	6	1	2	12	13	3	1	2	0	0	1	0	0	6	1	5	1	13	3
	44.5%	54.8%	52.1%	50.7%	100.0%	48.0%		80.0%	46.7%	66.7%	50.0%	66.7%	52.2%	61.9%	42.9%	33.3%	100.0%	0.0%		33.3%			60.0%	100.0%	55.6%	33.3%	59.1%	50.0%
Significantly different from column:*							1			l			l		l					l	1	1	1	l		I	, ,	1

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

Base: All respondents

Base: All respondents																												
	Ь					ndent's (Identity	Gender	С	hild's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor V t 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	3,931 280 NA	161 10 NA	327 24 NA	354 0 NA	22 1 NA	132 6 NA	0 0 NA	38 1 NA	71 3 NA	47 3 NA	16 1 NA	2	114 4 NA	121 3 NA	25 2 NA	11 2 NA	9 0 NA	5 0 NA	3 1 NA	13 0 NA	0 0 NA	0 0 NA	60 3 NA	4 0 NA	47 3 NA	31 2 NA	123 8 NA	7 0 NA
Usable responses	3,651 92.9%	151 93.8%	303 92.7%	354 100.0%	21 95.5%	126 95.5%	0	37 97.4%	68 95.8%	44 93.6%	15 93.8%			118 97.5%	23 92.0%		9 100.0%	5 100.0%	2 66.7%	13 100.0%	0	0	57 95.0%	4 0.0%	44 93.6%	29 93.5%	115 93.5%	7 100.0%
0 Extremely Difficult	151 4.1%	6 4.0%	17 5.6%	16 4.5%	0 0.0%	6 4.8%	0	0.0%	4 5.9%	2 4.5%	0.0%	0.0%	6 5.5%	5 4.2%	1 4.3%	0.0%	0.0%	1 20.0%	0.0%	0.0%	0	0	5.3%	0 0.0%	2 4.5%	1 3.4%	5 4.3%	0.0%
1	36 1.0%	1 0.7%	1.0%	6 1.7%	0.0%	0.8%	0	1 2.7%	0.0%	0.0%	0.0%	0.0%	0.9%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	1.8%	0.0%	0.0%	0.0%	1 0.9%	0.0%
2	66 1.8%	1 0.7%	6 2.0%	10 2.8%	0.0%	0.8%	0	0.0%	0.0%	2.3%	0.0%	0.0%	1 0.9%	0.8%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0	0	0.0%	0.0%	1 2.3%	1 3.4%	0 0.0%	0.0%
3	91 2.5%	5 3.3%	6 2.0%	12 3.4%	2 9.5%	3 2.4%	0	2 5.4%	1 1.5%	2 4.5%	0.0%	0.0%	4 3.6%	3 2.5%	1 4.3%	1 11.1%	0.0%	0.0%	0.0%	0.0%	0	0	2 3.5%	0.0%	2 4.5%	1 3.4%	4 3.5%	0.0%
4	69 1.9%	1 0.7%	6 2.0%	8 2.3%	0.0%	0.8%	0	1 2.7%	0.0%	0.0%	0.0%	0.0%	1 0.9%	1 0.8%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	1.8%	0 0.0%	0.0%	0.0%	1 0.9%	0 0.0%
5	271 7.4%	16 10.6%	29 9.6%	26 7.3%	5 23.8%	10 7.9%	0	4 10.8%	6 8.8%	4 9.1%	1 6.7%	4 19.0%	10 9.1%	11 9.3%	3 13.0%	2 22.2%	1 11.1%	1 20.0%	0.0%	3 23.1%	0	0	7.0%	0.0%	6 13.6%	3 10.3%	13 11.3%	0.0%
6	154 4.2%	7 4.6%	13 4.3%	16 4.5%	0.0%	7 5.6%	0	2 5.4%	3 4.4%	2 4.5%	0.0%	1 4.8%	6 5.5%	7 5.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	5.3%	0.0%	2 4.5%	0.0%	7 6.1%	0.0%
7	274 7.5%	6 4.0%	18 5.9%	20 5.6%	2 9.5%	4 3.2%	0	2 5.4%	2 2.9%	2 4.5%	0.0%	1 4.8%	5 4.5%	4 3.4%	1 4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	5.3%	0 0.0%	2 4.5%	0.0%	5 4.3%	1 14.3%
8	436 11.9%	16 10.6%	29 9.6%	49 13.8%	0.0%	16 12.7%	0	3 8.1%	8 11.8%	5 11.4%	4 26.7%	4	8 7.3%	11 9.3%	2 8.7%	3 33.3%	3 33.3%	0.0%	1 50.0%	4 30.8%	0	0	5 8.8%	0.0%	2 4.5%	5 17.2%	9 7.8%	28.6%
9	456 12.5%	22 14.6%	26 8.6%	48 13.6%	7 33.3%	15 11.9%	0	4 10.8%	12 17.6%	6 13.6%	20.0%	2	17 15.5%	18 15.3%	4 17.4%	0	2 22.2%	1 20.0%	0.0%	7.7%	0	0	8 14.0%	2 50.0%	7 15.9%	4 13.8%	17 14.8%	1 14.3%
10 Extremely Easy	1,647 45.1%	70 46.4%	150 49.5%	143 40.4%	5	62 49.2%	0	18 48.6%	32	20 45.5%	7	9	51	56	11 47.8%	3	3	2	1 50.0%	5 38.5%	0	0	27 47.4%	2 50.0%	20 45.5%	14 48.3%	53 46.1%	3 42.9%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 52e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

	IP					ndent's (Identity	Gender	C	hild's Ag	je		sponder Educatio		Child's	Health	Status					Race						Doctor \ st 6 Mon	Visits in oths
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	p005	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,931 280	161 10	327 24	354 0	22 1	132 6	0	38 1	71 3	47 3	16 1	23 2	114 4	121 3	25 2	11 2	9	5 0	3	13 0	0	0	60 3	4 0	47 3	31 2	123 8	7 0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,651	151	303	354	21	126	0	37	68	44	15	21	110	118	23	9	9	5	2	13	0	0	57	4	44	29	115	7
	92.9%	93.8%	92.7%	100.0%	95.5%	95.5%		97.4%	95.8%	93.6%	93.8%	91.3%	96.5%	97.5%	92.0%	81.8%	100.0%	100.0%	66.7%	100.0%			95.0%	0.0%	93.6%	93.5%	93.5%	100.0%
0 to 4	413	14	38	52	2	12	0	4	5	5	0	0	13		2	1	0	1	0	0	0	0	,	0	5	3	11	0
	11.3%	9.3%		14.7%	9.5%	9.5%		10.8%	7.4%	11.4%	0.0%	0.0%	11.8%		8.7%	11.1%	0.0%	20.0%	0.0%	0.0%			12.3%	0.0%	11.4%	10.3%	9.6%	
5	271	16	29	26	5	10	0	4	6	4	1	4	10	11	3	2 22 204	1	20.00/	0	3 100	0	0	7.00/	0	42.60/	3	13	-
6 or 7	7.4% 428	10.6%	9.6%	7.3%	23.8%	7.9%		10.8%	8.8%	9.1%	6.7%	19.0%	9.1%		13.0%	22.2%	11.1%	20.0%	0.0%	23.1%			7.0%	0.0%	13.6%	10.3%	11.3%	
6 or 7	11.7%	13 8.6%	31 10.2%	36 10.2%	9.5%	11 8.7%		10.8%	7.4%	9.1%	0.0%	9.5%		9.3%	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%			10.5%	0.0%	9.1%	0.0%	10.4%	_
8 to 10	2,539	108	205	240	12	93	0	25	52	31	14	15	76	85	17	6	8	3	2	10	0	0	40	4	29	23	79	6
	69.5%	71.5%	67.7%	67.8%	57.1%	73.8%		67.6%	76.5%	70.5%	93.3%	71.4%	69.1%	72.0%	73.9%	66.7%	88.9%	60.0%	100.0%	76.9%			70.2%	100.0%	65.9%	79.3%	68.7%	85.7%
Significantly different from column:*																												
0 to 6	838	37		94	7	29	0	10	14		1	5	29			3	1	2	0	3	0	0	14	0	13	6	31	
	23.0%	24.5%		26.6%	33.3%			27.0%	20.6%		6.7%	23.8%	26.4%	24.6%	21.7%	33.3%	11.1%	40.0%	0.0%	23.1%			24.6%	0.0%	29.5%	20.7%	27.0%	
7 to 8	710 19.4%	22 14.6%	47 15.5%	69 19.5%	9.5%	20 15.9%	0	5 13.5%	10 14.7%		4 26.7%	5 23.8%	13 11.8%	15 12.7%	3 13.0%	33.3%	3 33.3%	0.0%	50.0%	30.8%	0	0	8 14.0%	0.0%	9.1%	5 17.2%	14 12.2%	-
9 to 10	2,103	92	176	191	12	77	0	22	44		10	11			15	3	5	3	1	6	0	0	35	4	27	18	70	4
	57.6%	60.9%	58.1%	54.0%	57.1%	61.1%		59.5%	64.7%	59.1%	66.7%	52.4%	61.8%	62.7%	65.2%	33.3%	55.6%	60.0%	50.0%	46.2%			61.4%	100.0%	61.4%	62.1%	60.9%	57.1%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 53

In general, how would you rate your child's overall health?

Base: All respondents	ОНР					ndent's (Identity		C	hild's Ag	ge		sponder Educatio		Child's	Health :	Status					Race						Doctor \ st 6 Mon	
	ò					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооЭ	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161	327	369	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	97	4	2	0	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	0
Number no experience	NA	NA	NA	NA		NA	NA		NA		NA		NA		NA na	NA	NA	NA.	NA	NA 18		NA		NA	NA		NA	NA.
Usable responses	3,834 97.5%	157 97.5%	325 99.4%	369	22 100.0%	131 99.2%		38 100.0%	70 98.6%		16 100.0%				25	11	100.0%	100.0%	100.0%	13	-		59 98.3%	0.00%	47 100.0%	50	120 97.6%	100.0%
Poor	97.370	37.370	33.4 70	100.070	100.070	99.2 /0	0	100.0 /0	90.070	100.070	100.0 /0	93.7 /0	100.070	100.070	100.070	100.070	100.0 /0	100.070	100.0 /0	100.0 /0	0	0	30.370	0.0 /0	100.070	90.070	37.070	100.0 /0
1 001	0.2%	0.6%	0.6%	0.5%	4.5%	0.0%		0.0%	0.0%	2.1%	0.0%	0.0%	0.9%	0.0%	0.0%	9.1%	0.0%	0.0%	0.0%	0.0%			1.7%	0.0%	0.0%	0.0%	0.8%	0.0%
Fair	103	10	13	11	1	9	0	1	4	4	3	1	5	0	0	10	0	0	0	3	0	0	3	0	4	2	5	3
	2.7%	6.4%	4.0%	3.0%	4.5%	6.9%		2.6%	5.7%	8.5%	18.8%	4.5%	4.4%	0.0%	0.0%	90.9%	0.0%	0.0%	0.0%	23.1%			5.1%	0.0%	8.5%	6.7%	4.2%	42.9%
Good	605	25	50	68	7	18	0	2	13	10	7	4	14	0	25	0	3	1	1	3	0	0	7	0	8	6	18	1
	15.8%	15.9%	15.4%	18.4%		13.7%		5.3%	18.6%	21.3%	43.8%	18.2%	12.3%	0.0%	100.0%	0.0%	33.3%	20.0%	33.3%	23.1%			11.9%	0.0%	17.0%	20.0%	15.0%	14.3%
Very Good	1,304	64	131	126		59	0	20	26		_	10	47	64	0	0	5	2	1	5	0	0	26	1	18	11	51	2
	34.0%		40.3%	34.1%		45.0%		52.6%	37.1%		31.3%	45.5%	41.2%		0.0%	0.0%	55.6%	40.0%	33.3%	38.5%			44.1%	25.0%	38.3%	36.7%	42.5%	28.6%
Excellent	1,814	57	129	162	-	45	0	15	27		1	7	47	57	0	0	1	2	1	2	0	0	22	3	17	11	45	1
	47.3%	_	39.7%	43.9%	40.9%	34.4%		39.5%	38.6%	31.9%		31.8%	41.2%		0.0%	0.0%	11.1%	40.0%	33.3%	15.4%			37.3%	75.0%	36.2%	36.7%	37.5%	14.3%
Significantly different from column:*		A									M		K	0	N			_	_									
Excellent, Very Good, or Good	3,723	146	310	356		122	0	37	66			21			25	0	9	5	3	10	-	0	55	4	43	28	114	
0. 10. 11. 1100	97.1%	93.0%	95.4%	96.5%	90.9%	93.1%		97.4%	94.3%	89.4%	81.3%	95.5%	94./%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	76.9%			93.2%	100.0%	91.5%	93.3%	95.0%	57.1%
Significantly different from column:*																												

NA - Not Applicabl

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 54

In general, how would you rate your child's overall mental or emotional health?

Base. Air respondents	ОНР					ndent's (Identity	Gender	C	Child's Aç	je		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	0202	5019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	3,931	161	327	367	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	93	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0
Number no experience	NA	NA	NA	NA		NA	NA		NA	NA	NA	NA	NA		NA	NA	NA	NA.	NA	NA		NA		NA	NA	NA	NA	NA
Usable responses	3,838	158	326	367		132	0	38		47	16		114		25		9	5	3	13	0	0	60	4	47	50	121	7
	97.6%		99.7%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	96.8%	98.4%	100.0%
Poor	22 0.6%	6 3.8%	0.3%	5 1.4%	3 13.6%	2.3%	0	0.0%	1 1.4%	5 10.6%	0.0%	0.0%	5.3%	2 1.7%	1 4.0%	27.3%	0.0%	0.0%	0.0%	7.7%	0	0	2 3.3%	0.0%	6.4%	1 3.3%	4 3.3%	1 14.3%
Fair	136	14	21	27	1	13	0	0	9	4	3	4	7	6	5	2	0	0	0	3	0	0	5	0	4	4	10	0
	3.5%	8.9%	6.4%	7.4%	4.5%	9.8%		0.0%	12.7%	8.5%	18.8%	17.4%	6.1%	5.0%	20.0%	18.2%	0.0%	0.0%	0.0%	23.1%			8.3%	0.0%	8.5%	13.3%	8.3%	0.0%
Good	682	43	77	84	4	39	0	5	29	9	7	6	30		12	3	1	. 2	1	2	0	0	18	0	12	9	32	2
	17.8%	27.2%		22.9%				13.2%	40.8%	19.1%	43.8%	26.1%	26.3%		48.0%	27.3%	11.1%	40.0%	33.3%	15.4%			30.0%	0.0%	25.5%	30.0%	26.4%	28.6%
Very Good	1,151	44	106	113	-	37	0	13	15	15	4	7	30	50	4	2	4	1	0	4	0	0	19	0	11	6	37	1
	30.0%	27.8%		30.8%	22.7%			34.2%	21.1%	31.9%	25.0%	30.4%	26.3%	31.4%	16.0%	18.2%	44.4%	20.0%	0.0%	30.8%			31.7%	0.0%	23.4%	20.0%	30.6%	14.3%
Excellent	1,847	51	121	138	40.00/	40	0	20	17	14	42.50/	6	41	47	3	1	4	1 40 004	2	3	0	0	16	4	17	10	38	3
Classificated algebras before a column at	48.1%		37.1%	37.6%	40.9%	30.3%		52.6%	23.9%		12.5%	26.1%	36.0%	38.8%	12.0%	9.1%	44.4%	40.0%	66.7%	23.1%			26.7%	100.0%	36.2%	33.3%	31.4%	42.9%
Significantly different from column:*	2 (00	A 130	204	225	10	116		IJ	H	H	- 12	10	101	0	N 10	_	_		2	_		_	F2	4	40	25	107	
Excellent, Very Good, or Good	3,680 95.9%	138 87.3%		335 91.3%		116 87.9%	0	38 100.0%	61 85.9%	38 80.9%	81.3%	19 82.6%	101		76.00/	E4 E0/	100.00/	100.0%	100.0%	69.2%	0	0	00.20/	100.0%	85.1%	25 83.3%	107 88.4%	
Significantly different from column:*	93.9%	AC	93.3%	91.3%	01.0%	07.9%		100.0%	03.9%	00.9%	01.3%	02.0%	00.0%	93.4%	70.0%	34.3%	100.0%	100.0%	100.0%	09.2%			00.3%	100.0%	85.1%	03.3%	00.4%	33.770
organicantly different from column:*		ΑC																	1									

NA - Not Applicabl

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 55

Does your child currently need or use medicine prescribed by a doctor (other than vitamins)?

	ОНР					ndent's 0 Identity (Q73)		C	Child's Ag (Q69)	е		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor V t 6 Mont (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	82	3			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,849	158			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	30	121	7
	97.9%	98.1%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	96.8%	98.4%	100.0%
Yes	492	40			4	35	0	8	16	16	3	5	31	29	7	3	0	1	0	2	0	0	24	0	10	2	35	3
	12.8%	25.3%			18.2%	26.5%		21.1%	22.5%	34.0%	18.8%	21.7%	27.2%	24.0%	28.0%	27.3%	0.0%	20.0%	0.0%	15.4%			40.0%	0.0%	21.3%	6.7%	28.9%	42.9%
No	3,357	118			18	97	0	30	55	31	13	18	83	92	18	8	9	4	3	11	0	0	36	4	37	28	86	4
	87.2%	74.7%			81.8%	73.5%		78.9%	77.5%	66.0%	81.3%	78.3%	72.8%	76.0%	72.0%	72.7%	100.0%	80.0%	100.0%	84.6%			60.0%	100.0%	78.7%	93.3%	71.1%	57.1%
Significantly different from column:*		Α																					Y		W	AA	Z	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 56

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/uses medicine prescribed by a doctor (Q55)

	₽				. 1	ident's G Identity	Gender	С	hild's Ag	е		sponden Education		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	492	40			4	35	0	8	16	16	3	5	31	29	7	3	0	1	0	2	0	0	24	0	10	2	35	
Number missing or multiple answer	11	1			0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	1	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	481	39			4	34	0	7	16	16	3	5	30	28	7	3	0	1	0	2	0	0	23	0	10	2	34	1 :
1	97.8%	97.5%			100.0%	97.1%		87.5%	100.0%	100.0%	100.0%	100.0%	96.8%	96.6%	100.0%	100.0%		100.0%		100.0%			95.8%	0.0%	100.0%	100.0%	97.1%	100.0%
Yes	343	32			4	27	0	6	12	14	2	4	25	22	6	3	0	1	0	2	0	0	20	0	6	1	28	
	71.3%	82.1%			100.0%	79.4%		85.7%	75.0%	87.5%	66.7%	80.0%	83.3%	78.6%	85.7%	100.0%		100.0%		100.0%			87.0%		60.0%	50.0%	82.4%	100.0%
No	138	7			0	7	0	1	4	2	1	1	5	6	1	0	0	0	0	0	0	0	3	0	4	1	6	- 1
1	28.7%	17.9%			0.0%	20.6%		14.3%	25.0%	12.5%	33.3%	20.0%	16.7%	21.4%	14.3%	0.0%		0.0%		0.0%			13.0%		40.0%	50.0%	17.6%	0.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 57

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/uses medicine prescribed by a doctor for medical/behavioral/other health condition (Q55 & Q56)

	4P					ndent's C Identity		C	Child's Ag	je		sponder Education		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	роо9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	343	32			4	27	0	6	12	14	2	4	25	22	6	3	0	1	0	2	0	0	20	0	6	1	28	1
Number missing or multiple answer	14	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	l '
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	329	32			4	27	0	6	12	14	_	4	25			3	0	1	0	2	0	0	20	0	6	1	28	1
	95.9%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%		100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	269	31			4	26	0	5	12	14	2	4	24	22	6	2	0	1	0	2	0	0	19	0	6	1	28	
	81.8%	96.9%			100.0%	96.3%		83.3%	100.0%	100.0%	100.0%	100.0%	96.0%	100.0%	100.0%	66.7%		100.0%		100.0%			95.0%		100.0%	100.0%	100.0%	66.7%
No	60	1			0	1	0	1	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1	0	0	0	0	
	18.2%	3.1%			0.0%	3.7%		16.7%	0.0%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	33.3%		0.0%		0.0%			5.0%		0.0%	0.0%	0.0%	33.3%
Significantly different from column:*		Α																										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 58

Does your child need or use more medical care, more mental health services, or more educational services than is usual for most children of the same age?

	ОНР					ndent's (Identity (Q73)		C	Child's Ag (Q69)	je		sponden ducation (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	93	4			0	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.
Usable responses	3,838	157			22	131	0	37	71	47	16	22	114		25		9	5	3	13	0	0	59	4	47	30	120	7
	97.6%	97.5%			100.0%	99.2%		97.4%	100.0%	100.0%	100.0%	95.7%	100.0%	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			98.3%	0.0%	100.0%	96.8%	97.6%	100.0%
Yes	279	44			7	37	0	5	23	16	1	5	38	28	11	4	0	0	0	3	0	0	25	0	12	6	35	3
	7.3%	28.0%			31.8%	28.2%		13.5%	32.4%	34.0%	6.3%	22.7%	33.3%	23.3%	44.0%	36.4%	0.0%	0.0%	0.0%	23.1%			42.4%	0.0%	25.5%	20.0%	29.2%	42.9%
No	3,559	113			15	94	0	32	48	31	15	17	76	92	14	7	9	5	3	10	0	0	34	4	35	24	85	4
	92.7%	72.0%			68.2%	71.8%		86.5%	67.6%	66.0%	93.8%	77.3%	66.7%	76.7%	56.0%	63.6%	100.0%	100.0%	100.0%	76.9%			57.6%	100.0%	74.5%	80.0%	70.8%	57.1%
Significantly different from column:*		Α						IJ	Н	Н				0	N													

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 59

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/uses more medical care/mental health/educational services than usual for children of same age (Q58)

	ОНР					ndent's (Identity (Q73)		C	hild's Ag (Q69)	je		esponder Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ t 6 Mon (Q7)	Visits in iths
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	279	44			7	37	0	5	23	16	1	5	38	28	11	4	0	0	0	3	0	0	25	0	12	6	35	3
Number missing or multiple answer	9	2			0	2	0	0	2	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	2	C
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	270	42			7	35	0	5	21	16	1	5	36	26	11	4	0	0	0	3	0	0	25	0	12	6	33	3
	96.8%	95.5%			100.0%	94.6%		100.0%	91.3%	100.0%	100.0%	100.0%	94.7%	92.9%	100.0%	100.0%				100.0%			100.0%	0.0%	100.0%	100.0%	94.3%	100.0%
Yes	204	39				32	0	5	18	16	1	4	34	23		4	0	0	0	3	0	0	24	0	10	6	30	3
	75.6%	92.9%			100.0%	91.4%		100.0%	85.7%	100.0%	100.0%	80.0%	94.4%	88.5%	100.0%	100.0%				100.0%			96.0%		83.3%	100.0%	90.9%	100.0%
No	66	3			_	3	0	0	3	0	0	1	2	3	0	0	0	0	0	0	0	0	1	0	2	0	3	C
	24.4%	7.1%			0.0%	8.6%		0.0%	14.3%	0.0%	0.0%	20.0%	5.6%	11.5%	0.0%	0.0%				0.0%			4.0%		16.7%	0.0%	9.1%	0.0%
Significantly different from column:*		Α																										i

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 60

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/uses more medical care/mental health/educational services than usual for children of same age for medical/behavioral/other health condition (Q58 & Q59)

	4P					ndent's (Identity		С	hild's Ag	е		sponder Education		Child's	Health	Status					Race						Doctor \ st 6 Mon	
	ᅌ					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	204	39			7	32	0	5	18	16	1	4	34	23	11	4	0	0	0	3	0	0	24	0	10	6	30	
Number missing or multiple answer	4	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	. N/
Usable responses	200	39			7	32	0	5	18	16	1	4	34	23	11	4	0	0	0	3	0	0	24	0	10	6	30	
	98.0%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%				100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	195	39			7	32	0	5	18	16	1	4	34	23	11	4	0	0	0	3	0	0	24	0	10	6	30	
	97.5%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%				100.0%			100.0%		100.0%	100.0%	100.0%	100.0%
No	5	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	- (
	2.5%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%				0.0%			0.0%		0.0%	0.0%	0.0%	0.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 61

Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do?

	ОНР					ndent's (Identity (Q73)		C	Child's Ag	е		sponden Education (Q74)		Child's	Health	Status					Race (Q76)						Doctor v st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African'	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	91	5			1	1	0	0	1	1	1	0	1	1	1	0	0	1	0	0	0	0	1	0	0	2	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	3,840	156			21	131	0	38	70	46	15	23	113			11	9	4	3	13	0	0	59	4	47	29	120	7
	97.7%	96.9%			95.5%	99.2%		100.0%	98.6%	97.9%	93.8%	100.0%	99.1%	99.2%	96.0%	100.0%	100.0%	80.0%	100.0%	100.0%			98.3%	0.0%	100.0%	93.5%	97.6%	100.0%
Yes	267	37			7	30	0	5	16	16	2	4	30	22	9	6	1	0	0	5	0	0	17	0	12	6	28	3
	7.0%	23.7%			33.3%	22.9%		13.2%	22.9%	34.8%	13.3%	17.4%	26.5%	18.3%	37.5%	54.5%	11.1%	0.0%	0.0%	38.5%			28.8%	0.0%	25.5%	20.7%	23.3%	42.9%
No	3,573	119			14	101	0	33	54	30	13	19	83	98	15	5	8	4	3	8	0	0	42	4	35	23	92	4
	93.0%	76.3%			66.7%	77.1%		86.8%	77.1%	65.2%	86.7%	82.6%	73.5%	81.7%	62.5%	45.5%	88.9%	100.0%	100.0%	61.5%			71.2%	100.0%	74.5%	79.3%	76.7%	57.1%
Significantly different from column:*		Α						J		Τ				0	N													

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 62

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child is limited/prevented in ability to do things children of the same age can do (Q61)

	4P					ndent's G Identity	Gender	С	hild's Ag	je		sponden Education		Child's	Health	Status					Race						st 6 Mon	Visits in iths
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	роо9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	267	37			7	30	0	5	16	16	2	4	30	22	9	6	1	0	0	5	0	0	17	0	12	6	28	3
Number missing or multiple answer	8	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NΑ
Usable responses	259	37			7	30	0	5	16	16	2	4	30	22	9	6	1	0	0	5	0	0	17	0	12	6	28	
	97.0%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	159	33			7	26	0	5	15	13	1	4	28	21	7	5	1	0	0	3	0	0	15	0	12	5	25	3
	61.4%	89.2%			100.0%	86.7%		100.0%	93.8%	81.3%	50.0%	100.0%	93.3%	95.5%	77.8%	83.3%	100.0%			60.0%			88.2%		100.0%	83.3%	89.3%	100.0%
No	100	4			0	4	0	0	1	3	1	0	2	1	2	1	0	0	0	2	0	0	2	0	0	1	3	C
	38.6%	10.8%			0.0%	13.3%		0.0%	6.3%	18.8%	50.0%	0.0%	6.7%	4.5%	22.2%	16.7%	0.0%			40.0%			11.8%		0.0%	16.7%	10.7%	0.0%
Significantly different from column:*		Α																										1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 63

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child is limited/prevented in ability to do things because of medical/behavioral/other health condition (Q61 & Q62)

	4				Respondent's Gender Identity Child's Age Respondent's Education Child's Health Status Race (O73) (O74) (O75)															t 6 Mon	Visits in oths							
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	H	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	159	33			7	26	0	5	15	13	1	4	28	21	7	5	1	0	0	3	0	0	15	0	12	5	25	3
Number missing or multiple answer	2	1			0	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	0	1	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	157 98.7%	32 97.0%			7 100.0%	25 96.2%	0	4 80.0%	15 100.0%	13 100.0%	1 100.0%	75.0%	28 100.0%		7 100.0%	5 100.0%	1 100.0%	0	0	3 100.0%	0		14 93.3%	0.0%	12 100.0%	5 100.0%	24 96.0%	100.0%
Yes	144 91.7%	30 93.8%			7 100.0%	23 92.0%	0	75.0%	14 93.3%	13 100.0%	0.0%	3 100.0%	27 96.4%	19 95.0%	7 100.0%	4 80.0%	1 100.0%	0	0	2 66.7%	0	0	13 92.9%	0	12 100.0%	5 100.0%	22 91.7%	100.0%
No	13 8.3%	2 6.3%				2 8.0%	0	1 25.0%	1 6.7%	0.0%	1 100.0%	0.0%	1 3.6%	1 5.0%	0.0%	1 20.0%	0.0%	0	0	1 33.3%	0	0	7.1%	0	0.0%	0 0.0%	2 8.3%	0.0%
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 64

Does your child need or get special therapy such as physical, occupational, or speech therapy?

	ОНР					ndent's (Identity (Q73)		C	hild's Ag (Q69)	e		sponden Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	86	5			1	1	0	0	1	1	1	0	1	1	1	0	0	1	0	0	0	0	1	0	0	2	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,845	156			21	131	0	38	70	46	15	23	113	120	24	11	9	4	3	13	0	0	59	4	47	29	120	7
	97.8%	96.9%			95.5%	99.2%		100.0%	98.6%	97.9%	93.8%	100.0%	99.1%	99.2%	96.0%	100.0%	100.0%	80.0%	100.0%	100.0%			98.3%	0.0%	100.0%	93.5%	97.6%	100.0%
Yes	235	28			3	25	0	4	12	12	2	4	21	19	7	2	0	0	0	4	0	0	14	0	10	6	22	0
	6.1%	17.9%			14.3%	19.1%		10.5%	17.1%	26.1%	13.3%	17.4%	18.6%	15.8%	29.2%	18.2%	0.0%	0.0%	0.0%	30.8%			23.7%	0.0%	21.3%	20.7%	18.3%	0.0%
No	3,610	128			18	106	0	34	58	34	13	19	92	101	17	9	9	4	3	9	0	0	45	4	37	23	98	7
	93.9%	82.1%			85.7%	80.9%		89.5%	82.9%	73.9%	86.7%	82.6%	81.4%	84.2%	70.8%	81.8%	100.0%	100.0%	100.0%	69.2%			76.3%	100.0%	78.7%	79.3%	81.7%	100.0%
Significantly different from column:*		Α																							-			, 7

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 65

Is this because of any medical, behavioral, or other health condition?

	4				Respondent's Gender Identity Child's Age Respondent's Education Child's Health Status Race (O73) (O74) (O75)															Doctor \ st 6 Mon								
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	235	28			3	25	0	4	12	12	2	4	21	19	7	2	0	0	0	4	0	0	14	0	10	6	22	1
Number missing or multiple answer	10	0				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N
Usable responses	225 95.7%	28 100.0%			3 100.0%	25 100.0%	0	4 100.0%	12 100.0%	12 100.0%		4 100.0%	21 100.0%			2 100.0%	0	0	0	4 100.0%	0	0	14 100.0%	0.0%	10 100.0%	6 100.0%	22 100.0%	
Yes	134 59.6%	23 82.1%			3 100.0%	20 80.0%	0	75.0%	9 75.0%	11 91.7%	2 100.0%	75.0%	17 81.0%	14 73.7%	7 100.0%	2 100.0%	0	0	0	50.0%	0	0	12 85.7%	0	9 90.0%	5 83.3%	18 81.8%	
No	91 40.4%	5 17.9%				5 20.0%	0	1 25.0%	3 25.0%	1 8.3%	0.0%	1 25.0%	4 19.0%	5 26.3%	0.0%	0.0%	0	0	0	2 50.0%	0	0	2 14.3%	0	1 10.0%	1 16.7%	4 18.2%	_
Significantly different from column:*		Α																										1

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 66

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/gets special therapy for medical/behavioral/other health condition (Q64 & Q65)

	4				Respondent's Gender Identity Child's Age Respondent's Education Child's Health Status Race (OTA)														Doctor \ st 6 Mon									
	₽					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	134	23			3	20	0	3	9	11	2	3	17	14	7	2	0	0	0	2	0	0	12	0	9	5	18	C
Number missing or multiple answer	1	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	133 99.3%	23 100.0%			_	20 100.0%	0	3 100.0%	9 100.0%	11 100.0%	_	3 100.0%	17 100.0%		7 100.0%	100.0%	0	0	0	2 100.0%	0		12 100.0%	0.0%	9 100.0%	5 100.0%	18 100.0%	
Yes	114 85.7%	22 95.7%			_	19 95.0%	0	3 100.0%	9 100.0%	10 90.9%	2 100.0%	3 100.0%	17 100.0%	14 100.0%	7 100.0%	50.0%	0	0	0	50.0%	0	0	12 100.0%	0	9 100.0%	5 100.0%	17 94.4%	0
No	19 14.3%	1 4.3%			0.0%	1 5.0%	0	0.0%	0.0%	1 9.1%	0.0%	0.0%	0.0%	0.0%	0.0%	1 50.0%	0	0	0	1 50.0%	0	0	0.0%	0	0 0.0%	0.0%	1 5.6%	0
Significantly different from column:*	111570	110 70			0.070	5.0 70		0.070	0.070	3.170	0.070	0.070	0.070	0.070	0.070	50.070				50.070			0.070		0.070	0.070	3.070	i

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 67

Does your child have any kind of emotional, developmental, or behavioral problem for which he or she needs or gets treatment or counseling?

	ОНР					ndent's (Identity (Q73)		C	hild's Ag (Q69)	е		sponden Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	93	4			0	1	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	1	3	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,838	157			22	131	0	38	70	47	16	23	113	120	25	11	9	5	3	13	0	0	60	4	47	30	120	7
	97.6%	97.5%			100.0%	99.2%		100.0%	98.6%	100.0%	100.0%	100.0%	99.1%	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	96.8%	97.6%	100.0%
Yes	267	42			7	35	0	4	24	14	2	4	36	26	11	4	0	0	0	3	0	0	20	0	17	6	33	3
	7.0%	26.8%			31.8%	26.7%		10.5%	34.3%	29.8%	12.5%	17.4%	31.9%	21.7%	44.0%	36.4%	0.0%	0.0%	0.0%	23.1%			33.3%	0.0%	36.2%	20.0%	27.5%	42.9%
No	3,571	115			15	96	0	34	46	33	14	19	77	94	14	7	9	5	3	10	0	0	40	4	30	24	87	4
	93.0%	73.2%			68.2%	73.3%		89.5%	65.7%	70.2%	87.5%	82.6%	68.1%	78.3%	56.0%	63.6%	100.0%	100.0%	100.0%	76.9%			66.7%	100.0%	63.8%	80.0%	72.5%	57.1%
Significantly different from column:*		Α						IJ	Н	Н				0	N													1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 68

Has this problem lasted or is it expected to last for at least 12 months?

Base: All respondents whose child has emotional, developmental or behavioral problem for which s/he gets treatment (Q67)

	ОНР		·			ndent's (Identity (Q73)		C	Child's Ag (Q69)	je		esponder Educatio (Q74)		Child's	Health	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	267	42			7	35	0	4	24	14	2	4	36	26	11	4	0	0	0	3	0	0	20	0	17	6	33	3
Number missing or multiple answer	9	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	258	42			7	35	0	4	24	14	2	4	36	26	11	4	0	0	0	3	0	0	20	0	17	6	33	3
	96.6%	100.0%			100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%				100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	100.0%
Yes	227	40			7	33	0	4	22	14	1	4	35	25	11	3	0	0	0	2	0	0	20	0	16	6	31	3
	88.0%	95.2%			100.0%	94.3%		100.0%	91.7%	100.0%	50.0%	100.0%	97.2%	96.2%	100.0%	75.0%				66.7%			100.0%		94.1%	100.0%	93.9%	100.0%
No	31	2			0	2	0	0	2	0	1	0	1	1	0	1	0	0	0	1	0	0	0	0	1	0	2	0
	12.0%	4.8%			0.0%	5.7%		0.0%	8.3%	0.0%	50.0%	0.0%	2.8%	3.8%	0.0%	25.0%				33.3%			0.0%		5.9%	0.0%	6.1%	0.0%
Significantly different from column:*		-																										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 69

What is your child's age?

Base: All respondents																												
	۵					ndent's (Identity	Gender	C	Child's Ag	je		sponder Educatio		Child's	Health S	Status					Race						Doctor \ st 6 Mon	
	ОНР					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)					L	(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооб	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,931 118	161 5	327 3	366 0	22 0	1	0	38 0	0	0	16 0	1	0	1	25 0	11 1	9	5 0	3 0	13 0	0	0	60 0	4 0	47 1	31 1	123 4	7 0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	3,813 97.0%	156 96.9%	324 99.1%	366 100.0%	22 100.0%		0	38 100.0%	71 100.0%		16 100.0%				25 100.0%	10 90.9%	9 100.0%	100.0%	3 100.0%	13 100.0%	0		60 100.0%	0.0%	46 97.9%	30 96.8%	119 96.7%	7 100.0%
Less than 1 year old	13 0.3%	0.0%	0.0%	3 0.8%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%
1 year old	200 5.2%	8 5.1%	14 4.3%	7 1.9%	4.5%	5.3%	0	8 21.1%	0.0%	0	0.0%	1	7	6.7%	0.0%	0.0%	11.1%	1	0.0%	0.0%	0	0	3	0.0%	3 6.5%	0.0%	7 5.9%	14.3%
2 years old	267 7.0%	5 3.2%	10 3.1%	17 4.6%	1 4.5%	4 3.1%	0	5 13.2%	0.0%	0	0	0	5	4	1 4.0%	0.0%	1	0	0.0%	0.0%	0	0	2	0.0%	2 4.3%	0.0%	5 4.2%	0.0%
3 years old	228 6.0%	10 6.4%		19 5.2%	1	9	0	10	0.0%	0	0	1	9	9	0.0%	1 10.0%	0	0	1 33.3%	0.0%	0	0	7	0 0.0%	2 4.3%	1	8 6.7%	14.3%
4 to 6 years old	678 17.8%	22 14.1%	47 14.5%	61 16.7%	5 22.7%	17 13.0%	0	15 39.5%	7 9.9%	0.0%	1 6.3%	4 18.2%	16 14.0%		2 8.0%	0.0%	1 11.1%	20.0%	0.0%	2 15.4%	0	0	8 13.3%	2 50.0%	5 10.9%	4 13.3%	18 15.1%	0.0%
7 to 9 years old	691 18.1%	23 14.7%	55 17.0%	65 17.8%	0.0%	22 16.8%	0	0.0%	23 32.4%		5 31.3%	9.1%	15 13.2%	14 11.7%	7 28.0%	20.0%	0.0%	20.0%	1 33.3%	3 23.1%	0	0	5 8.3%	1 25.0%	9 19.6%	3 10.0%	20 16.8%	0.0%
10 to 13 years old	920 24.1%	41 26.3%	94 29.0%	102 27.9%	4 18.2%	36	0	0.0%	41 57.7%	_	2 12.5%	6 27.3%	33 28.9%		5 20.0%	20.0%	1 11.1%	1	1 33.3%	4 30.8%	0	0	19 31.7%	0 0.0%	10 21.7%	11 36.7%	29 24.4%	14.3%
14 to 18 years old	816 21.4%	47 30.1%		92 25.1%	10 45.5%		0	0.0%	0.0%	47 100.0%	8 50.0%	8 36.4%	29 25.4%		10 40.0%	5 50.0%	5 55.6%	20.0%	0.0%	4 30.8%	0	0	16 26.7%	1 25.0%	15 32.6%	11 36.7%	32 26.9%	57.1%
3 years old or younger	708 18.6%	23	33	46 12.6%	3 13.6%	20	0	23 60.5%	0.0%	0	0.0%	2	21 18.4%	21	1 4.0%	1 10.0%	2 22.2%	1	1 33.3%	0.0%	0	0	12	0 0.0%	7 15.2%	1 3.3%	20 16.8%	28.6%
Significantly different from column:*								IJ	Н	Н																		

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 70

What was your child's biological sex at birth?

	НР					ndent's (Identity		C	Child's Ag	je		sponder ducatio		Child's	Health :	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	Female Female	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	(Q74)	Some College or more	Excellent or Very Good	(Q53) pooo9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Distriction African African (9)	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	11 4 (O ₂)	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161	327	369	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	127	5	3	0	0	1	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	0	0	1	1	4	C
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	3,804 96.8%			369 100.0%	22 100.0%	-	0	38 100.0%		47 100.0%	16 100.0%					10 90.9%	9 100.0%	5 100.0%	3 100.0%	13 100.0%	0	0	60 100.0%	4 0.0%	46 97.9%	30 96.8%	119 96.7%	
Male	1,974 51.9%	91 58.3%		205 55.6%		78 59.5%	0	19 50.0%	43 60.6%		10 62.5%	13 59.1%	67 59 90/	68 56.7%	15 60.0%	7 70.0%	4 44.4%	100.0%	2 66.7%	10 76.9%	0	0	35 58.3%	2 50.0%	25 54.3%	19 63.3%	68 57.1%	
Female	1,830	65	165	164	10	53	0	19	28	18	6	9	47	52	10	3	5	0	1	3	0	0	25	2	21	11	51	3
Significantly different from column:*	48.1%	41.7%	50.9%	44.4%	45.5%	40.5%		50.0%	39.4%	38.3%	37.5%	40.9%	41.2%	43.3%	40.0%	30.0%	55.6%	0.0%	33.3%	23.1%			41.7%	50.0%	45.7%	36.7%	42.9%	42.9%

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 71

What is your child's current gender identity?

Base: All respondents

Base. All respondents	IР					ndent's (Identity		C	Child's A	ge		sponder Educatio		Child's	Health	Status					Race						Doctor \ t 6 Mon	
	₽					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	p009	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	155	5			0	1	0	0	0	0	0	1	0	1	0	1	0	0	0	0	0	0	0	0	1	1	4	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	. NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	3,776	156			22	131	0	38	71	47	16	22	114		25		-	5	3	13	0	0	60	4	46	30	119	7
	96.1%	96.9%			100.0%	99.2%		100.0%	100.0%	100.0%	100.0%	95.7%	100.0%	99.2%	100.0%	90.9%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	97.9%	96.8%	96.7%	100.0%
Male	1,973	91				78	0	19		29		13			15	7	4	5	2	10	0	0	35	2	25	19	68	4
	52.3%	58.3%			54.5%	59.5%		50.0%	60.6%	61.7%	62.5%	59.1%	58.8%	56.7%	60.0%	70.0%	44.4%	100.0%	66.7%	76.9%			58.3%	50.0%	54.3%	63.3%	57.1%	57.1%
Female	1,792	63			10	51	0	19			6	8	46	50	10	3	4	0	1	3	0	0	24	2	21	10	50	3
	47.5%	40.4%			45.5%	38.9%		50.0%	36.6%	38.3%	37.5%	36.4%	40.4%	41.7%	40.0%	30.0%	44.4%	0.0%	33.3%	23.1%			40.0%	50.0%	45.7%	33.3%	42.0%	42.9%
Transgender	1	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Non-binary, genderqueer, or other	10	2			0	2	0	0	2	0	0	1	1	2	0	0	1	0	0	0	0	0	1	0	0	1	1	0
	0.3%	1.3%			0.0%	1.5%		0.0%	2.8%	0.0%	0.0%	4.5%	0.9%	1.7%	0.0%	0.0%	11.1%	0.0%	0.0%	0.0%			1.7%	0.0%	0.0%	3.3%	0.8%	0.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 72

What is your age?

Base: All respondents	,																											
	۵					ndent's (Identity	Gender	C	hild's Ag	е		sponder Educatio		Child's	Health 9	Status					Race						Doctor \ t 6 Mon	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооб	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Y	Z	AA	AB
Number in sample Number missing or multiple answer	3,931 147	161 8	327 8	361 0	0	1	0	38	71 2	47 2	16 0	0	1	4	25 0	11	0	0	0	13	0	0	60 0	0	47 0	31 2	123 6	0
Number no experience	NA 3,784	NA 153	NA 210	NA 361	NA 22	NA 121	NA	NA 38	NA 69	NA 45	NA 16	NA 23	NA 113		NA 25	NA 10	NA O	NA F	NA 2	NA 12	NA	NA	NA 60	NA	NA 47	NA 29	NA 117	NA 7
Usable responses	96.3%		319 97.6%		100.0%	131 99.2%		100.0%	97.2%	45 95.7%	16 100.0%		99.1%		100.0%	90.9%	100.0%	100.0%	100.0%	92.3%				0.0%	100.0%	93.5%	95.1%	100.0%
Under 18	117	10		24	3	7	0	7.9%	3 4.3%	4 8.9%	2	2 8.7%	6	8	2	0.0%	0.0%	0	0.0%	1	0	0	5	1	3	3	7	0
18 to 24	3.1% 139	6.5%	5.6%	6.6%	13.6%	5.3%		7.9%	4.3%	8.9%	12.5%	8.7%	5.3%	6.8%	8.0%	0.0%	0.0%	0.0%	0.0%	8.3%			8.3%	25.0%	6.4%	10.3%	6.0%	0.0%
10 10 24	3.7%	0.7%	3.1%	0.8%	0.0%	0.8%		0.0%	1.4%	0.0%	6.3%	0.0%	0.0%	0.0%	4.0%	0.0%	11.1%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.9%	0.0%
25 to 34	1,110 29.3%	32 20.9%	55 17.2%	84 23.3%	2 9.1%	30 22.9%	0	18 47.4%	13 18.8%	1 2.2%	1	6	25 22.1%	29	2 8.0%	1 10.0%	2	1	2 66.7%	2 16.7%	0	0	13 21.7%	1 25.0%	9 19.1%	7 24.1%	23 19.7%	28.6%
35 to 44	1,479 39.1%	49 32.0%	115 36.1%	125 34.6%	4 18.2%	45 34.4%	0	11 28.9%	29 42.0%	9 20.0%	6 37.5%	5 21.7%	37 32.7%	35 29.9%	11 44.0%	20.0%	3 33.3%	2 40.0%	1 33.3%	4 33.3%	0	0	17 28.3%	0 0.0%	15 31.9%	10 34.5%	36 30.8%	42.9%
45 to 54	644 17.0%	37 24.2%	76 23.8%	66 18.3%	8 36.4%	29 22.1%	0	4 10.5%	15 21.7%	17 37.8%	5 31.3%	4 17.4%	28 24.8%		7 28.0%	5 50.0%	1 11.1%	2 40.0%	0.0%	4 33.3%	0	0	14 23.3%	2 50.0%	14 29.8%	4 13.8%	31 26.5%	2 28.6%
55 to 64	186 4.9%	18	35	38 10.5%	4 18.2%	14	0	5.3%	6 8.7%	10 22.2%	6.3%	4	13	15	1 4.0%	2	11.1%	0	0.0%	1 8.3%	0	0	8	0.0%	5 10.6%	6.9%	16 13.7%	0.0%
65 to 74	85 2.2%	5 3.3%	9 2.8%	18 5.0%	1 4.5%	3.1%	0	0.0%	2.9%	6.7%	0.0%	1	3.5%	4	1 4.0%	0	1	0	0.0%	0.0%	0	0	2	0.0%	2.1%	6.9%	2.6%	0.0%
75 or older	24 0.6%	1 0.7%	1 0.3%	3.0 % 0.8%	0.0%	0.8%	0	0.0%	0.0%	2.2%	0.0%	1	0	1	0.0%	0.0%	0	0	0.0%	0.0%	0	0	1	0.0%	0.0%	1 3.4%	0.0%	0.0%
35 or older	2,418 63.9%	110 71.9%	236 74.0%	250 69.3%	17 77.3%		0	17 44.7%	52 75.4%	40 88.9%	75.0%	15		80	20 80.0%	90.0%	66.7%	4	33.3%	75.0%	0	0	42	2 50.0%	35 74.5%	19 65.5%	86 73.5%	71.4%
Significantly different from column:*		Α						IJ	Н	Н																		

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 73

What is your current gender identity?

Base: All respondents

base. All respondents	Ь					ndent's (Identity		C	hild's Ag	je		sponder ducation		Child's	Health	Status					Race					Child's Las	Doctor \ t 6 Mon	
	공					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	. 7
Number missing or multiple answer	169	7			0	0	0	0	2	1	0	0	1	4	0	0	0	0	0	0	0	0	0	0	0	2	5	. 0
Number no experience	NA	NA	NA	NA			NA		NA		NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	3,762	154					0	38	69		16		113		25	11	9	5	3	13	0	0	60	4	47	29	118	
	95.7%	95.7%			100.0%	100.0%		100.0%	97.2%	97.9%	100.0%	100.0%	99.1%	96.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	93.5%	95.9%	100.0%
Male	611	22				-	0	7	5	10	2	2	17	13	7	2	2	2	0	2	0	0	9	0	6	5	17	0
	16.2%				100.0%			18.4%	7.2%	21.7%	12.5%	8.7%	15.0%	11.1%	28.0%	18.2%	22.2%	40.0%	0.0%	15.4%			15.0%	0.0%	12.8%	17.2%	14.4%	0.0%
Female	3,142	132			_	132	0	31	64	36	14	21	96		18	9	7	3	3	11	0	0	51	4	41	24	101	. 7
	83.5%	85.7%			0.0%	100.0%		81.6%	92.8%	78.3%	87.5%	91.3%	85.0%	88.9%	72.0%	81.8%	77.8%	60.0%	100.0%	84.6%			85.0%	100.0%	87.2%	82.8%	85.6%	100.0%
Transgender	1	0			_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Non-binary, genderqueer, or other	8	0				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 74

What is the highest grade or level of school that you have completed?

	ОНР					ndent's C Identity	Gender	C	Child's Ag	je		sponder Educatio		Child's	Health :	Status					Race					Child's Las	t 6 Mon	
	Ö					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161	327	365	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	202	8	10	0	1	1	0	1	1	2	0	0	0	4	0	1	0	0	0	1	0	0	0	0	1	1	7	0
Number no experience	NA a Tasa	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA -
Usable responses	3,729 94.9%	153 95.0%	317 96.9%	365 100.0%	21 95.5%	131 99.2%		37 97.4%	70 98.6%	45 95.7%	16 100.0%		114 100.0%	117 96 7%	25 100.0%	90.9%	100.0%	100.0%	100.0%	12 92.3%			60 100.0%	0.0%	46 97.9%	30 96.8%	116 94.3%	
8th grade or less	441	7	7	14	1	55.270	0	0	30.070	33.7 70	7	0	0	30.770	3	1	0	0	0	J2.570 4	0	0	2	0.070	0	20.0 %	4	100.070
3	11.8%	4.6%	2.2%	3.8%	4.8%	4.6%		0.0%	4.3%	8.9%	43.8%	0.0%	0.0%	2.6%	12.0%	10.0%	0.0%	0.0%	0.0%	33.3%			3.3%	0.0%	0.0%	6.7%	3.4%	14.3%
Some high school, but did not graduate	390	9	18	27	1	8	0	0	5	4	9	0	0	3	4	2	2	0	0	1	0	0	1	0	4	4	5	0
	10.5%	5.9%		7.4%	4.8%	6.1%		0.0%	7.1%	8.9%	56.3%		0.0%	2.6%	16.0%	20.0%	22.2%	0.0%	0.0%	8.3%			1.7%	0.0%	8.7%	13.3%	4.3%	0.0%
High school graduate or GED	1,047	23		84	2	21	0	6	8	8	0	23	0	17	4	1	4	1	1	1	0	0	8	0	6	8	15	0
0 " 0 "	28.1%	15.0% 54	24.9%	23.0%	9.5%	16.0%		16.2%	11.4%	17.8%	0.0%	100.0%	0.0%	14.5%	16.0%	10.0%	44.4%	20.0%	33.3%	8.3%			13.3%	0.0%	13.0%	26.7%	12.9%	0.0%
Some college or 2-year degree	1,201 32.2%	35.3%	123 38.8%	152 41.6%	23.8%	48 36.6%		32.4%	33 47.1%	20.0%	0.0%	0.0%	34	40.2%	24.0%	10.0%	11.1%	0.0%	33.3%	25.0%			26.7%	50.0%	47.8%	23.3%	44 37.9%	42.9%
4-year college graduate	407	31	49	36	4	27	0	10	12	9	0	0	31	27	4	0	1	0.070	1	1	0	0	19	2	6	4	26	1
	10.9%	20.3%	15.5%	9.9%	19.0%	20.6%		27.0%	17.1%	20.0%	0.0%	0.0%	27.2%	23.1%	16.0%	0.0%	11.1%	0.0%	33.3%	8.3%			31.7%	50.0%	13.0%	13.3%	22.4%	14.3%
More than 4-year college degree	243 6.5%	29 19.0%	41 12.9%	52 14.2%	8 38.1%	21 16.0%	0	9 24.3%	9 12.9%	11 24.4%	0.0%	0.0%	29 25.4%	20 17.1%	4 16.0%	5 50.0%	1 11.1%	80.0%	0.0%	2 16.7%	0	0	14 23.3%	0.0%	8 17.4%	5 16.7%	22 19.0%	2 28.6%
4-year college graduate or more	650	60	90	88	12	48	0	19	21	20	0	0	60	47	8	5	2	4	1	3	0	0	33	2	14	9	48	3
	17.4%	39.2%	28.4%	24.1%	57.1%	36.6%		51.4%	30.0%	44.4%	0.0%		52.6%	40.2%	32.0%	50.0%	22.2%	80.0%	33.3%	25.0%			55.0%	50.0%	30.4%	30.0%	41.4%	42.9%
Significantly different from column:*		ACD						- 1	Н		M	M	KL										Y		W			

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 75

How are you related to the child?

Base: All respondents

base. Air respondents																												
	Ь					ndent's C Identity	Gender	C	Child's Ag	ge		esponder Educatio		Child's	Health	Status					Race						Doctor V st 6 Mont	
	동					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161	327	357	22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	185	14	14	0	3	5	0	3	4	2	0	4	4	9	1	1	1	0	0	0	0	0	3	1	2	3	11	0
Number no experience	NA		NA				NA		NA	NA	NA				NA		NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	3,746	147	313	357		127	0	35	67	45	16	19			24		8	5	3	13	0	0	57	3	45	28	112	7
	95.3%	91.3%	95.7%	100.0%	86.4%	96.2%		92.1%	94.4%	95.7%	100.0%	82.6%	96.5%	92.6%	96.0%	90.9%	88.9%	100.0%	100.0%	100.0%			95.0%	0.0%	95.7%	90.3%	91.1%	100.0%
Mother or father	3,534		288			115	0	33			14				24	-	8	5	3	12	0	0	53	3	39	23	104	7
	94.3%	91.2%	92.0%	91.0%	100.0%	90.6%		94.3%	91.0%	88.9%	87.5%	89.5%	91.8%	90.2%	100.0%	80.0%	100.0%	100.0%	100.0%	92.3%			93.0%	100.0%	86.7%	82.1%	92.9%	100.0%
Grandparent	137	10	16	19	0	9	0	1	5	4	2	2	6	8	0	2	0	0	0	1	0	0	3	0	4	4	6	0
	3.7%	6.8%	5.1%	5.3%	0.0%	7.1%		2.9%	7.5%	8.9%	12.5%	10.5%	5.5%	7.1%	0.0%	20.0%	0.0%	0.0%	0.0%	7.7%			5.3%	0.0%	8.9%	14.3%	5.4%	0.0%
Aunt or uncle	16	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.4%	0.0%	0.0%	0.8%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Older brother or sister	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01 12	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other relative	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 000	0	0	0	0	0	0	0	0	0	0	0
	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Legal guardian	38		8	7	0	2	0	0	1	1	0	0	2	2	0	0	0	0	0	0	0	0	0	0	2	1	1	0
2	1.0%	1.4%	2.6%	2.0%	0.0%	1.6%		0.0%	1.5%	2.2%	0.0%	0.0%	1.8%	1.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	4.4%	3.6%	0.9%	0.0%
Someone else	11	1	0.204	3	0 004	1	0	2 000	0 000	0 000	0 004	0 000	1	1	0	0 000	0 000	0 000	0 000	0 000	0	0	1 000	0 000	0 004	0	1	0 004
	0.3%	0.7%	0.3%	0.8%	0.0%	0.8%		2.9%	0.0%	0.0%	0.0%	0.0%	0.9%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			1.8%	0.0%	0.0%	0.0%	0.9%	0.0%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 76

Which of the following describes your child's <u>racial or ethnic identity?</u> Please check <u>ALL</u> that apply.

Base: All respondents																	_											
	ОНР					ndent's (Identity	Gender	C	Child's Ag	je		sponder Educatio		Child's	Health 9	Status					Race						Doctor V st 6 Mont	
	ō					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)					L	(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161			22		0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	574	20			1	12	0	2	9	5	2	2	10		2	0	0	0	0	0	0	0	0	0	0	3	17	0
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA.	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	3,357 85.4%	141			21	120 90.9%	0	36 94.7%	62	42	14		104	106	23	11	100.00	100.00	100.00	13	0	0	60	4	47	28	106	7
American Indian	85.4%	87.6% 39			95.5%			94.7%	87.3% 14	89.4%	87.5%	91.3%	91.2%	87.6%	92.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	90.3%	86.2%	100.0%
American indian	8.7%	27.7%			19.0%	35 29.2%		25.0%	22.6%	15 35.7%	28.6%	33.3%	27 26.0%	29 27.4%	34.8%	18.2%	77.8%	0.0%	0.0%	0.0%			0.0%	0.0%	68.1%	25.0%	28.3%	28.6%
Alaska Native	27	3			19.0 /0	23.270	0	23.0 /0	22.070	233.770	20.070	23.370	20.0 /0	27.470	0 34.070	10.2 //	77.070	0.070	0.070	0.070	0	0	0.070	0.070	1	23.070	1	1
	0.8%	2.1%			0.0%	2.5%		0.0%	1.6%	4.8%	0.0%	9.5%	1.0%	1.9%	0.0%	9.1%	22.2%	0.0%	0.0%	0.0%			0.0%	0.0%	2.1%	3.6%	0.9%	14.3%
Canadian Inuit, Metis, or First Nation	17	3			1	2	0	1	1	1	0	1	2	1	2	0	1	. 0	0	0	0	0		0	2	0	3	0
	0.5%	2.1%			4.8%	1.7%		2.8%	1.6%	2.4%	0.0%	4.8%	1.9%	0.9%	8.7%	0.0%	11.1%	0.0%	0.0%	0.0%			0.0%	0.0%	4.3%	0.0%	2.8%	0.0%
Indigenous Mexican, Central	287	12			2	10	0	3	5	3	3	4	4	8	3	1	1	. 0	0	0	0	0	0	0	11	2	9	1
American, or South American	8.5%	8.5%			9.5%	8.3%		8.3%	8.1%	7.1%	21.4%	19.0%	3.8%	7.5%	13.0%	9.1%	11.1%	0.0%	0.0%	0.0%			0.0%	0.0%	23.4%	7.1%	8.5%	14.3%
Asian Indian	27	1			0	1	0	0	1	0	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0
	0.8%	0.7%			0.0%	0.8%		0.0%	1.6%	0.0%	0.0%	0.0%	1.0%	0.0%	4.3%	0.0%	0.0%	20.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.9%	0.0%
Chinese	79	1			0	1	0	0	1	0	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	1	0	0
prop . /	2.4%	0.7%			0.0%	0.8%		0.0%	1.6%	0.0%	0.0%	0.0%	1.0%	0.9%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%			0.0%	0.0%	0.0%	3.6%	0.0%	0.0%
Filipino/a	57				1	1	0	1	0	1	0	0			0	0	0.004	1	0 004	0 000	U	U	0 004	0	1	1	1	0
Umana	1.7%	1.4%			4.8%	0.8%		2.8%	0.0%	2.4%	0.0%	0.0%	1.9%	1.9%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%			0.0%	0.0%	2.1%	3.6%	0.9%	0.0%
Hmong	0.1%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Japanese	19	1			1	0.0%	0	0.0%	0.0%	1.0%	0.0%	0.0%	1	0.0%	1	0.0%	0.0%	0.0%	0.0%	0.0%	0	0		0.0%	1	0.0%	1	0.0%
	0.6%	0.7%			4.8%	0.0%		0.0%	0.0%	2.4%	0.0%	0.0%	1.0%	0.0%	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	2.1%	0.0%	0.9%	0.0%
Korean	35	4			2	2	0	2	1	1	0	1	3	4	0	0	0	3	0	0	0	0		0	1	0	4	0
	1.0%	2.8%			9.5%	1.7%		5.6%	1.6%	2.4%	0.0%	4.8%	2.9%	3.8%	0.0%	0.0%	0.0%	60.0%	0.0%	0.0%			0.0%	0.0%	2.1%	0.0%	3.8%	0.0%
Laotian	7	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
South Asian	19	1			1	0	0	0	0	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1	1	0	0
	0.6%	0.7%			4.8%	0.0%		0.0%	0.0%	2.4%	0.0%	0.0%	1.0%	0.0%	0.0%	9.1%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	2.1%	3.6%	0.0%	0.0%
Vietnamese	74	2			1	1	0	0	2	0	0	0	2	2	0	0	0	0	0	0	0	0		0	2	0	2	0
Other Asian	2.2%	1.4%			4.8%	0.8%		0.0%	3.2%	0.0%	0.0%	0.0%	1.9%	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	4.3%	0.0%	1.9%	0.0%
Other Asian	56 1.7%	ا ممر			0.0%	0.0%	l ⁰	0.0%	0.00/	0.0%	0.0%	0.0%	0 000	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		l "	0.0%	0.0%	0.0%	0.007	0.00	0.0%
NA Not Applicable	1.7%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 76

Which of the following describes your child's $\underline{\text{racial or ethnic identity}}$? Please check $\underline{\text{ALL}}$ that apply.

Base: All respondents

Base: All respondents						ndent's (Gender	C	hild's Ag	je		sponder		Child's	Health	Status					Race						Doctor V	
	ОНР					(Q73)			(Q69)			(Q74)	11		(Q53)						(Q76)					Las	(Q7)	.115
	2020 State (0202	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23			25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	574	20			1	12	0	2	9	5	2	2	10		2	0	0	0	0	0	0	0	0	0	0	3	17	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA.	NA	NA	NA	NA		NA	NA		NA	NA
Usable responses	3,357 85.4%	141 87.6%			21 95.5%	120 90.9%	0	36 94.7%	62 87.3%	42 89.4%	14 87.5%		104 91.2%		23 92.0%	1	100.0%	100.0%	100.0%	13 100.0%	0	0	60 100.0%	0.0%	47 100.0%		106 86.2%	7 100.0%
African American	148	6			0	6	0	1	4	1	0	2	4	4	2	0	0	0	2	0	0	0	0	0	4	1	5	0
	4.4%	4.3%			0.0%	5.0%		2.8%	6.5%	2.4%	0.0%	9.5%	3.8%	3.8%	8.7%	0.0%	0.0%	0.0%	66.7%	0.0%			0.0%	0.0%	8.5%	3.6%	4.7%	0.0%
African (Black)	70	5			0	5	0	2	3	0	0	2	3	3	2	0	0	0	2	0	0	0	0	0	3	2	3	0
	2.1%	3.5%			0.0%	4.2%		5.6%	4.8%	0.0%	0.0%	9.5%	2.9%	2.8%	8.7%	0.0%	0.0%	0.0%	66.7%	0.0%			0.0%	0.0%	6.4%	7.1%	2.8%	0.0%
Caribbean (Black)	8	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Black	21	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.6%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Hispanic or Latino/a Central American	205	5			1	4	0	1	1	2	3	1	1	1	3	1	0	0	0	2	0	0	0	0	3	2	2	1
	6.1%	3.5%			4.8%	3.3%		2.8%	1.6%	4.8%	21.4%	4.8%	1.0%	0.9%	13.0%	9.1%	0.0%	0.0%	0.0%	15.4%			0.0%	0.0%	6.4%		1.9%	14.3%
Hispanic or Latino/a Mexican	1,075 32.0%	23 16.3%			19.0%	19 15.8%	0	11.1%	13	_	50.0%	14.3%	11		21.7%	27.3%	0.0%	0.0%	0.0%	10 76.9%		0	0.0%	0.0%	13 27.7%	-	16	14.3%
Hispanic or Latino/a South American	32.0%	16.3%			19.0%	15.8%		11.1%	21.0%	14.5%	30.0%	14.5%	10.6%	14.2%	21.7%	27.3%	0.0%	0.0%	0.0%	76.9%				0.0%	27.7%	21.4%	15.1%	14.5%
Hispanic of Launo/a South American	2.5%	3.5%			0.0%	4.2%		0.0%	4.8%	4.8%	21.4%	0.0%	1.9%	2.8%	4.3%	9.1%	0.0%	0.0%	0.0%	7.7%				0.0%	8.5%	7.1%	1.9%	14.3%
Other Hispanic or Latino/a	366	7.5			0.070	7.2 /0	n	0.070	7.0 /0	7.070	4	0.070	3.570	2.070	7.3 /0	7.1 /0	0.070	0.070	0.070	7.770 4	n	0		0.070	3.370	7.170	3.570	3
outor inopario of Eduloid	10.9%	5.0%			0.0%	5.8%		0.0%	8.1%	4.8%	28.6%	0.0%	2.9%	3.8%	8.7%	9.1%	0.0%	0.0%	0.0%	30.8%			0.0%	0.0%	6.4%	3.6%	2.8%	42.9%
Middle Eastern	28				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0
	0.8%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Northern African	3	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.1%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 76

Which of the following describes your child's $\underline{\text{racial or ethnic identity}}$? Please check $\underline{\text{ALL}}$ that apply.

Base: All respondents

Base: All respondents																												
	۵					ndent's (Identity	Gender	С	hild's Ag	е		sponder ducation		Child's	Health	Status					Race						Doctor V st 6 Mont	
	OHP					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)					<u> </u>	(Q7)	
	2020 State	2020	5019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	роо9	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Y	Z	AA	AB
Number in sample Number missing or multiple answer	3,931 574	161 20			22 1	132 12	0	38 2	71 9	47 5	16 2	23	114 10	121 15	25 2	11 0	9	5	3	13	0	0	60 0	4	47 0	31 3	123 17	7 0
Number no experience	NA	NA	NA		_	NA.	NA.	NA	NA	NA	NA.	NA.	NA.	NA	NA.	NA	NA.	NA NA	NA NA	NA NA	NA NA	NA NA	. NA	NA.	NA NA	NA.	NA	NA
Usable responses	3,357	141			21	120	0	36	62	42	14	21	104	106	23	11	9	5	3	13	0	0	60	4	47		106	7
·	85.4%	87.6%			95.5%	90.9%		94.7%	87.3%	89.4%	87.5%	91.3%	91.2%	87.6%	92.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	90.3%	86.2%	100.0%
Guamanian or Chamorro	1	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Micronesian	11	0			_	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Nation Hamaiian	0.3%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Native Hawaiian	16 0.5%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Samoan	8	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Tongan	1	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
01	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Pacific Islander	0.7%	0.0%			0.0%	0.0%	U	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Eastern European	263	16			0.0%	16		5	7	4	0.0%	3	1.0%	15	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0		10	0.0%	6	0.0%	11	1
Editorii Editopodii	7.8%	11.3%			0.0%	13.3%		13.9%	11.3%	9.5%	0.0%	14.3%	12.5%	14.2%	0.0%	9.1%	0.0%	0.0%	0.0%	0.0%			16.7%	0.0%	12.8%	14.3%	10.4%	14.3%
Slavic	50	4				4	0	1	3	0	0	0	4	4	0	0	0	0	0	0	0	0	1	0	3	1	3	0
	1.5%	2.8%			0.0%	3.3%		2.8%	4.8%	0.0%	0.0%	0.0%	3.8%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			1.7%	0.0%	6.4%	3.6%	2.8%	0.0%
Western European	583	42				35	0	12	16	14	1	3	38	34	4	4	0	0	0	0	0	0	24	0	18	8	32	2
	17.4%	29.8%			33.3%	29.2%		33.3%	25.8%	33.3%	7.1%	14.3%	36.5%	32.1%	17.4%	36.4%	0.0%	0.0%	0.0%	0.0%			40.0%	0.0%	38.3%	28.6%	30.2%	28.6%
Other White	1,120	43			6	37	0	13	19	11	3	7	32	31	8	3	0	0	0	0	0	0	31	0	12	8	32	3
Others	33.4%	30.5%			28.6%	30.8%		36.1%	30.6%	26.2%	21.4%	33.3%	30.8%	29.2%	34.8%	27.3%	0.0%	0.0%	0.0%	0.0%			51.7%	0.0%	25.5%	28.6%	30.2%	42.9%
Other	212 6.3%	5.0%			4.8%	5.0%		8.3%	1.6%	7.1%	0.0%	0.0%	6.7%	5.7%	0.0%	9.1%	0.0%	0.0%	0.0%	0.0%			0.0%	100.0%	6.4%	7.1%	3.8%	14.3%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 78

How well do you speak English?

Base. All respondents	۵					ndent's (Identity		C	Child's Ag	je		sponder ducatio		Child's	Health	Status					Race						Doctor V	
	픙					(Q73)			(Q69)			(Q74)			(Q53)						(Q76)						(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	236	12			2	4	0	0	3	5	2	1	3	7	1	1	0	0	0	0	0	0	3	0	2	2	10	0
Number no experience	NA	NA	NA	NA			NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	3,695	149			20	128	0	38	68	42	14	22	111	114	24	10	9	5	3	13	0	0	57	4	45	29	113	7
	94.0%	92.5%			90.9%	97.0%		100.0%	95.8%	89.4%	87.5%	95.7%	97.4%	94.2%	96.0%	90.9%	100.0%	100.0%	100.0%	100.0%			95.0%	0.0%	95.7%	93.5%	91.9%	100.0%
Very well	2,655	113				96	0	23	56		10	17				9	6	3	3	11	0	0	44	4	33		83	4
	71.9%	75.8%			80.0%	75.0%		60.5%	82.4%	78.6%	71.4%	77.3%	75.7%	78.1%	62.5%	90.0%	66.7%	60.0%	100.0%	84.6%			77.2%	100.0%	73.3%	89.7%	73.5%	57.1%
Well	737	27			3	24	0	9	9	9	3	4	20		7	1	3	1	0	1	0	0	10	0	8	2	22	3
	19.9%	18.1%			15.0%	18.8%		23.7%	13.2%	21.4%	21.4%	18.2%	18.0%	15.8%	29.2%	10.0%	33.3%	20.0%	0.0%	7.7%			17.5%	0.0%	17.8%	6.9%	19.5%	42.9%
Not well	208	6			0	6	0	3	3	0	1	1	4	4	2	0	0	0	0	1	0	0	3	0	2	1	5	0
	5.6%	4.0%			0.0%	4.7%		7.9%	4.4%	0.0%	7.1%	4.5%	3.6%	3.5%	8.3%	0.0%	0.0%	0.0%	0.0%	7.7%			5.3%	0.0%	4.4%	3.4%	4.4%	0.0%
Not at all	95	3			1	2	0	3	0	0	0	0	3	3	0	0	0	1	0	0	0	0	0	0	2	0	3	0
	2.6%	2.0%			0.0.0			7.570	0.0%		0.0%				0.0%	0.0%	0.0%	20.0%	0.0%	0.0%			0.070	0.0%	4.4%		2.7%	0.0%
Very well or Well	3,392	140			19		0	32	65		13				22	-	-	4	3	12		0	54	4	41	28	105	
	91.8%	94.0%			95.0%	93.8%		84.2%	95.6%	100.0%	92.9%	95.5%	93.7%	93.9%	91.7%	100.0%	100.0%	80.0%	100.0%	92.3%			94.7%	100.0%	91.1%	96.6%	92.9%	100.0%
Significantly different from column:*												l						1	1	l							, ,	

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 79

What language do you mainly speak at home?

Base: All respondents

	ОНР					ndent's G Identity (Q73)		С	hild's Ag (Q69)	е		sponder Education (Q74)		Child's	Health:	Status					Race (Q76)						Doctor V st 6 Mont (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poc	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	388	17			2	9	0	5	5	3	1	1	9	11	1	2	0	1	1	1	0	0	4	0	2	4	12	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,543	144			20	123	0	33	66	44	15	22	105	110	24	9	9	4	2	12	0	0	56	4	45	27	111	6
	90.1%	89.4%			90.9%	93.2%		86.8%	93.0%	93.6%	93.8%	95.7%	92.1%	90.9%	96.0%	81.8%	100.0%	80.0%	66.7%	92.3%			93.3%	0.0%	95.7%	87.1%	90.2%	85.7%
English	2,493	132			19	112	0	33	60	38	5	22	103	105	20	6	8	3	2	7	0	0	56	4	41	22	105	5
	70.4%	91.7%			95.0%	91.1%		100.0%	90.9%	86.4%	33.3%	100.0%	98.1%	95.5%	83.3%	66.7%	88.9%	75.0%	100.0%	58.3%			100.0%	100.0%	91.1%	81.5%	94.6%	83.3%
Spanish	879	9			0	9	0	0	5	4	9	0	0	3	4	2	1	0	0	4	0	0	0	0	3	3	6	0
	24.8%	6.3%			0.0%	7.3%		0.0%	7.6%	9.1%	60.0%	0.0%	0.0%	2.7%	16.7%	22.2%	11.1%	0.0%	0.0%	33.3%			0.0%	0.0%	6.7%	11.1%	5.4%	0.0%
Other	171	3			1	2	0	0	1	2	1	0	2	2	0	1	0	1	0	1	0	0	0	0	1	2	0	1
	4.8%	2.1%			5.0%	1.6%		0.0%	1.5%	4.5%	6.7%	0.0%	1.9%	1.8%	0.0%	11.1%	0.0%	25.0%	0.0%	8.3%			0.0%	0.0%	2.2%	7.4%	0.0%	16.7%

NA - Not Applicable

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 80

Does your child need an interpreter for us to communicate with you?

	HP					ndent's (Identity		С	hild's Ag	Ф		sponder Education (Q74)		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	(Q73) Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle D A African African African (9	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	11 4 (O ₂)	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	1 -
Number missing or multiple answer	230				_	3	0	2	3	1	1	0	3	6	1	0	0	1	0	1	0	0	0	0	1	2	8	(
Number no experience	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	3,701						0	36	68	46	15			115			9	4	3	12	0	0	60	4	46		115	
	94.1%	93.8%			95.5%	97.7%		94.7%	95.8%	97.9%	93.8%	100.0%	97.4%	95.0%	96.0%	100.0%	100.0%	80.0%	100.0%	92.3%			100.0%	0.0%	97.9%	93.5%	93.5%	100.0%
Yes	236	3			0	3	0	0	3	0	0	1	2	2	1	0	0	0	0	0	0	0	1	0	2	0	3	ſ
	6.4%	2.0%			0.0%	2.3%		0.0%	4.4%	0.0%	0.0%	4.3%	1.8%	1.7%	4.2%	0.0%	0.0%	0.0%	0.0%	0.0%			1.7%	0.0%	4.3%	0.0%	2.6%	0.0%
No	3,465	148			21	126	0	36	65	46	15	22	109	113	23	11	9	4	3	12	0	0	59	4	44	29	112	1
	93.6%	98.0%			100.0%	97.7%		100.0%	95.6%	100.0%	100.0%	95.7%	98.2%	98.3%	95.8%	100.0%	100.0%	100.0%	100.0%	100.0%			98.3%	100.0%	95.7%	100.0%	97.4%	100.0%
Significantly different from column:*		Α										1																1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 81

Does your child need a sign language interpreter for us to communicate with you?

	ОНР					ndent's G Identity (Q73)		C	hild's Ag (Q69)	e		sponden Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	199	9			0	3	0	1	3	1	1	0	2	5	1	0	0	0	0	1	0	0	0	0	1	2	7	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,732	152			22	129	0	37	68	46	15	23	112	116	24	11	9	5	3	12	0	0	60	4	46	29	116	7
	94.9%	94.4%			100.0%	97.7%		97.4%	95.8%	97.9%	93.8%	100.0%	98.2%	95.9%	96.0%	100.0%	100.0%	100.0%	100.0%	92.3%			100.0%	0.0%	97.9%	93.5%	94.3%	100.0%
Yes	38	3			0	3	0	1	1	1	0	1	2	2	1	0	0	0	0	0	0	0	2	0	1	0	3	0
	1.0%	2.0%			0.0%	2.3%		2.7%	1.5%	2.2%	0.0%	4.3%	1.8%	1.7%	4.2%	0.0%	0.0%	0.0%	0.0%	0.0%			3.3%	0.0%	2.2%	0.0%	2.6%	0.0%
No	3,694	149			22	126	0	36	67	45	15	22	110	114	23	11	9	5	3	12	0	0	58	4	45	29	113	7
	99.0%	98.0%			100.0%	97.7%		97.3%	98.5%	97.8%	100.0%	95.7%	98.2%	98.3%	95.8%	100.0%	100.0%	100.0%	100.0%	100.0%			96.7%	100.0%	97.8%	100.0%	97.4%	100.0%
Significantly different from column:*																											-	. 7

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 82

Does your child need written materials in an alternate format (Braille, large print, audio recordings, etc.)?

	ОНР					ndent's (Identity (Q73)		C	hild's Ag (Q69)	e		sponden Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	271	14			1	7	0	3	5	2	0	1	7	10	1	0	0	1	0	0	0	0	3	0	2	2	12	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,660	147			21	125	0	35	66	45	16	22	107	111	24	11	9	4	3	13	0	0	57	4	45	29	111	7
	93.1%	91.3%			95.5%	94.7%		92.1%	93.0%	95.7%	100.0%	95.7%	93.9%	91.7%	96.0%	100.0%	100.0%	80.0%	100.0%	100.0%			95.0%	0.0%	95.7%	93.5%	90.2%	100.0%
Yes	30	4			0	4	0	0	2	2	0	0	4	2	2	0	0	0	0	1	0	0	1	0	2	0	3	1
	0.8%	2.7%			0.0%	3.2%		0.0%	3.0%	4.4%	0.0%	0.0%	3.7%	1.8%	8.3%	0.0%	0.0%	0.0%	0.0%	7.7%			1.8%	0.0%	4.4%	0.0%	2.7%	14.3%
No	3,630	143			21	121	0	35	64	43	16	22	103	109	22	11	9	4	3	12	0	0	56	4	43	29	108	6
	99.2%	97.3%			100.0%	96.8%		100.0%	97.0%	95.6%	100.0%	100.0%	96.3%	98.2%	91.7%	100.0%	100.0%	100.0%	100.0%	92.3%			98.2%	100.0%	95.6%	100.0%	97.3%	85.7%
Significantly different from column:*						-																					-	, 7

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 83

Is your child $\underline{\text{deaf}}$ or do you have $\underline{\text{serious difficulty hearing}}$?

	НР					ndent's (Identity		С	hild's Ag	e		sponder		Child's	Health	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	Female Female	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	(Q74) HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle D A African African African (9	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	11 4 (O ₂)	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	167	5			·	1	0	0	1	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	1	4	(
Number no experience	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	N/
Usable responses	3,764	156			22	131	0	38	70	47	16	23				11	9	5	3	13	0	0	60	4	47		119	7
	95.8%	96.9%			100.0%	99.2%		100.0%	98.6%	100.0%	100.0%	100.0%	99.1%	98.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	96.8%	96.7%	100.0%
Yes	21	2			0	2	0	0	1	1	0	1	1	2	0	0	0	0	0	0	0	0	0	0	2	1	1	(
	0.6%	1.3%			0.0%	1.5%		0.0%	1.4%	2.1%	0.0%	4.3%	0.9%	1.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	4.3%	3.3%	0.8%	0.0%
No	3,743	154			22	129	0	38	69				112			11	9	5	3	13	0	0	60	4	45		118	1 7
	99.4%	98.7%			100.0%	98.5%		100.0%	98.6%	97.9%	100.0%	95.7%	99.1%	98.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%	95.7%	96.7%	99.2%	100.0%
Significantly different from column:*																												1

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 84

Is your child $\underline{\text{blind}}$ or do you have $\underline{\text{serious difficulty seeing}},$ even when wearing glasses?

	НР					ndent's (С	hild's Ag	е		sponden		Child's	Health :	Status					Race					Child's Las	t 6 Mon	
	2020 State O	2020	2019	2018	Male	Female Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	(Q74)	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Distriction (97) African (97)	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 t d d d d d d d d d d d d d d d d d d	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	175	6			·	2	0	0	1	1	0	0	1	2	0	1	0	0	0	1	0	0	0	0	0	1	5	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N.A
Usable responses	3,756 95.5%	155 96.3%			22 100.0%		0	38 100.0%		46 97 9%	16 100.0%	-		-		10 90 9%	100.0%	5 100.0%	3 100.0%	12 92.3%	0	0	60 100.0%	0.0%	47 100.0%		118 95 9%	100.0%
Yes	45	2				2	0	0	0.070	1	0	1	1	0	0.0001	2	0	0	0	0	0	0	1	0.070	1	0	1	100.070
	1.2%	1.3%			0.0%	1.5%		0.0%	0.0%	2.2%	0.0%	4.3%	0.9%	0.0%	0.0%	20.0%	0.0%	0.0%	0.0%	0.0%			1.7%	0.0%	2.1%	0.0%	0.8%	14.3%
No	3,711				22		0	38	70	45	16	22				8	9	5	3	12	0	0	59	4	46	30	117	
	98.8%				100.0%			100.0%	100.0%	97.8%	100.0%			100.0%		80.0%	100.0%	100.0%	100.0%	100.0%			98.3%	100.0%	97.9%	100.0%	99.2%	
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 85

Does a physical, mental, or emotional condition limit your child's activities in any way?

	HP					ident's (C	hild's Ag	е		sponden Education (Q74)		Child's	Health	Status					Race					Child's Las	st 6 Mon	
	2020 State O	2020	2019	2018	Male	Female (C73)	Non-binary, genderqueer, or other	0 to 5	6 to 13 (69D)	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	(Q53) poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Description African African (9)	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4 to (O ₂)	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	3,931	161			22	132	0	38	71	47	16	23	114	121	25	11	9	5	3	13	0	0	60	4	47	31	123	7
Number missing or multiple answer	179	5			0	1	0	0	1	0	0	0	1	2	0	0	0	0	0	0	0	0	0	0	0	1	4	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	N/
Usable responses	3,752	156			22	131	0	38	70	47	16	23	113	119	25	11	9	5	3	13	0	0	60	4	47	30	119	1 7
	95.4%	96.9%			100.0%	99.2%		100.0%	98.6%	100.0%	100.0%	100.0%	99.1%	98.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	0.0%	100.0%	96.8%	96.7%	100.0%
Yes	141	28			6	22	0	2	14	12	2	2	23	14	8	5	0	0	0	4	0	0	13	0	9	4	21	
	3.8%	17.9%			27.3%	16.8%		5.3%	20.0%	25.5%	12.5%	8.7%	20.4%	11.8%	32.0%	45.5%	0.0%	0.0%	0.0%	30.8%			21.7%	0.0%	19.1%	13.3%	17.6%	42.9%
No	3,611	128			16	109	0	36	56	35	14	21	90	105	17	6	9	5	3	9	0	0	47	4	38	26	98	
	96.2%	82.1%			72.7%	83.2%		94.7%	80.0%	74.5%	87.5%	91.3%	79.6%	88.2%	68.0%	54.5%	100.0%	100.0%	100.0%	69.2%			78.3%	100.0%	80.9%	86.7%	82.4%	57.1%
Significantly different from column:*		Α						IJ	Н	Н																		

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 86

Does your child have serious difficulty walking or climbing stairs?

Base: All respondents with children 5 or older

	ЭНР					ndent's (Identity (Q73)	Gender	C	Child's Ag (Q69)	ie		sponder ducation (Q74)		Child's	Health	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State (2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	PooS	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern & African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,878	128			18	107	0	10	71	47	16	17	91	95	23	9	7	3	2	13	0	0	46	3	38	27	96	- 5
Number missing or multiple answer	236	7			1	6	0	2	3	2	1	1	5	5	2	0	0	0	0	0	0	0	1	0	3	2	5	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	. NA	NA	NA	NA	NA	NA
Usable responses	2,642 91.8%	121 94.5%			17 94.4%	101 94.4%	0	8 80.0%	68 95.8%	45 95.7%	15 93.8%			90 94.7%	21 91.3%	9 100.0%	7 100.0%	3 100.0%	100.0%	13 100.0%	0	0	45 97.8%	3 0.0%	35 92.1%	25 92.6%	91 94.8%	5 100.0%
Yes	13 0.5%	0.0%				0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
No	2,629 99.5%	121 100.0%			17 100.0%		0	8 100.0%	68 100.0%	45 100.0%	15 100.0%		86 100.0%	90 100.0%	21 100.0%	9 100.0%	7 100.0%	3 100.0%	2 100.0%	13 100.0%	0	0	45 100.0%	3 100.0%	35 100.0%	25 100.0%	91 100.0%	
Significantly different from column:*																												

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 87

Does your child have difficulty dressing or bathing?

Base: All respondents with children 5 or older

	ЭНР					ndent's (Identity (Q73)	Gender	C	hild's Ag (Q69)	е		sponden Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	P 0009	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	2,878	128			18	107	0	10	71	47	16	17	91	95	23	9	7	3	2	13	0	C	46	3	38	27	96	5
Number missing or multiple answer	236	6			1	5	0	2	3	1	1	1	4	4	2	0	0	0	0	0	0	0	0	0	3	2	4	. 0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA NA	NA	NA	NA	NA	NA
Usable responses	2,642 91.8%	122 95.3%			17 94.4%	102 95.3%	0	8 80.0%	68 95.8%	46 97.9%			-	91 95.8%	21 91.3%	9 100.0%	7 100.0%	3 100.0%	2 100.0%	13 100.0%	0		46	0.0%	35 92.1%	25 92.6%	92 95.8%	5 100.0%
Yes	25 0.9%	9 7.4%				7 6.9%	0	1 12.5%	4 5.9%	4 8.7%	0.0%	0.0%	9 10.3%	5 5.5%	9.5%	2 22.2%	0.0%	0.0%	0.0%	7.7%	0	0	8.7%	1 33.3%	2 5.7%	1 4.0%	7 7.6%	1 20.0%
No	2,617 99.1%	113 92.6%			15	95	0	7 87.5%	64 94.1%	42	15	16	78	86	19 90.5%	7	7 100.0%	3	2	12	0	0	42		33	24 96.0%	85 92.4%	4
Significantly different from column:*	33.170	32.070			55.E 70	33.170		07.570	3 170	32.370	100.070	100.070	33.7 70	3370	30.370		155.070	100.070	155.070	32.370			31.370	33.7 70	3 3 70	30.070	32.470	55.070

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 88

Because of a physical, mental, or emotional condition, does your child have serious difficulty concentrating, remembering or making decisions?

Base: All respondents with children 5 or older

	ОНР					ndent's (Identity (Q73)		C	hild's Ag (Q69)	e		sponder Education (Q74)		Child's	Health :	Status					Race (Q76)						Doctor \ st 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	2,878	128			18	107	0	10	71	47	16	17	91	95	23	9	7	3	2	13	0	0	46	3	38	27	96	5
Number missing or multiple answer	248	8			2	6	0	2	3	3	2	1	5	5	3	0	0	0	0	0	0	0	1	0	4	2	6	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,630	120			16	101	0	8	68	44	14	16	86	90	20	9	7	3	2	13	0	0	45	3	34	25	90	5
	91.4%	93.8%			88.9%	94.4%		80.0%	95.8%	93.6%	87.5%	94.1%	94.5%	94.7%	87.0%	100.0%	100.0%	100.0%	100.0%	100.0%			97.8%	0.0%	89.5%	92.6%	93.8%	100.0%
Yes	194	35			5	29	0	0	19	16	3	3	28	26	5	3	0	0	0	3	0	0	16	0	12	8	25	2
	7.4%	29.2%			31.3%	28.7%		0.0%	27.9%	36.4%	21.4%	18.8%	32.6%	28.9%	25.0%	33.3%	0.0%	0.0%	0.0%	23.1%			35.6%	0.0%	35.3%	32.0%	27.8%	40.0%
No	2,436	85			11	72	0	8	49	28	11	13	58	64	15	6	7	3	2	10	0	0	29	3	22	17	65	3
	92.6%	70.8%			68.8%	71.3%		100.0%	72.1%	63.6%	78.6%	81.3%	67.4%	71.1%	75.0%	66.7%	100.0%	100.0%	100.0%	76.9%			64.4%	100.0%	64.7%	68.0%	72.2%	60.0%
Significantly different from column:*		Α																										

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

Question 89

Because of a physical, mental, or emotional condition, does your child have serious difficulty doing errands alone such as visiting a doctor's office or shopping?

Base: All respondents with children 15 or older

	ОНР					ndent's G Identity (Q73)	ender	С	hild's Ag (Q69)	ie		sponder Education (Q74)		Child's	Health (Q53)	Status					Race (Q76)					Child's Las	Doctor \ t 6 Mon (Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	598	33			6	26	0	0	0	33	4	7	20	23	7	3	4	1	0	2	0	0	13	0	9	7	24	
Number missing or multiple answer	55	1			1	0	0	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	1	(
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Usable responses	543	32			5	26	0	0	0	32	3	7	20		6	3	4	1	0	2	0	0	12	0	9	7	23	
	90.8%	97.0%			83.3%	100.0%				97.0%	75.0%	100.0%	100.0%	100.0%	85.7%	100.0%	100.0%	100.0%		100.0%			92.3%	0.0%	100.0%	100.0%	95.8%	100.0%
Yes	31	8			2	5	0	0	0	8	0	0	7	5	2	1	0	0	0	0	0	0	5	0	2	1	7	(
	5.7%	25.0%			40.0%	19.2%				25.0%	0.0%	0.0%	35.0%	21.7%	33.3%	33.3%	0.0%	0.0%		0.0%			41.7%		22.2%	14.3%	30.4%	0.0%
No	512	24			3	21	0	0	0	24	3	7	13	18	4	2	4	1	0	2	0	0	7	0	7	6	16	- :
	94.3%	75.0%			60.0%	80.8%				75.0%	100.0%	100.0%	65.0%	78.3%	66.7%	66.7%	100.0%	100.0%		100.0%			58.3%		77.8%	85.7%	69.6%	100.0%
Significantly different from column:*		-																		1			1					

NA - Not Applicable

^{*}A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

SURVEY INSTRUMENT



Survey Instructions

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

 \square_1 Yes \rightarrow If Yes, Go to Question 1

☐₂ No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

Please answer the questions for the child listed on the envelope. Please do not answer for any other children.

1. Our records show that your child is now in Oregon Health Plan. Is that right?

 $\square_{\scriptscriptstyle 1}$ Yes \rightarrow *If Yes, Go to Question 3*

□₂ No

What is the name of your child's health plan? (Please print)

Your Child's Health Care in the Last 6 Months

These questions ask about your child's health care. Do <u>not</u> include care your child got when he or she stayed overnight in a hospital. Do <u>not</u> include the times your child went for dental care visits.

3. In the last 6 months, did your child have an illness, injury, or condition that <u>needed care right away</u> in a clinic, emergency room, or doctor's office?

□₁ Yes

 \square_2 No \rightarrow If No, Go to Question 5

4.	In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed? \[\begin{align*} \Pi_1 & \text{Never} \\ \Pi_2 & \text{Sometimes} \\ \Pi_3 & \text{Usually} \\ \Pi_4 & \text{Always} \end{align*}	8.	In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers? Never Sometimes Usually Always
5.	In the last 6 months, did you make any appointments for a <u>check-up or routine care</u> for your child at a doctor's office or clinic? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 7</i>	9.	Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months? 0 Worst health care possible
6.	In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed? Never Sometimes Usually Always		☐ 1 ☐ 2 ☐ 3 ☐ 3 ☐ 4 ☐ 4 ☐ 5 ☐ 6 ☐ 7 7 ☐ 8 8 ☐ 9 ☐ 10 Best health care possible
7.	In the last 6 months, <u>not</u> counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care? \bigcirc_0 None \rightarrow <i>If None, Go to Question 11</i> \bigcirc_1 1 time \bigcirc_2 2 \bigcirc_3 3 \bigcirc_4 4 \bigcirc_5 5 to 9 \bigcirc_6 10 or more times		In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed? Never Sometimes Usually Always Is your child now enrolled in any kind of school or daycare?
			\square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 14</i>

12.	In the last 6 months, did you need your child's doctors or other health providers to contact a school or daycare center about your child's health or health care? \square_1 Yes \square_2 No \rightarrow If No, Go to Question 14	17.	In the last 6 months, did you get or try to get special therapy such as physical, occupational, or speech therapy for your child? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 20</i>
13.	In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare? Yes No	18.	In the last 6 months, how often was it easy to get this therapy for your child? Never Sometimes Usually Always
S	Specialized Services	19.	Did anyone from your child's health plan, doctor's office, or clinic help you get this therapy for your child?
	Special medical equipment or devices include a walker, wheelchair, nebulizer, feeding tubes, or oxygen equipment. In the last 6 months, did you get or try to get any special medical equipment or devices for your child? \square_1 Yes \square_2 No \rightarrow If No, Go to Question 17	20.	☐₁ Yes ☐₂ No In the last 6 months, did you get or try to get treatment or counseling for your child for an emotional, developmental, or behavioral problem? ☐₁ Yes
15.	In the last 6 months, how often was it easy to get special medical equipment or devices for your child? Never Sometimes Usually Always	21.	 □₂ No → If No, Go to Question 23 In the last 6 months, how often was it easy to get this treatment or counseling for your child □₁ Never □₂ Sometimes □₃ Usually □₄ Always
16.	Did anyone from your child's health plan, doctor's office, or clinic help you get special medical equipment or devices for your child? Yes No	22.	Did anyone from your child's health plan, doctor's office, or clinic help you get this treatment or counseling for your child? Yes No

24.	In the last 6 months, did your child get care from more than one kind of health care provider or use more than one kind of health care service? ☐ Yes ☐ No → If No, Go to Question 25 In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services? ☐ Yes ☐ Yes ☐ No	 26a. In the last 6 months, how often did you had a hard time speaking with or understandin your child's personal doctor because you significant languages? \[\begin{align*} \Pi & Never \\ \Pi & Sometimes \\ \Pi & Always \end{align*} \] 27. In the last 6 months, how often did your chapersonal doctor explain things about your health in a way that was easy to understant \[\Pi & Never \\ \Pi & Sometimes \\ \Pi & Sometim	g poke nild's child's
YC	our Child's Personal Doctor	□₄ Always	
: 	A personal doctor is the one your child would see if he or she needs a checkup, has a health problem, or gets sick or hurt. Does your child have a personal doctor? \square_1 Yes \square_2 No \rightarrow If No, Go to Question 40	28. In the last 6 months, how often did your of personal doctor listen carefully to you? \[\begin{align*} \Pi_1 & \text{Never} \\ \Pi_2 & \text{Sometimes} \\ \Pi_3 & \text{Usually} \\ \Pi_4 & \text{Always} \end{align*}	:hild's
	In the last 6 months, how many times did your child visit his or her personal doctor for care? \bigcirc_0 None \Rightarrow <i>If None, Go to Question 36</i> \bigcirc_1 1 time \bigcirc_2 2 \bigcirc_3 3 \bigcirc_4 4 \bigcirc_5 5 to 9 \bigcirc_6 10 or more times	 29. In the last 6 months, how often did your of personal doctor show respect for what you to say? □¹ Never □² Sometimes □³ Usually □⁴ Always 30. Is your child able to talk with doctors aboor her health care? □¹ Yes □² No → If No, Go to Question 32 	u had

31.	In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for <u>your child</u> to understand? Never Sometimes Usually Always	36.	Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?
32.	In the last 6 months, how often did your child's personal doctor spend enough time with your child? Never Sometimes Usually Always		□ ₃ 3 □ ₄ 4 □ ₅ 5 □ ₆ 6 □ ₇ 7 □ ₈ 8 □ ₉ 9 □ ₁₀ 10 Best personal doctor possible
33.	In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving? Yes No	37.	Does your child have any medical, behavioral, or other health conditions that have lasted for more than $\underline{3 \text{ months}}$? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 40</i>
34.	In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor? \square_1 Yes \square_2 No \Rightarrow If No, Go to Question 36	38.	Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life? Yes No
35.	In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers? Never Sometimes Usually Always	39.	Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your <u>family's</u> day-to-day life? Yes No

Getting Health Care from Specialists

When you answer the next questions, do <u>not</u> include dental visits or care your child got when he or she stayed overnight in a hospital.

40. Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments for your child to see a specialist?

☐₁ Yes

 \square_1 No \rightarrow If No, Go to Question 44

41. In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

□, Never

☐, Sometimes

□₃ Usually

□₄ Always

42. How many specialists has your child seen in the last 6 months?

 \square_{\circ} None \rightarrow *If None, Go to Question 44*

□₁ 1 specialist

□ 2

□₃ 3

___ 4 **4**

 \square , 5 or more specialists

43. We want to know your rating of the specialist your child saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

□₀ 0 Worst specialist possible
□₁ 1
□₂ 2
□₃ 3
□₄ 4
□₅ 5

□₆ 6

□₇ 7□₈ 8

□₉ 9

□₁₀ 10 Best specialist possible

Your Child's Health Plan

The next questions ask about your experience with your child's health plan.

44. In the last 6 months, did you get information or help from customer service at your child's health plan?

☐
₁ Yes

 \square_2 No \rightarrow If No, Go to Question 47

45. In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

□₁ Never

□₂ Sometimes

 $\square_{\scriptscriptstyle 3}$ Usually

□₄ Always

46.	In the last 6 months, how often did customer service staff at your child's health plan treat	Prescription Medicines
	you with courtesy and respect? \[\sum_1 \text{ Never} \] \[\sum_2 \text{ Sometimes} \] \[\sum_3 \text{ Usually} \] \[\sum_4 \text{ Always}	 50. In the last 6 months, did you get or refill any prescription medicines for your child? □₁ Yes □₂ No → If No, Go to Question 52a
47.	In the last 6 months, did your child's health plan give you any forms to fill out? \square_1 Yes \square_2 No \Rightarrow <i>If No, Go to Question 49</i>	51. In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan? □₁ Never □₂ Sometimes □₃ Usually
48.	In the last 6 months, how often were the forms from your child's health plan easy to fill out?	□₄ Always
	□¹ Never □² Sometimes □³ Usually □⁴ Always	52. Did anyone from your child's health plan, doctor's office, or clinic help you get your child's prescription medicines? □₁ Yes □₂ No
49.	Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best	
	health plan possible, what number would you use to rate your child's health plan?	Access to Dental Care
	\square_0 0 Worst health plan possible \square_1 1 \square_2 2 \square_3 3 \square_4 4 \square_5 5 \square_6 6	52a. A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child hav a regular dentist? ☐₁ Yes ☐₂ No
	\square_7 7 \square_8 8 \square_9 9 \square_{10} 10 Best health plan possible	52b.In the last 6 months, did your child go to a dentist's office or clinic for care? □₁ Yes □₂ No → If No, Go to Question 52d

52c. In the last 6 months, how often did the dentists	About Your Child and You
or dental staff explain what they were doing while treating your child? \(\sum_1 \) Never \(\sum_2 \) Sometimes \(\sum_3 \) Usually \(\sum_4 \) Always	53. In general, how would you rate your child's overall health? Excellent Very good Good
52d. In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted? 1 Never 2 Sometimes 3 Usually 4 Always 5 My child did not have a dental emergency in the last 6 months	☐ ₄ Fair ☐ ₅ Poor 54. In general, how would you rate your child's overall mental or emotional health? ☐ ₁ Excellent ☐ ₂ Very good ☐ ₃ Good ☐ ₄ Fair ☐ ₅ Poor
extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?	 55. Does your child currently need or use medicine prescribed by a doctor (other than vitamins)? □₁ Yes □₂ No → If No, Go to Question 58
□ ₀ 0 Extremely difficult □ ₁ 1 □ ₂ 2 □ ₃ 3 □ ₄ 4 □ ₅ 5	 56. Is this because of any medical, behavioral, or other health condition? □₁ Yes □₂ No → If No, Go to Question 58
\square_6 6 \square_7 7 \square_8 8 \square_9 9 \square_{10} 10 Extremely easy	57. Is this a condition that has lasted or is expected to last for at least 12 months? ☐₁ Yes ☐₂ No

58.	Does your child need or use more medical care, more mental health services, or more educational services than is usual for most children of the same age? Yes	65.	Is this because of any medical, behavioral, or other health condition? \square_1 Yes \square_2 No \Rightarrow If No, Go to Question 67
	$\square_{\scriptscriptstyle 2} \ \ No o \mathit{If} \ \mathit{No}, \ \mathit{Go} \ \mathit{to} \ \mathit{Question} \ \mathit{61}$	66.	Is this a condition that has lasted or is expected to last for at least 12 months?
59.	Is this because of any medical, behavioral, or other health condition?		□₁ Yes □₂ No
	\square_1 Yes \square_2 No \Rightarrow <i>If No, Go to Question 61</i>	67.	Does your child have any kind of emotional,
60.	Is this a condition that has lasted or is expected to last for at least 12 months?		developmental, or behavioral problem for which he or she needs or gets treatment or counseling?
	□₁ Yes □₂ No		\square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 69</i>
61.	Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do? \Box_1 Yes	68.	Has this problem lasted or is it expected to last for at least 12 months? $\Box_{_1} \ \ \text{Yes} \\ \Box_{_2} \ \ \text{No}$
	\square_{2} No \Rightarrow <i>If No, Go to Question 64</i>		
62	Is this because of any modical behavioral or	69.	What is your child's age?
02.	Is this because of any medical, behavioral, or other health condition?		$\square_{\scriptscriptstyle 00}$ Less than 1 year old
	□₁ Yes		YEARS OLD (write in)
	\square_2 No \rightarrow <i>If No, Go to Question 64</i>	70	What are a self-like balanced as at bank 2
		70.	What was your child's biological sex at birth?
63.	Is this a condition that has lasted or is expected to last for at least 12 months?		□₁ Male □₂ Female
	☐₁ Yes	71	What is your child's current gender identity?
	□₂ No	, 1.	☐, Male
64	Does your child need or get special therapy		☐₂ Female
J-r.	such as physical, occupational, or speech		☐₃ Transgender
	therapy?		$\square_{\scriptscriptstyle 4}$ Non-binary, genderqueer, or other
	☐₁ Yes		
	\square_2 No \rightarrow If No, Go to Question 67		

72.	What is <u>your</u> age? ☐ Under 18 ☐ 18 to 24 ☐ 25 to 34 ☐ 35 to 44 ☐ 45 to 54 ☐ 55 to 64 ☐ 65 to 74 ☐ 75 or older	 76. Which of the following describes your child's racial or ethnic identity? Please check ALL that apply. American Indian or Alaska Native American Indian Alaska Native Canadian Inuit, Metis, or First Nation Indigenous Mexican, Central
73.	What is your current gender identity? Male Female Transgender Non-binary, genderqueer, or other	American, or South American Asian Asian Asian Indian Chinese Filipino/a Hmong
74.	What is the highest grade or level of school that you have completed? 8th grade or less Some high school, but did not graduate High school graduate or GED Some college or 2-year degree 4-year college graduate More than 4-year college degree	☐, Japanese ☐, Korean ☐, Laotian ☐, South Asia ☐, Vietnamese ☐, Other Asian Black or African American ☐, African (Black)
75.	How are you related to the child? \[\begin{align*} \Pmathbb{\text{1}} & Mother or father \\ \Pmathbb{\text{2}} & Grandparent \\ \Pmathbb{\text{3}} & Aunt or uncle \\ \Pmathbb{\text{4}} & Older brother or sister \\ \Pmathbb{\text{5}} & Other relative \\ \Pmathbb{\text{6}} & Legal guardian \\ \Pmathbb{\text{7}} & Someone else \end{align*}	☐ Caribbean (Black) ☐ Cother Black Hispanic or Latino/a ☐ Hispanic or Latino/a Central American ☐ Hispanic or Latino/a Mexican ☐ Hispanic or Latino/a South American ☐ Other Hispanic or Latino/a Middle Eastern/Northern African
		\square_{w} Middle Eastern \square_{x} Northern African

	Native Hawaiian or Pacific Islander Guamanian or Chamorro Micronesian Native Hawaiian Samoan	80.	Does your child need an <u>interpreter</u> for us to communicate with them? $\Box_{_1} \text{ Yes}$ $\Box_{_2} \text{ No}$
	□ _{AC} Tongan □ _{AD} Other Pacific Islander	81.	Does your child need a <u>sign language</u> interpreter for us to communicate with them? Yes
	<u>White</u>		\square_1 No \rightarrow If No, Go to Question 82
	☐ _{AE} Eastern European		
	☐ _{AF} Slavic ☐ _{AG} Western European ☐ _{AH} Other White	81a	. Which type of sign language interpreter does your child need us to communicate with them (ASL, PSE, tactile interpreting, etc.) (Please print)
	Other Categories		
	□ _{Al} Other		
77.	Regardless of your response to the previous question, how do you identify your child's <u>race</u> , <u>ethnicity</u> , <u>tribal affiliation</u> , <u>country of origin</u> , <u>or ancestry</u> ? (Please print)	82.	Does your child need written materials in an alternate format (Braille, large print, audio recordings, etc.)? \square_1 Yes \square_2 No \rightarrow <i>If No, Go to Question 83</i>
		82a	. Which alternate format does your child need? (Please print)
78.	How well does your child speak English? \[\sum_1 \text{Very well} \] \[\sum_2 \text{Well} \] \[\sum_3 \text{Not well} \] \[\sum_4 \text{Not at all} \]		
79.	What language does your child mainly speak at home? English Spanish		
	Other (Please print)		


83.	Is your child <u>deaf</u> or does your child have <u>serious difficulty hearing?</u>	Please stop now if your child is under age 15.
84.	☐₁ Yes ☐₂ No Is your child <u>blind</u> or does your child have serious <u>difficulty seeing</u> , even when wearing glasses? ☐₁ Yes ☐₂ No	89. Because of a physical, mental, or emotional condition, does your child have serious difficulty doing errands alone such as visiting a doctor's office or shopping? Yes No
85.	Does a physical, mental, or emotional condition limit your child's activities in any way? Yes No	
F	Please stop now if your child is under age 5.	
86.	Does your child have serious difficulty walking or climbing stairs? Yes No	
87.	Does your child have <u>difficulty dressing or bathing</u> ? Yes No	
88.	Because of a <u>physical</u> , <u>mental</u> , <u>or emotional</u> <u>condition</u> , does your child have serious	Thank You
	difficulty concentrating, remembering or making decisions? Yes No	Please return the completed survey in the postage-paid envelope to: Center for the Study of Services PO Box 10820 Herndon, VA 20172 Please do not include any other correspondence.



Instrucciones para el cuestionario

Conteste cada pregunta marcando el cuadro que aparece a la izquierda de su respuesta.

A veces hay que saltarse alguna pregunta del cuestionario. Cuando esto ocurra, verá una flecha con una nota que le indicará cuál es la siguiente pregunta a la que tiene que pasar. Por ejemplo:



La información personal identificable no se hará pública y solo se dará a conocer de conformidad con las leyes y reglamentos federales.

Usted puede optar por responder a esta encuesta o no. Si decide no participar, esto no afectará los beneficios que su niño obtenga. Usted notará un número en la portada de esta encuesta. Este número se utiliza SOLO para hacernos saber si usted ya envió su encuesta para que no tengamos que enviarle recordatorios.

Si quiere informarse más sobre este estudio, llame al 1-833-257-1377. Las personas con problemas de audición o del habla pueden llamar al 711 para usar el Servicio de Retransmisión de Telecomunicaciones (TRS).

Conteste las preguntas para el niño cuyo nombre figura en el sobre. No las conteste para ningún otro niño.

- Nuestros registros muestran que su niño actualmente está inscrito en Oregon Health Plan. ¿Es correcta esta información?
 - \square_1 Sí \rightarrow Si contestó "Sí", pase a la pregunta 3
 - □₂ No
- ¿Cómo se llama el plan de salud de su niño? (Escriba en letra imprenta)

La atención médica que recibió su niño en los últimos 6 meses

Estas preguntas son acerca de la atención médica que ha recibido su niño. No incluya la atención que recibió su niño cuando pasó la noche hospitalizado. No incluya las consultas de su niño al dentista.

- 3. En los últimos 6 meses, ¿tuvo su niño una enfermedad, lesión o problema de salud para el cual <u>necesitó atención inmediata</u> en una clínica, en una sala de emergencia o en un consultorio médico?
 - □
 ₁ Sí
 - No → Si contestó "No", pase a la pregunta 5

4.	En los últimos 6 meses, cuando su niño necesitó atención inmediata, ¿con qué frecuencia atendieron a su niño tan pronto como lo necesitaba? Nunca A veces La mayoría de las veces Siempre	8.	En los últimos 6 meses, ¿con qué frecuencia le contestaron sus preguntas los doctores u otros profesionales médicos de su niño? Nunca A veces La mayoría de las veces Siempre
5.	En los últimos 6 meses, ¿hizo alguna cita para un <u>chequeo o una consulta de rutina</u> para su niño en un consultorio médico o en una clínica? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 7	9.	Usando un número del 0 al 10, siendo 0 la peor atención médica posible y 10 la mejor atención médica posible, ¿qué número usaría para calificar toda la atención médica que su niño ha recibido en los últimos 6 meses?
6.	En los últimos 6 meses, ¿con qué frecuencia consiguió una cita para un chequeo o una consulta de rutina para su niño en un consultorio médico o en una clínica tan pronto como lo necesitaba? Nunca A veces La mayoría de las veces Siempre	10.	☐ ₄ 4 ☐ ₅ 5 ☐ ₆ 6 ☐ ₇ 7 ☐ ₈ 8 ☐ ₉ 9 ☐ ₁₀ 10 La mejor atención médica posible En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención, los exámenes o
7.	En los últimos 6 meses, <u>sin</u> contar las veces que su niño fue a una sala de emergencia, ¿cuántas veces fue su niño a un consultorio médico o a una clínica para que lo atendieran? □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la		el tratamiento que su niño necesitaba? Nunca A veces La mayoría de las veces Siempre
	pregunta 11 $ \begin{array}{ccc} $	11.	¿Está matriculado actualmente su niño en algún tipo de escuela o guardería? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 14

12.	En los últimos 6 meses, ¿necesitó que los doctores u otros profesionales médicos de su niño se pusieran en contacto con una escuela o guardería acerca de la salud o la atención médica de su niño? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 14		¿Alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a conseguir el equipo o dispositivos médicos especiales para su niño? Sí No En los últimos 6 meses, ¿consiguió o intentó
13.	En los últimos 6 meses, ¿necesitó que los doctores u otros profesionales médicos de su	17.	conseguir terapia especial para su niño, tal como terapia física, ocupacional o del habla?
	niño se pusieran en contacto con una escuela o guardería acerca de la salud o la atención médica de su niño?		□₂ No → Si contestó "No", pase a la pregunta 20
	□₁ Sí □₂ No	18.	En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir esta terapia para su niño?
5	Servicios especializados		□₂ A veces□₃ La mayoría de las veces
14.	En el equipo o dispositivo médico especial se incluye un andador, silla de ruedas, nebulizador, tubos de alimentación o equipo	19.	☐₄ Siempre ¿Alguien del consultorio médico o clínica del
	de oxígeno. En los últimos 6 meses, ¿consiguió o intentó conseguir algún equipo o dispositivo médico especial para su niño? Sí		plan de salud de su niño le ayudó a conseguir esta terapia para su niño? □₁ Sí □₂ No
	\square_2 No \rightarrow Si contestó "No", pase a la pregunta 17	20	En los últimos 6 mosos deposiguió o intentó
15.	pregunta 17 En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir el equipo o dispositivos médicos especiales para su niño? ☐ Nunca ☐ A veces ☐ La mayoría de las veces ☐ Siempre	20.	En los últimos 6 meses, ¿consiguió o intentó conseguir tratamiento o consejería para su niño, para un problema emocional, de desarrollo o de comportamiento? ☐ SÍ ☐ No → Si contestó "No", pase a la pregunta 23

21.	En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir este tratamiento o consejería para su niño? Nunca A veces La mayoría de las veces Siempre	26. En los últimos 6 meses, ¿cuántas veces fue su niño a ver a su doctor personal para recibir atención médica? □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la pregunta 36 □₁ 1 vez □₂ 2
22.	¿Alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a conseguir este tratamiento o consejería para su niño? Sí No	\square_3 3 \square_4 4 \square_5 5 a 9 \square_6 10 veces o más
23.	En los últimos 6 meses, ¿recibió su niño atención de más de un tipo de profesional médico, o usó más de un tipo de servicio de salud? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 25	26a. En los últimos 6 meses, ¿con qué frecuencia se le hizo difícil hablar con el doctor personal de su niño o entenderlo porque hablaban idiomas diferentes? ☐ Nunca ☐ A veces ☐ La mayoría de las veces ☐ Siempre
24.	En los últimos 6 meses, ¿alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a coordinar la atención médica de su niño entre estos diferentes profesionales o servicios? Sí No	27. En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó los aspectos sobre la salud de su niño de una manera fácil de entender? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₄ Siempre
E	El doctor personal de su niño	28. En los últimos 6 meses, ¿con qué frecuencia el
25.	El doctor personal es aquel a quien su niño acude si necesita un chequeo, tiene un problema de salud o si se enferma o lastima. ¿Tiene su niño un doctor personal? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 40	doctor personal de su niño le escuchó a usted con atención? Nunca A veces La mayoría de las veces Siempre

29.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño demostró respeto por lo que usted tenía que decir? Nunca A veces La mayoría de las veces Siempre	34.	En los últimos 6 meses, ¿atendió a su niño algún doctor u otro profesional médico además de su doctor personal? ☐ Sí ☐ No → Si contestó "No", pase a la pregunta 36
30.	¿Su niño puede hablar con los doctores sobre su atención médica? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 32	35.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño parecía estar informado y al día acerca de la atención que su niño había recibido de estos doctores u otros profesionales médicos? Nunca A veces
31.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas a su niño de una manera fácil de entender? Nunca A veces La mayoría de las veces Siempre	36.	☐₃ La mayoría de las veces ☐₄ Siempre Usando un número del 0 al 10, siendo 0 el peor doctor personal posible y 10 el mejor doctor personal posible, ¿qué número usaría para calificar al doctor personal de su niño? ☐₀ 0 El peor doctor personal posible
	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño pasó suficiente tiempo con este? Nunca A veces La mayoría de las veces Siempre		□₁ 1 □₂ 2 □₃ 3 □₄ 4 □₅ 5 □₆ 6 □٫ 7 □₃ 8 □₃ 9
33.	En los últimos 6 meses, ¿habló el doctor personal de su niño con usted sobre cómo su niño se estaba sintiendo, estaba creciendo o se estaba comportando? Sí No	37.	□ 10 El mejor doctor personal posible ¿Tiene su niño alguna condición médica, de comportamiento u otra condición de salud que haya durado más de 3 meses? □ Sí □ No → Si contestó "No", pase a la pregunta 40

38. ¿El doctor personal de su niño entiende cómo estas condiciones médicas, de comportamient u otras condiciones de salud afectan la vida cotidiana de su niño? □₁ Sí □₂ No	\square_{\circ} Ninguno \Rightarrow <i>Si contestó "Ninguno",</i> pase a la pregunta 44 $\square_{\scriptscriptstyle 1}$ 1 especialista $\square_{\scriptscriptstyle 2}$ 2
39. ¿El doctor personal de su niño entiende cómo estas condiciones médicas, de comportamient u otras condiciones de salud afectan la vida cotidiana de su <u>familia</u> ? □₁ Sí □₂ No	 □₃ 3 □₄ 4 □₅ 5 especialistas o más 43. Queremos saber cómo califica al especialista al que su niño acudió con más frecuencia en los últimos 6 meses. Usando un número del 0 al
La atención médica que recibió de especialistas	10, siendo 0 el peor especialista posible y 10 el mejor especialista posible, ¿qué número usaría para calificar a ese especialista?
Al contestar las siguientes preguntas <u>no</u> incluya las consultas de su niño al dentista ni la atención que recibió cuando pasó la noche hospitalizado.	□, 1
40. Los especialistas son doctores que se especializan en un área de la medicina. Pueder ser cirujanos, doctores especialistas en el corazón, las alergias, la piel y otras áreas. En lo últimos 6 meses, ¿hizo alguna cita para su niño con un especialista?	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
\square_2 No \rightarrow Si contestó "No", pase a la	El plan de salud de su niño
 pregunta 44 41. En los últimos 6 meses, ¿con qué frecuencia consiguió una cita con un especialista para su niño tan pronto como la necesitaba? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ Siempre 	 Las siguientes preguntas son acerca de su experiencia con el plan de salud de su niño. 44. En los últimos 6 meses, ¿recibió información o ayuda por parte del servicio al cliente del plan de salud de su niño? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 47

45.	En los últimos 6 meses, ¿con qué frecuencia el servicio al cliente del plan de salud de su niño le dio la información o ayuda que usted necesitaba? Nunca A veces La mayoría de las veces Siempre	 49. Usando un número del 0 al 10, siendo 0 el peor plan de salud posible y 10 el mejor plan de salud posible, ¿qué número usaría para calificar al plan de salud de su niño? □₀ 0 El peor plan de salud posible □₁ 1 □₂ 2 □₃ 3 □₄ 4
46.	En los últimos 6 meses, ¿con qué frecuencia el personal de servicio al cliente del plan de salud de su niño le trató con cortesía y respeto? Nunca A veces La mayoría de las veces Siempre	\square_5 5 \square_6 6 \square_7 7 \square_8 8 \square_9 9 \square_{10} 10 El mejor plan de salud posible
1 7.	En los últimos 6 meses, ¿le dio el plan de salud	Medicinas recetadas
	de su niño algún formulario para completar? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 49 En los últimos 6 meses, ¿con qué frecuencia fueron fáciles de completar los formularios del plan de salud de su niño? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ Siempre	 50. En los últimos 6 meses, ¿consiguió o renovó alguna medicina recetada para su niño? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 52a 51. En los últimos 6 meses, ¿con qué frecuencia fue fácil conseguir medicinas recetadas para su niño a través de su plan de salud? □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ Liempre
		52. ¿Alguien del consultorio médico o clínica del plan de salud de su niño le ayudó a conseguir las medicinas recetadas para su niño? □₁ Sí □₂ No

Acceso a atención dental

Acceso a atención dental	52e. Usando un número del 0 al 10, el 0 siendo extremadamente difícil y el 10
52a. Un dentista regular es a quien su niño va a ver para un chequeo y limpieza o cuando tiene una carie o un dolor de diente. ¿Su niño tiene un dentista regular? □₁ Sí □₂ No 52b. En los últimos 6 meses, ¿fue su niño al consultorio de un dentista o a una clínica dental para recibir atención? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 52d	extremadamente fácil, ¿qué número usaría para calificar cuán fácil le fue encontrar un dentista para su niño?
52c. En los últimos 6 meses, ¿con qué frecuencia el	10 Extremadamente iden
personal dental o el dentista le explicaron lo que le hacían mientras trataron a su niño?	Acerca de usted y de su niño 53. En general, ¿cómo calificaría toda la salud de su niño?
	medicina recetada por un doctor (aparte de vitaminas)? □₁ Sí □₂ No → Si contestó "No". pase a la

pregunta 58

56.	¿Es esto debido a alguna condición médica, de comportamiento u otra condición de salud? ☐ Sí ☐ No → Si contestó "No", pase a la pregunta 58	62. ¿Es esto debido a alguna condici comportamiento u otra condici ☐₁ Sí ☐₂ No → Si contestó "No pregunta 64	ón de salud?
57.	¿Es esta una condición que ha durado o que se espera que dure por lo menos 12 meses?	63. ¿Es esta una condición que ha o espera que dure por lo menos : □₁ Sí □₂ No	
58.	¿Necesita o usa su niño más servicios médicos, de salud mental o educativos de lo que es normal para la mayoría de los niños de la misma edad? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 61	64. ¿Necesita o recibe su niño tera como terapia física, ocupaciona ☐₁ Sí ☐₂ No → Si contestó "No pregunta 67 65. ¿Es esto debido a alguna condi	il o del habla? ", pase a la
59.	¿Es esto debido a alguna condición médica, de comportamiento u otra condición de salud? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 61	comportamiento u otra condici □₁ Sí □₂ No → Si contestó "No pregunta 67 66. ¿Es esta una condición que ha espera que dure por lo menos s	", pase a la durado o que se
60.	¿Es esta una condición que ha durado o que se espera que dure por lo menos 12 meses? Sí No	☐₁ Sí ☐₂ No ☐3 Tiene su niño algún problema desarrollo o de comportamient	emocional, de
61.	¿Está su niño limitado o impedido de alguna manera en su habilidad de hacer lo que pueden hacer la mayoría de los niños de la misma edad?	necesita o recibe tratamiento o □₁ Sí □₂ No → Si contestó "No pregunta 69	consejería?
	□₂ No → Si contestó "No", pase a la pregunta 64	58. ¿Ha durado este problema o se dure por lo menos 12 meses? □₁ Sí □₂ No	espera que

69.	¿Qué edad tiene <u>su niño</u> ?	74. ¿Cuál es el grado o nivel escolar más alto que ha completado?
	□ _∞ Menos de un año	\square_1 8 años de escuela o menos
	AÑOS (escriba la respuesta)	$\square_{\scriptscriptstyle 2}$ 9 a 12 años de escuela, pero sin
70.	¿Cuál es el sexo biológico de su niño?	graduarse Graduado de la escuela secundaria
	☐₂ Femenino	(high school), Diploma de escuela secundaria, preparatoria o su equivalente (o GED)
71.	¿Cuál es su identidad de género actual de su niño?	☐₄ Algunos cursos universitarios o un título universitario de un programa de
	☐₁ Masculino	2 años
		☐ ₅ Título universitario de 4 años
	☐₃ Transgénero☐₄ No binario, intergénero, u otra	☐ ₆ Título universitario de más de 4 años
		75. ¿Qué relación tiene con el niño?
72.	¿Qué edad tiene <u>usted</u> ?	☐₁ Madre o padre
	□₀ Menos de 18 años	□₂ Abuelo o abuela
	□ ₁ 18 a 24	□₃ Tía o tío
	$\square_{\scriptscriptstyle 2}$ 25 a 34	☐₄ Hermano o hermana mayor
	□ ₃ 35 a 44	☐₅ Otro familiar
	□ ₄ 45 a 54	☐ Tutor legal del niño
	□ _s 55 a 64	□ ₇ Otra persona
	□ ₆ 65 a 74	
	\square_7 75 años o más	76. ¿Cuál de las siguientes opciones describe la
		identidad racial o étnica de su niño? Marque
73.	¿Cuál es su identidad de género actual?	TODAS las opciones que correspondan.
	□₁ Masculino	
	☐ ₂ Femenino	<u>Indígena estadounidense o nativo de Alaska</u>
	□₃ Transgénero	☐ Indígena norteamericano/a
	□₄ No binario, intergénero, u otra	☐ _B Indígena de Alaska
		☐ _c Inuit canadiense, métis o indígena
		canadiense (First Nation)
		□ _□ Indígena mexicano/a,
		centroamericano/a o sudamericano/a

<u>Asiático/a</u>	<u>Blanco/a</u>
□ Indio/a asiático/a	☐ _{AE} Europeo/a oriental
□ _F Chino/a	□ _{AF} Eslavo/a
□ _G Filipino/a	☐ _{AG} Europeo/a occidental
☐ _н Hmong	☐ _{AH} Blanco/a de otro tipo
□, Japonés/a	
□, Coreano/a	Otras categorías
□ _κ Laociano/a	□ _{al} Otra
□ Sudasiático/a	
□ _M Vietnamita	77 Indonondiantemente de su respuesta anterior
□ _N Asiático/a de otro tipo	77. Independientemente de su respuesta anterior, ¿cómo identifica usted la <u>raza</u> , grupo étnico,
	origen tribal, país de origen o ascendencia de
Negro/a o afroamericano/a	su niño? (Escriba en letra imprenta)
□ _o Afroamericano/a	(2007)20 0771017
☐ Africano/a (negro/a)	
□ _Q Caribeño/a (negro/a)	
□ Negro/a de otro tipo	
	78. ¿Qué tan bien habla inglés su niño?
Hispano/a o latino/a	□₁ Muy bien
S Centroamericano/a, hispano/a o	□₂ Bien
latino/a	□₃ No bien
$\square_{\scriptscriptstyle T}$ Mexicano/a hispano/a o latino/a	☐₄ Para nada
$\square_{\rm U}$ Sudamericano/a, hispano/a o latino/a	
\square_{V} Hispano/a o latino/a de otro tipo	79. ¿Qué idioma habla usted principalmente su
rispano, a o latino, a de otro tipo	niño en el hogar?
Madia ariantal/nartaafricana	\square_1 Inglés
Medio oriental/norteafricano	□₂ Español
□ _w Del oriente medio	☐₃ Otra (Escriba en letra imprenta)
\square_{x} Norafricano/a	
	
Nativo/a de Hawái o de las Islas del Pacífico	00 :Nassaita au aiã a una intérnanta anna au anna
□, Guameño/a o chamorro/a	80. ¿Necesita su niño un <u>intérprete</u> para que nos
□₂ Micronesio/a	podamos comunicar con él?
🗖 🗚 Indígena de Hawái	□₁ Sí
□ _{AB} Samoano/a	□₂ No
ac Tongano/a	
☐ _{AD} De otras islas del Pacífico	81. ¿Necesita su niño un intérprete de <u>lenguaje</u>
	de señas para que nosotros podamos
	comunicarnos con él?
	\square_2 No \Rightarrow Si contestó "No", pase a la
	pregunta 82

81a.	¿Qué tipo de intérprete necesita su niño para que nosotros podamos comunicarnos con él? (Intérprete ASL, inglés Pidgin por señas [PSE,	Deténgase aquí si su niño tiene menos de 5 años.		
	por sus siglas en inglés], interpretación táctil, etc.) (Escriba en letra imprenta)	86. ¿Tiene su niño dificultad seria para <u>caminar o</u> <u>subir escaleras</u> ? □₁ Sí □₂ No		
82.	¿Necesita su niño materiales escritos en un formato alternativo (Braille, letra grande, grabaciones de audio, etc.)? □₁ Sí □₂ No → Si contestó "No", pase a la	87. ¿Tiene su niño <u>dificultad para vestirse o bañarse</u> ? □₁ Sí □₂ No		
82a.	pregunta 83 .¿Qué formato alternativo necesita su niño? (Escriba en letra imprenta)	 88. Debido a una condición física, mental o emocional, ¿tiene su niño dificultad seria para concentrarse, recordar o tomar decisiones? □₁ Sí □₂ No 		
83.	¿Es su niño <u>sordo/a</u> o tiene <u>dificultad seria para</u> <u>oír</u> ?	Deténgase aquí si su niño tiene menos de 15 años.		
	□₁ Sí □₂ No	89. Debido a una <u>condición física, mental o</u> <u>emocional</u> , ¿tiene su niño dificultad seria para <u>hacer los mandados solo/a, por ejemplo</u> , ir a		
84.	¿Es su niño <u>ciego/a</u> o tiene <u>dificultad seria para ver</u> , aunque lleve puestos lentes? Sí No	ver al médico o ir de compras?		
85.	¿Alguna <u>condición física, mental o emocional</u> <u>limita sus actividades de su niño</u> de alguna	Gracias		
	manera? □₁ Sí □₂ No	Por favor devuelva esta encuesta en el sobre con el porte o franqueo pagado a: Center for the Study of Services		
		PO Box 10820 Herndon, VA 20172		
		Por favor no incluya cualquier otra correspondencia.		

CALCULATION GUIDELINES FOR GLOBAL PROPORTIONS

NCQA's HEDIS 2020, Volume 3: Specifications for Survey Measures contains detailed guidelines for calculation of survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for calculating rolling average composites and question summary rates. For OHA analysis, rolling average measures were calculated using single year rates.
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. There are three steps needed to calculate the composite global proportion:

Step 1

For each question in a composite, count the number of members who selected a favorable response option (i.e., Usually/Always or Yes).

Step 2

For each question, determine the proportion of respondents rating favorably (i.e., Usually/Always or Yes).

Step 3

Calculate the average proportion rating favorably across all the questions in the composite. These are the composite global proportions. Note: each question in a composite is weighted equally, regardless of how many members respond.

Using the example above, here is an illustration of the step-by-step calculation of the *Getting Care Quickly* composite global proportion. Missing responses are not included in the denominator.

Response option	Q4	Q6	Global Proportion
Never or Sometimes	1 / 5 = 0.20	1 / 4 = 0.25	(0.20 + 0.25) / 2 = 0.2250
Usually	2 / 5 = 0.40	1 / 4 = 0.25	(0.40 + 0.25) / 2 = 0.3250
Always	2 / 5 = 0.40	2 / 4 = 0.50	(0.40 + 0.50) / 2 = 0.4500
Always or Usually	4 / 5 = 0.80	3 / 4 = 0.75	(0.80 + 0.75) / 2 = 0.7750

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

GLOSSARY OF TERMS

Attributes

Areas of health plan performance and member experience assessed with the CAHPS survey

Benchmark

A reference score (e.g., the State Oregon Health Plan, the CSS Average, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See *Comparisons to Benchmarks and Prior-Year Results*.

CAHPS 5.0H Surveys

Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.0H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous 12 months, whereas the Medicaid version refers to the previous six (6) months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results in health plan performance reports, to inform accreditation decisions, and to create national benchmarks for care. Health plans might also collect CAHPS survey data for internal quality improvement purposes.

Composite Measures

Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version. See *Patient Experience of Care* Measures.

Confidence Level

A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.

Correlation

A degree of association between two variables, or attributes, typically measured by the *Pearson correlation coefficient*. The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.

Denominator (*n*, or Usable Responses)

Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "Low n" was assigned.

Disposition

The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.) See *Member Dispositions and Response Rate*.

Effectiveness of Care

Effectiveness of Care measures are relevant to Adult surveys only and include Flu Vaccinations for Adults Ages 18–64 (FVA) and Medical Assistance with Smoking and Tobacco Use Cessation (MSC).

Eligible Population

Members who are eligible to participate in the survey based on the following criteria:

- Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership.
- Continuous enrollment (six months for Medicaid, with no more than one enrollment break of 45 days or less);
- Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of November 30 of the measurement year);
- Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).

Global proportions

Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., *Always* or *Usually*) averaged across the questions that make up the composite. See *Question Summary Rates and Composite Global Proportions*.

HEDIS

The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.

Key Drivers and Priorities for Improvement

Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly rated plans. Specific priorities for improvement for *your organization* are identified based on how it is currently performing on the key driver attributes compared to industry best practices.

NCQA

The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

Question Summary Rate

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a *Never, Sometimes, Usually*, or *Always* response scale, with *Always* being the most favorable outcome. Results are typically reported as the proportion of members selecting *Usually* or *Always*. See *Question Summary Rates and Composite Global Proportions*.

Response Rate

Survey response rate is calculated using the following formula:

Response Rate =	Complete and Eligible Surveys
	[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts
	+ Added to Do Not Call (DNC) List]

Sample size

OHA's methodology used a sample size of 1,125 for Adult Medicaid samples, 925 for Child Medicaid samples, and 575 for Child Medicaid with Chronic Conditions samples.

Statistically Significant Difference

When survey results are calculated based on sample data and compared to a benchmark score (e.g., State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.

Trending

Comparison of survey results over time

Usable Responses (n)

See Denominator

Valid Response

Any acceptable (falling within a pre-defined set) response to a survey question that follows the NCQA skip pattern rules and data cleaning guidelines.