

**Oregon Health Plan Report of Results for** 

**PacificSource - Columbia Gorge Child Population** 

2019 CAHPS® 5.0H Medicaid with CCC Measure Member Experience Survey

## **Prepared for:**

**Oregon Health Authority** 

# **Prepared by:**

Center for the Study of Services 1625 K Street NW, Suite 800 Washington, DC 20006



# **Table of Contents**

Introduction	
Executive Summary	5
Results on Key Survey Measures	5
Top Priorities for Quality Improvement	5
Survey Results at a Glance	7
About This Report	8
Survey Methodology	10
Survey Protocol and Timeline	10
Survey Materials	10
Sample Selection	10
Data Capture	11
Member Dispositions and Response Rate	12
Satisfaction with the Experience of Care	
Experience of Care Measures	13
Calculation and Reporting of Results	16
Summary of Survey Results	17
Detailed Performance Charts	19
Member Profile and Analysis of Plan Ratings by Member Segment	44
Health Status and Demographics	
Use of Services	51
Key Driver Analysis	54

	Objectives	. 54
	Technical Approach	
	Industry Key Driver Model	. 55
	Opportunities for Plan Quality Improvement	. 56
	Health Plan Quality Improvement Resources for Key Drivers	. 58
Append	dix	I
	Cross-Tabulations of Survey Responses	II
	Survey Instrument	III
	Calculation Guidelines for Global Proportions	IV
	Glossary of Terms	VI

## INTRODUCTION

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous six months.

## **EXECUTIVE SUMMARY**

CSS administered the Child Medicaid with CCC Measure version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of PacificSource - Columbia Gorge between January 9 and April 9, 2019. The final Child Medicaid with CCC Measure survey sample for PacificSource - Columbia Gorge included 450 members. 124 members completed the survey, resulting in a response rate of 27.80 percent.

This section highlights some of the key survey findings for PacificSource - Columbia Gorge, including trends in CAHPS ratings and composites and comparisons to the State Oregon Health Plan results. Results are based on the rates of members answering 8, 9, or 10 for the ratings questions; Yes for the Shared Decision Making composite; and Usually or Always for all other measures. Statistical significance tests were conducted at the 95% confidence level. Up to five organizational priorities for quality improvement are also identified based on CSS's Key Driver Analysis.

## **RESULTS ON KEY SURVEY MEASURES**

## STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2018

Reportable Rate IMPROVED	Reportable Rate DECLINED		
No statistically significant improvements	No statistically significant declines		

## STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

Reportable Rate ABOVE State OHP	Reportable Rate BELOW State OHP				
2019 State OHP					
Rating of Health Plan (by 8.05 points)	None				

## TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's Key Driver Analysis identifies the areas of health plan performance and aspects of member experience that shape members' overall assessment of their health plan. To the extent that these specific areas or experiences can be improved, the overall rating of the plan should reflect these gains. Up to five quality improvement opportunities with the highest return on investment for PacificSource - Columbia Gorge are identified below. Effective interventions in these areas have the greatest potential impact on the Rating of Health Plan score.

## **Top Priorities for Quality Improvement**

- 1. Improving member access to care (ease of getting needed care, tests, or treatment)
- 2. Improving the quality of physicians in the plan's network (personal doctors)
- 3. Improving the ability of the health plan customer service to treat members with courtesy and respect
- 4. Improving member access to care (getting an appointment to see a specialist)
- 5. Improving member access to care (having a personal doctor)

The remainder of this report examines these and other findings in greater detail.

## **SURVEY RESULTS AT A GLANCE**

An overview of summary measures are presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the State Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2019 PACIFICSOURCE - COLUMBIA GORGE CHILD MEDICAID WITH CCC MEASURE SURVEY RESULTS AT A GLANCE

CAHPS 5.0H Survey Measures		Global Proportio Summa	Valid Responses			
		2018	2019	2018	2019	2019 State OHP
	Q14. Rating of All Health Care	84.62%	86.17%	104	94	82.91%
Overall Ratings	Q41. Rating of Personal Doctor	90.16%	91.45%	122	117	88.32%
(% 8, 9, or 10)	Q48. Rating of Specialist Seen Most Often	81.25%	83.87%	32	31	84.25%
	Q54. Rating of Health Plan	86.67%	86.99%	135	123	78.94% 🛕
Getting Needed Care	Getting Needed Care Composite	83.81%	85.09%	70	63	82.67%
(% Always or Usually)	Q15. Easy to get needed care	90.48%	91.40%	105	93	88.30%
(% Always or Osually)	Q46. Easy to see specialists	77.14%	78.79%	35	33	77.04%
Getting Care Quickly	Getting Care Quickly Composite	90.96%	86.55%	67	64	89.95%
(% Always or Usually)	Q4. Got urgent care as soon as needed	93.02%	84.21%	43	38	92.02%
(% Always or Usually)	Q6. Got routine care as soon as needed	88.89%	88.89%	90	90	87.89%
	How Well Doctors Communicate Composite	91.79%	95.73%	95	94	93.91%
<b>How Well Doctors</b>	Q32. Doctor explained things	92.55%	95.70%	94	93	94.39%
Communicate*	Q33. Doctor listened carefully	92.63%	95.74%	95	94	95.03%
(% Always or Usually)	Q34. Doctor showed respect	95.79%	97.87%	95	94	95.66%
	Q37. Doctor spent enough time	86.17%	93.62%	94	94	90.54%
0	Customer Service Composite	94.43%	88.64%	54	44	87.47%
Customer Service	Q50. Provided needed information/help	90.74%	79.55%	54	44	81.08%
(% Always or Usually)	Q51. Treated with courtesy/respect	98.11%	97.73%	53	44	93.85%
Character Secretaria	Shared Decision Making Composite	84.87%	82.39%	31	51	83.16%
Shared Decision	Q11. Discussed reasons to take a medicine	90.32%	94.23%	31	52	94.30%
Making**	Q12. Discussed reasons not to take a medicine	70.97%	68.63%	31	51	74.32%
(% Yes)	Q13. Discussed what was best for you	93.33%	84.31%	30	51	80.85%
	Q8. Health Promotion and Education (% Yes)	66.67%	78.49%	105	93	75.28%
Other Areas	Q40. Coordination of Care (% Always or Usually)	83.33%	81.25%	48	48	82.37%
	. Access to Prescription Medicines	96.49%	90.54%	57	74	88.93%
	. Access to Specialized Services	68.90% (Low n)	75.47% (Low n)	25	23	68.66%
Children with Chronic	. Getting Needed Information	89.42%	93.55%	104	93	91.48%
Conditions Measures	. Personal Doctor Who Knows Child	84.16%	91.13%	63	66	87.43%
	. Coordination of Care for Children With Chronic Conditions	74.66%	76.15%	31	34	78.49%

If n is less than 30, "Low n" is displayed next to score.

Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All statistical tests are conducted at the 95% confidence level prior to rounding. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as 🛦 when your rate is higher or 🔻 when it is lower.

## **ABOUT THIS REPORT**

The key features of this 2019 CAHPS report, prepared by CSS for PacificSource - Columbia Gorge, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS* 2019, *Volume 3: Specifications for Survey Measures* unless otherwise noted. Summary Results are reported regardless of whether the denominator threshold is met, however, any summary measure where the denominator is less than 30 is marked as "Low n".
- Throughout the report, the 2019 PacificSource Columbia Gorge survey results are compared to the 2019 State OHP. The 2019 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority.
- Executive Summary provides a high-level overview of survey findings. This section highlights the areas where PacificSource Columbia Gorge performs significantly above or below the State Oregon Health Plan performance. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Up to five top organizational priorities for quality improvement based on CSS's Key Driver Analysis are identified.
- Summary of Survey Results presents the 2019 PacificSource Columbia Gorge survey scores on key measures, including question summary rates (QSRs), global proportions, and changes in QSR and global proportion scores from the previous year (if applicable); and comparisons to relevant Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- Detailed Performance Charts are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2019 PacificSource Columbia Gorge QSRs and global proportions are compared to the 2019 State OHP on all measures. Where available, a three-year trend in scores is also shown.
- Member Profile and Analysis of Plan Ratings by Member Segment compares the 2019 PacificSource Columbia Gorge respondent profile to the appropriate reference distribution (i.e., all plans included in the 2019 State OHP) of demographic characteristics and utilization variables. Variation in Rating of Health Plan measure by member segment is examined.

• *Key Driver Analysis* identifies those aspects of member experience (key drivers) that are closely related to the overall rating of the plan. The CSS *Key Driver Model* quantifies the contribution of each key driver to the overall evaluation of the plan. The 2019 PacificSource - Columbia Gorge results on each key driver are compared to the highest score among the one Child Medicaid plans contributing to the 2019 State OHP, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall *Rating of Health Plan* score. Opportunities for improvement are prioritized based on the expected improvement in the PacificSource - Columbia Gorge *Rating of Health Plan* score due to improved performance on the key driver. A separate section of the report provides some helpful resources for health plan quality improvement.

## • The *Appendix* includes:

- Detailed cross-tabulations of survey responses for every survey question, with additional tables summarizing performance on key survey measures;
- A copy of the survey instrument;
- Step-by-step guidelines for calculating composite global proportions; and
- A glossary of terms.

## SURVEY METHODOLOGY

## SURVEY PROTOCOL AND TIMELINE

CSS administered the Child Medicaid with CCC Measure version of the 2019 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of PacificSource - Columbia Gorge using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online, which was mailed on January 9;
- An initial questionnaire with cover letter, which was mailed on January 16;
- A replacement questionnaire with cover letter, which was mailed on February 13;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 6; and
- Close of data collection on April 9, 2019.

## **SURVEY MATERIALS**

The survey instruments (both English and Spanish) used for PacificSource - Columbia Gorge are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS 2019, Volume 3: Specifications for Survey Measures* and *Quality Assurance Plan for HEDIS 2019 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all of the mailing materials. Each survey package included a postage-paid return envelope. Besides the core CAHPS questions, the survey included 12 additional questions added by OHA. These included questions on cultural competency, access to dental care, and kindergarten readiness. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

## **SAMPLE SELECTION**

CSS followed Oregon Health Authority's instructions to generate the survey sample for PacificSource - Columbia Gorge. Sample-eligible members were defined as plan members who were 17 years old or younger as of November 30, 2018; were currently enrolled; had been continuously enrolled for six months (with no

more than one enrollment break of 45 days or less); and whose primary coverage was through Medicaid. The sample frame included a pre-screen status code to identify children that were likely to have a chronic condition (CCC) based on claim and encounter records. Using this code, a sample was drawn from the child Medicaid population to receive the CCC instrument. The results for the CCC population presented in this report are based the pre-screen status code rather than responses to the survey in the NCQA methodology.

Prior to sampling, CSS carefully inspected the member file(s) and informed the Oregon Health Authority of any errors or irregularities found (such as missing address elements or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up-to-date.

The final sample was generated using a random selection methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. The final survey sample for PacificSource - Columbia Gorge included 450 members.

## **DATA CAPTURE**

Questionnaires returned by mail were recorded using either manual data entry or optical scanning. Responses recorded via manual data entry were keyed by two independent data entry operators, and any discrepancies between the two response records were flagged and reconciled by a supervisor. Individual responses on surveys recorded via optical scanning were sent to data entry operators if the scanning technology was unable to identify the specific response option selected with a pre-defined degree of certainty.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. On-site CATI supervisors maintained quality control by monitoring the telephone interviews and keyboard entry of interviewers in real time. In addition, CSS research staff remotely monitored interviews on a regular basis. Due to the multiple mailings and varied modes of data collection, multiple survey responses could be received from the same sample member. In those cases, CSS included only one survey response (the most complete survey) in the final analysis dataset.

## MEMBER DISPOSITIONS AND RESPONSE RATE

Among the PacificSource - Columbia Gorge sample members who met final eligibility criteria, 124 completed the survey, resulting in a response rate of 27.80 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2019 PACIFICSOURCE - COLUMBIA GORGE CHILD MEDICAID WITH CCC MEASURE CAHPS SURVEY: SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

	Total		
Disposition	Number	% Initial Sample	2019 State OHP
Initial Sample	450	100.00%	
Disposition			
Complete and Eligible - Mail	57	12.67%	13.05%
Complete and Eligible - Phone	63	14.00%	10.56%
Complete and Eligible - Internet	4	0.89%	0.91%
Complete and Eligible - Total	124	27.56%	24.52%
Does not meet Eligible Population criteria	4	0.89%	0.78%
Incomplete (but Eligible)	2	0.44%	0.82%
Ineligible	0	0.00%	1.82%
- Language barrier	0	0.00%	0.61%
- Mentally or physically incapacitated	0	0.00%	0.00%
- Deceased	0	0.00%	0.01%
Refusal	8	1.78%	1.58%
Nonresponse after maximum attempts	312	69.33%	71.18%
Added to Do Not Call (DNC) list	0	0.00%	0.50%
Response Rate*		27.80%	24.87%

12270

<sup>\*</sup>Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

## SATISFACTION WITH THE EXPERIENCE OF CARE

## **EXPERIENCE OF CARE MEASURES**

CAHPS Health Plan Survey 5.0H, Child Medicaid with CCC Measure version includes four global *rating questions* that ask respondents to rate the following items on a 0 to 10 scale:

- Rating of Personal Doctor (0 = worst personal doctor possible); 10 = best personal doctor possible)
- Rating of Specialist Seen Most Often (0 = worst specialist possible; 10 = best specialist possible)
- Rating of All Health Care (0 = worst health care possible; 10 = best health care possible)
- Rating of Health Plan (0 = worst health plan possible; 10 = best health plan possible)

The results for eight *composite measures* are also reported. Composite measures combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- Getting Needed Care combines responses to two survey questions that address member access to care:
  - In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?
  - In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?
- Getting Care Quickly combines responses to two survey questions that address timely availability of both urgent and routine care:
  - In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?
  - In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?
- How Well Doctors Communicate combines responses to four survey questions that address physician communication:
  - In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

- In the last 6 months, how often did your child's personal doctor listen carefully to you?
- In the last 6 months, how often did your child's personal doctor show respect for what you had to say?
- In the last 6 months, how often did your child's personal doctor spend enough time with your child?
- Customer Service combines responses to two survey questions that ask about member experience with the health plan's customer service:
  - In the last 6 months, how often did customer service staff at your child's health plan give you the information or help you needed?
  - In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?
- Shared Decision Making combines responses to three survey questions that focus on decisions about taking prescription medicines:
  - Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine?
  - Did you and a doctor or other health provider talk about the reasons you might not want your child to take a medicine?
  - When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?

The following composite measures are calculated and reported for the CCC survey:

- Access to Specialized Services combines responses to three survey questions addressing the child's access to special equipment or devices, therapies, treatments, or counseling:
  - In the last 6 months, how often was it easy to get special medical equipment or devices for your child?
  - In the last 6 months, how often was it easy to get this therapy for your child?
  - In the last 6 months, how often was it easy to get this treatment or counseling for your child?
- Personal Doctor Who Knows Child combines responses to three survey questions addressing the doctor's understanding of the child's health issues:
  - In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?

- Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?
- Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your family's day-to-day life?
- **Coordination of Care for Children with Chronic Conditions** combines responses to two survey items addressing care coordination needs related to the child's chronic condition:
  - In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?
  - In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?

In addition to the eight composite measures listed above, question summary rates are also reported for two survey items summarizing the following concepts:

## Health Promotion and Education

In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child?

## Coordination of Care

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

The results for *Health Promotion and Education* and *Coordination of Care* are reported for the child Medicaid survey. Additional question summary rates calculated and reported for the CCC instrument include:

## Getting Needed Information

In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?

## Access to Prescription Medicines

In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?

## CALCULATION AND REPORTING OF RESULTS

## QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest from a given question on the survey.

- Rating questions use a 0 to 10 scale with 10 being the most favorable response. Results are reported as the proportion of members selecting one of the top three responses (8, 9, or 10).
- Most survey items use a *Never, Sometimes, Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always*.
- Shared Decision Making and Health Promotion and Education use a Yes or No scale, with Yes being the desired response. Results are reported as the proportion of members selecting Yes.
- Items contributing to CCC composites *Personal Doctor Who Knows Child* and *Coordination of Care for Children with Chronic Conditions* use a *Yes* or *No* scale, with *Yes* being the most favorable response. Results are reported as the proportion of members selecting *Yes*.

**Composite Global Proportions** express the proportion of respondents selecting the response option(s) of interest from a given group of questions on the survey. They are calculated by first determining the proportion of respondents selecting the reported response(s) on each survey question contributing to the composite and subsequently averaging these proportions across all items in the composite.

- For composite measures except Shared Decision Making, results are reported as Usually or Always global proportions.
- For the Shared Decision Making composite, the proportion of Yes is reported.
- For two of the three CCC composites (*Personal Doctor Who Knows Child* and *Coordination of Care for Children with Chronic Conditions*), the proportion of *Yes* is reported.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS 2019, Volume 3: Specifications for Survey Measures* or consult the Appendix.

#### **DENOMINATOR THRESHOLD**

The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite (note: composite denominators are rounded for display purposes). If the rate denominator is less than 30, a measure result of "Low n" was assigned. This report presents results for all measures, regardless of denominator size. Any result that does not meet the denominator threshold of 30 valid responses is denoted with "Low n" to inform interpretations of results.

#### COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2019 PacificSource - Columbia Gorge results are compared to the 2019 State OHP as well as to the highest and lowest performing CCO. The 2019 State OHP is calculated by pooling Child Medicaid survey responses across CCOs surveyed by the Oregon Health Authority. If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All of the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

## **SUMMARY OF SURVEY RESULTS**

Exhibit 3 provides a high-level PacificSource - Columbia Gorge performance overview on key survey measures. These include overall ratings, composite global proportions, and QSRs for additional content areas. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

EXHIBIT 3. 2019 PACIFICSOURCE - COLUMBIA GORGE CHILD MEDICAID WITH CCC MEASURE CAHPS SURVEY: SUMMARY OF RESULTS ON KEY MEASURES

			Difference** between 2019 Rate and		
CAHPS 5.0H Survey Measures*		2019 Rate	2018 Rate	2019 State OHP	
Ratings					
Rating of Personal Doctor		91.45%	1.29%	3.13%	
Rating of Specialist Seen Most Often		83.87%	2.62%	-0.38%	
Rating of All Health Care		86.17%	1.55%	3.26%	
Rating of Health Plan		86.99%	0.33%	8.05% 🛦	
Composite Measures					
Getting Needed Care		85.09%	1.28%	2.42%	
Getting Care Quickly		86.55%	-4.41%	-3.40%	
How Well Doctors Communicate		95.73%	3.95%	1.83%	
Customer Service		88.64%	-5.79%	1.17%	
Shared Decision Making		82.39%	-2.48%	-0.77%	
Additional Content Areas					
Health Promotion and Education		78.49%	11.83%	3.22%	
Coordination of Care		81.25%	-2.08%	-1.12%	
Children with Chronic Conditions Measures					
Access to Prescription Medicines		90.54%	-5.95%	1.61%	
Access to Specialized Services	Low n	75.47%	6.57%	6.80%	
Getting Needed Information		93.55%	4.13%	2.07%	
Personal Doctor Who Knows Child		91.13%	6.96%	3.70%	
Coordination of Care for Children With Chronic Conditions		76.15%	1.49%	-2.34%	

<sup>\*</sup> Results were calculated following NCQA specifications and prior year results may differ from those previously reported.

<sup>\*\*</sup> Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the small denominator threshold (n=30).


All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your current-year rate is higher or ▼ when it is lower.

## **DETAILED PERFORMANCE CHARTS**


This section of the report includes detailed charts for composite global proportions, rating question summary rates (QSRs), as well as additional QSRs for individual survey items. The charts have the following features:


## TREND IN RESULTS


- PacificSource Columbia Gorge survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not administered in a given year or if the measure is new or is not deemed appropriate for trending. In such cases, "No data" appears in place of the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. If the number of responses is less than 30, "Low n" appears next to the value of *n*, indicating that the result does not meet the denominator threshold. CSS calculates all rates regardless of this threshold.
- Statistical comparisons are conducted between the current-year rate and each of the prior-year rates, if available. Where appropriate, differences in both standard (e.g., 8 + 9 + 10 or Usually + Always) as well as top-box (e.g., 9 + 10 or Always) rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2018 rate denotes a statistically significant difference between the 2019 and 2018 rates.









































# **Shared Decision Making (Contributing Items)**

Percent Responding Yes

Q13. When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?

2018


n = 30

2019

n = 51

2017


No data




Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\* symbol next to the comparison rate.


The denominator (n) represents the number of valid responses collected for the measure. If n is less than 30, "Low n" is displayed next to the value of n. If survey data are not available or the measure is not trendable, "No data" appears in place of n.

12270







Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\pm\$ symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\precent symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a + symbol next to the comparison rate.




Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a  $\star$  symbol next to the comparison rate.



Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a  $\star$  symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\* symbol next to the comparison rate.



Tests of statistical significance were conducted for the Yes rate. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a \*\* symbol next to the comparison rate.

#### MEMBER PROFILE AND ANALYSIS OF PLAN RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the PacificSource - Columbia Gorge membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A health plan's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their ratings of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.


While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.

The charts on the following pages compare the PacificSource - Columbia Gorge membership profile to the relevant Oregon Health Plan distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the PacificSource - Columbia Gorge membership on a given member attribute (e.g., gender, education level, number of doctor visits, etc.) with the Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.

# **HEALTH STATUS AND DEMOGRAPHICS**


The following characteristics are profiled in this section:

- Child's age
- Child's gender
- Child's health status
- Child's mental or emotional health status
- Respondent's age
- Respondent's gender
- Respondent's education level
- Respondent's relationship to the child
- Child's race
- Child's ethnicity (Hispanic or Latino)




<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.




<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.




<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.



<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.




<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.

# **USE OF SERVICES**

The following utilization measures are included in this section:

- Seeking urgent care
- Making appointments for routine care
- Discussing prescription medications with doctor
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Number of visits to a doctor's office or clinic
- Number of specialists seen




<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.

Q7. In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Q47. How many specialists has your child seen in the last 6 months? (Note: the question applies only to those respondents who had appointments with specialists.)



 $Note: all\ percentages\ are\ rounded\ for\ display.\ \textit{Rating\ of\ Health\ Plan}\ \ score\ should\ be\ interpreted\ with\ caution\ if\ the\ size\ of\ the\ group\ (pie\ slice)\ is\ small.$ 

\* Represents the combined distribution of responses to this question for all plans included in the 2019 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q54 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q54 or if no one rated the plan as 8, 9, or 10.

### **KEY DRIVER ANALYSIS**

#### **OBJECTIVES**

CSS's Key Driver Analysis (KDA) highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans;
- To highlight industry best practices on the key driver measures;
- To compare the current performance of PacificSource Columbia Gorge to industry best practices in these areas; and
- To estimate the impact of improving performance on these measures on the Rating of Health Plan measure.

### **TECHNICAL APPROACH**

#### **INDUSTRY VIEW**

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences within a single plan. Certain plan attributes are strongly related to member satisfaction at the industry level. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared across plans. However, within a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any "gaps" in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, searched for information in the plan's written materials, etc.) CSS's analysis shows that these experience variables explain a significant portion of the plan's overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan's membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan's perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider any and all measurable influences on the overall rating of the plan.

#### KEY DRIVER MODEL DEVELOPMENT

The CSS *Key Driver Model* was developed based on a dataset of CAHPS survey results of 619 Child Medicaid plans included in the National CAHPS Benchmarking Database (NCBD) in 2015 and 2014. CSS performed regression analysis of health plan ratings to identify the sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global *Rating of Health Plan* score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.) Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan's point of view.

All of the plan variables, including potential drivers of satisfaction (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

### **INDUSTRY KEY DRIVER MODEL**

The table below lists five key drivers of Child Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (*p*-value < 0.05). Performance on these variables, together with the control variables, explains 63 percent of the industry variation in Child Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not take into account how PacificSource - Columbia Gorge is currently performing on these measures. Improvement targets identified specifically for PacificSource - Columbia Gorge, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

The quality of interactions with the health plan's customer service is a strong predictor of the overall rating of the plan. Plan rating are also strongly related to members' ability to get the care their children need as soon as they need it (Q15 and Q46) and access to a personal doctor (Q30). Rating of Personal Doctor (Q41) may reflect the quality of the health plan's network and its ability to contract with better providers.

Key Driver	Interpretation
Q51. Customer service treated member with courtesy and respect (percent <i>Always</i> or <i>Usually</i> )	The higher the proportion of respondents reporting that they were treated with courtesy and respect by customer service, the higher the overall plan score
Q41. Rating of Personal Doctor (percent 8, 9, or 10)	The higher the proportion of members rating their child's personal doctor as 8, 9, or 10, the higher the overall plan score
Q15. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i> )	The higher the proportion of respondents reporting that the necessary care, tests, or treatment were easy to get, the higher the overall plan score
Q46. Got specialist appointment as soon as needed (percent <i>Always</i> or <i>Usually</i> )	The higher the proportion of respondents who were able to get a specialist appointment when they needed it, the higher the overall plan score
Q30. Child has a personal doctor (percent Yes)	The higher the proportion of respondents who report that their child has a personal doctor, the higher the overall plan score

# **OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT**

Specific improvement opportunities for PacificSource - Columbia Gorge are presented in Exhibit 4. The ordering reflects both the strength of each key driver in the broad industry context and how PacificSource - Columbia Gorge is currently performing on the measure.

The middle panel of the chart compares how PacificSource - Columbia Gorge is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among the one Child Medicaid plans contributing to the 2019 State OHP. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of PacificSource - Columbia Gorge performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score PacificSource - Columbia Gorge could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 4. 2019 PACIFICSOURCE - COLUMBIA GORGE CHILD MEDICAID WITH CCC MEASURE CAHPS SURVEY: KEY AREAS AND PRIORITIES FOR IMPROVEMENT

Current Key Driver Performance		Room for Improvement on Key Driver	Overall Improvement Opportunity
2019 Rate		Percentage Point Difference Between Current Key Driver Score and the Best Practice Score*	Expected Percentage Point Improvement in Rating of Health Plan score (percent 8, 9, or 10) if Key Driver Performs at Best Practice Level
Q15. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i> )	91.40%	+3.84% > 95.24%	+1.37%
Q41. Rating of Personal Doctor (percent 8, 9, or 10)	91.45%	+2.55% 94.00%	+1.20%
Q51. Customer service treated member with courtesy and respect (percent <i>Always</i> or <i>Usually</i> )	97.73%	+2.27% -> 100.00%	+1.10%
Q46. Got specialist appointment as soon as needed (percent <i>Always</i> or <i>Usually</i> )	78.79%	+11.53% 90.32%	+0.98%
Q30. Child has personal doctor (percent Yes)	97.54%	+0.55% ➤ 98.10%	+0.05%

<sup>\*</sup> Best score on the key driver measure among all plans included in the 2019 State OHP

L2270

### **HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS**

CSS's Industry Key Driver Analysis lists improvement opportunities and priorities for PacificSource - Columbia Gorge. The following is a list of possible interventions and resources related to each of the key drivers. This section is included as a guide to assist you in your quality improvement efforts. Some of these resources may be more applicable to PacificSource - Columbia Gorge than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to The Agency for Health Care Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems

(https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-

IMPROVING ACCESS TO CARE: EASE OF GETTING NEEDED CARE, TESTS, OR TREATMENT; SCHEDULING SPECIALIST APPOINTMENTS; HAVING A PERSONAL DOCTOR (Q15, Q46, Q30)

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment. For child Medicaid members, two key drivers tap into this concept. The first key driver is whether members scheduled an appointment for routine care. The second is ease of getting care, tests, and treatment. Because the two are so closely linked, resources related to both key drivers are presented together.

- Alternative Access Centers This brief (<a href="http://www.rwjf.org/content/dam/farm/reports/issue">http://www.rwjf.org/content/dam/farm/reports/issue</a> briefs/2015/rwjf419415) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly. Providing patients with alternative venues to access health care, rather than the traditional doctor's office or hospital, lowers barriers to care (<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/</a>).
- Same-Day Appointment Scheduling The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see <a href="http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html</a>.
- Implement Process Improvements to Streamline Patient Flow Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician's assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See <a href="http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html">http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html</a> for examples of interventions provided by AHRQ.

approach-qi-process.pdf).

- Importance of Usual Source of Care A usual source of care is important not only for satisfaction purposes, but also because usual sources of care are related to health outcomes. These papers, funded by AHRQ, explore the role of a usual source of care in ensuring that children receive proper care. See <a href="http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/">http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/</a> and <a href="http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3262919/">http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3512198/</a> and <a href="http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3262919/">http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3262919/</a>.
- Patient-Centered Medical Homes (PCMH) This model increases patient access to physicians. There are many resources available that provide information on the medical home model of care and health equity. To start, see this Institute of Medicine report: <a href="https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf">https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf</a>. There is also Family Medicine for America's Health, which is a collaboration of family medicine organizations dedicated to improving health care by expanding and emphasizing primary care through the use of patient-centered medical homes. For AHRQ's resources on transitioning a practice to a patient-centered medical home model, see <a href="http://www.pcmh.ahrq.gov/">http://www.pcmh.ahrq.gov/</a>.
- Improve Referral Communication The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase satisfaction with specialists. For examples of interventions that improve care coordination efficiency and quality, see <a href="https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and">https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and</a> as well as <a href="https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency">https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency</a>.

### IMPROVING QUALITY OF DOCTORS IN HEALTH PLAN NETWORK (Q41)

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in improved doctor ratings.

• Improve Physician Communication – Much of patient dissatisfaction stems from a failure of effective physician communication (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3096184/). Seminars and workshops for physicians serve as a resource for physicians to learn and practice patient-centered communication techniques. For example, The California Quality Collaborative has identified nine effective strategies for improving patient experience with health care providers in their Improving the Patient Experience Change Package (see <a href="http://www.calquality.org/storage/Improving">http://www.calquality.org/storage/Improving</a> Pt Experience Spread Change Pkg UpdatedMay2011.pdf). For general recommendations related to physician communication, see <a href="https://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6gtraining.html">https://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6gtraining.html</a>.

- Help Patients Communicate Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and "coached care" programs. Many of these recommendations could be adapted for parents or guardians of younger patients. See <a href="http://www.ahrq.gov/cahps/quality-improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-decisionmaking.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-improving/communication/strategy6htools.html</a>. For a sample communication template that providers can distribute to patients before or during visits, see <a href="http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048">http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048</a>.
- Build Physician-Patient Relationships An article published in the British Journal of General Practice found that patients seeing their preferred doctor rated their satisfaction with visits significantly higher than patients who did not have a doctor preference or those who would have preferred to see a different doctor. Prioritizing continuity of care by honoring patients' physician preferences may increase patient satisfaction
  (http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1326072/). Additionally, a study of English National Health Service data found that confidence and trust in a doctor is an important predictor of overall patient satisfaction (http://www.ncbi.nlm.nih.gov/pubmed/18416910/), while a Harvard study found that a positive physician-patient relationship correlates with better healthcare outcomes (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/).

### IMPROVING QUALITY OF INTERACTIONS WITH CUSTOMER SERVICE (Q51)

As representatives of the plan, customer service personnel must ensure that those adults responsible for the enrollee's care have confidence and trust in customer service staff and the information they provide. The following sources make recommendations for improving customer service.

- Develop Customer Service Standards To improve customer service, AHRQ suggests first articulating which aspects of customer service are most important to your organization. After developing these standards, monitor performance and promote accountability among staff. For more information, see <a href="http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html</a>.
- Iterative Improvement for Member Services This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and more thoroughly assess member satisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See <a href="http://www.rand.org/pubs/working">http://www.rand.org/pubs/working</a> papers/WR517.html.
- Implement Service Recovery Procedures When customers have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, their proper handling can reassure members and restore loyalty to the health plan. See <a href="http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6p-service-recovery.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6p-service-recovery.html</a>.

# APPENDIX

PacificSource - Columbia Gorge 2019 CAHPS Survey Results

# **CROSS-TABULATIONS OF SURVEY RESPONSES**

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### **Satisfaction With the Experience of Care**

	Glo	obal Proportio	ons
	2019 State	Plan	Rate
Survey Measures*	OHP	2019	2018
Ratings			
Rating of Personal Doctor	88.32%	91.45%	90.16%
Rating of Specialist	84.25%	83.87%	81.25%
Rating of All Health Care	82.91%	86.17%	84.62%
Rating of Health Plan	78.94%	86.99%	86.67%
Composites			
Getting Needed Care	82.67%	85.09%	83.81%
Getting Care Quickly	89.95%	86.55%	90.96%
How Well Doctors Communicate	93.91%	95.73%	91.79%
Customer Service	87.47%	88.64%	94.43%
Shared Decision Making	83.16%	82.39%	84.87%
Additional Content Areas			
Health Promotion and Education	75.28%	78.49%	66.67%
Coordination of Care	82.37%	81.25%	83.33%
Children with Chronic Conditions Composites			
Access to Prescription Medicine	88.93%	90.54%	96.49%
Access to Specialized Services	68.66%	75.47%	68.90%
Getting Needed Information	91.48%	93.55%	89.42%
Personal Doctor or Nurse Who Knows Child	87.43%	91.13%	84.16%
Coordination of Care w/CCC (Q16 & Q27)	78.49%	76.15%	74.66%

<sup>\*</sup> Results were calculated by CSS following NCQA specifications. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 3

In the last 6 months, did your child have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

### Base: All respondents

	0				ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor Vi st 6 Month			specialist st 6 Mont	Visits in
	어무			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	l.
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	138	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	30	2	0	0	2	1	0	1	0	0	2	0	2	0	0	2	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,189	122	138	22	97	26	54	40	41	34	45	83	26	13	24	76	17	2	28	2
	98.6%	98.4%	100.0%	100.0%	98.0%	96.3%	100.0%	97.6%	100.0%	100.0%	95.7%	100.0%	92.9%	100.0%	100.0%	97.4%	100.0%	100.0%	96.6%	100.0%
Yes	794	38	45	6	31	12	16	9	9	12	16	22	8	8	2	23	12	0	14	2
	36.3%	31.1%	32.6%	27.3%	32.0%	46.2%	29.6%	22.5%	22.0%	35.3%	35.6%	26.5%	30.8%	61.5%	8.3%	30.3%	70.6%	0.0%	50.0%	100.0%
No	1,395	84	93	16	66	14	38	31	32	22	29	61	18	5	22	53	5	2	14	0
	63.7%	68.9%	67.4%	72.7%	68.0%	53.8%	70.4%	77.5%	78.0%	64.7%	64.4%	73.5%	69.2%	38.5%	91.7%	69.7%	29.4%	100.0%	50.0%	0.0%
Significantly different from column:*						Н		F							PQ	OQ	OP			1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 4

In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?

Base: All respondents whose child need care right away (Q3)

	0				ndent's nder	C	hild's Ag	е	Respon	dent's Ed	lucation	Child's	Health S	Status		Doctor \ st 6 Mon			Specialist ' st 6 Month	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	794	38	43	6	31	12	16	9	9	12	16	22	8	8	2	23	12	0	14	2
Number missing or multiple answer	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	777	38	43	6	31	12	16	9	9	12	16	22	8	8	2	23	12	0	14	2
	97.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
Never	13 1.7%	0 0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%
Sometimes	49 6.3%	6 15.8%	7.0%	0.0%	6 19.4%	1 8.3%	2 12.5%	3 33.3%	2 22.2%	3 25.0%	1 6.3%	1 4.5%	1 12.5%	4 50.0%	0.0%	5 21.7%	1 8.3%	0	1 7.1%	0.0%
Usually	156 20.1%	10 26.3%	14 32.6%	1	9 29.0%	3 25.0%	3 18.8%	4	2	2 16.7%	6	5	3 37.5%	2 25.0%	1	4	5	0	3 21.4%	0.0%
Always	559 71.9%	22 57.9%	26 60.5%	5	16 51.6%	8 66.7%	11 68.8%	2	5	7 58.3%	9	16	4 50.0%	25.0%	1 50.0%	14	6	0	10 71.4%	100.0%
Significantly different from column:*						, .							. ,,,,,,	0.070					,	
Usually or Always	715	32	40	6	25	11	14	6	7	9	15	21	7	4	2	18	11	0	13	2
	92.0%	84.2%	93.0%	100.0%	80.6%	91.7%	87.5%	66.7%	77.8%	75.0%	93.8%	95.5%	87.5%	50.0%	100.0%	78.3%	91.7%		92.9%	100.0%
Significantly different from column:*				,	, and the second															

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 5

In the last 6 months, did you make any appointments for a check-up or routine care for your child at a doctor's office or clinic?

### Base: All respondents

	0				ndent's ider	C	Child's Ag	e	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor Vi st 6 Month			specialist st 6 Mont	Visits in
	어무			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	l.
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	135	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	33	4	0	0	4	0	2	2	1	3	0	2	2	0	0	3	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,186	120	135	22	95	27	52	39	40	31	47	81	26	13	24	75	17	2	28	2
	98.5%	96.8%	100.0%	100.0%	96.0%	100.0%	96.3%	95.1%	97.6%	91.2%	100.0%	97.6%	92.9%	100.0%	100.0%	96.2%	100.0%	100.0%	96.6%	100.0%
Yes	1,683	92	99	17	73	23	39	28	28	25	37	59	21	12	11	62	16	2	26	2
	77.0%	76.7%	73.3%	77.3%	76.8%	85.2%	75.0%	71.8%	70.0%	80.6%	78.7%	72.8%	80.8%	92.3%	45.8%	82.7%	94.1%	100.0%	92.9%	100.0%
No	503	28	36	5	22	4	13	11	12	6	10	22	5	1	13	13	1	0	2	0
	23.0%	23.3%	26.7%	22.7%	23.2%	14.8%	25.0%	28.2%	30.0%	19.4%	21.3%	27.2%	19.2%	7.7%	54.2%	17.3%	5.9%	0.0%	7.1%	0.0%
Significantly different from column:*															PQ	0	0			<u>.                                    </u>

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 6

In the last 6 months, when you made an appointment for a check-up or routine care for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?

Base: All respondents who made an appointment for their child for health care (Q5)

	0			Respor Gen		C	hild's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			specialist st 6 Mont	
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	_	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	1,683	92	90	17	73	23	39	28	28	25	37	59	21	12	11	62	16	2	26	2
Number missing or multiple answer	32	2	0	0	2	1	1	0	1	0	1	2	0	0	0	2	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,651	90	90	17	71	22	38	28	27	25	36	57	21	12	11	60	16	2	26	2
	98.1%	97.8%	100.0%	100.0%	97.3%	95.7%	97.4%	100.0%	96.4%	100.0%	97.3%	96.6%	100.0%	100.0%	100.0%	96.8%	100.0%	100.0%	100.0%	100.0%
Never	17 1.0%	1 1.1%	0 0.0%	0.0%	1 1.4%	0 0.0%	1 2.6%	0.0%	0.0%	1 4.0%	0 0.0%	0.0%	1 4.8%	0.0%	0.0%	0.0%	1 6.3%	0 0.0%	0 0.0%	0.0%
Sometimes	183	9	10	2	7	0	4	5	6	0	3	6	1	2	1	6	1	0	1	0
	11.1%	10.0%	11.1%	11.8%	9.9%	0.0%	10.5%	17.9%	22.2%	0.0%	8.3%	10.5%	4.8%	16.7%	9.1%	10.0%	6.3%	0.0%	3.8%	0.0%
Usually	474	33	35	8	24	8	14	10	9	10	13	19	9	5	7	19	7	2	8	1
	28.7%	36.7%	38.9%	47.1%	33.8%	36.4%	36.8%	35.7%	33.3%	40.0%	36.1%	33.3%	42.9%	41.7%	63.6%	31.7%	43.8%	100.0%	30.8%	50.0%
Always	977	47	45	7	39	14	19	13	12	14	20	32	10	5	3	35	7	0	17	1
	59.2%	52.2%	50.0%	41.2%	54.9%	63.6%	50.0%	46.4%	44.4%	56.0%	55.6%	56.1%	47.6%	41.7%	27.3%	58.3%	43.8%	0.0%	65.4%	50.0%
Significantly different from column:*																				
Usually or Always	1,451	80	80	15	63	22	33		21	24	33	51	19	10	10	54	14	2	25	2
	87.9%	88.9%	88.9%	88.2%	88.7%	100.0%	86.8%	82.1%	77.8%	96.0%	91.7%	89.5%	90.5%	83.3%	90.9%	90.0%	87.5%	100.0%	96.2%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 7

In the last 6 months, not counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?

Base: All respondents

				Respor Ger		C	Child's Age	)	Respon	dent's Ed	lucation	Child's	Health S	status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	M	N	0	Р	Q	R	S	Т
Number in sample Number missing or multiple answer	2,219 56	124 5	137 0	22 0	99 5	27 2	54 2	41 1	41 1	34 2	47 2	83 3	28 1	13 1	24 0	78 0	0	0	29 1	c
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/A
Usable responses	2,163 97.5%	119 96.0%	137 100.0%	22 100.0%	94 94.9%	25 92.6%	52 96.3%	40 97.6%	40 97.6%	32 94.1%	45 95.7%	80 96.4%	27 96.4%	12 92.3%	24 100.0%	78 100.0%	17 100.0%	100.0%	28 96.6%	100.0%
None	423 19.6%	24 20.2%	28 20.4%	7 31.8%	16 17.0%	2 8.0%	12 23.1%	10 25.0%	12 30.0%	6 18.8%	6 13.3%	21 26.3%	3 11.1%	0 0.0%	24 100.0%	0 0.0%	0 0.0%	0.0%	1 3.6%	0.0%
1 time	558 25.8%	39 32.8%	40 29.2%	7 31.8%	32 34.0%	8 32.0%	15 28.8%	16 40.0%	12 30.0%	11 34.4%	16 35.6%	29 36.3%	9 33.3%	1 8.3%	0.0%	39 50.0%	0 0.0%	1 50.0%	5 17.9%	0.0%
2	488 22.6%	17 14.3%	29 21.2%	4 18.2%	13 13.8%	6 24.0%	4 7.7%	7 17.5%	6 15.0%	2 6.3%	9 20.0%	11 13.8%	4 14.8%	2 16.7%	0.0%	17 21.8%	0 0.0%	0.0%	4 14.3%	0.0%
3	280 12.9%	16 13.4%	18 13.1%	0.0%	15 16.0%	7 28.0%	6 11.5%	2 5.0%	6 15.0%	4 12.5%	5 11.1%	8 10.0%	4 14.8%	4 33.3%	0.0%	16 20.5%	0 0.0%	1 50.0%	6 21.4%	0.0%
4	156 7.2%	6 5.0%	7 5.1%	2 9.1%	4 4.3%	1 4.0%	5 9.6%	0 0.0%	0.0%	3 9.4%	3 6.7%	5 6.3%	1 3.7%	0 0.0%	0.0%	6 7.7%	0.0%	0.0%	4 14.3%	0.0%
5 to 9	204 9.4%	9 7.6%	13 9.5%	9.1%	6 6.4%	1 4.0%	5 9.6%	2 5.0%	3 7.5%	6.3%	3 6.7%	5 6.3%	2 7.4%	2 16.7%	0.0%	0.0%	9 52.9%	0.0%	4 14.3%	50.0%
10 or more times	54 2.5%	8 6.7%	2 1.5%	0 0.0%	8 8.5%	0 0.0%	5 9.6%	3 7.5%	1 2.5%	4 12.5%	3 6.7%	1 1.3%	4 14.8%	3 25.0%	0 0.0%	0.0%	8 47.1%	0 0.0%	4 14.3%	50.0%
5 or more times	258 11.9%	17 14.3%	15 10.9%	2 9.1%	14 14.9%	1 4.0%	10 19.2%	5 12.5%	4 10.0%	6 18.8%	6 13.3%	6 7.5%	6 22.2%	5 41.7%	0 0.0%	0 0.0%	17 100.0%	0.0%	8 28.6%	100.0%
Significantly different from column:*															Q		0			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 8

In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

	۵			Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V st 6 Montl			specialist st 6 Mont	Visits in
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	1,740	95	105	15	78	23	40	30	28	26	39	59	24	12	0	78	17	2	27	2
Number missing or multiple answer	21	2	0	0	2	0	1	1	1	1	0	1	1	0	0	2	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,719	93	105	15	76	23	39	29	27	25	39	58	23	12	0	76	17	2	26	2
	98.8%	97.9%	100.0%	100.0%	97.4%	100.0%	97.5%	96.7%	96.4%	96.2%	100.0%	98.3%	95.8%	100.0%		97.4%	100.0%	100.0%	96.3%	100.0%
Yes	1,294	73	70	11	61	18	34	20	19	21	32	44	18	11	0	61	12	2	22	2
	75.3%	78.5%	66.7%	73.3%	80.3%	78.3%	87.2%	69.0%	70.4%	84.0%	82.1%	75.9%	78.3%	91.7%		80.3%	70.6%	100.0%	84.6%	100.0%
No	425	20	35	4	15	5	5	9	8	4	7	14	5	1	0	15	5	0	4	0
	24.7%	21.5%	33.3%	26.7%	19.7%	21.7%	12.8%	31.0%	29.6%	16.0%	17.9%	24.1%	21.7%	8.3%		19.7%	29.4%	0.0%	15.4%	0.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 9

In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

	Д.			Ger		C	hild's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V			pecialist ' st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	1	J	K	L	М	Ν	0	Р	Q	R	S	Т
Number in sample	1,740	95	104	15	78	23	40	30	28	26	39	59	24	12	0	78	17	2	27	2
Number missing or multiple answer	14	2	0	0	2	0	0	2	1	1	0	1	0	1	0	2	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,726	93	104	15	76	23	40	28	27	25	39	58	24	11	0	76	17	2	27	2
	99.2%	97.9%	100.0%	100.0%	97.4%	100.0%	100.0%	93.3%	96.4%	96.2%	100.0%	98.3%	100.0%	91.7%		97.4%	100.0%	100.0%	100.0%	100.0%
Never	32	0	4	0	0	0	0	_	0	0	0	0	0	0	0	-	0	0	0	0
Sometimes	1.9%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.070	0.0%	0.0%	0.0%	0.0%
Sometimes	115 6.7%	6.5%	6.7%	6.7%	5.3%	0.0%	7.5%	7.1%	7.4%	4.0%	5.1%	3.4%	12.5%	9.1%			5.9%	50.0%	3.7%	0.0%
Usually	371	23	31	4	19	5	10		1	9	13		7	5	0			1	8	1
	21.5%	24.7%	29.8%	26.7%	25.0%	21.7%	25.0%	28.6%	3.7%	36.0%	33.3%	19.0%	29.2%	45.5%		19.7%	47.1%	50.0%	29.6%	50.0%
Always	1,208	64	62	10	53	18	27	18	24	15	24	45	14	5	0			0	18	1
	70.0%	68.8%	59.6%	66.7%	69.7%	78.3%	67.5%	64.3%	88.9%	60.0%	61.5%	77.6%	58.3%	45.5%		73.7%	47.1%	0.0%	66.7%	50.0%
Significantly different from column:*									JK	I	I					Q	Р			
Usually or Always	1,579	87	93	14	72	23	37	26	25	24	37	56	21	10	0	71	16	1	26	2
	91.5%	93.5%	89.4%	93.3%	94.7%	100.0%	92.5%	92.9%	92.6%	96.0%	94.9%	96.6%	87.5%	90.9%		93.4%	94.1%	50.0%	96.3%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 10

In the last 6 months, did you and your child's doctor or other health provider talk about starting or stopping a prescription medicine for your child?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

	Д.			Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Montl			Specialist st 6 Mont	
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	1,740	95	104	15	78	23	40	30	28	26	39	59	24	12	0	78	17	2	27	2
Number missing or multiple answer	13	1	0	0	1	0	0	1	0	1	0	1	0	0	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,727	94	104	15	77	23	40	29	28	25	39	58	24	12	0	77	17	2	27	2
	99.3%	98.9%	100.0%	100.0%	98.7%	100.0%	100.0%	96.7%	100.0%	96.2%	100.0%	98.3%	100.0%	100.0%		98.7%	100.0%	100.0%	100.0%	100.0%
Yes	741	52	31	6	45	12	22	17	13	16	22	26	16	10	0	37	15	1	14	2
	42.9%	55.3%	29.8%	40.0%	58.4%	52.2%	55.0%	58.6%	46.4%	64.0%	56.4%	44.8%	66.7%	83.3%		48.1%	88.2%	50.0%	51.9%	100.0%
No	986	42	73	9	32	11	18	12	15	9	17	32	8	2	0	40	2	1	13	0
	57.1%	44.7%	70.2%	60.0%	41.6%	47.8%	45.0%	41.4%	53.6%	36.0%	43.6%	55.2%	33.3%	16.7%		51.9%	11.8%	50.0%	48.1%	0.0%
Significantly different from column:*		AC										N		L		Q	Р			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 11

Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q10)

	_		<b>o</b> ω		ndent's nder	C	Child's Ag	е	Respor	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Montl			Specialist S st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	741	52	31	6	45	12	22	17	13	16	22	26	16	10	0	37	15	1	14	2
Number missing or multiple answer	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	737	52	31	6	45	12	22	17	13	16	22	26	16	10	0	37	15	1	14	2
	99.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	100.0%
Yes	695	49	28	6	42	10	21	17	12	14	22	25	15	9	0	34	15	1	14	2
	94.3%	94.2%	90.3%	100.0%	93.3%	83.3%	95.5%	100.0%	92.3%	87.5%	100.0%	96.2%	93.8%	90.0%		91.9%	100.0%	100.0%	100.0%	100.0%
No	42	3	3	0	3	2	1	0	1	2	0	1	1	1	0	3	0	0	0	0
	5.7%	5.8%	9.7%	0.0%	6.7%	16.7%	4.5%	0.0%	7.7%	12.5%	0.0%	3.8%	6.3%	10.0%		8.1%	0.0%	0.0%	0.0%	0.0%
Significantly different from column:*																				1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 12

Did you and a doctor or other health provider talk about the reasons you might not want your child to take a medicine?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q10)

	_			Respor Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Montl			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	741	52	31	6	45	12	22	17	13	16	22	26	16	10	0	37	15	1	14	2
Number missing or multiple answer	9	1	0	0	1	1	0	0	0	1	0	0	0	1	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	732	51	31	6	44	11	22	17	13	15	22	26	16	9	0	36	15	1	14	2
	98.8%	98.1%	100.0%	100.0%	97.8%	91.7%	100.0%	100.0%	100.0%	93.8%	100.0%	100.0%	100.0%	90.0%		97.3%	100.0%	100.0%	100.0%	100.0%
Yes	544	35	22	5	29	4	20	10	11	9	14	17	10	8	0	22	13	1	9	1
	74.3%	68.6%	71.0%	83.3%	65.9%	36.4%	90.9%	58.8%	84.6%	60.0%	63.6%	65.4%	62.5%	88.9%		61.1%	86.7%	100.0%	64.3%	50.0%
No	188	16	9	1	15	7	2	7	2	6	8	9	6	1	0	14	2	0	5	1
	25.7%	31.4%	29.0%	16.7%	34.1%	63.6%	9.1%	41.2%	15.4%	40.0%	36.4%	34.6%	37.5%	11.1%		38.9%	13.3%	0.0%	35.7%	50.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 13

When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?

Base: All respondents whose child went to a doctor's office/clinic to get care and whose doctor talked about starting/stopping medication (Q7 & Q10)

	0			Respor Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Montl			Specialist st 6 Mont	Visits in
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	741	52	30	6	45	12	22	17	13	16	22	26	16	10	0	37	15	1	14	2
Number missing or multiple answer	15	1	0	1	0	0	1	0	0	1	0	1	0	0	0	0	1	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	726	51	30	5	45	12	21	17	13	15	22	25	16	10	0	37	14	1	14	1
	98.0%	98.1%	100.0%	83.3%	100.0%	100.0%	95.5%	100.0%	100.0%	93.8%	100.0%	96.2%	100.0%	100.0%		100.0%	93.3%	100.0%	100.0%	50.0%
Yes	587	43	28	4	38	8	20	14	13	13	16	22	13	8	0	31	12	1	11	0
	80.9%	84.3%	93.3%	80.0%	84.4%	66.7%	95.2%	82.4%	100.0%	86.7%	72.7%	88.0%	81.3%	80.0%		83.8%	85.7%	100.0%	78.6%	0.0%
No	139	8	2	1	7	4	1	3	0	2	6	3	3	2	0	6	2	0	3	1
	19.1%	15.7%	6.7%	20.0%	15.6%	33.3%	4.8%	17.6%	0.0%	13.3%	27.3%	12.0%	18.8%	20.0%		16.2%	14.3%	0.0%	21.4%	100.0%
Significantly different from column:*					·					, and the second	, and the second						·		·	

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 14

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

	0			Respoi Ger		C	hild's Ag	Э	Respon	dent's Ed	lucation	Child's	Health S	status		Doctor V st 6 Mont			Specialist st 6 Mont	
	어된			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	1,740	95	104	15	78	23	40	30	28	26	39	59	24	12	0	78	17	2	27	2
Number missing or multiple answer	14	1	0	0	1	0	0		0		0	1 1	0	0	0		0	0	0	
Number no experience	NA 4 700	NA 94	NA 101	NA 45	NA 77	NA 22	NA 40	NA	NA 20	NA 25	NA 20	NA 50	NA 24	NA 40	NA	NA 77	NA 17	NA 0	NA 07	NA
Usable responses	1,726 99.2%	98.9%	104 100.0%	15 100.0%	77 98.7%	23 100.0%	40 100.0%	29 96.7%	28 100.0%	25 96.2%	39 100.0%	58 98.3%	24 100.0%	12 100.0%	0	77 98.7%	1 <i>7</i> 100.0%	100.0%	27 100.0%	100.0%
0 Worst health care possible	99.2%	98.9%	100.0%	100.0%	98.7%	100.0%	100.0%	90.7%	100.0%	96.2%	100.0%	98.3%	100.0%	100.0%		98.7%	100.0%	100.0%	100.0%	100.0%
o worst realth care possible	0.2%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%
1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%
2	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0 000
3	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%
	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%
4	9	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	C
-	0.5%	0.0%	2.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%
5	39 2.3%	5.3%	0.0%	6.7%	5.2%	4.3%	7.5%	1 3.4%	3.6%	8.0%	5.1%	2 3.4%	2 8.3%	1 8.3%	0	5.2%	5.9%	0.0%	1 3.7%	0.0%
6	76	3.3%	0.0%	0.7%	3.2%	4.5%	7.5% n	3.4%	3.0%	0.0%	3.1% n	3.4%	0.5%	0.3% N	0	3.2%	3.9% n	0.0%	3.7 % N	0.0%
	4.4%	3.2%	0.0%	0.0%	3.9%	4.3%	0.0%	6.9%	3.6%	8.0%	0.0%	3.4%	4.2%	0.0%		3.9%	0.0%	0.0%	0.0%	0.0%
7	148	5	12	0	5	2	2	1	0	3	2	2	1	2	0	3	2	0	2	C
	8.6%	5.3%	11.5%	0.0%	6.5%	8.7%	5.0%	3.4%	0.0%	12.0%	5.1%	3.4%	4.2%	16.7%		3.9%	11.8%	0.0%	7.4%	0.0%
8	366 21.2%	20 21.3%	26 25.0%	6 40.0%	13 16.9%	2 8.7%	8 20.0%	9 31.0%	4 14.3%	5 20.0%	10 25.6%	9 15.5%	8 33.3%	3	0	15 19.5%	5 29.4%	1 50.0%	6 22.2%	100.0%
9	355	21.3%	25.0%	40.0%	16.9%	8.1%	20.0%	31.0%	14.3%	20.0%	25.6%	15.5%	33.3%	25.0%		19.5%	29.4%	50.0%	22.2%	100.0%
	20.6%	19.1%	24.0%	6.7%	22.1%	30.4%	17.5%	13.8%	17.9%	8.0%	28.2%	19.0%	25.0%	8.3%		19.5%	17.6%	0.0%	29.6%	0.0%
10 Best health care possible	710	43	37	7	35	10	20	12	17	11	14	32	6	5	0	37	6	1	10	(
NIA NIA A-F-II-	41.1%	45.7%	35.6%	46.7%	45.5%	43.5%	50.0%	41.4%	60.7%	44.0%	35.9%	55.2%	25.0%	41.7%		48.1%	35.3%	50.0%	37.0%	0.0%

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 14

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your child's health care in the last 6 months?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

				Respoi Ger		C	child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	M	N	0	Р	Q	R	S	T
Number in sample	1,740	95	104	15	78	23	40	30	28	26	39	59	24	12	0	78	17	2	27	2
Number missing or multiple answer Number no experience	14 NA	NA	0 NA	NA	1	NA	NA	NA	0 NA	1 NA	0 NA	1 NA	0 NA	0 NA	NA	1 NA	NA	0 NA	0 NA	0
Usable responses	1.726	94	104	15	NA 77	23	40	NA 29		NA 25	39	58	NA 24	12	NA 0	77	17	NA 2	27	INA 2
osable responses	99.2%	98.9%	100.0%	100.0%	98.7%	100.0%	100.0%	96.7%		96.2%	100.0%		100.0%	100.0%		98.7%	100.0%	100.0%	100.0%	100.0%
0 to 4	32	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.9%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%
5	39 2.3%	5 5.3%	0 0.0%	1 6.7%	4 5.2%	1 4.3%	7.5%	1 3.4%	1 3.6%	2 8.0%	2 5.1%	2 3.4%	2 8.3%	1 8.3%	0	4 5.2%	1 5.9%	0 0.0%	1 3.7%	0.0%
6 or 7	224 13.0%	8 8.5%	12 11.5%	0 0.0%	8 10.4%	3 13.0%	2 5.0%	3 10.3%	1 3.6%	5 20.0%	2 5.1%	4 6.9%	2 8.3%	2 16.7%	0	6 7.8%	2 11.8%	0 0.0%	2 7.4%	0.0%
8 to 10	1,431	81	88	14	65	19	35	25		18	35	52	20	9	0	67	14	2	24	2
	82.9%	86.2%	84.6%	93.3%	84.4%	82.6%	87.5%	86.2%	92.9%	72.0%	89.7%	89.7%	83.3%	75.0%		87.0%	82.4%	100.0%	88.9%	100.0%
Significantly different from column:*																				
0 to 6	147	8	4	1	7	2	3	3	2	4	2	4	3	1	0	7	1	0	1	0
7. 0	8.5%	8.5%	3.8%	6.7%	9.1%	8.7%	7.5%			16.0%	5.1%		12.5%	8.3%		9.1%	5.9%	0.0%	3.7%	0.0%
7 to 8	514 29.8%	25 26.6%	38 36.5%	40.0%	18 23.4%	4 17.4%	10 25.0%	10 34.5%		8 32.0%	12 30.8%	11 19.0%	9 37.5%	5 41.7%		18 23.4%	7 41.2%	50.0%	8 29.6%	100.0%
9 to 10	1,065	61	62	8	52	17	27	16		13	25	43	12	6	0	52	9	1	18	0
Significantly different from column:*	61.7%	64.9%	59.6%	53.3%	67.5%	73.9%	67.5%	55.2%	78.6% J	52.0% I	64.1%	74.1% M	50.0% L	50.0%		67.5%	52.9%	50.0%	66.7%	0.0%

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 15

In the last 6 months, how often was it easy to get the care, tests, or treatment your child needed?

Base: All respondents whose child went to a doctor's office/clinic (Q7)

	Д		R		ndent's ider	C	Child's Ag	e	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	Visits in hs
	OHP.			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η		J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	1,740	95	105	15	78	23	40	30	28	26	39	59	24	12	0	78	17	2	27	2
Number missing or multiple answer	14	2	0	0	2	0	0	2	0	2	0	2	0	0	0	2	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,726	93	105	15	76	23	40	28	28	24	39	57	24	12	0	76	17	2	26	2
	99.2%	97.9%	100.0%	100.0%	97.4%	100.0%	100.0%	93.3%	100.0%	92.3%	100.0%	96.6%	100.0%	100.0%		97.4%	100.0%	100.0%	96.3%	100.0%
Never	30 1.7%	2 2.2%	1 1.0%	0 0.0%	2 2.6%	0.0%	2 5.0%	0.0%	0.0%	2 8.3%	0 0.0%	0.0%	1 4.2%	1 8.3%	0	0 0.0%	2 11.8%	0 0.0%	0 0.0%	0 0.0%
Sometimes	172	6	9	0	6	0	3	3	5	0	1	1	2	3	0	6	0	0	1	0
	10.0%	6.5%	8.6%	0.0%	7.9%	0.0%	7.5%	10.7%	17.9%	0.0%	2.6%	1.8%	8.3%	25.0%		7.9%	0.0%	0.0%	3.8%	0.0%
Usually	542	36	45	7	28	11	13	11	11	11	13	18	11	7	0	28	8	1	11	1
	31.4%	38.7%	42.9%	46.7%	36.8%	47.8%	32.5%	39.3%	39.3%	45.8%	33.3%	31.6%	45.8%	58.3%		36.8%	47.1%	50.0%	42.3%	50.0%
Always	982	49	50	8	40	12	22	14	12	11	25	38	10	1	0	42	7	1	14	1
	56.9%	52.7%	47.6%	53.3%	52.6%	52.2%	55.0%	50.0%	42.9%	45.8%	64.1%	66.7%	41.7%	8.3%		55.3%	41.2%	50.0%	53.8%	50.0%
Significantly different from column:*												MN	L	L						
Usually or Always	1,524	85	95	15	68	23	35	25	23	22	38	56	21	8	0	70	15	2	25	2
	88.3%	91.4%	90.5%	100.0%	89.5%	100.0%	87.5%	89.3%	82.1%	91.7%	97.4%	98.2%	87.5%	66.7%		92.1%	88.2%	100.0%	96.2%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 16

Is your child now enrolled in any kind of school or daycare?

Base: All respondents

	0			Respoi Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	M	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	138	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,207	124	138	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
	99.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,717	99	116	18	78	17	51	29	30	28	39	64	24	11	20	60	16	2	27	2
	77.8%	79.8%	84.1%	81.8%	78.8%	63.0%	94.4%	70.7%	73.2%	82.4%	83.0%	77.1%	85.7%	84.6%	83.3%	76.9%	94.1%	100.0%	93.1%	100.0%
No	490	25	22	4	21	10	3	12	11	6	8	19	4	2	4	18	1	0	2	0
	22.2%	20.2%	15.9%	18.2%	21.2%	37.0%	5.6%	29.3%	26.8%	17.6%	17.0%	22.9%	14.3%	15.4%	16.7%	23.1%	5.9%	0.0%	6.9%	0.0%
Significantly different from column:*							Η	G												<u> </u>

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 17

In the last 6 months, did you need your child's doctors or other health providers to contact a school or daycare center about your child's health or health care?

Base: All respondents whose child is enrolled in school or daycare (Q16)

	Ь				nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	Health S	status		Doctor Vi st 6 Month			st 6 Mont	Visits in hs
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н		J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	1,717	99	107	18	78	17	51	29	30	28	39	64	24	11	20	60	16	2	27	2
Number missing or multiple answer	30	1	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,687	98	107	17	78	17	50	29	30	27	39	64	23	11	20	59	16	2	26	2
	98.3%	99.0%	100.0%	94.4%	100.0%	100.0%	98.0%	100.0%	100.0%	96.4%	100.0%	100.0%	95.8%	100.0%	100.0%	98.3%	100.0%	100.0%	96.3%	100.0%
Yes	275	27	19	8	18	5	13	8	10	7	9	14	7	6	3	13	10	0	11	1
	16.3%	27.6%	17.8%	47.1%	23.1%	29.4%	26.0%	27.6%	33.3%	25.9%	23.1%	21.9%	30.4%	54.5%	15.0%	22.0%	62.5%	0.0%	42.3%	50.0%
No	1,412	71	88	9	60	12	37	21	20	20	30	50	16	5	17	46	6	2	15	1
	83.7%	72.4%	82.2%	52.9%	76.9%	70.6%	74.0%	72.4%	66.7%	74.1%	76.9%	78.1%	69.6%	45.5%	85.0%	78.0%	37.5%	100.0%	57.7%	50.0%
Significantly different from column:*		Α													Q		0			

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### **Question 18**

In the last 6 months, did you get the help you needed from your child's doctors or other health providers in contacting your child's school or daycare?

Base: All respondents whose child is enrolled in school or daycare and needed their child's doctor/health provider to contact school/daycare center about their child's health (Q16 & Q17)

				Respor Ger	nder	C	Child's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor Vi			st 6 Mont	Visits in ths
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	275	27	19	8	18	5	13	8	10	7	9	14	7	6	3	13	10	0	11	1
Number missing or multiple answer	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	273	27	19	8	18	5	13	8	10	7	9	14	7	6	3	13	10	0	11	1
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
Yes	252	24	16	8	15	5	11	7	9	6	8	14	6	4	3	11	9	0	10	1
	92.3%	88.9%	84.2%	100.0%	83.3%	100.0%	84.6%	87.5%	90.0%	85.7%	88.9%	100.0%	85.7%	66.7%	100.0%	84.6%	90.0%		90.9%	100.0%
No	21	3	3	0	3	0	2	1	1	1	1	0	1	2	0	2	1	0	1	0
	7.7%	11.1%	15.8%	0.0%	16.7%	0.0%	15.4%	12.5%	10.0%	14.3%	11.1%	0.0%	14.3%	33.3%	0.0%	15.4%	10.0%		9.1%	0.0%
Significantly different from column:*																				į

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 19

In the last 6 months, did you get or try to get any special medical equipment or devices for your child?

### Base: All respondents

	۵			Respor Ger	nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor Vi st 6 Month			st 6 Mont	Visits in hs
	OHP			(Q:	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	135	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,199	124	135	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	151	7	6	0	6	2	2	2	3	1	2	3	1	3	0	4	3	0	4	0
	6.9%	5.6%	4.4%	0.0%	6.1%	7.4%	3.7%	4.9%	7.3%	2.9%	4.3%	3.6%	3.6%	23.1%	0.0%	5.1%	17.6%	0.0%	13.8%	0.0%
No	2,048	117	129	22	93	25	52	39	38	33	45	80	27	10	24	74	14	2	25	2
	93.1%	94.4%	95.6%	100.0%	93.9%	92.6%	96.3%	95.1%	92.7%	97.1%	95.7%	96.4%	96.4%	76.9%	100.0%	94.9%	82.4%	100.0%	86.2%	100.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 20

In the last 6 months, how often was it easy to get special medical equipment or devices for your child?

Base: All respondents who got or tried to get special medical equipment or device for their child (Q19)

	0				ndent's nder	C	Child's Ag	е	Respon	dent's Ed	lucation	Child's	Health S	Status		Doctor \ st 6 Mon			pecialist ' st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	_	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	151	7	6	0	6	2	2	2	3	1	2	3	1	3	0	4	3	0	4	0
Number missing or multiple answer	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	151 100.0%	7 100.0%	6 100.0%	0	6 100.0%	2 100.0%	2 100.0%	2 100.0%	3 100.0%	1 100.0%	2 100.0%	3 100.0%	1 100.0%	3 100.0%	0	4 100.0%	3 100.0%	0	4 100.0%	0
Never	21	0.0%	1 16.7%	0	0.0%	0.0%	0.0%	0	0.0%	0	0	0	0.0%	0.0%	0	0	0	0	0.0%	0
Sometimes	25 16.6%	1 14.3%	16.7%	0	16.7%	1 50.0%	0.0%	0	1	0.0%	0.0%	1	0.0%	0.0%	0		0	0	0.0%	0
Usually	32 21.2%	3 42.9%	1 16.7%	0	3 50.0%	0.0%	1 50.0%	2	2	0	1 50.0%	0	1 100.0%	2 66.7%	0	1	2	0	3 75.0%	0
Always	73 48.3%	3 42.9%	3 50.0%	0	2 33.3%	1 50.0%	1	0	0.0%	1	1 50.0%	2	0.0%	1 33.3%	0		1	0	1 25.0%	0
Significantly different from column:*																				
Usually or Always	105 69.5%	6 85.7%	4 66.7%	0	5 83.3%	1 50.0%	2 100.0%	2 100.0%	2 66.7%	1 100.0%	2 100.0%	2 66.7%	1 100.0%	3 100.0%	0	Ŭ	3 100.0%	0	4 100.0%	0
Significantly different from column:*	3010,10	, .	, .										. ,,,,,,			0.070	191070		,-	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 21

Did anyone from your child's health plan, doctor's office, or clinic help you get special medical equipment or devices for your child?

Base: All respondents who got or tried to get special medical equipment or device for their child (Q19)

	0				ndent's nder	C	Child's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	status		Doctor V st 6 Mont		Child's S	Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	151	7	6	0	6	2	2	2	3	1	2	3	1	3	0	4	3	0	4	0
Number missing or multiple answer	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	150 99.3%	7 100.0%	6 100.0%	0	6 100.0%	2 100.0%	2 100.0%	100.0%	3 100.0%	1 100.0%	2 100.0%	3 100.0%	1 100.0%	3 100.0%	0	4 100.0%	3 100.0%	0	4 100.0%	0
Yes	121 80.7%	6 85.7%	6 100.0%	0	6 100.0%	2 100.0%	100.0%	2	3	1	2	2	1	3 100.0%	0	4 100.0%	2 66.7%	0	3 75.0%	0
No	29 19.3%	1 14.3%	0.0%	0	0.0%	0.0%	0	0	0	0	0	1	0	0.0%	0	0.0%	1 33.3%	0	1 25.0%	0
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 22

In the last 6 months, did you get or try to get special therapy such as physical, occupational, or speech therapy for your child?

Base: All respondents

	0.			Respor Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Monti			Specialist st 6 Mont	Visits in
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	ļ
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	137	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,197	124	137	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	457	23	36	5	17	7	13	2	5	5	12	15	4	4	4	12	7	0	8	1
	20.8%	18.5%	26.3%	22.7%	17.2%	25.9%	24.1%	4.9%	12.2%	14.7%	25.5%	18.1%	14.3%	30.8%	16.7%	15.4%	41.2%	0.0%	27.6%	50.0%
No	1,740	101	101	17	82	20	41	39	36	29	35	68	24	9	20	66	10	2	21	1
	79.2%	81.5%	73.7%	77.3%	82.8%	74.1%	75.9%	95.1%	87.8%	85.3%	74.5%	81.9%	85.7%	69.2%	83.3%	84.6%	58.8%	100.0%	72.4%	50.0%
Significantly different from column:*							Н	G												

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 23

In the last 6 months, how often was it easy to get this therapy for your child?

Base: All respondents who got or tried to get special therapy for their child (Q22)

	۵			Respor Gen	ider	C	Child's Ag	e	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Mont			st 6 Mont	Visits in hs
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н		J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	457	23	34	5	17	7	13	2	5	5	12	15	4	4	4	12	7	0	8	1
Number missing or multiple answer	6	1	0	0	1	1	0	0	0	0	1	1	0	0	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	451	22	34	5	16	6	13	2	5	5	11	14	4	4	4	11	7	0	8	1
	98.7%	95.7%	100.0%	100.0%	94.1%	85.7%	100.0%	100.0%	100.0%	100.0%	91.7%	93.3%	100.0%	100.0%	100.0%	91.7%	100.0%		100.0%	100.0%
Never	65	3	1	0	3	0	3	0	1	2	0	0	1	2	0	1	2	0	0	0
	14.4%	13.6%	2.9%	0.0%	18.8%	0.0%	23.1%	0.0%	20.0%	40.0%	0.0%	0.0%	25.0%	50.0%	0.0%	9.1%	28.6%		0.0%	0.0%
Sometimes	89	4	9	1	3	2	2	0	2	2	0	2	0	2	0	2	2	0	1	1
	19.7%	18.2%	26.5%	20.0%	18.8%	33.3%	15.4%	0.0%	40.0%	40.0%	0.0%	14.3%	0.0%	50.0%	0.0%	18.2%	28.6%		12.5%	100.0%
Usually	117	3	8	2	1	0	2	1	0	0	3	2	1	0	1	1	1	0	2	0
	25.9%	13.6%		40.0%	6.3%	0.0%	15.4%	50.0%	0.0%	0.0%	27.3%		25.0%	0.0%	25.0%	9.1%	14.3%		25.0%	0.0%
Always	180	12	16	2	9	4	6	1	2	1	8	10	2	0	3	7	2	0	5	0
	39.9%	54.5%	47.1%	40.0%	56.3%	66.7%	46.2%	50.0%	40.0%	20.0%	72.7%	71.4%	50.0%	0.0%	75.0%	63.6%	28.6%		62.5%	0.0%
Significantly different from column:*																				
Usually or Always	297	15			10	4	8	2	2	1	11	12	3	0	4	8	3	0	7	0
	65.9%	68.2%	70.6%	80.0%	62.5%	66.7%	61.5%	100.0%	40.0%	20.0%	100.0%	85.7%	75.0%	0.0%	100.0%	72.7%	42.9%		87.5%	0.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 24

Did anyone from your child's health plan, doctor's office, or clinic help you get this therapy for your child?

Base: All respondents who got or tried to get special therapy for their child (Q22)

	Д				nder	C	Child's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor Vi st 6 Month			st 6 Mont	Visits in hs
	OHP			(Q:	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	457	23	35	5	17	7	13	2	5	5	12	15	4	4	4	12	7	0	8	1
Number missing or multiple answer	7	1	0	0	1	0	1	0	1	0	0	0	1	0	0	0	1	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	450	22	35	5	16	7	12	2	4	5	12	15	3	4	4	12	6	0	8	1
	98.5%	95.7%	100.0%	100.0%	94.1%	100.0%	92.3%	100.0%	80.0%	100.0%	100.0%	100.0%	75.0%	100.0%	100.0%	100.0%	85.7%		100.0%	100.0%
Yes	315	17	25	4	12	6	8	2	4	3	9	12	2	3	1	12	4	0	8	1
	70.0%	77.3%	71.4%	80.0%	75.0%	85.7%	66.7%	100.0%	100.0%	60.0%	75.0%	80.0%	66.7%	75.0%	25.0%	100.0%	66.7%		100.0%	100.0%
No	135	5	10	1	4	1	4	0	0	2	3	3	1	1	3	0	2	0	0	0
	30.0%	22.7%	28.6%	20.0%	25.0%	14.3%	33.3%	0.0%	0.0%	40.0%	25.0%	20.0%	33.3%	25.0%	75.0%	0.0%	33.3%		0.0%	0.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 25

In the last 6 months, did you get or try to get treatment or counseling for your child for an emotional, developmental, or behavioral problem?

Base: All respondents

	Δ.			Respor Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Montl			specialist st 6 Mont	Visits in hs
	어무			(Q:	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	135	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,193	124	135	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
	98.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	747	41	38	3	36	4	22	13	8	8	23	22	13	6	1	28	11	1	16	1
	34.1%	33.1%	28.1%	13.6%	36.4%	14.8%	40.7%	31.7%	19.5%	23.5%	48.9%	26.5%	46.4%	46.2%	4.2%	35.9%	64.7%	50.0%	55.2%	50.0%
No	1,446	83	97	19	63	23	32	28	33	26	24	61	15	7	23	50	6	1	13	1
	65.9%	66.9%	71.9%	86.4%	63.6%	85.2%	59.3%	68.3%	80.5%	76.5%	51.1%	73.5%	53.6%	53.8%	95.8%	64.1%	35.3%	50.0%	44.8%	50.0%
Significantly different from column:*				Е	D	G	F		K	K	IJ	M	L		Р	OQ	Р			

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 26

In the last 6 months, how often was it easy to get this treatment or counseling for your child?

Base: All respondents who got or tried to get treatment for their child's emotional, developmental, or behavioral problem (Q25)

				Respoi Ger	ndent's nder	C	hild's Ag	е	Respon	dent's Ed	lucation	Child's	Health S	Status		Doctor V st 6 Mont			Specialist \ st 6 Month	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н		J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	747	41	36	3	36	4	22	13	8	8	23	22	13	6	1	28	11	1	16	1
Number missing or multiple answer	9	1	0	0	1	0	0	1	0	1	0	0	1	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	738	40	36	3	35	4	22	12		7	23	22	12	6	1	28	11	1	16	1
	98.8%	97.6%	100.0%	100.0%	97.2%	100.0%	100.0%	92.3%	100.0%	87.5%	100.0%	100.0%	92.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	73	4	1	1	3	0	3	1	0	1	3	1	2	1	0	3	1	0	1	0
0 "	9.9%	10.0%	2.8%	33.3%	8.6%	0.0%	13.6%	8.3%	0.0%	14.3%	13.0%	4.5%	16.7%	16.7%	0.0%	10.7%	9.1%	0.0%	6.3%	0.0%
Sometimes	144 19.5%	7 17.5%	10 27.8%	0.0%	6 17.1%	0.0%	4 18.2%	2 16.7%	1 12.5%	1 14.3%	4 17.4%	9.1%	25.0%	2 33.3%	0.0%	5 17.9%	2 18.2%	1 100.0%	12.5%	0.0%
Usually	206	17.5%	12	0.0%	17.1%	0.0%	10.2%	10.7%	12.3%	14.5%	17.4%	9.1%	23.0%	33.3%	0.0%	17.9%	10.2%	100.0%	12.5%	0.0%
Codally	27.9%	35.0%	33.3%	66.7%		50.0%	31.8%	41.7%	62.5%	14.3%	34.8%	27.3%	50.0%	33.3%	0.0%	32.1%	45.5%	0.0%	43.8%	100.0%
Always	315	15	13	0	14	2	8	4	2	4	8	13	1	1	1	11	3	0.070	6	0
·	42.7%	37.5%	36.1%	0.0%	40.0%	50.0%	36.4%	33.3%	25.0%	57.1%	34.8%	59.1%	8.3%	16.7%	100.0%	39.3%	27.3%	0.0%	37.5%	0.0%
Significantly different from column:*																				
Usually or Always	521	29	25	2	26	4	15	9	7	5	16	19	7	3	1	20	8	0	13	1
	70.6%	72.5%	69.4%	66.7%	74.3%	100.0%	68.2%	75.0%	87.5%	71.4%	69.6%	86.4%	58.3%	50.0%	100.0%	71.4%	72.7%	0.0%	81.3%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 27

Did anyone from your child's health plan, doctor's office, or clinic help you get this treatment or counseling for your child?

Base: All respondents who got or tried to get treatment for their child's emotional, developmental, or behavioral problem (Q25)

	Д.			Respor Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V st 6 Montl			Specialist S st 6 Montl	
	H			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	747	41	36	3	36	4	22	13	8	8	23	22	13	6	1	28	11	1	16	1
Number missing or multiple answer	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	739	41	36	3	36	4	22	13	8	8	23	22	13	6	1	28	11	1	16	1
	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	410	30	24	1	27	3	15	10	7	6	15	17	9	4	1	19	9	1	13	0
	55.5%	73.2%	66.7%	33.3%	75.0%	75.0%	68.2%	76.9%	87.5%	75.0%	65.2%	77.3%	69.2%	66.7%	100.0%	67.9%	81.8%	100.0%	81.3%	0.0%
No	329	11	12	2	9	1	7	3	1	2	8	5	4	2	0	9	2	0	3	1
	44.5%	26.8%	33.3%	66.7%	25.0%	25.0%	31.8%	23.1%	12.5%	25.0%	34.8%	22.7%	30.8%	33.3%	0.0%	32.1%	18.2%	0.0%	18.8%	100.0%
Significantly different from column:*		Α																		

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 28

In the last 6 months, did your child get care from more than one kind of health care provider or use more than one kind of health care service?

### Base: All respondents

	Д.			Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor Vi st 6 Month			Specialist st 6 Mont	Visits in
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	134	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	34	2	0	0	2	0	1	1	1	1	0	1	1	0	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,185	122	134	22	97	27	53	40	40	33	47	82	27	13	24	77	17	2	29	2
	98.5%	98.4%	100.0%	100.0%	98.0%	100.0%	98.1%	97.6%	97.6%	97.1%	100.0%	98.8%	96.4%	100.0%	100.0%	98.7%	100.0%	100.0%	100.0%	100.0%
Yes	840	42	44	5	36	12	18	11	10	10	21	23	12	7	1	27	13	1	18	2
	38.4%	34.4%	32.8%	22.7%	37.1%	44.4%	34.0%	27.5%	25.0%	30.3%	44.7%	28.0%	44.4%	53.8%	4.2%	35.1%	76.5%	50.0%	62.1%	100.0%
No	1,345	80	90	17	61	15	35	29	30	23	26	59	15	6	23	50	4	1	11	0
	61.6%	65.6%	67.2%	77.3%	62.9%	55.6%	66.0%	72.5%	75.0%	69.7%	55.3%	72.0%	55.6%	46.2%	95.8%	64.9%	23.5%	50.0%	37.9%	0.0%
Significantly different from column:*															PQ	OQ	OP			į

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 29

In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?

Base: All respondents whose child got care from more than one kind of health care provider or service (Q28)

	۵				ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor Vi st 6 Month			Specialist st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н		J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	840	42	43	5	36	12	18	11	10	10	21	23	12	7	1	27	13	1	18	2
Number missing or multiple answer	22	1	0	1	0	0	1	0	0	1	0	1	0	0	0	0	1	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	818	41	43	4	36	12	17	11	10	9	21	22	12	7	1	27	12	1	18	1
	97.4%	97.6%	100.0%	80.0%	100.0%	100.0%	94.4%	100.0%	100.0%	90.0%	100.0%	95.7%	100.0%	100.0%	100.0%	100.0%	92.3%	100.0%	100.0%	50.0%
Yes	529	26	28	3	22	7	10	8	9	5	11	14	6	6	0	20	5	1	15	1
	64.7%	63.4%	65.1%	75.0%	61.1%	58.3%	58.8%	72.7%	90.0%	55.6%	52.4%	63.6%	50.0%	85.7%	0.0%	74.1%	41.7%	100.0%	83.3%	100.0%
No	289	15	15	1	14	5	7	3	1	4	10	8	6	1	1	7	7	0	3	0
	35.3%	36.6%	34.9%	25.0%	38.9%	41.7%	41.2%	27.3%	10.0%	44.4%	47.6%	36.4%	50.0%	14.3%	100.0%	25.9%	58.3%	0.0%	16.7%	0.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 30

A personal doctor is the one your child would see if he or she needs a check-up, has a health problem, or gets sick or hurt. Does your child have a personal doctor?

#### Base: All respondents

	<u>م</u>				ondent's ender Q79)		Child's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Montl			Specialist st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	137	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	46	2	0	2	0	0	1	1	2	0	0	1	1	0	1	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,173	122	137	20	99	27	53	40	39	34	47	82	27	13	23	77	17	2	29	2
	97.9%	98.4%	100.0%	90.9%	100.0%	100.0%	98.1%	97.6%	95.1%	100.0%	100.0%	98.8%	96.4%	100.0%	95.8%	98.7%	100.0%	100.0%	100.0%	100.0%
Yes	2,017	119	126	20	96	26	53	38	39	33	45	80	26	13	21	76	17	2	29	2
	92.8%	97.5%	92.0%	100.0%	97.0%	96.3%	100.0%	95.0%	100.0%	97.1%	95.7%	97.6%	96.3%	100.0%	91.3%	98.7%	100.0%	100.0%	100.0%	100.0%
No	156	3	11	0	3	1	0	2	0	1	2	2	1	0	2	1	0	0	0	0
	7.2%	2.5%	8.0%	0.0%	3.0%	3.7%	0.0%	5.0%	0.0%	2.9%	4.3%	2.4%	3.7%	0.0%	8.7%	1.3%	0.0%	0.0%	0.0%	0.0%
Significantly different from column:*		AC																		

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 31

In the last 6 months, how many times did your child visit his or her personal doctor for care?

Base: All respondents whose child has a personal doctor (Q30)

	Д.			Respor Gen		C	hild's Ag	e	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	H	ı	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,017	119	121	20	96	26	53	38	39	33	45	80	26	13	21	76	17	2	29	2
Number missing or multiple answer	42	4	0	0	4	1	2	1	1	2	1	1	1	2	0	1	0	0	0	0
Number no experience	NA	NA 115	NA 121	NA	NA	NA	NA 51	NA 0=	NA 38	NA	NA		NA	NA	NA 21	NA 75	NA 17	NA	NA 29	NA
Usable responses	1,975 97.9%	96.6%	100.0%	20 100.0%	92 95.8%	25 96.2%	96.2%	37 97.4%		31 93.9%	44 97.8%	79 98.8%	25 96.2%	84.6%	100.0%	98.7%	100.0%	100.0%	100.0%	100.0%
None	381	21	26	6	15	3	12	6	9	7	5	17	4	0	14	6	1	0	3	0
	19.3%	18.3%	21.5%	30.0%	16.3%	12.0%	23.5%	16.2%	23.7%	22.6%	11.4%	21.5%	16.0%	0.0%	66.7%	8.0%	5.9%	0.0%	10.3%	0.0%
1 time	678	46	45	8	37	7	17	22		9	23	33	12	1	7	35	3	1	8	0
	34.3%	40.0%	37.2%	40.0%	40.2%	28.0%	33.3%	59.5%	36.8%	29.0%	52.3%		48.0%	9.1%	33.3%	46.7%	17.6%	50.0%	27.6%	0.0%
2	465 23.5%	21 18.3%	28 23.1%	2 10.0%	18 19.6%	8 32.0%	7 13.7%	5 13.5%	7 18.4%	5 16.1%	8 18.2%	15 19.0%	4 16.0%	2 18.2%	0.0%	19 25.3%	5.9%	50.0%	7 24.1%	0.0%
3	23.5%	13	23.1%	10.0%	19.6%	32.0%	13.7%	13.5%	10.4%	10.1%	10.2%	19.0%	16.0%	10.2%	0.0%	25.5%	3.9%	0.0%	24.1%	0.0%
	11.7%	11.3%	9.9%	5.0%	12.0%	24.0%	9.8%	2.7%	10.5%	16.1%	6.8%	11.4%	4.0%	27.3%	0.0%	16.0%	5.9%	0.0%	13.8%	0.0%
4	113	7	4	2	5	0	6	1	1	3	3	4	2	1	0	3	4	0	3	1
	5.7%	6.1%	3.3%	10.0%	5.4%	0.0%	11.8%	2.7%	2.6%	9.7%	6.8%	5.1%	8.0%	9.1%	0.0%	4.0%	23.5%	0.0%	10.3%	50.0%
5 to 9	91	5	5	1	4	1	4	0	2	2	1	1	1	3	0	0	5	0	3	0
	4.6%	4.3%	4.1%	5.0%	4.3%	4.0%	7.8%	0.0%	5.3%	6.5%	2.3%	1.3%	4.0%	27.3%	0.0%	0.0%	29.4%	0.0%	10.3%	0.0%
10 or more times	15 0.8%	2 1.7%	0.8%	0.0%	2 2.2%	0.0%	0.0%	2 5.4%	2.6%	0.0%	2.3%	0.0%	4.0%	9.1%	0.0%	0.0%	2 11.8%	0.0%	1 3.4%	50.0%
2 or more times	916	48	50	6	40	15	22	9	15	15	16	29	9	10	0	34	13	1	18	2
	46.4%	41.7%	41.3%	30.0%	43.5%	60.0%	43.1%		39.5%	48.4%	36.4%	36.7%	36.0%	90.9%	0.0%	45.3%	76.5%	50.0%	62.1%	100.0%
Significantly different from column:*						Н		F					N	М	PQ	OQ	OP			

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 31a

In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages?

	Δ.		Ġ	Respor Gen		C	child's Ag	e	Respon	dent's Ed	lucation	Child's	s Health S	status		Doctor V			Specialist st 6 Mont	
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	1,594	94	94	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
Number missing or multiple answer	6	1	0	0	1	0	0	1	1	0	0	0	0	1	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,588	93	94	14	76	22	39	30	28	24	39	62	21	10	7	68	16	2	26	2
	99.6%	98.9%	100.0%	100.0%	98.7%	100.0%	100.0%	96.8%	96.6%	100.0%	100.0%	100.0%	100.0%	90.9%	100.0%	98.6%	100.0%	100.0%	100.0%	100.0%
Never	1,447	81	89	14	64	19	32	28	20	22	37	56	16	9	6	60	13	2	25	1
	91.1%	87.1%	94.7%	100.0%	84.2%	86.4%	82.1%	93.3%	71.4%	91.7%	94.9%	90.3%	76.2%	90.0%	85.7%	88.2%	81.3%	100.0%	96.2%	50.0%
Sometimes	78	6	3	0	6	1	4	1	4	1	1	1	4	1	0	4	2	0	0	1
	4.9%	6.5%	3.2%	0.0%	7.9%	4.5%	10.3%	3.3%	14.3%	4.2%	2.6%	1.6%	19.0%	10.0%	0.0%	5.9%	12.5%	0.0%	0.0%	50.0%
Usually	22 1.4%	2 2.2%	1 1.1%	0.0%	2 2.6%	1 4.5%	1 2.6%	0.0%	1 3.6%	1 4.2%	0.0%	2 3.2%	0.0%	0 0.0%	1 14.3%	1 1.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Always	41	4	1	0.070	4	1	2.070	1	3	0	1	3	1	0.070	0	3	1	0.070	1	0.070
,	2.6%	4.3%	1.1%	0.0%	5.3%	4.5%	5.1%	3.3%	10.7%	0.0%	2.6%	4.8%	4.8%	0.0%	0.0%	4.4%	6.3%	0.0%	3.8%	0.0%
Significantly different from column:*																				
Usually or Always	63	6	2	0	6	2	3	1	4	1	1	5	1	0	1	4	1	0	1	0
	4.0%	6.5%	2.1%	0.0%	7.9%	9.1%	7.7%	3.3%	14.3%	4.2%	2.6%	8.1%	4.8%	0.0%	14.3%	5.9%	6.3%	0.0%	3.8%	0.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 32

In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?

	<u> </u>			Respor Gen		C	Child's Ag	e	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V st 6 Mont			Specialist st 6 Mont	Visits in hs
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	-	J	K	L	M	N	0	Р	Q	R	S	T
Number in sample	1,594	94	94	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
Number missing or multiple answer	7	1	0	0	1	0	0	1	1	0	0	0	0	1	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,587	93	94	14	76	22	39	30	28	24	39	62	21	10	7	68	16	2	26	2
	99.6%	98.9%	100.0%	100.0%	98.7%	100.0%	100.0%	96.8%	96.6%	100.0%	100.0%	100.0%	100.0%	90.9%	100.0%	98.6%	100.0%	100.0%	100.0%	100.0%
Never	28	1	1	0	1	0	0	1	1	0	0	1	0	0	0	1	0	0	0	0
	1.8%	1.1%	1.1%	0.0%	1.3%	0.0%	0.0%	3.3%	3.6%	0.0%	0.0%	1.6%	0.0%	0.0%	0.0%	1.5%	0.0%	0.0%	0.0%	0.0%
Sometimes	61	3	6	0	3	0	3	0	1	2	0	0	1 00/	2	0	1 500	2	0	0	0
Usually	3.8% 231	3.2% 24	6.4%	0.0%	3.9% 18	0.0%	7.7%	0.0%	3.6%	8.3%	0.0%	0.0%	4.8%	20.0%	0.0%	1.5% 16	12.5%	0.0%	0.0%	0.0%
Usually	14.6%	25.8%	10.6%	35.7%	23.7%	36.4%	23.1%	20.0%	•	20.8%	23.1%		38.1%	40.0%	14.3%		43.8%	100.0%	26.9%	100.0%
Always	1.267	65	77	9	54	14	27	23	17	17	30	49	12	4	6	50	7	0	19	0
	79.8%	69.9%	81.9%	64.3%	71.1%	63.6%	69.2%	76.7%	60.7%	70.8%	76.9%	79.0%	57.1%	40.0%	85.7%	73.5%	43.8%	0.0%	73.1%	0.0%
Significantly different from column:*		Α										М	L			Q	Р			
Usually or Always	1,498	89	87	14	72	22	36	29	26	22	39	61	20	8	7	66	14	2	26	2
	94.4%	95.7%	92.6%	100.0%	94.7%	100.0%	92.3%	96.7%	92.9%	91.7%	100.0%	98.4%	95.2%	80.0%	100.0%	97.1%	87.5%	100.0%	100.0%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 33

In the last 6 months, how often did your child's personal doctor listen carefully to you?

	0			Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	Visits in hs
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н		J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	1,594	94	95	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,589	94	95	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
	99.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	20	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.3%	0.0%	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	59	4	6	0	4	0	3	1	1	2	1	0	2	2	0	1	3	0	0	1
	3.7%	4.3%	6.3%	0.0%	5.2%	0.0%	7.7%	3.2%	3.4%	8.3%	2.6%	0.0%	9.5%	18.2%	0.0%	1.4%	18.8%	0.0%	0.0%	50.0%
Usually	245	21	10	4	16	6	6	8	6	7	7	11	4	6	1	15	5	2	7	1
	15.4%	22.3%	10.5%	28.6%	20.8%	27.3%	15.4%	25.8%	20.7%	29.2%	17.9%	17.7%	19.0%	54.5%	14.3%	21.7%	31.3%	100.0%	26.9%	50.0%
Always	1,265	69	78	10	57	16	30	22	22	15	31	51	15	3	6	53	8	0	19	0
	79.6%	73.4%	82.1%	71.4%	74.0%	72.7%	76.9%	71.0%	75.9%	62.5%	79.5%	82.3%	71.4%	27.3%	85.7%	76.8%	50.0%	0.0%	73.1%	0.0%
Significantly different from column:*																				
Usually or Always	1,510	90	88	14	73	22	36	30	28	22	38	62	19	9	7	68	13	2	26	1
	95.0%	95.7%	92.6%	100.0%	94.8%	100.0%	92.3%	96.8%	96.6%	91.7%	97.4%	100.0%	90.5%	81.8%	100.0%	98.6%	81.3%	100.0%	100.0%	50.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 34

In the last 6 months, how often did your child's personal doctor show respect for what you had to say?

				Respor Gen		C	hild's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	Visits in hs
	용			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Ι	- 1	J	K	L	M	Ν	0	Р	Q	R	S	T
Number in sample	1,594	94	95	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
Number missing or multiple answer	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,590	94	95	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
	99.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	53	2	4	0	2	0	2	0	0	2	0	0	1	1	0	0	2	0	0	0
	3.3%	2.1%	4.2%	0.0%	2.6%	0.0%	5.1%	0.0%	0.0%	8.3%	0.0%	0.0%	4.8%	9.1%	0.0%	0.0%	12.5%	0.0%	0.0%	0.0%
Usually	181	17	11	3	13	5	5	6	6	4	6	8	3	6	2	10	5	2	6	1
	11.4%	18.1%	11.6%	21.4%	16.9%	22.7%	12.8%	19.4%		16.7%	15.4%	12.9%	14.3%	54.5%	28.6%		31.3%	100.0%	23.1%	50.0%
Always	1,340	75	80	11	62	17	32	25	23	18	33	54	17	4	5	59	9	0	20	1
	84.3%	79.8%	84.2%	78.6%	80.5%	77.3%	82.1%	80.6%	79.3%	75.0%	84.6%	87.1%	81.0%	36.4%	71.4%	85.5%	56.3%	0.0%	76.9%	50.0%
Significantly different from column:*																				
Usually or Always	1,521	92	91	14	75	22	37	31	29	22	39	62	20	10	7	69	14	2	26	2
	95.7%	97.9%	95.8%	100.0%	97.4%	100.0%	94.9%	100.0%	100.0%	91.7%	100.0%	100.0%	95.2%	90.9%	100.0%	100.0%	87.5%	100.0%	100.0%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 35

Is your child able to talk with doctors about his or her health care?

Base: All respondents whose child has a personal doctor and visited their personal doctor to get care (Q30 & Q31)

	Δ.			Respor Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V st 6 Montl			Specialist st 6 Mont	Visits in hs
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	1,594	94	93	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
Number missing or multiple answer	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,584	94	93	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,121	70	66	11	56	7	33	28	22	15	31	45	18	7	5	53	12	2	20	1
	70.8%	74.5%	71.0%	78.6%	72.7%	31.8%	84.6%	90.3%	75.9%	62.5%	79.5%	72.6%	85.7%	63.6%	71.4%	76.8%	75.0%	100.0%	76.9%	50.0%
No	463	24	27	3	21	15	6	3	7	9	8	17	3	4	2	16	4	0	6	1
	29.2%	25.5%	29.0%	21.4%	27.3%	68.2%	15.4%	9.7%	24.1%	37.5%	20.5%	27.4%	14.3%	36.4%	28.6%	23.2%	25.0%	0.0%	23.1%	50.0%
Significantly different from column:*						GH	F	F												

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 36

In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand?

Base: All respondents whose child has a personal doctor, visited their personal doctor to get care, and is able to talk with his/her doctors (Q30, Q31, & Q35)

				Respor Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V			pecialist st 6 Mont	Visits in hs
	용			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Ι		J	K	L	M	Ν	0	Р	Q	R	S	Т
Number in sample	1,121	70	65	11	56	7	33	28	22	15	31	45	18	7	5	53	12	2	20	1
Number missing or multiple answer	16	1	0	1	0	0	0	1	0	0	1	1	0	0	0	1	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,105	69	65	10	56	7	33	27	22	15	30	44	18	7	5	52	12	2	19	1
	98.6%	98.6%	100.0%	90.9%	100.0%	100.0%	100.0%	96.4%	100.0%	100.0%	96.8%	97.8%	100.0%	100.0%	100.0%	98.1%	100.0%	100.0%	95.0%	100.0%
Never	12	1	0	0	1	0	0	1	1	0	0	1	0	0	0	1	0	0	0	0
	1.1%	1.4%	0.0%	0.0%	1.8%	0.0%	0.0%	3.7%	4.5%	0.0%	0.0%	2.3%	0.0%	0.0%	0.0%	1.9%	0.0%	0.0%	0.0%	0.0%
Sometimes	61	3	1	1	2	0	3	0	2	1	0	0	2	1	0	3	0	0	1	0
	5.5%	4.3%	1.5%	10.0%	3.6%	0.0%	9.1%	0.0%	9.1%	6.7%	0.0%	0.0%	11.1%	14.3%	0.0%	5.8%	0.0%	0.0%	5.3%	0.0%
Usually	242	19	18	2	16	1	9	8	3	3	12	9	6	4	1	10	8	2	8	1
	21.9%	27.5%	27.7%	20.0%	28.6%	14.3%	27.3%	29.6%	13.6%	20.0%	40.0%		33.3%	57.1%	20.0%		66.7%	100.0%	42.1%	100.0%
Always	790	46	46	7	37	6	21	18	16	11	18	34	10	2	4	38	4	0	10	0
	71.5%	66.7%	70.8%	70.0%	66.1%	85.7%	63.6%	66.7%	72.7%	73.3%	60.0%	77.3%	55.6%	28.6%	80.0%	73.1%	33.3%	0.0%	52.6%	0.0%
Significantly different from column:*																				
Usually or Always	1,032	65	64	9	53	7	30	26	19	14	30		16	6	5	48	12	2	18	1
	93.4%	94.2%	98.5%	90.0%	94.6%	100.0%	90.9%	96.3%	86.4%	93.3%	100.0%	97.7%	88.9%	85.7%	100.0%	92.3%	100.0%	100.0%	94.7%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 37

In the last 6 months, how often did your child's personal doctor spend enough time with your child?

	0			Respoi Ger	ndent's nder	C	hild's Ag	е	Respon	dent's Ed	ucation	Child's	Health S	Status		Doctor V			pecialist st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н		J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	1,594	94	94	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
Number missing or multiple answer	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,586	94	94	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
	99.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	32	2	1	0	2	1	1	0	0	2	0	1	1	0	0	1	1	0	0	0
	2.0%	2.1%	1.1%	0.0%	2.6%	4.5%	2.6%	0.0%	0.0%	8.3%	0.0%	1.6%	4.8%	0.0%	0.0%	1.4%	6.3%	0.0%	0.0%	0.0%
Sometimes	118	4	12	1	3	1	2	1	3	1	0	1	1	2	0	4	0	0	1	0
	7.4%	4.3%	12.8%	7.1%	3.9%	4.5%	5.1%	3.2%	10.3%	4.2%	0.0%	1.6%	4.8%	18.2%	0.0%	5.8%	0.0%	0.0%	3.8%	0.0%
Usually	354	31	25	5	24	7	14	8	11	8	10	17	8	6	2	18	11	2	9	2
	22.3%	33.0%	26.6%	35.7%	31.2%	31.8%	35.9%			33.3%			38.1%	54.5%	28.6%	26.1%	68.8%	100.0%	34.6%	100.0%
Always	1,082	57	56	8	48	13	22	22	15	13	29	43	11	3	5	46	4	0	16	0
	68.2%	60.6%	59.6%	57.1%	62.3%	59.1%	56.4%	71.0%	51.7%	54.2%	74.4%	69.4%	52.4%	27.3%	71.4%		25.0%	0.0%	61.5%	0.0%
Significantly different from column:*																Q	Р			
Usually or Always	1,436	88	81	13	72	20	36	30	26	21	39	60	19	9	7	64	15	2	25	2
	90.5%	93.6%	86.2%	92.9%	93.5%	90.9%	92.3%	96.8%	89.7%	87.5%	100.0%	96.8%	90.5%	81.8%	100.0%	92.8%	93.8%	100.0%	96.2%	100.0%
Significantly different from column:*  NA - Not Applicable																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### **Question 38**

In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?

Base: All respondents whose child has a personal doctor and visited their personal doctor to get care (Q30 & Q31)

	0			Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor Vi st 6 Month			Specialist st 6 Mont	Visits in ths
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	1,594	94	93	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
Number missing or multiple answer	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,576	94	93	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
	98.9%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,392	89	74	13	73	20	37	30	28	21	38	60	19	10	7	66	14	2	24	2
	88.3%	94.7%	79.6%	92.9%	94.8%	90.9%	94.9%	96.8%	96.6%	87.5%	97.4%	96.8%	90.5%	90.9%	100.0%	95.7%	87.5%	100.0%	92.3%	100.0%
No	184	5	19	1	4	2	2	1	1	3	1	2	2	1	0	3	2	0	2	0
	11.7%	5.3%	20.4%	7.1%	5.2%	9.1%	5.1%	3.2%	3.4%	12.5%	2.6%	3.2%	9.5%	9.1%	0.0%	4.3%	12.5%	0.0%	7.7%	0.0%
Significantly different from column:*		С																		<u> </u>

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 39

In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor?

	۵			Respor Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Montl			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	1,594	94	95	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
Number missing or multiple answer	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,587	94	95	14	77	22	39	31	29	24	39	62	21	11	7	69	16	2	26	2
	99.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	862	49	49	6	41	13	22	12	13	12	22	30	10	9	2	31	15	1	20	2
	54.3%	52.1%	51.6%	42.9%	53.2%	59.1%	56.4%	38.7%	44.8%	50.0%	56.4%	48.4%	47.6%	81.8%	28.6%	44.9%	93.8%	50.0%	76.9%	100.0%
No	725	45	46	8	36	9	17	19	16	12	17	32	11	2	5	38	1	1	6	0
	45.7%	47.9%	48.4%	57.1%	46.8%	40.9%	43.6%	61.3%	55.2%	50.0%	43.6%	51.6%	52.4%	18.2%	71.4%	55.1%	6.3%	50.0%	23.1%	0.0%
Significantly different from column:*												N		L		Q	Р			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 40

In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these doctors or other health providers?

Base: All respondents whose child has a personal doctor, visited their personal doctor, and got care from a doctor/health care provider besides his/her personal doctor (Q30, Q31, & Q39)

	Д.			Respor Gen		C	child's Ag	e	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			specialist st 6 Mont	Visits in hs
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	_	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	862	49	48	6	41	13	22	12	13	12	22	30	10	9	2	31	15	1	20	2
Number missing or multiple answer	17	1	0	0	1	0	1	0	1	0	0	0	1	0	0	0	1	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	845	48	48	6	40	13	21	12	12	12	22	30	9	9	2	31	14	1	20	2
	98.0%	98.0%	100.0%	100.0%	97.6%	100.0%	95.5%	100.0%	92.3%	100.0%	100.0%	100.0%	90.0%	100.0%	100.0%	100.0%	93.3%	100.0%	100.0%	100.0%
Never	50	2	1	0	2	1	1	0	0	1	1	1	0	1	0	1	1	0	0	0
	5.9%	4.2%	2.1%	0.0%	5.0%	7.7%	4.8%	0.0%	0.0%	8.3%	4.5%	3.3%	0.0%	11.1%	0.0%	3.2%	7.1%	0.0%	0.0%	0.0%
Sometimes	99	7	7	1	6	2	3	2	1	3	3	4	2	1	0	5	2	0	1	0
	11.7%	14.6%	14.6%	16.7%	15.0%	15.4%	14.3%	16.7%	8.3%	25.0%	13.6%	13.3%	22.2%	11.1%	0.0%	16.1%	14.3%	0.0%	5.0%	0.0%
Usually	225	15	13	2	12	5	4	5	4	5	5	6	4	5	1	6	8	1	6	2
	26.6%	31.3%		33.3%	30.0%	38.5%	19.0%		33.3%	41.7%	22.7%		44.4%	55.6%	50.0%		57.1%	100.0%	30.0%	100.0%
Always	471	24	27	3	20	5	13	_	7	3	13	-	3	2	1	19	3	0	13	0
	55.7%	50.0%	56.3%	50.0%	50.0%	38.5%	61.9%	41.7%	58.3%	25.0%	59.1%	63.3%	33.3%	22.2%	50.0%		21.4%	0.0%	65.0%	0.0%
Significantly different from column:*																Q	Р			
Usually or Always	696	39	40	5	32	10	17	10		8	18	-	7	7	2	25	11	1	19	2
	82.4%	81.3%	83.3%	83.3%	80.0%	76.9%	81.0%	83.3%	91.7%	66.7%	81.8%	83.3%	77.8%	77.8%	100.0%	80.6%	78.6%	100.0%	95.0%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 41

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q30)

	0			Respor Ger		C	hild's Age	)	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	ı	J	K	L	M	N	0	Р	Q	R	S	T
Number in sample	2,017	119	122	20	96	26	53	38	39	33	45	80	26	13	21	76	17	2	29	2
Number missing or multiple answer	39	2	0	1	1	0	1		0	2	0	1	1	0	0	0	1	0	0	
Number no experience	NA 1.978	NA 117	NA 122	NA 19	NA 95	NA 26	NA 52	NA 37	NA 39	NA 31	NA 45	NA 79	NA 25	NA 13	NA 21	NA 76	NA 16	NA 0	NA 29	NA 4
Usable responses	98.1%	98.3%	100.0%	95.0%	99.0%	100.0%	98.1%	97.4%	100.0%	93.9%	100.0%	98.8%	96.2%	100.0%	100.0%	100.0%	94.1%	100.0%	100.0%	50.0%
Worst personal doctor possible	50.176	90.3 /0	00.078	95.0 %	99.0 %	0.07	90.176	97.470	0.00.0	93.970	100.078	90.07	90.2 /	0.00.0	0.078	0.00	94.176	0.078	0.00.0	30.0 %
	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
9	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	10	1	0	1	0	0	1 00/	0	0	1	0	0	1 00/	0	0	1 001	0	0	1	0
1	0.5% 10	0.9%	0.0%	5.3%	0.0%	0.0%	1.9%	0.0%	0.0%	3.2%	0.0%	0.0%	4.0%	0.0%	0.0%	1.3%	0.0%	0.0%	3.4%	0.0%
	0.5%	0.0%	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5	42	4	2.570	0.070	4	1	2	1	1	1	2	2	1	1	0.070	3	0.076	0.070	0.070	0.070
	2.1%	3.4%	1.6%	0.0%	4.2%	3.8%	3.8%	2.7%	2.6%	3.2%	4.4%	2.5%	4.0%	7.7%	0.0%	3.9%	6.3%	0.0%	0.0%	0.0%
6	45	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2.3%	0.0%	2.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
7	110	5	4	0	5	1	1	3	1	4	0	3	1	1	0	4	1	0	1	0
_	5.6%	4.3%	3.3%	0.0%	5.3%	3.8%	1.9%	8.1%	2.6%	12.9%	0.0%	3.8%	4.0%	7.7%	0.0%	5.3%	6.3%	0.0%	3.4%	0.0%
8	307 15.5%	20 17.1%	18 14.8%	5 26.3%	14 14.7%	5 19.2%	7 13.5%	7 18.9%	4 10.3%	6 19.4%	9 20.0%	12 15.2%	6 24.0%	2 15.4%	3 14.3%	13 17.1%	25.0%	50.0%	7 24.1%	1 100.0%
9	399	22	27	5	17.17.0	4	9	9	6	6	10	14	6	2	6	14	2	1	3	0
	20.2%	18.8%	22.1%	26.3%	17.9%	15.4%	17.3%	24.3%	15.4%	19.4%	22.2%	17.7%	24.0%	15.4%	28.6%	18.4%	12.5%	50.0%	10.3%	0.0%
10 Best personal doctor possible	1,041	65	65	8	55	15	32	17	27	13	24	48	10	7	12	41	8	0	17	0
	52.6%	55.6%	53.3%	42.1%	57.9%	57.7%	61.5%	45.9%	69.2%	41.9%	53.3%	60.8%	40.0%	53.8%	57.1%	53.9%	50.0%	0.0%	58.6%	0.0%

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 41

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your child's personal doctor?

Base: All respondents whose child has a personal doctor (Q30)

				Respoi Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	poog	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	M	N	0	Р	Q	R	S	T
Number in sample Number missing or multiple answer	2,017 39	119 2	122 0	20 1	96 1	26 0	53 1	38 1	39 0	33 2	45 0	80 1	1	13 0	21 0	76 0	17 1	2 0	29 0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA			NA		NA	NA	NA	NA
Usable responses	1,978 98.1%	117 98.3%	122 100.0%	19 95.0%	95 99.0%	26 100.0%	52 98.1%	37 97.4%	39 100.0%	31 93.9%	45 100.0%	79 98.8%		13 100.0%	21 100.0%	76 100.0%	16 94.1%	100.0%	29 100.0%	50.0%
0 to 4	34 1.7%	1 0.9%	3 2.5%	1 5.3%	0 0.0%	0 0.0%	1 1.9%	0.0%	0 0.0%	1 3.2%	0 0.0%	0 0.0%	1 4.0%	0.0%	0 0.0%	1 1.3%	0 0.0%	0 0.0%	1 3.4%	0.0%
5	42 2.1%	4 3.4%	2 1.6%	0 0.0%	4 4.2%	1 3.8%	2 3.8%	1 2.7%	1 2.6%	1 3.2%	2 4.4%	2 2.5%	1 4.0%	1 7.7%	0 0.0%	3 3.9%	1 6.3%	0 0.0%	0 0.0%	0.0%
6 or 7	155 7.8%	5 4.3%	7 5.7%	0 0.0%	5 5.3%	1 3.8%	1 1.9%	3 8.1%	1 2.6%	4 12.9%	0 0.0%	3 3.8%	1 4.0%	1 7.7%	0 0.0%	4 5.3%	1 6.3%	0 0.0%	1 3.4%	0.0%
8 to 10	1,747 88.3%	107 91.5%	110 90.2%	18 94.7%	86 90.5%	24 92.3%	48 92.3%	33 89.2%	37 94.9%	25 80.6%	43 95.6%	74 93.7%	22 88.0%	11 84.6%	21 100.0%	68 89.5%	14 87.5%	2 100.0%	27 93.1%	1 100.0%
Significantly different from column:*																				
0 to 6	121 6.1%	5 4.3%	8 6.6%	1 5.3%	4 4.2%	1 3.8%	3 5.8%	1 2.7%	1 2.6%	2 6.5%	2 4.4%	2 2.5%	2 8.0%	1 7.7%	0.0%	4 5.3%	1 6.3%	0 0.0%	1 3.4%	0.0%
7 to 8	417 21.1%	25 21.4%	22 18.0%	5 26.3%	19 20.0%	6 23.1%	8 15.4%	10 27.0%	5 12.8%	10 32.3%	9 20.0%	15 19.0%		3 23.1%	3 14.3%	17 22.4%	5 31.3%	1 50.0%	8 27.6%	1 100.0%
9 to 10	1,440 72.8%	87 74.4%	92 75.4%	13 68.4%	72 75.8%	19 73.1%	41 78.8%	26 70.3%	33 84.6%	19 61.3%	34 75.6%	62 78.5%	16 64.0%	9 69.2%	18 85.7%		10 62.5%	1 50.0%	20 69.0%	0.0%
Significantly different from column:*									J	I										

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 42

Does your child have any medical, behavioral, or other health conditions that have lasted for more than <u>3 months</u>?

Base: All respondents whose child has a personal doctor (Q30)

	۵			Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor Vi st 6 Month			pecialist st 6 Mont	Visits in hs
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Ι	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,017	119	122	20	96	26	53	38	39	33	45	80	26	13	21	76	17	2	29	2
Number missing or multiple answer	29	1	0	0	1	1	0	0	0	1	0	0	0	1	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,988	118	122	20	95	25	53	38	39	32	45	80	26	12	21	75	17	2	29	2
	98.6%	99.2%	100.0%	100.0%	99.0%	96.2%	100.0%	100.0%	100.0%	97.0%	100.0%	100.0%	100.0%	92.3%	100.0%	98.7%	100.0%	100.0%	100.0%	100.0%
Yes	992	53	50	9	43	6	30	16	14	11	27	26	20	7	6	29	14	0	24	2
	49.9%	44.9%	41.0%	45.0%	45.3%	24.0%	56.6%	42.1%	35.9%	34.4%	60.0%	32.5%	76.9%	58.3%	28.6%	38.7%	82.4%	0.0%	82.8%	100.0%
No	996	65	72	11	52	19	23	22	25	21	18	54	6	5	15	46	3	2	5	0
	50.1%	55.1%	59.0%	55.0%	54.7%	76.0%	43.4%	57.9%	64.1%	65.6%	40.0%	67.5%	23.1%	41.7%	71.4%	61.3%	17.6%	100.0%	17.2%	0.0%
Significantly different from column:*						G	F		K	K	IJ	M	L		Q	Q	OP			

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 43

Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?

Base: All respondents whose child has a personal doctor and has medical, behavioral, other health conditions that has lasted for more than 3 months (Q30 & Q42)

	Д.			Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor Vi st 6 Month			Specialist st 6 Mont	Visits in ths
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	992	53	48	9	43	6	30	16	14	11	27	26	20	7	6	29	14	0	24	2
Number missing or multiple answer	18	2	0	0	2	0	1	1	0	1	1	1	1	0	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	974	51	48	9	41	6	29	15	14	10	26	25	19	7	6	28	14	0	24	2
	98.2%	96.2%	100.0%	100.0%	95.3%	100.0%	96.7%	93.8%	100.0%	90.9%	96.3%	96.2%	95.0%	100.0%	100.0%	96.6%	100.0%		100.0%	100.0%
Yes	868	47	42	9	37	6	27	13	14	7	25	25	16	6	6	26	12	0	23	2
	89.1%	92.2%	87.5%	100.0%	90.2%	100.0%	93.1%	86.7%	100.0%	70.0%	96.2%	100.0%	84.2%	85.7%	100.0%	92.9%	85.7%		95.8%	100.0%
No	106	4	6	0	4	0	2	2	0	3	1	0	3	1	0	2	2	0	1	0
	10.9%	7.8%	12.5%	0.0%	9.8%	0.0%	6.9%	13.3%	0.0%	30.0%	3.8%	0.0%	15.8%	14.3%	0.0%	7.1%	14.3%		4.2%	0.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

#### Question 44

Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your family's day-to-day life?

Base: All respondents whose child has a personal doctor and has medical, behavioral, other health conditions that has lasted for more than 3 months (Q30 & Q42)

	ОНР				nder	C	Child's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor Vi			st 6 Mont	Visits in hs
	Ò			(Q:	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н		J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	992	53	48	9	43	6	30	16	14	11	27	26	20	7	6	29	14	0	24	2
Number missing or multiple answer	22	1	0	0	1	0	1	0	0	0	1	1	0	0	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	970	52	48	9	42	6	29	16	14	11	26	25	20	7	6	28	14	0	24	2
	97.8%	98.1%	100.0%	100.0%	97.7%	100.0%	96.7%	100.0%	100.0%	100.0%	96.3%	96.2%	100.0%	100.0%	100.0%	96.6%	100.0%		100.0%	100.0%
Yes	823	45	41	7	37	6	25	13	14	6	24	24	15	6	6	26	10	0	23	0
	84.8%	86.5%	85.4%	77.8%	88.1%	100.0%	86.2%	81.3%	100.0%	54.5%	92.3%	96.0%	75.0%	85.7%	100.0%	92.9%	71.4%		95.8%	0.0%
No	147	7	7	2	5	0	4	3	0	5	2	1	5	1	0	2	4	0	1	2
	15.2%	13.5%	14.6%	22.2%	11.9%	0.0%	13.8%	18.8%	0.0%	45.5%	7.7%	4.0%	25.0%	14.3%	0.0%	7.1%	28.6%		4.2%	100.0%
Significantly different from column:*																				į

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 45

In the last 6 months, did you make any appointments for your child to see a specialist?

Base: All respondents

	0			Respor Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Montl			Specialist st 6 Mont	Visits in
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	l.
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	136	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,209	124	136	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
	99.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	639	33	36	6	25	5	15	11	6	7	18	17	11	5	1	21	10	2	29	2
	28.9%	26.6%	26.5%	27.3%	25.3%	18.5%	27.8%	26.8%	14.6%	20.6%	38.3%	20.5%	39.3%	38.5%	4.2%	26.9%	58.8%	100.0%	100.0%	100.0%
No	1,570	91	100	16	74	22	39	30	35	27	29	66	17	8	23	57	7	0	0	0
	71.1%	73.4%	73.5%	72.7%	74.7%	81.5%	72.2%	73.2%	85.4%	79.4%	61.7%	79.5%	60.7%	61.5%	95.8%	73.1%	41.2%	0.0%	0.0%	0.0%
Significantly different from column:*									K		I	M	L		Р	OQ	Р			1

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 46

In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?

Base: All respondents who made an appointment for their child to see a specialist (Q45)

	0			Respoi Ger	ndent's nder	C	hild's Ag	e	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor \ st 6 Mon			Specialist \ st 6 Month	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	_	J	K	L	М	Ν	0	Р	Q	R	S	Т
Number in sample	639	33	35	6	25	5	15	11	6	7	18	17	11	5	1	21	10	2	29	2
Number missing or multiple answer	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	636	33	35	6	25	5	15	11	6	7	18	17	11	5	1	21	10	2	29	2
	99.5%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	34 5.3%	1 3.0%	2 5.7%	0.0%	1 4.0%	0 0.0%	0.0%	9.1%	0.0%	0 0.0%	1 5.6%	1 5.9%	0 0.0%	0.0%	0.0%	1 4.8%	0.0%	1 50.0%	0.0%	0.0%
Sometimes	112	6	6	2	3	1	2.070	2.170	0.070	2	3	2	3	1	0.070	5	1	1	5	0.070
	17.6%	18.2%	17.1%	33.3%	12.0%	20.0%	13.3%	18.2%	0.0%	28.6%	16.7%	11.8%	27.3%	20.0%	0.0%	23.8%	10.0%	50.0%	17.2%	0.0%
Usually	185	12	12	2	10	1	7	4	5	1	6	3	7	2	1	6	5	0	10	2
	29.1%	36.4%	34.3%	33.3%	40.0%	20.0%	46.7%	36.4%	83.3%	14.3%	33.3%	17.6%	63.6%	40.0%	100.0%	28.6%	50.0%	0.0%	34.5%	100.0%
Always	305	14	15	2	11	3	6	4	1	4	8	11	1	2	0	9	4	0	14	0
	48.0%	42.4%	42.9%	33.3%	44.0%	60.0%	40.0%	36.4%	16.7%	57.1%	44.4%	64.7%	9.1%	40.0%	0.0%	42.9%	40.0%	0.0%	48.3%	0.0%
Significantly different from column:*																				
Usually or Always	490 77.0%	26 78.8%	27 77.1%	4 66.7%	21 84.0%	4 80.0%	13 86.7%	8 72.7%	6 100.0%	5 71.4%	14 77.8%	14 82.4%	8 72.7%	4 80.0%	1 100.0%	15 71.4%	-	0.0%	24 82.8%	2 100.0%
Significantly different from column:*	77.0%	18.8%	11.1%	00.7%	04.0%	00.0%	00.7%	12.1%	100.0%	11.4%	17.8%	02.4%	12.1%	60.0%	100.0%	/1.4%	90.0%	0.0%	02.8%	100.0%

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 47

How many specialists has your child seen in the last 6 months?

Base: All respondents who made an appointment for their child to see a specialist (Q45)

				Respoi Ger		C	hild's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	639	33	34	6	25	5	15	11	6	7	18	17	11	5	1	21	10	2	29	2
Number missing or multiple answer	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience Usable responses	NA	NA 33	NA 34	NA	NA	NA	NA 15		NA	NA	NA 40	NA 17	NA 11	NA	NA	NA 21	NA 40	NA	NA	NA NA
Osable responses	636 99.5%	100.0%	34 100.0%	100.0%	25 100.0%	100.0%	100.0%		100.0%	100.0%	18 100.0%		100.0%	100.0%	100.0%		100.0%	100.0%	29 100.0%	100.0%
None	28	2	2	0	1	0	0		0	0	100.070	100.070	0	1	0	2	0	2	0	0
	4.4%	6.1%	5.9%	0.0%	4.0%	0.0%	0.0%	9.1%	0.0%	0.0%	5.6%	5.9%	0.0%	20.0%	0.0%	9.5%	0.0%	100.0%	0.0%	0.0%
1 specialist	344	21	18	5	15	4	10	6	3	4	13	15	5	1	1	15	4	0	21	0
	54.1%	63.6%	52.9%	83.3%	60.0%	80.0%	66.7%	54.5%	50.0%	57.1%	72.2%	88.2%	45.5%	20.0%	100.0%	71.4%	40.0%	0.0%	72.4%	0.0%
2	157	7	9	0	7	1	4	2	2	2	3	0	5	2	0	3	4	0	7	0
	24.7%	21.2%	26.5%	0.0%	28.0%	20.0%	26.7%	18.2%	33.3%	28.6%	16.7%	0.0%	45.5%	40.0%	0.0%	14.3%	40.0%	0.0%	24.1%	0.0%
3	57	0 00/	5 00/	0	0	0	0	0	0 000	0 00/	0	0 000	0	0	0	0	0	0 000	0	0 000
4	9.0%	0.0%	5.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	3.5%	3.0%	5.9%	0.0%	4.0%	0.0%	0.0%	9.1%	16.7%	0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	4.8%	0.0%	0.0%	3.4%	0.0%
5 or more specialists	28	2	1	1	1	0.070	1	1	0	1	1	1	1	0	0.070	0	2	0	0	2
	4.4%	6.1%	2.9%	16.7%	4.0%	0.0%	6.7%	9.1%	0.0%	14.3%	5.6%	5.9%	9.1%	0.0%	0.0%	0.0%	20.0%	0.0%	0.0%	100.0%
3 or more specialists	107	3	5	1	2	0	1	2	1	1	1	1	1	1	0	1	2	0	1	2
	16.8%	9.1%	14.7%	16.7%	8.0%	0.0%	6.7%	18.2%	16.7%	14.3%	5.6%	5.9%	9.1%	20.0%	0.0%	4.8%	20.0%	0.0%	3.4%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Columbia Gorge
CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 48

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents whose child saw a specialist (Q45 & Q47)

	0			Respor Ger		C	child's Age	Э	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist st 6 Mont	
	훙			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State OHP	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	рооЭ	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	ı	J	K	L	M	N	0	Р	Q	R	S	T
Number in sample	608	31	32	6	24	5	15	10	6	7	17	16	11	4	1	19	10	0	29	:
Number missing or multiple answer	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Number no experience	NA	NA 04	NA	NA	NA	NA -	NA	NA	NA	NA -	NA	NA	NA	NA	NA	NA		NA	NA	N/
Usable responses	597 98.2%	31 100.0%	32 100.0%	6 100.0%	24 100.0%	5 100.0%	15 100.0%	10 100.0%	6 100.0%	7 100.0%	17 100.0%	16 100.0%	11 100.0%	4 100.0%	1 100.0%	19 100.0%	1	0	29 100.0%	100.0%
0 Worst specialist possible	98.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.09
o Trotot opedialist possible	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.09
1	2	0.070	0	0	0	0	0.070	0	0	0	0	0	0	0	0	0	0	0	0	2.07
	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%
2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-
	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.09
3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
4	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.09
<b>"</b>	8 1.3%	0.0%	3.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0.0%
5	1.5%	1	3.1% 0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1	0.0%	0	0.0%	0.07
	2.5%	3.2%	0.0%	16.7%	0.0%	0.0%	6.7%	0.0%	0.0%	14.3%	0.0%	0.0%	9.1%	0.0%	0.0%	5.3%	0.0%		3.4%	0.09
6	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.09
7	43	4	5	2	2	1	1	2	0	0	4	3	1	0	0	3	1	0	3	
	7.2%	12.9%	15.6%	33.3%	8.3%	20.0%	6.7%	20.0%	0.0%	0.0%	23.5%	18.8%	9.1%	0.0%	0.0%	15.8%	10.0%		10.3%	50.0%
8	92 15.4%	2 6.5%	4 12.5%	1 16.7%	1 4.2%	0 0.0%	1 6.7%	1 10.0%	0 0.0%	0 0.0%	2 11.8%	1 6.3%	1 9.1%	0.0%	0.0%	5.3%	1 10.0%	0	2 6.9%	0.09
9	126	7	12.570	0	7.270	0.070	4	3	0.070	3.070	4	2.570	4	1	0.070	3	4	0	7	0.07
	21.1%	22.6%	25.0%	0.0%	29.2%	0.0%	26.7%	30.0%	0.0%	42.9%	23.5%	12.5%	36.4%	25.0%	0.0%	15.8%	40.0%		24.1%	0.09
10 Best specialist possible	285	17	14	2	14	4	8	4	6	3	7	10	4	3	1	11	4	0	16	
	47.7%	54.8%	43.8%	33.3%	58.3%	80.0%	53.3%	40.0%	100.0%	42.9%	41.2%	62.5%	36.4%	75.0%	100.0%	57.9%	40.0%		55.2%	50.09

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 48

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents whose child saw a specialist (Q45 & Q47)

				Respoi Ger		C	hild's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V			Specialist st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	1	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample Number missing or multiple answer	608 11	31 0	32 0	6	0	5 0	15 0	10	0	0	17 0	16 0	11 0	0	0	19	10 0	0	29 0	0
Number no experience Usable responses	NA 597	NA 31	NA 32	NA 6	NA 24	NA 5	NA 15	NA 10		NA 7	NA 17		NA 11	NA 4	NA 1	NA 19	NA 10	NA 0	NA 29	NA 2
Couple responses	98.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	Ŭ	100.0%			100.0%	100.0%	100.0%		100.0%		100.0%	100.0%
0 to 4	18 3.0%	0 0.0%	1 3.1%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0	0 0.0%	0 0.0%
5	15 2.5%	1 3.2%	0 0.0%	1 16.7%	0 0.0%	0 0.0%	1 6.7%	0.0%	0.0%	1 14.3%	0.0%	0.0%	1 9.1%	0.0%	0 0.0%	1 5.3%	0.0%	0	1 3.4%	0.0%
6 or 7	61 10.2%	4 12.9%	5 15.6%	2 33.3%	2 8.3%	1 20.0%	1 6.7%	20.0%	0.0%	0 0.0%	4 23.5%	3 18.8%	1 9.1%	0.0%	0.0%	3 15.8%	1 10.0%	0	3 10.3%	1 50.0%
8 to 10	503 84.3%	26 83.9%	26 81.3%	3 50.0%	22 91.7%	4 80.0%	13 86.7%	80.0%	6 100.0%	6 85.7%	13 76.5%		9 81.8%	4 100.0%	1 100.0%	15 78.9%	9 90.0%	0	25 86.2%	1 50.0%
Significantly different from column:*																				
0 to 6	51 8.5%	1 3.2%	1 3.1%	1 16.7%	0 0.0%	0 0.0%	1 6.7%	0.0%	0.0%	1 14.3%	0 0.0%	0.0%	1 9.1%	0.0%	0.0%	1 5.3%	0.0%	0	1 3.4%	0 0.0%
7 to 8	135 22.6%	6 19.4%	9 28.1%	3 50.0%	3 12.5%	1 20.0%	2 13.3%	30.0%	0.0%	0 0.0%	6 35.3%	4 25.0%	2 18.2%	0.0%	0.0%	4 21.1%	2 20.0%	0	5 17.2%	1 50.0%
9 to 10	411 68.8%	24 77.4%	22 68.8%	2 33.3%	21 87.5%	4 80.0%	12 80.0%	7 70.0%	6 100.0%	6 85.7%	11 64.7%		8 72.7%	4 100.0%	1 100.0%	14 73.7%	8 80.0%	0	23 79.3%	1 50.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 49

In the last 6 months, did you get information or help from customer service at your child's health plan?

## Base: All respondents

	0			Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V st 6 Monti			Specialist st 6 Mont	Visits in
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	137	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	28	2	0	0	2	0	2	0	1	0	1	2	0	0	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,191	122	137	22	97	27	52	41	40	34	46	81	28	13	24	77	17	2	29	2
	98.7%	98.4%	100.0%	100.0%	98.0%	100.0%	96.3%	100.0%	97.6%	100.0%	97.9%	97.6%	100.0%	100.0%	100.0%	98.7%	100.0%	100.0%	100.0%	100.0%
Yes	553	45	55	8	36	9	19	16	16	13	15	29	10	6	8	26	9	0	15	2
	25.2%	36.9%	40.1%	36.4%	37.1%	33.3%	36.5%	39.0%	40.0%	38.2%	32.6%	35.8%	35.7%	46.2%	33.3%	33.8%	52.9%	0.0%	51.7%	100.0%
No	1,638	77	82	14	61	18	33	25	24	21	31	52	18	7	16	51	8	2	14	0
	74.8%	63.1%	59.9%	63.6%	62.9%	66.7%	63.5%	61.0%	60.0%	61.8%	67.4%	64.2%	64.3%	53.8%	66.7%	66.2%	47.1%	100.0%	48.3%	0.0%
Significantly different from column:*		Α										, and the second			, and the second					<u> </u>

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 50

In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed?

Base: All respondents who got information from child's health plan customer service (Q49)

				Respoi Ger		C	hild's Ag	е	Respon	dent's Ed	ucation	Child's	Health S	Status		Doctor V st 6 Mont			Specialist ' st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н		J	K	L	М	Ν	0	Р	Q	R	S	Т
Number in sample	553	45	54	8	36	9	19	16	16	13	15	29	10	6	8	26	9	0	15	2
Number missing or multiple answer	14	1	0	0	1	0	1	0	0	0	1	1	0	0	0	1	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	539	44	54	8	35	9	18	16	16	13	14	28	10	6	8	25	9	0	14	2
	97.5%	97.8%	100.0%	100.0%	97.2%	100.0%	94.7%	100.0%	100.0%	100.0%	93.3%	96.6%	100.0%	100.0%	100.0%	96.2%	100.0%		93.3%	100.0%
Never	22	2	0	1	1	1	1	0	0	0	2	2	0	0	1	1	0	0	0	0
	4.1%	4.5%	0.0%	12.5%	2.9%	11.1%	5.6%	0.0%	0.0%	0.0%	14.3%	7.1%	0.0%	0.0%	12.5%	4.0%	0.0%		0.0%	0.0%
Sometimes	80	7	5	0	7	1	3	3	2	3	2	3	2	2	1	4	2	0	2	0
	14.8%	15.9%	9.3%	0.0%	20.0%	11.1%	16.7%	18.8%	12.5%	23.1%	14.3%	10.7%	20.0%	33.3%	12.5%	16.0%	22.2%		14.3%	0.0%
Usually	150	15	15	3	12	2	6	7	7	4	4	9	4	2	2	10	3	0	7	1
	27.8%	34.1%	27.8%	37.5%	34.3%	22.2%	33.3%	43.8%	43.8%	30.8%	28.6%	32.1%	40.0%	33.3%	25.0%	40.0%	33.3%		50.0%	50.0%
Always	287	20	34	4	15	5	8	6	7	6	6	14	4	2	4	10	4	0	5	1
	53.2%	45.5%	63.0%	50.0%	42.9%	55.6%	44.4%	37.5%	43.8%	46.2%	42.9%	50.0%	40.0%	33.3%	50.0%	40.0%	44.4%		35.7%	50.0%
Significantly different from column:*																				
Usually or Always	437	35	49	7	27	7	14	_		10	10	23	8	4	6	20	7	0	12	2
	81.1%	79.5%	90.7%	87.5%	77.1%	77.8%	77.8%	81.3%	87.5%	76.9%	71.4%	82.1%	80.0%	66.7%	75.0%	80.0%	77.8%		85.7%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 51

In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?

Base: All respondents who got information from child's health plan customer service (Q49)

				Respor Ger		C	child's Ag	Э	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	M	N	0	Р	Q	R	S	Т
Number in sample	553	45	53	8	36	9	19	16	16	13	15	29	10	6	8	26	9	0	15	2
Number missing or multiple answer	16	1	0	0	1	0	1	0	0	0	1	1	0	0	0	1	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	537	44	53	8	35	9	18	16	16	13	14	28	10	6	8	25	9	0	14	2
	97.1%	97.8%	100.0%	100.0%	97.2%	100.0%	94.7%	100.0%	100.0%	100.0%	93.3%	96.6%	100.0%	100.0%	100.0%	96.2%	100.0%		93.3%	100.0%
Never	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
_	1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%
Sometimes	27	1	1	0	1	0	1	0	0	0	1	0	1	0	0	1	0	0	0	0
	5.0%	2.3%	1.9%	0.0%	2.9%	0.0%	5.6%	0.0%	0.0%	0.0%	7.1%	0.0%	10.0%	0.0%	0.0%	4.0%	0.0%		0.0%	0.0%
Usually	105	10	6	10.50(	9	2	3	5	5	2	3	6	2	2	2	6	2	0	4	0
Always	19.6% 399	22.7%	11.3% 46	12.5%	25.7% 25	22.2%	16.7% 14	31.3%	31.3% 11	15.4% 11	21.4%	21.4%	20.0%	33.3%	25.0%	24.0%	22.2%		28.6% 10	0.0%
niwayo	74.3%	75.0%	86.8%	87.5%	25 71.4%	77.8%	77.8%	68.8%	68.8%	84.6%	71.4%	78.6%	70.0%	66.7%	75.0%	72.0%	77.8%		71.4%	100.0%
Significantly different from column:*	. 1.070	1 0.0 / 0	20.070	27.070	,0	171070		23.070	20.070	2 11070		. 3.070	. 3.0 /0	23.170	. 3.0 /0	. 2.0 /0	11.070		,0	. 2 3.0 70
Usually or Always	504	43	52	8	34	9	17	16	16	13	13	28	9	6	8	24	9	0	14	2
	93.9%	97.7%	98.1%	100.0%	97.1%	100.0%	94.4%	100.0%	100.0%	100.0%	92.9%	100.0%	90.0%	100.0%	100.0%	96.0%	100.0%		100.0%	100.0%
Significantly different from column:*																				
NA Not Applicable													•		•			•		

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 52

In the last 6 months, did your child's health plan give you any forms to fill out?

Base: All respondents

	Д.			Respoi Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	ı	J	K	L	M	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	133	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	52	5	0	0	5	2	2	1	0	3	2	3	1	1	0	4	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,167	119	133	22	94	25	52	40	41	31	45	80	27	12	24	74	17	2	28	2
	97.7%	96.0%	100.0%	100.0%	94.9%	92.6%	96.3%	97.6%	100.0%	91.2%	95.7%	96.4%	96.4%	92.3%	100.0%	94.9%	100.0%	100.0%	96.6%	100.0%
Yes	686	55	50	12	42	11	24	19	24	14	16	34	15	6	10	36	6	2	15	2
	31.7%	46.2%	37.6%	54.5%	44.7%	44.0%	46.2%	47.5%	58.5%	45.2%	35.6%	42.5%	55.6%	50.0%	41.7%	48.6%	35.3%	100.0%	53.6%	100.0%
No	1,481	64	83	10	52	14	28	21	17	17	29	46	12	6	14	38	11	0	13	0
	68.3%	53.8%	62.4%	45.5%	55.3%	56.0%	53.8%	52.5%	41.5%	54.8%	64.4%	57.5%	44.4%	50.0%	58.3%	51.4%	64.7%	0.0%	46.4%	0.0%
Significantly different from column:*		Α							K	-	I									

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 53

In the last 6 months, how often were the forms from your child's health plan easy to fill out?\*\*

Base: All respondents who answered Q52

	۵			Respor Gen	ider	C	Child's Ag	e	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			specialist st 6 Mont	
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н		J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	2,167	119	131	22	94	25	52	40	41	31	45	80	27	12	24	74	17	2	28	2
Number missing or multiple answer	13	1	0	0	1	0	0	1	0	0	1	0	1	0	0	1	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,154	118	131	22	93	25	52	39	41	31	44	80	26	12	24	73	17	2	27	2
	99.4%	99.2%	100.0%	100.0%	98.9%	100.0%	100.0%	97.5%	100.0%	100.0%	97.8%	100.0%	96.3%	100.0%	100.0%	98.6%	100.0%	100.0%	96.4%	100.0%
Never	28	3	1	2	1	1	2	0	1	1	1	2	1	0	1	1	1	0	0	0
0 "	1.3%	2.5%	0.8%	9.1%	1.1%	4.0%	3.8%	0.0%	2.4%	3.2%	2.3%	2.5%	3.8%	0.0%	4.2%	1.4%	5.9%	0.0%	0.0%	0.0%
Sometimes	113	9	9	0	9	1	4	4	4	2	3	4	2	3	2	6	1	1	4	0
Herrelle	5.2%	7.6%	6.9%	0.0%	9.7%	4.0%	7.7%	10.3%		6.5%	6.8%		7.7%	25.0%	8.3%	8.2%	5.9%	50.0%	14.8%	0.0%
Usually	240 11.1%	25 21.2%	21 16.0%	5 22.7%	19 20.4%	20.0%	11 21.2%	20.5%	10 24.4%	5 16.1%	9 20.5%	17 21.3%	6 23.1%	2 16.7%	20.8%	17 23.3%	2 11.8%	50.0%	9 33.3%	0.0%
Always	1.773	81	10.0 %		64		35	20.376	24.476	23	20.3 %		17	70.776	16	49	13	30.076	14	0.076
, and ye	82.3%	68.6%	76.3%	68.2%	68.8%		67.3%	69.2%	-	74.2%	70.5%		65.4%	58.3%	66.7%	67.1%	76.5%	0.0%	51.9%	100.0%
Significantly different from column:*		Α																		
Usually or Always	2,013	106	121	20	83	23	46	35	36	28	40	74	23	9	21	66	15	1	23	2
	93.5%	89.8%	92.4%	90.9%	89.2%	92.0%	88.5%	89.7%	87.8%	90.3%	90.9%	92.5%	88.5%	75.0%	87.5%	90.4%	88.2%	50.0%	85.2%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

<sup>\*\*</sup>Respondents answering "No" to question 52 are reported to NCQA as "Always" in question 53, and are used in calculating the Customer Service composite score.

PacificSource - Columbia Gorge
CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 54

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

Base: All respondents

base: All respondents				Respoi Ger		C	hild's Age	9	Respon	dent's Ed	ucation	Child's	Health S	status		Doctor V			Specialist st 6 Mont	
	어된			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	2,219	124	135	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	25	1	0	0		0		0	0	0	1	1	0	0	0	0	0	0	0	0
Number no experience	NA	NA 100	NA	NA	NA	NA	NA To	NA	NA	NA	NA 10	NA	NA	NA	NA	NA To	NA 1=	NA	NA	NA
Usable responses	2,194 98.9%	123 99.2%	135 100.0%	22 100.0%	98 99.0%	27 100.0%	53 98.1%	41 100.0%	41 100.0%	34 100.0%	46 97.9%	82 98.8%	28 100.0%	13 100.0%	24 100.0%	78 100.0%	17 100.0%	2 100.0%	29 100.0%	100.0%
0 Worst health plan possible	98.9%	99.2%	100.0%	100.0%	99.0%	100.0%	98.1%	100.0%	100.0%	100.0%	97.9%	98.8%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
o Troist fiediti pieti possible	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1	6	0	0	0	0	0	0	0	0	0	0	0.070	0	0	0.070	0	0	0	0.070	0
	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	7	1	0	0	1	1	0	0	0	0	1	1	0	0	0	1	0	0	0	0
	0.3%	0.8%	0.0%	0.0%	1.0%	3.7%	0.0%	0.0%	0.0%	0.0%	2.2%	1.2%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	0.0%	0.0%
3	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
4	24	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
5	1.1% 90	0.0%	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	4.1%	5.7%	2.2%	0.0%	6.1%	0.0%	5.7%	9.8%	4.9%	8.8%	4.3%	2.4%	14.3%	7.7%	4.2%	3.8%	17.6%	0.0%	6.9%	0.0%
6	102	1	6	0.070	1	1	0.770	0.070	0	0.070	1.070	1	0	0	7.270	0.070	0	0.070	1	0.570
	4.6%	0.8%	4.4%	0.0%	1.0%	3.7%	0.0%	0.0%	0.0%	0.0%	2.2%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	3.4%	0.0%
7	214	7	7	1	6	0	3	4	1	1	5	4	3	0	1	5	1	0	0	1
	9.8%	5.7%	5.2%	4.5%	6.1%	0.0%	5.7%	9.8%	2.4%	2.9%	10.9%	4.9%	10.7%	0.0%	4.2%	6.4%	5.9%	0.0%	0.0%	50.0%
8	433 19.7%	25 20.3%	25 18.5%	6 27.3%	18 18.4%	6 22.2%	8 15.1%	10 24.4%	3 7.3%	6 17.6%	15 32.6%	16 19.5%	6 21.4%	3 23.1%	6 25.0%	16 20.5%	3 17.6%	2 100.0%	7 24.1%	1 50.0%
9	409	21	25	5	16	5	11	5	8	6	7	12	5	4	5	13	3	0	5	0
	18.6%	17.1%	18.5%	22.7%	16.3%	18.5%	20.8%	12.2%	19.5%	17.6%	15.2%	14.6%	17.9%	30.8%	20.8%	16.7%	17.6%	0.0%	17.2%	0.0%
10 Best health plan possible	890	61	67	10	50	14	28	18	27	18	15	46	10	5	11	40	7	0	14	0
	40.6%	49.6%	49.6%	45.5%	51.0%	51.9%	52.8%	43.9%	65.9%	52.9%	32.6%	56.1%	35.7%	38.5%	45.8%	51.3%	41.2%	0.0%	48.3%	0.0%

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 54

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your child's health plan?

Base: All respondents

pase. All respondents				Respor		(	Child's Ag	Э	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V			Specialist st 6 Mont	
	OHP			(Q:	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample Number missing or multiple answer	2,219 25	124 1	135 0	0	99 1	27 0	54 1	41 0	41 0	34 0	47 1	83 1	28 0	13 0	24 0	78 0	17 0	0	29 0	
Number no experience Usable responses	NA 2,194 98.9%	NA 123 99.2%	NA 135 100.0%	NA 22 100.0%	98 99.0%	NA 27 100.0%	53 98.1%	NA 41 100.0%	NA 41 100.0%	NA 34 100.0%	NA 46 97.9%	NA 82 98.8%	NA 28 100.0%	NA 13 100.0%	NA 24 100.0%	78 100.0%	NA 17 100.0%	NA 2 100.0%	NA 29 100.0%	
0 to 4	56 2.6%	1 0.8%	2 1.5%	0.0%	1 1.0%	1 3.7%	0.0%	0.0%	0.0%	0.0%	1 2.2%	1 1.2%	0.0%	0.0%	0.0%	1 1.3%	0.0%	0.0%	0.0%	
5	90 4.1%	7 5.7%	3 2.2%	0 0.0%	6 6.1%	0 0.0%	3 5.7%	4 9.8%	2 4.9%	3 8.8%	2 4.3%	2 2.4%	4 14.3%	1 7.7%	1 4.2%	3.8%	3 17.6%	0 0.0%	2 6.9%	0.0%
6 or 7	316 14.4%	8 6.5%	13 9.6%	1 4.5%	7 7.1%	1 3.7%	3 5.7%	4 9.8%	1 2.4%	1 2.9%	6 13.0%	5 6.1%	3 10.7%	0 0.0%	1 4.2%	5 6.4%	1 5.9%	0 0.0%	1 3.4%	50.0%
8 to 10	1,732 78.9%	107 87.0%	117 86.7%	21 95.5%	84 85.7%	25 92.6%	47 88.7%	33 80.5%	38 92.7%	30 88.2%	37 80.4%	74 90.2%	21 75.0%	12 92.3%	22 91.7%	69 88.5%	13 76.5%	2 100.0%	26 89.7%	50.0%
Significantly different from column:*		Α																		<b> </b>
0 to 6	248 11.3%	9 7.3%	11 8.1%	0.0%	8 8.2%	2 7.4%	3 5.7%	4 9.8%	2 4.9%	3 8.8%	4 8.7%	4 4.9%	4 14.3%	1 7.7%	1 4.2%	4 5.1%	3 17.6%	0 0.0%	3 10.3%	0.0%
7 to 8	647 29.5%	32 26.0%	32 23.7%	7 31.8%	24 24.5%	6 22.2%	11 20.8%	14 34.1%	4 9.8%	7 20.6%	20 43.5%	20 24.4%	9 32.1%	3 23.1%	7 29.2%	21 26.9%	4 23.5%	2 100.0%	7 24.1%	100.0%
9 to 10	1,299 59.2%	82 66.7%	92 68.1%	15 68.2%	66 67.3%	19 70.4%	39 73.6%	23 56.1%	35 85.4%	24 70.6%	22 47.8%	58 70.7%	15 53.6%	9 69.2%	16 66.7%	53 67.9%	10 58.8%	0.0%	19 65.5%	0.0%
Significantly different from column:*					_			•	K	K	IJ	_				•				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 55

In the last 6 months, did you get or refill any prescription medicines for your child?

Base: All respondents

	0				spondent's Gender (Q79)		Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	I	J	K	L	M	N	0	Р	Q	R	S	T
Number in sample	2,219	124	136	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,191	124	136	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
	98.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,135	76	57	12	63	18	30	27	19	25	31	44	22	10	7	50	15	1	25	2
	51.8%	61.3%	41.9%	54.5%	63.6%	66.7%	55.6%	65.9%	46.3%	73.5%	66.0%	53.0%	78.6%	76.9%	29.2%	64.1%	88.2%	50.0%	86.2%	100.0%
No	1,056	48	79	10	36	9	24	14	22	9	16	39	6	3	17	28	2	1	4	0
	48.2%	38.7%	58.1%	45.5%	36.4%	33.3%	44.4%	34.1%	53.7%	26.5%	34.0%	47.0%	21.4%	23.1%	70.8%	35.9%	11.8%	50.0%	13.8%	0.0%
Significantly different from column:*		AC							J	1		M	L		PQ	0	0			

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 56

In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?

Base: All respondents whose child got a prescription for medicine or refilled a prescription (Q55)

	<u> </u>			Respor Gen	der	C	hild's Ag	e	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	_	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	1,135	76	57	12	63	18	30	27	19	25	31	44	22	10	7	50	15	1	25	2
Number missing or multiple answer	15	2	0	0	2	1	1	0	0	0	2	2	0	0	0	2	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,120	74	57	12	61	17	29	27	19	25	29	42	22	10	7	48	15	1	25	2
	98.7%	97.4%	100.0%	100.0%	96.8%	94.4%	96.7%	100.0%	100.0%	100.0%	93.5%	95.5%	100.0%	100.0%	100.0%	96.0%	100.0%	100.0%	100.0%	100.0%
Never	13 1.2%	0 0.0%	1 1.8%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
Sometimes	111	7	1.070	0.070	7	1	4	2	1	2	4	3	3	1	0.070	4	3	0.070	2	0.070
	9.9%	9.5%	1.8%	0.0%	11.5%	5.9%	13.8%	7.4%	5.3%	8.0%	13.8%	7.1%	13.6%	10.0%	0.0%	8.3%	20.0%	0.0%	8.0%	0.0%
Usually	264	22	11	2	19	7	7	7	7	6	8	14	5	3	1	13	5	1	6	1
	23.6%	29.7%	19.3%	16.7%	31.1%	41.2%	24.1%	25.9%	36.8%	24.0%	27.6%	33.3%	22.7%	30.0%	14.3%	27.1%	33.3%	100.0%	24.0%	50.0%
Always	732	45	44	10	35	9	18	18	11	17	17	25	14	6	6	31	7	0	17	1
	65.4%	60.8%	77.2%	83.3%	57.4%	52.9%	62.1%	66.7%	57.9%	68.0%	58.6%	59.5%	63.6%	60.0%	85.7%	64.6%	46.7%	0.0%	68.0%	50.0%
Significantly different from column:*		С																		
Usually or Always	996	67	55	12	54	16	25	25	18	23	25	39	19	9	7	44	12	1	23	2
	88.9%	90.5%	96.5%	100.0%	88.5%	94.1%	86.2%	92.6%	94.7%	92.0%	86.2%	92.9%	86.4%	90.0%	100.0%	91.7%	80.0%	100.0%	92.0%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 57

Did anyone from your child's health plan, doctor's office, or clinic help you get your child's prescription medicines?

Base: All respondents whose child got a prescription for medicine or refilled a prescription (Q55)

	0			Respor Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V st 6 Montl			Specialist S st 6 Montl	
	OHP			(Q:	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	1,135	76	55	12	63	18	30	27	19	25	31	44	22	10	7	50	15	1	25	2
Number missing or multiple answer	24	4	0	0	4	2	1	1	1	1	2	3	0	1	0	3	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,111	72	55	12	59	16	29	26	18	24	29	41	22	9	7	47	15	1	25	2
	97.9%	94.7%	100.0%	100.0%	93.7%	88.9%	96.7%	96.3%	94.7%	96.0%	93.5%	93.2%	100.0%	90.0%	100.0%	94.0%	100.0%	100.0%	100.0%	100.0%
Yes	721	53	42	9	43	14	20	18	16	18	18	30	16	7	4	37	10	1	17	2
	64.9%	73.6%	76.4%	75.0%	72.9%	87.5%	69.0%	69.2%	88.9%	75.0%	62.1%	73.2%	72.7%	77.8%	57.1%	78.7%	66.7%	100.0%	68.0%	100.0%
No	390	19	13	3	16	2	9	8	2	6	11	11	6	2	3	10	5	0	8	0
	35.1%	26.4%	23.6%	25.0%	27.1%	12.5%	31.0%	30.8%	11.1%	25.0%	37.9%	26.8%	27.3%	22.2%	42.9%	21.3%	33.3%	0.0%	32.0%	0.0%
Significantly different from column:*																				1

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 57a

A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist?

### Base: All respondents

	0			Respor Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	136	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	84	3	0	2	0	1	1	1	2	1	0	3	0	0	1	1	1	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,135	121	136	20	99	26	53	40	39	33	47	80	28	13	23	77	16	2	29	1
	96.2%	97.6%	100.0%	90.9%	100.0%	96.3%	98.1%	97.6%	95.1%	97.1%	100.0%	96.4%	100.0%	100.0%	95.8%	98.7%	94.1%	100.0%	100.0%	50.0%
Yes	1,815	107	115	15	90	22	46	37	35	28	42	69	26	12	21	66	16	2	26	1
	85.0%	88.4%	84.6%	75.0%	90.9%	84.6%	86.8%	92.5%	89.7%	84.8%	89.4%	86.3%	92.9%	92.3%	91.3%	85.7%	100.0%	100.0%	89.7%	100.0%
No	320	14	21	5	9	4	7	3	4	5	5	11	2	1	2	11	0	0	3	0
	15.0%	11.6%	15.4%	25.0%	9.1%	15.4%	13.2%	7.5%	10.3%	15.2%	10.6%	13.8%	7.1%	7.7%	8.7%	14.3%	0.0%	0.0%	10.3%	0.0%
Significantly different from column:*																				<u> </u>

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 57b

In the last 6 months, did your child go to a dentist's office or clinic for care?

Base: All respondents

	0				Respondent's Gender (Q79)		Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	136	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	72	1	0	0	0	0	0	1	1	0	0	1	0	0	1	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,147	123	136	22	99	27	54	40	40	34	47	82	28	13	23	78	17	2	29	2
	96.8%	99.2%	100.0%	100.0%	100.0%	100.0%	100.0%	97.6%	97.6%	100.0%	100.0%	98.8%	100.0%	100.0%	95.8%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	1,435	90	88	15	73	17	40	31	35	19	34	58	21	11	16	58	12	2	25	1
	66.8%	73.2%	64.7%	68.2%	73.7%	63.0%	74.1%	77.5%	87.5%	55.9%	72.3%	70.7%	75.0%	84.6%	69.6%	74.4%	70.6%	100.0%	86.2%	50.0%
No	712	33	48	7	26	10	14	9	5	15	13	24	7	2	7	20	5	0	4	1
	33.2%	26.8%	35.3%	31.8%	26.3%	37.0%	25.9%	22.5%	12.5%	44.1%	27.7%	29.3%	25.0%	15.4%	30.4%	25.6%	29.4%	0.0%	13.8%	50.0%
Significantly different from column:*									J	I										

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 57c

In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child?

Base: All respondents whose child visited their dentist's office or clinic for care (Q57b)

	<u></u>			Respor Gen	ider	C	Child's Ag	e	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			st 6 Mont	Visits in hs
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	_	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	1,435	90	87	15	73	17	40	31	35	19	34	58	21	11	16	58	12	2	25	1
Number missing or multiple answer	16	2	0	0	1	0	0	1	0	0	1	0	1	1	0	1	1	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,419	88	87	15	72	17	40	30	35	19	33	58	20	10	16	57	11	1	24	1
	98.9%	97.8%	100.0%	100.0%	98.6%	100.0%	100.0%	96.8%	100.0%	100.0%	97.1%	100.0%	95.2%	90.9%	100.0%	98.3%	91.7%	50.0%	96.0%	100.0%
Never	26	1	0	0	1	0	1	0	0	1	0	0	1	0	0	0	1	0	0	0
	1.8%	1.1%	0.0%	0.0%	1.4%	0.0%	2.5%	0.0%	0.0%	5.3%	0.0%	0.0%	5.0%	0.0%	0.0%	0.0%	9.1%	0.0%	0.0%	0.0%
Sometimes	86	4	6	0	4	0	2	2	3	0	1	2	2	0	1	3	0	1	0	0
	6.1%	4.5%	6.9%	0.0%	5.6%	0.0%	5.0%	6.7%	8.6%	0.0%	3.0%	3.4%	10.0%	0.0%	6.3%	5.3%	0.0%	100.0%	0.0%	0.0%
Usually	253	21	22	4	17	6	4	11	5	7	9	15	2	4	4	14	3	0	4	1
	17.8%	23.9%	25.3%	26.7%	23.6%	35.3%	10.0%			36.8%	27.3%	25.9%	10.0%	40.0%	25.0%	24.6%	27.3%	0.0%	16.7%	100.0%
Always	1,054	62	59	11	50	11	33		27	11	23		15	6	11	40	7	0	20	0
	74.3%	70.5%	67.8%	73.3%	69.4%	64.7%	82.5%	56.7%	77.1%	57.9%	69.7%	70.7%	75.0%	60.0%	68.8%	70.2%	63.6%	0.0%	83.3%	0.0%
Significantly different from column:*							Н	G												
Usually or Always	1,307	83	81	15	67	17	37	28	32	18	32		17	10	15	54	10	0	24	1
	92.1%	94.3%	93.1%	100.0%	93.1%	100.0%	92.5%	93.3%	91.4%	94.7%	97.0%	96.6%	85.0%	100.0%	93.8%	94.7%	90.9%	0.0%	100.0%	100.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 57d

In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted?

Base: All respondents

	0			Respoi Ger		C	Child's Ag	Э	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	Visits in
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н		J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	137	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	131	2	0	1	0	0	1	1	1	1	0	2	0	0	2	0	0	0	0	0
Number no experience	1615	94	72	17	76	23	39	31	28	25	40	67	21	6	17	60	14	1	23	1
Usable responses	473 21.3%	28 22.6%	65 47.4%	4 18.2%	23 23.2%	4 14.8%	14 25.9%	9 22.0%	12 29.3%	8 23.5%	7 14.9%	14 16.9%	7 25.0%	7 53.8%	5 20.8%	18 23.1%	3 17.6%	1 50.0%	6 20.7%	1 50.0%
Never	185	8	14	2	6	1	3	4	4	2	2	3	3	2	2	5	0	0	1	0
Sometimes	39.1% 80	28.6%	21.5%	50.0%	26.1%	25.0%	21.4%	44.4%	33.3%	25.0%	28.6%	21.4%	42.9%	28.6%	40.0%	27.8%	0.0%	0.0%	16.7%	0.0%
	16.9%	25.0%	16.9%	25.0%	26.1%	25.0%	28.6%	22.2%	25.0%	25.0%	28.6%	21.4%	42.9%	14.3%	40.0%	22.2%	33.3%	0.0%	0.0%	100.0%
Usually	82 17.3%	4 14.3%	16 24.6%	1 25.0%	2 8.7%	1 25.0%	2 14.3%	0 0.0%	2 16.7%	0.0%	1 14.3%	2 14.3%	0 0.0%	2 28.6%	0.0%	3 16.7%	1 33.3%	1 100.0%	2 33.3%	0.0%
Always	126 26.6%	9 32.1%	24 36.9%	0.0%	9 39.1%	1 25.0%	5 35.7%	33.3%	3 25.0%	4 50.0%	28.6%	6	1 14.3%	28.6%	1 20.0%	6 33.3%	1 33.3%	0.0%	3 50.0%	0.0%
Significantly different from column:*	20.0%	32.170	30.3%	0.0%	39.1%	23.0%	33.176	33.3%	23.0%	30.0%	20.0%	42.370	14.5%	20.0%	20.0%	33.3%	33.3%	0.0%	30.0%	0.0%
Usually or Always	208 44.0%	13 46.4%	40 61.5%	1 25.0%	11 47.8%	2 50.0%	7 50.0%	3 33.3%	5 41.7%	4 50.0%	3 42.9%	8 57.1%	1 14.3%	4 57.1%	1 20.0%	9 50.0%	2 66.7%	1 100.0%	5 83.3%	0 0.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Columbia Gorge
CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 57e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

Base: All respondents

Base: All respondents				Respor Ger		C	hild's Age	)	Respon	dent's Ed	ucation	Child's	Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	2,219	124	132	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	144	4	0	1	3	2	0	2	1	1	2	2	2	0	0	2	1	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,075	120	132	21	96	25	54	39	40	33	45	81	26	13	24	76	16	2	28	2
0.5 t	93.5%	96.8%	100.0%	95.5%	97.0%	92.6%	100.0%	95.1%	97.6%	97.1%	95.7%	97.6%	92.9%	100.0%	100.0%	97.4%	94.1%	100.0%	96.6%	100.0%
0 Extremely Difficult	92 4.4%	3 2.5%	0.8%	0.0%	2 2.1%	0.0%	1 1.9%	2 5.1%	5.0%	3.0%	0.0%	1 1.2%	3.8%	1 7.7%	4.2%	0.0%	2 12.5%	0.0%	1 3.6%	0.0%
1	25	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	(
	1.2%	0.0%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
2	51	1	0	0	1	0	0	1	0	0	1	1	0	0	0	1	0	1	0	
	2.5%	0.8%	0.0%	0.0%	1.0%	0.0%	0.0%	2.6%	0.0%	0.0%	2.2%	1.2%	0.0%	0.0%	0.0%	1.3%	0.0%	50.0%	0.0%	0.0%
3	47	2	3	0	2	2	0	0	0	0	2	2	0	0	0	2	0	0	1	C
	2.3%	1.7%	2.3%	0.0%	2.1%	8.0%	0.0%	0.0%	0.0%	0.0%	4.4%	2.5%	0.0%	0.0%	0.0%	2.6%	0.0%	0.0%	3.6%	0.0%
4	56 2.7%	5 4.2%	1 0.8%	3 14.3%	2 2.1%	0 0.0%	3 5.6%	2 5.1%	2 5.0%	6.1%	1 2.2%	3 3.7%	3.8%	1 7.7%	1 4.2%	3 3.9%	6.3%	0	1 3.6%	50.0%
5	166	4.2%	0.8%	14.3%	2.1%	0.0%	5.6%	5.1%	5.0%	0.1%	2.2%	3.1%	3.8%	1.1%	4.2%	3.9%	6.3%	0.0%	3.6%	50.0%
ď	8.0%	5.8%	3.0%	0.0%	7.3%	4.0%	5.6%	7.7%	5.0%	3.0%	8.9%	4.9%	7.7%	7.7%	4.2%	6.6%	0.0%	0.0%	0.0%	0.0%
6	76	3.070	5.070	0.070	7.576	1.070	1	1.770	0.070	3.0 /0	0.370	7.370	1.770	7.770	7.270	3	0.070	0.070	1	0.070
	3.7%	2.5%	3.8%	0.0%	3.1%	4.0%	1.9%	2.6%	0.0%	3.0%	4.4%	2.5%	3.8%	0.0%	0.0%	3.9%	0.0%	0.0%	3.6%	0.0%
7	145	6	9	3	3	2	2	2	1	2	3	3	2	1	0	6	0	0	1	- (
	7.0%	5.0%	6.8%	14.3%	3.1%	8.0%	3.7%	5.1%	2.5%	6.1%	6.7%	3.7%	7.7%	7.7%	0.0%	7.9%	0.0%	0.0%	3.6%	0.0%
8	269 13.0%	17 14.2%	23 17.4%	1 4.8%	15 15.6%	2 8.0%	8 14.8%	6 15.4%	3 7.5%	4 12.1%	9 20.0%	12 14.8%	3 11.5%	2	4 16.7%	12 15.8%	1 6.3%	1 50.0%	4 14.3%	50.0%
۵	13.0%	14.2%	17.4%	4.8%	%d.c1	გ.ს%	14.8%	15.4%	7.5%	12.1%	∠∪.∪%	14.8%	11.5%	15.4%	10.7%	15.8%	0.3%	50.0%	14.3%	50.0%
ľ	12.3%	10.0%	22.0%	14.3%	9.4%	8.0%	9.3%	ە 12.8%	15.0%	12.1%	4.4%	7.4%	11.5%	23.1%	16.7%	5.3%	25.0%	0.0%	10.7%	0.0%
10 Extremely Easy	892	64	56	14.5%	52	15	9.5%	12.0%	15.0%	12.1%	4.4%	47	13	23.1% 4	13	3.3%	23.0% g	0.0%	16.7%	0.0%
	43.0%	53.3%	42.4%	52.4%	54.2%	60.0%	57.4%	43.6%	60.0%	54.5%	46.7%	58.0%	50.0%	30.8%	54.2%	52.6%	50.0%	0.0%	57.1%	0.0%

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 57e

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist for your child?

				Respoi Ger		(	Child's Ag	e	Respon	dent's Ed	ucation	Child's	Health S	Status		Doctor V			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample Number missing or multiple answer	2,219 144	124 4	132	22 1	99 3	27	54 0	41	41 1	34 1	47 2	83 2	28 2	13 0	24 0	78 2	17 1	0	29 1	l
Number no experience Usable responses	2,075 93.5%	NA 120 96.8%	NA 132 100.0%	NA 21 95.5%	96 97.0%	NA 25 92.6%	NA 54 100.0%	NA 39 95.1%	NA 40 97.6%	NA 33 97.1%	NA 45 95.7%	NA 81 97.6%	NA 26 92.9%	NA 13 100.0%	NA 24 100.0%	76 97.4%	NA 16 94.1%	NA 2 100.0%	NA 28 96.6%	100.09
0 to 4	271 13.1%	11 9.2%	6 4.5%	3	7 7.3%	2 8.0%	4 7.4%	5 12.8%	4 10.0%	3 9.1%	4 8.9%	7 8.6%	2 7.7%	2 15.4%	2 8.3%	6 7.9%	3 18.8%	1 50.0%	3 10.7%	50.09
5	166 8.0%	7 5.8%	4 3.0%	0 0.0%	7 7.3%	1 4.0%	3 5.6%	3 7.7%	2 5.0%	1 3.0%	4 8.9%	4 4.9%	2 7.7%	1 7.7%	1 4.2%	5 6.6%	0 0.0%	0 0.0%	0 0.0%	0.09
6 or 7	221 10.7%	9 7.5%	14 10.6%	3 14.3%	6 6.3%	3 12.0%	3 5.6%	3 7.7%	1 2.5%	3 9.1%	5 11.1%	5 6.2%	3 11.5%	1 7.7%	0 0.0%	9 11.8%	0 0.0%	0 0.0%	2 7.1%	0.09
8 to 10	1,417 68.3%	93 77.5%	108 81.8%	15 71.4%	76 79.2%	19 76.0%	44 81.5%	28 71.8%	33 82.5%	26 78.8%	32 71.1%	65 80.2%	19 73.1%	9 69.2%	21 87.5%	56 73.7%	13 81.3%	1 50.0%	23 82.1%	50.09
Significantly different from column:*		Α																		
0 to 6	513 24.7%	21 17.5%	15 11.4%	3 14.3%	17 17.7%	4 16.0%	8 14.8%	9 23.1%	6 15.0%	5 15.2%	10 22.2%	13 16.0%	5 19.2%	3 23.1%	3 12.5%	14 18.4%	3 18.8%	50.0%	4 14.3%	50.0%
7 to 8	414 20.0%	23 19.2%	32 24.2%	4 19.0%	18 18.8%	4 16.0%	10 18.5%	8 20.5%	4 10.0%	6 18.2%	12 26.7%	15 18.5%	5 19.2%	3 23.1%	4 16.7%	18 23.7%	1 6.3%	1 50.0%	5 17.9%	50.0%
9 to 10	1,148 55.3%	76 63.3%	85 64.4%	14 66.7%	61 63.5%	17 68.0%	36 66.7%	22 56.4%	30 75.0%	22 66.7%	23 51.1%	53 65.4%	16 61.5%	7 53.8%	17 70.8%	44 57.9%	12 75.0%	0 0.0%	19 67.9%	0.0%
Significantly different from column:*									K		I		, and the second							

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 58

In general, how would you rate your child's overall health?

				Respoi Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist \ st 6 Month	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	2,219	124	139	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA
Usable responses	2,197	124	139	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Poor	19 0.9%	0 0.0%	1 0.7%	0 0.0%	0 0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0 0.0%
Fair	174	13	16	1	11	3	6	3	7	5	0	0	0	13	0	7	5	1	4	0
	7.9%	10.5%	11.5%	4.5%	11.1%	11.1%	11.1%			14.7%	0.0%	0.0%	0.0%	100.0%	0.0%	9.0%	29.4%	50.0%	13.8%	0.0%
Good	567 25.8%	28 22.6%	46 33.1%	3 13.6%	25 25.3%	1 3.7%	13 24.1%		11 26.8%	7 20.6%	10 21.3%	0.0%	28 100.0%	0.0%	3 12.5%	18 23.1%	6 35.3%	0.0%	10 34.5%	50.0%
Very Good	779	37	43	8	27	6	17	13	8	8	20	37	0	0	14	17	4	1	10	1
	35.5%	29.8%	30.9%	36.4%	27.3%	22.2%	31.5%	31.7%	19.5%	23.5%	42.6%	44.6%	0.0%	0.0%	58.3%	21.8%	23.5%	50.0%	34.5%	50.0%
Excellent	658	46	33	10	36	17	18	11	15	14	17	46	0	0	7	36	2	0	5	0
	29.9%	37.1%	23.7%	45.5%	36.4%	63.0%	33.3%		36.6%	41.2%	36.2%	55.4%	0.0%	0.0%	29.2%	46.2%	11.8%	0.0%	17.2%	0.0%
Significantly different from column:*		С				GH	F	F				MN	L	L		Q	Р			
Excellent or Very Good	1,437 65.4%	83 66.9%	76 54.7%	18 81.8%	63 63.6%	23 85.2%	35 64.8%	24 58.5%	23 56.1%	22 64.7%	37 78.7%	83 100.0%	0.0%	0 0.0%	21 87.5%	53 67.9%	6 35.3%	1 50.0%	15 51.7%	1 50.0%
Significantly different from column:*	03.4%	C	34.1%	01.0%	03.0%	85.2% H	04.0%	56.5% F	K	04.1%	10.1%	M	U.U%	0.0%	87.5% Q	Q Q	35.3% OP	50.0%	31.1%	50.0%

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 59

In general, how would you rate your child's overall mental or emotional health?

	0			Respor Ger		C	hild's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	137	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	22	1	0	0	1	0	1	0	0	1	0	1	0	0	0	0	1	0	0	0
Number no experience	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,197	123	137	22	98	27	53	41	41	33	47	82	28	13	24	78	16	2	29	2
	99.0%	99.2%	100.0%	100.0%	99.0%	100.0%	98.1%	100.0%	100.0%	97.1%	100.0%	98.8%	100.0%	100.0%	100.0%	100.0%	94.1%	100.0%	100.0%	100.0%
Poor	93 4.2%	3 2.4%	7 5.1%	0.0%	3 3.1%	0.0%	1 1.9%	2 4.9%	0.0%	1 3.0%	2 4.3%	1 1.2%	3.6%	1 7.7%	0.0%	2 2.6%	1 6.3%	0 0.0%	1 3.4%	0.0%
Fair	403	24	22	2	21	1	11	11	10	4	9	6	10	8	3	13	6	1	7	1
Good	18.3%	19.5% 27	16.1% 36	9.1%	21.4%	3.7%	20.8%	26.8%	24.4%	12.1%	19.1%		35.7%	61.5%	12.5%	16.7%	37.5%	50.0%	24.1%	50.0%
G000	586 26.7%	22.0%	26.3%	22.7%	21 21.4%	14.8%	12 22.6%	10 24.4%		ە 15.2%	11 23.4%	15 18.3%	11 39.3%	7.7%	8.3%	20 25.6%	31.3%	0.0%	37.9%	0.0%
Very Good	560	33	33	8	24	5	16	12	9	9	15	28	3	2	12	18	2	1	4	0
	25.5%	26.8%	24.1%	36.4%	24.5%	18.5%	30.2%	29.3%	22.0%	27.3%	31.9%	34.1%	10.7%	15.4%	50.0%	23.1%	12.5%	50.0%	13.8%	0.0%
Excellent	555	36	39	7	29	17	13	6	12	14	10	32	3	1	7	25	2	0	6	1
	25.3%	29.3%	28.5%	31.8%	29.6%	63.0%	24.5%	14.6%	29.3%	42.4%	21.3%		10.7%	7.7%	29.2%	32.1%	12.5%	0.0%	20.7%	50.0%
Significantly different from column:*						GH	F	F		K	J	M	L							
Excellent or Very Good	1,115	69	72	15		22	29	18	21	23	25	60	6	3	19	43	4	1	10	1
Significantly different from column:*	50.8%	56.1%	52.6%	68.2%	54.1%	81.5% GH	54.7% F	43.9% F	51.2%	69.7%	53.2%	73.2% M	21.4% I	23.1%	79.2% PQ	55.1% OQ	25.0% OP	50.0%	34.5%	50.0%

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 60

Does your child currently need or use medicine prescribed by a doctor (other than vitamins)?

Base: All respondents

	۵			Respor Gen		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V st 6 Montl			pecialist st 6 Mont	Visits in
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	138	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	13	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,206	124	138	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	832	46	38	7	39	7	21	18	15	12	19	21	17	8	5	25	13	0	16	2
	37.7%	37.1%	27.5%	31.8%	39.4%	25.9%	38.9%	43.9%	36.6%	35.3%	40.4%	25.3%	60.7%	61.5%	20.8%	32.1%	76.5%	0.0%	55.2%	100.0%
No	1,374	78	100	15	60	20	33	23	26	22	28	62	11	5	19	53	4	2	13	0
	62.3%	62.9%	72.5%	68.2%	60.6%	74.1%	61.1%	56.1%	63.4%	64.7%	59.6%	74.7%	39.3%	38.5%	79.2%	67.9%	23.5%	100.0%	44.8%	0.0%
Significantly different from column:*												M	L		Q	Q	OP			

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 61

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/uses medicine prescribed by a doctor (Q60)

	0				ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist S st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018 Male		Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	832	46	38	7	39	7	21	18	15	12	19	21	17	8	5	25	13	0	16	2
Number missing or multiple answer	8	2	0	1	1	1	1	0	1	1	0	1	0	1	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	824	44	38	6	38	6	20	18	14	11	19	20	17	7	5	24	13	0	16	2
	99.0%	95.7%	100.0%	85.7%	97.4%	85.7%	95.2%	100.0%	93.3%	91.7%	100.0%	95.2%	100.0%	87.5%	100.0%	96.0%	100.0%		100.0%	100.0%
Yes	738	38	36	5	33	6	18	14	11	11	16	15	17	6	2	21	13	0	15	2
	89.6%	86.4%	94.7%	83.3%	86.8%	100.0%	90.0%	77.8%	78.6%	100.0%	84.2%	75.0%	100.0%	85.7%	40.0%	87.5%	100.0%		93.8%	100.0%
No	86	6	2	1	5	0	2	4	3	0	3	5	0	1	3	3	0	0	1	0
	10.4%	13.6%	5.3%	16.7%	13.2%	0.0%	10.0%	22.2%	21.4%	0.0%	15.8%	25.0%	0.0%	14.3%	60.0%	12.5%	0.0%		6.3%	0.0%
Significantly different from column:*												, and the second								1

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 62

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/uses medicine prescribed by a doctor for medical/behavioral/other health condition (Q60 & Q61)

	Ь				ondent's ender Q79)		Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	738	38	35	5	33	6	18	14	11	11	16	15	17	6	2	21	13	0	15	2
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	733	38	35	5	33	6	18	14	11	11	16	15	17	6	2	21	13	0	15	2
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
Yes	692	36	31	3	33	5	17	14	11	9	16	14	17	5	2	21	11	0	15	1
	94.4%	94.7%	88.6%	60.0%	100.0%	83.3%	94.4%	100.0%	100.0%	81.8%	100.0%	93.3%	100.0%	83.3%	100.0%	100.0%	84.6%		100.0%	50.0%
No	41	2	4	2	0	1	1	0	0	2	0	1	0	1	0	0	2	0	0	1
	5.6%	5.3%	11.4%	40.0%	0.0%	16.7%	5.6%	0.0%	0.0%	18.2%	0.0%	6.7%	0.0%	16.7%	0.0%	0.0%	15.4%		0.0%	50.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 63

Does your child need or use more medical care, more mental health services, or more educational services than is usual for most children of the same age?

	0			Respor Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor Vi st 6 Month			specialist st 6 Mont	Visits in
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	l.
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	137	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	41	1	0	0	1	1	0	0	0	1	0	0	0	1	0	1	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,178	123	137	22	98	26	54	41	41	33	47	83	28	12	24	77	17	2	29	2
	98.2%	99.2%	100.0%	100.0%	99.0%	96.3%	100.0%	100.0%	100.0%	97.1%	100.0%	100.0%	100.0%	92.3%	100.0%	98.7%	100.0%	100.0%	100.0%	100.0%
Yes	830	38	42	6	32	7	20	11	8	8	22	20	12	6	3	23	11	0	19	2
	38.1%	30.9%	30.7%	27.3%	32.7%	26.9%	37.0%	26.8%	19.5%	24.2%	46.8%	24.1%	42.9%	50.0%	12.5%	29.9%	64.7%	0.0%	65.5%	100.0%
No	1,348	85	95	16	66	19	34	30	33	25	25	63	16	6	21	54	6	2	10	0
	61.9%	69.1%	69.3%	72.7%	67.3%	73.1%	63.0%	73.2%	80.5%	75.8%	53.2%	75.9%	57.1%	50.0%	87.5%	70.1%	35.3%	100.0%	34.5%	0.0%
Significantly different from column:*									K	K	IJ				Q	Q	OP			1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 64

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/uses more medical care/mental health/educational services than usual for children of same age (Q63)

	Д.			Respor Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor Vi st 6 Month			Specialist st 6 Mont	Visits in hs
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	830	38	42	6	32	7	20	11	8	8	22	20	12	6	3	23	11	0	19	2
Number missing or multiple answer	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	822	38	42	6	32	7	20	11	8	8	22	20	12	6	3	23	11	0	19	2
	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
Yes	750	36	34	6	30	6	20	10	7	8	21	19	12	5	3	21	11	0	18	2
	91.2%	94.7%	81.0%	100.0%	93.8%	85.7%	100.0%	90.9%	87.5%	100.0%	95.5%	95.0%	100.0%	83.3%	100.0%	91.3%	100.0%		94.7%	100.0%
No	72	2	8	0	2	1	0	1	1	0	1	1	0	1	0	2	0	0	1	0
	8.8%	5.3%	19.0%	0.0%	6.3%	14.3%	0.0%	9.1%	12.5%	0.0%	4.5%	5.0%	0.0%	16.7%	0.0%	8.7%	0.0%		5.3%	0.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 65

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/uses more medical care/mental health/educational services than usual for children of same age for medical/behavioral/other health condition (Q63 & Q64)

	0			Respor Ger		C	Child's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor Vi st 6 Month			Specialist st 6 Mont	Visits in hs
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female			14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	750	36	33	6	30	6	20	10	7	8	21	19	12	5	3	21	11	0	18	2
Number missing or multiple answer	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	747	36	33	6	30	6	20	10	7	8	21	19	12	5	3	21	11	0	18	2
	99.6%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
Yes	733	36	32	6	30	6	20	10	7	8	21	19	12	5	3	21	11	0	18	2
	98.1%	100.0%	97.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
No	14	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.9%	0.0%	3.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 66

Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do?

Base: All respondents

	0			Respoi Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	139	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	29	1	0	1	0	0	1	0	1	0	0	1	0	0	1	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,190	123	139	21	99	27	53	41	40	34	47	82	28	13	23	78	17	2	29	2
	98.7%	99.2%	100.0%	95.5%	100.0%	100.0%	98.1%	100.0%	97.6%	100.0%	100.0%	98.8%	100.0%	100.0%	95.8%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	604	26	29	5	20	3	17	5	12	5	8	8	13	5	4	14	8	1	10	1
	27.6%	21.1%	20.9%	23.8%	20.2%	11.1%	32.1%	12.2%	30.0%	14.7%	17.0%	9.8%	46.4%	38.5%	17.4%	17.9%	47.1%	50.0%	34.5%	50.0%
No	1,586	97	110	16	79	24	36	36	28	29	39	74	15	8	19	64	9	1	19	1
	72.4%	78.9%	79.1%	76.2%	79.8%	88.9%	67.9%	87.8%	70.0%	85.3%	83.0%	90.2%	53.6%	61.5%	82.6%	82.1%	52.9%	50.0%	65.5%	50.0%
Significantly different from column:*						G	FH	G				M	L		Q		0			

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 67

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child is limited/prevented in ability to do things children of the same age can do (Q66)

	۵				ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Montl			Specialist st 6 Mont	Visits in
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	604	26	28	5	20	3	17	5	12	5	8	8	13	5	4	14	8	1	10	1
Number missing or multiple answer	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	596	26	28	5	20	3	17	5	12	5	8	8	13	5	4	14	8	1	10	1
	98.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	541	23	25	5	18	2	16	5	10	5	8	7	12	4	3	12	8	0	10	1
	90.8%	88.5%	89.3%	100.0%	90.0%	66.7%	94.1%	100.0%	83.3%	100.0%	100.0%	87.5%	92.3%	80.0%	75.0%	85.7%	100.0%	0.0%	100.0%	100.0%
No	55	3	3	0	2	1	1	0	2	0	0	1	1	1	1	2	0	1	0	0
	9.2%	11.5%	10.7%	0.0%	10.0%	33.3%	5.9%	0.0%	16.7%	0.0%	0.0%	12.5%	7.7%	20.0%	25.0%	14.3%	0.0%	100.0%	0.0%	0.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 68

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child is limited/prevented in ability to do things because of medical/behavioral/other health condition (Q66 & Q67)

	۵			Respor Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Montl			Specialist st 6 Mont	Visits in hs
	OHP.			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	541	23	25	5	18	2	16	5	10	5	8	7	12	4	3	12	8	0	10	1
Number missing or multiple answer	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	538	23	25	5	18	2	16	5	10	5	8	7	12	4	3	12	8	0	10	1
	99.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
Yes	533	23	25	5	18	2	16	5	10	5	8	7	12	4	3	12	8	0	10	1
	99.1%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%
No	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 69

Does your child need or get special therapy such as physical, occupational, or speech therapy?

Base: All respondents

	Д.			Respor Ger	nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor Vi st 6 Month			st 6 Mont	Visits in ths
	OHP			(Q:	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	136	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,196	124	136	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	550	34	36	5	27	12	14	6	9	5	18	21	7	6	6	19	8	1	14	1
	25.0%	27.4%	26.5%	22.7%	27.3%	44.4%	25.9%	14.6%	22.0%	14.7%	38.3%	25.3%	25.0%	46.2%	25.0%	24.4%	47.1%	50.0%	48.3%	50.0%
No	1,646	90	100	17	72	15	40	35	32	29	29	62	21	7	18	59	9	1	15	1
	75.0%	72.6%	73.5%	77.3%	72.7%	55.6%	74.1%	85.4%	78.0%	85.3%	61.7%	74.7%	75.0%	53.8%	75.0%	75.6%	52.9%	50.0%	51.7%	50.0%
Significantly different from column:*						Н		F		K	J									

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 70

Is this because of any medical, behavioral, or other health condition?

Base: All respondents whose child needs/gets special therapy (Q69)

	۵			Respor Ger	ndent's nder	C	Child's Ag	е	Respor	dent's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	550	34	33	5	27	12	14	6	9	5	18	21	7	6	6	19	8	1	14	1
Number missing or multiple answer	8	1	0	0	1	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	542	33	33	5	26	12	13	6	9	5	17	20	7	6	6	19	8	1	14	1
	98.5%	97.1%	100.0%	100.0%	96.3%	100.0%	92.9%	100.0%	100.0%	100.0%	94.4%	95.2%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Yes	439	23	21	4	17	5	10	6	7	3	11	11	7	5	3	12	8	1	14	1
	81.0%	69.7%	63.6%	80.0%	65.4%	41.7%	76.9%	100.0%	77.8%	60.0%	64.7%	55.0%	100.0%	83.3%	50.0%	63.2%	100.0%	100.0%	100.0%	100.0%
No	103	10	12	1	9	7	3	0	2	2	6	9	0	1	3	7	0	0	0	0
	19.0%	30.3%	36.4%	20.0%	34.6%	58.3%	23.1%	0.0%	22.2%	40.0%	35.3%	45.0%	0.0%	16.7%	50.0%	36.8%	0.0%	0.0%	0.0%	0.0%
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

### Question 71

Is this a condition that has lasted or is expected to last for at least 12 months?

Base: All respondents whose child needs/gets special therapy for medical/behavioral/other health condition (Q69 & Q70)

	<b>d</b>			Respor Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor Vi st 6 Month			Specialist st 6 Mont	Visits in hs
	H			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	439	23	21	4	17	5	10	6	7	3	11	11	7	5	3	12	8	1	14	1
Number missing or multiple answer	7	1	0	0	1	0	1	0	0	1	0	1	0	0	0	1	0	0	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	432	22	21	4	16	5	9	6	7	2	11	10	7	5	3	11	8	1	13	1
	98.4%	95.7%	100.0%	100.0%	94.1%	100.0%	90.0%	100.0%	100.0%	66.7%	100.0%	90.9%	100.0%	100.0%	100.0%	91.7%	100.0%	100.0%	92.9%	100.0%
Yes	419	20	20	3	15	4	9	5	7	2	9	9	6	5	3	10	7	1	12	1
	97.0%	90.9%	95.2%	75.0%	93.8%	80.0%	100.0%	83.3%	100.0%	100.0%	81.8%	90.0%	85.7%	100.0%	100.0%	90.9%	87.5%	100.0%	92.3%	100.0%
No	13	2	1	1	1	1	0	1	0	0	2	1	1	0	0	1	1	0	1	0
	3.0%	9.1%	4.8%	25.0%	6.3%	20.0%	0.0%	16.7%	0.0%	0.0%	18.2%	10.0%	14.3%	0.0%	0.0%	9.1%	12.5%	0.0%	7.7%	0.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 72

Does your child have any kind of emotional, developmental, or behavioral problem for which he or she needs or gets treatment or counseling?

Base: All respondents

	0			Respoi Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist state	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	137	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	32	1	0	1	0	0	1	0	0	1	0	1	0	0	0	0	1	0	0	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,187	123	137	21	99	27	53	41	41	33	47	82	28	13	24	78	16	2	29	1
	98.6%	99.2%	100.0%	95.5%	100.0%	100.0%	98.1%	100.0%	100.0%	97.1%	100.0%	98.8%	100.0%	100.0%	100.0%	100.0%	94.1%	100.0%	100.0%	50.0%
Yes	841	37	45	4	31	3	21	11	6	7	22	19	14	4	1	25	10	1	15	1
	38.5%	30.1%	32.8%	19.0%	31.3%	11.1%	39.6%	26.8%	14.6%	21.2%	46.8%	23.2%	50.0%	30.8%	4.2%	32.1%	62.5%	50.0%	51.7%	100.0%
No	1,346	86	92	17	68	24	32	30	35	26	25	63	14	9	23	53	6	1	14	0
	61.5%	69.9%	67.2%	81.0%	68.7%	88.9%	60.4%	73.2%	85.4%	78.8%	53.2%	76.8%	50.0%	69.2%	95.8%	67.9%	37.5%	50.0%	48.3%	0.0%
Significantly different from column:*						G	F		K	K	IJ	M	L		Р	OQ	Р		1	

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 73

Has this problem lasted or is it expected to last for at least 12 months?

Base: All respondents whose child has emotional, developmental or behavioral problem for which s/he gets treatment (Q72)

	0			Respor Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	Visits in
	OHP			(Q:	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female			14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	841	37	43	4	31	3	21	11	6	7	22	19	14	4	1	25	10	1	15	1
Number missing or multiple answer	24	3	0	0	1	0	1	0	0	1	0	2	0	1	0	2	1	1	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	817	34	43	4	30	3	20	11	6	6	22	17	14	3	1	23	9	0	13	1
	97.1%	91.9%	100.0%	100.0%	96.8%	100.0%	95.2%	100.0%	100.0%	85.7%	100.0%	89.5%	100.0%	75.0%	100.0%	92.0%	90.0%	0.0%	86.7%	100.0%
Yes	783	33	40	4	29	3	19	11	6	6	21	16	14	3	1	22	9	0	13	1
	95.8%	97.1%	93.0%	100.0%	96.7%	100.0%	95.0%	100.0%	100.0%	100.0%	95.5%	94.1%	100.0%	100.0%	100.0%	95.7%	100.0%		100.0%	100.0%
No	34	1	3	0	1	0	1	0	0	0	1	1	0	0	0	1	0	0	0	0
	4.2%	2.9%	7.0%	0.0%	3.3%	0.0%	5.0%	0.0%	0.0%	0.0%	4.5%	5.9%	0.0%	0.0%	0.0%	4.3%	0.0%		0.0%	0.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 74

What is your child's age?

Base: All respondents

	Δ.			Respo Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor V t 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	2,219	124	138	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	27 NA	2	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1	1	0
Number no experience Usable responses	2.192	NA 122	NA 138	NA 22	NA 99	NA 27	NA 54	NA 41	NA 41	NA 34	NA 47	NA 82	NA 28	NA 12	NA 24	NA 77	NA 16	NA	NA 28	NA
Osable responses	98.8%	98.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	92.3%	100.0%	98.7%	94.1%	50.0%	96.6%	100.0%
Less than 1 year old	2 0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1 year old	73 3.3%	4 3.3%	7 5.1%	1 4.5%	3.0%	14.8%	0.0%	0.0%	2 4.9%	1 2.9%	1 2.1%	4 4.9%	0.0%	0.0%	0.0%	3.9%	0.0%	0.0%	0.0%	0.0%
2 years old	95 4.3%	5 4.1%	3 2.2%	0.0%	5 5.1%	5 18.5%	0.0%	0.0%	1 2.4%	2 5.9%	2 4.3%	4.9%	0.0%	1 8.3%	0.0%	5 6.5%	0.0%	0.0%	1 3.6%	0.0%
3 years old	102 4.7%	3 2.5%	5 3.6%	0 0.0%	3 3.0%	3 11.1%	0 0.0%	0 0.0%	1 2.4%	0 0.0%	2 4.3%	3 3.7%	0 0.0%	0 0.0%	0 0.0%	2 2.6%	0 0.0%	0 0.0%	1 3.6%	0.0%
4 to 6 years old	287 13.1%	18 14.8%	24 17.4%	5 22.7%	13 13.1%	15 55.6%	3 5.6%	0 0.0%	2 4.9%	8 23.5%	8 17.0%	13 15.9%	3 10.7%	2 16.7%	2 8.3%	15 19.5%	1 6.3%	0 0.0%	3 10.7%	0.0%
7 to 9 years old	354 16.1%	24 19.7%	16 11.6%	7 31.8%	17 17.2%	0 0.0%	24 44.4%	0.0%	9 22.0%	7 20.6%	8 17.0%	18 22.0%	3 10.7%	3 25.0%	6 25.0%	12 15.6%	5 31.3%	0 0.0%	8 28.6%	1 50.0%
10 to 13 years old	587 26.8%	27 22.1%	34 24.6%	5 22.7%	22 22.2%	0 0.0%	27 50.0%	0.0%	12 29.3%	4 11.8%	11 23.4%	16 19.5%	8 28.6%	3 25.0%	6 25.0%	15 19.5%	5 31.3%	0 0.0%	6 21.4%	0.0%
14 to 18 years old	692 31.6%	41 33.6%	49 35.5%	4 18.2%	36 36.4%	0 0.0%	0 0.0%	41 100.0%	14 34.1%	12 35.3%	15 31.9%	24 29.3%	14 50.0%	3 25.0%	10 41.7%	25 32.5%	5 31.3%	1 100.0%	9 32.1%	1 50.0%
3 years old or younger	272 12.4%	12 9.8%	15 10.9%	1 4.5%	11 11.1%	12 44.4%	0 0.0%	0.0%	4 9.8%	3 8.8%	5 10.6%	11 13.4%	0 0.0%	1 8.3%	0 0.0%	10 13.0%	0 0.0%	0 0.0%	2 7.1%	0.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 75

Is your child male or female?

Base: All respondents

				Respoi Ger	ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist ' st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	139	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	27	3	0	0	1	0	0	1	1	0	0	2	0	1	0	1	2	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,192	121	139	22	98	27	54	40	40	34	47	81	28	12	24	77	15	1	28	2
	98.8%	97.6%	100.0%	100.0%	99.0%	100.0%	100.0%	97.6%	97.6%	100.0%	100.0%	97.6%	100.0%	92.3%	100.0%	98.7%	88.2%	50.0%	96.6%	100.0%
Male	1,181	68	82	16	51	16	35	17	22	23	23	45	14	9	12	45	10	1	17	1
	53.9%	56.2%	59.0%	72.7%	52.0%	59.3%	64.8%	42.5%	55.0%	67.6%	48.9%	55.6%	50.0%	75.0%	50.0%	58.4%	66.7%	100.0%	60.7%	50.0%
Female	1,011	53	57	6	47	11	19	23	18	11	24	36	14	3	12	32	5	0	11	1
	46.1%	43.8%	41.0%	27.3%	48.0%	40.7%	35.2%	57.5%	45.0%	32.4%	51.1%	44.4%	50.0%	25.0%	50.0%	41.6%	33.3%	0.0%	39.3%	50.0%
Significantly different from column:*							Н	G												

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 76

Is your child of Hispanic or Latino origin or descent?

Base: All respondents

	0				ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist ' st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	136	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	45	5	0	0	3	2	0	1	1	1	1	1	1	3	0	4	1	1	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,174	119	136	22	96	25	54	40	40	33	46	82	27	10	24	74	16	1	27	2
	98.0%	96.0%	100.0%	100.0%	97.0%	92.6%	100.0%	97.6%	97.6%	97.1%	97.9%	98.8%	96.4%	76.9%	100.0%	94.9%	94.1%	50.0%	93.1%	100.0%
Yes, Hispanic or Latino	719	66	84	11	54	12	28	26	35	21	10	41	17	8	16	41	7	1	11	0
	33.1%	55.5%	61.8%	50.0%	56.3%	48.0%	51.9%	65.0%	87.5%	63.6%	21.7%	50.0%	63.0%	80.0%	66.7%	55.4%	43.8%	100.0%	40.7%	0.0%
No, not Hispanic or Latino	1,455	53	52	11	42	13	26	14	5	12	36	41	10	2	8	33	9	0	16	2
	66.9%	44.5%	38.2%	50.0%	43.8%	52.0%	48.1%	35.0%	12.5%	36.4%	78.3%	50.0%	37.0%	20.0%	33.3%	44.6%	56.3%	0.0%	59.3%	100.0%
Significantly different from column:*		Α							JK	IK	IJ									

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Columbia Gorge
CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 77

What is your child's race? Mark one or more.

Base: All respondents

	0			Respor Gen		С	hild's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	status		Doctor \ st 6 Mon			pecialist ' st 6 Montl	
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	ŀ
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	- 1	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	2,219	124	139	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	177	9	22	0	7	2	5	0	5	2	0	4	2	3	1	7	1	1	2	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,042	115	117	22	92	25	49	41	36	32	47	79	26	10	23	71	16	1	27	2
	92.0%	92.7%	84.2%	100.0%	92.9%	92.6%	90.7%	100.0%	87.8%	94.1%	100.0%	95.2%	92.9%	76.9%	95.8%	91.0%	94.1%	50.0%	93.1%	100.0%
White	1,627	98	107	19	78	20	43	35	29	29	40	66	23	9	19	59	15	0	23	2
	79.7%	85.2%	91.5%	86.4%	84.8%	80.0%	87.8%	85.4%	80.6%	90.6%	85.1%	83.5%	88.5%	90.0%	82.6%	83.1%	93.8%	0.0%	85.2%	100.0%
Black or African-American	129	5	0	1	4	1	2	2	0	1	4	4	1	0	0	5	0	0	0	0
	6.3%	4.3%	0.0%	4.5%	4.3%	4.0%	4.1%	4.9%	0.0%	3.1%	8.5%	5.1%	3.8%	0.0%	0.0%	7.0%	0.0%	0.0%	0.0%	0.0%
Asian	147 7.2%	2 1.7%	3 2.6%	0 0.0%	2 2.2%	1 4.0%	0 0.0%	1 2.4%	0 0.0%	0 0.0%	2 4.3%	2 2.5%	0 0.0%	0 0.0%	0 0.0%	2 2.8%	0.0%	1 100.0%	0 0.0%	0 0.0%
Native Hawaiian or other Pacific Islander	32	1.7%	2.0%	0.0%	2.2%	4.0%	0.0%	2.4%	0.0%	0.0%	4.3%	2.5%	0.0%	0.0%	0.0%	2.0%	0.0%	100.0%	0.0%	0.0%
Tradition in a strict in a str	1.6%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
American Indian or Alaska Native	186	6	4	1	5	1	3	2	1	1	4	4	1	1	1	3	2	0	2	0
	9.1%	5.2%	3.4%	4.5%	5.4%	4.0%	6.1%	4.9%	2.8%	3.1%	8.5%	5.1%	3.8%	10.0%	4.3%	4.2%	12.5%	0.0%	7.4%	0.0%
Other	295 14.4%	24 20.9%	7 6.0%	5 22.7%	19 20.7%	7 28.0%	10 20.4%	7 17.1%	11 30.6%	6 18.8%	7 14.9%	15 19.0%	7 26.9%	2 20.0%	4 17.4%	16 22.5%	4 25.0%	0 0.0%	7 25.9%	1 50.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 78

What is your age?

Base: All respondents

	0			Respon Ger	ndent's nder	C	Child's Ag	Э	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	M	N	0	Р	Q	R	S	T
Number in sample	2,219	124	136	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	35 NA	2	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1	1	0
Number no experience Usable responses	2,184	NA 122	NA 136	NA 22	NA 99	NA 27	NA 54	NA 41	NA 41	NA 34	NA 47	NA 82	NA 28	NA 12	NA 24	NA 77	NA 16	NA 4	NA 28	NA
Osable responses	98.4%	98.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	92.3%	100.0%	98.7%	94.1%	50.0%	96.6%	100.0%
Under 18	85	3	2	1	2	0	2	1	0	1	2	2	1	0	0	2	1	0	2	0
	3.9%	2.5%	1.5%	4.5%	2.0%	0.0%	3.7%	2.4%	0.0%	2.9%	4.3%	2.4%	3.6%	0.0%	0.0%	2.6%	6.3%	0.0%	7.1%	0.0%
18 to 24	61	3	5	0	3	2	1	0	0	1	2	3	0	0	1	2	0	0	1	0
25 to 34	2.8% 493	2.5%	3.7%	0.0%	3.0%	7.4%	1.9% 15	0.0%	0.0%	2.9%	4.3%	3.7% 17	0.0%	0.0%	4.2%	2.6%	0.0%	0.0%	3.6%	0.0%
23 10 34	22.6%	19.7%	25.0%	13.6%	21.2%	33.3%	27.8%	0.0%	17.1%	26.5%	17.0%	20.7%	14.3%	25.0%	16.7%	19.5%	12.5%	0.0%	14.3%	0.0%
35 to 44	744	48	52	7	40	9	21	18	17	14	17	36	7	5	12	28	7	1	8	1
45 to 54	34.1%	39.3%	38.2%	31.8%	40.4%	33.3%	38.9%	43.9%	41.5%	41.2%	36.2%	43.9%	25.0%	41.7%	50.0%	36.4%	43.8%	100.0%	28.6%	50.0%
45 10 54	496 22.7%	27 22.1%	32 23.5%	27.3%	21 21.2%	3 11.1%	14.8%	16 39.0%	15 36.6%	5 14.7%	7 14.9%	13 15.9%	10 35.7%	33.3%	20.8%	17 22.1%	25.0%	0.0%	21.4%	0.0%
55 to 64	168	14	4	3	11	2	6	6	2	3	9	8	6	0	1	11	25.070	0.078	7	1
	7.7%	11.5%	2.9%	13.6%	11.1%	7.4%	11.1%	14.6%	4.9%	8.8%	19.1%	9.8%	21.4%	0.0%	4.2%	14.3%	12.5%	0.0%	25.0%	50.0%
65 to 74	108	2	7	2	0	1	1	0	0	1	1	2	0	0	1	1	0	0	0	0
75 11	4.9%	1.6%	5.1%	9.1%	0.0%	3.7%	1.9%	0.0%	0.0%	2.9%	2.1%	2.4%	0.0%	0.0%	4.2%	1.3%	0.0%	0.0%	0.0%	0.0%
75 or older	29 1.3%	1 0.8%	0 0.0%	0.0%	1 1.0%	1 3.7%	0.0%	0 0.0%	0.0%	0.0%	1 2.1%	1 1.2%	0.0%	0.0%	0.0%	1 1.3%	0.0%	0.0%	0.0%	0.0%
35 or older	1,545	92	95	18	73	16	36	40	34	23	35	60	23	9	19	58	13	1	21	2
	70.7%	75.4%	69.9%	81.8%	73.7%	59.3%	66.7%	97.6%	82.9%	67.6%	74.5%	73.2%	82.1%	75.0%	79.2%	75.3%	81.3%	100.0%	75.0%	100.0%
Significantly different from column:*							Н	G												

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 79

Are you male or female?

Base: All respondents

	0				ndent's nder	C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist st 6 Montl	
	어무			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	139	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	22	3	0	0	0	0	0	1	1	0	0	2	0	1	1	1	1	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,197	121	139	22	99	27	54	40	40	34	47	81	28	12	23	77	16	1	28	2
	99.0%	97.6%	100.0%	100.0%	100.0%	100.0%	100.0%	97.6%	97.6%	100.0%	100.0%	97.6%	100.0%	92.3%	95.8%	98.7%	94.1%	50.0%	96.6%	100.0%
Male	343	22	19	22	0	5	13	4	9	7	6	18	3	1	7	13	2	0	5	1
	15.6%	18.2%	13.7%	100.0%	0.0%	18.5%	24.1%	10.0%	22.5%	20.6%	12.8%	22.2%	10.7%	8.3%	30.4%	16.9%	12.5%	0.0%	17.9%	50.0%
Female	1,854	99	120	0	99	22	41	36	31	27	41	63	25	11	16	64	14	1	23	1
	84.4%	81.8%	86.3%	0.0%	100.0%	81.5%	75.9%	90.0%	77.5%	79.4%	87.2%	77.8%	89.3%	91.7%	69.6%	83.1%	87.5%	100.0%	82.1%	50.0%
Significantly different from column:*																				L

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 80

What is the highest grade or level of school that you have completed?

Base: All respondents

				Respor Ger		(	Child's Ag	Э	Respon	dent's Ed	lucation	Child's	Health S	status		Doctor V			Specialist st 6 Mont	
	OHP			(Q:	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	ı	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	2,219	124	138	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	41	2	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,178	122	138	22	99	27	54	41	41	34	47	82	28	12	24	77	16	1	28	2
	98.2%	98.4%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	98.8%	100.0%	92.3%	100.0%	98.7%	94.1%	50.0%	96.6%	100.0%
8th grade or less	190	23	27	4	18	4	9	10	23	0	0	13	5	5	5	15	3	0	3	0
	8.7%	18.9%	19.6%	18.2%	18.2%	14.8%	16.7%	24.4%	56.1%	0.0%	0.0%	15.9%	17.9%	41.7%	20.8%	19.5%	18.8%	0.0%	10.7%	0.0%
Some high school, but did not graduate	216	18	19	5	13	0	14	4	18	0	0	10	6	2	7	9	1	0	3	0
	9.9%	14.8%	13.8%	22.7%	13.1%	0.0%	25.9%	9.8%	43.9%	0.0%	0.0%	12.2%	21.4%	16.7%	29.2%	11.7%	6.3%	0.0%	10.7%	0.0%
High school graduate or GED	592	34	39	7	27	11	11	12	0	34	0	22	7	5	6	20	6	0	6	. 1
	27.2%	27.9%	28.3%	31.8%	27.3%	40.7%	20.4%	29.3%	0.0%	100.0%	0.0%	26.8%	25.0%	41.7%	25.0%	26.0%	37.5%	0.0%	21.4%	50.0%
Some college or 2-year degree	756	33	34	5	28	9	12	12	0	0	33	28	5	0	5	22	4	0	13	. 1
	34.7%	27.0%	24.6%	22.7%	28.3%	33.3%	22.2%	29.3%	0.0%	0.0%	70.2%	34.1%	17.9%	0.0%	20.8%	28.6%	25.0%	0.0%	46.4%	50.0%
4-year college graduate	243	7	12	1	6	2	3	2	0	0	7	3	4	0	0	6	1	1	3	0
	11.2%	5.7%	8.7%	4.5%	6.1%	7.4%	5.6%	4.9%	0.0%	0.0%	14.9%	3.7%	14.3%	0.0%	0.0%	7.8%	6.3%	100.0%	10.7%	0.0%
More than 4-year college degree	181 8.3%	7 5.7%	7 5.1%	0.0%	7 7.1%	1 3.7%	5 9.3%	1 2.4%	0.0%	0.0%	7 14.9%	6 7.3%	1 3.6%	0.0%	1 4.2%	5 6.5%	6.3%	0.0%	0 0.0%	0.0%
4-year college graduate or more	424 19.5%	14 11.5%	19 13.8%	1 4.5%	13 13.1%	3 11.1%	8 14.8%	7.3%	0 0.0%	0 0.0%	14 29.8%	9 11.0%	5 17.9%	0 0.0%	1 4.2%	11 14.3%	2 12.5%	1 100.0%	3 10.7%	0.0%
Significantly different from column:*	70	A	70		/ 0	70	70		K	K	IJ			2.270	70	570	570		70	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

PacificSource - Columbia Gorge
CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 81

How are you related to the child?

Base: All respondents

	0			Respor Gen		C	Child's Ag	Э	Respon	dent's Ed	lucation	Child's	Health S	Status		Doctor V			Specialist st 6 Mont	Visits in
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample  Number missing or multiple answer	2,219 79	124	138	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing of multiple answer  Number no experience	79 NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2.140	121	138	22	98	27	54	40	41	34	46	82	27	12	24	77		1	28	1
	96.4%	97.6%	100.0%	100.0%	99.0%	100.0%	100.0%	97.6%	100.0%	100.0%	97.9%	98.8%	96.4%	92.3%	100.0%	98.7%	88.2%	50.0%	96.6%	50.0%
Mother or father	1,846	106	127	17	88	21	47	38	38	32	36	69	25	12	22	64	15	1	21	1
	86.3%	87.6%	92.0%	77.3%	89.8%	77.8%	87.0%	95.0%	92.7%	94.1%	78.3%	84.1%	92.6%	100.0%	91.7%	83.1%	100.0%	100.0%	75.0%	100.0%
Grandparent	155 7.2%	9 7.4%	7 5.1%	3 13.6%	6 6.1%	3 11.1%	4 7.4%	5.0%	4.9%	1 2.9%	6 13.0%	7 8.5%	2 7.4%	0.0%	4.2%	8 10.4%	0.0%	0.0%	4 14.3%	0.0%
Aunt or uncle	15 0.7%	0 0.0%	1 0.7%	0 0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%
Older brother or sister	0.7%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other relative	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Legal guardian	0.3% 76	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Logar gadraari	3.6%	3.3%	1.4%	4.5%	3.1%	7.4%	3.7%	0.0%	2.4%	2.9%	4.3%	4.9%	0.0%	0.0%	4.2%	3.9%	0.0%	0.0%	3.6%	0.0%
Someone else	41 1.9%	2 1.7%	1 0.7%	1 4.5%	1 1.0%	1 3.7%	1 1.9%	0 0.0%	0 0.0%	0 0.0%	2 4.3%	2 2.4%	0 0.0%	0 0.0%	0 0.0%	2 2.6%	0 0.0%	0 0.0%	2 7.1%	0 0.0%

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 82

Did someone help you complete this survey?

Base: All respondents (Please note that members who responded on the phone were not asked this question.)

	Д.			Respor Ger		C	Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н		J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	87	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	973	66	0	11	53	15	31	18	30	19	15	42	15	9	13	39	11	1	14	1
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,246	58	87	11	46	12	23	23	11	15	32	41	13	4	11	39	6	1	15	1
	56.2%	46.8%	100.0%	50.0%	46.5%	44.4%	42.6%	56.1%	26.8%	44.1%	68.1%	49.4%	46.4%	30.8%	45.8%	50.0%	35.3%	50.0%	51.7%	50.0%
Yes	42	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3.4%	0.0%	2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
No	1,204	58	85	11	46	12	23	23	11	15	32	41	13	4	11	39	6	1	15	1
	96.6%	100.0%	97.7%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Significantly different from column:*																				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 83

How did that person help you? Mark one or more.

Base: All respondents who received help completing this survey (Q82) (Please note that members who responded on the phone were not asked this question.)

	0				espondent's Child Gender (Q79) (C			е	Respon	dent's Ed	ducation	Child's	s Health S	Status		Doctor \ st 6 Mon			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	42	0	139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number missing or multiple answer	1	0	137	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Usable responses	39 92.9%	0	2 1.4%	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Read the questions to me	20 51.3%	0	1 50.0%	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Wrote down the answers I gave	15 38.5%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Answered the questions for me	8 20.5%	0	1 50.0%	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Translated the questions into my language	10 25.6%	0	1 50.0%	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Helped in some other way	8 20.5%	0	0.0%	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 83a

Is your child between the ages of 3 and 5 years old?

Base: All respondents

	0			Respondent's Gender (Q79)			Child's Ag	е	Respon	dent's Ed	ucation	Child's	s Health S	tatus		Doctor V st 6 Mont			Specialist ' st 6 Montl	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	2,219	124	134	22	99	27	54	41	41	34	47	83	28	13	24	78	17	2	29	2
Number missing or multiple answer	59	4	0	0	2	0	0	2	0	2	0	3	0	1	2	1	1	1	1	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,160	120	134	22	97	27	54	39	41	32	47	80	28	12	22	77	16	1	28	2
	97.3%	96.8%	100.0%	100.0%	98.0%	100.0%	100.0%	95.1%	100.0%	94.1%	100.0%	96.4%	100.0%	92.3%	91.7%	98.7%	94.1%	50.0%	96.6%	100.0%
Yes	294	17	21	4	13	17	0	0	1	8	8	14	1	2	2	13	1	0	4	0
	13.6%	14.2%	15.7%	18.2%	13.4%	63.0%	0.0%	0.0%	2.4%	25.0%	17.0%	17.5%	3.6%	16.7%	9.1%	16.9%	6.3%	0.0%	14.3%	0.0%
No	1,866	103	113	18	84	10	54	39	40	24	39	66	27	10	20	64	15	1	24	2
	86.4%	85.8%	84.3%	81.8%	86.6%	37.0%	100.0%	100.0%	97.6%	75.0%	83.0%	82.5%	96.4%	83.3%	90.9%	83.1%	93.8%	100.0%	85.7%	100.0%
Significantly different from column:*						GH	F	F												

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 83b

When he or she is paying attention, how often can this child follow instructions to complete a simple task?

	۵			Respor Ger	ider	C	hild's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	
	ОНР			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	294	17	21	4	13	17	0	0	1	8	8	14	1	2	2	13	1	0	4	0
Number missing or multiple answer	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	290	17	21	4	13	17	0	0	1	8	8	14	1	2	2	13	1	0	4	0
	98.6%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	
None of the time	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5.5%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	
Some of the time	58	1	2	0	1	1	0	0	0	0	1	1	0	0	0	1	0	0	0	0
	20.0%	5.9%	9.5%	0.0%	7.7%	5.9%			0.0%	0.0%	12.5%	7.1%	0.0%	0.0%	0.0%	7.7%	0.0%		0.0%	
Most of the time	109	10	9	3	7	10	0	0	0	6	4	8	0	2	1	7	1	0	2	0
	37.6%	58.8%	42.9%	75.0%	53.8%	58.8%			0.0%	75.0%	50.0%	57.1%	0.0%	100.0%	50.0%	53.8%	100.0%		50.0%	
All of the time	107	6	10	1	5	6	0	0	1	2	3	5	1	0	1	5	0	0	2	0
	36.9%	35.3%	47.6%	25.0%	38.5%	35.3%			100.0%	25.0%	37.5%	35.7%	100.0%	0.0%	50.0%	38.5%	0.0%		50.0%	
Significantly different from column:*																				
All of the time or Most of the time	216	16	19	-	12	16	0	0	1	8	7	13	1	2	2	12	1	0	4	0
	74.5%	94.1%	90.5%	100.0%	92.3%	94.1%			100.0%	100.0%	87.5%	92.9%	100.0%	100.0%	100.0%	92.3%	100.0%		100.0%	
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 83c

How often does this child play well with others?

				Respon Ger	ndent's nder	C	Child's Ag	Э	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Mont			Specialist st 6 Mont	
	OHP			(Q	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	C	D	Е	F	G	Н	!	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	294	17	20	4	13	17	0	0	1	8	8	14	1	2	2	13	1	0	4	0
Number missing or multiple answer	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	291	17	20	4	13	17	0	0	1	8	8	14	1	2	2	13		0	4	0
	99.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	
None of the time	7 2.4%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0
Some of the time	52	1	2	1	0	1	0	0	0	1	0	0	0	1	0	0	1	0	0	0
	17.9%	5.9%	10.0%	25.0%	0.0%	5.9%			0.0%	12.5%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	100.0%		0.0%	
Most of the time	136	7	6	1	6	7	0	0	0	2	5	7	0	0	0	6	0	0	3	0
	46.7%	41.2%	30.0%	25.0%	46.2%	41.2%			0.0%	25.0%	62.5%	50.0%	0.0%	0.0%	0.0%	46.2%	0.0%		75.0%	
All of the time	96	9	12	2	7	9	0	0	1	5	3	7	1	1	2	7	0	0	1	0
	33.0%	52.9%	60.0%	50.0%	53.8%	52.9%			100.0%	62.5%	37.5%	50.0%	100.0%	50.0%	100.0%	53.8%	0.0%		25.0%	
Significantly different from column:*																				
All of the time or Most of the time	232	16	18	3	13	16	0	0	1	7	8	14	1	1	2	13	0	0	4	0
	79.7%	94.1%	90.0%	75.0%	100.0%	94.1%			100.0%	87.5%	100.0%	100.0%	100.0%	50.0%	100.0%	100.0%	0.0%		100.0%	
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 83d

How often can this child calm down when excited or all wound up?

	<u>_</u>			Respor Gen	ider	C	hild's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Mont			st 6 Mont	Visits in hs
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T
Number in sample	294	17	20	4	13	17	0	0	1	8	8	14	1	2	2	13	1	0	4	0
Number missing or multiple answer	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	293	17	20	4	13	17	0	0	1	8	8	14	1	2	2	13	1	0	4	0
	99.7%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	
None of the time	5 1.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0	0.0%	0 0.0%	0.0%	0.0%	0 0.0%	0.0%	0.0%	0.0%	0.0%	0	0 0.0%	0
Some of the time	1.7 /6	0.0 /6	0.0 /6	0.076	0.078	0.0 %	0	0	0.0 %	0.078	0.076	0.076	0.078	0.0 /6	0.0 %	0.078	0.0 /6	0	0.0 %	
	28.7%	11.8%	5.0%	25.0%	7.7%	11.8%			0.0%	12.5%	12.5%	7.1%	0.0%	50.0%	0.0%	7.7%	100.0%		0.0%	
Most of the time	143	13	10	2	11	13	0	0	1	5	7	11	1	1	1	11	0	0	4	0
	48.8%	76.5%	50.0%	50.0%	84.6%	76.5%			100.0%	62.5%	87.5%	78.6%	100.0%	50.0%	50.0%	84.6%	0.0%		100.0%	
All of the time	61 20.8%	2 11.8%	9 45.0%	1 25.0%	1 7.7%	2 11.8%	0	0	0 0.0%	2 25.0%	0.0%	2 14.3%	0 0.0%	0 0.0%	50.0%	1 7.7%	0 0.0%	0	0 0.0%	0
Significantly different from column:*	20.070	C	40.070	25.070	7.770	11.070			0.070	25.070	0.070	14.570	5.070	5.076	50.078	7.770	5.076		3.070	
All of the time or Most of the time	204	15	19	3	12	15	0	0	1	7	7	13	1	1	2	12	0	0	4	0
	69.6%	88.2%	95.0%	75.0%	92.3%	88.2%			100.0%	87.5%	87.5%	92.9%	100.0%	50.0%	100.0%	92.3%	0.0%		100.0%	
Significantly different from column:*					, and the second									·			·			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 83e

How often does this child lose control of his or her temper when things do not go his or her way?

	<u>م</u>			Respor Gen	ider	C	hild's Ag	е	Respon	dent's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Mont			st 6 Mont	Visits in hs
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State (	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	294	17	21	4	13	17	0	0	1	8	8	14	1	2	2	13	1	0	4	0
Number missing or multiple answer	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	292	17	21	4	13	17	0	0	1	8	8	14	1	2	2	13	1	0	4	0
	99.3%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		100.0%	
None of the time	49	3	5	1	2	3	0	0	0	1	2	2	1	0	2	1	0	0	1	0
0 (# #	16.8%	17.6%		25.0%	15.4%				0.0%	12.5%	25.0%		100.0%	0.0%	100.0%		0.0%		25.0%	
Some of the time	186	13	14	3 3	10	13	0	0	0	7	6	11	0	2	0	11	1	0	3	0
Most of the time	63.7% 41	76.5%	66.7%	75.0%	76.9%	76.5%			0.0%	87.5%	75.0%	78.6%	0.0%	100.0%	0.0%	84.6%	100.0%		75.0%	
iviost of the time	14.0%	0.0%	9.5%	0.0%	0.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	
All of the time	16	1	0	0	1	1	0	0	1	0	0	1	0	0	0	1	0	0	0	0
	5.5%	5.9%	0.0%	0.0%	7.7%	5.9%			100.0%	0.0%	0.0%	7.1%	0.0%	0.0%	0.0%	7.7%	0.0%		0.0%	
Significantly different from column:*																				
All of the time or Most of the time	57	1	2	0	1	1	0	0	1	0	0	1	0	0	0	1	0	0	0	0
	19.5%	5.9%	9.5%	0.0%	7.7%	5.9%			100.0%	0.0%	0.0%	7.1%	0.0%	0.0%	0.0%	7.7%	0.0%		0.0%	
Significantly different from column:*																				

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Child Medicaid with CCC Measures Member Satisfaction Survey for Measurement Year 2018 (Fielded January - April 2019)

## Question 83f

In the past 6 months, were you ever asked to keep your child home from any child care or preschool because of their behavior (things like hitting, kicking, biting, tantrums or disobeying)?

	0			Respor Gen		C	hild's Age	)	Respon	ident's Ed	lucation	Child's	s Health S	Status		Doctor V st 6 Mont		Child's S	pecialist st 6 Mont	
	OHP			(Q7	79)		(Q74)			(Q80)			(Q58)			(Q7)			(Q47)	
	2019 State C	2019	2018	Male	Female	0 to 5	6 to 13	14 to 18	Less than HS grad	HS grad	Some College or more	Excellent or Very Good	Good	Fair or Poor	None	1 to 4	5 or more	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	- 1	J	K	L	М	N	0	Р	Q	R	S	Т
Number in sample	294	17	20	4	13	17	0	0	1	8	8	14	1	2	2	13	1	0	4	0
Number missing or multiple answer	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	36	2	2	1	1	2	0	0	0	1	1	2	0	0	0	1	0	0	1	0
Usable responses	253	15	18	3	12	15	0	0	1	7	7	12	1	2	2	12	1	0	3	0
	86.1%	88.2%		75.0%	92.3%	88.2%			100.0%	87.5%	87.5%		100.0%	100.0%	100.0%		100.0%		75.0%	
No	234 92.5%	14 93.3%	18 100.0%	3 100.0%	11 91.7%	14 93.3%	0	0	1 100.0%	7 100.0%	6 85.7%	11 91.7%	1 100.0%	2 100.0%	100.0%	11 91.7%	1 100.0%	0	66.7%	0
Yes, I was told to pick up my child early on 1 or more days	12 4.7%	1 6.7%	0.0%	0 0.0%	1 8.3%	1 6.7%	0	0	0.0%	0.0%	1 14.3%	1 8.3%	0 0.0%	0 0.0%	0 0.0%	1 8.3%	0 0.0%	0	1 33.3%	0
Yes, I had to keep my child home for 1 full day or more	4 1.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0	0	0 0.0%	0.0%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0 0.0%	0	0 0.0%	0
Yes permanently, I was told my child could no longer attend this childcare center or	3 1.2%	0 0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0	0	0.0%	0.0%	0.0%	0.0%	0 0.0%	0 0.0%	0 0.0%	0.0%	0.0%	0	0 0.0%	0
Significantly different from column:*																				
No	234 92.5%	14 93.3%	-	3 100.0%	11 91.7%	14 93.3%	0	0	1 100.0%	7 100.0%	6 85.7%	11 91.7%	1 100.0%	2 100.0%	2 100.0%	11 91.7%	1 100.0%	0	2 66.7%	0
Significantly different from column:*	52.070	20.070	. 20.070	. 2 3.0 70	2711 70	23.070			. 20.070	. 201070	20.1 70	211170	. 2 3.0 70	. 2 3.0 70	120.070	211170	. 20.070		23.1 70	

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

## **SURVEY INSTRUMENT**



## **Survey Instructions**

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

 $\square_1$  Yes  $\rightarrow$  If Yes, Go to Question 1

□₂ No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

Please answer the questions for the child listed on the envelope. Please do not answer for any other children.

- 1. Our records show that your child is now in Oregon Health Plan. Is that right?
  - $\square_1$  Yes  $\rightarrow$  If Yes, Go to Question 3
  - □₂ No
- What is the name of your child's health plan? (Please print)

# Your Child's Health Care in the Last 6 Months

These questions ask about your child's health care. Do <u>not</u> include care your child got when he or she stayed overnight in a hospital. Do <u>not</u> include the times your child went for dental care visits.

- 3. In the last 6 months, did your child have an illness, injury, or condition that <u>needed care right away</u> in a clinic, emergency room, or doctor's office?
  - □₁ Yes
  - $\square_2$  No  $\rightarrow$  If No, Go to Question 5

4.	In the last 6 months, when your child needed care right away, how often did your child get care as soon as he or she needed?  Never Sometimes Usually Always	8.	In the last 6 months, did you and your child's doctor or other health provider talk about specific things you could do to prevent illness in your child?  Yes No
5.	In the last 6 months, did you make any appointments for a <u>check-up or routine care</u> for your child at a doctor's office or clinic? $\square_1$ Yes $\square_2$ No $\rightarrow$ If No, Go to Question 7	9.	In the last 6 months, how often did you have your questions answered by your child's doctors or other health providers?  Never Sometimes Usually Always
6.	In the last 6 months, when you made an appointment for a <u>check-up or routine care</u> for your child at a doctor's office or clinic, how often did you get an appointment as soon as your child needed?  Never Sometimes Usually	10.	In the last 6 months, did you and your child's doctor or other health provider talk about starting or stopping a prescription medicine for your child? $\square_1$ Yes $\square_2$ No $\Rightarrow$ If No, Go to Question 14
7.	In the last 6 months, <u>not</u> counting the times your child went to an emergency room, how many times did he or she go to a doctor's office or clinic to get health care?	11.	Did you and a doctor or other health provider talk about the reasons you might want your child to take a medicine?  Yes No
	$\square_0$ None → <i>If None, Go to Question 16</i> $\square_1$ 1 time $\square_2$ 2 $\square_3$ 3 $\square_4$ 4 $\square_5$ 5 to 9	12.	Did you and a doctor or other health provider talk about the reasons you might <u>not</u> want your child to take a medicine? $\Box_1 \text{ Yes} \\ \Box_2 \text{ No}$
	□ <sub>6</sub> 10 or more times	13.	When you talked about your child starting or stopping a prescription medicine, did a doctor or other health provider ask you what you thought was best for your child?  Yes No

1 /	Using any number from 0 to 10berg 0 to the		
14.	Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best	18.	In the last 6 months, did you get the help you
	health care possible, what number would you		needed from your child's doctors or other health providers in contacting your child's
	use to rate all your child's health care in the last 6 months?		school or daycare?
	□ 0 Worst health care possible		□₁ Yes
	$\square_1$ 1		□₂ No
	$\square_{2}$ 2		
	□₃ 3		pocialized forvices
	□₄ 4	3	pecialized Services
	□₅ 5 □₅ 6	10	Special medical equipment or devices include
	$\square_{7}$ 7	15.	a walker, wheelchair, nebulizer, feeding tubes,
	□, 8		or oxygen equipment. In the last 6 months,
	□ <sub>9</sub> 9		did you get or try to get any special medical
	$\square_{\scriptscriptstyle 10}$ 10 Best health care possible		equipment or devices for your child?
			$\square_1$ res $\square_2$ No $\rightarrow$ <i>If No, Go to Question 22</i>
15.	In the last 6 months, how often was it easy to get the care, tests, or treatment your child		
	needed?	20.	In the last 6 months, how often was it easy to
	□ <sub>1</sub> Never		get special medical equipment or devices for
	☐₂ Sometimes		your child?
	□₃ Usually		☐₁ Never
	□₄ Always		<ul><li>□₂ Sometimes</li><li>□₃ Usually</li></ul>
1.0			□₄ Always
16.	Is your child now enrolled in any kind of school or daycare?		
	□ <sub>1</sub> Yes	21.	Did anyone from your child's health plan,
	$\square_2$ No $\rightarrow$ <i>If No, Go to Question 19</i>		doctor's office, or clinic help you get special
			medical equipment or devices for your child?
17.	In the last 6 months, did you need your child's		□₁ Yes □₂ No
	doctors or other health providers to contact a school or daycare center about your child's		
	health or health care?	22.	In the last 6 months, did you get or try to get
	□₁ Yes		special therapy such as physical, occupational,
	$\square_2$ No $\Rightarrow$ <i>If No, Go to Question 19</i>		or speech therapy for your child?
			☐₁ Yes
			$\square_2$ No $\rightarrow$ <i>If No, Go to Question 25</i>

23.	In the last 6 months, how often was it easy to get this therapy for your child?  \[ \bigcup_1  \text{Never} \\ \bigcup_2  \text{Sometimes} \\ \bigcup_3  \text{Usually} \\ \bigcup_4  \text{Always}	29. In the last 6 months, did anyone from your child's health plan, doctor's office, or clinic help coordinate your child's care among these different providers or services?  ☐₁ Yes ☐₂ No
24.	Did anyone from your child's health plan, doctor's office, or clinic help you get this therapy for your child?	Your Child's Personal Doctor
	☐₁ Yes ☐₂ No	30. A personal doctor is the one your child would see if he or she needs a checkup, has a health problem, or gets sick or hurt. Does your child
25.	In the last 6 months, did you get or try to get treatment or counseling for your child for an emotional, developmental, or behavioral problem?	have a personal doctor? $\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 45</i>
	$\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 28</i>	31. In the last 6 months, how many times did you child visit his or her personal doctor for care?
26.	In the last 6 months, how often was it easy to get this treatment or counseling for your child?  Never Sometimes Usually Always	$\square_0$ None → If None, Go to Question 41 $\square_1$ 1 time $\square_2$ 2 $\square_3$ 3 $\square_4$ 4 $\square_5$ 5 to 9 $\square_6$ 10 or more times
27.	Did anyone from your child's health plan, doctor's office, or clinic help you get this treatment or counseling for your child?  Yes No	31a. In the last 6 months, how often did you have a hard time speaking with or understanding your child's personal doctor because you spoke different languages?  Never Sometimes
28.	In the last 6 months, did your child get care from more than one kind of health care provider or use more than one kind of health care service?  Yes	□₃ Usually □₄ Always
	$\square_2$ No $\rightarrow$ <i>If No, Go to Question 30</i>	

32.	In the last 6 months, how often did your child's personal doctor explain things about your child's health in a way that was easy to understand?  Never Sometimes Usually Always	37.	In the last 6 months, how often did your child's personal doctor spend enough time with your child?  Never Sometimes Usually Always
33.	In the last 6 months, how often did your child's personal doctor listen carefully to you?  Never Sometimes Usually Always		In the last 6 months, did your child's personal doctor talk with you about how your child is feeling, growing, or behaving?  Yes No
34.	In the last 6 months, how often did your child's personal doctor show respect for what you had to say?  Never Sometimes Usually Always		In the last 6 months, did your child get care from a doctor or other health provider besides his or her personal doctor? $\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 41</i> In the last 6 months, how often did your child's personal doctor seem informed and up-to-date about the care your child got from these
35.	Is your child able to talk with doctors about his or her health care? $\square_{_1} \text{ Yes}$ $\square_{_2} \text{ No } \Rightarrow \textit{If No, Go to Question 37}$		doctors or other health providers?  \[ \sum_1  \text{Never} \] \[ \sum_2  \text{Sometimes} \] \[ \sum_3  \text{Usually} \] \[ \sum_4  \text{Always} \]
36.	In the last 6 months, how often did your child's personal doctor explain things in a way that was easy for your child to understand?  Never Sometimes Usually Always		

41.	Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the	G	Setting Health Care from Specialists
	best personal doctor possible, what number would you use to rate your child's personal doctor?	ir	When you answer the next questions, do not not not not detail visits or care your child got when
	0 Worst personal doctor possible	n	e or she stayed overnight in a hospital.
	□₁ 1 □₂ 2 □₃ 3 □₄ 4 □₅ 5 □₆ 6 □₁ 7	45.	Specialists are doctors like surgeons, heart doctors, allergy doctors, skin doctors, and other doctors who specialize in one area of health care. In the last 6 months, did you make any appointments for your child to see a specialist? $\square_1$ Yes
			$\square_2$ No $\rightarrow$ <i>If No, Go to Question 49</i>
	$\square_{10}$ 10 Best personal doctor possible		
42.	Does your child have any medical, behavioral, or other health conditions that have lasted for more than $\frac{3 \text{ months}}{2}$ ? $\square_1$ Yes $\square_2$ No $\Rightarrow$ If No, Go to Question 45	46.	In the last 6 months, how often did you get an appointment for your child to see a specialist as soon as you needed?  Never Sometimes Usually Always
43.	Does your child's personal doctor understand how these medical, behavioral, or other health conditions affect your child's day-to-day life?	47.	How many specialists has your child seen in the last 6 months?
	□₁ Yes □₂ No		$\square_0$ None $\rightarrow$ <i>If None, Go to Question 49</i> $\square_1$ 1 specialist $\square_2$ 2
44.	Does your child's personal doctor understand how your child's medical, behavioral, or other health conditions affect your <u>family's</u> day-to-day life?		$\square_3$ 3 $\square_4$ 4 $\square_5$ 5 or more specialists
	☐₁ Yes ☐₂ No		

48. We want to know your rating of the specialist your child saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?  □₀ 0 Worst specialist possible □₁ 1 □₂ 2	51. In the last 6 months, how often did customer service staff at your child's health plan treat you with courtesy and respect?  Never Sometimes Usually Always
$ \Box_{3}  3 $ $ \Box_{4}  4 $ $ \Box_{5}  5 $ $ \Box_{6}  6 $ $ \Box_{7}  7 $	<ul> <li>52. In the last 6 months, did your child's health plan give you any forms to fill out?</li> <li>□₁ Yes</li> <li>□₂ No → If No, Go to Question 54</li> </ul>
□ <sub>s</sub> 8 □ <sub>s</sub> 9	53. In the last 6 months, how often were the forms from your child's health plan easy to fill out?  □  □  □  □  □  □  □  □  □  □  □  □  □
☐ 10 Best specialist possible	☐₂ Sometimes ☐₃ Usually ☐₄ Always
Your Child's Health Plan	Li <sub>4</sub> Always
The next questions ask about your experience with your child's health plan.	54. Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you
<ul> <li>49. In the last 6 months, did you get information or help from customer service at your child's health plan?  □₁ Yes □₂ No → If No, Go to Question 52</li> <li>50. In the last 6 months, how often did customer service at your child's health plan give you the information or help you needed? □₁ Never □₂ Sometimes □₃ Usually □₄ Always</li> </ul>	use to rate your child's health plan?  \[ \bigcup_0 0 \text{ Worst health plan possible} \\ \bigcup_1 1 \\ \bigcup_2 2 \\ \bigcup_3 3 \\ \bigcup_4 4 \\ \bigcup_5 5 \\ \bigcup_6 6 \\ \bigcup_7 7 \\ \bigcup_8 8 \\ \bigcup_9 9 \\ \bigcup_{10} 10 \text{ Best health plan possible} \end{array}
·	55. In the last 6 months, did you get or refill any prescription medicines for your child?  ☐₁ Yes ☐₂ No → If No. Go to Question 57a

<ul> <li>56. In the last 6 months, how often was it easy to get prescription medicines for your child through his or her health plan?  □₁ Never □₂ Sometimes □₃ Usually □₄ Always</li> <li>57. Did anyone from your child's health plan, doctor's office, or clinic help you get your child's prescription medicines? □₁ Yes □₂ No</li> </ul>	57d. In the last 6 months, if your child needed to see a dentist right away because of a dental emergency, how often did he or she get to see a dentist as soon as you wanted?
Access to Dental Care	it was for you to find a dentist for your child?  0 Extremely difficult
57a. A regular dentist is one your child would go to for check-ups and cleanings or when he or she has a cavity or tooth pain. Does your child have a regular dentist?  Yes No  57b. In the last 6 months, did your child go to a dentist's office or clinic for care? Yes	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$\square_2$ No $\rightarrow$ <i>If No, Go to Question 57d</i>	About Your Child and You
57c. In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating your child?  Never Sometimes Usually Always	58. In general, how would you rate your child's overall health?  ☐ Excellent ☐ Very good ☐ Good ☐ Fair ☐ Poor

59.	In general, how would you rate your child's overall mental or emotional health?  Excellent Very good Good Fair Poor		Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do? $\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 69</i> Is this because of any medical, behavioral, or
			other health condition?
60.	Does your child currently need or use medicine prescribed by a doctor (other than vitamins)? $\square_1 \text{ Yes}$		$\square_1$ Yes $\square_2$ No $\Rightarrow$ <i>If No, Go to Question 69</i>
	$\square_2$ No $\rightarrow$ <i>If No, Go to Question 63</i>	68.	Is this a condition that has lasted or is expected to last for at least 12 months?
61.	Is this because of any medical, behavioral, or other health condition? $\Box_1 \text{ Yes}$		□₁ Yes □₂ No
	$\square_2$ No $\rightarrow$ <i>If No, Go to Question 63</i>	69.	Does your child need or get special therapy such as physical, occupational, or speech
62.	Is this a condition that has lasted or is expected to last for at least 12 months? $\square_1$ Yes $\square_2$ No		therapy? $\square_1 \text{ Yes}$ $\square_2 \text{ No } \Rightarrow \textbf{If No, Go to Question 72}$
63.	Does your child need or use more medical care, more mental health services, or more educational services than is usual for most children of the same age?	70.	Is this because of any medical, behavioral, or other health condition? $\square_1$ Yes $\square_2$ No $\Rightarrow$ If No, Go to Question 72
	$\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 66</i>	71.	Is this a condition that has lasted or is expected to last for at least 12 months? $\square_{_1} \text{ Yes}$
64.	Is this because of any medical, behavioral, or other health condition?		
	$\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 66</i>	72.	Does your child have any kind of emotional, developmental, or behavioral problem for which he or she needs or gets treatment or
65.	Is this a condition that has lasted or is expected to last for at least 12 months?		counseling?
	□₁ Yes		$\square_2$ No $\rightarrow$ <i>If No, Go to Question 74</i>

73.	Has this problem lasted or is it expected to last for at least 12 months?  Yes No	79.	Are you male or female?  Male Female
	What is your child's age?  □₀₀ Less than 1 year old YEARS OLD (write in)  Is your child male or female? □₁ Male □₂ Female	80.	What is the highest grade or level of school that you have completed?  8th grade or less Some high school, but did not graduate High school graduate or GED Some college or 2-year degree 4-year college graduate More than 4-year college degree
76.	Is your child of Hispanic or Latino origin or descent?  Yes, Hispanic or Latino No, not Hispanic or Latino	81.	How are you related to the child?  Mother or father Grandparent Aunt or uncle Older brother or sister
77.	What is your child's race? Mark one or more. a Whiteb Black or African-American Asian		☐ Someone else
	<ul><li>□ Native Hawaiian or other Pacific</li><li>Islander</li><li>□ American Indian or Alaska Native</li><li>□ Other</li></ul>	82.	Did someone help you complete this survey? $\square_1 \text{ Yes} \rightarrow \textit{If Yes, Go to Question 83}$ $\square_2 \text{ No} \rightarrow \textit{If No, Go to Question 83a}$
78.	What is your age?  Under 18 18 to 24 25 to 34 35 to 44 45 to 54 55 to 64 65 to 74 75 or older	83.	How did that person help you? Mark one or more.  Read the questions to me  Buck Wrote down the answers I gave  Canswered the questions for me  Translated the questions into my language  Helped in some other way

# Kindergarten Readiness 3a. Is your child between the ag

83a. Is your c	hild between the ages of 3 and 5 years
	Yes → If Yes, Go to Question 83b No → Thank you. Please return the survey in the postage-paid envelope.
	e or she is paying attention, how often child follow instructions to complete a ask?
Π.	All of the time
=	Most of the time
-	Some of the time
3	None of the time
4	
83c. How ofte others?	en does this child play well with
	All of the time
	Most of the time
	Some of the time
	None of the time
	en can this child calm down when or all wound up?
	All of the time
	Most of the time
	Some of the time
	None of the time
	en does this child lose control of his or per when things do not go his or her
	All of the time
=	Most of the time
	Some of the time
3	None of the time

83f.	In the pa	<u>ist 6 months,</u> were you ever asked
	to keep	your child home from any child
	care or p	reschool because of their behavior
	(things li	ke hitting, kicking, biting, tantrums or
	disobeyi	ng)?
		This child did not attend childcare or
		preschool
		No
	$\square_3$	Yes, I was told to pick up my child
		early on 1 or more days
		Yes, I had to keep my child home for
		1 full day or more
	5	Yes permanently, I was told my child
		could no longer attend this childcare

## **Thank You**

Please return the completed survey in the postage-paid envelope to:

center or preschool

Center for the Study of Services PO Box 10820 Herndon, VA 20172

Please do not include any other correspondence.



## Instrucciones para el cuestionario

Conteste cada pregunta marcando el cuadrito que aparece a la izquierda de la respuesta que usted elija.

A veces hay que saltarse alguna pregunta del cuestionario. Cuando esto ocurra, verá una flecha con una nota que le indicará cuál es la siguiente pregunta a la que tiene que pasar. Por ejemplo:

La información personal identificable no se hará pública y solo se dará a conocer de conformidad con las leyes y reglamentos federales.

Usted puede optar por responder a esta encuesta o no. Si decide no participar, esto no afectará los beneficios que obtenga. Usted notará un número en la portada de esta encuesta. Este número se utiliza SOLO para hacernos saber si usted ya envió su encuesta para que no tengamos que enviarle recordatorios.

Si quiere informarse más sobre este estudio, llame al 1-833-257-1377. Las personas con problemas de audición o del habla pueden llamar al 711 para usar el Servicio de Retransmisión de Telecomunicaciones (TRS).

Por favor conteste las preguntas para el niño cuyo nombre está anotado en el sobre. No las conteste para ningún otro niño.

- 1. Nuestros registros muestran que su niño está ahora con Oregon Health Plan. ¿Es correcta esta información?
  - $\square_1$  Sí  $\rightarrow$  Si contestó "Sí", pase a la pregunta 3
  - □₂ No
- ¿Cómo se llama el plan de salud de su niño? (Por favor escriba en letra de molde)

# La atención médica que recibió su niño en los últimos 6 meses

Estas preguntas son acerca de la atención médica que ha recibido su niño. No incluya la atención que recibió su niño cuando pasó la noche hospitalizado. No incluya las consultas de su niño con el dentista.

- 3. En los últimos 6 meses, ¿tuvo su niño una enfermedad, lesión o problema de salud para el cual <u>necesitó atención inmediata</u> en una clínica, en una sala de emergencia o en un consultorio médico?
  - □₁ Sí
  - No → Si contestó "No", pase a la pregunta 5

4.	En los últimos 6 meses, cuando su niño necesitó atención inmediata, ¿con qué frecuencia atendieron a su niño tan pronto como él o ella lo necesitaba?  Nunca A veces La mayoría de las veces Siempre	9.	En los últimos 6 meses, ¿hablaron usted y el doctor u otro profesional médico de su niño sobre cosas específicas que usted podría hacer para prevenir que su niño se enferme?  Sí No  En los últimos 6 meses, ¿con qué frecuencia le
5.	En los últimos 6 meses, ¿hizo alguna cita para un chequeo o una consulta regular para su niño en un consultorio médico o en una clínica?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 7	9.	contestaron sus preguntas los doctores u otros profesionales médicos de su niño?  Nunca A veces La mayoría de las veces Siempre
6.	En los últimos 6 meses, ¿con qué frecuencia consiguió una cita para un chequeo o una consulta regular para su niño en un consultorio médico o en una clínica tan pronto como su niño la necesitaba?  Nunca A veces La mayoría de las veces Siempre		En los últimos 6 meses, ¿hablaron usted y el doctor u otro profesional médico de su niño sobre comenzar o suspender una medicina recetada?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 14  ¿Hablaron usted y un doctor u otro profesiona médico sobre las razones por las que tal vez
7.	En los últimos 6 meses, <u>sin</u> contar las veces en que su niño fue a una sala de emergencia, ¿cuántas veces fue su niño a un consultorio médico o a una clínica para que lo atendieran?  □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la pregunta 16 □₁ 1 vez □₂ 2 □₃ 3 □₄ 4 □₅ 5 a 9 □₆ 10 veces o más		usted quiera que su niño tome una medicina?  \[ \begin{align*} \limits_1 & \text{Si} \\ \limits_2 & \text{No} \end{align*} \]  \[ \cdot \text{Hablaron usted y un doctor u otro profesional médico sobre las razones por las que tal vez usted no quiera que su niño tome una medicina?  \[ \begin{align*} \limits_1 & \text{Si} \\ \limits_2 & \text{No} \end{align*} \]  Cuando hablaron de comenzar o suspender una medicina recetada para su niño, \( \cdot \text{le preguntó un doctor u otro profesional médico sobre lo que usted creía que sería lo mejor para su niño?  \[ \begin{align*} \limits_1 & \text{Si} \\ \limits_2 & \text{No} \end{align*} \]

14.	Usando un número del 0 al 10, el 0 siendo la peor atención médica posible y el 10 la mejor atención médica posible, ¿qué número usaría para calificar toda la atención médica que su niño ha recibido en los últimos 6 meses?	18.	En los últimos 6 meses, ¿consiguió la ayuda de los doctores o los otros profesionales médicos de su niño que necesitaba para ponerse en contacto con la escuela o guardería de su niño?  Sí No
	□₂ 2 □₃ 3	S	Servicios especializados
	$\square_4$ 4 $\square_5$ 5 $\square_6$ 6 $\square_7$ 7 $\square_8$ 8 $\square_9$ 9 $\square_{10}$ 10 La mejor atención médica posible	19.	En el equipo o dispositivo médico especial se incluye un andador, silla de ruedas, nebulizador, tubos de alimentación o equipo de oxígeno. En los últimos 6 meses, ¿consiguió o intentó conseguir algún equipo o dispositivo médico especial para su niño?  Sí
15.	En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención, las pruebas o el		□₂ No → Si contestó "No", pase a la pregunta 22
	tratamiento que su niño necesitaba?  \[ \bigcup_1  \text{Nunca} \\ \bigcup_2  \text{A veces} \\ \bigcup_3  \text{La mayoría de las veces} \\ \bigcup_4  \text{Siempre}	20.	En los últimos 6 meses, ¿con qué frecuencia fue fácil conseguir equipo o dispositivos médicos especiales para su niño?  Nunca
16.	¿Está matriculado actualmente su niño en algún tipo de escuela o guardería/cuidado infantil?		<ul> <li>□₂ A veces</li> <li>□₃ La mayoría de las veces</li> <li>□₄ Siempre</li> </ul>
	<ul> <li>□₁ SI</li> <li>□₂ No → Si contestó "No", pase a la pregunta 19</li> </ul>	21.	¿Alguien del plan de salud, del consultorio médico o clínica de su niño le ayudó a conseguir el equipo o dispositivos médicos especiales para su niño?
17.	En los últimos 6 meses, ¿necesitó que los doctores o los otros profesionales médicos de su niño se pusieran en contacto con una escuela o guardería acerca de la salud o la		
	atención médica de su niño?  ☐ Sí ☐ No → Si contestó "No", pase a la pregunta 19	22.	En los últimos 6 meses, ¿consiguió o intentó conseguir terapia especial para su niño tal como terapia física, ocupacional o del habla?
	progunta 13		$\square_{\scriptscriptstyle 2}\ \ No  o Si\ contesto\ "No",\ pase\ a\ la$ pregunta 25

23.	En los últimos 6 meses, ¿con qué frecuencia fue fácil conseguir esta terapia para su niño?  Nunca A veces La mayoría de las veces Siempre	29. En los últimos 6 meses, ¿alguien del plan de salud, consultorio médico o clínica de su niño le ayudó a coordinar la atención médica de su niño entre estos profesionales o servicios diferentes?  □₁ Sí □₂ No
24.	¿Alguien del plan de salud, consultorio médico o clínica de su niño le ayudó a conseguir esta	
	terapia para su niño?	El doctor personal de su niño
	□₁ Sí	30. El doctor personal es aquel a quien su niño va
	□₂ No	si necesita un chequeo, tiene un problema de
25	En los últimos 6 meses, ¿consiguió o intentó	salud o si se enferma o lastima. ¿Tiene su niño
23.	conseguir tratamiento o consejería para su niño,	un doctor personal? □₁ Sí
	para un problema emocional, de desarrollo o de	$\square_2$ No $\Rightarrow$ Si contestó "No", pase a la
	comportamiento?	pregunta 45
	$\square_2$ No $\rightarrow$ Si contestó "No", pase a la	31. En los últimos 6 meses, ¿cuántas veces fue su
	pregunta 28	niño a ver a su doctor personal para recibir
26	En los últimos C mosos i con qué fraquencia	atención médica?
20.	En los últimos 6 meses, ¿con qué frecuencia fue fácil conseguir este tratamiento o	□₀ Ninguna vez → Si contestó "Ninguna vez", pase a la
	consejería para su niño?	pregunta 41
	□₁ Nunca	□₁ 1 vez
	<ul><li>□₂ A veces</li><li>□₃ La mayoría de las veces</li></ul>	
	☐ <sub>4</sub> Siempre	□ <sub>3</sub> 3 □ <sub>4</sub> 4
		□₅ 5 a 9
27.	¿Alguien del plan de salud, consultorio médico	☐ <sub>6</sub> 10 veces o más
	o clínica de su niño le ayudó a conseguir este tratamiento o consejería para su niño?	24. En las áltimas Consessa de la maté formación de
	□₁ Sí	31a. En los últimos 6 meses, ¿con qué frecuencia se le hizo difícil hablar con el doctor personal de
	□₂ No	su niño o entenderlo porque hablaban idiomas
20	Fu los áltimos Carones i medibi é en migo	diferentes?
28.	En los últimos 6 meses, ¿recibió su niño atención de más de un tipo de profesional	□₁ Nunca □₂ A veces
	médico, o usó más de un tipo de servicio de	☐₃ La mayoría de las veces
	salud?	□₄ Siempre
	$\square_1$ Sí $\square_2$ No $\rightarrow$ Si contestó "No", pase a la	

pregunta 30

32.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas sobre la salud de su niño de una manera fácil de entender?	37.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño pasó suficiente tiempo con su niño?  Nunca A veces La mayoría de las veces Siempre
33.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le escuchó a usted con atención?  Nunca A veces La mayoría de las veces		En los últimos 6 meses, ¿habló el doctor personal de su niño con usted sobre cómo su niño se estaba sintiendo, estaba creciendo o se estaba comportando?  Sí No
34.	☐₄ Siempre  En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño demostró respeto por lo que usted tenía que decir?  ☐₁ Nunca ☐₂ A veces	39.	En los últimos 6 meses, ¿atendió a su niño algún doctor u otro profesional médico además de su doctor personal?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 41
	<ul><li>□₃ La mayoría de las veces</li><li>□₄ Siempre</li></ul>	40.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño parecía estar informado y al día acerca de la atención que su
35.	¿Su niño puede hablar con los doctores sobre su atención médica? ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 37		niño había recibido de estos doctores u otros profesionales médicos?  Nunca A veces La mayoría de las veces Siempre
36.	En los últimos 6 meses, ¿con qué frecuencia el doctor personal de su niño le explicó las cosas a su niño de una manera fácil de entender?  Nunca A veces La mayoría de las veces Siempre		

41.	Usando un número del 0 al 10, el 0 siendo el peor doctor personal posible y el 10 el mejor doctor personal posible, ¿qué número usaría	La atención médica que recibió de especialistas
	para calificar al doctor personal de su niño? $ \Box_0   0   El   peor doctor personal posible $ $ \Box_1   1 $ $ \Box_2   2 $ $ \Box_3   3 $	Al contestar las siguientes preguntas <u>no</u> incluya las veces que su niño fue a ver al dentista ni la atención que recibió cuando pasó la noche hospitalizado.
	$\square_4$ 4 $\square_5$ 5 $\square_6$ 6 $\square_7$ 7 $\square_8$ 8 $\square_9$ 9 $\square_{10}$ 10 El mejor doctor personal posible	45. Los especialistas son doctores que se especializan en un área de la medicina. Pueden ser cirujanos, doctores especialista en el corazón, las alergias, la piel y otras áreas. En los últimos 6 meses, ¿hizo alguna cita para su niño con un especialista?  □₁ Sí □₂ No → Si contestó "No", pase a la
42.	¿Tiene su niño alguna condición médica, de comportamiento u otra condición de salud que ha durado por más de <u>3 meses</u> ?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 45	<ul> <li>pregunta 49</li> <li>46. En los últimos 6 meses, ¿con qué frecuencia consiguió una cita con un especialista para su niño tan pronto como él o ella la necesitaba?</li> </ul>
43.	¿El doctor o enfermera personal de su niño entiende cómo estas condiciones médicas, de comportamiento u otras condiciones de salud afectan la vida cotidiana de su niño?  Sí No	☐₁ Nunca ☐₂ A veces ☐₃ La mayoría de las veces ☐₄ Siempre  47. ¿Cuántos especialistas ha visto su niño en los últimos 6 meses?
44.	¿El doctor o enfermera personal de su niño entiende cómo estas condiciones médicas, de comportamiento u otras condiciones de salud afectan la vida cotidiana de su <u>familia</u> ?  Sí No	<ul> <li>□₀ Ninguno → Si contestó "Ninguno", pase a la pregunta 49</li> <li>□₁ 1 especialista</li> <li>□₂ 2</li> <li>□₃ 3</li> <li>□₄ 4</li> <li>□₅ 5 especialistas o más</li> </ul>

48.	Queremos saber cómo califica al especialista al que su niño fue con más frecuencia en los últimos 6 meses. Usando un número del 0 al 10, el 0 siendo el peor especialista posible y el 10 el mejor especialista posible, ¿qué número usaría para calificar a ese especialista?  □₀ 0 El peor especialista posible □₁ 1	51.	En los últimos 6 meses, ¿con qué frecuencia el personal de servicio al cliente del plan de salud de su niño le trató con cortesía y respeto?  Nunca A veces La mayoría de las veces Siempre
	<ul> <li>□₂ 2</li> <li>□₃ 3</li> <li>□₄ 4</li> <li>□₅ 5</li> <li>□₆ 6</li> <li>□₂ 7</li> </ul>	52.	En los últimos 6 meses, ¿le dio el plan de salud de su niño algún formulario para llenar?  ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 54
	$\square_{8}$ 8 $\square_{9}$ 9 $\square_{10}$ 10 El mejor especialista posible	53.	En los últimos 6 meses, ¿con qué frecuencia fueron fáciles de llenar los formularios del plan de salud de su niño?
	El plan de salud de su niño		$\square_1$ Nunca $\square_2$ A veces
	Las siguientes preguntas se refieren a su experiencia con el plan de salud de su niño.		☐₃ La mayoría de las veces ☐₄ Siempre
	En los últimos 6 meses, ¿recibió información o ayuda de parte del servicio al cliente del plan de salud de su niño?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 52	54.	Usando un número del 0 al 10, el 0 siendo el peor plan de salud posible y el 10 el mejor plan de salud posible, ¿qué número usaría para calificar al plan de salud de su niño?
50.	En los últimos 6 meses, ¿con qué frecuencia el servicio al cliente del plan de salud de su niño le dio la información o ayuda que usted necesitaba?		$\square_4$ 4 $\square_5$ 5 $\square_6$ 6 $\square_7$ 7 $\square_8$ 8 $\square_9$ 9 $\square_{10}$ 10 El mejor plan de salud posible

## Medicinas recetadas 57c. En los últimos 6 meses, ¿con qué frecuencia el personal dental o el dentista le explicaron lo que le hacían mientras trataron a su niño? 55. En los últimos 6 meses, ¿consiguió alguna ■ Nunca medicina recetada o renovó una receta para ☐, A veces una medicina recetada para su niño? ☐<sub>3</sub> La mayoría de las veces □₁ Sí □<sub>4</sub> Siempre $\square$ , No $\rightarrow$ Si contestó "No", pase a la pregunta 57a 57d. En los últimos 6 meses, si su niño necesitó ver a un dentista de inmediato por una emergencia 56. En los últimos 6 meses, ¿con qué frecuencia fue dental, ¿con qué frecuencia él o ella pudo ver a fácil conseguir medicinas recetadas para su niño un dentista tan pronto como usted quería? a través de su plan de salud? ■₁ Nunca □₁ Nunca ☐ A veces $\square$ , A veces □<sub>3</sub> La mayoría de las veces □₃ La mayoría de las veces ☐<sub>4</sub> Siempre □₄ Siempre ☐ Mi niño no tuvo una emergencia dental en los últimos 6 meses 57. ¿Alguien del plan de salud, consultorio médico o clínica de su niño le ayudó a conseguir las 57e. Usando un número del 0 al 10, el 0 medicinas recetadas para su niño? siendo extremadamente difícil y el 10 □₁ Sí extremadamente fácil, ¿qué número usaría ☐, No para calificar cuán fácil le fue encontrar un dentista para su niño? □ 0 Extremadamente difícil Acceso a atención dental □ ₁ 1 $\square$ , 2 57a. Un dentista regular es a quien su niño va a ver □ 3 para un chequeo y limpieza o cuando tiene una carie o un dolor de diente. ¿Su niño tiene un □ 5 dentista regular? □, 6 □₁ Sí 7 , No

57b. En los últimos 6 meses, ¿fue su niño al

dental para recibir atención?

□₁ Sí

consultorio de un dentista o a una clínica

No → Si contestó "No", pase a la pregunta 57d

□。9

☐<sub>10</sub> 10 Extremadamente fácil

## Acerca de usted y de su niño

	Acerca de usted y de su niño	63.	¿Necesita o usa su niño más servicios médicos, de salud mental o educativos de lo que es
58.	En general, ¿cómo calificaría toda la salud de su niño?  Excelente Muy buena Buena Regular Mala	64.	normal para la mayoría de los niños de la misma edad?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 66  ¿Es esto debido a alguna condición médica, de
F0			comportamiento u otra condición de salud?
59.	En general, ¿cómo calificaría toda la salud mental o emocional de su niño?  Excelente Muy buena		□₂ No → Si contestó "No", pase a la pregunta 66
	□₃ Buena □₄ Regular □₅ Mala	65.	¿Es ésta una condición que ha durado o que se espera que dure por lo menos 12 meses? $\Box_{_1} \ \ \text{Si} \\ \Box_{_2} \ \ \text{No}$
60.	¿Actualmente necesita o usa su niño una medicina recetada por un doctor (aparte de vitaminas)?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 63	66.	¿Está su niño limitado o impedido de alguna manera en su habilidad de hacer lo que pueden hacer la mayoría de los niños de la misma edad?  □₁ Sí □₂ No → Si contestó "No", pase a la
61.	¿Es esto debido a alguna condición médica, de		pregunta 69
	comportamiento u otra condición de salud? □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 63	67.	¿Es esto debido a alguna condición médica, de comportamiento u otra condición de salud?  ☐₁ Sí ☐₂ No → Si contestó "No", pase a la
62.	¿Es ésta una condición que ha durado o que se espera que dure por lo menos 12 meses?	68.	pregunta 69  ¿Es ésta una condición que ha durado o que se espera que dure por lo menos 12 meses?  □₁ Sí □₂ No

69.	¿Necesita o recibe su niño terapia especial, tal como terapia física, ocupacional o del habla?  ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 72	77.	¿A qué raza pertenece su niño? Por favor marque una o más. a Blancab Negra o afroamericanac Asiáticad Nativo de Hawái o de otras islas del
70.	¿Es esto debido a alguna condición médica, de comportamiento u otra condición de salud? $\Box_{\scriptscriptstyle 1}$ Sí		Pacífico ☐ Indígena americano o nativo de Alaska ☐ Otra
	$\square_{2}$ No $\Rightarrow$ Si contestó "No", pase a la		
	pregunta 72	78.	¿Qué edad tiene <u>usted</u> ?
			☐。 Menos de 18 años
71.	¿Es ésta una condición que ha durado o que se		☐ <sub>1</sub> 18 a 24
	espera que dure por lo menos 12 meses?		$\square_2$ 25 a 34 $\square_3$ 35 a 44
	☐₁ Sí □₂ No		□ <sub>4</sub> 45 a 54
			$\square_5$ 55 a 64
72	¿Tiene su niño algún problema emocional, de		□ <sub>6</sub> 65 a 74
,	desarrollo o de comportamiento, para el cual		☐ <sub>7</sub> 75 años o más
	necesita o recibe tratamiento o consejería?		
	□₁ Sí	79.	¿Es usted hombre o mujer?
	$\square_2$ No $\Rightarrow$ Si contestó "No", pase a la		☐₁ Hombre
	pregunta 74		☐₂ Mujer
73.	¿Ha durado este problema o se espera que dure por lo menos 12 meses?	80.	¿Cuál es el grado o nivel escolar más alto que usted ha completado?
	$\square_1$ Sí		$\square_1$ 8 años de escuela o menos
	$\square_1$ No		$\square_2$ 9 a 12 años de escuela, pero sin
			graduarse
74.	¿Qué edad tiene <u>su niño</u> ?		☐₃ Graduado de la escuela secundaria
	□ <sub>∞</sub> Menos de un año		(high school), Diploma de escuela
	AÑOS (escriba la respuesta)		secundaria, preparatoria o su
	,		equivalente (o GED)  ☐₄ Algunos cursos universitarios o un
75.	¿Es su niño de sexo masculino o femenino?		título universitario de un programa de
	☐₁ Masculino		2 años
			☐₅ Título universitario de 4 años
			$\square_{\scriptscriptstyle 6}$ Título universitario de más de 4 años
76.	¿Es su niño de origen o ascendencia hispana o latina?		
	$\square_{\scriptscriptstyle 1}$ Sí, hispano o latino		

 $\square_{\scriptscriptstyle 2}$  No, ni hispano ni latino

81. ¿Qué relación tiene con el niño?  Madre o padre Abuelo o abuela Tía o tío Hermano o hermana mayor Otro familiar Tutor legal del niño Otra persona	83c. ¿Con qué frecuencia el niño juega bien con los demás?  Siempre Casi siempre Algunas veces Nunca
<ul> <li>82. ¿Le ayudó alguien a completar esta encuesta?</li> <li>☐₁ Sí → Si contestó "Sí", pase a la pregunta 83</li> <li>☐₂ No → Si contestó "No", pase a la pregunta 83a</li> </ul>	cuando está excitado?  Siempre Casi siempre Algunas veces Nunca
83. ¿Cómo le ayudó a usted esta persona? Marque una o más. a Me leyó las preguntasb Anotó las respuestas que le dic Contestó las preguntas por míd Tradujo las preguntas a mi idiomae Me ayudó de otra forma	83e. ¿Con qué frecuencia pierde el niño el control de su temperamento cuando las cosas no salen a su manera?  Siempre Casi siempre Algunas veces Nunca  83f. En los ultimos 6 meses, ¿alguna vez le
Preparación para el kindergarten	pidieron que el niño se quedara en casa y no fuera a la guardería o preescolar debido a su comportamiento (por golpear, patear, morder,
83a. ¿Su niño tiene entre 3 y 5 años de edad?  ☐₁ Sí → Si contestó "Sí", pase a la pregunta 83b  ☐₂ No → Gracias. Por favor, devuelva esta encuesta en el sobre con el porte o franqueo pagado.	hacer rabietas o desobedecer)?  I El niño no asistió a la guardería ni al preescolar  No  Sí, me dijeron que recogiera al niño temprano 1 o más días  Sí, tuve que mantener al niño en
83b. Cuando el niño está prestando atención, ¿con qué frecuencia puede seguir instrucciones para completar una tarea simple?  Siempre Casi siempre	casa por 1 día completo o más □₅ Sí, me dijeron que el niño ya no podría asistir a la guardería preescolar

 $\square_{\scriptscriptstyle 4}$  Nunca

## **Gracias**

Por favor devuelva esta encuesta en el sobre con el porte o franqueo pagado a:

Center for the Study of Services PO Box 10820 Herndon, VA 20172

Por favor no incluya cualquier otra correspondencia.

## CALCULATION GUIDELINES FOR GLOBAL PROPORTIONS

NCQA's HEDIS 2019, Volume 3: Specifications for Survey Measures contains detailed guidelines for calculation of survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for calculating rolling average composites and question summary rates. For OHA analysis, rolling average measures were calculated using single year rates.
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

## COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. There are three steps needed to calculate the composite global proportion:

## Step 1

For each question in a composite, count the number of members who selected a favorable response option:

- For all composite questions except those in the Shared Decision Making composite, the favorable responses are Usually and Always.
- For the Shared Decision Making questions, the favorable response is Yes.

## Step 2

For each question, determine the proportion of respondents rating favorably (i.e., Usually/Always or Yes).

## Step 3

Calculate the average proportion rating favorably across all the questions in the composite. These are the composite global proportions. Note: each question in a composite is weighted equally, regardless of how many members respond.

Using the example above, here is an illustration of the step-by-step calculation of the *Getting Care Quickly* composite global proportion. Missing responses are not included in the denominator.

Response option	Q4	Q6	Global Proportion
Never or Sometimes	1 / 5 = 0.20	1 / 4 = 0.25	(0.20 + 0.25) / 2 = 0.2250
Usually	2 / 5 = 0.40	1 / 4 = 0.25	(0.40 + 0.25) / 2 = 0.3250
Always	2 / 5 = 0.40	2 / 4 = 0.50	(0.40 + 0.50) / 2 = 0.4500
Always or Usually	4 / 5 = 0.80	3 / 4 = 0.75	(0.80 + 0.75) / 2 = 0.7750

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

## **GLOSSARY OF TERMS**

**Attributes** 

Areas of health plan performance and member experience assessed with the CAHPS survey

Benchmark

A reference score (e.g., the State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See *Comparisons to Benchmarks and Prior-Year Results*.

**CAHPS 5.0H Surveys** 

Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.0H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous 12 months, whereas the Medicaid version refers to the previous six (6) months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results in health plan performance reports, to inform accreditation decisions, and to create national benchmarks for care. Health plans might also collect CAHPS survey data for internal quality improvement purposes.

**Composite Measures** 

Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version. See *Experience of Care Measures*.

Confidence Level

A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.

Correlation

A degree of association between two variables, or attributes, typically measured by the *Pearson correlation coefficient*. The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.

Denominator (*n*, or Usable Responses)

Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "Low n" was assigned.

## Disposition

The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.) See *Member Dispositions and Response Rate*.

#### Effectiveness of Care

Effectiveness of Care measures are relevant to Adult surveys only and include Flu Vaccinations for Adults Ages 18–64 (FVA) and Medical Assistance with Smoking and Tobacco Use Cessation (MSC).

## **Eligible Population**

Members who are eligible to participate in the survey based on the following criteria:

- Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership.
- Continuous enrollment (six months for Medicaid, with no more than one enrollment break of 45 days or less);
- Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of November 30 of the measurement year);
- Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).

## **Global proportions**

Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., Always or Usually) averaged across the questions that make up the composite. See Question Summary Rates and Composite Global Proportions.

#### **HEDIS**

The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.

## Key Drivers and Priorities for Improvement

Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly rated plans. Specific priorities for improvement for *your organization* are identified based on how it is currently performing on the key driver attributes compared to industry best practices.

## **NCQA**

The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

## Question Summary Rate

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a *Never, Sometimes, Usually,* or *Always* response scale, with *Always* being the most favorable outcome. Results are typically reported as the proportion of members selecting *Usually* or *Always*. See *Question Summary Rates and Composite Global Proportions*.

## Response Rate

Survey response rate is calculated using the following formula:

Posnonso Pato -	Complete and Eligible Surveys
Response Rate =	[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts
	+ Added to Do Not Call (DNC) List]

## Sample size

OHA's methodology used a sample size of 1,000 for Adult Medicaid samples, 800 for Child Medicaid samples, and 450 for Child Medicaid with Chronic Conditions samples.

## Statistically Significant Difference

When survey results are calculated based on sample data and compared to a benchmark score (e.g., State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.

## Trending

Comparison of survey results over time

## Usable Responses (n)

See Denominator

## Valid Response

Any acceptable (falling within a pre-defined set) response to a survey question that follows the NCQA skip pattern rules and data cleaning guidelines.