

## Oregon Early Childhood Diagnostic Crosswalk

### Guidance Document

Bridging the Diagnostic Classification of Mental Health and Developmental Disorders of Infancy and Early Childhood (DC:0-5), the Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM 5), and the International Statistical Classification of Diseases and Related Health Problems, tenth revision ( ICD 10) to aid behavioral health providers with developmentally appropriate and Oregon Health Plan reimbursable diagnoses.

Laurie Theodorou, LCSW  
laurie.l.theodorou@state.or.us

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

## Neurodevelopmental Disorders

DC: 0-5 Diagnosis	DSM-5 Description	DSM-5 code	ICD-10 Description	ICD-10 code	Line on Prioritized List <sup>4</sup>	Comments
Attention Deficit/Hyperactivity Disorder ( <i>36 months and older</i> )	Attention Deficit/Hyperactivity Disorder	314.00-314.01	Attention Deficit/Hyperactivity Disorder	F90.0-F90.2	122 – Guideline 20 See full details in guideline for children under 5 yrs.	First line therapy is evidence-based, structured “parent-behavior training.”
Overactivity Disorder of Toddlerhood ( <i>Only between 24-36 months of age</i> )	Unspecified Attention Deficit/Hyperactivity Disorder	314.01	Attention Deficit/Hyperactivity Disorder, Unspecified type	F90. 9		
Tourette’s Disorder	Tourette’s Disorder	307.23	Tourette’s Disorder	F95.2	445	Listed under Obsessive Compulsive disorders in the DC: 0-5
Motor or Vocal Tic Disorder	Tic Disorders ( <i>Transient, or Persistent motor/vocal</i> )	307.21-307.22	Tic disorders	F95.0-F95.2, F95.9		

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

Autism Spectrum Disorder	Autism Spectrum Disorder	299.00	Childhood Autism	F84.0, F84.3-F84.9	193-Guideline 75	<b>Requires specialized training and may be out of the scope of practice for QMHP providers</b>
Early Atypical Autism Spectrum Disorder ( <i>Only between 9 and 36 months of age</i> )	No equivalent diagnosis	No code available	Pervasive Developmental Disorder, Unspecified	F84.9		
Global Developmental Delay	No equivalent diagnosis	No code available	Pervasive Developmental Disorder, Unspecified			
<b>Diagnosis</b>				<b>Prioritized List <sup>4</sup> line and Comments</b>		
<ul style="list-style-type: none"> <li>• Developmental Language Disorder</li> <li>• Language Disorder</li> <li>• Developmental Disorder of Speech and Language, Unspecified (F80.9)</li> </ul>				Not reimbursable as Behavioral Health codes. Services may be available through the early learning system, or physical health systems.		
Developmental Coordination Disorder	Developmental Coordination Disorder	Developmental Disorder of Motor Function ( <i>Developmental Coordination Disorder</i> ) F82		Consider whether the sequelae of the symptoms of these disorders meet a separate diagnosis that is treatable and		

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

Other Neurodevelopmental Disorder	Unspecified Neurodevelopmental Disorder	Unspecified Disorder of Psychological Development (F88)	reimbursable by a behavioral health provider
Sensory Over-Responsivity Disorder	Other Specified Neurodevelopmental Disorder	Other Specified Neurodevelopmental Disorder (F89)	
Sensory Under-Responsivity Disorder	Other Specified Neurodevelopmental Disorder	Other Specified Neurodevelopmental Disorder (F89)	
Other Sensory Processing Disorder	Other Specified Neurodevelopmental Disorder	Other Specified Neurodevelopmental Disorder (F89)	

## Anxiety Disorders

DC: 0-5 Diagnosis	DSM-5 Description	DSM-5 code	ICD-10 Description	ICD-10 code	Line on Prioritized List <sup>4</sup>	Comments
Separation Anxiety	Separation Anxiety Disorder	309.21	Separation Anxiety Disorder of Childhood	F93.0	388	
Social Anxiety Disorder ( <i>Social Phobia</i> )	Social Anxiety Disorder	300.23	Social Anxiety Disorder	F40.10	456	
Inhibition to Novelty Disorder	Other Specified Anxiety Disorder	300.9	Other Specified Anxiety Disorder	F41.8	413	Must be under 24 months of age

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

Other Anxiety Disorder of Infancy/Early Childhood	Other Specified Anxiety Disorder	300.9	Other Specified Anxiety Disorder	F41.8	413	
Generalized Anxiety Disorder	Generalized Anxiety Disorder	300.02	Generalized Anxiety Disorder	F41.1		
Selective Mutism	Selective Mutism	312.23	Selective Mutism	F94.0	471	<i>(below the line, Not reimbursable)</i>

### Mood Disorders

DC: 0-5 Diagnosis	DSM-5 Description	DSM-5 code	ICD-10 Description	ICD-10 code	Line on Prioritized List <sup>4</sup>	Comments
Depressive Disorder of Early Childhood	Major Depressive Disorder, Single Episode	296.23	Severe Depressive Episode without psychotic Symptoms	F32.2	7	Rule out ADHD, Trauma, Anxiety, Autism and Conduct Disorder
	Moderate Depressive Episode	296.22	Moderate Depressive Episode	F32.1	204	
	Mild Depressive Episode	296.21	Mild Depressive Episode	F32.0		

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

Disorder of Dysregulated Anger and Aggression of Early Childhood	Other Specified Depressive Disorder	311	Other specified persistent mood disorder	F34.89		Disruptive Mood Dysregulation Disorder, 296.99 (F34.81) — not to be used for children under 6 yrs.
Other Mood Disorder of Early Childhood	Unspecified Depressive disorder	311	Unspecified mood [affective] disorder	F39		
Depressive Disorder of Early Childhood	Persistent Depressive Disorder	300.4	Dysthymic Disorder	F34.1	431	

### Obsessive Compulsive and Related Disorders

DC: 0-5 Diagnosis	DSM-5 Description	DSM-5 code	ICD-10 Description	ICD-10 code	Line on Prioritized List <sup>4</sup>	Comments
Obsessive-Compulsive Disorder	Obsessive-Compulsive Disorder	301.4	Obsessive-Compulsive Disorder	F42.2	460	
Trichotillomania	Trichotillomania	312.39	Trichotillomania	F63.3		
Skin Picking Disorder of Infancy/Early Childhood	Excoriation ( <i>skin-picking disorder</i> )	698.4	Excoriation ( <i>skin-picking disorder</i> )	L98.1	552	(Below the line, not reimbursable)

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

Other Obsessive Compulsive and Related Disorders	Other Obsessive Compulsive and Related Disorders	300.3	Obsessive-compulsive disorder, unspecified	F42.9	460	
Motor or Vocal Tic Disorder and Tourette's Disorder — See Neurodevelopmental Disorders section of this document						

## Sleep Disorders

DC: 0-5 Diagnosis	DSM-5 Description	ICD-10 Description	Prioritized List <sup>4</sup> line/ Comments
Sleep Onset Disorder	Insomnia Disorder	Nonorganic Insomnia (F51.0)	Not reimbursable as Behavioral Health codes. Services may be available through the home visiting, early learning, or physical health systems.
Night Waking Disorder	Insomnia Disorder	Nonorganic Insomnia (F51.0)	
Partial Arousal Sleep Disorder	Non-Rapid Eye Movement Sleep Arousal Disorders — Sleep terror type	Sleep Terrors (F51.4)	
Nightmare Disorder of Early Childhood	Nightmare Disorder	Sleep Terrors (F51.5)	Consider whether the sequelae of the symptoms of these disorders meet a separate diagnosis that is treatable and reimbursable by a behavioral health provider

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

## Eating Disorders

DC: 0-5 Diagnosis	DSM-5 Description	DSM-5 code	ICD-10 Description	ICD-10 code	Line on Prioritized List <sup>4</sup>	Comments
Pica	Pica	307.52	Pica of Infancy and Childhood	F98.3	149	In children under 24 months, differentiate from developmentally appropriate mouthing
Undereating Disorder	Avoidant/ Restrictive Food Intake Disorder	307.59	Other specified eating disorder	F50.89	149	
Overeating Disorder	Unspecified Feeding or Eating Disorder	307.50	Eating Disorder, Unspecified	F50.9	381	Must be over 24 months of age
Atypical Eating Disorder ( <i>Rumination</i> )	Rumination Disorder	307.53	Rumination Disorder of Infancy and Childhood	F98.21	149	
Atypical Eating Disorder ( <i>Hoarding</i> )	Other Specified Trauma- and Stressor-Related Disorder	309.89	Other reaction to severe Stress	F43.8	443	Must have documented food hoarding in response to stressor. Not to be confused to DSM-5 Hoarding Disorder 300.3 (ICD 10- F42)



Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

## Crying Disorders

DC: 0-5 Diagnosis	DSM-5 Description	ICD-10 Description	Prioritized List <sup>4</sup> line/ Comments
Excessive Crying Disorder	No equivalent diagnosis	Nonspecific Symptoms Peculiar to Infancy ( <i>Excessive Crying in Infants; R68.11</i> )	<p>Not reimbursable as Behavioral Health codes. Services may be available through home visiting systems, or physical health systems.</p> <p>Consider whether the sequelae of the symptoms of these disorders meet a separate diagnosis that is treatable and reimbursable by a behavioral health provider</p>
Other Sleep, Eating, and Excessive Crying Disorder of Infancy/Early Childhood	Other Specified Feeding or Eating Disorder Other Specified Sleep-Wake Disorder	Other Eating Disorders  Other Nonorganic Sleep Disorders	
Excessive Crying Disorder	None listed	Excessive Crying of infant, R68.11	

## Elimination Disorders

DC: 0-5 Diagnosis	DSM-5 Description	DSM-5 code	ICD-10 Description	ICD-10 code	Line on Prioritized List <sup>4</sup>	Comments
No applicable diagnosis	Encopresis	307.7	Encopresis not due to a substance or known physiological condition	F98.1	468	Developmental age over 4 years Rule out Medical Condition and Anxiety

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

	Enuresis	307.6	Enuresis not due to a substance or known physiological condition	F98.0		Not reimbursable as a Behavioral Health code
--	----------	-------	--	-------	--	--

### Trauma, Stress and Deprivation Disorders

DC: 0-5 Diagnosis	DSM-5 Description	DSM-5 code	ICD-10 Description	ICD-10 code	Line on Prioritized List <sup>4</sup>	Comments
Post-Traumatic Stress Disorder	Acute Stress Reaction	308.3	Acute Stress Reaction	F43.0	290	
	Post-traumatic Stress disorder for Children 6 years and under	309.81	Post-Traumatic Stress Disorder	F43.10	173	
Reactive Attachment Disorder	Reactive Attachment Disorder	313.89	Reactive Attachment Disorder	F94.1	448	
Disinhibited Social Engagement Disorder	Disinhibited Social Engagement Disorder	313.89	Disinhibited Attachment Disorder of Childhood	F94.2		

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

No applicable diagnosis	-Child physical abuse -Child Sexual Abuse -Child Neglect -Child psychological abuse	V61.21	Mental Health Services for victim of child abuse by parent	Z69.010	121	Reimbursable as primary diagnosis
			Mental Health Services for victim of non-parental child abuse	Z69.020		
Other Trauma, Stress, and Deprivation Disorder	Unspecified Trauma- and Stressor-Related Disorder	309.89	Reaction to Severe Stress, Unspecified	F43.8	443	Z63.4 Disappearance and death of family member reimbursable only when identified as secondary diagnosis with a primary diagnosis of F43.8, Other reactions to severe stress.
Complicated Grief Disorder	Other Specified Trauma- and Stressor-Related Disorder ( <i>Persistent Complex Bereavement Disorder</i> )	309.89 AND secondary V62.82	Other Reactions to Severe Stress ( <i>Disappearance or death of family member</i> )	F43.8 AND secondary Z63.4		

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

### Other Stress Related Disorders

DC: 0-5 Diagnosis	DSM-5 Description	DSM-5 code	ICD-10 Description	ICD-10 code	Prioritized List <sup>4</sup> line number	Comments
Adjustment Disorder	Adjustment Disorder w/ Depressed mood; w/ Anxiety; w/ Anxiety and depressed mood; w/ Disturbance of conduct; w/ Mixed disturbance of emotion and conduct; unspecified	309.0; 309.24;  309.28;  309.3,  309.4; 309.9	Adjustment Disorder w/ Depressed mood; w/ Anxiety; w/ Anxiety and Depressed mood; w/ Disturbance of conduct; w/ Mixed disturbance of emotion and conduct; unspecified	F43.21, F43.22,  F43.23,  F43.24,  F43.25, F43.20	443	
No applicable Diagnosis	Personal (past) history of physical or sexual abuse or psychological abuse	V15.41; V15.42	Personal (past) history of physical or sexual abuse or psychological abuse	Z62.810; Z62.811; Z62.812		Reimbursable as primary diagnosis

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

### Relationship Disorders

DC: 0-5 Diagnosis	DSM-5 Description	DSM-5 code	ICD-10 Description	ICD-10 code	Prioritized List <sup>4</sup> line number	Comments
Relationship Specific Disorder of Infancy/Early Childhood	Parent-Child Relational Problem	V61.20	Parent-Child Problem NOS	Z62.820	443	Reimbursable as primary diagnosis.  Refers to the primary caregiver of the child (biological, adoptive, foster parent or another adult who fulfills a parental role for the child.)
No applicable Diagnosis	High Expressed Emotion Level within Family	309.89 AND V61.8	Other Specified Problems related to the Primary Support Group	Z63.8		

### Disruptive Impulse-Control and Conduct Disorders

DC: 0-5 Diagnosis	DSM-5 Description	DSM-5 code	ICD-10 Description	ICD-10 code	Line on Prioritized List <sup>4</sup>	Comments
No applicable diagnosis	Oppositional Defiant Disorder	313.81	Oppositional Defiant Disorder	F91.3	419	Guideline 152

Crosswalk between the DC 0-5<sup>1</sup>, the DSM-5<sup>2</sup> and the ICD 10<sup>3</sup>  
Reimbursable Early Childhood Mental Health (Birth to Five Years Old) Diagnoses

No applicable diagnosis	Unspecified Disruptive, Impulse control and Conduct Disorder	312.9	Unspecified Conduct Disorder	F91.9	419	Guideline 152 5 yrs. and younger only
-------------------------	--	-------	------------------------------	-------	-----	--

<sup>1</sup> Diagnostic Classification of Mental Health and Developmental Disorders of Infancy and Early Childhood (DC: 0-5) by Zero to Three <http://www.zerotothree.org/>

<sup>2</sup> Diagnostic and Statistical Manual of Mental Disorders, Fifth edition, (DSM-5); <http://www.dsm5.org/psychiatrists/practice/dsm>

<sup>3</sup> [International Statistical Classification of Diseases and Related Health Problems](http://www.who.int/classifications/icd/10/) (ICD), 10th revision

<sup>4</sup> Oregon's legislature approved funding for lines 1-469 of the prioritized list for January 1, 2018. <http://www.oregon.gov/oha/herc/pages/prioritizedlist.aspx>

Oregon Early Childhood Diagnostic Crosswalk available at: <http://www.oregon.gov/oha/hsd/amh/pages/child-mh-provider.aspx>