

**TABLE 1-5. Oregon Rates of Low Birthweight,  
and Measures of Prenatal Care, 1980-2008**

| Year  | Low Birthweight | First Trimester Care | No Care | Inadequate Care <sup>1</sup> | Third Trimester Care | Less than Five Visits |
|-------|-----------------|----------------------|---------|------------------------------|----------------------|-----------------------|
| 1980  | 50.4            | 780.8                | 5.5     | 58.0                         | 35.2                 | 41.4                  |
| 1981  | 48.5            | 775.6                | 8.9     | 63.1                         | 38.6                 | 43.0                  |
| 1982  | 49.2            | 769.3                | 11.2    | 70.3                         | 41.0                 | 48.0                  |
| 1983  | 50.0            | 775.3                | 11.3    | 66.5                         | 38.5                 | 44.9                  |
| 1984  | 51.5            | 771.5                | 11.0    | 68.2                         | 41.1                 | 46.2                  |
| 1985  | 51.3            | 752.0                | 12.1    | 72.9                         | 43.7                 | 47.5                  |
| 1986  | 51.3            | 738.7                | 11.7    | 83.3                         | 52.1                 | 54.6                  |
| 1987  | 54.0            | 736.8                | 16.5    | 86.2                         | 50.3                 | 58.5                  |
| 1988  | 52.6            | 738.8                | 13.8    | 83.6                         | 49.9                 | 54.7                  |
| 1989  | 52.2            | 750.7                | 12.0    | 73.2                         | 42.9                 | 48.7                  |
| 1990  | 50.1            | 757.1                | 10.7    | 70.0                         | 43.4                 | 45.1                  |
| 1991  | 49.2            | 768.2                | 8.7     | 61.0                         | 37.4                 | 38.6                  |
| 1992  | 51.8            | 787.0                | 8.2     | 52.6                         | 31.4                 | 34.0                  |
| 1993  | 52.5            | 794.6                | 7.6     | 51.7                         | 30.4                 | 33.8                  |
| 1994  | 53.0            | 790.9                | 8.5     | 57.8                         | 34.3                 | 36.4                  |
| 1995  | 54.9            | 787.7                | 8.6     | 58.4                         | 34.7                 | 38.2                  |
| 1996  | 53.5            | 799.3                | 7.1     | 53.7                         | 31.7                 | 34.8                  |
| 1997  | 55.0            | 811.2                | 6.7     | 50.0                         | 29.6                 | 32.3                  |
| 1998  | 53.7            | 807.2                | 7.2     | 53.5                         | 30.7                 | 35.3                  |
| 1999  | 53.9            | 809.9                | 7.3     | 53.7                         | 29.6                 | 35.7                  |
| 2000  | 56.6            | 812.8                | 8.5     | 55.9                         | 29.8                 | 36.6                  |
| 2001  | 55.6            | 815.2                | 8.0     | 50.5                         | 28.7                 | 33.1                  |
| 2002  | 57.9            | 816.4                | 9.4     | 52.2                         | 28.6                 | 35.7                  |
| 2003  | 61.6            | 810.7                | 11.7    | 55.5                         | 28.6                 | 38.4                  |
| 2004  | 60.6            | 804.3                | 10.9    | 57.9                         | 30.3                 | 41.0                  |
| 2005  | 61.2            | 810.0                | 8.9     | 58.3                         | 30.1                 | 40.8                  |
| 2006  | 61.0            | 792.3                | 9.3     | 61.5                         | 32.6                 | 42.3                  |
| 2007  | 61.0            | 783.9                | 9.9     | 64.3                         | 35.4                 | 43.4                  |
| 2008* | 60.7            | 702.4                | 10.5    | 69.6                         | 45.2                 | 39.2                  |

<sup>1</sup> Inadequate prenatal care is defined as care that began in the third trimester or consisted of less than five prenatal visits.

\* Starting in 2008 prenatal care calculations changed, see Appendix B for details

All rates are per 1,000 live births. Rates and percentages are calculated excluding missing and unknown values.