

TABLE 2-24. Selected Medical or Health Characteristics by Mother's Age (Percents), Oregon Resident Births, 2011

| Characteristic | Total Births ¹ | Age of Mother | | | | | | | |
|--|---------------------------|---------------|-------|-------|--------|--------|-------|-------|------|
| | | <15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45+ |
| All Births - Mother | | | | | | | | | |
| Total Births | 45,136 | 20 | 3,135 | 9,874 | 13,232 | 11,874 | 5,683 | 1,242 | 75 |
| First Trimester Care | 75.1 | 35.0 | 61.1 | 67.5 | 76.8 | 80.4 | 80.4 | 76.7 | 79.2 |
| Inadequate Care ² | 5.4 | 35.0 | 9.8 | 7.6 | 5.1 | 3.5 | 4.1 | 4.5 | 2.8 |
| No Prenatal Care | 0.7 | 5.0 | 1.2 | 0.9 | 0.7 | 0.4 | 0.6 | 0.7 | – |
| Out-Of-Hospital Birth .. | 3.7 | – | 0.9 | 1.9 | 4.0 | 5.1 | 4.7 | 3.7 | 1.3 |
| Primary Cesarean | 17.1 | 25.0 | 16.3 | 16.2 | 16.4 | 17.3 | 19.0 | 22.2 | 41.3 |
| Repeat Cesarean | 11.7 | – | 1.8 | 8.1 | 11.1 | 14.2 | 17.3 | 22.2 | 30.7 |
| Multiple Births | 3.3 | – | 1.8 | 2.2 | 3.1 | 4.0 | 4.2 | 5.4 | 21.3 |
| Tobacco Use | 10.7 | 5.0 | 17.8 | 17.7 | 10.6 | 6.5 | 5.0 | 5.1 | 2.7 |
| Overweight/Obese ³ | 48.4 | – | 37.1 | 48.8 | 50.3 | 47.8 | 49.8 | 51.2 | 42.5 |
| All Births - Infant | | | | | | | | | |
| Preterm Births ⁴ | 7.4 | 10.0 | 8.2 | 7.5 | 7.0 | 7.0 | 7.7 | 10.2 | 25.7 |
| Very Low Birthweight ⁵ | 1.0 | – | 1.3 | 1.0 | 0.9 | 0.9 | 1.1 | 1.4 | 5.4 |
| Low Birthweight ⁶ | 6.1 | – | 8.0 | 6.5 | 5.3 | 5.9 | 6.3 | 7.8 | 23.0 |
| Fetal Macrosomia ⁷ | 10.9 | 10.0 | 6.7 | 8.7 | 11.4 | 12.5 | 12.5 | 12.2 | 10.8 |
| 5 Minute Apgar < 7 | 2.7 | – | 3.6 | 2.8 | 2.6 | 2.4 | 2.8 | 4.2 | 5.4 |
| Mothers Born in the U.S. | | | | | | | | | |
| Total Births | 35,773 | 19 | 2,716 | 8,234 | 10,601 | 9,297 | 4,037 | 824 | 44 |
| First Trimester Care | 77.0 | 36.8 | 62.2 | 69.1 | 79.0 | 82.6 | 84.5 | 80.5 | 80.5 |
| Inadequate Care ² | 5.0 | 31.6 | 9.4 | 7.4 | 4.6 | 3.0 | 3.1 | 4.0 | – |
| No Prenatal Care | 0.7 | 5.3 | 1.1 | 0.9 | 0.7 | 0.4 | 0.6 | 0.8 | – |
| Out-Of-Hospital Birth .. | 4.3 | – | 1.0 | 2.1 | 4.7 | 6.1 | 5.9 | 4.6 | 2.3 |
| Primary Cesarean | 17.9 | 26.3 | 16.8 | 16.9 | 17.5 | 18.1 | 19.8 | 22.8 | 45.5 |
| Repeat Cesarean | 11.2 | – | 1.8 | 8.1 | 10.9 | 13.8 | 16.4 | 21.7 | 22.7 |
| Multiple Births | 3.4 | – | 2.1 | 2.3 | 3.3 | 4.3 | 4.4 | 5.6 | 22.7 |
| Tobacco Use | 13.2 | 5.3 | 20.4 | 21.0 | 12.9 | 8.1 | 6.7 | 6.8 | 4.7 |
| Overweight/Obese ³ | 48.5 | – | 37.4 | 49.5 | 51.2 | 47.8 | 48.1 | 48.3 | 48.8 |
| Infants of Mothers Born in the U.S. | | | | | | | | | |
| Preterm Births ⁴ | 7.6 | 10.5 | 8.5 | 7.8 | 7.3 | 7.3 | 7.2 | 9.7 | 23.3 |
| Very Low Birthweight ⁵ | 1.0 | – | 1.3 | 1.0 | 0.9 | 0.9 | 0.9 | 1.0 | 4.7 |
| Low Birthweight ⁶ | 6.2 | – | 7.9 | 6.8 | 5.3 | 5.9 | 5.9 | 7.4 | 23.3 |
| Fetal Macrosomia ⁷ | 11.2 | 10.5 | 6.8 | 8.7 | 11.8 | 13.1 | 13.5 | 11.9 | 9.3 |
| 5 Minute Apgar < 7 | 2.9 | – | 3.8 | 3.0 | 2.7 | 2.4 | 3.1 | 4.9 | 9.3 |

– Quantity is zero.
See footnotes at end of table.

TABLE 2-24. Selected Medical or Health Characteristics by Mother's Age (Percents), Oregon Resident Births, 2011 (Continued)

| Characteristic | Total Births | Age of Mother | | | | | | | |
|---|--------------|---------------|-------|-------|-------|-------|-------|-------|------|
| | | <15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45+ |
| Mothers Born Outside the U.S. | | | | | | | | | |
| Total Births | 9,363 | 1 | 419 | 1,640 | 2,631 | 2,577 | 1,646 | 418 | 31 |
| First Trimester Care | 67.6 | – | 54.0 | 59.5 | 67.9 | 72.5 | 70.5 | 69.4 | 77.4 |
| Inadequate Care ² | 7.0 | 100.0 | 12.4 | 8.7 | 7.4 | 5.3 | 6.3 | 5.4 | 6.7 |
| No Prenatal Care | 0.8 | – | 1.7 | 0.9 | 0.7 | 0.7 | 0.8 | 0.7 | – |
| Out-Of-Hospital Birth .. | 1.3 | – | – | 0.7 | 1.4 | 1.5 | 1.5 | 1.9 | – |
| Primary Cesarean | 14.1 | – | 13.4 | 12.6 | 12.0 | 14.2 | 16.9 | 21.1 | 35.5 |
| Repeat Cesarean | 13.7 | – | 1.9 | 7.9 | 11.8 | 15.7 | 19.6 | 23.2 | 41.9 |
| Multiple Births | 2.6 | – | – | 1.6 | 2.2 | 2.8 | 3.7 | 5.0 | 19.4 |
| Tobacco Use | 1.0 | – | 1.4 | 0.9 | 1.2 | 0.8 | 1.0 | 1.7 | – |
| Overweight/Obese ³ | 47.9 | – | 35.2 | 45.1 | 46.5 | 47.9 | 54.1 | 56.9 | 33.3 |
| Infants of Mothers Born Outside the U.S. | | | | | | | | | |
| Preterm Births ⁴ | 6.7 | – | 5.7 | 5.8 | 5.9 | 5.7 | 9.1 | 11.0 | 29.0 |
| Very Low Birthweight ⁵ | 1.0 | – | 1.2 | 0.8 | 0.9 | 0.8 | 1.5 | 2.2 | 6.5 |
| Low Birthweight ⁶ | 6.1 | – | 8.4 | 4.8 | 5.4 | 5.7 | 7.4 | 8.6 | 22.6 |
| Fetal Macrosomia ⁷ | 9.8 | – | 6.2 | 9.0 | 9.5 | 10.4 | 9.9 | 12.9 | 12.9 |
| 5 Minute Apgar < 7 | 2.1 | – | 2.1 | 1.8 | 2.2 | 2.3 | 2.0 | 2.9 | – |

– Quantity is zero.

1 There were no births with unknown age of mother.

2 Less than 5 prenatal visits or care began in the third trimester.

3 Body Mass Index of greater than 25.0 kg/m².

4 Born prior to 37 completed weeks of gestation.

5 Birthweight of less than 1,500 grams (3 lb 4 oz).

6 Birthweight of less than 2,500 grams (5 lb 8 oz).

7 Birthweight of more than 4,000 grams (8 lb 13 oz).

NOTE: Rates and percentages are calculated excluding missing and unknown values.