

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Total</b>	30,128	245	39	78	304	431	908	1,976	2,865	5,042	9,168	9,072
Male	14,690	138	15	45	233	297	578	1,212	1,643	2,744	4,525	3,260
Female	15,438	107	24	33	71	134	330	764	1,222	2,298	4,643	5,812
<b>Infections &amp; Parasitic Disease (A00-B99)</b>	460	6	3	–	1	13	49	90	56	59	95	88
Male	261	2	2	–	1	11	40	68	31	35	41	30
Female	199	4	1	–	–	2	9	22	25	24	54	58
Tuberculosis (A16-A19)	3	–	–	–	–	–	1	–	–	–	2	–
Male	1	–	–	–	–	–	–	–	–	–	1	–
Female	2	–	–	–	–	–	1	–	–	–	1	–
Meningococcal infection (A39)	5	3	–	–	–	–	1	–	–	–	–	1
Male	2	1	–	–	–	–	1	–	–	–	–	–
Female	3	2	–	–	–	–	–	–	–	–	–	1
Septicemia (A40-A41)	183	1	3	–	–	1	4	16	16	29	55	58
Male	76	–	2	–	–	1	1	8	7	14	24	19
Female	107	1	1	–	–	–	3	8	9	15	31	39
Creutzfeldt-Jacob disease (A81.0)	7	–	–	–	–	–	1	–	2	2	–	2
Male	3	–	–	–	–	–	1	–	–	1	–	1
Female	4	–	–	–	–	–	–	–	2	1	–	1
Viral hepatitis (B15-B19)	92	–	–	–	–	1	7	40	20	12	8	4
Male	66	–	–	–	–	1	6	33	11	9	5	1
Female	26	–	–	–	–	–	1	7	9	3	3	3
HIV/AIDS (B20-B24) <sup>2</sup>	64	–	–	–	–	10	31	16	6	1	–	–
Male	56	–	–	–	–	8	29	12	6	1	–	–
Female	8	–	–	–	–	2	2	4	–	–	–	–
<b>Malignant Neoplasms (C00-C97)</b>	7,091	1	5	15	25	45	168	617	1,084	1,817	2,217	1,097
Male	3,660	–	1	8	17	22	77	297	566	959	1,175	538
Female	3,431	1	4	7	8	23	91	320	518	858	1,042	559
Lip, oral cavity & pharynx (C00-C14)	115	–	–	–	–	2	–	15	23	33	31	11
Male	68	–	–	–	–	2	–	9	19	18	13	7
Female	47	–	–	–	–	–	–	6	4	15	18	4
Digestive Organs (C15-C26)	1,615	–	–	–	–	4	28	140	238	397	505	303
Male	904	–	–	–	–	2	19	90	157	236	272	128
Female	711	–	–	–	–	2	9	50	81	161	233	175
Esophagus (C15)	203	–	–	–	–	–	1	23	39	62	53	25
Male	161	–	–	–	–	–	1	19	36	49	40	16
Female	42	–	–	–	–	–	–	4	3	13	13	9

Mortality

6-23

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Stomach (C16)	100	—	—	—	—	—	2	6	12	25	36	19
Male	59	—	—	—	—	—	1	4	7	18	19	10
Female	41	—	—	—	—	—	1	2	5	7	17	9
Colon, rectum & anus (C18-C21)	712	—	—	—	—	2	14	59	94	153	232	158
Male	380	—	—	—	—	2	10	33	59	90	126	60
Female	332	—	—	—	—	—	4	26	35	63	106	98
Colon (C18)	578	—	—	—	—	—	9	43	73	126	190	137
Male	299	—	—	—	—	—	6	22	47	73	99	52
Female	279	—	—	—	—	—	3	21	26	53	91	85
Liver & intrahepatic bile ducts (C22)	128	—	—	—	—	—	4	19	26	27	38	14
Male	77	—	—	—	—	—	3	15	16	15	24	4
Female	51	—	—	—	—	—	1	4	10	12	14	10
Pancreas (C25)	397	—	—	—	—	2	6	28	59	107	124	71
Male	195	—	—	—	—	—	4	18	34	51	56	32
Female	202	—	—	—	—	2	2	10	25	56	68	39
Respiratory, intrathoracic organs (C30-C39)	2,036	—	—	—	2	—	32	163	361	672	626	180
Male	1,092	—	—	—	1	—	18	88	181	371	342	91
Female	944	—	—	—	1	—	14	75	180	301	284	89
Larynx (C32)	40	—	—	—	—	—	2	—	8	13	12	5
Male	31	—	—	—	—	—	1	—	5	10	10	5
Female	9	—	—	—	—	—	1	—	3	3	2	—
Trachea, bronchus & lung (C33-C34)	1,981	—	—	—	—	—	29	163	350	658	609	172
Male	1,052	—	—	—	—	—	16	88	174	360	329	85
Female	929	—	—	—	—	—	13	75	176	298	280	87
Bronchus & lung (C34)	1,981	—	—	—	—	—	29	163	350	658	609	172
Male	1,052	—	—	—	—	—	16	88	174	360	329	85
Female	929	—	—	—	—	—	13	75	176	298	280	87
Skin (C43-C44)	142	—	—	—	1	3	5	32	22	23	32	24
Male	97	—	—	—	1	2	4	23	19	13	23	12
Female	45	—	—	—	—	1	1	9	3	10	9	12
Melanoma of skin (C43)	118	—	—	—	1	3	5	31	21	19	23	15
Male	83	—	—	—	1	2	4	23	18	9	17	9
Female	35	—	—	—	—	1	1	8	3	10	6	6
Mesothelioma (C45)	52	—	—	—	—	—	2	2	9	17	17	5
Male	44	—	—	—	—	—	—	1	8	15	16	4
Female	8	—	—	—	—	—	2	1	1	2	1	1

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Breast (C50)	530	—	—	—	—	7	29	86	98	122	120	68
Male	7	—	—	—	—	—	—	1	1	3	1	1
Female	523	—	—	—	—	7	29	85	97	119	119	67
Female genital organs (C51-C58)	358	—	—	—	—	5	15	46	48	91	108	45
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	358	—	—	—	—	5	15	46	48	91	108	45
Cervix uteri (C53)	51	—	—	—	—	4	8	15	8	6	9	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	51	—	—	—	—	4	8	15	8	6	9	1
Corpus uteri (C54-C55) <sup>3</sup>	83	—	—	—	—	1	2	5	8	24	28	15
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	83	—	—	—	—	1	2	5	8	24	28	15
Ovary (C56)	199	—	—	—	—	—	5	23	31	52	63	25
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	199	—	—	—	—	—	5	23	31	52	63	25
Male genital organs (C60-C63)	442	—	—	—	—	3	—	7	27	74	191	140
Male	442	—	—	—	—	3	—	7	27	74	191	140
Female	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61)	434	—	—	—	—	—	—	5	26	72	191	140
Male	434	—	—	—	—	—	—	5	26	72	191	140
Female	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	137	—	—	1	1	1	5	15	23	28	43	20
Male	92	—	—	—	1	—	4	8	18	20	29	12
Female	45	—	—	1	—	1	1	7	5	8	14	8
Bladder (C67)	183	—	—	—	—	—	1	3	16	28	82	53
Male	136	—	—	—	—	—	1	3	10	21	65	36
Female	47	—	—	—	—	—	—	—	6	7	17	17
Brain, etc. (C70-C72) <sup>4</sup>	194	—	1	6	3	4	13	31	44	46	34	12
Male	109	—	—	2	2	1	9	19	25	32	13	6
Female	85	—	1	4	1	3	4	12	19	14	21	6
Thyroid/endocrine gland (C73-C75)	28	—	—	—	—	—	3	3	4	8	5	5
Male	11	—	—	—	—	—	2	2	1	4	2	—
Female	17	—	—	—	—	—	1	1	3	4	3	5
Lymphoid & hematopoietic (C81-C96)	766	1	4	2	10	13	19	48	95	168	262	144
Male	410	—	1	1	7	10	13	30	56	89	137	66
Female	356	1	3	1	3	3	6	18	39	79	125	78

Mortality

6-25

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Hodgkin's disease (C81)	12	—	—	—	2	2	1	1	—	2	2	2
Male	7	—	—	—	1	2	—	—	—	2	1	1
Female	5	—	—	—	1	—	1	1	—	—	1	1
Non-Hodgkin's lymphoma (C82-C85)	334	—	—	—	1	4	7	23	48	63	120	68
Male	165	—	—	—	—	3	4	15	26	26	56	35
Female	169	—	—	—	1	1	3	8	22	37	64	33
Leukemia (C91-C95)	279	1	4	2	7	7	11	19	23	72	86	47
Male	154	—	1	1	6	5	9	11	14	42	46	19
Female	125	1	3	1	1	2	2	8	9	30	40	28
Lymphoid leukemia (C91)	82	—	—	1	4	1	2	3	6	22	23	20
Male	53	—	—	—	4	1	2	2	6	14	15	9
Female	29	—	—	1	—	—	—	1	—	8	8	11
Myeloid leukemia (C92)	129	—	3	—	2	6	8	13	12	29	39	17
Male	69	—	1	—	1	4	7	6	6	16	22	6
Female	60	—	2	—	1	2	1	7	6	13	17	11
Multiple myeloma (C88,C90) <sup>5</sup>	141	—	—	—	—	—	—	5	24	31	54	27
Male	84	—	—	—	—	—	—	4	16	19	34	11
Female	57	—	—	—	—	—	—	1	8	12	20	16
Neoplasm not specif. as malign. (D00-D48) <sup>6</sup>	166	—	—	—	—	1	1	8	14	18	66	58
Male	74	—	—	—	—	—	—	5	9	10	34	16
Female	92	—	—	—	—	1	1	3	5	8	32	42
<b>Diseases of the Blood (D50-89)<sup>7</sup></b>	<b>97</b>	<b>3</b>	<b>—</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>6</b>	<b>9</b>	<b>13</b>	<b>25</b>	<b>35</b>
Male	38	1	—	1	2	1	1	4	6	5	9	8
Female	59	2	—	—	—	—	1	2	3	8	16	27
Anemias (D50-D64)	53	1	—	1	—	—	—	2	2	4	15	28
Male	20	1	—	1	—	—	—	1	2	1	8	6
Female	33	—	—	—	—	—	—	1	—	3	7	22
<b>Endocrine &amp; Nutritional Dis. (E00-E88)<sup>8</sup></b>	<b>1,354</b>	<b>6</b>	<b>1</b>	<b>2</b>	<b>5</b>	<b>12</b>	<b>33</b>	<b>88</b>	<b>165</b>	<b>295</b>	<b>409</b>	<b>338</b>
Male	607	3	—	2	3	5	23	43	90	138	187	113
Female	747	3	1	—	2	7	10	45	75	157	222	225
Diabetes mellitus (E10-E14)	1,033	—	—	—	1	6	20	70	124	237	338	237
Male	474	—	—	—	1	4	14	33	70	111	155	86
Female	559	—	—	—	—	2	6	37	54	126	183	151
Nutritional deficiencies (E40-E64)	26	—	—	—	—	1	—	2	—	5	6	12
Male	11	—	—	—	—	—	—	2	—	1	3	5
Female	15	—	—	—	—	1	—	—	—	4	3	7

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Malnutrition (E40-E46)	21	—	—	—	—	—	—	2	—	4	6	9
Male	9	—	—	—	—	—	—	2	—	1	3	3
Female	12	—	—	—	—	—	—	—	—	3	3	6
<b>Mental Disorders (F01-F99)<sup>9</sup></b>	<b>942</b>	—	—	—	3	28	52	72	45	57	243	442
Male	393	—	—	—	3	21	36	52	30	34	98	119
Female	549	—	—	—	—	7	16	20	15	23	145	323
Organic dementia (F01, F03)	633	—	—	—	—	—	—	1	2	28	199	403
Male	193	—	—	—	—	—	—	—	—	16	72	105
Female	440	—	—	—	—	—	—	1	2	12	127	298
Due to alcohol (F10)	146	—	—	—	—	8	23	41	31	21	17	5
Male	104	—	—	—	—	5	17	31	22	15	10	4
Female	42	—	—	—	—	3	6	10	9	6	7	1
Due to psychoactive substance (F11-F19)	86	—	—	—	2	18	28	28	5	3	1	1
Male	61	—	—	—	2	15	19	20	2	1	1	1
Female	25	—	—	—	—	3	9	8	3	2	—	—
Alcohol-induced deaths <sup>10,11</sup>	431	—	—	1	1	14	58	122	106	67	53	9
Male	305	—	—	—	1	8	40	94	77	47	30	8
Female	126	—	—	1	—	6	18	28	29	20	23	1
<b>Nervous System Dis. (G00-G99)</b>	<b>1,731</b>	4	1	4	6	16	27	53	94	161	591	774
Male	674	2	1	2	4	9	16	28	47	76	259	230
Female	1,057	2	—	2	2	7	11	25	47	85	332	544
Meningitis (G00, G03)	7	—	—	—	—	—	2	1	2	2	—	—
Male	5	—	—	—	—	—	1	1	2	1	—	—
Female	2	—	—	—	—	—	1	—	—	1	—	—
Amyotrophic lateral sclerosis (G12.2)	92	—	—	—	—	1	4	9	16	23	29	10
Male	53	—	—	—	—	1	4	5	10	9	19	5
Female	39	—	—	—	—	—	—	4	6	14	10	5
Parkinson's disease (G20-G21)	293	—	—	—	—	—	—	1	5	31	147	109
Male	162	—	—	—	—	—	—	1	3	23	81	54
Female	131	—	—	—	—	—	—	—	2	8	66	55
Alzheimer's disease (G30)	1,038	—	—	—	—	—	—	2	10	53	347	626
Male	318	—	—	—	—	—	—	2	2	22	131	161
Female	720	—	—	—	—	—	—	—	8	31	216	465
Epilepsy (G40-G41)	22	—	—	1	1	5	4	—	4	3	2	2
Male	10	—	—	1	1	4	2	—	1	1	—	—
Female	12	—	—	—	—	1	2	—	3	2	2	2

Mortality

6-27

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Circulatory System Diseases (I00-I99)</b>	10,623	9	—	2	10	34	120	437	741	1,521	3,524	4,225
Male	5,031	7	—	1	7	22	75	315	485	905	1,776	1,438
Female	5,592	2	—	1	3	12	45	122	256	616	1,748	2,787
<b>Major cardiovascular diseases (I00-I78)</b>	10,562	9	—	2	10	33	119	434	735	1,509	3,505	4,206
Male	5,012	7	—	1	7	22	75	312	482	899	1,771	1,436
Female	5,550	2	—	1	3	11	44	122	253	610	1,734	2,770
<b>Heart disease (I00-I09, I11, I13, I20-I51)</b>	7,086	3	—	2	7	27	92	345	573	1,070	2,275	2,692
Male	3,620	2	—	1	4	20	64	260	396	663	1,240	970
Female	3,466	1	—	1	3	7	28	85	177	407	1,035	1,722
<b>Rheumatic heart diseases (I00-I09)<sup>12</sup></b>	67	—	—	—	—	—	2	3	2	15	21	24
Male	14	—	—	—	—	—	1	2	2	3	3	3
Female	53	—	—	—	—	—	1	1	—	12	18	21
<b>Hypertensive heart disease (I11)</b>	220	—	—	—	—	2	3	15	12	33	49	106
Male	75	—	—	—	—	1	1	11	9	12	20	21
Female	145	—	—	—	—	1	2	4	3	21	29	85
<b>Hypertensive heart &amp; renal dis. (I13)</b>	27	—	—	—	—	—	—	—	—	2	11	14
Male	12	—	—	—	—	—	—	—	—	2	6	4
Female	15	—	—	—	—	—	—	—	—	—	5	10
<b>Ischemic heart diseases (I20-I25)</b>	4,730	—	—	—	2	8	56	259	436	795	1,599	1,575
Male	2,668	—	—	—	2	5	43	199	317	522	948	632
Female	2,062	—	—	—	—	3	13	60	119	273	651	943
<b>Myocardial infarction (I21-I22)</b>	1,709	—	—	—	—	2	17	70	163	319	587	551
Male	958	—	—	—	—	—	11	49	123	216	338	221
Female	751	—	—	—	—	2	6	21	40	103	249	330
<b>Other acute ischemic hrt. dis. (I24)</b>	13	—	—	—	—	—	—	2	1	1	6	3
Male	8	—	—	—	—	—	—	1	1	1	5	—
Female	5	—	—	—	—	—	—	1	—	—	1	3
<b>Chronic isch. heart dis. (I20, I25)</b>	3,008	—	—	—	2	6	39	187	272	475	1,006	1,021
Male	1,702	—	—	—	2	5	32	149	193	305	605	411
Female	1,306	—	—	—	—	1	7	38	79	170	401	610
<b>Atheroscler. cardiovascular dis.<sup>13</sup></b>	411	—	—	—	—	1	4	22	39	66	115	164
Male	223	—	—	—	—	—	3	18	26	45	63	68
Female	188	—	—	—	—	1	1	4	13	21	52	96
<b>Other chr. ischemic heart dis.<sup>14</sup></b>	2,597	—	—	—	2	5	35	165	233	409	891	857
Male	1,479	—	—	—	2	5	29	131	167	260	542	343
Female	1,118	—	—	—	—	—	6	34	66	149	349	514

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Heart failure (I50)	793	—	—	—	—	—	2	9	22	76	220	464
Male	288	—	—	—	—	—	1	8	11	45	87	136
Female	505	—	—	—	—	—	1	1	11	31	133	328
Congestive heart failure (I50.0)	757	—	—	—	—	—	2	8	20	74	210	443
Male	275	—	—	—	—	—	1	7	10	43	84	130
Female	482	—	—	—	—	—	1	1	10	31	126	313
Left ventricular heart failure (I50.1)	2	—	—	—	—	—	—	—	1	—	1	—
Male	1	—	—	—	—	—	—	—	1	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	1	—
Heart failure, unspecified (I50.9)	34	—	—	—	—	—	—	1	1	2	9	21
Male	12	—	—	—	—	—	—	1	—	2	3	6
Female	22	—	—	—	—	—	—	—	1	—	6	15
Hypertension & hyp. renal dis. (I10, I12)	312	—	—	—	—	1	2	7	17	42	105	138
Male	101	—	—	—	—	—	—	3	11	23	37	27
Female	211	—	—	—	—	1	2	4	6	19	68	111
Cerebrovascular diseases (I60-I69)	2,604	5	—	—	2	4	18	66	117	303	912	1,177
Male	1,031	5	—	—	2	2	7	39	59	153	392	372
Female	1,573	—	—	—	—	2	11	27	58	150	520	805
Subarachnoid hemorrhage (I60)	75	—	—	—	—	2	7	15	13	16	17	5
Male	29	—	—	—	—	1	2	6	5	8	6	1
Female	46	—	—	—	—	1	5	9	8	8	11	4
Intracerebral hemorrhage (I61-I62) <sup>15</sup>	356	1	—	—	1	2	7	25	31	56	138	95
Male	161	1	—	—	1	1	3	17	16	27	64	31
Female	195	—	—	—	—	1	4	8	15	29	74	64
Cerebral infarction (I63)	205	1	—	—	1	—	1	5	11	17	70	99
Male	90	1	—	—	1	—	—	3	10	8	35	32
Female	115	—	—	—	—	—	1	2	1	9	35	67
Stroke (type not specified) (I64)	1,391	—	—	—	—	—	1	17	46	161	487	679
Male	513	—	—	—	—	—	1	12	20	82	182	216
Female	878	—	—	—	—	—	—	5	26	79	305	463
Atherosclerosis (I70)	195	—	—	—	—	—	2	3	5	21	63	101
Male	73	—	—	—	—	—	1	2	3	12	27	28
Female	122	—	—	—	—	—	1	1	2	9	36	73
Aortic aneurysm & dissection (I71)	229	—	—	—	—	—	3	9	18	53	98	48
Male	135	—	—	—	—	—	2	6	12	37	53	25
Female	94	—	—	—	—	—	1	3	6	16	45	23

Mortality

6-29

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Diseases of arteries (I72-I78) <sup>16</sup>	136	1	—	—	1	1	2	4	5	20	52	50
Male	52	—	—	—	1	—	1	2	1	11	22	14
Female	84	1	—	—	—	1	1	2	4	9	30	36
<b>Respiratory System Diseases (J00-J99)</b>	<b>2,806</b>	<b>—</b>	<b>3</b>	<b>—</b>	<b>8</b>	<b>5</b>	<b>20</b>	<b>77</b>	<b>225</b>	<b>567</b>	<b>1,017</b>	<b>884</b>
Male	1,302	—	3	—	5	4	13	38	100	283	473	383
Female	1,504	—	—	—	3	1	7	39	125	284	544	501
Influenza & pneumonia (J10-J18)	576	—	2	—	2	2	7	24	32	49	140	318
Male	246	—	2	—	1	2	6	11	15	22	65	122
Female	330	—	—	—	1	—	1	13	17	27	75	196
Influenza (J10-J11)	1	—	—	—	—	—	—	—	—	—	—	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	1	—	—	—	—	—	—	—	—	—	—	1
Pneumonia (J12-J18)	575	—	2	—	2	2	7	24	32	49	140	317
Male	246	—	2	—	1	2	6	11	15	22	65	122
Female	329	—	—	—	1	—	1	13	17	27	75	195
Other acute lower resp. infect'ns (J20-J22)	3	—	—	—	—	—	—	—	2	1	—	—
Male	2	—	—	—	—	—	—	—	2	—	—	—
Female	1	—	—	—	—	—	—	—	—	1	—	—
Acute bronchitis (J20-J21) <sup>17</sup>	2	—	—	—	—	—	—	—	2	—	—	—
Male	2	—	—	—	—	—	—	—	2	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Chronic lower respiratory dis. (J40-J47) <sup>18</sup>	1,743	—	—	—	2	1	5	38	155	443	708	391
Male	813	—	—	—	1	1	1	19	66	218	326	181
Female	930	—	—	—	1	—	4	19	89	225	382	210
Bronchitis, chronic & unspec. (J40-J42)	14	—	—	—	—	—	—	—	2	5	1	6
Male	4	—	—	—	—	—	—	—	1	2	—	1
Female	10	—	—	—	—	—	—	—	1	3	1	5
Emphysema (J43)	269	—	—	—	—	—	1	—	30	80	119	39
Male	135	—	—	—	—	—	—	—	15	39	60	21
Female	134	—	—	—	—	—	1	—	15	41	59	18
Asthma (J45-J46)	65	—	—	—	2	1	2	6	7	11	18	18
Male	15	—	—	—	1	1	1	3	1	3	2	3
Female	50	—	—	—	1	—	1	3	6	8	16	15
Other CLRD (J44, J47)	1,395	—	—	—	—	—	2	32	116	347	570	328
Male	659	—	—	—	—	—	—	16	49	174	264	156
Female	736	—	—	—	—	—	2	16	67	173	306	172

See footnotes at end of table.



**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumoconioses (J60-J66, J68) <sup>19</sup>	10	—	—	—	—	—	—	—	1	3	2	4
Male	9	—	—	—	—	—	—	—	1	3	1	4
Female	1	—	—	—	—	—	—	—	—	—	1	—
Pneumonitis due to solids & liquids (J69)	155	—	—	—	1	—	2	1	8	9	49	85
Male	83	—	—	—	1	—	2	1	5	6	26	42
Female	72	—	—	—	—	—	—	—	3	3	23	43
<b>Digestive System Diseases (K00-K92)</b>	<b>1,134</b>	<b>1</b>	<b>—</b>	<b>1</b>	<b>1</b>	<b>10</b>	<b>46</b>	<b>133</b>	<b>161</b>	<b>178</b>	<b>329</b>	<b>274</b>
Male	554	1	—	—	1	3	29	92	101	93	146	88
Female	580	—	—	1	—	7	17	41	60	85	183	186
Peptic ulcer (K25-K28)	65	—	—	—	—	1	1	5	9	9	23	17
Male	35	—	—	—	—	—	1	3	6	7	11	7
Female	30	—	—	—	—	1	—	2	3	2	12	10
Diseases of the appendix (K35-K38)	3	—	—	—	1	—	—	—	—	1	—	1
Male	1	—	—	—	1	—	—	—	—	—	—	—
Female	2	—	—	—	—	—	—	—	—	1	—	1
Hernia (K40-K46)	26	—	—	1	—	—	—	2	2	5	8	8
Male	7	—	—	—	—	—	—	1	—	2	2	2
Female	19	—	—	1	—	—	—	1	2	3	6	6
Chronic liver disease (K70, K73-K74) <sup>20</sup>	346	—	—	—	—	6	34	88	87	64	57	10
Male	228	—	—	—	—	3	22	69	61	42	26	5
Female	118	—	—	—	—	3	12	19	26	22	31	5
Alcoholic liver disease (K70) <sup>21</sup>	274	—	—	—	—	6	31	79	74	46	36	2
Male	193	—	—	—	—	3	20	62	54	32	20	2
Female	81	—	—	—	—	3	11	17	20	14	16	—
Cholelithiasis (K80-K82) <sup>22</sup>	44	—	—	—	—	—	—	1	6	7	16	14
Male	24	—	—	—	—	—	—	1	5	3	9	6
Female	20	—	—	—	—	—	—	—	1	4	7	8
<b>Diseases of the Skin (L00-L98)<sup>23</sup></b>	<b>32</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>1</b>	<b>—</b>	<b>6</b>	<b>3</b>	<b>12</b>	<b>10</b>
Male	12	—	—	—	—	—	—	—	2	2	5	3
Female	20	—	—	—	—	—	1	—	4	1	7	7
<b>Musculoskeletal Disease (M00-M99)<sup>24</sup></b>	<b>289</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>1</b>	<b>3</b>	<b>10</b>	<b>16</b>	<b>20</b>	<b>37</b>	<b>94</b>	<b>108</b>
Male	81	—	—	—	—	1	4	4	9	11	24	28
Female	208	—	—	—	1	2	6	12	11	26	70	80
<b>Genitourinary System Dis. (N00-N99)</b>	<b>486</b>	<b>—</b>	<b>—</b>	<b>—</b>	<b>2</b>	<b>1</b>	<b>6</b>	<b>16</b>	<b>31</b>	<b>60</b>	<b>157</b>	<b>213</b>
Male	214	—	—	—	2	—	3	10	16	23	75	85
Female	272	—	—	—	—	1	3	6	15	37	82	128

Mortality

6-31

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
<b>Nephritis (N00-N07, N17-N19, N25-N27)<sup>25</sup></b>	285	—	—	—	1	—	5	10	24	40	98	107
Male	152	—	—	—	1	—	2	8	15	14	58	54
Female	133	—	—	—	—	—	3	2	9	26	40	53
<b>Acute nephrotic syndr. (N00-N01, N04)<sup>26</sup></b>	4	—	—	—	—	—	—	—	—	3	1	—
Male	2	—	—	—	—	—	—	—	—	1	1	—
Female	2	—	—	—	—	—	—	—	—	2	—	—
<b>Chr. nephritis (N02-N03, N05-N07, N26)<sup>27</sup></b>	10	—	—	—	—	—	1	2	1	1	2	3
Male	6	—	—	—	—	—	—	2	1	—	2	1
Female	4	—	—	—	—	—	1	—	—	1	—	2
<b>Renal failure (N17-N19)</b>	271	—	—	—	1	—	4	8	23	36	95	104
Male	144	—	—	—	1	—	2	6	14	13	55	53
Female	127	—	—	—	—	—	2	2	9	23	40	51
<b>Kidney infect'ns (N10-N12, N13.6, N15.1)</b>	16	—	—	—	1	—	—	—	1	2	3	9
Male	6	—	—	—	1	—	—	—	—	1	—	4
Female	10	—	—	—	—	—	—	—	1	1	3	5
<b>Urinary tract infection (N39.0)</b>	148	—	—	—	—	1	—	3	5	14	47	78
Male	34	—	—	—	—	—	—	—	—	5	11	18
Female	114	—	—	—	—	1	—	3	5	9	36	60
<b>Hyperplasia of prostate (N40)</b>	11	—	—	—	—	—	—	—	—	1	2	8
Male	11	—	—	—	—	—	—	—	—	1	2	8
Female	—	—	—	—	—	—	—	—	—	—	—	—
<b>Female pelvic inflam. dis. (N70-N76)<sup>28</sup></b>	3	—	—	—	—	—	—	1	—	—	1	1
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	3	—	—	—	—	—	—	1	—	—	1	1
<b>Pregnancy &amp; Childbirth (O00-O99)<sup>29</sup></b>	3	—	—	—	—	3	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	3	—	—	—	—	3	—	—	—	—	—	—
<b>Perinatal Conditions (P00-P96)</b>	112	111	1	—	—	—	—	—	—	—	—	—
Male	62	61	1	—	—	—	—	—	—	—	—	—
Female	50	50	—	—	—	—	—	—	—	—	—	—
<b>Congenital Malformations (Q00-Q99)<sup>30</sup></b>	131	59	7	7	8	7	10	8	6	10	5	4
Male	70	35	—	4	4	6	3	4	4	4	4	2
Female	61	24	7	3	4	1	7	4	2	6	1	2
<b>Malformation of the heart (Q20-Q24)</b>	43	15	1	4	3	5	7	1	2	1	2	2
Male	26	10	—	3	1	4	3	—	2	—	2	1
Female	17	5	1	1	2	1	4	1	—	1	—	1

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Other malf. of the circul. sys. (Q25-Q28)	10	—	—	—	1	—	1	2	—	2	2	2
Male	8	—	—	—	1	—	—	2	—	2	2	1
Female	2	—	—	—	—	—	1	—	—	—	—	1
Malf. of the respiratory system (Q30-Q34)	6	6	—	—	—	—	—	—	—	—	—	—
Male	4	4	—	—	—	—	—	—	—	—	—	—
Female	2	2	—	—	—	—	—	—	—	—	—	—
<b>Symptoms &amp; Signs (R00-R99)<sup>31</sup></b>	<b>673</b>	<b>32</b>	<b>1</b>	<b>—</b>	<b>6</b>	<b>5</b>	<b>19</b>	<b>35</b>	<b>43</b>	<b>93</b>	<b>144</b>	<b>295</b>
Male	289	17	—	—	4	2	10	24	30	57	67	78
Female	384	15	1	—	2	3	9	11	13	36	77	217
Senility (R54)	77	—	—	—	—	—	—	—	—	—	12	65
Male	24	—	—	—	—	—	—	—	—	—	5	19
Female	53	—	—	—	—	—	—	—	—	—	7	46
Sudden infant death syndrome (R95)	29	29	—	—	—	—	—	—	—	—	—	—
Male	14	14	—	—	—	—	—	—	—	—	—	—
Female	15	15	—	—	—	—	—	—	—	—	—	—
<b>External Causes of Death (V01-Y89)</b>	<b>1,996</b>	<b>13</b>	<b>17</b>	<b>46</b>	<b>225</b>	<b>247</b>	<b>343</b>	<b>320</b>	<b>165</b>	<b>153</b>	<b>240</b>	<b>227</b>
Male	1,367	9	7	27	180	190	247	228	117	109	152	101
Female	629	4	10	19	45	57	96	92	48	44	88	126
Accidents (V01-X59, Y85-Y86)	1,257	8	14	37	146	120	175	166	101	101	185	204
Male	818	5	7	23	114	91	124	119	70	69	109	87
Female	439	3	7	14	32	29	51	47	31	32	76	117
Transport accidents (V01-V99, Y85)	561	2	9	28	106	71	94	89	49	50	45	18
Male	391	2	5	19	79	53	67	65	36	30	23	12
Female	170	—	4	9	27	18	27	24	13	20	22	6
Motor vehicle acc. (Many codes) <sup>32</sup>	513	2	9	28	103	60	84	83	40	45	42	17
Male	348	2	5	19	76	43	58	60	27	26	20	12
Female	165	—	4	9	27	17	26	23	13	19	22	5
Water transport accidents (V90-V94)	21	—	—	—	2	4	7	3	2	1	2	—
Male	19	—	—	—	2	4	6	2	2	1	2	—
Female	2	—	—	—	—	—	1	1	—	—	—	—
Air transport accidents (V95-V97)	7	—	—	—	1	4	1	—	1	—	—	—
Male	6	—	—	—	1	3	1	—	1	—	—	—
Female	1	—	—	—	—	1	—	—	—	—	—	—
Nontransport accidents (W00-X59, Y86)	696	6	5	9	40	49	81	77	52	51	140	186
Male	427	3	2	4	35	38	57	54	34	39	86	75
Female	269	3	3	5	5	11	24	23	18	12	54	111

Mortality

6-33

See footnotes at end of table.

**Table 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2001 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups										
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Falls (W00-W19)	293	—	—	1	3	5	7	12	16	23	92	134
Male	154	—	—	1	3	4	5	8	11	15	56	51
Female	139	—	—	—	—	1	2	4	5	8	36	83
Firearms (W32-W34)	11	—	—	—	3	1	3	1	2	—	1	—
Male	9	—	—	—	2	1	3	1	2	—	—	—
Female	2	—	—	—	1	—	—	—	—	—	1	—
Drowning & submersion (W65-W74)	42	—	3	3	13	5	5	3	6	2	2	—
Male	33	—	1	2	13	4	3	2	5	2	1	—
Female	9	—	2	1	—	1	2	1	1	—	1	—
Exposure to smoke & fire (X00-X09)	34	1	—	2	—	5	3	5	4	5	6	3
Male	21	1	—	1	—	2	2	4	2	5	3	1
Female	13	—	—	1	—	3	1	1	2	—	3	2
Poisoning (X40-X49) <sup>33</sup>	144	—	—	1	14	22	51	45	8	1	2	—
Male	99	—	—	—	11	16	35	31	3	1	2	—
Female	45	—	—	1	3	6	16	14	5	—	—	—
Suicide (X60-X84, Y87.0)	524	—	—	5	46	92	121	110	49	42	42	17
Male	413	—	—	2	38	75	94	84	37	34	36	13
Female	111	—	—	3	8	17	27	26	12	8	6	4
Homicide (X85-Y09, Y87.1)	107	3	1	4	23	17	21	15	7	7	6	3
Male	70	2	—	2	20	13	13	9	3	4	3	1
Female	37	1	1	2	3	4	8	6	4	3	3	2
Legal intervention (Y35, Y89.0)	11	—	—	—	3	4	2	1	1	—	—	—
Male	11	—	—	—	3	4	2	1	1	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	77	2	1	—	6	14	22	26	4	1	—	1
Male	43	2	—	—	4	7	13	14	3	—	—	—
Female	34	—	1	—	2	7	9	12	1	1	—	1
War and its sequelae (Y36, Y89.1)	—	—	—	—	—	—	—	—	—	—	—	—
Male	—	—	—	—	—	—	—	—	—	—	—	—
Female	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88)	20	—	1	—	1	—	2	2	3	2	7	2
Male	12	—	—	—	1	—	1	1	3	2	4	—
Female	8	—	1	—	—	—	1	1	—	—	3	2

<sup>1</sup> International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

<sup>2</sup> Human immunodeficiency virus/Acquired immune deficiency syndrome.

<sup>3</sup> Including uterus, part unspecified.

<sup>4</sup> Including meninges and other parts of the central nervous system.

- 5 Including immunoproliferative neoplasms.
- 6 Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.
- 7 Including diseases of the blood forming-organs and disorders involving the immune mechanism.
- 8 Including metabolic diseases.
- 9 Including behavioral disorders.
- 10 Including: alcoholic mental/behavioral disorders, degeneration of nervous sys., polyneuropathy, cardiomyopathy, gastritis, liver disease, maternal care for damage to fetus from alcohol, fetus/newborn affected by maternal alcohol use, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent.
- 11 The ICD-10 codes for the above categories are F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, and Y15. respectively.
- 12 Including acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 This includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders.The ICD-10 codes are I20, I25.1-I25.9.
- 15 Including other intracranial hemorrhages.
- 16 Including diseases of the arterioles and capillaries.
- 17 Including acute bronchiolitis.
- 18 Formerly chronic obstructive pulmonary disease (COPD).
- 19 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 20 Including liver cirrhosis.
- 21 All alcoholic disease deaths are combined into one category, 'Combined alcoholic dis.,' located under Mental Disorders.
- 22 Including other diseases of the gallbladder.
- 23 Including subcutaneous tissues.
- 24 Including connective tissue.
- 25 Including nephrotic syndrome and nephrosis.
- 26 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 27 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 28 Inflammatory diseases of female pelvic organs.
- 29 Including the puerperium.
- 30 including congenital deformations and chromosomal abnormalities.
- 31 Including abnormal clinical and laboratory findings not elsewhere classified.
- 32 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6,V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 33 Including exposure to noxious substances.
  - Quantity is 0.