

**TABLE 6-50. Age-adjusted Death Rates for Residents of Oregon and the United States for the Leading Causes of Death, 2000\***

Cause	Age-adjusted Rate <sup>1</sup>		Percent Difference	State Rank <sup>2</sup>	ICD-10 Codes <sup>3</sup>
	U.S.	Oregon			
All Causes	868.3	830.7	-4.5	30	A00-Y89.9
Diseases of the Heart	257.6	198.1	-23.1	46	I00-I09, I11, I13, I20-I51
Malignant Neoplasms	199.6	197.3	-1.2	30	C00-C97
Cerebrovascular Disease	60.8	71.6	17.8	7	I60-I69
Chronic Lower Respiratory Disease	43.9	47.2	7.5	21	J40-J47
Unintended Injuries	34.9	35.7	2.3	28	V01-X59, Y85-Y86
Alzheimer's Disease	18.0	25.0	38.9	4	G30
Diabetes Mellitis	25.0	23.8	-4.8	35	E10-E14
Influenza and Pneumonia	23.7	17.8	-24.9	47	J10-J18
Suicide	10.4	14.1	35.6	10	X60-X84, Y87.0
Alcohol-induced Deaths	6.9	8.9	29.0	12	F10, G31.2, G62.1, I42.6, K29.2, K70, O35.4, P04.3, R78.0, X45, X65, Y15
Hypertension with/without Renal Disease	6.6	6.1	-7.6	23	I10, I12
Parkinson's Disease	5.7	7.7	35.1	5	G20-G21
Nephritis and Nephrosis	13.5	8.2	-39.3	47	N00-N07, N17-N19, N25-N27
Aortic Aneurysm and Dissection	5.7	6.4	12.3	16	I71
Arteriosclerosis	5.2	6.4	23.1	13	I70
Septicemia	11.3	5.3	-53.1	45	A40-A41
Congenital Anomalies	3.7	3.8	2.7	21	Q00-Q99
Perinatal Conditions	4.8	3.1	-35.4	46	P00-P96
Homicide	5.9	2.7	-54.2	41	X85-Y09, Y87.1
HIV/AIDS	5.2	1.8	-65.4	33	B20-B24
Amyotrophic Lateral Sclerosis	2.0	2.7	35.0	7	G12.2

1 Rates are adjusted to the U.S. standard million population and are per 100,000. Age-adjusted death rates allow the comparison of Oregon and the U.S. as if the population structure of each were identical. (Oregon's population is older than the U.S. as a whole.) Any differences in rates are due to factors other than age. The rates in this table were calculated using the federal Center for Disease Control and Prevention's (CDC) WONDER (Wide-ranging Online Data for Epidemiological Research) system (<http://wonder.cdc.gov>). These rates may vary slightly from rates published by the National Center for Health Statistics (NCHS) and the Oregon Center for Health (OCHS) Statistics due to different file closure dates (OCHS) and different population estimate methodologies (NCHS and OCHS).

2 Ranked from high (1) to low (51) among the 50 states and the District of Columbia.

3 From the World Health Organization's International Classification of Disease, Tenth Edition.

\* Most recent available data.