TABLE 7-18. Neonatal, Postneonatal, and Infant Death Rates by Mother's Risk Factors, Oregon Residents, Birth Cohort 1999-2001

Risk Factor	Neonatal <sup>1</sup>		Post- Neonatal <sup>2</sup>		Infant <sup>3</sup>	
	No.	Rate	No.	Rate	No.	Rate
Total	511	3.7	244	1.8	755	5.5
Marital Status						
Married	320	3.4	111	1.2	431	4.5
Unmarried	191	4.6	133	3.2	324	7.9
Mother's Age						
10-14	1	_	1	_	2	_
15-19	69	4.5	59	3.8	128	8.3
20-24	138	3.8	68	1.9	206	5.7
25-29	125	3.3	65	1.7	190	5.0
30-34	98	3.3	27	0.9	125	4.2
35-39	62	4.5	20	1.4	82	5.9
40-44	14	4.6	2	_	16	5.3
45+	2	_	1	_	3	_
Non-Hispanic						
White	368	3.6	184	1.8	552	5.4
African American	13	4.7	11	4.0	24	8.6
American Indian	9	4.4	6	3.0	15	7.4
Asian <sup>4</sup>	19	2.9	5	0.8	24	3.6
Total Hispanic	100	4.5	35	1.6	135	6.1
Mother's Education						
8 <sup>th</sup> Grade or Less	28	3.3	17	2.0	45	5.2
Some High School	87	4.6	72	3.8	159	8.4
HS diploma/GED	171	3.9	85	1.9	256	5.8
More than High School	186	3.0	64	1.0	250	4.0
Start of Prenatal Care						
1 <sup>st</sup> Trimester	396	3.6	180	1.6	576	5.2
2 <sup>nd</sup> Trimester	73	3.6	51	2.5	124	6.1
3 <sup>rd</sup> Trimester	8	2.0	9	2.3	17	4.3
No Care	34	23.5	4	2.8	38	26.2
Tobacco Use						
Yes	82	4.5	74	4.0	156	8.5
No	390	3.3	165	1.4	555	4.8
Alcohol Use						
Yes	8	4.2	7	3.7	15	7.8
No	461	3.5	229	1.7	690	5.2
Multiple Birth						
Yes	74	19.7	11	2.9	85	22.6
No	437	3.3	233	1.8	670	5.1

Quantity is zero or rate is based on fewer than five occurrences.

NOTE: Because of unreported items, the sum of all categories may not equal the total. All rates per 1,000 live births.

<sup>1</sup> Neonatal deaths include infant deaths of less than 28 days.

<sup>&</sup>lt;sup>2</sup> Postneonatal deaths occur from day 28 through 364 after birth.

<sup>&</sup>lt;sup>3</sup> Infant death is the death of a child prior to its first birthday.

<sup>&</sup>lt;sup>4</sup> Includes Chinese, Japanese, Filipino, and Other Asian & Pacific Islander.