

**TABLE 6-43t. Age-adjusted Death Rates for Selected Causes,
Oregon Residents, 2000-2004**

Cause of Death	2000	2001	2002	2003	2004
Total Both Genders.....	826.9	835.9	855.0	838.4	814.8
Infectious & parasitic disease (A00-B99).....	12.5	12.8	14.5	14.5	14.7
Septicemia (A40-A41)	5.3	5.1	4.4	4.8	5.2
Viral hepatitis (B15-B19)	2.2	2.5	3.5	2.6	2.9
HIV disease (B20-B24)	1.8	1.9	2.5	2.5	1.8
Malignant neoplasms (C00-C97).....	197.6	198.7	200.9	198.3	196.7
Lip, oral cavity & pharynx (C00-C14)	2.6	3.2	2.7	2.6	2.6
Esophagus (C15)	4.8	5.7	5.1	4.9	5.6
Stomach (C16)	3.6	2.8	3.5	3.4	3.3
Colon, rectum & anus (C18-C21)	17.7	19.8	18.3	18.8	17.5
Liver & intrahepatic bile duct (C22)	4.3	3.6	4.1	4.7	4.7
Pancreas (C25)	10.1	11.1	11.2	10.4	11.7
Trachea, bronchus & lung (C33-C34).....	59.2	55.9	57.5	57.2	56.9
Melanoma of skin (C43)	3.0	3.3	3.4	3.5	3.3
Breast (C50)	13.7	14.8	14.0	15.1	13.9
Cervix uteri (C53) ¹	2.0	2.7	2.4	2.2	1.5
Corpus uteri (C54-C55) ¹	4.3	4.1	3.9	3.8	3.7
Ovary (C56) ¹	10.3	10.0	10.5	9.1	11.7
Prostate (C61) ¹	29.9	29.9	29.4	27.1	25.8
Kidney & renal pelvis (C64-C65)	4.4	3.8	4.6	3.9	4.3
Bladder (C67)	4.6	5.1	5.5	5.2	5.2
Brain, etc. (C70-C72) ²	5.5	5.5	6.1	5.4	5.6
Lymphoid & hematopoietic (C81-C96)	20.4	21.4	21.5	21.2	20.1
Non-Hodgkin's lymphoma (C82-C85)	8.4	9.3	8.3	8.9	8.6
Leukemia (C91-C95).....	7.6	7.9	7.7	7.3	7.3
Multiple myeloma (C88, C90) ³	3.9	3.9	5.0	4.6	4.0
Anemias (D50-D64).....	1.4	1.5	1.4	1.7	1.6
Diabetes mellitus (E10-E14).....	23.8	28.8	28.6	28.1	29.0
Parkinson's disease (G20-G21).....	7.7	8.0	8.3	8.4	8.6
Alzheimer's disease (G30)	24.8	28.1	30.3	30.6	33.4
Major cardiovascular diseases (I00-I78).....	291.5	290.6	295.0	281.1	264.5
Heart disease (I00-I09, I11, I13, I20-I51)	197.5	195.2	198.0	189.5	179.2
Rheumatic heart disease (I00-I09) ⁴	1.8	1.9	1.2	1.7	1.7
Hypertensive heart disease (I11).....	5.1	6.0	5.7	5.5	5.0
Hypertensive heart & renal dis. (I13).....	0.7	0.7	0.8	1.0	1.0
Ischemic heart diseases (I20-I25).....	132.5	130.6	131.3	124.3	114.7
Myocardial infarction (I21-I22).....	49.4	47.3	47.2	45.1	39.5
Chronic ischemic heart dis. (I20, I25).....	82.7	83.0	83.6	78.8	75.0
Atherosclerotic cardiovascular dis. (I25.0)	11.8	11.3	11.6	9.2	8.6
Other chr. isch. hrt. dis. (I20, I25.1-I25.9)	70.9	71.7	72.1	69.6	66.3
Heart failure (I50)	22.5	21.6	21.6	20.3	19.5
Hypertension & hyp. renal dis. (I10, I12)	6.2	8.6	9.6	9.3	9.5
Cerebrovascular disease (I60-I69)	70.8	71.4	71.7	68.5	61.9
Atherosclerosis (I70)	6.4	5.3	5.7	5.5	4.6
Aortic aneurysm & dissection (I71)	6.4	6.4	5.4	5.3	5.4
Diseases of arteries (I72-I78) ⁵	4.2	3.8	4.6	3.1	3.8
Influenza & pneumonia (J10-J18).....	17.5	15.7	17.9	17.0	14.7
Pneumonia (J12-J18).....	16.9	15.7	17.6	16.5	14.7

**TABLE 6-43t. Age-adjusted Death Rates for Selected Causes,
Oregon Residents, 2000-2004, Continued**

Cause of Death	2000	2001	2002	2003	2004
Chronic lower respiratory disease (J40-J47)	47.8	48.6	50.9	49.8	48.1
Emphysema (J43)	8.3	7.6	7.7	7.9	6.4
Asthma (J45-J46)	1.7	1.8	1.9	1.5	1.3
Other CLRD (J44, J47)	37.1	38.9	41.1	40.1	40.1
Pneumonitis from solids & liquids (J69)	3.9	4.2	5.0	4.4	4.6
Peptic ulcer (K25-K28)	1.5	1.8	1.7	1.3	1.7
Chronic liver disease & cirrhosis (K70, K73-K74)	8.7	9.7	10.2	10.3	10.5
Alcoholic liver disease (K70)	6.8	7.7	7.8	8.4	8.2
Cholelithiasis & other gallbladder dis. (K80-K82)	1.0	1.2	1.0	1.2	1.5
Nephritis (N00-N07, N17-N19, N25-N27) ⁶	8.3	7.9	7.4	8.2	8.2
Renal failure (N17-N19)	8.1	7.5	6.9	7.7	7.9
Perinatal conditions (P00-P96)	3.2	3.4	3.7	3.5	3.4
Congenital malformation (Q00-Q99)	3.9	3.9	4.4	3.6	3.9
Symptoms & signs NEC (R00-R99)	28.7	18.6	15.0	15.7	11.2
Accidents (V01-X59, Y85-Y86)	34.6	35.4	38.4	38.3	38.8
Transport accidents (V01-V99, Y85)	15.9	16.0	14.8	16.5	14.7
Motor vehicle acc. (Many codes) ⁷	14.1	14.7	12.9	14.8	13.5
Motor vehicle traffic acc. (Many codes) ⁸	13.3	13.9	12.4	14.5	12.9
Motor vehicle nontraffic acc. (Many codes) ⁹	0.8	0.7	0.5	0.3	0.6
Water & air, etc. (V90-V99, Y85)	1.2	1.2	1.5	1.2	0.8
Nontransport accidents (W00-X59, Y86)	18.7	19.4	23.6	21.8	24.1
Falls (W00-W19)	7.4	8.0	9.3	8.9	10.1
Drowning & submersion (W65-W74)	1.9	1.2	1.1	1.3	1.7
Exposure to smoke & fire (X00-X09)	1.0	1.0	1.1	0.8	0.9
Poisoning (X40-X49)	3.9	4.1	5.6	6.4	6.1
Suicide (X60-X84, Y87.0)	14.3	14.9	14.5	16.3	15.2
Firearm discharge (X72-X74)	8.6	8.1	8.2	9.1	8.2
Homicide (X85-Y09, Y87.1)	2.7	3.1	3.1	2.5	3.1
Firearm discharge (X93-X95)	1.8	1.4	1.8	1.4	1.8
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	1.8	2.2	3.0	2.7	2.5
Injury by firearms (Many codes) ¹⁰	10.8	10.2	10.6	10.9	10.5

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

1 The rate is gender-specific.

2 Including meninges and other parts of the central nervous system.

3 Including immunoproliferative neoplasms.

4 Including acute rheumatic fever.

5 Including diseases of the arterioles and capillaries.

6 Including nephrotic syndrome, nephrosis, etc.

7 Includes ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.

8. Includes ICD-10 codes: V02-V04(.1, .9), V09.2, V12-V14(.3-.9), V19.4-V19.6, V20-V28(.3-.9), V29.4-V29.9, V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80.3-V80.5, V81.1, V82.1, V83-V86(.0-.3), V87.0-V87.8, V89.2.

9. Includes ICD-10 codes: V02-V04(.0), V09.0, V12-V14(.0-.2), V19.0-V19.2, V20-V28(.0-.2), V29(.0-.2), V30-V39(.0-.3), V40-V49(.0-.3), V50-V59(.0-.3), V60-V69(.0-.3), V70-V79(.0-.3), V81.0, V82.0, V83-V86(.5-.9), V88.0-V88.8, V89.0.

10. Includes ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0.

Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

**TABLE 6-43m. Age-adjusted Death Rates for Selected Causes,
Oregon Resident Males, 2000-2004**

Cause of Death	2000	2001	2002	2003	2004
Total Males	986.3	993.6	1025.1	1002.3	980.4
Infectious & parasitic disease (A00-B99)	15.3	16.3	18.8	17.8	18.6
Septicemia (A40-A41)	5.9	5.2	4.9	4.9	6.1
Viral hepatitis (B15-B19)	2.8	3.8	4.8	3.4	3.6
HIV disease (B20-B24)	3.2	3.3	4.4	4.7	3.2
Malignant neoplasms (C00-C97)	238.5	241.8	239.9	238.4	238.4
Lip, oral cavity & pharynx (C00-C14)	4.0	4.3	3.8	3.4	3.5
Esophagus (C15)	8.7	10.3	8.6	8.9	10.1
Stomach (C16)	5.2	4.0	5.1	4.2	4.1
Colon, rectum & anus (C18-C21)	20.7	25.2	23.6	20.8	21.5
Liver & intrahepatic bile duct (C22)	5.9	4.8	5.6	6.7	6.9
Pancreas (C25)	12.3	12.9	12.9	13.0	12.3
Trachea, bronchus & lung (C33-C34)	73.2	68.0	68.2	70.6	69.3
Melanoma of skin (C43)	3.9	5.1	4.9	5.0	4.6
Breast (C50)	0.2	0.5	0.1	0.1	0.2
Cervix uteri (C53) ¹	*	*	*	*	*
Corpus uteri (C54-C55) ¹	*	*	*	*	*
Ovary (C56) ¹	*	*	*	*	*
Prostate (C61) ¹	30.4	31.2	31.1	29.4	28.1
Kidney & renal pelvis (C64-C65)	6.1	6.0	6.3	5.8	6.4
Bladder (C67)	8.3	9.6	9.1	9.0	9.2
Brain, etc. (C70-C72) ²	6.5	6.7	7.2	6.8	6.8
Lymphoid & hematopoietic (C81-C96)	26.1	27.2	27.5	28.0	27.1
Non-Hodgkin's lymphoma (C82-C85)	10.6	11.1	10.1	11.2	11.8
Leukemia (C91-C95)	9.9	10.1	10.8	9.9	10.0
Multiple myeloma (C88, C90) ³	5.1	5.6	6.0	6.4	4.9
Anemias (D50-D64)	1.8	1.4	1.3	1.3	1.8
Diabetes mellitus (E10-E14)	27.2	31.8	33.2	33.4	34.7
Parkinson's disease (G20-G21)	12.4	11.8	12.3	12.0	13.3
Alzheimer's disease (G30)	19.9	24.3	25.0	25.8	30.8
Major cardiovascular diseases (I00-I78)	353.6	350.4	363.4	343.1	321.9
Heart disease (I00-I09, I11, I13, I20-I51)	256.4	250.7	260.3	248.4	230.3
Rheumatic heart disease (I00-I09) ⁴	1.4	*	*	*	1.5
Hypertensive heart disease (I11)	3.5	5.1	5.3	3.9	4.2
Hypertensive heart & renal dis. (I13)	*	*	*	*	*
Ischemic heart diseases (I20-I25)	185.9	182.9	187.8	176.3	162.7
Myocardial infarction (I21-I22)	66.8	65.8	64.2	59.2	52.9
Chronic ischemic heart dis. (I20, I25)	118.5	116.6	123.0	116.8	109.6
Atherosclerotic cardiovascular dis. (I25.0)	15.4	15.6	16.4	12.0	10.9
Other chr. isch. hrt. dis. (I20, I25.1-I25.9)	103.1	101.1	106.5	104.8	98.7
Heart failure (I50)	23.9	21.5	23.7	21.7	21.3
Hypertension & hyp. renal dis. (I10, I12)	4.8	7.1	9.3	8.4	9.7
Cerebrovascular disease (I60-I69)	70.9	74.4	73.1	68.0	65.4
Atherosclerosis (I70)	7.3	5.3	6.9	6.3	5.2
Aortic aneurysm & dissection (I71)	10.4	9.2	8.9	8.2	6.8
Diseases of arteries (I72-I78) ⁵	3.7	3.7	4.8	3.8	4.5
Influenza & pneumonia (J10-J18)	19.2	18.4	20.6	20.1	18.2
Pneumonia (J12-J18)	18.8	18.4	20.3	19.7	18.1

**TABLE 6-43m. Age-adjusted Death Rates for Selected Causes,
Oregon Resident Males, 2000-2004, Continued**

Cause of Death	2000	2001	2002	2003	2004
Chronic lower respiratory disease (J40-J47)	58.2	56.3	64.7	59.7	59.1
Emphysema (J43)	9.8	9.2	8.8	9.4	7.8
Asthma (J45-J46)	1.5	*	*	1.2	1.3
Other CLRD (J44, J47)	46.7	45.9	54.3	48.6	49.7
Pneumonitis from solids & liquids (J69)	5.5	6.3	7.1	5.6	7.0
Peptic ulcer (K25-K28)	1.8	2.4	1.4	1.5	1.7
Chronic liver disease & cirrhosis (K70, K73-K74)	12.4	13.5	13.4	13.7	13.3
Alcoholic liver disease (K70)	10.7	11.3	11.2	11.6	10.6
Cholelithiasis & other gallbladder dis. (K80-K82)	1.1	1.7	*	1.6	2.0
Nephritis (N00-N07, N17-N19, N25-N27) ⁶	10.6	10.9	9.4	10.8	10.7
Renal failure (N17-N19)	10.4	10.4	8.6	10.2	10.3
Perinatal conditions (P00-P96)	3.5	3.7	3.4	3.9	3.9
Congenital malformation (Q00-Q99)	4.6	4.2	4.8	3.1	4.8
Symptoms & signs NEC (R00-R99)	31.5	19.8	17.4	16.9	12.2
Accidents (V01-X59, Y85-Y86)	46.5	50.5	51.5	51.5	50.1
Transport accidents (V01-V99, Y85)	21.8	22.9	21.2	22.6	20.1
Motor vehicle acc. (Many codes) ⁷	19.2	20.4	17.9	19.7	18.2
Motor vehicle traffic acc. (Many codes) ⁸	17.9	19.2	17.1	19.4	17.3
Motor vehicle nontraffic acc. (Many codes) ⁹	1.2	1.2	0.8	0.4	0.9
Water & air, etc. (V90-V99, Y85)	1.8	2.1	2.6	1.9	1.3
Nontransport accidents (W00-X59, Y86)	24.7	27.6	30.3	28.9	30.0
Falls (W00-W19)	8.8	10.9	11.1	11.4	11.3
Drowning & submersion (W65-W74)	3.0	1.9	1.4	2.0	2.4
Exposure to smoke & fire (X00-X09)	1.2	1.3	1.6	0.9	1.2
Poisoning (X40-X49)	5.6	5.6	6.9	8.0	7.3
Suicide (X60-X84, Y87.0)	23.4	24.4	25.4	27.8	23.9
Firearm discharge (X72-X74)	15.6	14.7	15.5	17.2	15.2
Homicide (X85-Y09, Y87.1)	4.3	4.1	3.7	3.5	4.8
Firearm discharge (X93-X95)	2.9	1.9	2.5	2.3	2.9
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.1	2.4	3.6	3.4	3.0
Injury by firearms (Many codes) ¹⁰	19.1	17.8	19.0	20.2	19.1

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

1 The rate is gender-specific.

2 Including meninges and other parts of the central nervous system.

3 Including immunoproliferative neoplasms.

4 Including acute rheumatic fever.

5 Including diseases of the arterioles and capillaries.

6 Including nephrotic syndrome, nephrosis, etc.

7 Includes ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.

8. Includes ICD-10 codes: V02-V04(.1, .9), V09.2, V12-V14(.3-.9), V19.4-V19.6, V20-V28(.3-.9), V29.4-V29.9, V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80.3-V80.5, V81.1, V82.1, V83-V86(.0-.3), V87.0-V87.8, V89.2.

9. Includes ICD-10 codes: V02-V04(.0), V09.0, V12-V14(.0-.2), V19.0-V19.2, V20-V28(.0-.2), V29(.0-.2), V30-V39(.0-.3), V40-V49(.0-.3), V50-V59(.0-.3), V60-V69(.0-.3), V70-V79(.0-.3), V81.0, V82.0, V83-V86(.5-.9), V88.0-V88.8, V89.0.

10. Includes ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0.

Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

**TABLE 6-43f. Age-adjusted Death Rates for Selected Causes,
Oregon Resident Females, 2000-2004**

Cause of Death	2000	2001	2002	2003	2004
Total Females	704.7	718.5	728.5	712.7	694.5
Infectious & parasitic disease (A00-B99).....	9.8	9.6	10.4	11.1	11.3
Septicemia (A40-A41)	4.9	5.0	4.2	4.7	4.7
Viral hepatitis (B15-B19)	1.6	1.4	2.2	1.8	2.1
HIV disease (B20-B24)	*	*	*	*	*
Malignant neoplasms (C00-C97).....	171.0	171.3	175.6	171.7	169.6
Lip, oral cavity & pharynx (C00-C14)	1.4	2.4	1.9	1.8	1.7
Esophagus (C15)	1.7	2.1	2.3	1.6	2.1
Stomach (C16)	2.5	2.0	2.4	2.6	2.8
Colon, rectum & anus (C18-C21)	15.2	15.8	14.5	17.2	14.8
Liver & intrahepatic bile duct (C22)	2.9	2.5	2.8	3.1	2.8
Pancreas (C25)	8.4	9.9	9.7	8.4	11.0
Trachea, bronchus & lung (C33-C34).....	49.6	47.4	49.9	47.7	48.0
Melanoma of skin (C43)	2.3	1.8	2.4	2.1	2.3
Breast (C50)	24.7	26.7	25.2	26.9	25.0
Cervix uteri (C53) ¹	2.0	2.7	2.4	2.2	1.5
Corpus uteri (C54-C55) ¹	4.3	4.1	3.9	3.8	3.7
Ovary (C56) ¹	10.3	10.0	10.5	9.1	11.7
Prostate (C61) ¹	*	*	*	*	*
Kidney & renal pelvis (C64-C65)	3.1	2.2	3.1	2.5	2.7
Bladder (C67)	2.2	2.2	3.1	2.6	2.5
Brain, etc. (C70-C72) ²	4.7	4.5	5.0	4.2	4.6
Lymphoid & hematopoietic (C81-C96)	16.2	17.4	17.3	16.5	15.0
Non-Hodgkin's lymphoma (C82-C85)	7.0	8.3	7.0	7.1	6.3
Leukemia (C91-C95)	5.7	6.1	5.5	5.7	5.3
Multiple myeloma (C88, C90) ³	2.9	2.7	4.3	3.2	3.3
Anemias (D50-D64).....	1.3	1.4	1.5	1.9	1.5
Diabetes mellitus (E10-E14).....	21.4	26.8	25.2	24.3	24.8
Parkinson's disease (G20-G21).....	4.9	5.8	5.8	6.1	5.7
Alzheimer's disease (G30)	27.4	30.2	33.3	32.7	34.7
Major cardiovascular diseases (I00-I78).....	244.1	245.8	245.6	233.4	223.2
Heart disease (I00-I09, I11, I13, I20-I51)	153.2	154.0	153.1	145.4	142.9
Rheumatic heart disease (I00-I09) ⁴	2.1	2.4	1.4	1.9	1.8
Hypertensive heart disease (I11)	5.8	6.4	5.6	6.3	5.3
Hypertensive heart & renal dis. (I13).....	*	*	*	0.9	0.9
Ischemic heart diseases (I20-I25)	92.5	92.6	91.6	85.4	80.9
Myocardial infarction (I21-I22)	36.8	33.9	35.3	34.1	29.8
Chronic ischemic heart dis. (I20, I25)	55.6	58.6	55.8	51.0	50.9
Atherosclerotic cardiovascular dis. (I25.0)	8.8	8.4	8.1	7.1	7.0
Other chr. isch. hrt. dis. (I20, I25.1-I25.9)	46.8	50.2	47.7	44.0	43.9
Heart failure (I50)	21.4	21.3	20.0	19.5	18.5
Hypertension & hyp. renal dis. (I10, I12)	6.9	9.2	9.7	9.4	9.3
Cerebrovascular disease (I60-I69)	70.2	69.1	70.4	67.8	59.3
Atherosclerosis (I70)	5.8	5.2	4.8	5.0	4.3
Aortic aneurysm & dissection (I71)	3.7	4.4	3.1	3.1	4.3
Diseases of arteries (I72-I78) ⁵	4.3	3.8	4.5	2.7	3.3
Influenza & pneumonia (J10-J18).....	16.4	14.3	16.3	15.2	12.8
Pneumonia (J12-J18)	15.6	14.3	16.0	14.7	12.8

**TABLE 6-43f. Age-adjusted Death Rates for Selected Causes,
Oregon Resident Females, 2000-2004, Continued**

Cause of Death	2000	2001	2002	2003	2004
Chronic lower respiratory disease (J40-J47)	41.9	44.6	42.5	44.3	41.6
Emphysema (J43)	7.6	6.6	7.0	7.1	5.6
Asthma (J45-J46)	1.8	2.4	2.3	1.7	1.3
Other CLRD (J44, J47)	31.7	35.2	33.0	35.4	34.4
Pneumonitis from solids & liquids (J69)	3.0	3.1	4.0	3.7	3.3
Peptic ulcer (K25-K28)	1.4	1.4	2.0	1.2	1.7
Chronic liver disease & cirrhosis (K70, K73-K74)	5.4	6.2	7.3	7.2	8.1
Alcoholic liver disease (K70)	3.4	4.4	4.8	5.4	6.0
Cholelithiasis & other gallbladder dis. (K80-K82)	1.0	0.9	1.1	1.0	1.3
Nephritis (N00-N07, N17-N19, N25-N27) ⁶	6.8	6.1	6.1	6.4	7.1
Renal failure (N17-N19)	6.7	5.8	5.9	5.9	6.8
Perinatal conditions (P00-P96)	2.8	3.1	3.9	3.0	2.9
Congenital malformation (Q00-Q99)	3.1	3.6	4.0	4.1	3.1
Symptoms & signs NEC (R00-R99)	25.8	17.1	13.0	14.1	10.1
Accidents (V01-X59, Y85-Y86)	23.2	22.2	26.4	26.6	28.8
Transport accidents (V01-V99, Y85)	10.3	9.4	8.7	10.9	9.6
Motor vehicle acc. (Many codes) ⁷	9.3	9.2	8.2	10.2	9.0
Motor vehicle traffic acc. (Many codes) ⁸	9.0	8.9	7.9	9.9	8.6
Motor vehicle nontraffic acc. (Many codes) ⁹	0.3	0.2	0.3	0.2	0.4
Water & air, etc. (V90-V99, Y85)	*	*	*	*	0.4
Nontransport accidents (W00-X59, Y86)	12.9	12.8	17.7	15.8	19.1
Falls (W00-W19)	6.1	6.0	7.8	7.2	9.4
Drowning & submersion (W65-W74)	*	*	*	*	1.0
Exposure to smoke & fire (X00-X09)	*	*	*	*	0.7
Poisoning (X40-X49)	2.2	2.6	4.2	4.7	4.9
Suicide (X60-X84, Y87.0)	6.4	6.2	4.7	6.0	7.6
Firearm discharge (X72-X74)	2.8	2.3	1.8	2.0	2.2
Homicide (X85-Y09, Y87.1)	*	2.1	2.4	1.5	1.4
Firearm discharge (X93-X95)	*	0.9	1.2	*	*
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	1.6	1.9	2.4	1.9	2.0
Injury by firearms (Many codes) ¹⁰	3.7	3.3	3.1	2.5	2.8

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

1 The rate is gender-specific.

2 Including meninges and other parts of the central nervous system.

3 Including immunoproliferative neoplasms.

4 Including acute rheumatic fever.

5 Including diseases of the arterioles and capillaries.

6 Including nephrotic syndrome, nephrosis, etc.

7 Includes ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.

8. Includes ICD-10 codes: V02-V04(.1, .9), V09.2, V12-V14(.3-.9), V19.4-V19.6, V20-V28(.3-.9), V29.4-V29.9, V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80.3-V80.5, V81.1, V82.1, V83-V86(.0-.3), V87.0-V87.8, V89.2.

9. Includes ICD-10 codes: V02-V04(.0), V09.0, V12-V14(.0-.2), V19.0-V19.2, V20-V28(.0-.2), V29(.0-.2), V30-V39(.0-.3), V40-V49(.0-.3), V50-V59(.0-.3), V60-V69(.0-.3), V70-V79(.0-.3), V81.0, V82.0, V83-V86(.5-.9), V88.0-V88.8, V89.0.

10. Includes ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0.

Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.