TABLE 6-51. Age-adjusted Death Rates for Residents of Oregon and the United States for the Leading Causes of Death, 2004*

Cause	Age-adjusted Rate ¹		Percent	0	ICD-10 Codes ³
	U.S.	Oregon	Difference State Rank ²		
All Causes	800.8	777.2	-2.9	28	A00-Y89.9
Malignant Neoplasms	185.8	189.5	2.0	24	C00-C97
Diseases of the Heart	217.0	169.2	-22.0	47	100-109, 111, 113, 120-151
Cerebrovascular Disease	50.0	58.1	16.2	10	160-169
Chronic Lower Respiratory Disease	41.1	46.6	13.4	15	J40-J47
Unintended Injuries	37.7	38.4	1.9	30	V01-X59, Y85-Y86
Alzheimer's Disease	21.8	30.6	40.4	7	G30
Diabetes Mellitus	24.5	27.8	13.5	14	E10-E14
Suicide	10.9	15.0	37.6	11	X60-X84, Y87.0
Influenza and Pneumonia	19.8	13.7	-30.8	47	J10-J18
Alcohol-induced Deaths	7.0	13.5	92.9	4	E24.4, F10, G31.2, G62.1, G72.1 I42.6, K29.2, K70, K86.0, R78.0, X45, X65, Y15
Hypertension with/without Renal Disease	7.7	8.8	14.3	11	l10, l12
Parkinson's Disease	6.1	8.2	34.4	4	G20-G21
Nephritis and Nephrosis	14.2	7.8	-45.1	46	N00-N07, N17-N19, N25-N27
Aortic Aneurysm and	4.0	5.0	45.0	4.4	174
Dissection	4.6	5.3	15.2	14	171
Septicemia		5.1	-54.5	45	A40-A41
Arteriosclerosis		4.2	7.7	18	170
Congenital Anomalies	3.6	3.9	8.3	14	Q00-Q99
Perinatal Conditions		3.3	-31.3	45	P00-P96
Homicide	5.9	3.1	-47.5	35	X85-Y09, Y87.1
Amyotrophic Lateral Sclerosis.	1.9	2.9	52.6	4	G12.2
Viral Hepatitis	1.8	2.8	55.6	2	B15-B19
HIV/AIDS	4.5	1.8	-60.0	30	B20-B24

¹ Rates are adjusted to the U.S. standard million population and are per 100,000. Age-adjusted death rates allow the comparison of Oregon and the U.S. as if the population structure of each were identical. (Oregon's population is older than the U.S. as a whole.) Any differences in rates are due to factors other than age. U.S. rates in this table were calculated using the federal Center for Disease Control and Prevention's WONDER (Wide-ranging Online Data for Epidemiological Research) system (http://wonder. cdc.gov). These rates may vary slightly from rates published by the National Center for Health Statistics and the Oregon Center for Health Statistics due to different file closure dates and different popuralion estimate methodologies.

² Ranked from high (1) to low (51) among the 50 states and the District of Columbia.

³ From the World Health Organization's International Classification of Disease, Tenth Edition.

^{*} Most recent available data.