

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2010

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	829.8	493.5	22.3	10.7	52.5	77.5	146.8	395.4	803.5	1,819.4	5,027.1	13,847.0
Infections & Parasitic Disease (A00-B99)	17.1	8.8	1.6	–	–	1.5	4.7	17.8	34.0	31.2	73.2	188.2
Tuberculosis (A16-A19)	0.1	–	–	–	–	–	–	–	0.2	0.7	–	2.5
Meningococcal infection (A39)	<0.05	–	–	–	–	–	0.2	–	–	–	–	–
Septicemia (A40-A41)	5.9	4.4	0.5	–	–	0.8	0.6	3.5	6.2	13.8	36.3	87.2
Creutzfeldt-Jacob disease (A81.0)	0.1	–	–	–	–	–	–	–	1.0	–	–	–
Viral hepatitis (B15-B19)	4.7	–	–	–	–	0.2	0.6	10.2	19.4	5.0	5.7	–
HIV/AIDS (B20-B24) ³	1.2	–	–	–	–	0.4	2.1	3.2	2.2	1.4	1.3	–
Malignant Neoplasms (C00-C97)	198.5	–	2.1	3.0	3.1	5.7	27.2	110.5	291.7	669.5	1,345.7	1,726.9
Lip, oral cavity & pharynx (C00-C14)	2.5	–	–	–	–	0.2	0.2	1.9	4.4	9.9	13.4	18.9
Digestive organs (C15-26)	47.5	–	–	–	0.2	1.3	7.6	27.9	81.3	155.4	310.5	372.7
Esophagus (C15)	4.9	–	–	–	–	–	0.8	2.4	7.8	17.3	35.0	34.1
Stomach (C16)	3.3	–	–	–	–	0.6	0.4	3.7	4.6	8.9	20.4	27.8
Colon, rectum & anus (C18-C21)	17.0	–	–	–	–	0.6	3.1	8.5	25.6	54.2	114.5	163.0
Colon (C18)	12.7	–	–	–	–	0.4	2.3	5.2	18.0	37.9	90.3	133.9
Rectosigmoid junction (C19)	1.2	–	–	–	–	0.2	0.6	0.9	1.2	4.6	5.7	12.6
Rectum (C20)	2.8	–	–	–	–	–	0.2	2.4	5.2	10.3	15.9	15.2
Liver & intrahepatic bile ducts (C22)	7.1	–	–	–	–	0.2	1.7	6.1	17.8	24.1	29.9	31.6
Pancreas (C25)	13.0	–	–	–	–	–	1.2	5.8	21.6	45.3	97.3	92.2
Respiratory, intrathoracic org'ns (C30-C39)	54.9	–	–	–	–	0.2	1.9	24.9	78.5	237.9	405.9	331.0
Larynx (C32)	0.8	–	–	–	–	–	–	0.4	1.6	4.2	4.5	2.5
Trachea, bronchus & lung (C33-C34)	53.6	–	–	–	–	0.2	1.7	24.1	76.1	232.2	398.9	327.2
Bronchus & lung (C34)	53.6	–	–	–	–	0.2	1.7	24.1	76.1	232.2	398.9	327.2
Skin (C43-C44)	5.0	–	–	–	–	0.8	1.7	1.7	7.6	14.9	33.7	46.7
Melanoma of skin (C43)	3.8	–	–	–	–	0.8	1.7	1.1	7.0	12.0	22.9	27.8
Mesothelioma (C45)	1.1	–	–	–	–	–	–	0.2	0.8	4.2	12.7	7.6
Breast (C50)	14.4	–	–	–	–	0.4	4.7	14.9	25.8	41.8	68.1	120.0
Female genital organs (C51-58)	10.1	–	–	–	–	0.2	2.5	9.5	17.4	32.2	55.4	75.8
Cervix uteri (C53)	1.0	–	–	–	–	0.2	1.2	1.7	2.2	1.1	3.2	2.5
Corpus uteri (C54-C55) ⁴	2.6	–	–	–	–	–	0.6	1.9	3.0	9.9	19.1	17.7
Ovary (C56)	5.9	–	–	–	–	–	0.6	5.6	11.2	19.1	28.6	46.7
Male genital organs (C60-C63)	10.4	–	–	–	–	0.2	–	1.7	7.0	25.8	89.7	179.4
Prostate (C61)	10.3	–	–	–	–	–	–	1.5	7.0	25.8	89.7	176.9
Kidney & renal pelvis (C64-C65)	4.8	–	–	0.2	0.2	–	0.2	3.2	8.0	13.5	38.2	34.1

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bladder (C67)	5.8	—	—	—	—	—	0.2	1.1	6.8	15.9	43.3	85.9
Brain, etc. (C70-C72) ⁵	5.2	—	0.5	0.8	0.2	0.9	3.9	6.1	10.4	15.2	16.5	16.4
Thyroid/endocrine gland (C73-C75)	0.7	—	1.1	0.2	—	—	0.4	0.7	1.2	0.7	4.5	3.8
Lymphoid & hematopoietic (C81-C96)	19.8	—	0.5	0.6	1.8	1.1	1.4	7.6	22.6	59.5	145.7	235.0
Hodgkin's disease (C81)	0.4	—	—	—	0.6	—	—	0.2	0.8	1.8	1.3	2.5
Non-Hodgkin's lymphoma (C82-C85)	7.9	—	—	—	0.2	0.2	0.6	3.5	8.8	23.7	53.4	104.9
Leukemia (C91-C95)	7.7	—	0.5	0.6	1.0	0.9	0.6	3.2	8.0	19.8	57.9	93.5
Lymphoid leukemia (C91)	2.3	—	—	0.2	0.4	0.4	0.4	0.6	2.0	4.6	15.3	41.7
Myeloid leukemia (C92)	3.9	—	—	0.4	0.6	0.6	0.2	2.0	5.6	12.0	27.4	32.8
Multiple myeloma (C88, C90) ⁶	3.9	—	—	—	—	—	0.2	0.7	5.0	14.2	33.1	34.1
Neopla. Not Specif. As Malign. (D00-D48)⁷	5.9	2.2	—	—	0.2	—	1.2	2.0	5.6	15.9	41.4	85.9
Myelodysplastic syndromes (D46)	2.2	—	—	—	—	—	—	—	1.4	6.4	13.4	48.0
Diseases of the Blood (D50-89)⁸	3.1	2.2	1.1	0.2	—	0.2	0.8	1.7	1.8	5.3	18.5	60.6
Anemias (D50-D64)	1.6	—	0.5	—	—	0.2	—	0.4	1.2	1.8	8.3	44.2
Endocrine & Nutritional Dis. (E00-E88)⁹	39.3	—	0.5	—	2.3	4.2	6.6	21.2	51.3	107.6	231.6	509.1
Diabetes mellitus (E10-E14)	27.4	—	—	—	0.6	1.9	4.7	13.7	37.8	78.2	169.2	334.8
Nutritional deficiencies (E40-E64)	1.0	—	0.5	—	—	0.2	—	0.6	0.8	1.8	4.5	21.5
Malnutrition (E40-E46)	1.0	—	0.5	—	—	0.2	—	0.6	0.8	1.4	4.5	21.5
Mental Disorders (F01-F99)¹⁰	57.5	—	—	—	1.2	1.9	4.1	11.1	19.6	44.6	314.9	1,763.6
Organic dementia (F01, F03) ¹¹	49.6	—	—	—	—	—	—	0.2	5.2	25.5	284.4	1,719.3
Due to alcohol (F10) ¹²	3.5	—	—	—	0.2	0.4	1.9	7.6	7.2	9.6	8.9	6.3
Due to psychoactive substance (F11-F19)	2.1	—	—	—	0.8	1.5	1.0	2.2	3.2	5.7	5.7	11.4
Nervous System Dis. (G00-G99)	56.6	11.0	1.6	0.8	0.8	1.5	3.1	11.5	23.8	72.9	405.3	1,406.0
Meningitis (G00, G03)	0.1	—	—	—	—	—	0.2	—	0.6	—	—	—
Amyotrophic lateral sclerosis (G12.2)	3.1	—	—	—	—	—	0.4	2.4	5.4	12.4	19.7	13.9
Parkinson's disease (G20-G21)	9.3	—	—	—	—	—	—	—	1.2	12.0	103.1	194.5
Alzheimer's disease (G30)	33.7	—	—	—	—	—	—	0.7	1.8	19.8	218.2	1,118.0
Multiple sclerosis (G35)	2.1	—	—	—	—	—	0.4	2.4	5.4	7.8	7.6	7.6
Epilepsy (G40-G41)	0.4	—	—	0.2	0.2	0.4	0.2	0.4	0.4	0.7	2.5	2.5
Circulatory System Diseases (I00-I99)	229.0	2.2	—	0.2	2.5	5.3	18.4	67.8	152.8	432.6	1,432.2	5,135.3
Major cardiovascular disease (I00-I78)	228.0	2.2	—	0.2	2.3	5.1	17.7	66.7	151.6	431.2	1,425.9	5,126.5
Heart disease (I00-I09, I11, I13, I20-I51)	161.0	2.2	—	0.2	2.1	4.0	14.0	49.4	111.5	316.9	973.5	3,584.0
Rheumatic heart disease (I00-I09) ¹³ ..	1.5	—	—	—	—	—	0.2	0.4	1.0	3.5	10.8	26.5
Hypertensive heart disease (I11)	6.2	—	—	—	—	0.2	—	2.2	3.0	8.5	33.7	170.5
Hypertensive heart & renal dis. (I13) ..	1.0	—	—	—	—	—	—	—	0.4	1.4	5.1	31.6

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Ischemic heart disease (I20-I25)	91.4	—	—	0.2	—	1.7	9.5	34.0	80.9	217.0	563.1	1,730.7
Myocardial infarction (I21-I22)	29.0	—	—	—	—	0.2	2.3	9.1	32.0	69.4	187.7	507.8
Other acute ischemic hrt. dis. (I24) ..	0.6	—	—	—	—	—	—	0.2	0.2	3.5	3.2	8.8
Chronic isch. heart dis. (I20, I25)	61.8	—	—	0.2	—	1.5	7.2	24.7	48.7	144.1	372.2	1,214.0
Atheroscler. cardiovascular dis. ¹⁴	4.9	—	—	—	—	0.2	0.2	2.0	3.8	11.0	30.5	96.0
Other chr. ischemic heart dis. ¹⁵ ...	56.9	—	—	0.2	—	1.3	7.0	22.7	44.9	133.1	341.7	1,118.0
Nonrheumatic mitral valve dis. (I34) ...	1.4	—	—	—	0.2	—	0.2	0.4	0.8	0.7	7.6	37.9
Nonrheumatic aortic valve dis. (I35) ...	10.2	—	—	—	—	0.2	—	0.4	1.6	9.2	62.4	327.2
Cardiomyopathy (I42)	5.2	—	—	—	0.4	0.4	1.0	3.9	5.4	12.0	29.3	79.6
Heart failure (I50)	18.1	—	—	—	0.2	0.4	—	0.9	5.0	23.0	106.3	544.5
Congestive heart failure (I50.0)	16.5	—	—	—	0.2	0.4	—	0.4	4.4	20.5	92.9	507.8
Left ventricular heart failure (I50.1)	—	—	—	—	—	—	—	—	—	—	—	—
Heart failure, unspecified (I50.9)	1.6	—	—	—	—	—	—	0.6	0.6	2.5	13.4	36.6
HBP (I10, I12, I15) ¹⁶	11.5	—	—	—	—	0.2	0.6	4.5	9.4	16.3	66.8	272.9
Cerebrovascular disease (I60-I69) ¹¹	46.5	—	—	—	0.2	0.8	2.9	10.6	25.2	79.7	313.7	1,094.0
Subarachnoid hemorrhage (I60)	1.7	—	—	—	—	0.2	0.6	1.7	2.2	5.3	10.8	10.1
Intracerebral hemorrhage (I61-I62) ¹⁷	9.4	—	—	—	0.2	0.2	1.4	3.5	8.4	20.2	73.2	150.3
Cerebral infarction (I63)	2.1	—	—	—	—	—	0.2	0.7	1.8	3.9	9.5	50.5
Stroke (type not specified) (I64)	25.1	—	—	—	—	—	0.4	3.5	9.0	37.5	166.7	669.5
Atherosclerosis (I70)	1.8	—	—	—	—	—	—	0.2	0.4	3.5	12.1	46.7
Aortic aneurysm & dissection (I71)	3.8	—	—	—	—	0.2	0.2	1.1	2.6	9.2	36.9	53.1
Diseases of arteries (I72-I78) ¹⁸	3.4	—	—	—	—	—	—	0.9	2.4	5.7	22.9	75.8
Respiratory System Diseases (J00-J99)	76.9	4.4	0.5	0.6	0.2	1.1	3.5	20.2	62.7	221.3	585.4	1,209.0
Influenza & pneumonia (J09-J18)	10.9	2.2	—	0.4	—	0.2	1.2	4.6	5.8	15.6	52.8	288.0
Influenza (J09-J11)	0.1	—	—	—	—	—	—	0.2	—	0.4	—	2.5
Pneumonia (J12-J18)	10.8	2.2	—	0.4	—	0.2	1.2	4.5	5.8	15.2	52.8	285.5
Other acute lower resp. infect'ns (J20-J22)	0.1	—	—	—	—	—	—	—	0.2	—	0.6	—
Acute bronchitis (J20-J21) ¹⁹	0.1	—	—	—	—	—	—	—	0.2	—	0.6	—
Chronic lower respiratory dis. (J40-J47) ²⁰ ..	51.3	—	—	—	—	0.4	1.4	12.4	45.5	171.4	430.7	643.0
Bronchitis, chronic & unspec. (J40-J42)	0.4	—	—	—	—	—	—	—	0.6	—	2.5	8.8
Emphysema (J43)	5.5	—	—	—	—	—	—	0.9	5.2	24.4	43.9	55.6
Asthma (J45-J46)	1.6	—	—	—	—	0.4	0.8	2.0	1.4	2.8	5.1	25.3
Other CLRD (J44, J47)	43.9	—	—	—	—	—	0.6	9.5	38.2	144.1	379.2	553.3
Bronchiectasis (J47)	0.6	—	—	—	—	—	—	—	—	0.4	6.4	15.2
Pneumoconioses (J60-J66, J68) ²¹	0.4	—	—	—	—	—	—	—	0.2	1.1	3.2	10.1

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumonitis due to solids & liquids (J69) ...	4.6	—	—	0.2	—	0.2	—	0.4	3.0	7.8	24.8	123.8
Digestive System Diseases (K00-K92) ...	36.4	—	—	—	0.6	1.3	10.9	38.4	59.1	77.9	180.7	411.8
Peptic ulcer (K25-K28)	1.4	—	—	—	—	—	—	0.6	0.6	5.3	9.5	20.2
Diseases of the appendix (K35-K38)	0.2	—	—	—	—	—	—	—	0.4	0.7	1.3	1.3
Appendicitis (K35-K37)	0.2	—	—	—	—	—	—	—	0.4	0.7	1.3	1.3
Hernia (K40-K46)	1.0	—	—	—	—	—	0.2	0.6	0.6	2.8	4.5	20.2
Vascular disorders of the intestine (K55)	3.4	—	—	—	—	—	0.4	1.1	3.2	7.4	28.6	53.1
Chronic liver disease (K70, K73-K74) ²²	13.2	—	—	—	—	0.9	6.0	25.1	38.6	29.7	28.6	18.9
Alcoholic liver disease (K70) ²³	9.4	—	—	—	—	0.8	5.6	21.7	29.4	17.7	8.3	1.3
Cholelithiasis (K80-K82) ²⁴	1.5	—	—	—	—	—	0.4	0.4	1.4	2.8	8.3	31.6
Diseases of the Skin (L00-L98)²⁵	1.5	—	—	—	—	0.2	—	0.6	2.4	4.2	8.9	20.2
Musculoskeletal Disease (M00-M99)²⁶	5.5	2.2	—	—	0.2	0.2	1.6	1.5	3.4	11.7	38.2	106.1
Genitourinary System Dis. (N00-N99)	15.9	2.2	—	—	0.2	0.4	0.6	3.7	10.4	30.8	96.7	370.1
Nephritis (N00-N07, N17-N19, N25-N27) ²⁷	10.4	2.2	—	—	—	0.2	0.4	1.5	6.8	22.3	65.5	237.5
Acute nephrotic syndrome ²⁸	<0.05	—	—	—	—	—	—	—	—	—	—	1.3
Chronic nephritis ²⁹	1.8	—	—	—	—	0.2	—	0.4	0.6	2.1	6.4	60.6
Renal failure (N17-N19)	8.6	2.2	—	—	—	—	0.4	1.1	6.2	20.2	59.2	175.6
Other disorders of kidney (N25, N27)	—	—	—	—	—	—	—	—	—	—	—	—
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.1	—	—	—	—	—	0.2	—	0.2	0.4	0.6	1.3
Urinary tract infection (N59.0)	4.1	—	—	—	—	—	—	1.9	3.2	6.4	19.7	104.9
Hyperplasia of prostate (N40)	0.3	—	—	—	—	—	—	—	—	0.4	1.9	7.6
Female pelvic inflam. dis. (N70-N76) ³⁰	0.2	—	—	—	0.2	—	—	0.2	—	—	1.9	1.3
Pregnancy & Childbirth (O00-O99)³¹	0.1	—	—	—	0.2	0.4	—	0.2	—	—	—	—
Perinatal Conditions (P00-P96)	2.8	225.9	1.1	—	—	—	—	0.2	—	—	—	—
Congenital Malformations (Q00-Q99)³² ..	3.0	114.0	2.1	0.8	0.4	1.3	1.7	1.9	2.8	2.5	1.9	5.1
Malformation of the heart (Q20-Q24)	0.9	26.3	1.1	0.4	0.2	0.9	1.0	0.6	0.4	0.4	0.6	2.5
Other malf. of the circul. sys. (Q25-Q28)	0.1	2.2	—	—	—	—	—	—	0.2	—	—	—
Malf. of the respiratory system (Q30-Q34)	0.1	4.4	—	—	—	—	—	0.2	—	—	—	—
Symptoms & Signs (R00-R99)³³	15.5	74.6	1.6	0.2	0.8	0.9	1.9	5.8	10.6	23.4	68.7	356.2
Senility (R54)	2.0	—	—	—	—	—	—	—	—	0.7	3.8	85.9
Sudden infant death syndrome (R95)	0.8	70.2	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	65.1	43.9	10.1	4.8	39.9	51.4	60.6	79.3	71.5	68.0	182.6	490.2
Accidents (V01-X59, Y85-Y86)	40.5	28.5	8.5	3.0	23.3	26.5	27.8	40.7	37.0	42.1	150.8	442.2
Transport accidents (V01-V99, Y85)	9.4	2.2	1.6	1.2	12.4	8.5	7.4	11.1	13.0	9.9	24.2	15.2
Motor vehicle acc. (Many codes) ³⁴	8.4	2.2	1.6	1.2	11.9	7.4	7.2	9.5	11.6	7.8	22.3	13.9

See footnotes at end of table.

TABLE 6-7t. Total Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Motor veh. traf. (Many codes) ³⁵	8.0	2.2	1.6	1.0	11.5	7.4	6.8	8.9	11.0	7.4	19.1	13.9
Water transport accidents (V90-V94)	0.1	—	—	—	—	—	—	0.2	—	0.7	0.6	—
Air transport accidents (V95-V97)	0.1	—	—	—	—	—	—	0.6	—	0.4	—	1.3
Nontransport accidents (W00-X59,Y86)	31.1	26.3	6.9	1.8	10.9	18.0	20.4	29.5	24.0	32.2	126.6	427.0
Falls (W00-W19)	13.9	—	0.5	0.2	1.0	1.1	1.9	2.6	5.6	13.5	91.0	365.1
Firearms (W32-W34)	0.1	—	—	0.2	0.2	0.2	—	—	0.2	—	—	—
Drowning & submersion (W65-W74) ..	1.6	—	1.6	0.6	2.5	0.9	0.8	2.2	3.0	1.1	2.5	1.3
Exposure to smoke & fire (X00-X09) ..	0.4	—	—	0.4	—	—	0.2	0.9	0.6	1.4	0.6	1.3
Poisoning (X40-X49) ³⁶	10.0	—	0.5	0.2	6.4	14.6	15.1	20.2	11.4	5.3	4.5	6.3
Suicide (X60-X84, Y87.0)	17.8	—	—	—	10.5	16.3	26.2	28.0	26.6	20.9	27.4	30.3
Poisoning (X60-X69)	3.6	—	—	—	0.8	2.3	7.0	7.8	5.8	3.5	3.2	2.5
Hanging/suffocation (X70)	3.1	—	—	—	3.9	4.7	5.4	4.8	2.6	1.8	1.3	1.3
Firearm discharge (X72-X74)	9.8	—	—	—	4.9	8.3	12.4	12.8	15.8	14.2	22.3	25.3
Homicide (X85-Y09, Y87.1)	3.0	6.6	1.1	1.6	2.7	3.8	2.7	4.6	3.8	1.8	1.3	2.5
Firearm discharge (X93-X95)	1.5	—	—	0.8	1.9	2.8	1.6	2.2	1.0	1.1	—	2.5
Legal intervention (Y35, Y89.0) ³⁷	0.6	—	0.5	—	1.0	1.5	0.4	0.7	0.4	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.7	8.8	—	0.2	2.3	3.4	3.5	4.8	3.4	1.4	0.6	3.8
War and its sequelae (Y36, Y89.1) ³⁸	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88) ..	0.5	—	—	—	—	—	—	0.4	0.2	1.8	2.5	11.4
<i>Injury by firearms (Many codes)³⁹</i>	11.9	—	—	1.0	7.8	12.5	14.4	16.0	17.4	15.2	22.3	27.8
<i>Alcohol-induced deaths (Many codes)^{40,41}</i>	14.9	2.2	—	—	0.4	2.1	8.9	34.4	40.0	32.2	17.8	8.8
<i>Drug-induced deaths (Many codes)^{42,43}</i>	15.0	—	0.5	0.2	8.2	18.2	22.3	29.2	20.0	11.7	11.5	15.2
<i>Injury at work⁴⁴</i>	1.0	—	—	—	0.4	0.4	1.2	2.2	2.0	1.1	1.3	2.5

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Includes uterus, part unspecified.

⁵ Includes meninges and other parts of the central nervous system.

⁶ Includes immunoproliferative neoplasms.

⁷ Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Includes metabolic diseases.

¹⁰ Includes behavioral disorders.

¹¹ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular

- disease rubric are now counted as forms of organic dementia.
- 12 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 13 Includes acute rheumatic fever.
 - 14 The ICD-10 code is I25.0.
 - 15 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
 - 16 Hypertension with/without Renal Disease.
 - 17 Includes other intracranial hemorrhages.
 - 18 Includes diseases of the arterioles and capillaries.
 - 19 Includes acute bronchiolitis.
 - 20 Formerly chronic obstructive pulmonary disease (COPD).
 - 21 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
 - 22 Includes liver cirrhosis.
 - 23 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 24 Includes other diseases of the gallbladder.
 - 25 Includes subcutaneous tissues.
 - 26 Includes connective tissue.
 - 27 Includes nephrotic syndrome and nephrosis.
 - 28 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
 - 29 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
 - 30 Inflammatory diseases of female pelvic organs.
 - 31 Includes the puerperium.
 - 32 includes congenital deformations and chromosomal abnormalities.
 - 33 Includes abnormal clinical and laboratory findings not elsewhere classified.
 - 34 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
 - 35 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
 - 36 Includes exposure to noxious substances.
 - 37 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This category may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
 - 38 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
 - 39 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
 - 40 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
 - 41 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively.
 - 42 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
 - 43 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
 - 44 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2010

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	828.5	530.9	28.0	11.8	76.8	110.2	179.1	476.8	982.5	2,149.4	5,832.1	14,856.0
Infections & Parasitic Disease (A00-B99)	17.8	8.6	–	–	–	2.2	5.6	20.2	48.8	30.2	69.2	199.8
Tuberculosis (A16-A19)	0.2	–	–	–	–	–	–	–	0.4	0.7	–	3.6
Meningococcal infection (A39)	–	–	–	–	–	–	–	–	–	–	–	–
Septicemia (A40-A41)	4.9	4.3	–	–	–	1.1	0.4	2.6	7.3	11.8	32.4	92.8
Creutzfeldt-Jacob disease (A81.0)	0.2	–	–	–	–	–	–	–	1.2	–	–	–
Viral hepatitis (B15-B19)	6.2	–	–	–	–	0.4	0.4	10.9	29.7	5.9	8.8	–
HIV/AIDS (B20-B24) ³	2.5	–	–	–	–	0.7	4.1	6.4	4.5	2.9	2.9	–
Malignant Neoplasms (C00-C97)	205.2	–	4.1	3.6	3.4	4.8	24.1	104.8	312.9	762.7	1,647.2	2,261.9
Lip, oral cavity & pharynx (C00-C14)	3.6	–	–	–	–	0.4	0.4	3.0	8.1	16.9	14.7	25.0
Digestive organs (C15-26)	54.9	–	–	–	–	1.8	11.3	37.8	105.2	193.1	406.3	431.7
Esophagus (C15)	7.6	–	–	–	–	–	1.5	4.5	13.0	26.5	64.8	64.2
Stomach (C16)	3.8	–	–	–	–	1.1	–	4.9	4.9	11.1	26.5	39.2
Colon, rectum & anus (C18-C21)	18.1	–	–	–	–	0.4	4.1	10.5	28.8	69.3	135.4	178.4
Colon (C18)	12.7	–	–	–	–	–	3.0	5.2	18.7	47.2	106.0	139.1
Rectosigmoid junction (C19)	1.6	–	–	–	–	0.4	0.8	1.5	2.0	6.6	4.4	21.4
Rectum (C20)	3.4	–	–	–	–	–	0.4	3.7	6.1	14.0	23.6	14.3
Liver & intrahepatic bile ducts (C22)	10.0	–	–	–	–	0.4	3.4	9.7	27.6	35.4	41.2	42.8
Pancreas (C25)	13.6	–	–	–	–	–	2.3	6.7	27.6	44.9	125.1	82.1
Respiratory, intrathoracic org'ns (C30-C39)	58.1	–	–	–	–	–	1.9	25.1	87.8	279.3	472.5	449.5
Larynx (C32)	1.5	–	–	–	–	–	–	0.7	2.4	8.8	10.3	3.6
Trachea, bronchus & lung (C33-C34)	56.2	–	–	–	–	–	1.5	24.0	84.5	269.7	459.3	446.0
Bronchus & lung (C34)	56.2	–	–	–	–	–	1.5	24.0	84.5	269.7	459.3	446.0
Skin (C43-C44)	6.5	–	–	–	–	0.4	1.9	2.6	9.8	20.6	50.0	89.2
Melanoma of skin (C43)	4.7	–	–	–	–	0.4	1.9	1.9	8.5	17.7	30.9	49.9
Mesothelioma (C45)	1.7	–	–	–	–	–	–	–	1.2	7.4	23.6	14.3
Breast (C50)	–	–	–	–	–	–	–	–	–	–	–	–
Female genital organs (C51-58)	–	–	–	–	–	–	–	–	–	–	–	–
Cervix uteri (C53)	–	–	–	–	–	–	–	–	–	–	–	–
Corpus uteri (C54-C55) ⁴	–	–	–	–	–	–	–	–	–	–	–	–
Ovary (C56)	–	–	–	–	–	–	–	–	–	–	–	–
Male genital organs (C60-C63)	20.9	–	–	–	–	0.4	–	3.4	14.2	53.8	207.6	506.6
Prostate (C61)	20.7	–	–	–	–	–	–	3.0	14.2	53.8	207.6	499.5
Kidney & renal pelvis (C64-C65)	6.3	–	–	–	–	–	0.4	4.1	13.0	17.7	58.9	42.8

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bladder (C67)	8.4	—	—	—	—	—	0.4	1.9	9.3	27.3	78.0	149.8
Brain, etc. (C70-C72) ⁵	5.8	—	1.0	1.2	0.4	0.7	3.4	7.9	13.0	19.9	17.7	14.3
Thyroid/endocrine gland (C73-C75)	0.6	—	2.1	—	—	—	—	0.7	0.4	0.7	5.9	7.1
Lymphoid & hematopoietic (C81-C96)	21.8	—	1.0	1.2	2.3	1.1	1.9	10.1	28.0	71.5	181.1	299.7
Hodgkin's disease (C81)	0.6	—	—	—	0.8	—	—	0.4	1.2	2.2	1.5	3.6
Non-Hodgkin's lymphoma (C82-C85)	8.9	—	—	—	0.4	0.4	0.4	5.2	11.8	28.0	70.7	139.1
Leukemia (C91-C95)	7.9	—	1.0	1.2	1.1	0.7	1.1	3.4	9.3	24.3	63.3	110.6
Lymphoid leukemia (C91)	2.3	—	—	0.4	0.4	0.4	0.8	0.4	2.4	4.4	14.7	60.7
Myeloid leukemia (C92)	4.4	—	—	0.8	0.8	0.4	0.4	2.6	6.1	16.2	36.8	32.1
Multiple myeloma (C88, C90) ⁶	4.4	—	—	—	—	—	0.4	1.1	5.7	16.9	45.6	46.4
Neopla. Not Specif. As Malign. (D00-D48)⁷	6.7	—	—	—	—	—	1.1	3.4	8.5	16.9	54.5	128.4
Myelodysplastic syndromes (D46)	2.3	—	—	—	—	—	—	—	1.6	8.8	16.2	60.7
Diseases of the Blood (D50-89)⁸	2.6	4.3	2.1	0.4	—	—	—	0.7	1.2	5.9	16.2	74.9
Anemias (D50-D64)	1.4	—	1.0	—	—	—	—	0.4	0.8	1.5	5.9	57.1
Endocrine & Nutritional Dis. (E00-E88)⁹	41.5	—	1.0	—	2.3	5.5	6.8	26.9	63.0	130.4	295.9	538.7
Diabetes mellitus (E10-E14)	29.8	—	—	—	0.4	2.9	4.9	18.7	46.3	94.3	228.2	367.5
Nutritional deficiencies (E40-E64)	1.0	—	1.0	—	—	—	—	0.7	0.8	3.7	4.4	25.0
Malnutrition (E40-E46)	1.0	—	1.0	—	—	—	—	0.7	0.8	2.9	4.4	25.0
Mental Disorders (F01-F99)¹⁰	43.3	—	—	—	1.9	2.2	6.4	16.1	26.4	58.2	312.1	1,437.8
Organic dementia (F01, F03) ¹¹	32.7	—	—	—	—	—	—	0.4	5.3	28.0	273.8	1,387.8
Due to alcohol (F10) ¹²	5.4	—	—	—	—	0.4	3.0	12.4	11.8	14.0	14.7	14.3
Due to psychoactive substance (F11-F19)	2.8	—	—	—	1.5	1.8	1.5	2.6	3.3	11.1	8.8	14.3
Nervous System Dis. (G00-G99)	46.9	12.8	2.1	—	1.1	1.8	3.8	12.7	27.2	74.4	440.1	1,337.9
Meningitis (G00, G03)	0.2	—	—	—	—	—	—	—	1.2	—	—	—
Amyotrophic lateral sclerosis (G12.2)	2.9	—	—	—	—	—	0.8	2.6	5.7	11.8	22.1	3.6
Parkinson's disease (G20-G21)	11.3	—	—	—	—	—	—	—	2.0	17.7	151.6	303.3
Alzheimer's disease (G30)	21.4	—	—	—	—	—	—	0.7	1.2	11.1	184.0	945.4
Multiple sclerosis (G35)	1.9	—	—	—	—	—	0.4	1.5	5.7	7.4	7.4	10.7
Epilepsy (G40-G41)	0.5	—	—	—	—	0.7	0.4	0.4	0.4	1.5	2.9	3.6
Circulatory System Diseases (I00-I99)	228.7	4.3	—	—	3.0	7.7	27.5	100.7	214.5	567.4	1,735.5	5,490.7
Major cardiovascular disease (I00-I78)	227.7	4.3	—	—	3.0	7.4	26.3	99.6	212.9	565.9	1,726.7	5,490.7
Heart disease (I00-I09, I11, I13, I20-I51)	169.5	4.3	—	—	2.7	6.6	20.7	77.8	163.3	425.2	1,224.7	4,110.0
Rheumatic heart disease (I00-I09) ¹³ ..	1.2	—	—	—	—	—	—	0.4	1.2	3.7	13.2	17.8
Hypertensive heart disease (I11)	5.2	—	—	—	—	0.4	—	3.0	5.3	9.6	41.2	132.0
Hypertensive heart & renal dis. (I13) ..	0.7	—	—	—	—	—	—	—	0.4	0.7	7.4	21.4

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Ischemic heart disease (I20-I25)	109.8	—	—	—	—	3.3	16.2	57.3	123.5	316.9	774.3	2,290.5
Myocardial infarction (I21-I22)	33.3	—	—	—	—	0.4	2.6	15.7	47.5	100.2	232.6	631.5
Other acute ischemic hrt. dis. (I24) ..	0.7	—	—	—	—	—	—	—	0.4	5.2	4.4	10.7
Chronic isch. heart dis. (I20, I25)	75.8	—	—	—	—	2.9	13.5	41.5	75.6	211.5	537.3	1,648.3
Atheroscler. cardiovascular dis. ¹⁴	6.1	—	—	—	—	0.4	0.4	4.1	7.7	16.2	44.2	117.7
Other chr. ischemic heart dis. ¹⁵ ...	69.7	—	—	—	—	2.6	13.2	37.4	67.9	195.3	493.1	1,530.6
Nonrheumatic mitral valve dis. (I34) ...	1.1	—	—	—	—	—	—	0.7	0.8	—	7.4	46.4
Nonrheumatic aortic valve dis. (I35) ...	8.2	—	—	—	—	0.4	—	—	1.6	11.8	66.2	328.2
Cardiomyopathy (I42)	5.9	—	—	—	0.8	0.7	1.5	4.5	6.5	14.0	39.7	114.2
Heart failure (I50)	15.2	—	—	—	0.4	0.4	—	1.5	7.3	26.5	114.8	545.9
Congestive heart failure (I50.0)	13.6	—	—	—	0.4	0.4	—	0.7	6.5	24.3	101.6	495.9
Left ventricular heart failure (I50.1)	—	—	—	—	—	—	—	—	—	—	—	—
Heart failure, unspecified (I50.9)	1.6	—	—	—	—	—	—	0.7	0.8	2.2	13.2	49.9
HBP (I10, I12, I15) ¹⁶	9.3	—	—	—	—	—	1.1	6.0	12.2	19.2	63.3	214.1
Cerebrovascular disease (I60-I69) ¹¹	39.7	—	—	—	0.4	0.4	4.1	11.6	31.7	97.3	350.3	963.3
Subarachnoid hemorrhage (I60)	1.5	—	—	—	—	0.4	0.8	1.5	1.6	7.4	10.3	—
Intracerebral hemorrhage (I61-I62) ¹⁷	8.9	—	—	—	0.4	—	1.9	3.7	10.6	21.4	92.7	132.0
Cerebral infarction (I63)	2.0	—	—	—	—	—	—	0.4	2.8	5.9	11.8	53.5
Stroke (type not specified) (I64)	20.0	—	—	—	—	—	0.8	4.9	11.4	44.2	167.8	595.8
Atherosclerosis (I70)	1.7	—	—	—	—	—	—	0.4	0.4	5.2	16.2	42.8
Aortic aneurysm & dissection (I71)	4.5	—	—	—	—	0.4	0.4	2.2	2.8	13.3	53.0	64.2
Diseases of arteries (I72-I78) ¹⁸	3.0	—	—	—	—	—	—	1.5	2.4	5.9	19.1	96.3
Respiratory System Diseases (J00-J99)	75.1	—	1.0	0.8	—	1.8	1.5	19.5	67.9	245.4	672.7	1,498.4
Influenza & pneumonia (J09-J18)	10.1	—	—	0.4	—	0.4	0.4	4.1	5.7	17.7	54.5	371.0
Influenza (J09-J11)	0.1	—	—	—	—	—	—	—	—	0.7	—	3.6
Pneumonia (J12-J18)	10.0	—	—	0.4	—	0.4	0.4	4.1	5.7	16.9	54.5	367.5
Other acute lower resp. infect'ns (J20-J22)	0.1	—	—	—	—	—	—	—	—	—	1.5	—
Acute bronchitis (J20-J21) ¹⁹	0.1	—	—	—	—	—	—	—	—	—	1.5	—
Chronic lower respiratory dis. (J40-J47) ²⁰ ..	49.4	—	—	—	—	0.4	0.8	12.0	48.8	187.2	476.9	763.5
Bronchitis, chronic & unspec. (J40-J42)	0.2	—	—	—	—	—	—	—	0.4	—	1.5	7.1
Emphysema (J43)	6.0	—	—	—	—	—	—	1.5	4.1	29.5	55.9	85.6
Asthma (J45-J46)	0.7	—	—	—	—	0.4	0.4	0.7	0.8	2.9	4.4	3.6
Other CLRD (J44, J47)	42.4	—	—	—	—	—	0.4	9.7	43.5	154.7	415.1	667.2
Bronchiectasis (J47)	0.2	—	—	—	—	—	—	—	—	—	2.9	3.6
Pneumoconioses (J60-J66, J68) ²¹	0.8	—	—	—	—	—	—	—	0.4	1.5	7.4	25.0

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumonitis due to solids & liquids (J69) ...	5.4	—	—	0.4	—	0.4	—	0.7	4.1	8.1	35.3	192.7
Digestive System Diseases (K00-K92) ...	36.8	—	—	—	0.8	1.5	13.9	52.0	74.8	83.3	169.3	399.6
Peptic ulcer (K25-K28)	1.2	—	—	—	—	—	—	0.7	0.8	5.9	10.3	14.3
Diseases of the appendix (K35-K38)	0.3	—	—	—	—	—	—	—	0.8	0.7	1.5	3.6
Appendicitis (K35-K37)	0.3	—	—	—	—	—	—	—	0.8	0.7	1.5	3.6
Hernia (K40-K46)	1.0	—	—	—	—	—	0.4	0.4	0.4	3.7	7.4	21.4
Vascular disorders of the intestine (K55)	2.2	—	—	—	—	—	0.8	0.7	2.4	3.7	17.7	57.1
Chronic liver disease (K70, K73-K74) ²²	16.8	—	—	—	—	0.7	7.1	35.6	52.0	36.1	32.4	25.0
Alcoholic liver disease (K70) ²³	12.8	—	—	—	—	0.4	6.8	31.1	39.8	25.8	14.7	3.6
Cholelithiasis (K80-K82) ²⁴	1.3	—	—	—	—	—	0.4	0.4	1.6	2.9	7.4	32.1
Diseases of the Skin (L00-L98)²⁵	1.1	—	—	—	—	—	—	0.7	1.6	4.4	5.9	17.8
Musculoskeletal Disease (M00-M99)²⁶	3.1	—	—	—	—	—	1.1	1.5	3.7	10.3	16.2	67.8
Genitourinary System Dis. (N00-N99)	14.8	4.3	—	—	—	—	0.8	1.9	11.4	30.2	110.4	467.4
Nephritis (N00-N07, N17-N19, N25-N27) ²⁷	10.8	4.3	—	—	—	—	0.8	1.1	8.5	25.1	85.4	314.0
Acute nephrotic syndrome ²⁸	—	—	—	—	—	—	—	—	—	—	—	—
Chronic nephritis ²⁹	1.5	—	—	—	—	—	—	0.4	0.8	2.2	7.4	64.2
Renal failure (N17-N19)	9.3	4.3	—	—	—	—	0.8	0.7	7.7	22.8	78.0	249.7
Other disorders of kidney (N25, N27)	—	—	—	—	—	—	—	—	—	—	—	—
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	—	—	—	—	—	—	—	—	—	—	—	—
Urinary tract infection (N59.0)	2.7	—	—	—	—	—	—	0.7	2.4	2.9	11.8	110.6
Hyperplasia of prostate (N40)	0.5	—	—	—	—	—	—	—	—	0.7	4.4	21.4
Female pelvic inflam. dis. (N70-N76) ³⁰	—	—	—	—	—	—	—	—	—	—	—	—
Pregnancy & Childbirth (O00-O99)³¹	—	—	—	—	—	—	—	—	—	—	—	—
Perinatal Conditions (P00-P96)	3.2	252.6	2.1	—	—	—	—	0.4	—	—	—	—
Congenital Malformations (Q00-Q99)³² ..	3.3	111.3	2.1	0.4	0.8	2.2	2.3	1.9	3.3	3.7	—	7.1
Malformation of the heart (Q20-Q24)	0.9	12.8	—	0.4	0.4	1.5	1.1	1.1	—	0.7	—	3.6
Other malf. of the circul. sys. (Q25-Q28)	0.1	4.3	—	—	—	—	—	—	0.4	—	—	—
Malf. of the respiratory system (Q30-Q34)	0.1	4.3	—	—	—	—	—	—	—	—	—	—
Symptoms & Signs (R00-R99)³³	13.3	85.6	3.1	0.4	1.1	1.5	1.1	7.5	13.0	28.0	67.7	306.8
Senility (R54)	1.0	—	—	—	—	—	—	—	—	—	2.9	60.7
Sudden infant death syndrome (R95)	0.9	77.1	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	85.0	47.1	10.4	6.3	62.3	78.9	83.2	105.9	104.4	98.0	217.9	620.8
Accidents (V01-X59, Y85-Y86)	48.9	21.4	10.4	4.7	35.7	40.2	37.6	52.8	52.4	58.9	166.3	517.3
Transport accidents (V01-V99, Y85)	13.7	4.3	2.1	1.6	17.5	12.5	12.4	15.7	19.5	16.9	32.4	25.0
Motor vehicle acc. (Many codes) ³⁴	12.3	4.3	2.1	1.6	16.7	11.1	12.0	13.5	17.1	13.3	29.4	21.4

See footnotes at end of table.

TABLE 6-7m. Male Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Motor veh. traf. (Many codes) ³⁵	11.6	4.3	2.1	1.2	16.3	11.1	11.3	13.1	15.8	12.5	25.0	21.4
Water transport accidents (V90-V94)	0.2	—	—	—	—	—	—	0.4	—	1.5	1.5	—
Air transport accidents (V95-V97)	0.3	—	—	—	—	—	—	1.1	—	0.7	—	3.6
Nontransport accidents (W00-X59,Y86)	35.2	17.1	8.3	3.2	18.2	27.6	25.2	37.1	32.9	42.0	134.0	492.3
Falls (W00-W19)	13.2	—	—	0.4	1.1	2.2	2.3	4.9	7.7	18.4	94.2	417.4
Firearms (W32-W34)	0.2	—	—	0.4	0.4	0.4	—	—	0.4	—	—	—
Drowning & submersion (W65-W74) ..	2.8	—	2.1	1.2	4.9	1.1	1.5	3.7	5.3	2.2	2.9	3.6
Exposure to smoke & fire (X00-X09) ..	0.5	—	—	0.4	—	—	0.4	0.7	0.8	2.2	—	—
Poisoning (X40-X49) ³⁶	12.8	—	1.0	0.4	10.3	22.5	17.7	22.5	14.2	6.6	4.4	3.6
Suicide (X60-X84, Y87.0)	27.9	—	—	—	17.1	25.8	39.1	41.2	42.3	33.2	50.0	82.1
Poisoning (X60-X69)	4.0	—	—	—	0.4	2.6	7.5	7.9	6.9	4.4	2.9	7.1
Hanging/suffocation (X70)	4.7	—	—	—	5.7	7.7	8.7	8.2	2.4	2.2	1.5	—
Firearm discharge (X72-X74)	17.3	—	—	—	9.1	14.0	20.7	22.1	28.8	24.3	45.6	71.4
Homicide (X85-Y09, Y87.1)	3.4	12.8	—	1.2	4.6	5.5	2.3	4.9	4.1	2.2	—	—
Firearm discharge (X93-X95)	1.9	—	—	0.4	3.8	4.4	1.5	2.2	1.2	0.7	—	—
Legal intervention (Y35, Y89.0) ³⁷	1.0	—	—	—	1.9	2.2	0.8	1.5	0.8	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	3.3	12.8	—	0.4	3.0	5.2	3.4	5.6	4.5	1.5	—	3.6
War and its sequelae (Y36, Y89.1) ³⁸	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complica'ns (Y40-Y84, Y88) ..	0.5	—	—	—	—	—	—	—	0.4	2.2	1.5	17.8
<i>Injury by firearms (Many codes)³⁹</i>	20.3	—	—	0.8	14.8	21.0	22.6	26.2	31.3	25.1	45.6	71.4
<i>Alcohol-induced deaths (Many codes)^{40,41}</i>	21.4	4.3	—	—	0.4	2.6	12.0	51.6	57.3	47.9	29.4	21.4
<i>Drug-induced deaths (Many codes)^{42,43}</i>	17.6	—	1.0	0.4	11.4	26.2	24.5	29.6	21.9	17.7	13.2	14.3
<i>Injury at work⁴⁴</i>	1.8	—	—	—	0.8	0.7	1.9	3.7	4.1	1.5	2.9	3.6

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Includes uterus, part unspecified.

⁵ Includes meninges and other parts of the central nervous system.

⁶ Includes immunoproliferative neoplasms.

⁷ Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Includes metabolic diseases.

¹⁰ Includes behavioral disorders.

¹¹ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular

- disease rubric are now counted as forms of organic dementia.
- 12 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 13 Includes acute rheumatic fever.
 - 14 The ICD-10 code is I25.0.
 - 15 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
 - 16 Hypertension with/without Renal Disease.
 - 17 Includes other intracranial hemorrhages.
 - 18 Includes diseases of the arterioles and capillaries.
 - 19 Includes acute bronchiolitis.
 - 20 Formerly chronic obstructive pulmonary disease (COPD).
 - 21 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
 - 22 Includes liver cirrhosis.
 - 23 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 24 Includes other diseases of the gallbladder.
 - 25 Includes subcutaneous tissues.
 - 26 Includes connective tissue.
 - 27 Includes nephrotic syndrome and nephrosis.
 - 28 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
 - 29 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
 - 30 Inflammatory diseases of female pelvic organs.
 - 31 Includes the puerperium.
 - 32 includes congenital deformations and chromosomal abnormalities.
 - 33 Includes abnormal clinical and laboratory findings not elsewhere classified.
 - 34 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
 - 35 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
 - 36 Includes exposure to noxious substances.
 - 37 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This category may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
 - 38 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
 - 39 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
 - 40 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
 - 41 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively.
 - 42 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
 - 43 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
 - 44 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2010

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Total	831.1	454.2	16.3	9.5	27.1	43.1	112.4	315.3	629.6	1,514.1	4,414.2	13,293.8
Infections & Parasitic Disease (A00-B99)	16.4	9.0	3.3	–	–	0.8	3.6	15.5	19.7	32.0	76.2	181.9
Tuberculosis (A16-A19)	0.1	–	–	–	–	–	–	–	–	0.7	–	2.0
Meningococcal infection (A39)	0.1	–	–	–	–	–	0.4	–	–	–	–	–
Septicemia (A40-A41)	6.8	4.5	1.1	–	–	0.4	0.8	4.4	5.1	15.7	39.2	84.1
Creutzfeldt-Jacob disease (A81.0)	0.1	–	–	–	–	–	–	–	0.8	–	–	–
Viral hepatitis (B15-B19)	3.2	–	–	–	–	–	0.8	9.6	9.5	4.1	3.4	–
HIV/AIDS (B20-B24) ³	–	–	–	–	–	–	–	–	–	–	–	–
Malignant Neoplasms (C00-C97)	191.8	–	–	2.5	2.8	6.6	30.5	116.1	271.2	583.3	1,116.2	1,433.6
Lip, oral cavity & pharynx (C00-C14)	1.5	–	–	–	–	–	–	0.7	0.8	3.4	12.3	15.6
Digestive organs (C15-26)	40.0	–	–	–	0.4	0.8	3.6	18.1	58.0	120.6	237.6	340.3
Esophagus (C15)	2.1	–	–	–	–	–	–	0.4	2.8	8.9	12.3	17.6
Stomach (C16)	2.9	–	–	–	–	–	0.8	2.6	4.3	6.8	15.7	21.5
Colon, rectum & anus (C18-C21)	16.0	–	–	–	–	0.8	2.0	6.6	22.5	40.2	98.6	154.5
Colon (C18)	12.7	–	–	–	–	0.8	1.6	5.2	17.4	29.3	78.4	131.0
Rectosigmoid junction (C19)	0.9	–	–	–	–	–	0.4	0.4	0.4	2.7	6.7	7.8
Rectum (C20)	2.1	–	–	–	–	–	–	1.1	4.3	6.8	10.1	15.6
Liver & intrahepatic bile ducts (C22)	4.2	–	–	–	–	–	–	2.6	8.3	13.6	21.3	25.4
Pancreas (C25)	12.4	–	–	–	–	–	–	4.8	15.8	45.7	76.2	97.8
Respiratory, intrathoracic org'ns (C30-C39)	51.7	–	–	–	–	0.4	2.0	24.7	69.5	199.7	355.2	266.0
Larynx (C32)	0.2	–	–	–	–	–	–	–	0.8	–	–	2.0
Trachea, bronchus & lung (C33-C34)	51.0	–	–	–	–	0.4	2.0	24.3	67.9	197.6	353.0	262.1
Bronchus & lung (C34)	51.0	–	–	–	–	0.4	2.0	24.3	67.9	197.6	353.0	262.1
Skin (C43-C44)	3.5	–	–	–	–	1.2	1.6	0.7	5.5	9.5	21.3	23.5
Melanoma of skin (C43)	2.9	–	–	–	–	1.2	1.6	0.4	5.5	6.8	16.8	15.6
Mesothelioma (C45)	0.5	–	–	–	–	–	–	0.4	0.4	1.4	4.5	3.9
Breast (C50)	28.8	–	–	–	–	0.8	9.6	29.5	50.9	80.4	119.9	185.8
Female genital organs (C51-58)	20.3	–	–	–	–	0.4	5.2	18.8	34.3	62.0	97.5	117.4
Cervix uteri (C53)	1.9	–	–	–	–	0.4	2.4	3.3	4.3	2.0	5.6	3.9
Corpus uteri (C54-C55) ⁴	5.2	–	–	–	–	–	1.2	3.7	5.9	19.1	33.6	27.4
Ovary (C56)	11.7	–	–	–	–	–	1.2	11.1	22.1	36.8	50.4	72.4
Male genital organs (C60-C63)	–	–	–	–	–	–	–	–	–	–	–	–
Prostate (C61)	–	–	–	–	–	–	–	–	–	–	–	–
Kidney & renal pelvis (C64-C65)	3.4	–	–	0.4	0.4	–	–	2.2	3.2	9.5	22.4	29.3

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Bladder (C67)	3.2	—	—	—	—	—	—	0.4	4.3	5.5	16.8	50.9
Brain, etc. (C70-C72) ⁵	4.5	—	—	0.4	—	1.2	4.4	4.4	7.9	10.9	15.7	17.6
Thyroid/endocrine gland (C73-C75)	0.8	—	—	0.4	—	—	0.8	0.7	2.0	0.7	3.4	2.0
Lymphoid & hematopoietic (C81-C96)	17.9	—	—	—	1.2	1.2	0.8	5.2	17.4	48.4	118.8	199.5
Hodgkin's disease (C81)	0.3	—	—	—	0.4	—	—	—	0.4	1.4	1.1	2.0
Non-Hodgkin's lymphoma (C82-C85)	6.8	—	—	—	—	—	0.8	1.8	5.9	19.8	40.3	86.1
Leukemia (C91-C95)	7.5	—	—	—	0.8	1.2	—	2.9	6.7	15.7	53.8	84.1
Lymphoid leukemia (C91)	2.3	—	—	—	0.4	0.4	—	0.7	1.6	4.8	15.7	31.3
Myeloid leukemia (C92)	3.5	—	—	—	0.4	0.8	—	1.5	5.1	8.2	20.2	33.2
Multiple myeloma (C88, C90) ⁶	3.3	—	—	—	—	—	—	0.4	4.3	11.6	23.5	27.4
Neopla. Not Specif. As Malign. (D00-D48)⁷	5.0	4.5	—	—	0.4	—	1.2	0.7	2.8	15.0	31.4	62.6
Myelodysplastic syndromes (D46)	2.1	—	—	—	—	—	—	—	1.2	4.1	11.2	41.1
Diseases of the Blood (D50-89)⁸	3.6	—	—	—	—	0.4	1.6	2.6	2.4	4.8	20.2	52.8
Anemias (D50-D64)	1.9	—	—	—	—	0.4	—	0.4	1.6	2.0	10.1	37.2
Endocrine & Nutritional Dis. (E00-E88)⁹	37.1	—	—	—	2.4	2.7	6.4	15.5	39.9	86.5	182.7	492.9
Diabetes mellitus (E10-E14)	24.9	—	—	—	0.8	0.8	4.4	8.8	29.6	63.4	124.4	316.8
Nutritional deficiencies (E40-E64)	0.9	—	—	—	—	0.4	—	0.4	0.8	—	4.5	19.6
Malnutrition (E40-E46)	0.9	—	—	—	—	0.4	—	0.4	0.8	—	4.5	19.6
Mental Disorders (F01-F99)¹⁰	71.8	—	—	—	0.4	1.6	1.6	6.3	13.0	32.0	317.1	1,942.1
Organic dementia (F01, F03) ¹¹	66.5	—	—	—	—	—	—	—	5.1	23.2	292.5	1,901.1
Due to alcohol (F10) ¹²	1.7	—	—	—	0.4	0.4	0.8	2.9	2.8	5.5	4.5	2.0
Due to psychoactive substance (F11-F19)	1.4	—	—	—	—	1.2	0.4	1.8	3.2	0.7	3.4	9.8
Nervous System Dis. (G00-G99)	66.4	9.0	1.1	1.7	0.4	1.2	2.4	10.3	20.5	71.6	378.8	1,443.4
Meningitis (G00, G03)	0.1	—	—	—	—	—	0.4	—	—	—	—	—
Amyotrophic lateral sclerosis (G12.2)	3.3	—	—	—	—	—	—	2.2	5.1	12.9	17.9	19.6
Parkinson's disease (G20-G21)	7.2	—	—	—	—	—	—	—	0.4	6.8	66.1	135.0
Alzheimer's disease (G30)	46.1	—	—	—	—	—	—	0.7	2.4	27.9	244.3	1,212.6
Multiple sclerosis (G35)	2.3	—	—	—	—	—	0.4	3.3	5.1	8.2	7.8	5.9
Epilepsy (G40-G41)	0.4	—	—	0.4	0.4	—	—	0.4	0.4	—	2.2	2.0
Circulatory System Diseases (I00-I99)	229.3	—	—	0.4	2.0	2.7	8.8	35.4	92.8	308.0	1,201.3	4,940.4
Major cardiovascular disease (I00-I78)	228.3	—	—	0.4	1.6	2.7	8.4	34.3	92.0	306.6	1,196.8	4,926.8
Heart disease (I00-I09, I11, I13, I20-I51)	152.6	—	—	0.4	1.6	1.2	6.8	21.4	61.2	216.7	782.2	3,295.6
Rheumatic heart disease (I00-I09) ¹³ ..	1.7	—	—	—	—	—	0.4	0.4	0.8	3.4	9.0	31.3
Hypertensive heart disease (I11)	7.3	—	—	—	—	—	—	1.5	0.8	7.5	28.0	191.7
Hypertensive heart & renal dis. (I13) ..	1.4	—	—	—	—	—	—	—	0.4	2.0	3.4	37.2

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Ischemic heart disease (I20-I25)	73.1	—	—	0.4	—	—	2.4	11.1	39.5	124.7	402.3	1,423.8
Myocardial infarction (I21-I22)	24.8	—	—	—	—	—	2.0	2.6	17.0	40.9	153.5	440.1
Other acute ischemic hrt. dis. (I24) ..	0.5	—	—	—	—	—	—	0.4	—	2.0	2.2	7.8
Chronic isch. heart dis. (I20, I25)	47.8	—	—	0.4	—	—	0.4	8.1	22.5	81.8	246.5	976.0
Atheroscler. cardiovascular dis. ¹⁴	3.6	—	—	—	—	—	—	—	—	6.1	20.2	84.1
Other chr. ischemic heart dis. ¹⁵ ...	44.1	—	—	0.4	—	—	0.4	8.1	22.5	75.6	226.4	891.9
Nonrheumatic mitral valve dis. (I34) ...	1.6	—	—	—	0.4	—	0.4	—	0.8	1.4	7.8	33.2
Nonrheumatic aortic valve dis. (I35) ...	12.3	—	—	—	—	—	—	0.7	1.6	6.8	59.4	326.6
Cardiomyopathy (I42)	4.5	—	—	—	—	—	0.4	3.3	4.3	10.2	21.3	60.6
Heart failure (I50)	21.0	—	—	—	—	0.4	—	0.4	2.8	19.8	99.7	543.7
Congestive heart failure (I50.0)	19.3	—	—	—	—	0.4	—	—	2.4	17.0	86.3	514.4
Left ventricular heart failure (I50.1)	—	—	—	—	—	—	—	—	—	—	—	—
Heart failure, unspecified (I50.9)	1.7	—	—	—	—	—	—	0.4	0.4	2.7	13.4	29.3
HBP (I10, I12, I15) ¹⁶	13.7	—	—	—	—	0.4	—	2.9	6.7	13.6	69.5	305.1
Cerebrovascular disease (I60-I69) ¹¹	53.2	—	—	—	—	1.2	1.6	9.6	18.9	63.4	285.8	1,165.7
Subarachnoid hemorrhage (I60)	1.9	—	—	—	—	—	0.4	1.8	2.8	3.4	11.2	15.6
Intracerebral hemorrhage (I61-I62) ¹⁷	9.9	—	—	—	—	0.4	0.8	3.3	6.3	19.1	58.3	160.4
Cerebral infarction (I63)	2.1	—	—	—	—	—	0.4	1.1	0.8	2.0	7.8	48.9
Stroke (type not specified) (I64)	30.1	—	—	—	—	—	—	2.2	6.7	31.3	165.9	710.0
Atherosclerosis (I70)	1.9	—	—	—	—	—	—	—	0.4	2.0	9.0	48.9
Aortic aneurysm & dissection (I71)	3.1	—	—	—	—	—	—	—	2.4	5.5	24.7	46.9
Diseases of arteries (I72-I78) ¹⁸	3.7	—	—	—	—	—	—	0.4	2.4	5.5	25.8	64.5
Respiratory System Diseases (J00-J99)	78.6	9.0	—	0.4	0.4	0.4	5.6	21.0	57.6	199.0	518.9	1,050.3
Influenza & pneumonia (J09-J18)	11.7	4.5	—	0.4	—	—	2.0	5.2	5.9	13.6	51.5	242.5
Influenza (J09-J11)	0.1	—	—	—	—	—	—	0.4	—	—	—	2.0
Pneumonia (J12-J18)	11.6	4.5	—	0.4	—	—	2.0	4.8	5.9	13.6	51.5	240.6
Other acute lower resp. infect'ns (J20-J22)	0.1	—	—	—	—	—	—	—	0.4	—	—	—
Acute bronchitis (J20-J21) ¹⁹	0.1	—	—	—	—	—	—	—	0.4	—	—	—
Chronic lower respiratory dis. (J40-J47) ²⁰ ..	53.3	—	—	—	—	0.4	2.0	12.9	42.2	156.7	395.6	577.0
Bronchitis, chronic & unspec. (J40-J42)	0.5	—	—	—	—	—	—	—	0.8	—	3.4	9.8
Emphysema (J43)	5.0	—	—	—	—	—	—	0.4	6.3	19.8	34.7	39.1
Asthma (J45-J46)	2.4	—	—	—	—	0.4	1.2	3.3	2.0	2.7	5.6	37.2
Other CLRD (J44, J47)	45.3	—	—	—	—	—	0.8	9.2	33.2	134.2	351.9	490.9
Bronchiectasis (J47)	1.0	—	—	—	—	—	—	—	—	0.7	9.0	21.5
Pneumoconioses (J60-J66, J68) ²¹	0.1	—	—	—	—	—	—	—	—	0.7	—	2.0

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Pneumonitis due to solids & liquids (J69) ...	3.9	—	—	—	—	—	—	—	2.0	7.5	16.8	86.1
Digestive System Diseases (K00-K92) ...	35.9	—	—	—	0.4	1.2	7.6	25.1	43.8	72.9	189.4	418.5
Peptic ulcer (K25-K28)	1.5	—	—	—	—	—	—	0.4	0.4	4.8	9.0	23.5
Diseases of the appendix (K35-K38)	0.1	—	—	—	—	—	—	—	—	0.7	1.1	—
Appendicitis (K35-K37)	0.1	—	—	—	—	—	—	—	—	0.7	1.1	—
Hernia (K40-K46)	1.0	—	—	—	—	—	—	0.7	0.8	2.0	2.2	19.6
Vascular disorders of the intestine (K55)	4.6	—	—	—	—	—	—	1.5	3.9	10.9	37.0	50.9
Chronic liver disease (K70, K73-K74) ²²	9.7	—	—	—	—	1.2	4.8	14.7	25.7	23.9	25.8	15.6
Alcoholic liver disease (K70) ²³	6.0	—	—	—	—	1.2	4.4	12.5	19.3	10.2	3.4	—
Cholelithiasis (K80-K82) ²⁴	1.7	—	—	—	—	—	0.4	0.4	1.2	2.7	9.0	31.3
Diseases of the Skin (L00-L98)²⁵	1.9	—	—	—	—	0.4	—	0.4	3.2	4.1	11.2	21.5
Musculoskeletal Disease (M00-M99)²⁶	7.9	4.5	—	—	0.4	0.4	2.0	1.5	3.2	12.9	54.9	127.1
Genitourinary System Dis. (N00-N99)	17.0	—	—	—	0.4	0.8	0.4	5.5	9.5	31.3	86.3	316.8
Nephritis (N00-N07, N17-N19, N25-N27) ²⁷	10.0	—	—	—	—	0.4	—	1.8	5.1	19.8	50.4	195.6
Acute nephrotic syndrome ²⁸	0.1	—	—	—	—	—	—	—	—	—	—	2.0
Chronic nephritis ²⁹	2.1	—	—	—	—	0.4	—	0.4	0.4	2.0	5.6	58.7
Renal failure (N17-N19)	7.8	—	—	—	—	—	—	1.5	4.7	17.7	44.8	135.0
Other disorders of kidney (N25, N27)	—	—	—	—	—	—	—	—	—	—	—	—
Kidney infect'ns (N10-N12, N13.6, N15.1) ..	0.3	—	—	—	—	—	0.4	—	0.4	0.7	1.1	2.0
Urinary tract infection (N59.0)	5.6	—	—	—	—	—	—	2.9	3.9	9.5	25.8	101.7
Hyperplasia of prostate (N40)	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) ³⁰	0.3	—	—	—	0.4	—	—	0.4	—	—	3.4	2.0
Pregnancy & Childbirth (O00-O99)³¹	0.2	—	—	—	0.4	0.8	—	0.4	—	—	—	—
Perinatal Conditions (P00-P96)	2.3	197.9	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99)³² ..	2.8	116.9	2.2	1.2	—	0.4	1.2	1.8	2.4	1.4	3.4	3.9
Malformation of the heart (Q20-Q24)	1.0	40.5	2.2	0.4	—	0.4	0.8	—	0.8	—	1.1	2.0
Other malf. of the circul. sys. (Q25-Q28)	—	—	—	—	—	—	—	—	—	—	—	—
Malf. of the respiratory system (Q30-Q34)	0.1	4.5	—	—	—	—	—	0.4	—	—	—	—
Symptoms & Signs (R00-R99)³³	17.7	63.0	—	—	0.4	0.4	2.8	4.1	8.3	19.1	69.5	383.3
Senility (R54)	3.0	—	—	—	—	—	—	—	—	1.4	4.5	99.7
Sudden infant death syndrome (R95)	0.7	63.0	—	—	—	—	—	—	—	—	—	—
External Causes of Death (V01-Y89)	45.3	40.5	9.8	3.3	16.3	22.5	36.5	53.1	39.5	40.2	155.8	418.5
Accidents (V01-X59, Y85-Y86)	32.1	36.0	6.5	1.2	10.4	12.0	17.3	28.8	22.1	26.6	139.0	400.9
Transport accidents (V01-V99, Y85)	5.1	—	1.1	0.8	7.2	4.3	2.0	6.6	6.7	3.4	17.9	9.8
Motor vehicle acc. (Many codes) ³⁴	4.6	—	1.1	0.8	6.8	3.5	2.0	5.5	6.3	2.7	16.8	9.8

See footnotes at end of table.

TABLE 6-7f. Female Death Rates for Selected Causes by Age, Oregon Residents, 2010 — Continued

Causes of Death (and their ICD-10 codes) ¹	Rate ²	Age at Death										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Motor veh. traf. (Many codes) ³⁵	4.4	—	1.1	0.8	6.4	3.5	2.0	4.8	6.3	2.7	14.6	9.8
Water transport accidents (V90-V94)	—	—	—	—	—	—	—	—	—	—	—	—
Air transport accidents (V95-V97)	—	—	—	—	—	—	—	—	—	—	—	—
Nontransport accidents (W00-X59,Y86)	27.1	36.0	5.4	0.4	3.2	7.8	15.2	22.1	15.4	23.2	121.0	391.2
Falls (W00-W19)	14.6	—	1.1	—	0.8	—	1.6	0.4	3.6	8.9	88.5	336.4
Firearms (W32-W34)	—	—	—	—	—	—	—	—	—	—	—	—
Drowning & submersion (W65-W74) ..	0.5	—	1.1	—	—	0.8	—	0.7	0.8	—	2.2	—
Exposure to smoke & fire (X00-X09) ..	0.4	—	—	0.4	—	—	—	1.1	0.4	0.7	1.1	2.0
Poisoning (X40-X49) ³⁶	7.2	—	—	—	2.4	6.2	12.4	18.1	8.7	4.1	4.5	7.8
Suicide (X60-X84, Y87.0)	7.8	—	—	—	3.6	6.2	12.4	15.1	11.4	9.5	10.1	2.0
Poisoning (X60-X69)	3.3	—	—	—	1.2	1.9	6.4	7.7	4.7	2.7	3.4	—
Hanging/suffocation (X70)	1.5	—	—	—	2.0	1.6	2.0	1.5	2.8	1.4	1.1	2.0
Firearm discharge (X72-X74)	2.3	—	—	—	0.4	2.3	3.6	3.7	3.2	4.8	4.5	—
Homicide (X85-Y09, Y87.1)	2.5	—	2.2	2.1	0.8	1.9	3.2	4.4	3.6	1.4	2.2	3.9
Firearm discharge (X93-X95)	1.1	—	—	1.2	—	1.2	1.6	2.2	0.8	1.4	—	3.9
Legal intervention (Y35, Y89.0) ³⁷	0.2	—	1.1	—	—	0.8	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9)	2.1	4.5	—	—	1.6	1.6	3.6	4.1	2.4	1.4	1.1	3.9
War and its sequelae (Y36, Y89.1) ³⁸	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complications (Y40-Y84, Y88) ..	0.6	—	—	—	—	—	—	0.7	—	1.4	3.4	7.8
<i>Injury by firearms (Many codes)³⁹</i>	3.5	—	—	1.2	0.4	3.5	5.6	5.9	3.9	6.1	4.5	3.9
<i>Alcohol-induced deaths (Many codes)^{40,41}</i>	8.3	—	—	—	0.4	1.6	5.6	17.3	23.3	17.7	9.0	2.0
<i>Drug-induced deaths (Many codes)^{42,43}</i>	12.3	—	—	—	4.8	9.7	20.1	28.8	18.2	6.1	10.1	15.6
<i>Injury at work⁴⁴</i>	0.3	—	—	—	—	—	0.4	0.7	—	0.7	—	2.0

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Rates per 100,000 population.

³ Human immunodeficiency virus/Acquired immune deficiency syndrome.

⁴ Includes uterus, part unspecified.

⁵ Includes meninges and other parts of the central nervous system.

⁶ Includes immunoproliferative neoplasms.

⁷ Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁸ Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

⁹ Includes metabolic diseases.

¹⁰ Includes behavioral disorders.

¹¹ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular

- disease rubric are now counted as forms of organic dementia.
- 12 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 13 Includes acute rheumatic fever.
 - 14 The ICD-10 code is I25.0.
 - 15 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
 - 16 Hypertension with/without Renal Disease.
 - 17 Includes other intracranial hemorrhages.
 - 18 Includes diseases of the arterioles and capillaries.
 - 19 Includes acute bronchiolitis.
 - 20 Formerly chronic obstructive pulmonary disease (COPD).
 - 21 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
 - 22 Includes liver cirrhosis.
 - 23 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
 - 24 Includes other diseases of the gallbladder.
 - 25 Includes subcutaneous tissues.
 - 26 Includes connective tissue.
 - 27 Includes nephrotic syndrome and nephrosis.
 - 28 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
 - 29 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
 - 30 Inflammatory diseases of female pelvic organs.
 - 31 Includes the puerperium.
 - 32 includes congenital deformations and chromosomal abnormalities.
 - 33 Includes abnormal clinical and laboratory findings not elsewhere classified.
 - 34 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
 - 35 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
 - 36 Includes exposure to noxious substances.
 - 37 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This category may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
 - 38 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
 - 39 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that injuries included here are also included in other cause of death categories.
 - 40 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
 - 41 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively.
 - 42 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other causes, such as drug-induced hypoglycemia and drug-induced Parkinsonism, are also included here. Note that disorders included here are also included in other cause of death categories.
 - 43 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14.
 - 44 Recorded as a separate item on the death certificate by the Medical Examiner.
- Quantity is 0.