

TABLE 6-46t. Age-adjusted Death Rates¹ for Selected Causes, Oregon Residents, 2006-2010

Cause of Death	2006	2007	2008	2009	2010
Total	784.5	771.6	772.8	739.7	735.0
Infectious & parasitic disease (A00-B99)	12.7	14.9	13.7	14.4	14.8
Septicemia (A40-A41)	4.8	5.7	5.4	5.3	5.2
Viral hepatitis (B15-B19)	2.2	4.2	3.8	3.9	3.8
HIV disease (B20-B24) ²	1.4	1.5	1.0	1.1	1.2
Malignant neoplasms (C00-C97)	185.7	184.7	182.8	176.7	177.9
Lip, oral & pharynx (C00-C14)	2.4	2.3	2.6	2.4	2.2
Esophagus (C15)	5.2	5.1	4.6	4.6	4.4
Stomach (C16)	2.9	2.9	2.6	2.1	3.0
Colon, rectum & anus (C18-C21)	15.8	17.8	16.3	15.4	15.2
Liver & intrahepatic bile duct (C22)	4.6	4.8	5.6	6.2	6.1
Pancreas (C25)	11.8	11.8	11.5	10.2	11.6
Trachea, bronchus & lung (C33-C34)	54.7	51.5	51.4	49.6	48.5
Melanoma of skin (C43)	3.0	2.9	3.1	3.6	3.4
Breast (C50)	13.0	12.1	12.6	10.6	12.7
Cervix uteri (C53)	0.9	0.8	1.2	1.0	0.9
Corpus uteri (C54-C55) ²	2.3	2.2	2.2	2.0	2.4
Ovary (C56)	5.4	5.3	5.0	5.0	5.1
Prostate (C61)	10.6	10.3	10.8	10.4	9.3
Kidney & renal pelvis (C64-C65)	4.1	3.3	4.1	4.1	4.3
Bladder (C67)	4.3	4.7	4.8	4.8	5.1
Brain, etc. (C70-C72) ²	4.4	5.3	4.9	5.6	4.7
Lymphoid & hematopoietic (C81-C96)	18.9	18.7	18.8	17.8	17.8
Non-Hodgkin's lymphoma (C82-C85)	6.8	7.0	7.0	6.5	7.0
Leukemia (C91-C95)	7.8	6.8	7.5	7.2	7.0
Lymphoid leukemia (C91)	2.5	2.3	2.1	2.6	2.1
Myeloid leukemia (C92) ²	3.7	3.2	4.1	3.4	3.5
Multiple myeloma (C88, C90)	4.0	4.5	3.9	3.5	3.5
Anemias (D50-D64)	1.1	1.4	1.7	1.2	1.4
Diabetes mellitus (E10-E14)	28.9	27.9	24.8	25.3	24.2
Organic dementia (F01, F03) ²	32.2	33.2	38.3	37.8	41.6
Amyotrophic lateral sclerosis (G12.2)	2.7	2.3	3.0	2.7	2.8
Parkinson's disease (G20-G21)	8.7	8.1	8.7	8.3	8.5
Alzheimer's disease (G30)	29.5	28.0	30.5	27.7	28.7
Major cardiovascular diseases (I00-I78)	231.1	222.5	218.3	204.6	198.1
Heart disease (I00-I09, I11, I13, I20-I51)	162.6	159.7	154.4	143.0	139.7
Rheumatic heart disease (I00-I09) ²	1.9	1.5	1.5	1.6	1.3
Hypertensive heart disease (I11)	6.0	5.6	6.1	5.8	5.3
Hypertensive heart & renal disease (I13)	1.1	0.8	0.7	0.9	0.8
Ischemic heart disease (I20-I25)	100.6	95.4	92.6	84.5	79.9
Myocardial infarction (I21-I22)	32.3	31.2	31.0	27.2	25.3
Chronic ischemic heart disease (I20, I25)	67.7	63.6	61.0	56.6	54.0
Atherosclerotic cardiovascular dis. (I25.0) ²	6.8	6.0	5.5	4.2	4.2
Other chr. isch. hrt. dis. (I20, I25.1-I25.9) ²	60.9	57.6	55.5	52.4	49.8
Nonrheumatic mitral valve disease (I34)	1.4	1.8	1.3	1.1	1.2
Nonrheumatic aortic valve disease (I35)	8.5	9.7	8.4	8.4	8.7
Heart failure (I50)	18.7	16.7	16.9	14.8	15.4
Hypertension & hyp. renal disease (I10, I12, I15)	8.9	8.6	9.5	9.5	9.8
Cerebrovascular disease (I60-I69) ²	48.8	44.5	45.6	44.0	40.5
Subarachnoid hemorrhage (I60)	1.9	1.9	1.5	1.4	1.5
Intracerebral hemorrhage (I61-I62) ²	8.4	8.6	9.0	8.8	8.4
Cerebral infarction (I63)	2.1	2.1	1.6	1.6	1.8
Stroke (type not specified) (I64)	27.0	22.0	23.8	24.0	21.7

See footnotes at end of table.

TABLE 6-46t. Age-adjusted Death Rates¹ for Selected Causes, Oregon Residents, 2006-2010 — Continued

Cause of Death	2006	2007	2008	2009	2010
Atherosclerosis (I70)	2.8	3.0	2.2	1.8	1.6
Aortic aneurysm & dissection (I71)	5.3	4.2	3.6	3.7	3.5
Diseases of arteries (I72-I78) ²	2.6	2.5	2.9	2.7	2.9
Influenza & pneumonia (J09-J18)	12.7	11.4	12.3	12.0	9.3
Pneumonia (J12-J18)	12.6	11.3	11.8	10.4	9.2
Chronic lower respiratory disease (J40-J47) ²	46.8	47.5	48.2	46.4	46.5
Emphysema (J43)	5.6	6.1	5.8	5.6	5.0
Asthma (J45-J46)	1.9	1.6	1.6	1.7	1.4
Other CLRD (J44, J47)	39.1	39.5	40.5	39.0	39.8
Pneumonitis from solids & liquids (J69)	4.0	4.8	3.8	3.5	3.9
Peptic ulcer (K25-K28)	1.6	1.0	1.0	1.0	1.2
Vascular disorders of the intestine (K55)	3.1	2.6	3.0	2.6	3.1
Chronic liver disease & cirrhosis (K70, K73-K74) ²	10.6	11.3	11.1	11.8	11.4
Alcoholic liver disease (K70) ²	7.2	8.1	7.3	8.6	8.1
Cholelithiasis (K80-K82) ²	1.0	1.0	1.3	1.3	1.3
Musculoskeletal disease (M00-M99) ²	7.3	5.8	5.4	5.2	5.0
Genitourinary system disease (N00-N99)	14.2	16.1	13.9	13.6	13.7
Nephritis (N00-N07, N17-N19, N25-N27) ²	8.9	10.5	9.7	9.1	9.0
Renal failure (N17-N19)	7.9	9.2	8.3	7.5	7.5
Urinary tract infection (N59.0)	3.9	4.1	2.7	2.9	3.5
Perinatal conditions (P00-P96)	3.4	3.9	3.4	3.3	3.2
Congenital malformations (Q00-Q99) ²	3.7	3.4	3.6	2.6	3.2
Malformation of the heart (Q20-Q24)	1.1	0.8	1.1	0.7	1.0
Symptoms & signs NEC (R00-R99) ²	14.8	14.4	15.7	15.6	13.6
Unintentional injuries (V01-X59, Y85-Y86)	40.7	41.7	42.4	38.8	37.8
Transport accidents (V01-V99, Y85)	14.7	14.4	12.9	11.1	9.0
Motor vehicle accidents (many codes) ²	13.4	12.9	11.5	9.9	8.1
Motor vehicle traffic accidents (many codes) ²	12.7	12.1	10.6	9.3	7.7
Water & air, etc. (V90-V99, Y85)	1.0	1.0	1.0	0.9	0.6
Nontransport accidents (W00-X59, Y86)	26.0	27.2	29.5	27.7	28.8
Falls (W00-W19)	8.6	9.8	10.7	10.8	12.1
Drowning & submersion (W65-W74)	1.8	1.8	2.0	1.5	1.5
Exposure to smoke & fire (X00-X09)	0.7	0.9	0.8	0.6	*
Poisoning (X40-X49) ²	8.2	9.5	10.7	10.1	9.8
Suicide (X60-X84, Y87.0)	15.1	15.6	14.7	16.1	17.1
Poisoning (X60-X69)	3.3	2.9	2.5	3.0	3.5
Hanging/suffocation (X70)	2.6	2.7	3.0	3.3	3.1
Firearm discharge (X72-X74)	8.1	8.4	8.1	8.5	9.3
Homicide (X85-Y09, Y87.1)	3.0	2.1	2.6	2.6	2.9
Firearm discharge (X93-X95)	1.6	1.1	1.2	1.4	1.5
Undetermined intent (Y10-Y34, Y87.2, Y89.9)	2.8	3.2	2.1	2.4	2.6
Alcohol-induced (many codes) ²	11.7	13.1	12.9	13.4	13.0
Drug-induced (many codes) ²	15.2	14.6	14.0	14.5	14.5
Injury by firearms (many codes) ²	10.1	10.0	9.8	10.3	11.4

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

TABLE 6-46m. Age-adjusted Death Rates¹ for Selected Causes, Oregon Resident Males, 2006-2010

Cause of Death	2006	2007	2008	2009	2010
Total	907.6	897.0	903.7	860.4	849.2
Infectious & parasitic disease (A00-B99)	15.8	17.7	16.5	18.4	16.5
Septicemia (A40-A41)	5.4	6.0	5.9	6.1	4.9
Viral hepatitis (B15-B19)	3.0	5.4	4.8	5.7	4.9
HIV disease (B20-B24) ²	2.5	2.5	1.8	1.8	2.3
Malignant neoplasms (C00-C97)	214.7	219.4	214.2	210.3	206.5
Lip, oral & pharynx (C00-C14)	3.7	3.9	4.0	3.1	3.4
Esophagus (C15)	9.2	9.1	7.9	8.1	7.6
Stomach (C16)	3.6	4.6	3.4	3.0	3.8
Colon, rectum & anus (C18-C21)	17.7	21.2	18.3	18.0	18.1
Liver & intrahepatic bile duct (C22)	6.4	6.3	8.2	9.1	9.2
Pancreas (C25)	13.1	13.2	12.1	11.3	13.5
Trachea, bronchus & lung (C33-C34)	64.0	60.4	61.7	57.5	56.2
Melanoma of skin (C43)	4.3	4.0	4.2	4.3	4.7
Breast (C50)	*	*	*	*	-
Cervix uteri (C53)	-	-	-	-	-
Corpus uteri (C54-C55) ²	-	-	-	-	-
Ovary (C56)	-	-	-	-	-
Prostate (C61)	26.0	25.4	25.9	24.9	22.3
Kidney & renal pelvis (C64-C65)	6.0	4.7	6.0	5.8	6.2
Bladder (C67)	6.9	7.8	8.2	8.6	8.8
Brain, etc. (C70-C72) ²	5.1	6.6	5.8	7.8	5.5
Lymphoid & hematopoietic (C81-C96)	23.5	24.4	24.4	23.2	22.3
Non-Hodgkin's lymphoma (C82-C85)	8.0	9.1	8.6	8.5	9.1
Leukemia (C91-C95)	10.8	8.2	9.9	9.8	8.1
Lymphoid leukemia (C91)	3.8	2.8	2.9	3.6	2.4
Myeloid leukemia (C92) ²	5.0	4.0	5.3	4.2	4.4
Multiple myeloma (C88, C90)	4.2	6.5	5.3	4.3	4.6
Anemias (D50-D64)	1.3	1.6	1.7	*	1.4
Diabetes mellitus (E10-E14)	33.0	32.7	31.1	29.7	30.0
Organic dementia (F01, F03) ²	26.1	29.0	31.0	32.4	36.2
Amyotrophic lateral sclerosis (G12.2)	3.0	2.3	3.6	2.8	2.8
Parkinson's disease (G20-G21)	11.9	11.8	12.4	14.0	12.8
Alzheimer's disease (G30)	24.6	21.3	24.2	23.5	23.9
Major cardiovascular diseases (I00-I78)	279.9	266.7	264.3	245.1	237.7
Heart disease (I00-I09, I11, I13, I20-I51)	208.0	199.6	196.9	180.8	176.2
Rheumatic heart disease (I00-I09) ²	*	1.3	*	1.3	1.3
Hypertensive heart disease (I11)	5.1	4.8	5.6	5.4	5.4
Hypertensive heart & renal disease (I13)	*	*	*	*	*
Ischemic heart disease (I20-I25)	143.9	132.9	131.6	118.9	112.7
Myocardial infarction (I21-I22)	44.8	42.0	41.7	35.2	33.6
Chronic ischemic heart disease (I20, I25)	98.3	90.2	89.0	83.0	78.4
Atherosclerotic cardiovascular dis. (I25.0) ²	9.0	7.3	7.7	5.7	6.2
Other chr. isch. hrt. dis. (I20, I25.1-I25.9) ²	89.4	82.9	81.3	77.3	72.2
Nonrheumatic mitral valve disease (I34)	1.4	2.0	*	1.5	1.2
Nonrheumatic aortic valve disease (I35)	8.2	10.2	9.0	8.6	9.0
Heart failure (I50)	21.4	17.3	19.2	15.6	16.3
Hypertension & hyp. renal disease (I10, I12, I15)	8.3	8.5	10.2	9.2	9.5
Cerebrovascular disease (I60-I69) ²	50.6	46.4	45.8	46.1	42.2
Subarachnoid hemorrhage (I60)	1.3	1.9	*	*	1.5
Intracerebral hemorrhage (I61-I62) ²	8.9	9.5	10.4	10.7	9.4
Cerebral infarction (I63)	2.3	2.3	1.8	1.5	2.0
Stroke (type not specified) (I64)	27.9	21.5	22.5	23.6	21.5

See footnotes at end of table.

TABLE 6-46m. Age-adjusted Death Rates¹ for Selected Causes, Oregon Resident Males, 2006-2010 — Continued

Cause of Death	2006	2007	2008	2009	2010
Atherosclerosis (I70)	3.3	3.8	2.7	1.9	1.8
Aortic aneurysm & dissection (I71)	6.9	5.8	5.3	4.2	4.9
Diseases of arteries (I72-I78) ²	2.8	2.6	3.4	2.9	3.2
Influenza & pneumonia (J09-J18)	16.0	13.9	15.2	13.8	10.6
Pneumonia (J12-J18)	15.8	13.7	14.7	12.0	10.5
Chronic lower respiratory disease (J40-J47) ²	53.0	53.7	56.5	51.0	51.6
Emphysema (J43)	6.2	6.9	7.6	6.4	6.3
Asthma (J45-J46)	1.9	1.3	1.2	1.3	*
Other CLRD (J44, J47)	44.9	45.4	47.2	43.2	44.3
Pneumonitis from solids & liquids (J69)	5.2	6.4	4.9	4.8	5.7
Peptic ulcer (K25-K28)	1.4	1.4	1.3	1.1	1.2
Vascular disorders of the intestine (K55)	2.5	2.2	2.1	2.3	2.4
Chronic liver disease & cirrhosis (K70, K73-K74) ²	14.0	14.7	14.4	15.8	14.8
Alcoholic liver disease (K70) ²	10.6	11.1	9.9	12.0	11.2
Cholelithiasis (K80-K82) ²	1.2	*	1.3	1.7	1.3
Musculoskeletal disease (M00-M99) ²	5.4	4.2	4.6	3.7	3.2
Genitourinary system disease (N00-N99)	16.5	16.5	16.5	14.9	15.6
Nephritis (N00-N07, N17-N19, N25-N27) ²	10.9	11.9	12.0	10.5	11.4
Renal failure (N17-N19)	9.9	10.2	10.4	8.1	9.8
Urinary tract infection (N39.0)	3.3	2.7	2.3	2.7	2.8
Perinatal conditions (P00-P96)	3.8	4.0	3.6	3.4	3.7
Congenital malformations (Q00-Q99) ²	3.7	3.2	3.7	2.8	3.4
Malformation of the heart (Q20-Q24)	1.3	*	1.1	*	*
Symptoms & signs NEC (R00-R99) ²	14.9	14.5	15.5	14.6	13.7
Unintentional injuries (V01-X59, Y85-Y86)	54.6	55.9	57.1	50.6	49.1
Transport accidents (V01-V99, Y85)	20.9	21.5	18.1	16.1	13.3
Motor vehicle accidents (many codes) ²	18.9	19.2	15.6	14.1	12.0
Motor vehicle traffic accidents (many codes) ²	17.6	17.9	14.3	13.0	11.4
Water & air, etc. (V90-V99, Y85)	1.7	1.5	1.8	1.6	*
Nontransport accidents (W00-X59, Y86)	33.7	34.3	39.0	34.5	35.8
Falls (W00-W19)	10.7	11.3	13.0	11.6	14.1
Drowning & submersion (W65-W74)	2.7	2.9	3.5	2.3	2.7
Exposure to smoke & fire (X00-X09)	*	*	1.2	*	*
Poisoning (X40-X49) ²	10.0	12.2	14.6	13.3	12.4
Suicide (X60-X84, Y87.0)	23.8	24.9	23.5	24.8	27.2
Poisoning (X60-X69)	3.0	3.6	2.8	3.1	3.8
Hanging/suffocation (X70)	4.1	4.1	4.7	5.1	4.8
Firearm discharge (X72-X74)	14.8	14.9	14.6	14.9	16.8
Homicide (X85-Y09, Y87.1)	4.2	3.2	4.1	3.3	3.3
Firearm discharge (X93-X95)	2.4	1.7	2.0	1.9	1.9
Undetermined intent (Y10-Y34, Y87.2, Y89.9)	3.3	3.2	2.3	2.6	3.2
Alcohol-induced (many codes) ²	17.9	18.8	18.5	19.7	19.2
Drug-induced (many codes) ²	17.4	16.9	17.0	17.4	17.1
Injury by firearms (many codes) ²	17.9	17.5	17.3	17.6	19.8

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

— Quantity is zero.

TABLE 6-46f. Age-adjusted Death Rates¹ for Selected Causes, Oregon Resident Females, 2006-2010

Cause of Death	2006	2007	2008	2009	2010
Total	683.4	664.4	662.2	637.8	637.9
Infectious & parasitic disease (A00-B99)	9.9	12.1	10.9	10.9	13.2
Septicemia (A40-A41)	4.5	5.4	5.1	4.8	5.4
Viral hepatitis (B15-B19)	1.4	3.1	2.7	2.2	2.7
HIV disease (B20-B24) ²	*	*	*	*	—
Malignant neoplasms (C00-C97)	165.8	159.6	159.4	152.4	156.7
Lip, oral & pharynx (C00-C14)	1.3	1.0	1.3	1.8	1.2
Esophagus (C15)	2.1	1.9	1.8	1.6	1.7
Stomach (C16)	2.5	1.5	1.9	1.5	2.3
Colon, rectum & anus (C18-C21)	14.2	14.9	14.5	13.3	12.8
Liver & intrahepatic bile duct (C22)	3.0	3.6	3.2	3.6	3.3
Pancreas (C25)	10.8	10.6	10.8	9.3	10.0
Trachea, bronchus & lung (C33-C34)	47.7	44.5	43.2	43.6	42.5
Melanoma of skin (C43)	2.0	2.0	2.3	3.0	2.4
Breast (C50)	23.8	21.9	22.9	19.4	23.7
Cervix uteri (C53)	1.7	1.6	2.4	1.9	1.7
Corpus uteri (C54-C55) ²	4.2	4.0	4.0	3.6	4.4
Ovary (C56)	9.9	9.7	9.2	9.3	9.4
Prostate (C61)	—	—	—	—	—
Kidney & renal pelvis (C64-C65)	2.5	2.3	2.5	2.6	2.8
Bladder (C67)	2.5	2.5	2.4	2.0	2.3
Brain, etc. (C70-C72) ²	3.8	4.2	4.2	3.6	3.9
Lymphoid & hematopoietic (C81-C96)	15.4	14.3	14.7	13.5	14.3
Non-Hodgkin's lymphoma (C82-C85)	5.8	5.4	5.8	4.9	5.3
Leukemia (C91-C95)	5.4	5.5	5.8	5.3	6.0
Lymphoid leukemia (C91)	1.5	1.9	1.6	1.8	1.8
Myeloid leukemia (C92) ²	2.9	2.5	3.3	2.8	2.8
Multiple myeloma (C88, C90)	3.8	2.9	2.7	2.9	2.7
Anemias (D50-D64)	0.9	1.3	1.9	1.4	1.4
Diabetes mellitus (E10-E14)	25.7	23.5	19.8	21.4	19.4
Organic dementia (F01, F03) ²	35.4	35.6	42.4	40.8	44.6
Amyotrophic lateral sclerosis (G12.2)	2.4	2.3	2.4	2.6	2.7
Parkinson's disease (G20-G21)	6.5	5.6	6.2	4.4	5.5
Alzheimer's disease (G30)	32.3	32.2	34.3	30.1	31.9
Major cardiovascular diseases (I00-I78)	191.5	185.1	180.5	170.8	165.0
Heart disease (I00-I09, I11, I13, I20-I51)	126.7	126.8	120.7	112.2	110.3
Rheumatic heart disease (I00-I09) ²	2.6	1.7	1.8	1.9	1.3
Hypertensive heart disease (I11)	6.4	5.9	6.1	5.8	5.0
Hypertensive heart & renal disease (I13)	1.1	0.9	*	0.9	0.9
Ischemic heart disease (I20-I25)	67.1	65.0	62.3	57.2	53.7
Myocardial infarction (I21-I22)	22.5	22.4	22.5	20.5	18.6
Chronic ischemic heart disease (I20, I25)	44.2	42.2	39.5	36.2	34.8
Atherosclerotic cardiovascular dis. (I25.0) ²	5.0	4.7	3.8	3.0	2.6
Other chr. isch. hrt. dis. (I20, I25.1-I25.9) ²	39.2	37.5	35.7	33.2	32.2
Nonrheumatic mitral valve disease (I34)	1.4	1.7	1.6	0.9	1.1
Nonrheumatic aortic valve disease (I35)	8.7	9.3	7.9	8.2	8.4
Heart failure (I50)	16.9	16.2	15.4	14.0	14.6
Hypertension & hyp. renal disease (I10, I12, I15)	9.0	8.2	8.5	9.3	9.8
Cerebrovascular disease (I60-I69) ²	46.8	42.5	44.6	42.1	38.4
Subarachnoid hemorrhage (I60)	2.5	1.9	1.9	1.8	1.5
Intracerebral hemorrhage (I61-I62) ²	7.8	7.7	8.0	7.3	7.5
Cerebral infarction (I63)	2.0	1.9	1.5	1.6	1.5
Stroke (type not specified) (I64)	25.9	22.0	24.1	24.0	21.4

See footnotes at end of table.

TABLE 6-46f. Age-adjusted Death Rates¹ for Selected Causes, Oregon Resident Females, 2006-2010 — Continued

Cause of Death	2006	2007	2008	2009	2010
Atherosclerosis (I70)	2.5	2.3	1.8	1.7	1.3
Aortic aneurysm & dissection (I71)	4.1	3.0	2.4	3.2	2.4
Diseases of arteries (I72-I78) ²	2.4	2.3	2.5	2.4	2.8
Influenza & pneumonia (J09-J18)	10.7	9.7	10.4	10.5	8.6
Pneumonia (J12-J18)	10.5	9.5	10.0	9.2	8.6
Chronic lower respiratory disease (J40-J47) ²	42.8	43.2	42.4	43.6	42.8
Emphysema (J43)	5.2	5.6	4.5	5.1	4.1
Asthma (J45-J46)	1.9	1.8	1.8	1.9	1.9
Other CLRD (J44, J47)	35.4	35.5	35.9	36.4	36.5
Pneumonitis from solids & liquids (J69)	3.3	3.6	3.1	2.7	2.8
Peptic ulcer (K25-K28)	1.7	*	0.8	0.9	1.2
Vascular disorders of the intestine (K55)	3.5	2.9	3.7	2.9	3.7
Chronic liver disease & cirrhosis (K70, K73-K74) ²	7.5	8.0	8.0	8.1	8.1
Alcoholic liver disease (K70) ²	4.1	5.2	4.9	5.3	5.1
Cholelithiasis (K80-K82) ²	0.8	1.1	1.3	1.0	1.3
Musculoskeletal disease (M00-M99) ²	8.8	6.9	5.9	6.3	6.3
Genitourinary system disease (N00-N99)	12.7	15.9	12.0	12.8	12.7
Nephritis (N00-N07, N17-N19, N25-N27) ²	7.4	9.6	8.0	8.3	7.3
Renal failure (N17-N19)	6.5	8.6	6.8	7.2	5.9
Urinary tract infection (N59.0)	4.4	5.0	2.9	3.0	4.1
Perinatal conditions (P00-P96)	3.1	3.8	3.1	3.1	2.7
Congenital malformations (Q00-Q99) ²	3.7	3.5	3.4	2.3	2.9
Malformation of the heart (Q20-Q24)	*	*	1.1	*	*
Symptoms & signs NEC (R00-R99) ²	14.1	13.9	15.2	15.8	13.0
Unintentional injuries (V01-X59, Y85-Y86)	28.0	27.8	28.6	27.0	26.9
Transport accidents (V01-V99, Y85)	8.6	7.7	7.9	6.2	4.7
Motor vehicle accidents (many codes) ²	8.1	6.8	7.5	5.9	4.3
Motor vehicle traffic accidents (many codes) ²	7.9	6.5	7.1	5.7	4.0
Water & air, etc. (V90-V99, Y85)	*	*	*	*	*
Nontransport accidents (W00-X59, Y86)	19.4	20.1	20.8	20.8	22.2
Falls (W00-W19)	6.9	8.2	8.9	9.8	10.6
Drowning & submersion (W65-W74)	*	*	*	*	*
Exposure to smoke & fire (X00-X09)	*	*	*	*	*
Poisoning (X40-X49) ²	6.4	6.6	6.9	6.8	7.0
Suicide (X60-X84, Y87.0)	7.0	6.9	6.4	7.9	7.5
Poisoning (X60-X69)	3.6	2.3	2.2	2.9	3.3
Hanging/suffocation (X70)	1.1	1.3	1.2	1.7	1.4
Firearm discharge (X72-X74)	1.9	2.5	2.2	2.5	2.2
Homicide (X85-Y09, Y87.1)	1.7	*	1.1	1.9	2.5
Firearm discharge (X93-X95)	*	*	*	*	1.1
Undetermined intent (Y10-Y34, Y87.2, Y89.9)	2.4	3.2	2.0	2.2	2.0
Alcohol-induced (many codes) ²	6.0	7.8	7.7	7.4	7.2
Drug-induced (many codes) ²	13.1	12.4	11.0	11.5	11.8
Injury by firearms (many codes) ²	2.9	3.0	2.7	3.4	3.4

¹ Age-adjusted rates are per 100,000 population based on the US year 2000 standard; calculations use Portland State University Center for Population Research age and sex population estimates.

² See footnote for this cause in Table 6-6.

* Age-adjusted rates are not calculated when fewer than 20 deaths were recorded, as the rate would be unreliable.

— Quantity is zero.