

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | NS |
|--|--------|--------------|-----|------|-------|-------|-------|-------|-------|-------|-------|--------|----|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| Total* | 32,731 | 210 | 56 | 63 | 296 | 464 | 802 | 2,040 | 4,191 | 5,339 | 7,974 | 11,293 | 3 |
| Male | 16,449 | 110 | 33 | 31 | 237 | 322 | 511 | 1,195 | 2,579 | 3,043 | 4,032 | 4,355 | 1 |
| Female | 16,282 | 100 | 23 | 32 | 59 | 142 | 291 | 845 | 1,612 | 2,296 | 3,942 | 6,938 | 2 |
| Infections & Parasitic Disease (A00-B99) | 640 | 6 | 3 | 2 | 3 | 8 | 14 | 101 | 162 | 98 | 122 | 121 | — |
| Male | 373 | 4 | 2 | — | 2 | 7 | 8 | 65 | 117 | 54 | 60 | 54 | — |
| Female | 267 | 2 | 1 | 2 | 1 | 1 | 6 | 36 | 45 | 44 | 62 | 67 | — |
| Tuberculosis (A16-A19) | 4 | — | — | — | — | 1 | — | — | 1 | 1 | — | 1 | — |
| Male | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Female | 3 | — | — | — | — | — | — | — | 1 | 1 | — | 1 | — |
| Meningococcal infection (A39) | 2 | 1 | — | — | — | — | — | — | — | 1 | — | — | — |
| Male | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — |
| Female | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Septicemia (A40-A41) | 203 | 1 | 1 | — | 3 | 2 | 1 | 18 | 33 | 39 | 58 | 47 | — |
| Male | 108 | 1 | 1 | — | 2 | 1 | — | 10 | 20 | 21 | 30 | 22 | — |
| Female | 95 | — | — | — | 1 | 1 | 1 | 8 | 13 | 18 | 28 | 25 | — |
| Creutzfeldt-Jacob disease (A81.0) | 18 | — | — | — | — | — | — | 4 | 3 | 8 | 1 | 2 | — |
| Male | 7 | — | — | — | — | — | — | 2 | — | 3 | — | 2 | — |
| Female | 11 | — | — | — | — | — | — | 2 | 3 | 5 | 1 | — | — |
| Viral hepatitis (B15-B19) | 184 | — | — | — | — | — | 5 | 58 | 93 | 19 | 7 | 2 | — |
| Male | 127 | — | — | — | — | — | 2 | 37 | 72 | 13 | 3 | — | — |
| Female | 57 | — | — | — | — | — | 3 | 21 | 21 | 6 | 4 | 2 | — |
| HIV/AIDS (B20-B24) ² | 38 | — | — | — | — | 2 | 7 | 13 | 12 | 4 | — | — | — |
| Male | 34 | — | — | — | — | 2 | 6 | 11 | 11 | 4 | — | — | — |
| Female | 4 | — | — | — | — | — | 1 | 2 | 1 | — | — | — | — |
| Malignant Neoplasms (C00-C97) | 7,768 | 1 | 5 | 11 | 18 | 36 | 148 | 558 | 1,488 | 1,989 | 2,071 | 1,443 | — |
| Male | 4,046 | 1 | 3 | 5 | 13 | 16 | 68 | 262 | 821 | 1,074 | 1,073 | 710 | — |
| Female | 3,722 | — | 2 | 6 | 5 | 20 | 80 | 296 | 667 | 915 | 998 | 733 | — |
| Lip, oral cavity & pharynx (C00-C14) | 107 | — | — | — | — | 1 | 1 | 7 | 25 | 32 | 24 | 17 | — |
| Male | 70 | — | — | — | — | — | 1 | 2 | 19 | 23 | 15 | 10 | — |
| Female | 37 | — | — | — | — | 1 | — | 5 | 6 | 9 | 9 | 7 | — |
| Digestive Organs (C15-C26) | 1,916 | — | — | — | — | 3 | 40 | 169 | 436 | 476 | 458 | 334 | — |
| Male | 1,062 | — | — | — | — | 1 | 24 | 101 | 284 | 275 | 247 | 130 | — |
| Female | 854 | — | — | — | — | 2 | 16 | 68 | 152 | 201 | 211 | 204 | — |
| Esophagus (C15) | 190 | — | — | — | — | — | 3 | 21 | 52 | 40 | 53 | 21 | — |
| Male | 147 | — | — | — | — | — | 2 | 13 | 43 | 36 | 43 | 10 | — |
| Female | 43 | — | — | — | — | — | 1 | 8 | 9 | 4 | 10 | 11 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | NS |
|--|-------|--------------|-----|------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| Stomach (C16) | 113 | — | — | — | — | — | 3 | 10 | 22 | 33 | 26 | 19 | — |
| Male | 69 | — | — | — | — | — | 2 | 7 | 14 | 21 | 18 | 7 | — |
| Female | 44 | — | — | — | — | — | 1 | 3 | 8 | 12 | 8 | 12 | — |
| Colon, rectum & anus (C18-C21) | 725 | — | — | — | — | 1 | 22 | 75 | 114 | 157 | 181 | 175 | — |
| Male | 358 | — | — | — | — | — | 12 | 41 | 67 | 85 | 86 | 67 | — |
| Female | 367 | — | — | — | — | 1 | 10 | 34 | 47 | 72 | 95 | 108 | — |
| Colon (C18) | 547 | — | — | — | — | 1 | 14 | 45 | 83 | 117 | 140 | 147 | — |
| Male | 270 | — | — | — | — | — | 9 | 25 | 50 | 59 | 69 | 58 | — |
| Female | 277 | — | — | — | — | 1 | 5 | 20 | 33 | 58 | 71 | 89 | — |
| Rectosigmoid junction (C19) | 42 | — | — | — | — | — | 4 | 7 | 6 | 9 | 9 | 7 | — |
| Male | 22 | — | — | — | — | — | 2 | 3 | 5 | 7 | 5 | — | — |
| Female | 20 | — | — | — | — | — | 2 | 4 | 1 | 2 | 4 | 7 | — |
| Rectum (C20) | 114 | — | — | — | — | — | 3 | 21 | 17 | 29 | 27 | 17 | — |
| Male | 62 | — | — | — | — | — | 1 | 12 | 9 | 19 | 12 | 9 | — |
| Female | 52 | — | — | — | — | — | 2 | 9 | 8 | 10 | 15 | 8 | — |
| Liver & intrahepatic bile ducts (C22) | 291 | — | — | — | — | 1 | 5 | 26 | 114 | 70 | 51 | 24 | — |
| Male | 199 | — | — | — | — | — | 3 | 18 | 88 | 48 | 33 | 9 | — |
| Female | 92 | — | — | — | — | 1 | 2 | 8 | 26 | 22 | 18 | 15 | — |
| Pancreas (C25) | 503 | — | — | — | — | 1 | 7 | 35 | 113 | 149 | 120 | 78 | — |
| Male | 255 | — | — | — | — | 1 | 5 | 21 | 63 | 77 | 57 | 31 | — |
| Female | 248 | — | — | — | — | — | 2 | 14 | 50 | 72 | 63 | 47 | — |
| Respiratory, intrathoracic organs (C30-C39) ... | 2,091 | — | — | — | — | 1 | 10 | 120 | 400 | 661 | 630 | 269 | — |
| Male | 1,081 | — | — | — | — | — | 4 | 61 | 219 | 357 | 311 | 129 | — |
| Female | 1,010 | — | — | — | — | 1 | 6 | 59 | 181 | 304 | 319 | 140 | — |
| Larynx (C32) | 33 | — | — | — | — | — | — | 2 | 9 | 11 | 7 | 4 | — |
| Male | 27 | — | — | — | — | — | — | 2 | 8 | 8 | 6 | 3 | — |
| Female | 6 | — | — | — | — | — | — | — | 1 | 3 | 1 | 1 | — |
| Trachea, bronchus & lung (C33-C34) | 2,046 | — | — | — | — | 1 | 10 | 117 | 389 | 646 | 620 | 263 | — |
| Male | 1,047 | — | — | — | — | — | 4 | 58 | 210 | 348 | 303 | 124 | — |
| Female | 999 | — | — | — | — | 1 | 6 | 59 | 179 | 298 | 317 | 139 | — |
| Bronchus & lung (C34) | 2,045 | — | — | — | — | 1 | 10 | 117 | 389 | 646 | 620 | 262 | — |
| Male | 1,047 | — | — | — | — | — | 4 | 58 | 210 | 348 | 303 | 124 | — |
| Female | 998 | — | — | — | — | 1 | 6 | 59 | 179 | 298 | 317 | 138 | — |
| Skin (C43-C44) | 197 | — | — | — | 1 | 4 | 7 | 22 | 44 | 47 | 36 | 36 | — |
| Male | 128 | — | — | — | 1 | 3 | 3 | 12 | 30 | 32 | 24 | 23 | — |
| Female | 69 | — | — | — | — | 1 | 4 | 10 | 14 | 15 | 12 | 13 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | NS |
|--|-------|--------------|-----|------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| Melanoma of skin (C43) | 153 | — | — | — | 1 | 4 | 7 | 18 | 37 | 37 | 25 | 24 | — |
| Male | 100 | — | — | — | 1 | 3 | 3 | 11 | 24 | 26 | 16 | 16 | — |
| Female | 53 | — | — | — | — | 1 | 4 | 7 | 13 | 11 | 9 | 8 | — |
| Mesothelioma (C45) | 41 | — | — | — | — | — | — | — | 2 | 12 | 15 | 12 | — |
| Male | 28 | — | — | — | — | — | — | — | 2 | 9 | 8 | 9 | — |
| Female | 13 | — | — | — | — | — | — | — | — | 3 | 7 | 3 | — |
| Breast (C50) | 500 | — | — | — | — | 5 | 19 | 65 | 115 | 117 | 100 | 79 | — |
| Male | 3 | — | — | — | — | — | — | — | — | — | 2 | 1 | — |
| Female | 497 | — | — | — | — | 5 | 19 | 65 | 115 | 117 | 98 | 78 | — |
| Female genital organs (C51-C58) | 418 | — | — | — | — | 3 | 18 | 44 | 81 | 105 | 104 | 63 | — |
| Male | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Female | 418 | — | — | — | — | 3 | 18 | 44 | 81 | 105 | 104 | 63 | — |
| Cervix uteri (C53) | 53 | — | — | — | — | 3 | 7 | 9 | 11 | 5 | 10 | 8 | — |
| Male | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Female | 53 | — | — | — | — | 3 | 7 | 9 | 11 | 5 | 10 | 8 | — |
| Corpus uteri (C54-C55) ³ | 111 | — | — | — | — | — | 2 | 12 | 21 | 32 | 28 | 16 | — |
| Male | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Female | 111 | — | — | — | — | — | 2 | 12 | 21 | 32 | 28 | 16 | — |
| Ovary (C56) | 225 | — | — | — | — | — | 8 | 21 | 44 | 59 | 59 | 34 | — |
| Male | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Female | 225 | — | — | — | — | — | 8 | 21 | 44 | 59 | 59 | 34 | — |
| Male genital organs (C60-C63) | 440 | — | — | — | — | — | — | 7 | 37 | 80 | 156 | 160 | — |
| Male | 440 | — | — | — | — | — | — | 7 | 37 | 80 | 156 | 160 | — |
| Female | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Prostate (C61) | 434 | — | — | — | — | — | — | 4 | 36 | 79 | 155 | 160 | — |
| Male | 434 | — | — | — | — | — | — | 4 | 36 | 79 | 155 | 160 | — |
| Female | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Kidney & renal pelvis (C64-C65) | 191 | — | — | — | — | — | 1 | 11 | 47 | 51 | 37 | 44 | — |
| Male | 124 | — | — | — | — | — | — | 8 | 32 | 36 | 23 | 25 | — |
| Female | 67 | — | — | — | — | — | 1 | 3 | 15 | 15 | 14 | 19 | — |
| Bladder (C67) | 232 | — | — | — | — | — | — | 3 | 25 | 54 | 74 | 76 | — |
| Male | 176 | — | — | — | — | — | — | 3 | 19 | 42 | 55 | 57 | — |
| Female | 56 | — | — | — | — | — | — | — | 6 | 12 | 19 | 19 | — |
| Brain, etc. (C70-C72) ⁴ | 219 | — | 1 | — | 3 | 6 | 16 | 31 | 61 | 60 | 27 | 14 | — |
| Male | 131 | — | — | — | 3 | 2 | 11 | 17 | 38 | 38 | 15 | 7 | — |
| Female | 88 | — | 1 | — | — | 4 | 5 | 14 | 23 | 22 | 12 | 7 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | NS |
|--|------------|--------------|----------|----------|----------|----------|----------|----------|-----------|-----------|-----------|-----------|----------|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| Thyroid/endocrine gland (C73-C75) | 36 | — | 2 | 1 | — | — | — | 3 | 7 | 4 | 17 | 2 | — |
| Male | 21 | — | 2 | 1 | — | — | — | 3 | 4 | 2 | 8 | 1 | — |
| Female | 15 | — | — | — | — | — | — | — | 3 | 2 | 9 | 1 | — |
| Lymphoid & hematopoietic (C81-C96) | 750 | 1 | 2 | 5 | 7 | 9 | 18 | 37 | 97 | 169 | 225 | 180 | — |
| Male | 454 | 1 | 1 | 2 | 3 | 6 | 15 | 27 | 65 | 109 | 131 | 94 | — |
| Female | 296 | — | 1 | 3 | 4 | 3 | 3 | 10 | 32 | 60 | 94 | 86 | — |
| Hodgkin's disease (C81) | 22 | — | — | — | — | 2 | 3 | 3 | 1 | 5 | 3 | 5 | — |
| Male | 14 | — | — | — | — | 1 | 3 | 2 | 1 | 2 | 3 | 2 | — |
| Female | 8 | — | — | — | — | 1 | — | 1 | — | 3 | — | 3 | — |
| Non-Hodgkin's lymphoma (C82-C85) | 257 | — | — | 1 | — | 2 | 4 | 12 | 31 | 52 | 83 | 72 | — |
| Male | 147 | — | — | — | — | 1 | 4 | 11 | 23 | 28 | 46 | 34 | — |
| Female | 110 | — | — | 1 | — | 1 | — | 1 | 8 | 24 | 37 | 38 | — |
| Leukemia (C91-C95) | 306 | 1 | 2 | 4 | 7 | 5 | 9 | 13 | 39 | 64 | 88 | 74 | — |
| Male | 193 | 1 | 1 | 2 | 3 | 4 | 7 | 8 | 23 | 45 | 55 | 44 | — |
| Female | 113 | — | 1 | 2 | 4 | 1 | 2 | 5 | 16 | 19 | 33 | 30 | — |
| Lymphoid leukemia (C91) | 90 | — | 1 | 2 | 3 | — | 4 | 3 | 7 | 15 | 30 | 25 | — |
| Male | 57 | — | 1 | 1 | 1 | — | 2 | 1 | 6 | 10 | 20 | 15 | — |
| Female | 33 | — | — | 1 | 2 | — | 2 | 2 | 1 | 5 | 10 | 10 | — |
| Myeloid leukemia (C92) | 168 | 1 | — | 1 | 4 | 4 | 5 | 9 | 26 | 41 | 44 | 33 | — |
| Male | 104 | 1 | — | 1 | 2 | 3 | 5 | 6 | 15 | 29 | 24 | 18 | — |
| Female | 64 | — | — | — | 2 | 1 | — | 3 | 11 | 12 | 20 | 15 | — |
| Multiple myeloma (C88, C90) ⁵ | 163 | — | — | — | — | — | 2 | 9 | 25 | 48 | 51 | 28 | — |
| Male | 99 | — | — | — | — | — | 1 | 6 | 17 | 34 | 27 | 14 | — |
| Female | 64 | — | — | — | — | — | 1 | 3 | 8 | 14 | 24 | 14 | — |
| Neoplas. Not Specif. as Malig. (D00-D48)⁶ .. | 246 | — | 2 | — | 1 | 3 | 3 | 8 | 26 | 51 | 77 | 75 | — |
| Male | 121 | — | 2 | — | 1 | 1 | 3 | 1 | 18 | 28 | 40 | 27 | — |
| Female | 125 | — | — | — | — | 2 | — | 7 | 8 | 23 | 37 | 48 | — |
| Myelodysplastic syndromes (D46) | 98 | — | — | — | — | 1 | — | 1 | 6 | 24 | 35 | 31 | — |
| Male | 51 | — | — | — | — | — | — | — | 6 | 13 | 18 | 14 | — |
| Female | 47 | — | — | — | — | 1 | — | 1 | — | 11 | 17 | 17 | — |
| Diseases of the Blood (D50-89)⁷ | 113 | 1 | 1 | 3 | — | — | 2 | 6 | 19 | 12 | 17 | 52 | — |
| Male | 44 | — | — | — | — | — | 2 | 3 | 9 | 6 | 5 | 19 | — |
| Female | 69 | 1 | 1 | 3 | — | — | — | 3 | 10 | 6 | 12 | 33 | — |
| Anemias (D50-D64) | 61 | — | — | 1 | — | — | — | 1 | 9 | 7 | 7 | 36 | — |
| Male | 26 | — | — | — | — | — | — | 1 | 6 | 4 | 2 | 13 | — |
| Female | 35 | — | — | 1 | — | — | — | — | 3 | 3 | 5 | 23 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | NS |
|---|-------|--------------|-----|------|-------|-------|-------|-------|-------|-------|-------|-------|----|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| Endocrine & Nutritional Dis. (E00-E88)⁸ | 1,588 | — | 1 | 3 | 6 | 16 | 48 | 132 | 281 | 324 | 388 | 389 | — |
| Male | 841 | — | 1 | 3 | 5 | 9 | 21 | 81 | 181 | 190 | 194 | 156 | — |
| Female | 747 | — | — | — | 1 | 7 | 27 | 51 | 100 | 134 | 194 | 233 | — |
| Diabetes mellitus (E10-E14) | 1,114 | — | — | — | 2 | 9 | 32 | 80 | 198 | 232 | 294 | 267 | — |
| Male | 603 | — | — | — | 2 | 4 | 16 | 52 | 129 | 138 | 149 | 113 | — |
| Female | 511 | — | — | — | — | 5 | 16 | 28 | 69 | 94 | 145 | 154 | — |
| Nutritional deficiencies (E40-E64) | 32 | — | — | — | — | — | — | 2 | 5 | 4 | 7 | 14 | — |
| Male | 12 | — | — | — | — | — | — | 1 | 1 | 3 | 3 | 4 | — |
| Female | 20 | — | — | — | — | — | — | 1 | 4 | 1 | 4 | 10 | — |
| Malnutrition (E40-E46) | 27 | — | — | — | — | — | — | 1 | 4 | 4 | 6 | 12 | — |
| Male | 12 | — | — | — | — | — | — | 1 | 1 | 3 | 3 | 4 | — |
| Female | 15 | — | — | — | — | — | — | — | 3 | 1 | 3 | 8 | — |
| Mental Disorders (F01-F99)⁹ | 2,373 | — | 1 | — | 8 | 7 | 23 | 71 | 125 | 127 | 503 | 1,508 | — |
| Male | 930 | — | — | — | 7 | 6 | 20 | 51 | 92 | 88 | 192 | 474 | — |
| Female | 1,443 | — | 1 | — | 1 | 1 | 3 | 20 | 33 | 39 | 311 | 1,034 | — |
| Organic dementia (F01, F03)¹⁰ | 2,022 | — | 1 | — | — | — | — | 4 | 18 | 73 | 468 | 1,458 | — |
| Male | 684 | — | — | — | — | — | — | 2 | 9 | 48 | 172 | 453 | — |
| Female | 1,338 | — | 1 | — | — | — | — | 2 | 9 | 25 | 296 | 1,005 | — |
| Due to alcohol (F10)¹¹ | 186 | — | — | — | 1 | 2 | 14 | 48 | 61 | 32 | 16 | 12 | — |
| Male | 145 | — | — | — | 1 | 1 | 13 | 37 | 50 | 26 | 10 | 7 | — |
| Female | 41 | — | — | — | — | 1 | 1 | 11 | 11 | 6 | 6 | 5 | — |
| Due to psychoactive substance (F11-F19) | 74 | — | — | — | 6 | 4 | 6 | 10 | 30 | 11 | 4 | 3 | — |
| Male | 52 | — | — | — | 6 | 4 | 4 | 6 | 22 | 6 | 2 | 2 | — |
| Female | 22 | — | — | — | — | — | 2 | 4 | 8 | 5 | 2 | 1 | — |
| Nervous System Disease (G00-G99) | 2,214 | 1 | 3 | 2 | 11 | 8 | 26 | 53 | 118 | 228 | 654 | 1,109 | 1 |
| Male | 900 | 1 | 2 | 1 | 6 | 6 | 16 | 30 | 70 | 115 | 314 | 339 | — |
| Female | 1,314 | — | 1 | 1 | 5 | 2 | 10 | 23 | 48 | 113 | 340 | 770 | 1 |
| Meningitis (G00, G03) | 7 | — | — | 1 | — | — | 1 | — | — | 1 | 2 | 2 | — |
| Male | 2 | — | — | — | — | — | — | — | — | 1 | — | 1 | — |
| Female | 5 | — | — | 1 | — | — | 1 | — | — | — | 2 | 1 | — |
| Amyotrophic lateral sclerosis (G12.2) | 117 | — | — | — | — | — | 4 | 10 | 22 | 33 | 38 | 10 | — |
| Male | 65 | — | — | — | — | — | 3 | 9 | 14 | 18 | 18 | 3 | — |
| Female | 52 | — | — | — | — | — | 1 | 1 | 8 | 15 | 20 | 7 | — |
| Parkinson's disease (G20-G21) | 349 | — | — | — | — | — | — | 1 | 5 | 54 | 145 | 144 | — |
| Male | 208 | — | — | — | — | — | — | 1 | 4 | 31 | 94 | 78 | — |
| Female | 141 | — | — | — | — | — | — | — | 1 | 23 | 51 | 66 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | |
|--|--------------|--------------|----------|----------|-----------|-----------|-----------|------------|------------|--------------|--------------|--------------|----------|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | NS |
| Alzheimer's disease (G30) | 1,325 | — | — | — | — | — | — | 2 | 12 | 61 | 363 | 886 | 1 |
| Male | 393 | — | — | — | — | — | — | — | 3 | 20 | 143 | 227 | — |
| Female | 932 | — | — | — | — | — | — | 2 | 9 | 41 | 220 | 659 | 1 |
| Multiple sclerosis (G35) | 58 | — | — | — | — | — | 1 | 4 | 21 | 15 | 11 | 6 | — |
| Male | 24 | — | — | — | — | — | — | 1 | 11 | 7 | 4 | 1 | — |
| Female | 34 | — | — | — | — | — | 1 | 3 | 10 | 8 | 7 | 5 | — |
| Epilepsy (G40-G41) | 24 | — | — | — | 3 | 3 | 5 | 5 | 3 | 2 | 3 | — | — |
| Male | 15 | — | — | — | 2 | 2 | 3 | 2 | 2 | 2 | 2 | — | — |
| Female | 9 | — | — | — | 1 | 1 | 2 | 3 | 1 | — | 1 | — | — |
| Diseases of the Eye & Adnexa (H00-H59) .. | 2 | — | — | — | — | — | — | 1 | — | — | — | 1 | — |
| Male | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Female | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| Ear & Mastoid Process Dis. (H60-H95) | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Male | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — |
| Female | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Circulatory System Diseases (I00-I99) | 9,005 | 1 | 3 | 1 | 10 | 43 | 91 | 357 | 834 | 1,254 | 2,302 | 4,109 | — |
| Male | 4,557 | — | 1 | — | 9 | 31 | 69 | 251 | 570 | 814 | 1,252 | 1,560 | — |
| Female | 4,448 | 1 | 2 | 1 | 1 | 12 | 22 | 106 | 264 | 440 | 1,050 | 2,549 | — |
| Major cardiovascular disease (I00-I78) | 8,943 | — | 3 | 1 | 10 | 41 | 88 | 352 | 817 | 1,249 | 2,287 | 4,095 | — |
| Male | 4,524 | — | 1 | — | 9 | 30 | 67 | 248 | 559 | 811 | 1,243 | 1,556 | — |
| Female | 4,419 | — | 2 | 1 | 1 | 11 | 21 | 104 | 258 | 438 | 1,044 | 2,539 | — |
| Heart disease (I00-I09, I11, I13, I20-I51) | 6,215 | — | 2 | 1 | 9 | 31 | 71 | 266 | 583 | 872 | 1,541 | 2,839 | — |
| Male | 3,360 | — | 1 | — | 8 | 22 | 54 | 197 | 421 | 603 | 891 | 1,163 | — |
| Female | 2,855 | — | 1 | 1 | 1 | 9 | 17 | 69 | 162 | 269 | 650 | 1,676 | — |
| Rheumatic heart disease (I00-I09) ¹² | 72 | — | — | — | — | — | — | 3 | 6 | 6 | 26 | 31 | — |
| Male | 25 | — | — | — | — | — | — | 2 | 3 | 2 | 11 | 7 | — |
| Female | 47 | — | — | — | — | — | — | 1 | 3 | 4 | 15 | 24 | — |
| Hypertensive heart disease (I11) | 228 | — | — | — | — | 1 | 1 | 11 | 9 | 11 | 48 | 147 | — |
| Male | 80 | — | — | — | — | 1 | — | 7 | 8 | 9 | 23 | 32 | — |
| Female | 148 | — | — | — | — | — | 1 | 4 | 1 | 2 | 25 | 115 | — |
| Hypertensive heart & renal dis. (I13) | 57 | — | — | — | — | — | — | 1 | 2 | 4 | 12 | 38 | — |
| Male | 25 | — | — | — | — | — | — | — | — | 2 | 6 | 17 | — |
| Female | 32 | — | — | — | — | — | — | 1 | 2 | 2 | 6 | 21 | — |
| Ischemic heart disease (I20-I25) | 3,446 | — | 1 | — | 1 | 10 | 48 | 175 | 416 | 609 | 882 | 1,304 | — |
| Male | 2,146 | — | 1 | — | 1 | 6 | 41 | 147 | 318 | 433 | 554 | 645 | — |
| Female | 1,300 | — | — | — | — | 4 | 7 | 28 | 98 | 176 | 328 | 659 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | NS |
|--|-------|--------------|-----|------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| Myocardial infarction (I21-I22) | 1,078 | — | — | — | — | 3 | 15 | 46 | 135 | 226 | 282 | 371 | — |
| Male | 626 | — | — | — | — | 2 | 13 | 32 | 105 | 150 | 163 | 161 | — |
| Female | 452 | — | — | — | — | 1 | 2 | 14 | 30 | 76 | 119 | 210 | — |
| Other acute ischemic hrt. dis. (I24) | 30 | — | — | — | — | — | 1 | 3 | 6 | 5 | 6 | 9 | — |
| Male | 15 | — | — | — | — | — | — | 3 | 4 | 1 | 4 | 3 | — |
| Female | 15 | — | — | — | — | — | 1 | — | 2 | 4 | 2 | 6 | — |
| Chronic isch. heart dis. (I20, I25) | 2,338 | — | 1 | — | 1 | 7 | 32 | 126 | 275 | 378 | 594 | 924 | — |
| Male | 1,505 | — | 1 | — | 1 | 4 | 28 | 112 | 209 | 282 | 387 | 481 | — |
| Female | 833 | — | — | — | — | 3 | 4 | 14 | 66 | 96 | 207 | 443 | — |
| Atheroscler. cardiovascular dis. ¹³ ... | 193 | — | — | — | — | — | 3 | 18 | 26 | 24 | 51 | 71 | — |
| Male | 111 | — | — | — | — | — | 2 | 17 | 20 | 17 | 29 | 26 | — |
| Female | 82 | — | — | — | — | — | 1 | 1 | 6 | 7 | 22 | 45 | — |
| Other chr. ischemic heart dis. ¹⁴ | 2,145 | — | 1 | — | 1 | 7 | 29 | 108 | 249 | 354 | 543 | 853 | — |
| Male | 1,394 | — | 1 | — | 1 | 4 | 26 | 95 | 189 | 265 | 358 | 455 | — |
| Female | 751 | — | — | — | — | 3 | 3 | 13 | 60 | 89 | 185 | 398 | — |
| Nonrheumatic mitral valve dis. (I34) | 46 | — | — | — | — | 2 | 1 | 1 | 4 | 4 | 8 | 26 | — |
| Male | 15 | — | — | — | — | — | 1 | — | 2 | 3 | 4 | 5 | — |
| Female | 31 | — | — | — | — | 2 | — | 1 | 2 | 1 | 4 | 21 | — |
| Nonrheumatic aortic valve dis. (I35) | 424 | — | — | — | — | — | 2 | 2 | 14 | 24 | 93 | 289 | — |
| Male | 183 | — | — | — | — | — | 2 | 2 | 8 | 13 | 51 | 107 | — |
| Female | 241 | — | — | — | — | — | — | — | 6 | 11 | 42 | 182 | — |
| Cardiomyopathy (I42) | 225 | — | — | 1 | 3 | 10 | 9 | 19 | 29 | 40 | 58 | 56 | — |
| Male | 129 | — | — | — | 3 | 9 | 5 | 8 | 21 | 27 | 29 | 27 | — |
| Female | 96 | — | — | 1 | — | 1 | 4 | 11 | 8 | 13 | 29 | 29 | — |
| Heart failure (I50) | 746 | — | — | — | — | 3 | — | 9 | 32 | 61 | 187 | 454 | — |
| Male | 340 | — | — | — | — | 2 | — | 6 | 22 | 41 | 96 | 173 | — |
| Female | 406 | — | — | — | — | 1 | — | 3 | 10 | 20 | 91 | 281 | — |
| Congestive heart failure (I50.0) | 660 | — | — | — | — | 1 | — | 8 | 21 | 52 | 163 | 415 | — |
| Male | 294 | — | — | — | — | 1 | — | 5 | 13 | 34 | 83 | 158 | — |
| Female | 366 | — | — | — | — | — | — | 3 | 8 | 18 | 80 | 257 | — |
| Left ventricular heart failure (I50.1) | 4 | — | — | — | — | — | — | — | — | 2 | 1 | 1 | — |
| Male | 1 | — | — | — | — | — | — | — | — | 1 | — | — | — |
| Female | 3 | — | — | — | — | — | — | — | — | 1 | 1 | 1 | — |
| Heart failure, unspecified (I50.9) | 82 | — | — | — | — | 2 | — | 1 | 11 | 7 | 23 | 38 | — |
| Male | 45 | — | — | — | — | 1 | — | 1 | 9 | 6 | 13 | 15 | — |
| Female | 37 | — | — | — | — | 1 | — | — | 2 | 1 | 10 | 23 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | NS |
|--|--------------|--------------|----------|----------|----------|-----------|-----------|-----------|------------|------------|------------|------------|----------|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| HBP (I10, I12, I15) ¹⁵ | 449 | — | — | — | — | — | 1 | 15 | 55 | 65 | 106 | 207 | — |
| Male | 193 | — | — | — | — | — | 1 | 12 | 35 | 37 | 60 | 48 | — |
| Female | 256 | — | — | — | — | — | — | 3 | 20 | 28 | 46 | 159 | — |
| Cerebrovascular disease (I60-I69) ¹⁰ | 1,906 | — | 1 | — | — | 8 | 14 | 61 | 142 | 246 | 529 | 905 | — |
| Male | 775 | — | — | — | — | 7 | 11 | 32 | 77 | 129 | 234 | 285 | — |
| Female | 1,131 | — | 1 | — | — | 1 | 3 | 29 | 65 | 117 | 295 | 620 | — |
| Subarachnoid hemorrhage (I60) | 77 | — | — | — | — | 3 | 6 | 11 | 20 | 11 | 13 | 13 | — |
| Male | 28 | — | — | — | — | 2 | 4 | 3 | 8 | 3 | 4 | 4 | — |
| Female | 49 | — | — | — | — | 1 | 2 | 8 | 12 | 8 | 9 | 9 | — |
| Intracerebral hemorrhage (I61-I62) ¹⁶ | 336 | — | — | — | — | 4 | 3 | 24 | 44 | 59 | 103 | 99 | — |
| Male | 157 | — | — | — | — | 4 | 3 | 12 | 23 | 34 | 44 | 37 | — |
| Female | 179 | — | — | — | — | — | — | 12 | 21 | 25 | 59 | 62 | — |
| Cerebral infarction (I63) | 87 | — | — | — | — | — | 2 | 4 | 6 | 14 | 26 | 35 | — |
| Male | 33 | — | — | — | — | — | 1 | 2 | 5 | 6 | 9 | 10 | — |
| Female | 54 | — | — | — | — | — | 1 | 2 | 1 | 8 | 17 | 25 | — |
| Stroke (type not specified) (I64) | 1,053 | — | 1 | — | — | — | 2 | 18 | 57 | 122 | 271 | 582 | — |
| Male | 402 | — | — | — | — | — | 2 | 12 | 34 | 63 | 117 | 174 | — |
| Female | 651 | — | 1 | — | — | — | — | 6 | 23 | 59 | 154 | 408 | — |
| Atherosclerosis (I70) | 88 | — | — | — | — | — | — | 1 | 7 | 10 | 36 | 34 | — |
| Male | 41 | — | — | — | — | — | — | 1 | 4 | 4 | 19 | 13 | — |
| Female | 47 | — | — | — | — | — | — | — | 3 | 6 | 17 | 21 | — |
| Aortic aneurysm & dissection (I71) | 159 | — | — | — | 1 | 2 | — | 5 | 21 | 35 | 43 | 52 | — |
| Male | 95 | — | — | — | 1 | 1 | — | 4 | 16 | 26 | 24 | 23 | — |
| Female | 64 | — | — | — | — | 1 | — | 1 | 5 | 9 | 19 | 29 | — |
| Diseases of arteries (I72-I78) ¹⁷ | 126 | — | — | — | — | — | 2 | 4 | 9 | 21 | 32 | 58 | — |
| Male | 60 | — | — | — | — | — | 1 | 2 | 6 | 12 | 15 | 24 | — |
| Female | 66 | — | — | — | — | — | 1 | 2 | 3 | 9 | 17 | 34 | — |
| Respiratory System Diseases (J00-J99) | 3,014 | 2 | 3 | 3 | 4 | 10 | 17 | 79 | 331 | 605 | 971 | 989 | — |
| Male | 1,472 | — | 3 | 1 | 2 | 4 | 8 | 38 | 169 | 290 | 485 | 472 | — |
| Female | 1,542 | 2 | — | 2 | 2 | 6 | 9 | 41 | 162 | 315 | 486 | 517 | — |
| Influenza & pneumonia (J09-J18) | 396 | 2 | 1 | 2 | 2 | 4 | 6 | 15 | 27 | 34 | 93 | 210 | — |
| Male | 195 | — | 1 | — | 1 | 1 | 3 | 7 | 17 | 12 | 47 | 106 | — |
| Female | 201 | 2 | — | 2 | 1 | 3 | 3 | 8 | 10 | 22 | 46 | 104 | — |
| Influenza (J09-J11) | 15 | 1 | — | — | 1 | 2 | 1 | 3 | 4 | 1 | 1 | 1 | — |
| Male | 6 | — | — | — | 1 | — | — | 2 | 2 | 1 | — | — | — |
| Female | 9 | 1 | — | — | — | 2 | 1 | 1 | 2 | — | 1 | 1 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | NS |
|--|--------------|--------------|-----|------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| Pneumonia (J12-J18) | 381 | 1 | 1 | 2 | 1 | 2 | 5 | 12 | 23 | 33 | 92 | 209 | — |
| Male | 189 | — | 1 | — | — | 1 | 3 | 5 | 15 | 11 | 47 | 106 | — |
| Female | 192 | 1 | — | 2 | 1 | 1 | 2 | 7 | 8 | 22 | 45 | 103 | — |
| Other acute lower resp. infect'ns (J20-J22) | 3 | — | — | — | — | — | — | — | — | — | 1 | 2 | — |
| Male | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Female | 2 | — | — | — | — | — | — | — | — | — | — | 2 | — |
| Acute bronchitis (J20-J21) ¹⁸ | 3 | — | — | — | — | — | — | — | — | — | 1 | 2 | — |
| Male | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Female | 2 | — | — | — | — | — | — | — | — | — | — | 2 | — |
| Chronic lower respiratory dis. (J40-J47) ¹⁹ | 2,031 | — | 1 | 1 | — | 4 | 5 | 46 | 241 | 471 | 708 | 554 | — |
| Male | 951 | — | 1 | 1 | — | 1 | 2 | 23 | 120 | 216 | 331 | 256 | — |
| Female | 1,080 | — | — | — | — | 3 | 3 | 23 | 121 | 255 | 377 | 298 | — |
| Bronchitis, chronic & unspec. (J40-J42) | 7 | — | — | — | — | — | — | — | 1 | 1 | 1 | 4 | — |
| Male | 5 | — | — | — | — | — | — | — | — | 1 | 1 | 3 | — |
| Female | 2 | — | — | — | — | — | — | — | 1 | — | — | 1 | — |
| Emphysema (J43) | 172 | — | — | — | — | — | — | 5 | 22 | 42 | 70 | 33 | — |
| Male | 80 | — | — | — | — | — | — | 1 | 10 | 18 | 32 | 19 | — |
| Female | 92 | — | — | — | — | — | — | 4 | 12 | 24 | 38 | 14 | — |
| Asthma (J45-J46) | 46 | — | 1 | 1 | — | 4 | 3 | 6 | 9 | 3 | 5 | 14 | — |
| Male | 11 | — | 1 | 1 | — | 1 | — | 1 | 1 | 1 | 2 | 3 | — |
| Female | 35 | — | — | — | — | 3 | 3 | 5 | 8 | 2 | 3 | 11 | — |
| Other CLRD (J44, J47) | 1,806 | — | — | — | — | — | 2 | 35 | 209 | 425 | 632 | 503 | — |
| Male | 855 | — | — | — | — | — | 2 | 21 | 109 | 196 | 296 | 231 | — |
| Female | 951 | — | — | — | — | — | — | 14 | 100 | 229 | 336 | 272 | — |
| Bronchiectasis (J47) | 16 | — | — | — | — | — | 1 | — | — | 2 | 6 | 7 | — |
| Male | 5 | — | — | — | — | — | 1 | — | — | 1 | 2 | 1 | — |
| Female | 11 | — | — | — | — | — | — | — | — | 1 | 4 | 6 | — |
| Pneumoconioses (J60-J66, J68) ²⁰ | 16 | — | — | — | — | — | — | — | 1 | 2 | 9 | 4 | — |
| Male | 15 | — | — | — | — | — | — | — | 1 | 2 | 8 | 4 | — |
| Female | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — |
| Pneumonitis due to solids & liquids (J69) | 162 | — | — | — | 2 | — | — | 5 | 17 | 18 | 31 | 89 | — |
| Male | 80 | — | — | — | 1 | — | — | 3 | 5 | 13 | 19 | 39 | — |
| Female | 82 | — | — | — | 1 | — | — | 2 | 12 | 5 | 12 | 50 | — |
| Digestive System Diseases (K00-K92) | 1,436 | — | — | 3 | 5 | 12 | 65 | 187 | 301 | 243 | 287 | 333 | — |
| Male | 745 | — | — | 1 | 4 | 5 | 39 | 110 | 193 | 125 | 132 | 136 | — |
| Female | 691 | — | — | 2 | 1 | 7 | 26 | 77 | 108 | 118 | 155 | 197 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | NS |
|---|-------|--------------|-----|------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| Peptic ulcer (K25-K28) | 55 | — | — | — | — | — | 2 | 1 | 7 | 11 | 15 | 19 | — |
| Male | 25 | — | — | — | — | — | 1 | — | 2 | 7 | 10 | 5 | — |
| Female | 30 | — | — | — | — | — | 1 | 1 | 5 | 4 | 5 | 14 | — |
| Diseases of the appendix (K35-K38) | 5 | — | — | — | 1 | — | — | — | — | 1 | — | 3 | — |
| Male | 3 | — | — | — | 1 | — | — | — | — | 1 | — | 1 | — |
| Female | 2 | — | — | — | — | — | — | — | — | — | — | 2 | — |
| Appendicitis (K35-K37) | 5 | — | — | — | 1 | — | — | — | — | 1 | — | 3 | — |
| Male | 3 | — | — | — | 1 | — | — | — | — | 1 | — | 1 | — |
| Female | 2 | — | — | — | — | — | — | — | — | — | — | 2 | — |
| Hernia (K40-K46) | 25 | — | — | — | — | — | 1 | — | 3 | 6 | 5 | 10 | — |
| Male | 14 | — | — | — | — | — | 1 | — | 1 | 3 | 2 | 7 | — |
| Female | 11 | — | — | — | — | — | — | — | 2 | 3 | 3 | 3 | — |
| Vascular disorders of the intestine (K55) | 126 | — | — | — | 1 | — | — | 5 | 9 | 28 | 44 | 39 | — |
| Male | 47 | — | — | — | 1 | — | — | 1 | 5 | 10 | 14 | 16 | — |
| Female | 79 | — | — | — | — | — | — | 4 | 4 | 18 | 30 | 23 | — |
| Chronic liver disease (K70, K73-K74) ²¹ | 546 | — | — | — | 3 | 8 | 48 | 140 | 189 | 93 | 52 | 13 | — |
| Male | 347 | — | — | — | 2 | 3 | 30 | 84 | 135 | 56 | 29 | 8 | — |
| Female | 199 | — | — | — | 1 | 5 | 18 | 56 | 54 | 37 | 23 | 5 | — |
| Alcoholic liver disease (K70) ²² | 398 | — | — | — | 3 | 8 | 46 | 122 | 145 | 49 | 25 | — | — |
| Male | 265 | — | — | — | 2 | 3 | 28 | 73 | 107 | 35 | 17 | — | — |
| Female | 133 | — | — | — | 1 | 5 | 18 | 49 | 38 | 14 | 8 | — | — |
| Cholelithiasis (K80-K82) ²³ | 54 | — | — | — | — | — | 1 | — | 8 | 4 | 20 | 21 | — |
| Male | 28 | — | — | — | — | — | — | — | 6 | 2 | 11 | 9 | — |
| Female | 26 | — | — | — | — | — | 1 | — | 2 | 2 | 9 | 12 | — |
| Diseases of the Skin (L00-L98) ²⁴ | 68 | — | — | — | — | — | 2 | 7 | 8 | 11 | 14 | 26 | — |
| Male | 33 | — | — | — | — | — | 2 | 4 | 5 | 3 | 8 | 11 | — |
| Female | 35 | — | — | — | — | — | — | 3 | 3 | 8 | 6 | 15 | — |
| Musculoskeletal Disease (M00-M99) ²⁵ | 223 | — | — | — | 4 | — | 6 | 16 | 28 | 29 | 53 | 87 | — |
| Male | 76 | — | — | — | 3 | — | 2 | 6 | 15 | 8 | 20 | 22 | — |
| Female | 147 | — | — | — | 1 | — | 4 | 10 | 13 | 21 | 33 | 65 | — |
| Genitourinary System Dis. (N00-N99) | 542 | — | — | — | — | 1 | 7 | 15 | 45 | 80 | 139 | 255 | — |
| Male | 242 | — | — | — | — | 1 | 4 | 6 | 18 | 43 | 67 | 103 | — |
| Female | 300 | — | — | — | — | — | 3 | 9 | 27 | 37 | 72 | 152 | — |
| Nephritis (N00-N07, N17-N19, N25-N27) ²⁶ | 330 | — | — | — | — | 1 | 7 | 9 | 32 | 50 | 75 | 156 | — |
| Male | 166 | — | — | — | — | 1 | 4 | 4 | 13 | 28 | 44 | 72 | — |
| Female | 164 | — | — | — | — | — | 3 | 5 | 19 | 22 | 31 | 84 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | |
|--|------------|--------------|----------|----------|----------|----------|----------|-----------|-----------|-----------|----------|----------|----|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | NS |
| Acute nephrotic syndr. (N00-N01, N04) ²⁷ .. | 5 | — | — | — | — | — | — | 1 | — | — | 1 | 3 | — |
| Male | 2 | — | — | — | — | — | — | 1 | — | — | — | 1 | — |
| Female | 3 | — | — | — | — | — | — | — | — | — | 1 | 2 | — |
| Chr. nephritis (N02-N03, N05-N07, N26) ²⁸ | 37 | — | — | — | — | — | — | 1 | 5 | 2 | 8 | 21 | — |
| Male | 19 | — | — | — | — | — | — | 1 | 2 | 1 | 4 | 11 | — |
| Female | 18 | — | — | — | — | — | — | — | 3 | 1 | 4 | 10 | — |
| Renal failure (N17-N19) | 287 | — | — | — | — | 1 | 7 | 6 | 27 | 48 | 66 | 132 | — |
| Male | 145 | — | — | — | — | 1 | 4 | 2 | 11 | 27 | 40 | 60 | — |
| Female | 142 | — | — | — | — | — | 3 | 4 | 16 | 21 | 26 | 72 | — |
| Other disorders of kidney (N25, N27) | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Male | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Female | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — |
| Kidney infect'ns (N10-N12, N13.6, N15.1) | 8 | — | — | — | — | — | — | — | — | — | 3 | 5 | — |
| Male | 3 | — | — | — | — | — | — | — | — | — | 2 | 1 | — |
| Female | 5 | — | — | — | — | — | — | — | — | — | 1 | 4 | — |
| Urinary tract infection (N39.0) | 142 | — | — | — | — | — | — | 3 | 9 | 19 | 39 | 72 | — |
| Male | 36 | — | — | — | — | — | — | 1 | 2 | 6 | 11 | 16 | — |
| Female | 106 | — | — | — | — | — | — | 2 | 7 | 13 | 28 | 56 | — |
| Hyperplasia of prostate (N40) | 16 | — | — | — | — | — | — | — | — | 3 | 3 | 10 | — |
| Male | 16 | — | — | — | — | — | — | — | — | 3 | 3 | 10 | — |
| Female | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Female pelvic inflam. dis. (N70-N76) ²⁹ | 4 | — | — | — | — | — | — | 1 | — | — | 2 | 1 | — |
| Male | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Female | 4 | — | — | — | — | — | — | 1 | — | — | 2 | 1 | — |
| Pregnancy & Childbirth (O00-O99)³⁰ | 10 | — | — | — | — | 6 | 4 | — | — | — | — | — | — |
| Male | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Female | 10 | — | — | — | — | 6 | 4 | — | — | — | — | — | — |
| Perinatal Conditions (P00-P96) | 110 | 109 | — | — | — | — | — | 1 | — | — | — | — | — |
| Male | 64 | 63 | — | — | — | — | — | 1 | — | — | — | — | — |
| Female | 46 | 46 | — | — | — | — | — | — | — | — | — | — | — |
| Congenital Malformations (Q00-Q99)³¹ | 128 | 45 | 7 | 5 | 7 | 9 | 8 | 14 | 10 | 10 | 7 | 6 | — |
| Male | 54 | 20 | 2 | 2 | 5 | 4 | 7 | 2 | 2 | 7 | 3 | — | — |
| Female | 74 | 25 | 5 | 3 | 2 | 5 | 1 | 12 | 8 | 3 | 4 | 6 | — |
| Malformation of the heart (Q20-Q24) | 40 | 16 | 3 | — | 3 | 4 | 3 | 3 | 2 | 2 | 1 | 3 | — |
| Male | 16 | 5 | 1 | — | 3 | 2 | 3 | — | — | 1 | 1 | — | — |
| Female | 24 | 11 | 2 | — | — | 2 | — | 3 | 2 | 1 | — | 3 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | | |
|--|--------------|--------------|-----------|-----------|------------|------------|------------|------------|------------|------------|------------|------------|----------|----------|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | NS | |
| Other malf. of the circul. sys. (Q25-Q28) | 4 | — | — | — | — | — | — | — | — | — | — | 3 | 1 | — |
| Male | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Female | 4 | — | — | — | — | — | — | — | — | — | — | 3 | 1 | — |
| Malf. of the respiratory system (Q30-Q34) | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| Male | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — |
| Female | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Symptoms & Signs (R00-R99)³² | 671 | 31 | 4 | 1 | 5 | 7 | 12 | 28 | 63 | 70 | 104 | 346 | — | — |
| Male | 265 | 16 | 3 | — | 4 | 4 | 7 | 15 | 42 | 46 | 40 | 88 | — | — |
| Female | 406 | 15 | 1 | 1 | 1 | 3 | 5 | 13 | 21 | 24 | 64 | 258 | — | — |
| Senility (R54) | 60 | — | — | — | — | — | — | — | — | — | 4 | 56 | — | — |
| Male | 20 | — | — | — | — | — | — | — | — | — | — | 20 | — | — |
| Female | 40 | — | — | — | — | — | — | — | — | — | 4 | 36 | — | — |
| Sudden infant death syndrome (R95) | 28 | 28 | — | — | — | — | — | — | — | — | — | — | — | — |
| Male | 14 | 14 | — | — | — | — | — | — | — | — | — | — | — | — |
| Female | 14 | 14 | — | — | — | — | — | — | — | — | — | — | — | — |
| External Causes of Death (V01-Y89) | 2,579 | 13 | 23 | 29 | 214 | 298 | 326 | 406 | 351 | 208 | 265 | 444 | 2 | — |
| Male | 1,684 | 5 | 14 | 18 | 176 | 228 | 235 | 268 | 256 | 152 | 147 | 184 | 1 | — |
| Female | 895 | 8 | 9 | 11 | 38 | 70 | 91 | 138 | 95 | 56 | 118 | 260 | 1 | — |
| Accidents (V01-X59, Y85-Y86) | 1,705 | 10 | 16 | 12 | 128 | 161 | 164 | 239 | 222 | 126 | 213 | 413 | 1 | — |
| Male | 1,019 | 4 | 9 | 7 | 102 | 117 | 111 | 160 | 154 | 89 | 104 | 162 | — | — |
| Female | 686 | 6 | 7 | 5 | 26 | 44 | 53 | 79 | 68 | 37 | 109 | 251 | 1 | — |
| Transport accidents (V01-V99, Y85) | 404 | 1 | 5 | 8 | 71 | 49 | 39 | 76 | 64 | 41 | 39 | 11 | — | — |
| Male | 299 | — | 3 | 5 | 52 | 34 | 30 | 58 | 51 | 34 | 25 | 7 | — | — |
| Female | 105 | 1 | 2 | 3 | 19 | 15 | 9 | 18 | 13 | 7 | 14 | 4 | — | — |
| Motor vehicle acc. (Many codes) ³³ | 361 | 1 | 5 | 8 | 69 | 46 | 32 | 61 | 55 | 37 | 36 | 11 | — | — |
| Male | 267 | — | 3 | 5 | 50 | 31 | 23 | 48 | 46 | 30 | 24 | 7 | — | — |
| Female | 94 | 1 | 2 | 3 | 19 | 15 | 9 | 13 | 9 | 7 | 12 | 4 | — | — |
| Motor veh. traf. acc. (Many codes) ³⁴ ... | 339 | 1 | 2 | 8 | 66 | 43 | 29 | 59 | 52 | 34 | 35 | 10 | — | — |
| Male | 247 | — | 1 | 5 | 47 | 28 | 21 | 46 | 43 | 27 | 23 | 6 | — | — |
| Female | 92 | 1 | 1 | 3 | 19 | 15 | 8 | 13 | 9 | 7 | 12 | 4 | — | — |
| Water transport accidents (V90-V94) | 9 | — | — | — | 1 | 1 | 2 | 3 | — | 2 | — | — | — | — |
| Male | 9 | — | — | — | 1 | 1 | 2 | 3 | — | 2 | — | — | — | — |
| Female | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Air transport accidents (V95-V97) | 5 | — | — | — | — | — | — | 2 | 2 | — | 1 | — | — | — |
| Male | 4 | — | — | — | — | — | — | 1 | 2 | — | 1 | — | — | — |
| Female | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | NS |
|--|-------|--------------|-----|------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | |
| Nontransport accidents (W00-X59,Y86) | 1,301 | 9 | 11 | 4 | 57 | 112 | 125 | 163 | 158 | 85 | 174 | 402 | 1 |
| Male | 720 | 4 | 6 | 2 | 50 | 83 | 81 | 102 | 103 | 55 | 79 | 155 | — |
| Female | 581 | 5 | 5 | 2 | 7 | 29 | 44 | 61 | 55 | 30 | 95 | 247 | 1 |
| Falls (W00-W19) | 590 | — | — | — | 6 | 4 | 8 | 12 | 38 | 40 | 139 | 343 | — |
| Male | 265 | — | — | — | 6 | 2 | 6 | 8 | 22 | 29 | 62 | 130 | — |
| Female | 325 | — | — | — | — | 2 | 2 | 4 | 16 | 11 | 77 | 213 | — |
| Firearms (W32-W34) | 8 | — | — | — | 1 | — | 4 | 2 | 1 | — | — | — | — |
| Male | 7 | — | — | — | 1 | — | 3 | 2 | 1 | — | — | — | — |
| Female | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Drowning & submersion (W65-W74) | 56 | — | 4 | 1 | 11 | 8 | 7 | 6 | 11 | 4 | 2 | 2 | — |
| Male | 45 | — | 3 | — | 11 | 6 | 4 | 5 | 9 | 3 | 2 | 2 | — |
| Female | 11 | — | 1 | 1 | — | 2 | 3 | 1 | 2 | 1 | — | — | — |
| Exposure to smoke & fire (X00-X09) | 42 | 1 | 4 | 1 | — | 4 | 5 | 7 | 6 | 7 | 3 | 4 | — |
| Male | 21 | — | 3 | 1 | — | 2 | 3 | 3 | 4 | 3 | 1 | 1 | — |
| Female | 21 | 1 | 1 | — | — | 2 | 2 | 4 | 2 | 4 | 2 | 3 | — |
| Poisoning (X40-X49) ³⁵ | 428 | — | — | — | 34 | 87 | 97 | 116 | 78 | 11 | 3 | 2 | — |
| Male | 283 | — | — | — | 28 | 66 | 62 | 68 | 51 | 6 | 1 | 1 | — |
| Female | 145 | — | — | — | 6 | 21 | 35 | 48 | 27 | 5 | 2 | 1 | — |
| Suicide (X60-X84, Y87.0) | 639 | — | — | 8 | 64 | 103 | 126 | 124 | 95 | 62 | 39 | 18 | — |
| Male | 508 | — | — | 5 | 55 | 85 | 98 | 83 | 78 | 52 | 35 | 17 | — |
| Female | 131 | — | — | 3 | 9 | 18 | 28 | 41 | 17 | 10 | 4 | 1 | — |
| Poisoning (X60-X69) | 109 | — | — | — | 5 | 13 | 20 | 31 | 26 | 9 | 3 | 2 | — |
| Male | 55 | — | — | — | 5 | 6 | 9 | 12 | 16 | 5 | 1 | 1 | — |
| Female | 54 | — | — | — | — | 7 | 11 | 19 | 10 | 4 | 2 | 1 | — |
| Hanging/suffocation (X70) | 142 | — | — | 6 | 22 | 34 | 34 | 30 | 9 | 6 | 1 | — | — |
| Male | 116 | — | — | 3 | 16 | 32 | 27 | 24 | 8 | 5 | 1 | — | — |
| Female | 26 | — | — | 3 | 6 | 2 | 7 | 6 | 1 | 1 | — | — | — |
| Firearm discharge (X72-X74) | 337 | — | — | 2 | 36 | 46 | 56 | 53 | 52 | 43 | 34 | 15 | — |
| Male | 301 | — | — | 2 | 33 | 39 | 52 | 42 | 47 | 39 | 32 | 15 | — |
| Female | 36 | — | — | — | 3 | 7 | 4 | 11 | 5 | 4 | 2 | — | — |
| Homicide (X85-Y09, Y87.1) | 107 | 1 | 6 | 8 | 20 | 23 | 13 | 17 | 12 | 4 | — | 3 | — |
| Male | 80 | 1 | 4 | 6 | 18 | 19 | 11 | 9 | 11 | 1 | — | — | — |
| Female | 27 | — | 2 | 2 | 2 | 4 | 2 | 8 | 1 | 3 | — | 3 | — |
| Firearm discharge (X93-X95) | 61 | — | — | 3 | 15 | 16 | 7 | 11 | 4 | 3 | — | 2 | — |
| Male | 45 | — | — | 2 | 14 | 13 | 6 | 6 | 4 | — | — | — | — |
| Female | 16 | — | — | 1 | 1 | 3 | 1 | 5 | — | 3 | — | 2 | — |

See footnotes at end of table.

TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2011 — Continued

| Causes of Death (and their ICD-10 codes) ¹ | Total | Age at Death | | | | | | | | | | | |
|--|-------|--------------|-----|------|-------|-------|-------|-------|-------|-------|-------|-----|----|
| | | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ | NS |
| Legal intervention (Y35, Y89.0) ³⁶ | 6 | — | — | — | 1 | — | 1 | 1 | 2 | 1 | — | — | — |
| Male | 5 | — | — | — | 1 | — | — | 1 | 2 | 1 | — | — | — |
| Female | 1 | — | — | — | — | — | 1 | — | — | — | — | — | — |
| Undeterm. intent (Y10-Y34, Y87.2, Y89.9) | 90 | 2 | 1 | — | 1 | 11 | 21 | 23 | 17 | 7 | 3 | 3 | 1 |
| Male | 54 | — | 1 | — | — | 7 | 14 | 13 | 9 | 4 | 3 | 2 | 1 |
| Female | 36 | 2 | — | — | 1 | 4 | 7 | 10 | 8 | 3 | — | 1 | — |
| War and its sequelae (Y36, Y89.1) ³⁷ | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Male | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Female | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Medical care complica'ns (Y40-Y84, Y88) | 32 | — | — | 1 | — | — | 1 | 2 | 3 | 8 | 10 | 7 | — |
| Male | 18 | — | — | — | — | — | 1 | 2 | 2 | 5 | 5 | 3 | — |
| Female | 14 | — | — | 1 | — | — | — | — | 1 | 3 | 5 | 4 | — |
| Injury by firearms (Many codes) ³⁸ | 417 | — | — | 5 | 53 | 63 | 68 | 67 | 60 | 49 | 35 | 17 | — |
| Male | 362 | — | — | 4 | 49 | 52 | 61 | 51 | 55 | 42 | 33 | 15 | — |
| Female | 55 | — | — | 1 | 4 | 11 | 7 | 16 | 5 | 7 | 2 | 2 | — |
| Alcohol-induced deaths (Many codes) ^{39,40} | 644 | — | — | — | 5 | 14 | 70 | 186 | 225 | 88 | 44 | 12 | — |
| Male | 453 | — | — | — | 4 | 8 | 46 | 121 | 171 | 67 | 29 | 7 | — |
| Female | 191 | — | — | — | 1 | 6 | 24 | 65 | 54 | 21 | 15 | 5 | — |
| Drug-induced deaths (Many codes) ^{41,42} | 592 | — | — | — | 44 | 103 | 122 | 153 | 123 | 31 | 9 | 7 | — |
| Male | 369 | — | — | — | 38 | 76 | 75 | 79 | 78 | 15 | 4 | 4 | — |
| Female | 223 | — | — | — | 6 | 27 | 47 | 74 | 45 | 16 | 5 | 3 | — |
| Injury at work ⁴³ | 59 | — | — | — | 2 | 6 | 11 | 11 | 18 | 6 | 4 | 1 | — |
| Male | 57 | — | — | — | 2 | 6 | 11 | 10 | 18 | 6 | 3 | 1 | — |
| Female | 2 | — | — | — | — | — | — | 1 | — | — | 1 | — | — |

¹ International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

² Human immunodeficiency virus/Acquired immune deficiency syndrome.

³ Includes uterus, part unspecified.

⁴ Includes meninges and other parts of the central nervous system.

⁵ Includes immunoproliferative neoplasms.

⁶ Includes in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

⁷ Includes diseases of the blood forming-organs and disorders involving the immune mechanism.

⁸ Includes metabolic diseases.

⁹ Includes behavioral disorders.

¹⁰ In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.

¹¹ For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

- 12 Includes acute rheumatic fever.
- 13 The ICD-10 code is I25.0.
- 14 Includes angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.
- 15 Hypertension with/without Renal Disease.
- 16 Includes other intracranial hemorrhages.
- 17 Includes diseases of the arterioles and capillaries.
- 18 Includes acute bronchiolitis.
- 19 Formerly chronic obstructive pulmonary disease (COPD).
- 20 Includes respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors.
- 21 Includes liver cirrhosis.
- 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 23 Includes other diseases of the gallbladder.
- 24 Includes subcutaneous tissues.
- 25 Includes connective tissue.
- 26 Includes nephrotic syndrome and nephrosis.
- 27 Includes acute and rapidly progressive nephritic and nephrotic syndrome.
- 28 Includes chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 29 Inflammatory diseases of female pelvic organs.
- 30 Includes the puerperium.
- 31 Includes congenital deformations and chromosomal abnormalities.
- 32 Includes abnormal clinical and laboratory findings not elsewhere classified.
- 33 Includes the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Includes the following ICD-10 codes: V02-V04(.1-.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 35 Includes exposure to noxious substances.
- 36 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 37 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 38 Includes accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note this category includes injuries included in other cause of death categories.
- 39 Includes: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K85.2, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
- 41 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note disorders included here are also included in other cause of death categories.
- 42 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
- 43 Recorded as a separate item on the death certificate by the Medical Examiner.
- * Includes unknown age and sex.
- Quantity is 0.