TABLE 6-55. Age-adjusted death rates for residents of Oregon and the United States for leading causes of death, 20151

Cause	Age-adjusted rate <sup>2</sup>		Percent	State	ICD 40 and 4
	U.S.	Oregon	difference	rank <sup>3</sup>	ICD-10 codes <sup>4</sup>
All causes	733.1	722.3	-1.5	31	A00-Y89.9
Malignant neoplasms	158.5	160.2	1.1	26	C00-C97
Heart disease	168.5	136.1	-19.2	48	100-109, 111, 113, 120-151
Unintended injuries	43.2	44.5	3.0	34	V01-X59, Y85-Y86
Chronic lower respiratory disease	41.6	42.4	1.9	29	J40-J47
Cerebrovascular disease	37.6	37.5	-0.3	26	160-169
Alzheimer's disease	29.4	33.0	12.2	20	G30
Diabetes mellitus	21.3	22.9	7.5	21	E10-E14
Alcohol-induced deaths	9.1	18.6	104.4	4	E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, Y15
Suicide	13.3	17.8	33.8	13	X60-X84, Y87.0
Hypertension	8.5	11.1	30.6	7	l10, l12, l15
Influenza & pneumonia	15.2	9.0	-40.8	49	J09-J18
Parkinson's disease	7.7	8.9	15.6	8	G20-G21
Nephritis & nephrosis	13.4	8.2	-38.8	46	N00-N07, N17-N19, N25-N27
Septicemia	11.0	4.6	-58.2	50	A40-A41
Viral hepatitis	1.9	3.4	78.9	3	B15-B19
Homicide	5.7	3.4	-40.4	37	X85-Y09, Y87.1
Perinatal conditions	4.1	3.4	-17.1	38	P00-P96
Congenital anomalies	3.2	3.2	0.0	34	Q00-Q99
Aortic aneurysm & dissection	2.7	3.0	11.1	25	171
Amyotrophic lateral sclerosis	2.0	2.8	40.0	4	G12.2
HIV/AIDS	1.9	1.0	-47.4	28	B20-B24
Arteriosclerosis	1.6	1.0	-37.5	35	170

Most recent year for which final data are available.

Rates are adjusted to the U.S. standard million population and are per 100,000. Age-adjusted death rates allow the comparison of Oregon and the U.S. as if the population structure of each were identical (Oregon's population is older than the U.S. as a whole). All rates in this table were calculated using the federal Centers for Disease Control and Prevention WONDER (Wide-ranging Online Data for Epidemiological Research) system (http://wonder.cdc.gov). These rates may vary slightly from rates published by the National Center for Health Statistics and the Oregon Center for Health Statistics due to different file closure dates and different population estimate methodologies.
Ranked from high (1) to low (51) among the 50 states and the District of Columbia. Rankings for some causes of death are not out

of a total of 51 because states with unreliable data have been excluded.

<sup>&</sup>lt;sup>4</sup> From the World Health Organization's International Classification of Disease, 10th Edition.