TABLE 6-58. Age-adjusted death rates for selected causes of death, Oregon and United States residents, 2002-2016¹

Total				Cancer		Heart disease		
Oregon	US	% Diff	Oregon	US	% Diff	Oregon	US	% Diff
								-17.8
			198.3			189.5	232.3	-18.4
814.8	8.008	1.7	196.7	185.8	5.9	179.2	217.0	-17.4
791.4	798.8	-0.9	189.4	183.8	3.0	169.5	211.1	-19.7
784.5	776.5	1.0	185.7	180.7	2.8	162.6	200.2	-18.8
771 6	760.2	1.5	184 7	178 4	3.5	159 7	190 9	-16.3
								-17.2
739.7	741.1	-0.2	176.7	173.2	2.0	143.0	180.1	-20.6
735.0	747.0	-1.6	177.9	172.8	2.9	139.7	179.1	-22.0
730.0	741.3	-1.5	172.7	169.0	2.2	136.2	173.7	-21.6
706.4	732.8	-3.6	167.5	166 5	0.6	130.3	170 5	-23.6
								-20.7
								-21.4
								-19.7
702.6	728.8	-3.6	154.9	155.8	-0.6	134.3	165.5	-18.9
	855.0 838.4 814.8 791.4 784.5 771.6 772.8 739.7 735.0	Oregon US 855.0 845.3 838.4 832.7 814.8 800.8 791.4 798.8 784.5 776.5 771.6 760.2 772.8 758.3 739.7 741.1 735.0 747.0 730.0 741.3 706.4 732.8 716.8 731.9 702.8 724.6 718.6 733.1	Oregon US % Diff 855.0 845.3 1.1 838.4 832.7 0.7 814.8 800.8 1.7 791.4 798.8 -0.9 784.5 776.5 1.0 771.6 760.2 1.5 772.8 758.3 1.9 739.7 741.1 -0.2 735.0 747.0 -1.6 730.0 741.3 -1.5 706.4 732.8 -3.6 716.8 731.9 -2.1 702.8 724.6 -3.0 718.6 733.1 -2.0	Oregon US % Diff Oregon 855.0 845.3 1.1 200.9 838.4 832.7 0.7 198.3 814.8 800.8 1.7 196.7 791.4 798.8 -0.9 189.4 784.5 776.5 1.0 185.7 771.6 760.2 1.5 184.7 772.8 758.3 1.9 182.8 739.7 741.1 -0.2 176.7 735.0 747.0 -1.6 177.9 730.0 741.3 -1.5 172.7 706.4 732.8 -3.6 167.5 716.8 731.9 -2.1 163.0 702.8 724.6 -3.0 159.3 718.6 733.1 -2.0 159.5	Oregon US % Diff Oregon US 855.0 845.3 1.1 200.9 193.5 838.4 832.7 0.7 198.3 190.1 814.8 800.8 1.7 196.7 185.8 791.4 798.8 -0.9 189.4 183.8 784.5 776.5 1.0 185.7 180.7 771.6 760.2 1.5 184.7 178.4 772.8 758.3 1.9 182.8 175.3 739.7 741.1 -0.2 176.7 173.2 735.0 747.0 -1.6 177.9 172.8 730.0 741.3 -1.5 172.7 169.0 706.4 732.8 -3.6 167.5 166.5 716.8 731.9 -2.1 163.0 163.2 702.8 724.6 -3.0 159.3 161.2 718.6 733.1 -2.0 159.5 158.5	Oregon US % Diff Oregon US % Diff 855.0 845.3 1.1 200.9 193.5 3.8 838.4 832.7 0.7 198.3 190.1 4.3 814.8 800.8 1.7 196.7 185.8 5.9 791.4 798.8 -0.9 189.4 183.8 3.0 784.5 776.5 1.0 185.7 180.7 2.8 771.6 760.2 1.5 184.7 178.4 3.5 772.8 758.3 1.9 182.8 175.3 4.3 739.7 741.1 -0.2 176.7 173.2 2.0 735.0 747.0 -1.6 177.9 172.8 2.9 730.0 741.3 -1.5 172.7 169.0 2.2 706.4 732.8 -3.6 167.5 166.5 0.6 716.8 731.9 -2.1 163.0 163.2 -0.1 702.8 72	Oregon US % Diff Oregon US % Diff Oregon 855.0 845.3 1.1 200.9 193.5 3.8 198.0 838.4 832.7 0.7 198.3 190.1 4.3 189.5 814.8 800.8 1.7 196.7 185.8 5.9 179.2 791.4 798.8 -0.9 189.4 183.8 3.0 169.5 784.5 776.5 1.0 185.7 180.7 2.8 162.6 771.6 760.2 1.5 184.7 178.4 3.5 159.7 772.8 758.3 1.9 182.8 175.3 4.3 154.5 739.7 741.1 -0.2 176.7 173.2 2.0 143.0 735.0 747.0 -1.6 177.9 172.8 2.9 139.7 730.0 741.3 -1.5 172.7 169.0 2.2 136.2 706.4 732.8 -3.6 167.5	Oregon US % Diff Oregon US % Diff Oregon US 855.0 845.3 1.1 200.9 193.5 3.8 198.0 240.8 838.4 832.7 0.7 198.3 190.1 4.3 189.5 232.3 814.8 800.8 1.7 196.7 185.8 5.9 179.2 217.0 791.4 798.8 -0.9 189.4 183.8 3.0 169.5 211.1 784.5 776.5 1.0 185.7 180.7 2.8 162.6 200.2 771.6 760.2 1.5 184.7 178.4 3.5 159.7 190.9 772.8 758.3 1.9 182.8 175.3 4.3 154.5 186.5 739.7 741.1 -0.2 176.7 173.2 2.0 143.0 180.1 735.0 747.0 -1.6 177.9 172.8 2.9 139.7 179.1 706.4 732.8 </td

Year	Unintentional injuries			Chronic	lower resp. o	disease	Cerebrovascular disease		
	Oregon	US	% Diff	Oregon	US	% Diff	Oregon	US	% Diff
2002	38.4	36.9	4.1	50.9	43.5	17.0	71.7	56.2	27.6
2003	38.3	37.3	2.7	49.8	43.3	15.0	68.5	53.5	28.0
2004	38.8	37.7	2.9	48.1	41.1	17.0	61.9	50.0	23.8
2005	37.6	39.1	-3.8	47.8	43.2	10.6	57.3	46.6	23.0
2006	40.7	39.8	2.3	46.8	40.5	15.6	48.8	43.6	11.9
2007	41.7	40.0	4.3	47.5	40.8	16.4	44.5	42.2	5.5
2008	42.4	38.8	9.3	48.2	44.0	9.5	45.6	40.7	12.0
2009	38.8	37.3	3.9	46.4	42.3	9.6	44.0	38.9	13.2
2010	37.8	38.0	-0.6	46.5	42.2	10.2	40.5	39.1	3.6
2011	40.4	39.1	3.4	45.6	42.5	7.2	42.0	37.9	10.8
2012	38.9	39.1	-0.6	42.0	41.5	1.1	37.5	36.9	1.5
2013	39.6	39.4	0.5	42.6	42.1	1.2	37.0	36.2	2.3
2014	40.7	40.5	0.4	39.7	40.5	-1.9	37.0	36.5	1.5
2015	44.1	43.2	2.0	41.9	41.6	0.7	37.1	37.6	-1.3
2016	46.0	47.4	-2.9	40.0	40.6	-1.5	37.5	37.3	0.6

¹ Most recent year for which final U.S. data are available.

NOTE: U.S. age-adjusted death rates are from compressed mortality files available at the federal Centers for Disease Control and Prevention's WONDER online database. Unlike the data shown in tables 6-54 and 6-55, all Oregon data are from state mortality files. Consequently, the rates and percentage differences shown here will vary from those in tables 6-54 and 6-55 due to different file closure dates, different population estimate methodologies, and incorporation of physician query results. Because the ratios are based on national data, discontinuities may occur when Oregon physicians reported causes of death differently than their national counterparts (e.g., Alzheimer's disease vs. Alzheimer's dementia). Some differences between Oregon and U.S. rates (e.g., alcohol-induced deaths) result, at least in part, from Oregon's query program: when death certificates are incomplete, letters are sent to physicians/certifiers requesting additional information.

TABLE 6-58. Age-adjusted death rates for selected causes of death, Oregon and United States residents, 2002-2016¹ — Continued

Vaan	Alzheimer's disease			Dia	abetes mellit	us	Suicide		
Year	Oregon	US	% Diff	Oregon	US	% Diff	Oregon	US	% Diff
2002	30.3	20.2	50.0	28.6	25.4	12.6	14.5	10.9	33.0
2003	30.6	21.4	43.0	28.1	25.3	11.1	16.3	10.8	50.9
2004	33.4	21.8	53.2	29.0	24.5	18.4	15.2	10.9	39.4
2005	30.4	22.9	32.8	29.3	24.6	19.1	14.9	10.9	36.7
2006	29.5	22.6	30.5	28.9	23.3	24.0	15.1	10.9	38.5
2007	28.0	22.7	23.3	27.9	22.5	24.0	15.6	11.3	38.1
2008	30.5	24.4	25.0	24.8	21.8	13.8	14.7	11.6	26.7
2009	27.7	23.5	17.8	25.3	20.9	20.9	16.1	11.8	36.2
2010	28.7	25.1	14.3	24.2	20.8	16.3	17.1	12.1	41.4
2011	28.8	24.7	16.7	24.8	21.6	14.9	16.2	12.3	31.4
2012	28.1	23.8	18.2	24.4	21.2	14.9	17.6	12.6	40.0
2013	27.1	23.5	15.4	23.4	21.2	10.6	16.8	12.6	33.4
2014	28.3	25.4	11.3	22.3	20.9	6.5	18.6	13.0	43.1
2015	32.6	29.4	11.0	22.9	21.3	7.3	17.8	13.3	33.8
2016	34.5	30.3	13.9	23.9	21.0	14.0	17.8	13.5	32.0

Year	Alcohol-induced			ŀ	- Hypertension	1	Parkinson's disease		
	Oregon	US	% Diff	Oregon	US	% Diff	Oregon	US	% Diff
	40.0					a= 4			10 =
2002	12.3	6.9	78.3	9.6	7.0	37.1	8.3	5.9	40.7
2003	14.2	7.0	102.9	9.3	7.4	25.7	8.4	6.2	35.5
2004	13.8	7.0	97.1	9.5	7.7	23.4	8.6	6.1	41.0
2005	13.7	7.0	95.7	10.6	8.0	32.5	7.7	6.4	20.3
2006	11.7	7.0	67.1	8.9	7.5	18.7	8.7	6.3	38.1
2007	13.1	7.3	79.5	8.6	7.4	16.2	8.2	6.4	28.1
2008	12.9	7.4	74.3	9.5	7.7	23.4	8.7	6.4	35.9
2009	13.4	7.4	81.4	9.5	7.7	23.1	8.3	6.4	29.7
2010	13.0	7.6	71.2	9.8	8.0	23.1	8.5	6.8	25.6
2011	14.6	7.7	89.3	9.7	8.1	19.5	8.0	7.0	14.1
2012	14.7	8.0	84.3	10.4	8.2	27.2	8.0	7.0	14.3
2013	15.4	8.2	88.2	10.7	8.5	25.9	8.5	7.3	15.9
2014	16.4	8.5	93.2	9.8	8.2	20.0	8.0	7.4	7.7
2015	18.7	9.1	105.1	11.1	8.5	31.0	8.7	7.7	13.3
2016	16.9	9.5	77.9	10.5	8.6	22.7	8.9	8.0	11.7

¹ Most recent year for which final U.S. data are available.

NOTE: U.S. age-adjusted death rates are from compressed mortality files available at the federal Centers for Disease Control and Prevention's WONDER online database. Unlike the data shown in tables 6-54 and 6-55, all Oregon data are from state mortality files. Consequently, the rates and percentage differences shown here will vary from those in tables 6-54 and 6-55 due to different file closure dates, different population estimate methodologies, and incorporation of physician query results. Because the ratios are based on national data, discontinuities may occur when Oregon physicians reported causes of death differently than their national counterparts (e.g., Alzheimer's disease vs. Alzheimer's dementia). Some differences between Oregon and U.S. rates (e.g., alcohol-induced deaths) result, at least in part, from Oregon's query program: when death certificates are incomplete, letters are sent to physicians/certifiers requesting additional information.

TABLE 6-58. Age-adjusted death rates for selected causes of death, Oregon and United States residents, 2002-2016¹ — Continued

Vaar	Flu & pneumonia				Homicide		Viral hepatitis		
Year	Oregon	US	% Diff	Oregon	US	% Diff	Oregon	US	% Diff
2002	17.9	22.6	-20.8	3.1	6.1	-49.2	3.5	2.0	75.0
2003	17.0	22.0	-22.7	2.5	6.0	-58.3	2.6	1.8	44.4
2004	14.7	19.8	-25.8	3.1	5.9	-47.5	2.9	1.8	61.1
2005	15.1	20.3	-25.6	2.9	6.1	-52.5	2.3	1.8	27.8
2006	12.8	17.8	-28.1	3.0	6.2	-51.6	2.2	2.3	-4.3
2007	11.4	16.2	-29.6	2.1	6.1	-65.6	4.2	2.3	82.6
2008	12.3	16.9	-27.2	2.6	5.9	-55.9	3.8	2.3	65.2
2009	12.0	16.2	-26.2	2.6	5.5	-53.3	3.9	2.2	77.1
2010	9.3	15.1	-38.4	2.9	5.3	-45.5	3.8	2.1	79.8
2011	8.7	15.7	-44.5	2.8	5.3	-47.5	3.8	2.2	74.7
2012	8.1	14.4	-43.8	2.8	5.4	-47.9	3.2	2.1	51.3
2013	10.5	15.9	-34.1	2.3	5.2	-56.3	4.6	2.1	118.1
2014	9.1	15.1	-39.9	2.4	5.1	-52.3	4.1	2.1	95.8
2015	9.0	15.2	-41.0	3.5	5.7	-39.2	3.5	1.9	81.7
2016	8.8	13.5	-34.5	3.2	6.2	-47.6	2.9	1.6	83.5

Year	Amyotro	phic lateral s	clerosis	А	rterioscleros	is	HIV/AIDS		
	Oregon	US	% Diff	Oregon	US	% Diff	Oregon	US	% Diff
2002	3.0	2.0	50.0	5.7	4.7	21.3	2.5	4.9	-49.0
2003	3.1	2.0	55.0	5.5	4.4	25.0	2.5	4.7	-46.8
2004	2.9	1.9	52.6	4.6	3.9	17.9	1.8	4.5	-60.0
2005	2.8	1.9	47.4	4.8	3.8	26.3	1.5	4.2	-64.3
2006	2.9	1.9	52.6	2.8	2.7	3.7	1.4	4.0	-65.0
2007	2.3	1.9	21.1	3.0	2.5	20.0	1.5	3.7	-59.5
2008	3.0	1.9	57.9	2.2	2.3	-4.3	1.0	3.3	-69.7
2009	2.7	1.9	39.8	1.8	2.2	-19.0	1.1	3.0	-62.7
2010	2.8	2.0	38.9	1.6	2.2	-29.1	1.2	2.6	-55.1
2011	2.7	2.0	33.8	2.0	2.0	-0.5	0.9	2.4	-62.7
2012	2.7	2.1	29.4	1.1	2.0	-44.9	1.4	2.2	-37.8
2013	2.9	2.0	45.6	1.2	1.8	-33.8	1.2	2.1	-43.5
2014	2.6	2.0	30.7	0.8	1.7	-51.8	0.8	2.0	-60.9
2015	2.8	2.0	39.7	0.9	1.6	-41.1	1.0	1.9	-48.4
2016	2.1	1.7	24.9	0.9	1.5	-37.2	0.8	1.8	-55.7

¹ Most recent year for which final U.S. data are available.

NOTE: U.S. age-adjusted death rates are from compressed mortality files available at the federal Centers for Disease Control and Prevention's WONDER online database. Unlike the data shown in tables 6-54 and 6-55, all Oregon data are from state mortality files. Consequently, the rates and percentage differences shown here will vary from those in tables 6-54 and 6-55 due to different file closure dates, different population estimate methodologies, and incorporation of physician query results. Because the ratios are based on national data, discontinuities may occur when Oregon physicians reported causes of death differently than their national counterparts (e.g., Alzheimer's disease vs. Alzheimer's dementia). Some differences between Oregon and U.S. rates (e.g., alcohol-induced deaths) result, at least in part, from Oregon's query program: when death certificates are incomplete, letters are sent to physicians/certifiers requesting additional information.