Chlamydia Cases by Year, Columbia, 2007–2016 300 300 185 200 200 Count 143 136 131 129 129 121 119 96 100 86 100 0 0 2012 2007 2008 2009 2010 2011 2013 2014 2015 2016 Year **Cumulative Counts, Proportions and Rates for 2007–2016** Age by sex (Men) N Inc.* (Women) N % % Inc.* 10 - 14 yr.1 6.2 4 .3 .4 26.7 15 – 19 yr. 66 422.3 295 19.6 31.5 2083.9 107 20 - 24 yr.934.2 391 31.8 41.7 3555.8 25 - 34 yr.116 496.2 183 34.4 19.5 755.4 35 – 44 yr. 34 119.9 50 10.1 5.3 171.9 45 - 54 yr.10 29.4 10 3 1.1 29.6 55 - 64 yr.2 6 4 .6 .4 11.9 ≥ 65 yr. 0 0 0 0 0 0 337 152 937 All ages 100 100 421.6 Race, ethnicity (Both sexes) N % Inc.* White 788 64 193.6 5 **Black** .4 143.8 Native American, Alaska Native 12 1 168.8 3 Asian, Pacific Islander .2 43.1 Hispanic 41 3.3 211.2 Other 4 .3 n/a 7 Multiple .6 n/a Refused, unknown 371 30.1 n/a Risk

4

1

1.2**

.1

n/a

n/a

Other Infections

Male, sex with males

^{*}Cases per 100,000 population

^{**}Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Gonorrhea Cases by Year, Columbia, 2007–2016 40 40 36 Count Count 20 17 12 10 10 10 3 2 0 0 2009 2010 2011 2007 2008 2012 2013 2014 2015 2016 Year **Cumulative Counts, Proportions and Rates for 2007–2016** Age by sex (Men) N Inc.* (Women) N % % Inc.* 10 - 14 yr.0 0 0 0 0 0 15 – 19 yr. 1 6.4 8 1.9 13.8 56.5 20 - 24 yr.11 96 21 20.4 36.2 191 25 - 34 yr.22 94.1 18 40.7 31 74.3 35 – 44 yr. 11 38.8 4 20.4 6.9 13.8 45 - 54 yr.3 8.8 4 5.6 6.9 11.8 3 3 55 - 64 yr.5.6 8.9 5.2 8.9 3 0 ≥ 65 yr. 9.2 5.6 0 0 54 24.4 58 All ages 100 100 26.1 Race, ethnicity (Both sexes) N % Inc.* White 77 70.6 18.9 **Black** 0 0 0 Native American, Alaska Native 0 0 0 Asian, Pacific Islander 1 .9 14.4 3 Hispanic 2.8 15.5 Other 0 0 n/a 2 Multiple 1.8 n/a Refused, unknown 26 23.9 n/a Risk

2

1

3.7**

.9

n/a

n/a

Other Infections

Male, sex with males

^{*}Cases per 100,000 population

^{**}Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Early Syphilis Cases by Year, Columbia, 2007–2016



The Oregon Health Division HIV Surveillance Program does not publish counts of syphilis cases by age, race, sex or transmission group if fewer than 10 cases have been reported during the above time interval, county population is less than 10,0000, or the estimated county population of any race group or age group typically used to group cases in its reports is smaller than 50. If you are a public health official from this county and would like to request estimates of syphilis cases in your county by age and race and sex, please contact the Oregon Health Division STD Program