| | Chlamydia Cases by Year, Oregon, 2007–2016 | | | | | | | | | | | | | |
|--|--|-------|-------|---------|------------|-------------|-------|-------|--------|-------|--------|--|--|--|
| 20000 | | | | 12242 | 13689 | 13496 | 14261 | 15346 | 16353 | 17618 | 20000 | | | |
| Count 10000 | 98 <u>61</u> | 10854 | 11492 | 12343 | | | | | | | 10000 | | | |
| 0 | 2007 | 2008 | 2009 | 2010 | 2011 Ye | 2012 ear | 2013 | 2014 | 2015 | 2016 | 0 | | | |
| Cumulative Counts, Proportions and Rates for 2007–2016 | | | | | | | | | | | | | | |
| Age by sex | | | | (Men) N | 1 | % | Inc.* | (Wor | nen) N | % | Inc.* | | | |
| 10 – 1 | 14 yr. | | | 52 | 2 | .1 | 4.7 | | 495 | .5 | 46.6 | | | |
| 15 – 19 yr. | | | | 6114 | 4 | 14.6 | 531.1 | | 26789 | 28.7 | 2449.1 | | | |
| 20 – 24 yr. | | | | 1476 | 4 | 35.2 | 1238 | ; | 38545 | 41.4 | 3322 | | | |
| 25 – 34 yr. | | | | 1459 | 1 | 34.7 | 603.8 | | 21829 | 23.4 | 920.4 | | | |
| 35 – 44 yr. | | | | 435 | 4 | 10.4 | 187 | | 4409 | 4.7 | 194.5 | | | |
| 45 – 54 yr. | | | | 158 | 7 | 3.8 | 67.6 | | 910 | 1 | 37.9 | | | |
| 55 – 64 yr. | | | | 420 |) | 1 | 18.5 | | 187 | .2 | 7.8 | | | |
| ≥ 65 yr. | | | | 100 |) | .2 | 4.2 | | 22 | 0 | .8 | | | |
| All ages | | | | 4199 | 9 | 100 | 242.2 | ! | 93212 | 100 | 526.3 | | | |
| Race, ethnicity (Both sexes) N % | | | | | | | | % | Inc.* | | | | | |
| White | | | | | | | | | 71771 | 53.6 | 257.1 | | | |
| Black | | | | | | | 7780 | 5.8 | 995.2 | | | | | |
| | | | | | | | | 1.8 | 144.8 | | | | | |
| Asian, Pacific Islander | | | | | | | | | 2837 | 2.1 | 585.4 | | | |
| Hispanic | | | | | | | | | 19588 | 14.6 | 464.5 | | | |
| Other | | | | | | | | | 1142 | .9 | n/a | | | |
| Multip | | | | | | 1094 | .8 | n/a | | | | | | |
| Refus | ed, unknow | 'n | | | | | | : | 27357 | 20.4 | n/a | | | |
| Risk | | | | | | | | | | | | | | |
| Male, | | | | | | 682 | 1.6** | n/a | | | | | | |
| Other Infections | | | | | | | | | | | | | | |

1197 .9

n/a

HIV

^{*}Cases per 100,000 population
**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Gonorrhea Cases by Year, Oregon, 2007–2016 6000 6000 4367 4000 4000 Count 3244 2294 1751 2000 2000 1490 1469 1239 1260 1117 1078 0 0 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 Year Cumulative Counts, Proportions and Rates for 2007–2016 Age by sex (Men) N Inc.* (Women) N % % Inc.* 10 - 14 yr.7 .6 29 .1 .4 2.7 15 – 19 yr. 667 57.9 1340 5.6 18.4 122.5 20 - 24 yr.2451 205.5 2210 20.4 30.4 190.5 25 - 34 yr.4772 197.5 2478 39.7 104.5 34 35 – 44 yr. 2421 104 879 20.2 12.1 38.8 45 - 54 yr.1255 53.4 262 10.4 3.6 10.9 55 - 64 yr.364 16.1 62 3 .9 2.6 ≥ 65 yr. 72 15 3.1 .6 .2 .5 12011 69.3 7280 All ages 100 100 41.1 Race, ethnicity (Both sexes) N % Inc.* White 11747 61 42.1 2487 **Black** 12.9 318.1 Native American, Alaska Native 342 1.8 20.6 Asian, Pacific Islander 353 1.8 72.8 2187 Hispanic 11.4 51.9 Other 174 .9 n/a 293 Multiple 1.5 n/a 1659 Refused, unknown 8.6 n/a Risk

3633

1414

30.2**

7.3

n/a

n/a

Other Infections

Male, sex with males

^{*}Cases per 100,000 population

^{**}Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .

Early Syphilis Cases by Year Oregon, 2007–2016.

| | | | Earl | y Syphi | lis Case | es by Ye | ear, Ore | gon, 20 | 07–201 | 6 | | |
|--|--------------------------------------|---------|---------|---------|----------|----------|----------|----------|--------|-------|--------|------|
| 10 | 000 | | | | | | | | | | | 1000 |
| | | | | | | | | | | | | |
| 500 Conut | 500 | | | | | | | 407 | 414 | 570 | 576 | 500 |
| ဝိ | | | | | | | 310 | 407 | | | | |
| | | 26 | 44 | 87 | 109 | 169 | | | | | | |
| | 0 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 0 |
| | | | | | | | ear | | | | | |
| | | Cum | ulative | Counts | . Propo | ortions | and Ra | tes for | 2007–2 | 016 | | |
| Cumulative Counts, Proportions and Rates for 2007–2016 Age by sex (Men) N % Inc.* (Women) N % | | | | | | | | | | Inc.* | | |
| 10 – 14 yr. | | | 0 | | 0 | 0 | • | 0 | 0 | 0 | | |
| 15 – 19 yr. | | | | 46 | | 1.8 | 4 | | 6 | 3.2 | .5 | |
| 20 – 24 yr. | | | | 239 | | 9.5 | 20 | 46 | | 24.5 | 4 | |
| 25 – 34 yr. | | | 781 | | 30.9 | 32.3 | 58 | | 30.9 | 2.4 | | |
| 35 – 44 yr. | | | 673 | | 26.7 | 28.9 | 49 | | 26.1 | 2.2 | | |
| 45 – 54 yr. | | | 514 | | 20.4 | 21.9 | | 15 | 8 | .6 | | |
| 55 – 64 yr. | | | 212 | | 8.4 | 9.3 | | 8 | 4.3 | .3 | | |
| ≥ 65 yr. | | | 59 | | 2.3 | 2.5 | | 6 | 3.2 | .2 | | |
| All ages | | | | 252 | 24 | 100 | 14.6 | | 188 | 100 | 1.1 | |
| Race, ethnicity | | | | | | | (B | oth sexe | s) N | % | Inc.* | |
| White 1808 66.5 | | | | | | | 66.5 | 6.5 | | | | |
| Black | | | | | | | | | 152 | 5.6 | 19.4 | |
| | Native American, Alaska Native 24 .9 | | | | | | | | 1.4 | | | |
| | Asian, Pacific Islander 76 2.8 | | | | | | | | | 2.8 | 15.7 | |
| Hispanic | | | | | | | | | 474 | 17.4 | 11.2 | |
| Other | | | | | | | | | 15 | .6 | n/a | |
| Multiple | | | | | | | | | 65 | 2.4 | n/a | |
| Refused, unknown | | | | | | | | | 104 | 3.8 | n/a | |
| Risk | | | | | | | | | | | | |
| Male, sex with males | | | | | | | | | 1 | 1781 | 70.6** | n/a |
| Othe | r Inf | ections | | | | | | | | | | |
| | H۱۱ | / | | | | | | | 1 | 1051 | 38.8 | n/a |

^{*}Cases per 100,000 population
**Represents male cases that were asked and answered 'Yes' to question about ever having sex with men as a proportion of all male cases reported .