

**During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week?**

	<b>Percent</b>
<b>I didn't drink then</b>	45.7%
<b>Less than 1 drink a week</b>	28.2%
<b>1 to 3 drinks a week</b>	15.1%
<b>4 to 6 drinks a week</b>	6.9%
<b>7 to 13 drinks a week</b>	2.6%
<b>14 drinks or more a week</b>	.5%
<b>I don't know</b>	1.1%

(n = 1,311) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During the 3 months before you got pregnant, how many times did you drink 5 alcoholic drinks or more in one sitting?**

	Percent
<b>Once</b>	4.8%
<b>2 times</b>	4.9%
<b>3 times</b>	1.5%
<b>4 times</b>	.7%
<b>5 times</b>	.5%
<b>6 or more times</b>	1.4%
<b>I didn't drink then</b>	78.2%
<b>I don't know</b>	7.8%

(n = 1,307) Denominator is all survey respondents.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During the *last 3 months* of your pregnancy, how many alcoholic drinks did you have in an average week?**

	Percent
<b>I didn't drink then</b>	92.6%
<b>Less than 1 drink a week</b>	5.6%
<b>1 to 3 drinks a week</b>	1.5%
<b>4 to 6 drinks a week</b>	.3%
(n = 1,310) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During the *last 3 months* of your pregnancy, how many times did you drink 5 alcoholic drinks or more in one sitting?**

	Percent
<b>Once</b>	.3%
<b>2 or more times</b>	.1%
<b>I didn't drink then</b>	99.2%
<b>I don't know</b>	.4%
(n = 1,307) Denominator is all survey respondents.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Mother's Age (Years)**

	Percent
<b>Less than 18</b>	1.7%
<b>18 to 19</b>	7.0%
<b>20 to 34</b>	80.1%
<b>35 or older</b>	11.2%
(n = 1,335)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Maternal Education**

	<b>Percent</b>
<b>Less than 12 years</b>	19.6%
<b>At least 12 years</b>	79.3%
<b>Unknown</b>	1.1%
(n = 1,335)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Mother's Race/Ethnicity  
as defined by CDC for PRAMS**

	<b>Percent</b>
<b>African American</b>	2.0%
<b>American Indian/Alaskan Native</b>	1.4%
<b>Asian/Pacific Islander</b>	5.4%
<b>Hispanic</b>	17.9%
<b>White</b>	73.3%
(n = 1,335)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Prenatal Care Initiation**

	<b>Percent</b>
<b>No first trimester initiation</b>	16.5%
<b>1st trimester initiation</b>	83.5%
(n = 1,335)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



## Birth Certificate: Birthweight Category

	Percent
<b>Low Birthweight (&lt; 2500g)</b>	4.9%
<b>Normal Birthweight (&gt;= 2500 g)</b>	95.1%
(n = 1,335)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Marital Status**

	Percent
All else	30.2%
Married	69.8%
(n = 1,335)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: WIC Enrollment**

	Percent
No	58.4%
Yes	41.6%
(n = 1,335)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Birth Certificate: Parity

	Percent
<b>First born</b>	41.0%
<b>Not first born</b>	59.0%
(n = 1,334)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Tobacco Use During Pregnancy**

	Percent
<b>Yes</b>	11.0%
<b>No</b>	88.3%
<b>Unknown</b>	.7%
(n = 1,335)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Birth Certificate: Alcohol Use During Pregnancy**

	Percent
<b>Yes</b>	1.0%
<b>No</b>	98.3%
<b>Unknown</b>	.7%
(n = 1,335)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

## Did you ever breastfeed or pump breast milk to feed your new baby after delivery?

		Percent
	<b>No</b>	5.8%
	<b>Yes</b>	94.2%
(n = 1,286) Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

## Are you still breastfeeding or feeding pumped milk to your new baby?

		Percent
	<b>No</b>	5.8%
	<b>Yes</b>	94.2%

(n = 1,174)  
Denominator is respondents whose new baby is alive and living with them now and did breastfeed their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

**How many weeks or months did you breastfeed or pump milk to feed your baby?**

	<b>Percent</b>
<b>Less than 1 week</b>	3.1%
<b>1.0 to 2.9 weeks</b>	4.4%
<b>3.0 to 4.9 weeks</b>	11.2%
<b>5.0 to 6.9 weeks</b>	3.7%
<b>7.0 to 8.9 weeks</b>	5.6%
<b>9.0 to 10.9 weeks</b>	11.5%
<b>11.0 or more weeks</b>	60.5%

(n = 1,147); categorized variable  
Denominator is respondents whose new baby is alive and living with them now and had breastfed their new baby after delivery, but are no longer breastfeeding.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**How old was your baby the first time you fed him or her anything besides breast milk?**

	<b>Percent</b>
<b>My baby was less than 1 week old</b>	19.4%
<b>I have not fed my baby anything besides breast milk</b>	37.2%
<b>1.0 to 2.9 weeks</b>	9.7%
<b>3.0 to 4.9 weeks</b>	12.5%
<b>5.0 to 6.9 weeks</b>	5.4%
<b>7.0 to 8.9 weeks</b>	7.8%
<b>9.0 to 10.9 weeks</b>	1.6%
<b>11.0 or more weeks</b>	6.5%

(n = 1,150); categorized variable  
Denominator is respondents whose new baby is alive and living with them now and had breastfed their baby after delivery, but are no longer breastfeeding.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**This question asks about things that may have happened at the hospital where your new baby was born:**

## **Hospital staff gave me information about breastfeeding**

		<b>Percent</b>
	<b>No</b>	6.4%
	<b>Yes</b>	93.6%
(n = 1,236) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

This question asks about things that may have happened at the hospital where your new baby was born:  
**My baby stayed in the same room with me at the hospital**

		Percent
	<b>No</b>	5.5%
	<b>Yes</b>	94.5%

(n = 1,237)  
Denominator is respondents whose new baby was born in a hospital, is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**This question asks about things that may have happened at the hospital where your new baby was born:**

**I breastfed my baby in the hospital**

		<b>Percent</b>
	<b>No</b>	7.6%
	<b>Yes</b>	92.4%
(n = 1,234) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**This question asks about things that may have happened at the hospital where your new baby was born:**

**I breastfed my baby in the first hour after my baby was born**

		<b>Percent</b>
	<b>No</b>	29.7%
	<b>Yes</b>	70.3%
(n = 1,233) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

This question asks about things that may have happened at the hospital where your new baby was born:  
**Hospital staff helped me learn how to breastfeed**

		Percent
	<b>No</b>	24.4%
	<b>Yes</b>	75.6%

(n = 1,235)  
Denominator is respondents whose new baby was born in a hospital, is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**This question asks about things that may have happened at the hospital where your new baby was born:**

**My baby was fed only breast milk at the hospital**

		<b>Percent</b>
	<b>No</b>	32.0%
	<b>Yes</b>	68.0%
(n = 1,234) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

**This question asks about things that may have happened at the hospital where your new baby was born:**

**Hospital staff told me to breastfeed whenever my baby wanted**

		<b>Percent</b>
	<b>No</b>	17.2%
	<b>Yes</b>	82.8%
(n = 1,231) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**This question asks about things that may have happened at the hospital where your new baby was born:**

**The hospital gave me a gift pack with formula**

		<b>Percent</b>
	<b>No</b>	30.9%
	<b>Yes</b>	69.1%
(n = 1,231) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**This question asks about things that may have happened at the hospital where your new baby was born:**

**The hospital gave me a telephone number to call for help with breastfeeding**

		<b>Percent</b>
	<b>No</b>	13.8%
	<b>Yes</b>	86.2%
(n = 1,229) Denominator is respondents whose new baby was born in a hospital, is alive and living with them now and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

This question asks about things that may have happened at the hospital where your new baby was born:  
**My baby used a pacifier in the hospital**

		Percent
	<b>No</b>	60.3%
	<b>Yes</b>	39.7%

(n = 1,224)  
Denominator is respondents whose new baby was born in a hospital, is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**What were your reasons for stopping breastfeeding?  
Check all that apply.**

	<b>Percent</b>
<b>My baby had difficulty nursing</b>	36.0%
<b>Breast milk alone did not satisfy my baby</b>	38.8%
<b>I thought my baby was not gaining enough weight</b>	17.3%
<b>My baby became sick and could not breastfeed</b>	3.2%
<b>My nipples were sore, cracked, or bleeding</b>	23.3%
<b>I thought I was not producing enough milk</b>	41.1%
<b>I had too many other household duties</b>	13.1%
<b>I felt it was the right time to stop breastfeeding</b>	13.3%
<b>I became sick and could not breastfeed</b>	11.3%
<b>I went back to work or school</b>	16.6%
<b>My husband or partner wanted me to stop breastfeeding</b>	.4%
<b>I wanted or needed someone else to feed the baby</b>	15.0%
<b>Other</b>	23.5%
(n = 388) Denominator is respondents whose new baby is alive and living with them now, had breastfed their baby after delivery, but are no longer breastfeeding, and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**Is your baby alive now?**

	Percent
<b>No</b>	.4%
<b>Yes</b>	99.6%
(n = 1,331)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Is your baby living with you now?

	Percent
No	.9%
Yes	99.1%
(n = 1,321)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Counting yourself, how many people live in your house, apartment, or trailer?  
(number of adults)**

	<b>Percent</b>
<b>1</b>	5.0%
<b>2</b>	76.8%
<b>3 or more</b>	18.2%
(n = 1,316)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



**Counting yourself, how many people live in your house, apartment, or trailer?  
(number of babies, children, or teenagers)**

	Percent
<b>1</b>	.4%
<b>2</b>	36.1%
<b>3</b>	37.3%
<b>4 or more</b>	26.1%
(n = 1,294)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**What were the sources of your household's income during the past 12 months?**

	<b>Percent</b>
<b>Paycheck or money from a job</b>	91.9%
<b>Aid such as TANF, welfare, public/general assistance, food stamps, SSI</b>	22.9%
<b>Unemployment benefits</b>	11.4%
<b>Child support or alimony</b>	8.2%
<b>Social security, worker's compensation, veteran benefits, or pensions</b>	3.3%
<b>Money from a business, fees, dividends, or rental income</b>	7.9%
<b>Money from family or friends</b>	16.8%
<b>Other</b>	7.6%
<b>(n = 1,308)</b>	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Before you got pregnant with your new baby, what was your *monthly* family income (before deductions and taxes)? Include ANY income or money you can use. All information will be kept private.**

	<b>Percent</b>
<b>&lt;= \$719</b>	13.6%
<b>\$720 - \$969</b>	7.2%
<b>\$970 - \$1,219</b>	9.0%
<b>\$1,220 - \$1,319</b>	4.6%
<b>\$1,320 - \$1,789</b>	8.4%
<b>\$1,790 - \$2,259</b>	11.4%
<b>\$2,260 - \$2,719</b>	6.0%
<b>\$2,720 - \$3,189</b>	6.0%
<b>\$3,190 - \$3,649</b>	6.2%
<b>\$3,650 - \$4,119</b>	4.7%
<b>\$4,120 +</b>	22.8%
(n = 1,273)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How many people, including yourself, depended on this income?**

	Percent
<b>0</b>	.4%
<b>1</b>	4.7%
<b>2</b>	26.6%
<b>3</b>	27.6%
<b>4</b>	24.4%
<b>5</b>	9.3%
<b>6 or more</b>	7.0%
(n = 1,306)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Body Mass Index (BMI)**

	<b>Percent</b>
<b>Underweight (bmi &lt; 18.5)</b>	5.7%
<b>Normal (18.5 &lt;= bmi &lt; 25.0)</b>	53.9%
<b>Overweight (25.0 &lt;= bmi &lt; 30.0)</b>	24.7%
<b>Obese (bmi &gt;= 30.0)</b>	15.7%
(n = 1,245) Oregon PRAMS 2002	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

How many weeks or months pregnant were you when you were *sure* you were pregnant? (For example, you had a pregnancy test or a doctor or nurse said you were pregnant.)

	Percent
I don't remember	2.8%
1.0 - 7.9 weeks	73.5%
8.0 - 12.9 weeks	15.6%
13.0 - 17.9 weeks	5.8%
18.0 - 22.9 weeks	2.1%
23.0 or more weeks	.3%
(n = 1,322)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**When you got pregnant with your new baby, were you trying to become pregnant?**

	<b>Percent</b>
<b>No</b>	49.1%
<b>Yes</b>	50.9%
(n = 1,312)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?**

		<b>Percent</b>
	<b>No</b>	51.9%
	<b>Yes</b>	48.1%

(n = 664) includes only those who said that they were not trying to get pregnant when they got pregnant with their new baby

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

**What were your or your husband's or partner's reasons for not doing anything to keep from getting pregnant?  
Check all that apply.**

	Percent
I didn't mind if I got pregnant	47.0%
I thought I could not get pregnant at that time	18.8%
I had side effects from the birth control method I was using	15.8%
I had problems getting birth control when I needed it	10.7%
I thought my husband or partner or I was sterile	9.2%
My husband or partner didn't want to use anything	19.8%
Other	17.2%
(n = 366) Denominator is respondents who were not trying to get pregnant when they got pregnant and were not using birth control when they got pregnant with their new baby and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

When you got pregnant with your new baby, what kinds of birth control were you or your husband or partner using? Check all that apply.

	Percent
Pill	44.6%
Condom	39.0%
Foam, jelly, cream	1.5%
Diaphragm	.1%
Norplant	
Shots (Depo-Provera)	9.0%
Shots (Lunelle)	.3%
Withdrawal	18.7%
IUD (Intrauterine Device)	2.2%
Natural Family Planning (Rhythm)	18.8%
Other	2.8%

(n = 280) Denominator is respondents who were using birth control when they got pregnant with their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

***When you got pregnant with your new baby, would you have used a different birth control method if you had insurance that paid for it?***

		Percent
	<b>No</b>	70.1%
	<b>Yes</b>	29.9%
(n = 277) Denominator is respondents who were using birth control when they got pregnant with their new baby and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**When you got pregnant with your new baby, where were you or your husband or partner getting your birth control method(s)? Check all that apply.**

	<b>Percent</b>
<b>A family planning clinic</b>	11.5%
<b>A health department clinic</b>	15.7%
<b>A community health center</b>	4.3%
<b>A private gynecologist</b>	17.5%
<b>A general or family physician</b>	9.2%
<b>A drug store or other store</b>	33.7%
<b>Other</b>	6.1%
<b>No place</b>	13.8%

(n = 277) Denominator is respondents who were using birth control when they got pregnant with their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

***When you got pregnant with your new baby, would you have used a birth control method if you had insurance that paid for it?***

		Percent
	<b>No</b>	57.6%
	<b>Yes</b>	42.4%

(n = 382) Denominator is respondents who were not using birth control when they got pregnant with their new baby and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Before you got pregnant with your new baby, did you know there was free or low cost birth control at health departments and Planned Parenthood clinics?**

	Percent
<b>No</b>	25.4%
<b>Yes</b>	74.6%
(n = 1,323)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Before you got pregnant with your new baby, had you ever heard or read about emergency birth control (the "morning-after pill")?** This special combination of regular birth control pills is used to prevent pregnancy up to three days after unprotected sex.

	Percent
No	23.6%
Yes	76.4%
(n = 1,323)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Are you or your husband or partner doing anything *now* to keep from getting pregnant?** (Some things people do to keep from getting pregnant include having their tubes tied or their partner having a vasectomy, using birth control methods like the pill, Norplant, shots [Depo-Provera], condoms, diaphragm, foam, IUD, and not having sex at certain times [rhythm].)

	Percent
<b>No</b>	14.9%
<b>Yes</b>	85.1%
(n = 1,328)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

**What are your or your husband's or partner's reasons for not doing anything to keep from getting pregnant *now*? Check all that apply.**

	Percent
I am not having sex	37.5%
I want to get pregnant	9.0%
I don't want to use birth control	27.9%
My husband or partner doesn't want to use anything	13.9%
I don't think I can get pregnant (sterile)	11.3%
I can't pay for birth control	7.8%
I am pregnant now	2.3%
Other	38.4%

(n = 214) Denominator is respondents who are not using any birth control now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

What kinds of birth control are you or your husband or partner using *now*? Check all that apply.

	Percent
<b>Tubes tied (sterilization)</b>	11.2%
<b>Vasectomy (sterilization)</b>	3.7%
<b>Pill</b>	38.8%
<b>Condoms</b>	31.7%
<b>Foam, Jelly, cream</b>	3.7%
<b>Diaphragm</b>	1.2%
<b>Norplant</b>	.1%
<b>Shots (Depo-Provera)</b>	11.0%
<b>Shots (Lunelle)</b>	.6%
<b>Withdrawal</b>	8.6%
<b>IUD (Intrauterine Device)</b>	5.6%
<b>Natural Family Planning (Rhythm)</b>	5.0%
<b>Other</b>	6.6%

(n = 1,036) Denominator is respondents who are using birth control now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.  
Oregon Public Health Division

# Oregon PRAMS: 2002 Results\*

Where are you or your husband or partner getting your birth control method(s) now? Check all that apply.

	Percent
A family planning clinic	6.0%
A health department clinic	9.2%
A community health center	2.9%
A private gynecologist	28.6%
A general or family physician	11.1%
A drug store or other store	35.4%
Other	5.5%
No place	14.1%
(n = 1,015) Denominator is respondents who are using birth control now and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Oregon PRAMS: 2002 Results\*

***Before you got pregnant with your new baby, had you ever heard or read that taking the vitamin folic acid can help prevent some birth defects?***

	Percent
<b>No</b>	20.0%
<b>Yes</b>	80.0%
(n = 1,328)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**In the month *before* you got pregnant with your new baby, how many times a week did you take a multivitamin (a pill that contains many different vitamins and minerals)?**

	<b>Percent</b>
<b>1-3 times a week</b>	10.9%
<b>4-6 times a week</b>	8.7%
<b>I didn't take a multivitamin at all</b>	51.9%
<b>Every day of the week</b>	28.5%
(n = 1,332)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**During your most recent pregnancy, did you have a blood test for HIV (the virus that causes AIDS)?**

	Percent
<b>I don't know</b>	12.3%
<b>No</b>	25.9%
<b>Yes</b>	61.8%
(n = 1,327)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**After your baby was born, was he or she put in an intensive care unit?**

	Percent
<b>I don't know</b>	.7%
<b>No</b>	91.7%
<b>Yes</b>	7.5%
(n = 1,322)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## After your baby was born, how long did he or she stay in the hospital?

	Percent
<b>Less than 24 hours (less than 1 day)</b>	8.9%
<b>24 - 48 hours (1-2 days)</b>	50.4%
<b>3 days</b>	23.7%
<b>4 days</b>	6.4%
<b>5 days</b>	2.8%
<b>6 days or more</b>	5.3%
<b>My baby was not born in a hospital</b>	2.2%
<b>My baby is still in the hospital</b>	.2%
(n = 1,317)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

**Was your baby seen by a doctor, nurse, or other health care provider in the first week after he or she left the hospital?**

		Percent
	<b>No</b>	23.4%
	<b>Yes</b>	76.6%

(n = 1,278) Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

## Was your new baby seen at home or at a health care facility?

	Percent
At home	10.3%
At a doctor's office, clinic, or other health care facility	89.7%
(n = 953) Denominator is respondents whose new baby is alive and living with them now and who answered that their baby was seen by a doctor, nurse, or health care provider in the first week after he or she left the hospital and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

## Has your baby had a well-baby checkup?

		Percent
	<b>No</b>	3.5%
	<b>Yes</b>	96.5%

(n = 1,277) Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

## Where do you usually take your baby for well-baby checkups?

	Percent
Health Department clinic	9.3%
Hospital clinic	13.4%
Private doctor's office or HMO clinic	74.2%
Other	3.1%
(n = 1,205) Denominator is respondents whose new baby is alive and living with them now and who answered that their baby has had a well-baby checkup and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**How many times has your baby been to a doctor or nurse for a well-baby checkup?  
(It may help to use the calendar.)**

	<b>Percent</b>
<b>Once</b>	11.7%
<b>2 times</b>	47.8%
<b>3 times</b>	26.7%
<b>4 times</b>	7.9%
<b>5 or more times</b>	5.9%

(n = 1,203) Denominator is respondents whose new baby is alive and living with them now and who answered that their baby has had a well-baby checkup and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

## How do you *most often* lay your baby down to sleep now?

	Percent
All 3 positions	.2%
Back	72.9%
Back/Stomach	.3%
Side	14.8%
Side/Back	2.7%
Side/Stomach	.2%
Stomach	8.9%

(n = 1,285) Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

***Just before you got pregnant, did you have health insurance? (Do not count Oregon Health Plan or Medicaid.)***

	Percent
<b>No</b>	39.8%
<b>Yes</b>	60.2%
(n = 1,331)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

***Just before you got pregnant, were you on Oregon Health Plan or Medicaid?***

	Percent
<b>No</b>	84.7%
<b>Yes</b>	15.3%
(n = 1,326)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

**How was your prenatal care paid for? Check all that apply.**

	<b>Percent</b>
<b>Oregon Health Plan or Medicaid</b>	37.1%
<b>Personal income (cash, check, or credit card)</b>	23.6%
<b>Health insurance or HMO</b>	57.4%
<b>Indian Health Service</b>	1.4%
<b>Other</b>	5.2%
(n = 1,288) Denominator is respondents who went for prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**How was your delivery paid for? Check all that apply.**

	<b>Percent</b>
<b>Oregon Health Plan or Medicaid</b>	43.6%
<b>Personal income (cash, check, or credit card)</b>	17.4%
<b>Health insurance or HMO</b>	56.8%
<b>Indian Health Service</b>	.6%
<b>Other</b>	3.2%
(n = 1,326)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

***During the 12 months before you got pregnant, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?***

		Percent
	<b>No</b>	95.6%
	<b>Yes</b>	4.4%

(n = 1,166) Denominator is respondents who were age 20 and over at the time of their baby's birth and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

***During the 12 months before you got pregnant, did anyone else physically hurt you in any way?***

		Percent
	<b>No</b>	98.1%
	<b>Yes</b>	1.9%

(n = 1,167) Denominator is respondents who were age 20 and over at the time of their baby's birth and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

**\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

***During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way?***

		Percent
	<b>No</b>	97.0%
	<b>Yes</b>	3.0%

(n = 1,165) Denominator is respondents who were age 20 and over at the time of their baby's birth and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

***During your most recent pregnancy, did anyone else physically hurt you in any way?***

		Percent
	<b>No</b>	98.8%
	<b>Yes</b>	1.2%

(n = 1,164) Denominator is respondents who were age 20 and over at the time of their baby's birth and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**This question is about the care of your teeth during your most recent pregnancy.**

## **I needed to see a dentist for a problem**

	<b>Percent</b>
<b>No</b>	72.2%
<b>Yes</b>	27.8%
(n = 1,283)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**This question is about the care of your teeth during your most recent pregnancy.**

## I went to a dentist or dental clinic

	Percent
No	52.9%
Yes	47.1%
(n = 1,280)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

**This question is about the care of your teeth during your most recent pregnancy.**

**A dental or other health care worker talked with me about how to care for my teeth and gums**

	Percent
<b>No</b>	54.5%
<b>Yes</b>	45.5%
(n = 1,273)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**How long has it been since you had your teeth cleaned by a dentist or a dental hygienist?**

	<b>Percent</b>
<b>1 to less than 2 years (12 - 23 months)</b>	22.7%
<b>2 to less than 5 years (24 - 59 months)</b>	16.1%
<b>5 or more years (60 or more months)</b>	8.8%
<b>Never</b>	4.5%
<b>Within the past year (less than 12 months)</b>	47.9%
(n = 1,316)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Oregon PRAMS: 2002 Results\*

**After your new baby was born, did a doctor, nurse, or other health care worker talk with you about how to prevent your baby from getting tooth decay?**

		Percent
	<b>No</b>	71.0%
	<b>Yes</b>	29.0%

(n = 1,281) Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Before your new baby, did you ever have any other babies who were born alive?**

	Percent
No	41.3%
Yes	58.7%
(n = 1,314)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Did the baby born just before your new one weigh 5 pounds, 8 ounces (2.5 kilos) or less at birth?**

		Percent
	<b>No</b>	89.0%
	<b>Yes</b>	11.0%
(n = 726) Denominator is respondents who have had other babies born alive and who chose the responses above.		

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Was the baby just before your new one born *more* than 3 weeks before its due date?**

		<b>Percent</b>
	<b>No</b>	86.2%
	<b>Yes</b>	13.8%

(n = 727) Denominator is respondents who have had other babies born alive and who chose the responses above.

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

## Pregnancy Intendedness (Calculated based on question below)

	Percent
<b>Intended</b>	60.8%
<b>Unintended</b>	39.2%
(n = 1,312 ) Intended = wanted to be pregnant sooner or then. Unintended = wanted to be pregnant later or not at any time in the future.	

## Thinking back to *just before* you got pregnant, how did you feel about becoming pregnant?

	Percent
<b>I wanted to be pregnant sooner</b>	19.7%
<b>I wanted to be pregnant then</b>	41.1%
<b>I wanted to be pregnant later</b>	32.3%
<b>I didn't want to be pregnant then or at any time in the future</b>	6.9%
(n = 1,312)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**How many weeks or months pregnant were you when you had your first visit for prenatal care? (Don't count a visit that was only for a pregnancy test or only for WIC [the Special Supplemental Nutrition Program for Women, Infants, and Children].)**

	Percent
<b>1 month</b>	9.5%
<b>2 months</b>	48.5%
<b>3 months</b>	25.4%
<b>4 months</b>	6.5%
<b>5 months</b>	4.6%
<b>6 months</b>	3.3%
<b>7 months</b>	1.3%
<b>8 months</b>	.6%
<b>9 months</b>	.3%
(n = 1,320)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

## Did you get prenatal care as early in your pregnancy as you wanted?

	Percent
I didn't want prenatal care	.6%
No	22.3%
Yes	77.1%
(n = 1,327)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Did any of these things keep you from getting prenatal care as early as you wanted? Check all that apply.**

	<b>Percent</b>
<b>I couldn't get an appointment earlier in my pregnancy</b>	33.9%
<b>I didn't have enough money or insurance to pay for my visits</b>	27.5%
<b>I didn't know I was pregnant</b>	36.6%
<b>I had no way to get to the clinic or doctor's office</b>	5.5%
<b>The doctor or my health plan would not start care earlier</b>	15.7%
<b>I didn't have my Oregon Health Plan or Medicaid card</b>	17.2%
<b>I had no one to take care of my children</b>	1.9%
<b>I had too many other things going on</b>	6.0%
<b>Other</b>	15.4%
<small>(n = 307) Denominator is respondents who did not get prenatal care as early in their pregnancies as they wanted and who chose the responses above.</small>	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

# Oregon PRAMS: 2002 Results\*

## Where did you go *most of the time* for your prenatal visits? (Do not include visits for WIC.)

	Percent
At home	.6%
Health department clinic	7.8%
Hospital clinic	16.5%
Private doctor's office or HMO clinic	56.8%
Midwife's office	14.4%
Other	4.0%
(n = 1,280) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)

## How smoking during pregnancy could affect your baby

	Percent
No	35.5%
Yes	64.5%
(n = 1,276) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## Breastfeeding your baby

	Percent
<b>No</b>	16.8%
<b>Yes</b>	83.2%
(n = 1,287) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## How drinking alcohol during pregnancy could affect your baby

	Percent
<b>No</b>	35.5%
<b>Yes</b>	64.5%
(n = 1,279) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## Using a seatbelt during your pregnancy

	Percent
<b>No</b>	61.3%
<b>Yes</b>	38.7%
(n = 1,278) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)

## Birth control methods to use after your pregnancy

	Percent
No	15.5%
Yes	84.5%
(n = 1,287) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **Medicines that are safe to take during your pregnancy**

	<b>Percent</b>
<b>No</b>	12.7%
<b>Yes</b>	87.3%
(n = 1,290) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## How using illegal drugs could affect your baby

	Percent
<b>No</b>	46.7%
<b>Yes</b>	53.3%
(n = 1,273) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## What to do if your labor starts early

	Percent
<b>No</b>	14.7%
<b>Yes</b>	85.3%
(n = 1,291) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **Getting your blood tested for HIV (the virus that causes AIDS)**

	<b>Percent</b>
<b>No</b>	21.9%
<b>Yes</b>	78.1%
(n = 1,283) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)

## Physical abuse to women by their husbands or partners

	Percent
No	56.1%
Yes	43.9%
(n = 1,276) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about any of the things listed below? (Please count only discussions, not reading materials or videos.)**

## **Doing tests to screen for birth defects or diseases that run in your family**

	<b>Percent</b>
<b>No</b>	15.0%
<b>Yes</b>	85.0%
(n = 1,288) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Oregon PRAMS: 2002 Results\*

***During any of your prenatal care visits, did a doctor, nurse, or other health care worker offer you a blood test to see whether your baby had birth defects or diseases that run in your family?***

	Percent
<b>No</b>	11.0%
<b>Yes</b>	89.0%
(n = 1,262) Denominator is respondents who had prenatal care and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**This question is about things that may have happened during the *12 months before* your new baby was born.**

**A close family member was very sick and had to go into the hospital**

	Percent
<b>No</b>	74.8%
<b>Yes</b>	25.2%
(n = 1,308)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

This question is about things that may have happened during the *12 months before your new baby was born.*

**You got separated or divorced from your husband or partner**

	Percent
<b>No</b>	89.3%
<b>Yes</b>	10.7%
(n = 1,302)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

This question is about things that may have happened during the *12 months before your new baby was born.*

## You moved to a new address

	Percent
<b>No</b>	54.5%
<b>Yes</b>	45.5%
(n = 1,307)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

This question is about things that may have happened during the *12 months before your new baby was born.*

## You were homeless

	Percent
<b>No</b>	90.9%
<b>Yes</b>	9.1%
(n = 1,298)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

This question is about things that may have happened during the *12 months before your new baby was born.*

## Your husband or partner lost his job

	Percent
<b>No</b>	81.6%
<b>Yes</b>	18.4%
(n = 1,300)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

This question is about things that may have happened during the *12 months before your new baby was born.*

**You lost your job even though you wanted to go on working**

	Percent
<b>No</b>	85.8%
<b>Yes</b>	14.2%
(n = 1,291)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**This question is about things that may have happened during the *12 months before your new baby was born.***

**You argued with your husband or partner more than usual**

	Percent
<b>No</b>	70.2%
<b>Yes</b>	29.8%
(n = 1,303)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**This question is about things that may have happened during the *12 months before your new baby was born.***

## **You had a lot of bills you couldn't pay**

	<b>Percent</b>
<b>No</b>	64.9%
<b>Yes</b>	35.1%
(n = 1,302)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

This question is about things that may have happened during the *12 months before your new baby was born.*

## You were in a physical fight

	Percent
<b>No</b>	96.2%
<b>Yes</b>	3.8%
(n = 1,299)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



# Oregon PRAMS: 2002 Results\*

**This question is about things that may have happened during the *12 months before your new baby was born.***

**You or your husband or partner went to jail**

	Percent
<b>No</b>	93.9%
<b>Yes</b>	6.1%
(n = 1,301)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Oregon PRAMS: 2002 Results\*

This question is about things that may have happened during the *12 months before your new baby was born*.

**Someone very close to you had a bad problem with drinking or drugs**

	Percent
<b>No</b>	84.4%
<b>Yes</b>	15.6%
(n = 1,306)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

This question is about things that may have happened during the *12 months before your new baby was born.*

## Someone very close to you died

	Percent
<b>No</b>	83.6%
<b>Yes</b>	16.4%
(n = 1,305)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Did you have any of these problems during your pregnancy?**

**Labor pains more than 3 weeks before your baby was due (preterm or early labor)**

	<b>Percent</b>
<b>No</b>	72.4%
<b>Yes</b>	27.6%
(n = 1,319)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Did you have any of these problems during your pregnancy?**

**High blood pressure (including preeclampsia or toxemia) or retained water (edema)**

	<b>Percent</b>
<b>No</b>	80.4%
<b>Yes</b>	19.6%
(n = 1,311)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### Vaginal bleeding

	Percent
<b>No</b>	85.1%
<b>Yes</b>	14.9%
(n = 1,310)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

## Did you have any of these problems during your pregnancy?

### Problems with the placenta (such as abruptio placentae, placenta previa)

	Percent
<b>No</b>	95.8%
<b>Yes</b>	4.2%
(n = 1,308)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### Severe nausea, vomiting, or dehydration

	Percent
<b>No</b>	73.1%
<b>Yes</b>	26.9%
(n = 1,308)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



## Did you have any of these problems during your pregnancy?

### High blood sugar (diabetes)

	Percent
<b>No</b>	91.4%
<b>Yes</b>	8.6%
(n = 1,316)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### Kidney or bladder (urinary tract) infection

	Percent
<b>No</b>	85.2%
<b>Yes</b>	14.8%
(n = 1,309)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

## Did you have any of these problems during your pregnancy?

**Water broke more than 3 weeks before your baby was due (premature rupture of membranes, PROM)**

	Percent
<b>No</b>	95.7%
<b>Yes</b>	4.3%
(n = 1,314)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Did you have any of these problems during your pregnancy?**

**Cervix had to be sewn shut (incompetent cervix, cerclage)**

	<b>Percent</b>
<b>No</b>	97.6%
<b>Yes</b>	2.4%
(n = 1,288)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Did you have any of these problems during your pregnancy?

### You were hurt in a car accident

	Percent
<b>No</b>	98.2%
<b>Yes</b>	1.8%
(n = 1,131)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**Did you do any of the following things because of these problem(s)?  
Check all that apply.**

	<b>Percent</b>
<b>I went to the hospital or emergency room and stayed less than 1 day</b>	57.3%
<b>I went to the hospital and stayed 1 to 7 days</b>	28.5%
<b>I went to the hospital and stayed more than 7 days</b>	6.9%
<b>I stayed in bed at home more than 2 days because of my doctor's or nurse's advice</b>	50.5%
(n = 550) Denominator is respondents who who had a physical problem during their pregnancy and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Have you smoked at least 100 cigarettes in the past 2 years?  
(A pack has 20 cigarettes)**

	<b>Percent</b>
<b>No</b>	74.6%
<b>Yes</b>	25.4%
(n = 1,322)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**In the 3 months before you got pregnant, how many cigarettes or packs of cigarettes did you smoke on an average day?  
(A pack has 20 cigarettes)**

	Percent
<b>0/Did not smoke</b>	76.5%
<b>less than 1</b>	2.1%
<b>1 to 2</b>	.5%
<b>3 to 9</b>	4.5%
<b>10 to 19</b>	8.9%
<b>20 to 29</b>	5.9%
<b>30 to 39</b>	.0%
<b>more than 39</b>	1.3%
<b>I don't know</b>	.3%
(n = 1,319)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)



In the *last 3 months* of your pregnancy, how many cigarettes or packs of cigarettes did you smoke on an average day?

(A pack has 20 cigarettes)

	Percent
<b>0/Did not smoke</b>	87.9%
<b>less than 1</b>	2.2%
<b>1 to 2</b>	.9%
<b>3 to 9</b>	3.5%
<b>10 to 19</b>	4.0%
<b>20 to 29</b>	.5%
<b>30 to 39</b>	.0%
<b>more than 39</b>	.4%
<b>I don't know</b>	.5%
(n = 1,321)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**How many cigarettes or packs of cigarettes do you smoke on an average day *now*?  
(A pack has 20 cigarettes)**

	<b>Percent</b>
<b>0/Did not smoke</b>	83.9%
<b>less than 1</b>	1.4%
<b>1 to 2</b>	.7%
<b>3 to 9</b>	5.1%
<b>10 to 19</b>	4.6%
<b>20 to 29</b>	3.2%
<b>30 to 39</b>	.3%
<b>more than 39</b>	.2%
<b>I don't know</b>	.5%
(n = 1,323)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits or after your most recent delivery, did a doctor, nurse, or other health care worker ever advise you to quit smoking?**

	<b>Percent</b>
<b>No</b>	5.5%
<b>No, I didn't smoke at that time</b>	76.2%
<b>Yes, after my delivery</b>	.7%
<b>Yes, both times</b>	7.3%
<b>Yes, during my prenatal care visits</b>	10.2%
(n = 1,292)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**During any of your prenatal care visits or after your most recent delivery, did a doctor, nurse, or other health care worker talk with you about how secondhand smoke could affect your baby after birth?**

	Percent
<b>No</b>	47.4%
<b>Yes, after my delivery</b>	5.4%
<b>Yes, both times</b>	31.8%
<b>Yes, during my prenatal care visits</b>	15.4%
(n = 1,264) Denominator is respondents whose new baby is alive and living with them now and who chose the responses above.	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**About how many hours a day, on average, is your new baby in the same room with someone who is smoking?**

	<b>Percent</b>
<b>My baby is never in the same room with someone who is smoking</b>	97.0%
<b>One hour</b>	2.4%
<b>Two or more hours</b>	.6%
(n = 1,266)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

## Not including yourself, is there anyone in your household who smokes cigarettes, cigars, or pipes?

	Percent
<b>No</b>	77.9%
<b>Yes</b>	22.1%
(n = 1,324)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

**Which of the following statements best describes the rules about smoking inside your home?**

	<b>Percent</b>
<b>Smoking is allowed in some places or at some times</b>	3.1%
<b>No one is allowed to smoke anywhere inside your home</b>	96.7%
<b>Smoking is permitted anywhere inside your home</b>	.2%
(n = 1,318)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

# Oregon PRAMS: 2002 Results\*

**During your pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?**

	Percent
<b>No</b>	53.8%
<b>Yes</b>	46.2%
(n = 1,323)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from March 2002 through March 2003. Child's dates of birth were from 1/1/2002 through 12/31/2002.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

\*2002 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)