

During the 3 months before you got pregnant, how many alcoholic drinks did you have in an average week?

	Percent
14 drinks or more a week	2.6
7 to 13 drinks a week	2.7
4 to 6 drinks a week	4.9
1 to 3 drinks a week	13.1
Less than 1 drink a week	28.1
I didn't drink then	48.6
(n = 1,896)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

During the 3 months before you got pregnant, how many times did you drink 5 alcoholic drinks or more in one sitting?

	Percent
6 or more times	2.4
4 to 5 times	1.3
2 to 3 times	6.6
1 time	6.5
I didn't have 5 drinks or more in 1 sitting	34.6
I didn't drink then	48.6
(n = 1,901)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the last 3 months of your pregnancy, how many alcoholic drinks did you have in an average week?

	Percent
14 drinks or more a week	.1
4 to 6 drinks a week	.5
1 to 3 drinks a week	.7
Less than 1 drink a week	6.9
I didn't drink then	91.9
(n = 1,906)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the last 3 months of your pregnancy, how many times did you drink 5 alcoholic drinks or more in one sitting?

	Percent
6 or more times	.1
4 to 5 times	.0
2 to 3 times	.0
1 time	.2
I didn't have 5 drinks or more in 1 sitting	7.6
I didn't drink then	92.0
(n = 1,905)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask if you were drinking alcoholic beverages (beer, wine, wine cooler, or liquor)?

	Percent
No	12.7
Yes	87.3
(n = 1,880)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Birth Certificate: Mother Age Groups

	Percent
< 18	3.8
18 to 19	5.7
20 to 24	28.9
25 - 34	49.0
>= 35	12.5
(n = 1,968); age in years	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Maternal Education (dichotomized)

	Percent
Less than 12 years	20.0
AT least 12 years	80.0
(n = 1,948)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Mother's Race/Ethnicity

	Percent
African Am	2.2
AI/AN	1.6
Asian/PI	5.5
Hispanic	19.5
White	71.1
(n = 1,965)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

First trimester prenatal care

	Percent
No	17.8
Yes	82.2
(n = 1,966)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth certificate: Birthweight category

	Percent
Low birthweight (< 2500g)	5.2
Normal birthweight (>= 2500g)	94.8
(n = 1,968)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Marital status

	Percent
All else	33.5
Married	66.5
(n = 1,968)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: WIC Enrollment

	Percent
No	58.2
Yes	41.8
(n = 1,968)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Parity

	Percent
First born	44.1
Not first born	55.9
	100.0
(n = 1,967)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Tobacco use during pregnancy

	Percent
Yes	12.2
No	87.8
(n = 1,956)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Birth Certificate: Alcohol use during pregnancy

	Percent
No	99.1
Yes	.9
(n = 1,954)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did you ever breastfeed or pump breast milk to feed your new baby after delivery?

	Percent
No	9.6
Yes	90.4
(n = 1,868)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Are you still breastfeeding or feeding pumped milk to your new baby?

	Percent
No	27.6
Yes	72.4
(n = 1,712)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How many weeks or months did you breastfeed or pump milk to feed your baby?

	Percent
I didn't breastfeed my baby	9.6
Less than 1 week	1.2
1 to 2 weeks	4.6
3 to 4 weeks	6.7
5 to 6 weeks	3.7
7 to 8 weeks	1.2
9 to 10 weeks	3.8
more than 10 weeks	69.3
(n = 1,852); 1 month = 4.35 weeks	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How old was your baby the first time you fed him or her anything besides breast milk? Include formula, baby food, juice, cow's milk, water, sugar, sugar water, or anything else you feed your baby.

	Percent
My baby was less than 1 week old	19.6
I have not fed my baby anything besides breast milk	38.8
1.0 to 2.9 weeks	8.6
3.0 to 4.9 weeks	12.3
5.0 to 6.9 weeks	4.0
7.0 to 8.9 weeks	7.8
9.0 to 10.9 weeks	1.9
11.0 or more weeks	7.1
(n = 1,664)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

a) Hospital staff gave me information about breastfeeding

	Percent
No	5.8
Yes	94.2
(n = 1,795)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

b) My baby stayed in the same room with me at the hospital

	Percent
No	5.5
Yes	94.5
(n = 1,789)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

c) I breastfed my baby in the hospital

	Percent
No	12.0
Yes	88.0
(n = 1,792)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

d) I breastfed my baby in the first hour after my baby was born

	Percent
No	30.4
Yes	69.6
(n = 1,790)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

e) Hospital staff helped me learn how to breastfeed

	Percent
No	21.2
Yes	78.8
(n = 1,792)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

f) My baby was fed only breast milk at the hospital

	Percent
No	35.2
Yes	64.8
(n= 1,785)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

g) Hospital staff told me to breastfeed whenever my baby wanted

	Percent
No	16.1
Yes	83.9
(n = 1,772)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

h) The hospital gave me a gift pack with formula

	Percent
No	25.3
Yes	74.7
(n = 1,783)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

i) The hospital gave me a telephone number to call for help with breastfeeding

	Percent
No	16.9
Yes	83.1
(n = 1,790)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

j) My baby used a pacifier in the hospital

	Valid Percent
No	54.6
Yes	45.4
(n = 1,786)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What were your reasons for stopping breastfeeding?

	Percent
My baby had difficulty nursing	31.1%
Breast milk alone did not satisfy my baby	36.3%
I thought my baby was not gaining enough weight	17.2%
My baby was sick and could not breastfeed	2.9%
My nipples were sore, cracked, or bleeding	25.8%
I thought I was not producing enough milk	33.2%
(a) I had too many other household duties	10.7%
I felt it was the right time to stop breastfeeding	11.8%
I got sick and could not breastfeed	5.2%
I went back to work or school	21.8%
I wanted or needed someone else to feed my baby	13.7%
My baby was jaundiced (yellowing of the skin or whites of the eyes)	9.4%
Other	26.2%
a (n = 564); multiple response	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Is your baby alive now?

	Percent
No	.4
Yes	99.6
(n = 1,888)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Is your baby living with you now?

	Percent
No	.6
Yes	99.4
(n = 1,899)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the 12 months before your new baby was born, what were the sources of your household's income?

	Paycheck or money from a job	88.8%
	Money from family or friends	16.5%
	Money from a business, fees, dividends, or rental income	6.6%
(a)	Aid such as TANF, welfare, WIC, public assistance, general assistance, food stamps, or Supplemental Security Income	20.2%
	Unemployment benefits	8.0%
	Child support or alimony	4.7%
	Social security, workers' compensation, disability, veteran benefits, or pensions	2.5%
	Other	3.9%
a (n = 1,884); multiple response		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the 12 months before your new baby was born, what was your total household income before taxes?

	Percent
Less than \$10,000	23.7
\$10,000 to \$14,999	8.9
\$15,000 to \$19,999	6.0
\$20,000 to \$24,999	7.4
\$25,000 to \$34,999	12.9
\$35,000 to \$49,999	12.4
\$50,000 or more	28.7
(n = 1,802)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the 12 months before your new baby was born, how many people, including yourself, depended on this income?

	Percent
1	7.0
2	34.7
3	31.8
4	16.6
5	6.2
6	2.3
7	.7
8	.2
9 or more	.5
(n = 1,889)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Mother's Body Mass Index

	Percent
Underweight (bmi < 18.5)	3.7
Normal (18.5 <= bmi < 25.0)	54.4
Overweight (25.0 <= bmi < 30.0)	24.3
Obese (bmi >= 30.0)	17.6
(n = 1,793); calculated from mother's reported height and weight	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

While you were pregnant, how often did you feel down, depressed, or hopeless?

	Percent
Always	3.4
Often	8.7
Sometimes	28.6
Rarely	32.1
Never	27.2
(n = 1,899)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

While you were pregnant, how often did you have little interest or little pressure in doing things?

	Percent
Always	4.9
Often	9.7
Sometimes	27.5
Rarely	35.5
Never	22.3
(n = 1,908)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Since your new baby was born, how often have you felt down, depressed, or hopeless?

	Percent
Always	1.4
Often	7.7
Sometimes	25.8
Rarely	38.8
Never	26.3
(n = 1,916)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Since your new baby was born, how often have you had little interest or little pleasure in doing things?

	Percent
Always	3.0
Often	6.8
Sometimes	19.2
Rarely	41.4
Never	29.6
(n = 1,906)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How many weeks or months pregnant were you when you were sure you were pregnant? (weeks)

	Percent
1.0 to 7.9 weeks	79.4
8.0 to 12.9 weeks	13.5
13.0 to 17.9 weeks	6.3
18.0 to 22.9 weeks	.4
23.0 or more weeks	.4
(n = 1,826); 1 month = 4.35 weeks	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

When you got pregnant with your new baby, were you trying to get pregnant?

	Percent
No	46.9
Yes	53.1
(n = 1,934)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant?

	Percent
No	50.7
Yes	49.3
(n = 943)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

What were your husband's or partner's reasons for not doing anything to keep from getting pregnant?

	Percent
a) I didn't mind if I got pregnant	43.7%
b) I thought I cannot get pregnant at that time	26.0%
c) I had side effects from the birth control method I was using	9.5%
(a) d) I had problems getting birth control when I needed it	11.2%
e) I thought that my husband or partner or I was sterile	7.8%
f) My husband or partner didn't want to use anything	13.9%
g) Other	21.0%
a (n = 484)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

When you got pregnant with your new baby, what were you or your husband or partner doing to keep from getting pregnant?

	Percent
(a) Tubes tied or closed (female sterilization)	1.4%
Vasectomy (male sterilization)	.0%
Pills	31.8%
Condoms	48.9%
Shot once a month (Lunelle)	.6%
Shot once every 3 months (Depo-Provera)	4.5%
Contraceptive patch (OrthoEvra)	6.1%
Diaphragm, cervical cp, or sponge	2.0%
Cervical ring (NuvaRing or others)	.1%
IUD (including Mirena)	1.0%
Rhythm method or natural family planning	16.5%
Withdrawal (pulling out)	27.1%
Not having sex (abstinence)	4.1%
Other	4.1%
a (n = 466)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

When you got pregnant with your new baby, would you have used a birth control method if you had insurance that paid for it?

	Percent
No	66.5
Yes	33.5
(n = 483)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Before you got pregnant with your new baby, had you ever heard or read about emergency birth control (the "morning-after pill")?

	Percent
No	19.9
Yes	80.1
(n = 1,919)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Are you or your husband or partner doing anything now to keep from getting pregnant?

	Percent
No	12.7
Yes	87.3
(n = 1,905)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What are your or your husband's or partner's reasons for not doing anything to keep from getting pregnant now.

	Percent
(a) I am not having sex	38.3%
I want to get pregnant	9.1%
I don't want to use birth control	26.1%
My husband or partner doesn't want to use anything	11.6%
I don't think I can get pregnant (sterile)	10.1%
I can't pay for birth control	6.6%
I am pregnant now	.1%
Other	35.5%
a (n = 269); multiple response	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What kind of birth control are you or your husband or partner using now to keep from getting pregnant?

(a)	Tubes tied or closed (female sterilization)	8.2%
	Vasectomy (male sterilization)	3.9%
	Pill	31.2%
	Condoms	35.1%
	Shot once a month (Lunelle)	.3%
	Shots once every 3 months (Depo-Provera)	9.9%
	Contraceptive patch (OrthoEvra)	4.1%
	Diaphragm, cervical cap, or sponge	1.6%
	Cervical ring (NuvaRing or others)	.5%
	IUD (including Mirena)	10.8%
	Rhythm method or natural family planning	4.3%
	Withdrawal (pulling out)	11.8%
	Not having sex (abstinence)	9.6%
Other	3.6%	
a (n = 1,631); multiple response		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the month before you got pregnant with your new baby, how many times a week did you take a multivitamin or a prenatal vitamin? These are pills that contain many different vitamins and minerals.

	Percent
I didn't take a multivitamin or a prenatal vitamin at all	53.2
1 to 3 times a week	9.4
4 to 6 times a week	6.3
Every day of the week	31.0
(n = 1,954)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During the 12 months before your new baby was born, did you ever eat less than you felt you should because there wasn't enough money to buy food?

	Percent
No	86.4
Yes	13.6
(n = 1,893)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

At any time during your most recent pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)?

	Percent
No	30.4
Yes	69.6
(n = 1,688)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

After your baby was born was he or she put in an intensive care unit?

	Percent
No	91.1
Yes	8.9
(n = 1,907)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

After your baby was born, how long did he or she stay in the hospital?

	Percent
Less than 24 hours (less than 1 day)	6.4
24 to 48 hours (1 to 2 days)	55.7
3 days	18.4
4 days	8.9
5 days	3.1
6 days or more	5.5
My baby was not born in a hospital	1.9
My baby is still in the hospital	.1
(n = 1,899)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Was your new baby seen by a doctor, nurse, or other health care worker during the first week after he or she left the hospital?

	Percent
No	17.0
Yes	83.0
(n = 1,849)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Has your new baby had a well-baby checkup? (A well-baby checkup is a regular health visit for your baby usually at 2, 4, or 6 months of age.)

	Percent
No	3.5
Yes	96.5
(n = 1,845)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

How do you most often lay your baby down to sleep now?

	Percent
Side	15.4
Back	73.4
Stomach	9.4
Side/Back	1.1
Side/Stomach	.1
Back/Stomach	.2
All 3 positions	.4
(n = 1,844)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How often does your new baby sleep in the same bed with you or anyone else?

	Percent
Always	23.4
Often	17.0
Sometimes	20.6
Rarely	20.4
Never	18.7
(n = 1,849)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Just before you got pregnant, did you have health insurance? Do not count Oregon Health Plan or Medicaid

	Percent
No	41.3
Yes	58.7
(n = 1,965)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Just before you got pregnant, were you on Oregon Health Plan or Medicaid?

	Percent
No	87.8
Yes	12.2
(n = 1,957)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How was your prenatal care paid for?

	Percent
Oregon Health Plan or Medicaid	38.7%
Personal income (cash, check, or credit card)	24.6%
(a) Health insurance or HMO	58.5%
Indian Health Service	.9%
Other	4.6%
a (n = 1,887); multiple response	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How was your delivery paid for?

	Oregon Health Plan or Medicaid	45.2%
	Personal income (cash, check, or credit card)	20.3%
(a)	Health insurance or HMO (including insurance from your work or your husband's work)	56.5%
	Indian Health Service	.5%
	Other	2.8%
a (n= 1,918); multiple response		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

b) During the 12 months before you got pregnant, were you physically hurt in any way by your husband or partner?

	Percent
No	97.3
Yes	2.7
(n = 1,743)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Oregon PRAMS: 2004 Results

Intimate Partner Violence

a) During the 12 months before you got pregnant, did an ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?

	Percent
No	95.7
Yes	4.3
	100.0
(n = 1,738)	

Notes

Output Created		15-AUG-2008 11:11:03
Comments		
Input	Data	H:\out2004\syn04v3.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	BC WT: ANALYSIS WT
	Split File	<none>
	N of Rows in Working Data File	1968
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=PAB_XHUS /ORDER= ANALYSIS .
Resources	Elapsed Time	0:00:01.34
	Processor Time	0:00:00.16

- All results are weighted.

Oregon Public Health Division

65 of 148

- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.

b) During your most recent pregnancy, were you physically hurt in any way by your husband or partner?

	Percent
No	98.6
Yes	1.4
(n = 1,740)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

a) During your most recent pregnancy, did an ex-husband or ex-partner push, hit, slap, kick, choke, or physically hurt you in any other way?

	Percent
No	97.8
Yes	2.2
(n = 1,736)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how eating fish containing high levels of mercury could affect your baby?

	Percent
No	57.8
Yes	42.2
(n = 1,882)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

I needed to see a dentist for a problem

	Percent
No	70.2
Yes	29.8
(n = 1,888)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

I went to a dentist or dental clinic

	Percent
No	56.9
Yes	43.1
(n = 1,895)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

A dental or other health care worker talked with me about how to care for my teeth and gums

	Percent
No	58.5
Yes	41.5
(n = 1,887)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How long has it been since you had your teeth cleaned by a dentist or dental hygienist

	Percent
Within the past year (less than 12 months)	45.2
1 to less than 2 years (12 to 23 months)	18.1
2 to less than 5 years (24 to 59 months)	21.8
5 or more years (60 or more months)	10.8
Never	4.2
Total	100.0
(n = 1,906)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

After your new baby was born, did a doctor, nurse, or other health care worker talk with you about how to prevent your baby from getting tooth decay?

	Percent
No	67.6
Yes	32.4
(n = 1,854)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Do you ever put your baby to bed with a bottle?

	Percent
No	90.5
Yes	9.5
(n = 1,856)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

What do you put in the bottles that your baby takes to bed?

(a)	Water	11.6%
	Something other than water	94.1%
a (n = 209); multiple response		

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

In the past month, how many days a week did you get at least 30 minutes of physical activity or exercise (For example, walking, dancing, yard work, or sweeping.)

	Percent
Less than 1 day per week	24.2
1 to 4 days per week	50.8
5 or more days per week	25.1
(n = 1,901)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Before you got pregnant with your new baby, did you ever have any other babies who were born alive?

	Percent
No	46.3
Yes	53.7
(n = 1,936)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did the baby born just before your new one weigh 5 pounds, 8 ounces (2.5 kilos) or less at birth?

	Percent
No	91.6
Yes	8.4
(n = 989)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Was the baby just before your new one born more than 3 weeks before its due date?

	Percent
No	88.6
Yes	11.4
	100.0

(n = 963); includes only those who answered "Yes" in Question 7

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant?

	Percent
I wanted to be pregnant sooner	17.1
I wanted to be pregnant later	29.8
I wanted to be pregnant then	45.6
I didn't want to be pregnant then or at any time in the future	7.5
(n = 1,935)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How many weeks or months pregnant were you when you had your first visit for prenatal care?

	Percent
less than 1 month	9.2
1 to 1.9 months	37.5
2 to 2.9 months	30.8
3 to 3.9 months	13.2
4 to 4.9 months	4.9
5 to 5.9 months	2.1
6 to 6.9 months	.8
7 to 7.9 months	1.1
8 to 8.9 months	.1
9 months	.3
(n = 1,887); 1 month = 4.35 weeks	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did you get prenatal care as early in your pregnancy as you wanted?

	Percent
No	18.5
Yes	80.9
I did not want prenatal care	.6
(n = 1,934)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

a) I couldn't get an appointment when I wanted one

	Percent
No	87.3
Yes	12.7
(n = 1,822)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

b) I didn't have enough money or insurance to pay for my visits

	Percent
No	83.9
Yes	16.1
(n = 1,826)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

c) I had no way to get to the clinic or doctor's office

	Percent
No	92.2
Yes	7.8
(n = 1,809)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

d) I couldn't take time off from work

	Percent
No	93.8
Yes	6.2
(n = 1,798)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

e) The doctor or my health plan would not start care as early as I wanted

	Percent
No	89.5
Yes	10.5
(n = 1,803)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

f) I didn't have my Oregon Health Plan or Medicaid card

	Percent
No	86.1
Yes	13.9
(n = 1,799)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

g) I had no one to take care of my children

	Percent
No	93.3
Yes	6.7
(n = 1,789)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

h) I had too many other things going on

	Percent
No	92.0
Yes	8.0
(n = 1,785)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

i) I did not want anyone to know I was pregnant

	Percent
No	93.9
Yes	6.1
(n = 1,795)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

j) Other

	Percent
No	91.0
Yes	9.0
(n = 1,268)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Where did you go most of the time for your prenatal visits? Do not include visits for WIC

	Percent
Hospital clinic	21.2
Health department clinic	9.8
Private doctor's office or HMO clinic	53.4
Other	4.2
Midwife office	10.8
At home	.5
(n = 1,848); responses from only those who chose to get prenatal care	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

a) How smoking during pregnancy could affect my baby

	Percent
No	26.4
Yes	73.6
(n = 1,872)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

b) Breastfeeding my baby

	Percent
No	12.6
Yes	87.4
(n = 1,875)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

c) How drinking alcohol during pregnancy could affect my baby

	Percent
No	26.2
Yes	73.8

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

d) Using a seatbelt during my pregnancy

	Percent
No	52.6
Yes	47.4
(n = 1,868)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

e) Birth control methods to use after my pregnancy

	Percent
No	15.2
Yes	84.8
(n = 1,879)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

f) Medicines that are safe to take during my pregnancy

	Percent
No	12.0
Yes	88.0
(n = 1,877)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

g) How using illegal drugs could affect my baby

	Percent
No	33.8
Yes	66.2
(n = 1,868)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

h) Doing tests to screen for birth defects or diseases that run in my family

	Percent
No	11.5
Yes	88.5
(n = 1,873)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

i) What to do if my labor starts early

	Percent
No	14.4
Yes	85.6
(n = 1,865)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

j) Getting tested for HIV (the virus that causes AIDS)

	Percent
No	20.2
Yes	79.8
(n = 1,869)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

k) Physical abuse to women by their husbands or partners

	Percent
No	41.2
Yes	58.8
(n = 1,865)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

a) A close family member was very sick and had to go into a hospital

	Percent
No	80.2
Yes	19.8
(n = 1,909)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

b) I got separated or divorced from my husband or partner

	Percent
No	92.3
Yes	7.7
(n = 1,904)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

c) I moved to a new address

	Percent
No	56.5
Yes	43.5
(n = 1,913)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

d) I was homeless

	Percent
No	93.4
Yes	6.6
(1,904)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

e) My husband or partner lost his job

	Percent
No	85.1
Yes	14.9
(n = 1,898)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

f) I lost my job even though I wanted to go on working

	Percent
No	90.4
Yes	9.6
(n = 1,897)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

g) I argued with my husband or partner more than usual

	Percent
No	77.9
Yes	22.1
(n = 1,902)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

h) My husband or partner said he didn't want me to be pregnant

	Percent
No	92.4
Yes	7.6
(n = 1,903)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

i) I had a lot of bills I couldn't pay

	Percent
No	73.9
Yes	26.1
(n = 1,905)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

j) I was in a physical fight

	Percent
No	96.5
Yes	3.5
(n = 1,908)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

k) My husband or partner or I went to jail

	Percent
No	94.0
Yes	6.0
(n = 1,907)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

I) Someone very close to me had a bad problem with drinking or drugs

	Percent
No	86.5
Yes	13.5
(n = 1,910)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

m) Someone very close to me died

	Percent
No	83.4
Yes	16.6
(n = 1,905)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

a) High blood sugar (diabetes) that started before this pregnancy

	Percent
No	98.7
Yes	1.3
(n = 1,911)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

b) High blood sugar (diabetes) that started during this pregnancy

	Percent
No	92.5
Yes	7.5
(n = 1,908)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

c) Vaginal bleeding

	Percent
No	86.0
Yes	14.0
(n = 1,906)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

d) Kidney or bladder (urinary tract) infection

	Percent
No	83.2
Yes	16.8
(n = 1,915)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

e) Severe nausea, vomiting, or dehydration

	Percent
No	74.3
Yes	25.7
(n = 1,911)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

f) Cervix had to be sewn shut (incompetent cervix)

	Percent
No	98.8
Yes	1.2
(n = 1,900)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

g) High blood pressure, hypertension (including pregnancy-induced hypertension [PIH]), preeclampsia, or toxemia

	Percent
No	88.4
Yes	11.6
(n = 1,906)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

h) Problems with the placenta(such as abruptio placentae or placenta previa)

	Percent
No	95.1
Yes	4.9
(n = 1,901)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

i) Labor pains more than 3 weeks before my baby was due (preterm or early labor)

	Percent
No	80.0
Yes	20.0
(n = 1,913)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

j) Water broke more than 3 weeks before my baby was due (premature rupture of the membranes [PROM])

	Percent
No	95.5
Yes	4.5
(n = 1,908)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

k) I had to have a blood transfusion

	Percent
No	99.5
Yes	.5
(n = 1,909)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

I) I was hurt in a car accident

	Percent
No	98.3
Yes	1.7
(n = 1,911)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

a) I went to the hospital or emergency room and stayed less than 1 day

	Percent
No	62.7
Yes	37.3
(n = 1,170)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

b) I went to the hospital and stayed 1 to 7 days

	Percent
No	80.8
Yes	19.2
(n = 1,140)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

c) I went to the hospital and stayed more than 7 days

	Percent
No	97.2
Yes	2.8
(n = 1,128)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

d) I stayed in a bed at home more than 2 days because of my doctor's or nurse's advice

	Percent
No	68.8
Yes	31.2
(n = 1,151)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did you receive help with an alcohol or drug problem?

	Percent
No	97.3
Yes	2.7
(n = 1,907)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did you receive help to reduce violence in your home?

	Percent
No	98.8
Yes	1.2
(n = 1,900)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did you receive counseling information for family and personal problems?

	Percent
No	92.7
Yes	7.3
(n = 1,909)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Did you receive help to quit smoking?

	Percent
No	96.1
Yes	3.9
(n = 1,904)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

Have you smoked at least 100 cigarettes in the past 2 years?

	Percent
No	74.6
Yes	25.4
(n = 1,913)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

In the 3 months before you got pregnant, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes)

	Percent
41 cigarettes or more	1.4
21 to 40 cigarettes	1.8
11 to 20 cigarettes	8.4
6 to 10 cigarettes	6.9
1 to 5 cigarettes	4.5
Less than 1 cigarette	.6
None (0 cigarettes)	76.4
(n = 1,905)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

In the last 3 months of your pregnancy, how many cigarettes did you smoke on an average day? (A pack has 20 cigarettes)

	Percent
41 cigarettes or more	.3
21 to 40 cigarettes	.5
11 to 20 cigarettes	2.7
6 to 10 cigarettes	3.2
1 to 5 cigarettes	6.0
Less than 1 cigarette	1.0
None (0 cigarettes)	86.3
(n = 1,909)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

How many cigarettes do you smoke on an average day now? (A pack has 20 cigarettes)

	Percent
41 cigarettes or more	.2
21 to 40 cigarettes	1.0
11 to 20 cigarettes	5.4
6 to 10 cigarettes	5.9
1 to 5 cigarettes	4.4
Less than 1 cigarette	.9
None (0 cigarettes)	82.2

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During any of your prenatal care visits, did a doctor, nurse, or other health care worker ask if you were smoking cigarettes?

	Percent
No	6.5
Yes	93.5
	100.0
(n = 1,869)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During any of your prenatal care visits, or after your most recent delivery, did a doctor, nurse, or other health care worker ever advise you to quit smoking?

	Percent
Yes, during my prenatal care visits	8.0
Yes, after my delivery	1.0
Yes, both times	9.5
No	16.3
No, I did not smoke at that time	65.2
N = 1,877	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

During any of your prenatal care visits or after your most recent delivery, did a doctor, nurse, or other health care worker talk with you about how secondhand smoke could affect your baby after birth?

	Percent
Yes, during my prenatal care visits	19.8
Yes, after my delivery	4.1
Yes, both times	34.6
No	41.6
(n = 1,837)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

*2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.

[Return to Question Page](#)

About how many hours a day, on average, is your new baby in the same room with someone who is smoking?

	Percent
My baby is never in the same room with someone who is smoking	96.5
One hour or less	2.1
Two or more hours	1.3
(n = 1,814)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Not including yourself, is there anyone in your household who smokes cigarettes, cigars, or pipes?

	Percent
No	79.4
Yes	20.6
(n = 1,917)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Which of the following statements best describes the rules about smoking inside your home now?

	Percent
No one is allowed to smoke anywhere inside my home	97.6
Smoking is allowed in some rooms or at some times	1.9
Smoking is permitted anywhere inside my home	.5
(n = 1,907)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)

Oregon PRAMS: 2004 Results

During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)?

	Percent
No	53.8
Yes	46.2
(n = 1,916)	

- All results are weighted.
- These results are for surveys that were mailed to mothers from April 2004 through March 2005. Child's dates of birth were from 1/1/2004 through 12/31/2004.
- The number of respondents (n) is the number of women who chose the responses above.
- Percents may not add to 100.0 due to rounding.

***2004 Data collected under Centers for Disease Control and Prevention (CDC) protocol.**

[Return to Question Page](#)