## 5-year-old patient, ATV Accident with Blunt Abdominal Trauma and 2<sup>nd</sup> degree inner-thigh burn extending to groin; (Manikin) (Life Flight Network Activation)

Goals and Objectives:

- 1. Goal: Rapid Assessment of a Pediatric Trauma Patient
  - a. Objective Demonstrate primary and secondary assessments
  - b. Objective Demonstrate prioritization of Airway, Breathing, Circulation
  - c. Objective Identify critical injuries
- 2. Goal: Management of Airway and Breathing
  - a. Objective Demonstrate jaw thrust or other maneuvers to alleviate airway obstruction
  - b. Objective Demonstrate appropriate technique for BVM ventilation
  - c. Objective Demonstrate appropriate use of RSI
  - d. Objective Demonstrate appropriate ventilation techniques with discussion for ventilator settings (6-8ml/kg, RR 20, FiO2 100%, Peep ?)
- 3. Goal: Management of Hypovolemic Shock
  - a. Objective Demonstrate appropriate venous or IO access
  - b. Objective Demonstrate appropriate volume resuscitation
- 4. Goal: Management of Ongoing Issues
  - a. Objective Demonstrate appropriate pain management and sedation needs
    - i. Morphine 0.1-0.2 mg/kg IV/IO
    - ii. Fentanyl 1-2 mcg/kg IV/IO
    - iii. Ativan 0.05-0.1 mg/kg IV/IO
    - iv. Versed 0.05-0.1 mg/kg IV/IO
  - b. Objective Identify acceptable vital sign ranges
  - c. Objective Identify burn injuries and demonstrate proper management