



Oregon

Kate Brown, Governor



550 Capitol St. NE
Salem, OR 97301-3737
Phone: (503) 378-4040
Toll Free: 1-800-221-8035
FAX: (503) 373-7806
www.Oregon.gov/ENERGY

To: Oregon Energy Facility Siting Council

From: Duane Kilsdonk, Compliance Officer

Date: August 21, 2020

Subject: Stateline Wind Project – Annual Monitoring for Wildlife Monitoring and Mitigation Plan (Condition 93)

Wildlife Monitoring and Mitigation Plan Overview

Stateline Wind Project is a wind energy generation facility consisting of two units – Stateline 1&2 and Vansycle II (formerly Stateline 3). Stateline 1&2 consists of 186 turbines and has a peak generating capacity of 123 megawatts (MW). Vansycle II consists of 43 turbines with a peak generating capacity of 99 MW. The facility is located in Umatilla County. The Council issued a site certificate for the facility in 2001.

Condition 93 of the site certificate states that, “The certificate holder shall conduct wildlife monitoring as described in the Wildlife Monitoring and Mitigation Plan (WMMP), included in the Final Order on Amendment #4 as Attachment A and revised from time to time. Subject to approval by the Department of Energy as to professional qualifications, the certificate holder shall hire qualified wildlife consultants to carry out the monitoring. (OAR 345-022-0060).”

The WMMP requires that the certificate holder implement short- and long-term wildlife monitoring during facility operation. Short-term wildlife monitoring requirements include a 2-year post construction Bird and Bat Fatality Monitoring Program, Burrowing Owl Surveys, Avian Use Surveys, and Raptor Nesting Surveys; these wildlife monitoring activities were completed for Stateline 1&2 and Vansycle II between 2006 and 2013. However, based on results of the Bird and Bat Fatality Monitoring Program, where a threshold of concern was exceeded for raptors, the certificate holder was required to, among several additional mitigation measures, install and monitor artificial nest structures for 10 years. During the 10 year monitoring period, the artificial nest structures were determined unsuccessful in attracting use by the affected raptor species – Ferruginous hawk. As a result, the certificate holder re-located and installed 5 artificial nest structures in specific areas with suitable habitat identified as having a higher probability of

attracting the affected species. On-going long-term wildlife monitoring requirements include monitoring the use of the artificial nest structures by the affected species through 2027, to evaluate mitigation success, and the Wildlife Response and Reporting System.

Artificial Nest Structures

On March 31, 2017, the certificate holder re-located and installed 5 artificial nesting structures in areas identified with suitable habitat. All five ANS were monitored for maintenance needs in late 2018 and no maintenance was needed. Unusually deep snow cover in late winter made the 2019 maintenance monitoring by mid to late February difficult —the goal for timing of refreshing sticks if needed is by March 1. They were checked in mid-March and refreshed with sticks where appropriate.

The artificial nest structures were checked for bird use once in early April and once in mid-May. Only one was used. A ferruginous hawk (the target species for this project) successfully nested on ANS #1 (Photo 1). One or two young were assumed to have fledged based on viewing maturing young present in the nest observed from a distance in mid-June. No other use was documented in 2019.

Wildlife Response and Reporting System

Monitoring activities during 2019 for this facility include the ongoing Wildlife Response and Reporting System, a program for responding to and handling avian and bat casualties found by personnel at the site during routine maintenance operations. In 2019, the certificate holder reported four carcasses observed within the facility site within Oregon including: American Kestrel; European Starling; Unidentified Bird and one Unidentified Bat at Stateline 2&3. The certificate holder is obligated to notify USFWS and ODFW in the event that any federal or state endangered or threatened species are killed or injured onsite.

Public Comments on Wildlife Monitoring Results

Section 5 of the WMMP, Data Reporting, establishes an opportunity for the public to review and comment on monitoring results. Specifically the WMMP states, “The public will have an opportunity to receive information about monitoring results and to offer comment. Within 30 days after receiving the annual report of monitoring results, the Department will make the report available to the public on its website and will specify a time in which the public may submit comments to the Department.”

The Department received the annual monitoring results for the facility on April 29, 2020. In accordance with the terms of the WMMP, the Department provides a copy of the 2019 monitoring results for the Stateline Wind Project to the Council for review (attached) and posted a copy to the Department’s project website at: <http://www.oregon.gov/energy/facilities-safety/facilities/Pages/SWP.aspx> and has established 60-day timeframe to accept public comments.

Due to COVID and late postings, comments are due **October 20, 2020 at 5:00 p.m.** and may be submitted to Duane Kilsdonk at duane.kilsdonk@oregon.gov

Attachments: Wildlife Monitoring and Mitigation Plan (January 19, 2017)
2019 Wildlife Monitoring Report

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 This plan describes wildlife monitoring the certificate holders shall conduct during
2 operation¹ of the Stateline Wind Project (SWP) facility in Oregon. The monitoring objectives are
3 to determine whether the facility causes significant fatalities of birds and bats and to determine
4 whether the facility results in a loss of habitat quality. This plan addresses the facility as
5 permitted under the Oregon site certificate, as amended and includes updated information for the
6 future years of the raptor artificial nest structures (ANS) requirement as of November 30, 2016.

7 The SWP facility² consists of two parts:

- 8 • Stateline 1&2: 186 Vestas V47-660-kilowatt (kW) wind turbines, six permanent
9 meteorological (met) towers, access roads and other related or supporting
10 facilities.³
- 11 • Stateline 3: Up to 67 GE 1.5-MW wind turbines or up to 43 Siemens 2.3-MW
12 wind turbines, access roads, a 230-kV transmission line, a substation, an
13 operations and maintenance building and other related or supporting facilities.

14 Wildlife monitoring is necessary to determine whether operation of the facility results in
15 a net loss of habitat quality. For raptors, this will require that the certificate holders obtain a
16 reasonable estimate of the effect of the project on raptors in the context of local raptor
17 populations.

18 The certificate holders shall use properly trained personnel to conduct this monitoring,
19 subject to approval by the Oregon Department of Energy (Department) as to professional
20 qualifications. For all monitoring except FPL's Wildlife Response and Reporting System
21 (described below), the certificate holders shall hire independent third party investigators (not
22 employees of the certificate holder) to perform monitoring tasks.

23 The Wildlife Monitoring and Mitigation Plan for the SWP includes the following
24 components:

- 25 1) Fatality monitoring program involving:
 - 26 a) Removal trials
 - 27 b) Searcher efficiency trials
 - 28 c) Fatality search protocol
 - 29 d) Statistical analysis
- 30 2) Established monitoring transect searches

¹ This plan does not address pre-construction wildlife surveys that FPL Energy carried out in support of its application for a site certificate for the Stateline project.

² As used herein, "SWP facility" includes Stateline 1, 2 and 3.

³ The Final Order on the Application authorized construction of 127 Stateline 1 turbines. However, only 126 were actually built. The Final Order described the four Stateline 1 permanent met towers as "guyed masts set in concrete foundations" (Final Order page 12). However, the certificate holder has built unguyed, concrete met towers for both Stateline 1 and 2. Nevertheless, if any permanent guyed met towers are used in the future, the certificate holder shall comply with the provisions in this plan that address guyed met towers.

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

- 1 3) Raptor nesting surveys
- 2 4) Burrowing owl surveys
- 3 5) Avian use surveys
- 4 6) FPL's "Stateline Wind Project Wildlife Response and Reporting System"

5 Following is a discussion of the components of the monitoring plan, statistical analysis
6 methods for fatality data and data reporting.

7 1. Definitions and Methods

8 Seasons

9 This plan uses the following dates for defining seasons:

Season	Dates
Spring Migration	March 16 to May 15
Summer/Breeding	May 16 to August 15
Fall Migration	August 16 to October 31
Winter	November 1 to March 15

10 Search Plot Selection

11 **Stateline 1&2**

12 Certificate holder FPL Energy Vansycle LLC (FPL Vansycle) is responsible for
13 implementing this plan as it applies to Stateline 1&2. The certificate holder shall conduct
14 standardized carcass searches within search plots. The certificate holder, in consultation with the
15 Oregon Department of Fish and Wildlife (ODFW), shall select search plots based on a
16 systematic sampling design (in general, every other plot is sampled in a monitoring year).
17 Turbine strings will be broken into rectangular search plots that contain two to four turbines
18 each. The edge of plots will be no closer than 63 meters from the nearest turbine or, if guyed
19 meteorological (met) towers are used, no closer than 63 meters from the nearest guyed met
20 tower. The certificate holder shall provide maps of the search plots to the Department of Energy
21 before beginning fatality monitoring at the facility. The certificate holder shall use the same
22 search plots for each search conducted during a monitoring year.

23 **Stateline 3**

24 Certificate holder FPL Energy Stateline II, Inc. (FPL Stateline) is responsible for
25 implementing this plan as it applies to Stateline 3. The certificate holder shall conduct
26 standardized carcass searches within search plots. The certificate holder, in consultation with
27 ODFW, shall select search plots based on a systematic sampling design. Each search plot will
28 contain one turbine. Search plots will be square or circular. Circular search plots will be centered
29 on the turbine location and will have a radius equal to the maximum blade tip height of the
30 turbine contained within the plot. "Maximum blade tip height" is the turbine hub-height plus
31 one-half the rotor diameter. Square search plots will be of sufficient size to contain a circular
32 search plot as described above. The certificate holder shall provide maps of the search plots to
33 the Department before beginning fatality monitoring at the facility. The investigators shall use
34 the same search plots for each search conducted during a single monitoring year.

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

Scheduling and Sampling Frequency

Certificate holder FPL Vansycle began standardized fatality monitoring in Oregon upon the beginning of operation of the facility. For Stateline 1, the first “monitoring year” commenced January 1, 2002. For Stateline 2, the first monitoring year commenced January 1, 2003. FPL Vansycle completed standardized fatality monitoring for Stateline 1&2 in 2006. For Stateline 3, the first monitoring year will commence in the first calendar month following completion of construction.

Within each monitoring year for Stateline 1 and 2, FPL Vansycle conducted standardized carcass searches at the rates of frequency shown below. Over the course of each monitoring year, FPL Vansycle conducted 16 searches. The total number of searches per season is based on applying the rate to the number of months in the season (as defined above).

Season	Frequency
Spring Migration	2 searches per month (4 searches)
Summer/Breeding	1 search per month (3 searches)
Fall Migration	2 searches per month (5 searches)
Winter	1 search per month (4 searches)

For Stateline 3, the certificate holder shall conduct one full year of fatality monitoring (16 searches), beginning in the first calendar month following completion of construction.

Sample Size for Standardized Carcass Searches

For the standardized carcass searches described below, the sample size is the number of turbines searched per monitoring year. Because the number of turbines per search plot varies (as described above), the number of search plots will be less than the sample size (total number of turbines searched per year).

The determination of the sample size is based primarily on the expected precision in the fatality estimates for all Stateline wind turbines in Oregon and Washington.

Stateline 1 sample size: FPL Vansycle searched 64 Stateline 1 turbines during the first monitoring year (plus 60 turbines in Washington) and 63 Stateline 1 during the second monitoring year (plus 60 turbines in Washington). Over the first two monitoring years, all 126 Stateline 1 turbines were searched for at least 12 months. Stateline 1 does not include any guyed met towers.

Stateline 2 sample size: FPL Vansycle searched 30 Stateline 2 turbines in 2003 and 16 Stateline 2 turbines in 2006 (plus 23 turbines in Washington). Stateline 2 does not include any guyed met towers .

Stateline 3 sample size: The certificate holder shall search 20 turbines in a single monitoring year. The certificate holder shall select the turbines in consultation with ODFW and the Department. Stateline 3 does not include any guyed met towers.

Duration of Fatality Monitoring

Stateline 1&2: FPL Vansycle completed standardized fatality monitoring for Stateline 1&2 in 2006.

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 Stateline 3: The certificate holder may terminate the fatality monitoring of
2 Stateline 3 turbines after completing one monitoring year, subject to the approval of the
3 Department.

4 For Stateline 3, the certificate holder shall use a worst-case analysis to resolve any
5 uncertainty in the results and to determine whether mitigation is required. In lieu of approving
6 the termination of the fatality monitoring program for Stateline 3 after one year, the Department
7 may require additional, targeted monitoring if the data indicate the potential for unexpected
8 impacts of a type that cannot be resolved appropriately by worst-case analysis and appropriate
9 mitigation.

10 2. Removal Trials

11 The objective of the removal trials is to estimate the length of time avian and bat
12 carcasses remain in the search area. Carcass removal studies will be conducted during each
13 season in the vicinity of the search plots. Estimates of carcass removal will be used to adjust
14 carcass counts for removal bias. "Carcass removal" is the disappearance of a carcass from the
15 search area due to predation, scavenging or other means such as farming activity.

16 FPL Vansycle conducted carcass removal trials within each of the seasons defined above
17 for Stateline 1 and 2 during the years in which fatality monitoring was done.⁴ This monitoring
18 plan does not require removal trials for Stateline 3. Instead, removal data from Stateline 1 and 2
19 will be used to adjust carcass counts for removal bias.

20 3. Searcher Efficiency Trials

21 The objective of searcher efficiency trials is to estimate the percentage of bird and bat
22 fatalities that searchers are able to find.

23 The certificate holder shall conduct searcher efficiency trials in the same area in which
24 carcass searches occur in both grassland/shrub-steppe and cultivated agriculture habitat types.
25 FPL Vansycle conducted searcher efficiency trials in each season for Stateline 1 and 2 in those
26 years in which fatality monitoring was done.⁵ FPL Stateline will conduct searcher efficiency
27 trials for Stateline 3 in each season of the year in which fatality monitoring is done. Searcher
28 efficiency will be estimated by habitat type and season. Estimates of searcher efficiency will be
29 used to adjust the number of carcasses found, correcting for detection bias.

30 For Stateline 3, the certificate holder shall conduct ten searcher efficiency trials: two in
31 the spring season, three in summer, two in fall and three in winter. Each season, approximately
32 10 carcasses of birds of two size classes (20 total carcasses) will be distributed in each of two
33 habitat types (grassland/shrub-steppe and cultivated agriculture).⁶ In each trial in the spring and
34 fall, at least five carcasses from each size class (10 total carcasses) will be placed in each of the
35 two habitat types. In each trial in the summer and winter, at least three carcasses from each size
36 class (6 total carcasses) will be placed in each of the two habitat types.

⁴ Except that removal trials were not required in 2006 for Stateline 2.

⁵ Except that searcher efficiency trials were not required in 2006 for Stateline 2.

⁶ This means that approximately 160 trial carcasses would be used in searcher efficiency trials during one monitoring year.

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 Personnel conducting searches will not know when trials are conducted; nor will they
2 know the location of the trial carcasses. If suitable trial carcasses are available, trials during the
3 fall season will include several small brown birds to simulate bat carcasses. Legally obtained bat
4 carcasses will be used if available.

5 On the day of a standardized carcass search (described below) but before the beginning of
6 the search, efficiency trial carcasses will be placed at random locations within areas to be
7 searched. If scavengers appear attracted by placement of carcasses, the carcasses will be
8 distributed before dawn.

9 Efficiency trials will be spread over the entire season to incorporate effects of varying
10 weather and vegetation growth. Carcasses will be placed in a variety of postures to simulate a
11 range of conditions. For example, birds will be: 1) placed in an exposed posture (thrown over the
12 left shoulder), 2) hidden to simulate a crippled bird, and 3) partially hidden. Each carcass will be
13 discreetly secured at its location to discourage removal by scavengers.

14 Each non-domestic carcass will be discreetly marked so that it can be identified as an
15 efficiency trial carcass after it is found. The number and location of the efficiency trial carcasses
16 found during the carcass search will be recorded. The number of efficiency trial carcasses
17 available for detection during each trial will be determined immediately after the trial by the
18 person responsible for distributing the carcasses.

19 If new searchers are brought into the search team, additional detection trials will be
20 conducted to insure that detection rates incorporate searcher differences.

21 4. Standardized Carcass Searches

22 The objective of the standardized carcass searches (“fatality monitoring”) is to estimate
23 the number of bird and bat fatalities that are attributable to facility operation. The goal of bird
24 and bat fatality monitoring is to obtain a precise estimate of the fatality rate and associated
25 variances.

26 After completing a full year of fatality monitoring for Stateline 3, the certificate holder
27 shall report an estimate of fatalities in six categories: (1) all birds, (2) small birds, (3) large birds,
28 (4) raptors, (5) bats, (6) grassland birds, (7) nocturnal migrants, and (8) State and federally listed
29 threatened and endangered species and State Sensitive Species listed under OAR 635-100-0040.
30 In addition, the certificate holder shall report fatalities of Washington ground squirrels, if any,
31 observed during the carcass searches and shall record and document detections of Washington
32 ground squirrels (scat, holes and live detections).

33 The certificate holder shall estimate the number of avian and bat fatalities attributable to
34 operation of the facility based on the number of avian and bat fatalities found at the facility site
35 whose death appears related to facility operation. All carcasses located within areas surveyed,
36 regardless of species, will be recorded and, if possible, a cause of death determined based on
37 blind necropsy results. The total number of avian and bat carcasses will be estimated by
38 adjusting for removal and searcher efficiency bias. If the cause of death is not apparent, the
39 mortality will be attributed to facility operation.

40 FPL Vansycle conducted two years of fatality monitoring for the Stateline 1 area and two
41 years of fatality monitoring for the Stateline 2 area. For Stateline 3, FPL Stateline shall conduct
42 one full year of fatality monitoring. If analysis of the fatality data indicates that a significant

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 impact on wildlife and wildlife habitat has occurred, the certificate holder shall implement
2 appropriate mitigation, subject to the approval of the Department. Mitigation is discussed in
3 Section 12 below.

4 Personnel trained in proper search techniques (“the searchers”) will conduct the carcass
5 searches by walking parallel transects. The searchers will search rectangular search plots with the
6 long axis of the plot centered on the turbine string. All area within a minimum of 63 meters from
7 turbines or permanent guyed met towers will be searched. Transects will be initially set at 6
8 meters apart in the area to be searched. A searcher will walk at a rate of approximately 45 to 60
9 meters per minute along each transect searching both sides out to three meters for casualties.
10 Search area and speed may be adjusted by habitat type after evaluation of the first searcher
11 efficiency trial. It should take approximately 45 to 90 minutes to search each turbine (each search
12 plot contains multiple turbines), depending on the habitat type.

13 The searchers will record the condition of each carcass found, using the following
14 condition categories:

- 15 ▪ Intact – a carcass that is completely intact, is not badly decomposed and shows no
16 sign of being fed upon by a predator or scavenger
- 17 ▪ Scavenged – an entire carcass that shows signs of being fed upon by a predator or
18 scavenger, or portions of a carcass in one location (e.g., wings, skeletal remains,
19 legs, pieces of skin, etc.)
- 20 ▪ Feather Spot – 10 or more feathers at one location indicating predation or
21 scavenging

22 All carcasses (avian and bat) found during the standardized carcass searches will be
23 photographed, recorded and labeled with a unique number. Each carcass will be bagged and
24 frozen for future reference and possible necropsy. A copy of the data sheet for each carcass will
25 be kept with the carcass at all times. For each carcass found, searchers will record species, sex
26 and age when possible, date and time collected, location, condition (e.g., intact, scavenged,
27 feather spot) and any comments that may indicate cause of death. Searchers will photograph each
28 carcass as found and will map the find on a detailed map of the search area showing the location
29 of the wind turbines and associated facilities. The certificate holder shall coordinate collection of
30 state endangered, threatened or protected species with the ODFW. The certificate holder shall
31 coordinate collection of federal endangered, threatened or protected species with the U.S. Fish
32 and Wildlife Service (USFWS). The certificate holder shall obtain appropriate collection permits
33 from ODFW and USFWS.

34 The searchers might discover carcasses incidental to formal carcass searches (e.g., while
35 driving within the project area). If the incidentally discovered carcasses are found at turbines that
36 are not part of the formal search sample, the searchers will identify, photograph and collect the
37 carcasses as is done for carcasses within the formal search sample during scheduled searches. If
38 the incidentally discovered carcasses are within the formal search plots, the searchers will leave
39 the carcasses undisturbed, unless the carcass is a state or federally threatened or endangered
40 species. The certificate holder shall coordinate collection of state endangered, threatened or
41 protected species with ODFW. The certificate holder shall coordinate collection of federal
42 endangered, threatened or protected species with the USFWS. The searchers will record the
43 location of all incidentally discovered carcasses or injured birds on a detailed map of the study

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 area showing the location of wind turbines and associated facilities such as power lines and met
2 towers. Any injured native birds found will be carefully captured by a trained Project Biologist
3 or technician and transported to Blue Mountain Wildlife Center in Pendleton in a timely fashion.
4 The certificate holder shall follow a protocol for handling injured birds that has been developed
5 with Lynn Thompkins of Blue Mountain Wildlife.

6 **5. Established Monitoring Transect Surveys**

7 Surveys of grassland transects were conducted for Stateline 1 only. The objective of
8 surveys of established monitoring transects is to determine whether the operation of the facility
9 results in a loss of habitat quality. A reduction in use by grassland/steppe avian species near the
10 facility would indicate a loss of habitat quality.

11 Stateline 1 transects: FPL Vansycle established 20 transects perpendicular to the
12 turbine strings in non-agricultural grassland steppe and CRP habitats.⁷ The survey
13 protocol for Stateline 1 was described in earlier versions of this plan.⁸

14 Stateline 2 transects: No additional transects could be established because the
15 turbine strings were located in cultivated land.

16 Stateline 3 transects: No additional transects could be established because of
17 insufficient suitable grassland and inability to conduct surveys in the available time
18 before the anticipated start of construction.

19 **6. Raptor Nest Surveys**

20 The objectives of raptor nest surveys are to estimate the size of the local breeding
21 populations of tree-nesting raptor species in the vicinity of the facility and to determine whether
22 operation of the facility results in a reduction of nesting activity or nesting success in the local
23 populations of “target raptor species”: Swainson’s hawk and ferruginous hawk. Certificate holder
24 FPL Vansycle is responsible for implementing this plan as it applies to Stateline 1&2. Certificate
25 holder FPL Stateline is responsible for implementing this plan as it applies to Stateline 3.

26 Aerial and ground surveys will be used to gather nest success statistics on active nests,
27 nests with young and young fledged. The certificate holder will share the data with state and
28 federal biologists.

29 During each survey year, the certificate holder shall conduct at least one helicopter
30 survey and additional surveys as described in this section. All nests will be given identification
31 numbers, and nest locations will be recorded on U.S. Geological Survey 7.5-minute quadrangle
32 maps. Global positioning system coordinates will be recorded for each nest. Locations of
33 inactive nests will also be recorded as they may become occupied during future years. All new
34 nests not previously mapped, whether active or inactive, will be given an identification number
35 and their locations (coordinates) will be recorded. Ground surveys are subject to access.

⁷ The original Oregon Wildlife Monitoring Plan (9/14/01) required the certificate holder to survey 24 transects that had been established before construction of Stateline 1. However, due to changes in project layout between the initial monitoring plan and the final layout as shown in the site certificate and changes in habitat due to landowner uses, the number of suitable transects for this survey was reduced to 20.

⁸ See the Oregon Wildlife Monitoring Plan (Revised January 20, 2006).

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 For Stateline 1, FPL Vansycle conducted aerial surveys between May 5 and 17, 2002,
2 and between June 8 and 28, 2002. Surveys were conducted within a 5-mile buffer of the Stateline
3 1 turbines. In addition, active ferruginous hawk and Swainson's hawk nests within two miles of
4 Stateline 1 turbines were surveyed from the ground to determine nesting success.

5 In 2003, FPL Vansycle conducted an aerial survey within a 2-mile buffer of Stateline 1
6 and 2 turbines to determine nest occupancy. In addition, FPL Vansycle conducted ground
7 surveys to determine species, number of young and nesting success. "Nesting success" means
8 that the young have successfully fledged (the young are independent of the core nest site). In the
9 ground survey, FPL Vansycle targeted Swainson's hawk and ferruginous hawk nests and any
10 nests of the target raptor species not observed during the aerial survey.

11 In 2006, FPL Vansycle conducted an aerial survey to determine nest occupancy and a
12 ground survey to determine species, number of young and nesting success. The survey area was
13 the area within a 2-mile buffer around Stateline 2 turbines. In the ground survey, FPL Vansycle
14 targeted Swainson's hawk and ferruginous hawk nests and any nests of the target raptor species
15 not observed during the aerial survey.

16 For Stateline 3, FPL Stateline shall conduct an aerial survey within a 1-mile buffer of
17 Stateline 3 turbines to determine nest occupancy by Swainson's hawks and ferruginous hawks. In
18 addition, one known ferruginous hawk nest located more than one mile from Stateline 3 turbines
19 will be surveyed. The certificate holder shall conduct a minimum of one ground survey of
20 Swainson's and ferruginous hawk nests to determine number of young and nesting success.

21 Given the very low buteo nesting densities in the area, statistical power to detect a
22 relationship between distance from a wind turbine and nesting parameters (e.g., number of
23 fledglings per reproductive pair) will be very low. Therefore, impacts may have to be judged
24 based on trends in the data, results from other wind energy facility monitoring studies and
25 literature on what is known regarding the populations in the region.

26 If analysis of the raptor nesting data indicates any reduction in nesting success by the
27 target raptor species within the survey areas, the certificate holder shall implement appropriate
28 mitigation, subject to the approval of the Department. At a minimum, if the surveys reveal that a
29 target raptor species has abandoned a nest or territory within ½ mile of the facility, or has not
30 fledged any young over any two survey years, the certificate holder shall assume the
31 abandonment or unsuccessful fledging is the result of the project unless another cause can be
32 demonstrated conclusively. Based on that assumption, the certificate holder shall implement
33 appropriate mitigation. In addition, if the data indicate clear evidence of displacement or
34 disturbance of target raptor nesting species between beyond ½ mile from the facility, the
35 certificate holder shall implement appropriate mitigation.

36 For ferruginous hawks, appropriate mitigation may include creation, maintenance and
37 monitoring of nesting platforms; specifically, eight nesting platforms would be created a
38 minimum of 2 miles away from turbines for every ferruginous hawk nest assumed or shown to
39 be affected.

40 Due to the difficulty in replacing nesting habitat for Swainson's hawks, appropriate
41 mitigation may include determining the status of the tree structures currently supporting
42 Swainson's hawks within three miles of the turbines and, with landowner approval,
43 implementing protection measures to retain those structures and to protect existing nest trees.

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 This may include fencing to protect existing trees or spraying black locust trees for insect
2 infestation. It may be appropriate to recruit native tree species.

3 **7. Burrowing Owl Surveys**

4 The objectives of owl surveys are to estimate the size of the local breeding population of
5 burrowing owls in the vicinity of the facility and to determine whether operation of the facility
6 results in a reduction of nesting activity or nesting success in the local burrowing owl population.

7 Given the expected small sample size of active burrowing owl nests within 1,000 feet of
8 the facility, impacts may have to be judged based on trends in the data, results from other wind
9 energy facility monitoring studies and literature on what is known regarding the populations in
10 the region. No burrowing owls were observed within 1,000 feet of the proposed Stateline 1
11 turbines during the 2001 spring pre-construction surveys. Therefore, there is no ability to make
12 any statistical or descriptive inferences on burrowing owl displacement or disturbance impacts to
13 burrowing owls in Oregon.

14 For Stateline 1 and 2 facilities, FPL Vansycle conducted burrowing owl surveys during
15 the breeding season within suitable grassland habitat in association with the fatality monitoring
16 described above in Section 4. For each monitoring year, FPL Vansycle conducted a minimum of
17 two surveys for burrowing owls to obtain estimates of burrowing owl nest density near the
18 turbines. For these surveys, FPL Vansycle followed a protocol developed in consultation with
19 ODFW. Taped burrowing owl vocalizations were played to enhance the ability to detect
20 burrowing owls. Two historic nest sites within the Oregon project area were checked for use.
21 The burrow and an adjacent 100 meters were surveyed for sign of activity and alternate nest
22 sites. During the burrowing owl surveys, observers recorded and documented detections of
23 Washington ground squirrels (scat, holes and live detections).

24 For Stateline 3 facilities, FPL Stateline shall conduct a burrowing owl survey in 2010 for
25 known active or historic burrowing owl nests and any newly discovered nests within 1,000 feet
26 of the Stateline 3 wind turbines. In addition to checking all known historic burrowing owl sites,
27 the certificate holder will search a buffer of 1,000 feet around each site to look for auxiliary
28 burrows, new burrows or other signs of activity. Two burrowing owl nests were found within the
29 project boundary during pre-construction in 2008 and will be checked for activity during the
30 construction monitoring in 2009.

31 **8. Avian Use Surveys**

32 During each standardized carcass search, as described in Section 4 above, observers will
33 record birds detected in a ten-minute period at approximately one-third of the turbines within the
34 carcass search plots (e.g., one point count station per carcass search plot which may consist of two
35 to four turbines) using standard variable circular plot point count survey methods. Additional
36 observations of species of concern (State and federally listed threatened and endangered species and
37 State Sensitive Species listed under OAR 635-100-0040) will be recorded if observed during the
38 carcass searches, but collecting this information is secondary to the actual searching for carcasses so
39 the searchers are not distracted from their main task of finding carcasses.

40 For Stateline 3, while on site during carcass searches (including during travel between
41 search plots), observers shall record observations of special status birds and mammals within the
42 facility site. Observers shall record observations of birds perching on aboveground transmission line

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 conductors and support structures in the vicinity of the turbines being searched. Observers shall
2 report any fatalities observed below or near transmission lines.

3 **9. FPL’s Stateline Wind Project Wildlife Response and Reporting System**

4 FPL’s “Stateline Wind Project Wildlife Response and Reporting System” is a monitoring
5 program set up for searching for and handling avian and bat casualties found by maintenance
6 personnel. A description of this system and associated data forms used for the Vansycle Ridge
7 Wind Project are found in FPL’s application for a site certificate (Attachment P-6, Appendices B
8 and C).

9 Construction and maintenance personnel will be trained in the methods. This monitoring
10 program includes both reporting of carcasses discovered incidental to construction and
11 maintenance operations (“incidental finds”) and reporting of carcasses discovered under a
12 standardized search protocol for an area within approximately 50 meters of the turbines,
13 measured from the base of the tower (“protocol searches”).

14 For Stateline 1, a sample of approximately 45 turbines not included in the standardized
15 carcass searches was chosen to be included in protocol searches in each Stateline 1 monitoring
16 year. FPL Vansycle selected this sample from the overall Stateline Wind Project in Oregon and
17 Washington, with at least 13 of the sampled turbines located in Oregon.

18 For Stateline 2, FPL Vansycle selected a sample of seven Stateline 2 turbines not
19 included in the standardized carcass searches to include in protocol searches in each Stateline 2
20 monitoring year.

21 For Stateline 3, FPL Stateline shall select a sample of approximately 15 percent of the
22 Stateline 3 turbines that are not included in the standardized carcass searches.

23 All carcasses discovered by maintenance personnel will be photographed and recorded. If
24 maintenance personnel find carcasses within the search plots for protocol searches, they will
25 notify a project biologist who will collect the carcasses. If maintenance personnel discover
26 incidental finds at turbines that are not within search plots for the standardized carcass searches
27 described in Section 4, they will notify a project biologist who will collect the carcasses. If
28 maintenance personnel discover carcasses within search plots for the standardized carcass
29 searches described in Section 4, they will leave the carcasses undisturbed, unless the carcass is a
30 state or federally threatened or endangered or otherwise protected species. The certificate holder
31 shall coordinate collection of state endangered, threatened or protected species with ODFW. The
32 certificate holder shall coordinate collection of federal endangered, threatened or protected
33 species with the USFWS.

34 **10. Statistical Analysis Methods for Fatality Data**

35 The certificate holder shall calculate fatality rates using the statistical methods described
36 below, except that the certificate holder may use different notation and methods that are
37 mathematically equivalent with prior approval of the Department.

- 38 (1) Observed number of carcasses found during standardized carcass searches for
39 which the cause of death is either unknown or is attributed to the facility.
- 40 (2) Searcher efficiency expressed as the proportion of planted carcasses found by
41 searchers

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

- 1 (3) Non-removal rates expressed as the length of time a carcass is expected to remain
2 in the study area and be available for detection by the searchers

3 Definition of Variables

4 The following variables are used in the equations below:

5 c_i the number of carcasses detected at plot i for the study period of interest for which
6 the cause of death is either unknown or is attributed to the facility

7 n the number of search plots

8 k the number of turbines searched (includes the turbines centered within each
9 search plot and a proportion of the number of turbines adjacent to search plots to
10 account for the effect of adjacent turbines on the search plot buffer area)

11 \bar{c} the average number of carcasses observed per turbine per year

12 s the number of carcasses used in removal trials

13 s_c the number of carcasses in removal trials that remain in the study area after 40
14 days

15 se standard error (square of the sample variance of the mean)

16 t_i the time (days) a carcass remains in the study area before it is removed

17 \bar{t} the average time (days) a carcass remains in the study area before it is removed

18 d the total number of carcasses placed in searcher efficiency trials

19 p the estimated proportion of detectable carcasses found by searchers

20 I the interval between searches in days

21 $\hat{\pi}_i$ the estimated probability that a carcass is both available to be found during a
22 search and is found ($i = 1$ and 2 ; two estimators)

23 m_i the estimated annual average number of fatalities per turbine per year, adjusted
24 for removal and observer detection bias ($i = 1$ and 2 ; two estimators)

25 26 Observed Number of Carcasses

27 The estimated average number of carcasses (\bar{c}) observed per turbine (or guyed met
28 tower) is:

$$\bar{c} = \frac{\sum_{i=1}^n c_i}{k}$$

29
30 The final estimate of \bar{c} and its standard error are to be calculated using bootstrapping
31 (Manly *et al.* 1997⁹). Bootstrapping is a computer simulation technique that is useful for
32 calculating point estimates, variances and confidence intervals for complicated test statistics. The

⁹ Manly, B.F.J., *Randomization, Bootstrap and Monte Carlo Methods in Biology* (2nd edition), Chapman and Hall, New York (1997).

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 certificate holder shall calculate the mean of at least 5000 bootstrap estimates. The standard
2 deviation of the bootstrap estimates of \bar{c} is the estimated standard error of \bar{c} (that is, $se(\bar{c})$).

3 Estimation of Carcass Removal

4 Estimates of carcass removal are used to adjust carcass counts for removal bias. Mean
5 carcass removal time (\bar{t}) is the average length of time a carcass remains at the site before it is
6 removed:

$$7 \quad \bar{t} = \frac{\sum_{i=1}^s t_i}{s - s_c}$$

8 This estimator is the maximum likelihood estimator assuming that the removal times
9 follow an exponential distribution and that there is right-censoring of data. Any trial carcasses
10 still remaining at 40 days are collected, yielding censored observations at 40 days. If all trial
11 carcasses are removed before the end of the trial, then s_c is 0, and \bar{t} is just the arithmetic average
12 of the removal times.

13 The certificate holder shall use bootstrapping to calculate the final estimate of \bar{t} , the
14 estimated standard error and 90% confidence limits. At least 5000 bootstrap iterations will be
15 used. The standard deviation of the bootstrap estimates of \bar{t} is the estimated standard error of
16 \bar{t} (that is, $se(\bar{t})$). Removal rates will be estimated by major habitat, carcass size (large and small)
17 and season.

18 Estimation of Searcher Efficiency

19 Searcher efficiency rates (that is, the rate of observer detection) are expressed as p , the
20 proportion of trial carcasses that are detected by searchers. The standard error (square of variance
21 of mean) and 90% confidence limits will be calculated by bootstrapping. At least 5000 bootstrap
22 iterations will be used. Observer detection rates will be estimated by major habitat, carcass size
23 and season.

24 Estimation of Total Number of Facility-Related Fatalities

25 The certificate holder shall provide two estimators for the mean number of fatalities per
26 turbine per year. Both estimators adjust the observed number of fatalities by dividing the number
27 of observed carcasses by an estimate of the probability that a carcass is available to be picked up
28 during a fatality search (i.e., the probability the carcass is not removed by a scavenger) and is
29 observed (the probability of detection).

30 The first estimator of total number of annual facility-related fatalities (m_1) is calculated
31 by:

$$32 \quad m_1 = \frac{\bar{c}}{\hat{\pi}_1}$$

33 where

$$34 \quad \hat{\pi}_1 = \begin{cases} \frac{t_* p}{I} & \text{if } I > t_* \\ p & \text{if } I \leq t_* \end{cases}$$

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 This first estimator appears to provide an underestimate of true mortality when the
2 interval between searches is similar to the mean carcass removal time. For this reason, the
3 certificate holder shall calculate the mean number of fatalities per turbine per year using a second
4 estimator, as follows:

$$5 \quad m_2 = \frac{\bar{c}}{\hat{\pi}_2} \text{ where } \hat{\pi}_2 \text{ includes adjustments for both observer detection and scavenging bias}$$

6 and assuming that the carcass removal times t_i follow an exponential distribution.

7 This second estimator does not underestimate true mortality when the mean removal time
8 is similar to or larger than the interval between searches. This estimator will be used when
9 comparisons are made to determine if mitigation should be implemented as described in Section
10 12.

11 For Stateline 3, the certificate holder shall calculate and report fatality rates (per turbine
12 and per megawatt) for each of eight categories: (1) all birds, (2) small birds, (3) large birds, (4)
13 raptors, (5) bats, (6) grassland birds, (7) nocturnal migrants, and (8) State and federally listed
14 threatened and endangered species and State Sensitive Species listed under OAR 635-100-
15 0040.¹⁰ The certificate holder shall calculate the “all birds” estimate and the “small birds”
16 estimate for all species and, separately, for only those species protected by law. Modifications to
17 these estimates will be made to incorporate the varying search efforts by season (monthly in
18 winter and summer, twice monthly in fall and spring). In addition, the certificate holder shall
19 estimate the number of facility-related fatalities separately for turbines that are located on land
20 that does not support grassland steppe or low shrub/shrub steppe habitat and for turbines that are
21 located on land that does support grassland steppe or low shrub/shrub steppe habitat. Additional
22 modifications may be made, subject to approval by the Department.

23 The variance of m is difficult to estimate due to the products and ratios of random
24 variables in the equation above. The certificate holder may estimate the variance and confidence
25 intervals using the computer intensive technique of bootstrapping (Manly 1997, Barnard 2000).

26 11. Data Reporting

27 The certificate holder will report the monitoring data and analysis to the Council. This
28 report may be included in the annual report required under OAR 345-026-0080 or may be
29 submitted as a separate document at the same time the annual report is submitted. In addition, the
30 certificate holder shall provide to the Council any data or record generated in carrying out this
31 monitoring plan upon request by the Council.

32 The certificate holder shall notify USFWS and ODFW immediately in the event that any
33 federal or state endangered or threatened species are taken.

34 The public will have an opportunity to receive information about monitoring results and
35 to offer comment. Within 30 days after receiving the final annual report of monitoring results,
36 the Department will give reasonable public notice via the Internet and make the report available

¹⁰ Grassland nesting species include grasshopper sparrow, savannah sparrow, vesper sparrow, short-eared owl, burrowing owl, northern harrier, horned lark, western meadowlark, long-billed curlew, ring-necked pheasant, Hungarian partridge, chukar partridge, California quail and any other resident grassland nesting bird species that is found in the area.

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 to the public. The notice will specify a time in which the public may submit comments to the
2 Department. The Technical Advisory Committee established under the Walla Walla County
3 conditional use permit may offer comments about the results of monitoring programs in Oregon.

4 **12. Mitigation**

5 The selection of the mitigation actions that the certificate holder may be required to
6 implement under this plan should allow for flexibility in creating appropriate responses to
7 monitoring results that cannot be known in advance. If mitigation is needed, the certificate holder
8 shall propose appropriate mitigation actions to the Department and shall carry out mitigation
9 actions approved by the Department. In addition to mitigation described above, possible
10 mitigation actions include but are not limited to the measures discussed in this section. No later
11 than December 31, 2010, the Department and the certificate holder shall review this plan and
12 assess whether modification of the required mitigation is appropriate.

13 Grassland Nesting Species

14 Grassland nesting species include all native bird species that rely on grassland habitat and
15 that are either resident species occurring year round or species that nest in the area, excluding
16 horned lark, burrowing owl and northern harrier. The certificate holder shall determine
17 significant impact to grassland nesting species based on the fatality monitoring program
18 discussed above. For Stateline 1&2, if the average annual fatality rate is greater than 1.25
19 fatalities per turbine or guyed met tower per year for all species combined or if the average
20 annual fatality rate is greater than 0.5 fatalities per turbine or guyed met tower per year for a
21 single grassland nesting bird species, then the certificate holder shall assume that a significant
22 impact on habitat has occurred and shall implement appropriate mitigation. For Stateline 3, if the
23 average annual fatality rate is greater than the threshold of concern (0.59 fatalities per megawatt)
24 for grassland species as a group, then the certificate holder shall assume that a significant impact
25 on habitat has occurred and shall implement appropriate mitigation.¹¹ The certificate holder shall
26 include in this estimate any grassland nesting species fatality that is observed, even if it is
27 observed during the non-nesting period. The certificate holder shall include in the estimate all
28 carcasses unidentified as to species and for which there is no evidence to rule out the carcass as
29 one of the grassland species listed above.

30 If the analysis of turbine fatality data indicates that mitigation for grassland nesting
31 species is required, the certificate holder shall enhance sufficient habitat to support the number of
32 grassland nesting birds affected. For Stateline 3, the number of birds affected includes the
33 number of fatalities above the threshold of concern. The certificate holder shall protect that
34 enhanced habitat for the life of the facility. The certificate holder shall propose the amount of
35 habitat enhancement based on expected densities and habitat requirements of these species as

¹¹ The Council adopted “thresholds of concern” for raptors, grassland species and state sensitive avian species in the Final Order on the Application for the Klondike III Wind Project (June 30, 2006) and for bats in the Final Order on the Application for the Biglow Canyon Wind Farm (June 30, 2006). As explained in the Klondike III order: “Although the threshold numbers provide a rough measure for deciding whether the Council should be concerned about observed fatality rates, the thresholds have a very limited scientific basis. The exceeding of a threshold, by itself, would not be a scientific indicator that operation of the facility would result in range-wide population level declines of any of the species affected. The thresholds are provided in the WMMP to guide consideration of additional mitigation based on two years of monitoring data.”

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 described in the literature and studies of the Stateline facility and other wind energy facilities in
2 the Northwest.

3 For Stateline 3, if the average annual fatality rate for a State Sensitive avian species listed
4 under OAR 635-100-0040 is greater than the threshold of concern (0.2 fatalities per megawatt),
5 the Department may require the certificate holder to implement mitigation for that species.

6 FPL Vansycle reported the average annual fatality rates for grassland bird species in
7 *Stateline Wind Project Wildlife Monitoring Final Report: July 2001 - December 2003*. This
8 report analyzed two years of monitoring data collected between January 1, 2002, and December
9 31, 2003. Based on the data, the average annual fatality rate for all grassland bird species as a
10 group was 1.28 fatalities per turbine. The average annual fatality rate for horned larks was 0.89
11 fatalities per turbine, and no other single grassland species had an annual fatality rate greater than
12 0.13 fatalities per turbine per year. The reported fatality rates exceeded the “all species”
13 mitigation threshold for Stateline 1&2 of 1.25 fatalities per turbine per year and the “single
14 species” threshold of 0.5 fatalities per turbine per year.

15 As of January 20, 2006, the Council determined that additional mitigation for facility
16 impacts to grassland species was not required pending analysis of additional data from future
17 monitoring. The basis for this determination was that the reported fatality rates were very close
18 to target levels and the most common species affected was horned lark, a species that is abundant
19 in the area and whose survival is not at risk.

20 In 2006, FPL Vansycle conducted fatality monitoring for 16 turbines in the Stateline 2
21 area and reported the results in *Stateline Wind Project Wildlife Monitoring Annual Report:
22 January - December 2006*. The average annual fatality rate for all grassland bird species as a
23 group was 0.45 fatalities per turbine.¹² Single-species fatality rates were not reported.¹³
24 Accordingly, additional mitigation for impacts to grassland species is not warranted as of the
25 date of this plan.

26 Raptors

27 For Stateline 1&2, the certificate holder shall determine significant impact to raptors
28 (excluding burrowing owls, short-eared owls and northern harriers, which are considered under
29 grassland nesting species) based on the fatality monitoring program data and any other raptor
30 fatalities found. If more than an average of two raptor fatalities are found per year, then the
31 certificate holder shall assume that a significant impact on raptor habitat has occurred and shall
32 implement appropriate mitigation.

33 For Stateline 3, the certificate holder shall determine significant impact to raptors (all
34 eagles, hawks, falcons and owls, including burrowing owls) based on the fatality monitoring
35 program data and any other raptor fatalities found. If the average annual fatality rate for raptors
36 is greater than the threshold of concern (0.09 fatalities per megawatt) or the average annual
37 fatality rate for raptor species of special concern is greater than the threshold of concern (0.06

¹² *Stateline Wind Project Wildlife Monitoring Annual Report: January - December 2006* (September 4, 2007), Table 5.

¹³ Horned lark fatalities accounted for 50-percent of fatalities found in the Oregon survey area in 2006. The “all-birds” fatality rate was 0.81 fatalities per turbine. Thus, the single-species threshold of 0.5 fatalities/turbine/year was not exceeded.

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 fatalities per megawatt), then the certificate holder shall assume that a significant impact on
2 raptor habitat has occurred and shall implement appropriate mitigation.¹⁴

3 FPL Vansycle reported the number of raptor fatalities in *Stateline Wind Project Wildlife*
4 *Monitoring Final Report: July 2001 - December 2003*. This report analyzed two years of
5 monitoring data collected between January 1, 2002, and December 31, 2003. Seven raptor
6 fatalities were discovered during standardized fatality searches in Oregon and one additional
7 raptor fatality was found in Oregon under the WRRS monitoring program in the two-year period.
8 Therefore, the annual average was four raptor fatalities found per year.

9 On January 20, 2006, the Council determined that additional mitigation was appropriate.
10 To mitigate the effects of the facility on raptors, the certificate holder shall implement the
11 following:

12 (a) Artificial nest structures (ANS) for ferruginous hawks: FPL Vansycle provided
13 funding for the construction, monitoring and maintenance of not less than three ANS.
14 FPL Vansycle, in consultation with ODFW and the Department, determined suitable
15 locations for the ANS and obtained landowner permission to construct the ANS. Suitable
16 locations are locations within the Columbia Basin Physiographic Province in proximity to
17 the Stateline project and on land that is expected to remain in stable ownership for the life
18 of the Stateline facility. Suitable locations are locations that have adequate prey base for
19 ferruginous hawks and that are remote from human activity. If the site chosen for an ANS
20 is on public land or land managed by The Nature Conservancy, FPL Vansycle shall work
21 out an appropriate agreement with the land management entity for the maintenance and
22 monitoring of the site.

23 FPL Vansycle completed construction of the three ANS, using a design appropriate to
24 attract ferruginous hawks, in early 2007. If an ANS is vandalized or destroyed (by fire or
25 other cause) during the first five years after construction, FPL Vansycle shall pay the full
26 cost of replacement. The Department shall determine the need for ongoing maintenance
27 of the ANS beyond the first five years based on the monitoring data on the success of the
28 ANS in attracting raptor use.

29 FPL Vansycle shall monitor the ANS and report annually to the Department regarding
30 the actual use of the ANS by raptor species. Annual monitoring of all ANS shall continue
31 for at least 10 years after construction of the ANS in 2006. If there has been no use of an
32 ANS by raptors during the first five years, the Department may require FPL Vansycle to
33 relocate the ANS or construct an ANS at an alternative suitable site.

34 In November 2016 FPL Vansycle and the Department (with input from ODFW) agreed
35 on an amendment of this mitigation measure, due to historic low use of the three ANS,
36 from 2007 through 2015.¹⁵ By March 1, 2017 FPL Vansycle will establish three new
37 ANS in locations of suitable habitat within the approved parcels. Two of the three
38 original ANS (ANS1 and ANS3) will be maintained. Due to the lack of suitable foraging

¹⁴ Raptor species of special concern include Swainson's hawk, ferruginous hawk, peregrine falcon, golden eagle, bald eagle, burrowing owl and any federal threatened or endangered raptor species.

¹⁵ The certificate holder submitted a draft proposal identifying the proposed new ANS locations, siting selection methodology and criteria, monitoring, and maintenance activities on October 3, 2016 and a final proposal, as approved by ODOE in consultation with ODFW, on October 28, 2016.

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 habitat in the general area of ANS2, ANS2 will be removed and no longer be part of this
2 mitigation measure. The new sites (ANS 4, 5, 6) are located in Umatilla County on
3 private land with willing landowners and habitat highly likely to remain suitable, at a
4 minimum for the period 2017–2021. Persistence of suitable habitat is likely to continue
5 due to the extensive grasslands onsite that are enrolled in the federal Conservation
6 Reserve Program (CRP). ANS1 and ANS3 will be inspected for maintenance needs and
7 refreshed with sticks prior to the 2017 ferruginous hawk nesting period. These five ANS
8 locations (ANS1, ANS3, ANS4, ANS5, ANS6) will be monitored annually for the first
9 five years and then every five years for the life of the Stateline 1&2 facility. During the
10 first five-year period, all five ANS will be refreshed with sticks on an as-needed basis and
11 when the nest is not occupied by avian species. Annual reporting will be the same as
12 described in lines 29 and 30 above. No additional mitigation will be required for the
13 raptor mitigation requirement.

14 (b) Riparian and upland habitat fencing: FPL Vansycle contributed \$9,000 to the Birch
15 Creek Project for fencing of riparian and upland habitat. The Birch Creek project is a
16 partnership between a private landowner and other interested organizations to improve
17 upland and riparian wildlife habitat at a site that is within the Columbia Basin
18 Physiographic Province about 30 miles south of the Stateline facility. The project site is
19 near an area of historic nesting sites for ferruginous hawks, and it is likely that improved
20 range conditions may enhance foraging habitat quality for the species, especially during
21 the nesting and juvenile dispersal period. It is expected that other raptor species will
22 benefit as well, including red-tailed hawks and American kestrels that may nest in
23 deciduous or coniferous trees and forage in the uplands. FPL Vansycle shall provide
24 periodic reports to the Department on the progress of the Birch Creek project. At a
25 minimum, the certificate holder shall report on the project in the annual reports on the
26 Stateline facility.

27 The Birch Creek project enclosed about 5,000 acres of Columbia Basin grassland and
28 riparian and upper Birch Creek conifer/grassland. Approximately 15 miles of new high-
29 tensile, wildlife-friendly fencing were built. The goal is to exclude cattle from riparian
30 zones and upland habitats so the areas can recover from past grazing pressure. The
31 fencing encloses uplands for raptor foraging and deciduous trees and shrubs for potential
32 raptor nesting, perching and roosting.

33 (c) Contributions to the Blue Mountain Wildlife Rehabilitation Center: The Blue
34 Mountain Wildlife Rehabilitation Center near Pendleton is a non-profit organization that
35 provides treatment and care to orphaned, injured or sick native wildlife to enable their
36 return to their natural habitat. To support the work of the Center in the rehabilitation of
37 raptors, FPL Vansycle contributed \$3,000 to the Center in 2006 and \$1,500 in 2007 and
38 2008. The certificate holders shall make annual contributions of \$1,500 each in 2009 and
39 2010. The certificate holders shall request that the funds be dedicated to paying for food
40 and other supplies necessary for raptor rehabilitation. FPL Vansycle and the Department
41 shall assess ongoing mitigation activities no later than December 31, 2010, and shall
42 determine the amount of further contributions to the Center.

Stateline Wind Project: Wildlife Monitoring and Mitigation Plan

[REVISED JANUARY 19, 2017]

1 FPL Vansycle reported four raptor fatalities in Oregon in 2006.¹⁶ This result matched the
2 annual average of four raptor fatalities per year, based on the data for 2002 and 2003. If
3 Stateline 3 turbines are built, the certificate holder will conduct standardized searches for one
4 year in the Stateline 3 area. The Wildlife Response and Reporting System will be in place for the
5 life of the facility and will include reporting of any incidental raptor fatalities found by
6 maintenance personnel. If the threshold of concern is not exceeded but fatalities of a sensitive
7 raptor species, such as ferruginous hawk or Swainson's hawk are at a level of concern, the
8 Department may require the certificate holder to implement mitigation for that species.

9 Other Bird Species and Bats

10 Mitigation measures for grassland nesting birds and for raptors, if implemented, would
11 also benefit other bird species and bats. For Stateline 1&2, there was no mitigation threshold for
12 these species. For Stateline 3, the threshold of concern for bats as a group is 2.5 fatalities per
13 megawatt. If fatalities to these species exceed the threshold of concern or are higher than
14 expected and are at a level of biological concern, the Department may require the certificate
15 holder to implement mitigation for these species.

16 The monitoring data presented in *Stateline Wind Project Wildlife Monitoring Final*
17 *Report: July 2001 - December 2003* show that fatality rates for other bird species and bats were
18 not higher than expected. The overall bat fatality rate was 1.7 fatalities per megawatt, which is
19 below the U.S. average rate of 2.1 fatalities per megawatt.¹⁷ The data collected in 2006 on
20 turbines in the Stateline 2 area resulted in lower fatality rates for both birds and bats, compared
21 to the larger Stateline sample studied in 2002 and 2003.¹⁸ Pending analysis of additional data
22 from future monitoring, the Council determined that additional mitigation for facility impacts to
23 other bird species and bats was not required as of January 20, 2006.

24 **13. Amendment of the Plan**

25 This Wildlife Monitoring and Mitigation Plan may be amended from time to time by
26 agreement of the certificate holders and the Council. Such amendments may be made without
27 amendment of the site certificate. The Council authorizes the Department to agree to
28 amendments to this plan and to mitigation actions that may be required under this plan. The
29 Department shall notify the Council of all amendments and mitigation actions, and the Council
30 retains the authority to approve, reject or modify any amendment of this plan or mitigation action
31 agreed to by the Department.

¹⁶ *Stateline Wind Project Wildlife Monitoring Annual Report: January - December 2006* (September 4, 2007), Table 2.

¹⁷ The overall bird fatality rate of 2.9 fatalities per megawatt was "slightly below the average for new generation wind projects in the U.S." (3.05 fatalities per megawatt). *Stateline Wind Project Wildlife Monitoring Final Report: July 2001 - December 2003* (December 2004), p. 26.

¹⁸ *Stateline Wind Project Wildlife Monitoring Annual Report: January - December 2006* (September 4, 2007), Table 5.

ATTACHMENT 5

2019 WRRS Data for Stateline Wind Project

Site	Date of Discover	Species Type	Species Name	Structure Detail	Physical Condition	Electrical Event
STATELINE (WA)	1/16/2019	AVIAN	American Kestrel	HGC-03	COMPLETE CARCASS	NO
STATELINE (WA)	3/13/2019	AVIAN	European Starling	PB-31	COMPLETE CARCASS	NO
STATELINE (OR)	3/18/2019	BAT	Bat, Unidentified	HGS-32	COMPLETE CARCASS	NO
STATELINE (OR)	5/21/2019	AVIAN	Bird, Unidentified	WSB-52	DISMEMBERED	NO

ATTACHMENT 6

STL 1-2 Offsite Artificial Report Nest Structure Monitoring



Northwest
Wildlife
Consultants, Inc.

MEMORANDUM

Date: March 16, 2020

To: Mike Odman, NextEra Energy Resources, FPL Vansycle

From: Karen Kronner
NWC, Inc.

Subject: Stateline 1 and 2 Wind Project – 2019 Offsite Artificial Raptor Nest Structure Project, 2019 Summary

This memo provides a summary of 2019 activities for the Stateline Wind Project Artificial Nest Structures (ANS) project. Background information and annual reports for the ANS project can be found in prior documents. Requirements for the original three ANS were first generally described in the November 2009 Stateline Wildlife Monitoring and Mitigation Plan (WMMP, pages A-15–A-17). The WMMP was amended January 19, 2017 to address limited use. Text from the current WMMP:

"In November 2016 FPL Vansycle and the Department (with input from ODFW) agreed on an amendment of this mitigation measure, due to historic low use of the three ANS, from 2007 through 2015. By March 1, 2017 FPL Vansycle will establish three new ANS in locations of suitable habitat within the approved parcels. Two of the three original ANS (ANS1 and ANS3) will be maintained. Due to the lack of suitable foraging habitat in the general area of ANS2, ANS2 will be removed and no longer be part of this mitigation measure. The new sites (ANS 4, 5, 6) are located in Umatilla County on private land with willing landowners and habitat highly likely to remain suitable, at a minimum for the period 2017–2021. Persistence of suitable habitat is likely to continue due to the extensive grasslands onsite that are enrolled in the federal Conservation Reserve Program (CRP). ANS1 and ANS3 will be inspected for maintenance needs and refreshed with sticks prior to the 2017 ferruginous hawk nesting period. These five ANS locations (ANS1, ANS3, ANS4, ANS5, ANS6) will be monitored annually for the first five years and then every five years for the life of the Stateline 1&2 facility. During the first five-year period, all five ANS will be refreshed with sticks on an as-needed basis and when the nest is not occupied by avian species. Annual reporting will be the same as described in lines 29 and 30 above. No additional mitigation will be required for the raptor mitigation requirement."

All the structures are located offsite (Figure 1). There have been no changes to the habitat or ownership for any of the sites hosting the structures. As previously described ANS #2 was removed due to recent extensive habitat. Three new structures were added (#4, 5, 6) on March 31, 2017. As previously described, two ANS, #4 and 5, are close to each other and it is not likely both would be used by nesting raptors in the same year.

All five ANS were monitored for maintenance needs in late 2018 and no maintenance was needed. Unusually deep snow cover in late winter made the 2019 maintenance monitoring by mid to late February difficult —the goal for timing of refreshing sticks if needed is by March 1. They were checked in mid-March and refreshed with sticks where appropriate.

They were checked for bird use once in early April and once in mid-May. Only one was used. A ferruginous hawk (the target species for this project) successfully nested on ANS #1 (Photo 1). One or two young were assumed to have fledged based on viewing maturing young present in the nest observed from a distance in mid-June. No other use was documented in 2019.

Figure 1. Stateline Artificial Nest Structures




Photo 1. Incubating ferruginous hawk on ANS #1, May 13, 2019.



(low resolution image taken from a distance)

*Northwest Wildlife Consultants, Inc., is an Oregon Registered Woman Business Enterprise
Specializing in Columbia and Great Basin Wildlife and Rare Plant Surveys,
Environmental Permitting and Natural Resource Monitoring
--- A Portion of Profits is Dedicated to Regional Conservation Projects ---*