

Baker County: Adult Immunization Rates

	2016-2017	2017-2018	2018-2019	2019-2020
Influenza Vaccination Rates^{a,b}				
Female				
18 to 49 years	34.8%	38.5%	34.2%	36.2%
50 to 64 years	43.5%	43.9%	46.6%	48.3%
≥65 years	52.4%	57.2%	58.9%	53.0%
Male				
18 to 49 years	15.4%	17.6%	18.5%	20.2%
50 to 64 years	35.3%	36.4%	36.6%	39.3%
≥65 years	48.4%	50.4%	53.4%	49.8%
All adults				
18 to 49 years	24.9%	27.9%	26.1%	28.3%
50 to 64 years	39.6%	40.3%	41.8%	44.1%
≥65 years	50.5%	54.0%	56.2%	51.5%
		2017	2018	2019
Tetanus (Td or Tdap) Vaccination Rates^{b,c}				
All adults				
≥18 years		6.3%	7.1%	7.2%
18 to 49 years		7.5%	7.5%	8.7%
50 to 64 years		4.8%	6.5%	7.5%
≥65 years		6.2%	7.2%	6.4%
Zoster (Shingles) Vaccination Rates^{b,d}				
All adults				
50 to 59 years		0.1%	1.3%	3.7%
≥60 years		1.8%	3.4%	10.8%
60 to 64 years		3.6%	2.9%	9.8%
≥65 years		1.1%	3.5%	10.5%

^a Immunization rates reflect stated flu season

^b Estimates are based on a combination of ALERT Immunization Information System (IIS, Oregon Immunization Program) and Portland State University's Population Research Center data for Oregon populations

^c Target immunization rate for the overall adult population is 10% per year; however, target rates are higher for women of child-bearing age

^d Rate reflects vaccination with either Shingrix or Zostavax