

Malheur County: Adult Immunization Rates

	2016-2017	2017-2018	2018-2019	2019-2020
Influenza Vaccination Rates^{a,b}				
Female				
18 to 49 years	26.5%	22.3%	29.9%	28.3%
50 to 64 years	50.3%	50.4%	53.6%	46.2%
≥65 years	41.9%	44.7%	48.1%	47.0%
Male				
18 to 49 years	6.9%	7.2%	7.7%	12.1%
50 to 64 years	29.8%	31.0%	32.0%	28.8%
≥65 years	35.6%	38.7%	41.8%	38.9%
All adults				
18 to 49 years	14.6%	13.2%	16.6%	19.6%
50 to 64 years	39.2%	39.9%	41.9%	37.2%
≥65 years	39.0%	41.9%	45.2%	43.2%
		2017	2018	2019
Tetanus (Td or Tdap) Vaccination Rates^{b,c}				
All adults				
≥18 years		4.5%	4.6%	4.7%
18 to 49 years		5.1%	5.2%	5.7%
50 to 64 years		3.9%	4.1%	3.3%
≥65 years		3.9%	3.6%	3.5%
Zoster (Shingles) Vaccination Rates^{b,d}				
All adults				
50 to 59 years		0.1%	0.8%	2.5%
≥60 years		1.2%	2.7%	6.5%
60 to 64 years		2.5%	2.6%	5.7%
≥65 years		0.8%	2.8%	6.5%

^a Immunization rates reflect stated flu season

^b Estimates are based on a combination of ALERT Immunization Information System (IIS, Oregon Immunization Program) and Portland State University's Population Research Center data for Oregon populations

^c Target immunization rate for the overall adult population is 10% per year; however, target rates are higher for women of child-bearing age

^d Rate reflects vaccination with either Shingrix or Zostavax